

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 1 of 9

# TEST REPORT

**Application No.:** FYCR2208000316AT (SGS SZ No.: T52210300046EM)

Applicant: SCX DESIGN

Address of Applicant: 68 bis Boulevard Pereire 75017 Paris, France

Manufacturer: SCX DESIGN

Address of Manufacturer: 68 bis Boulevard Pereire 75017 Paris, France

**Equipment Under Test (EUT):** 

**EUT Name:** BAMBOO 5W WIRELESS CHARGING BASE WITH LIGHT-UP LOGO

Model No.: CTEK066

**FCC ID:** 2A2OH-W14-CTEK066

Vendor Name: SCX

Shipment Order No: DP00045029
PO No: 5477\_SCX
Country of Origin China
Country of Distribution: US

Standard(s): 47 CFR PART 1, Subpart I, Section 1.1310

47 CFR PART 2, Subpart J, Section 2.1091

**Date of Receipt:** 2022-08-12

**Date of Test:** 2022-08-18 to 2022-09-05

**Date of Issue:** 2022-09-06

Test Result: Pass\*

Winkey Wang
Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishird, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 2 of 9

	Revision Record								
Version	Chapter	Date	Modifier	Remark					
01		2022-09-06		Original					

Authorized for issue by:		
	(ree 2 han	
	Tree Zhan/Project Engineer	<u> </u>
	WinkeyWang	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/T



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 3 of 9

### 2 Contents

		Pag	е
1	CO	VER PAGE	.1
2	COI	NTENTS	. :
_			
3	GEI	NERAL INFORMATION	۷.
	3.1	DETAILS OF E.U.T.	2
	3.2	DESCRIPTION OF SUPPORT UNITS	. 4
	3.3	TEST LOCATION	. 2
	3.4	TEST FACILITY	.5
	3.5	DEVIATION FROM STANDARDS	.5
	3.6	ABNORMALITIES FROM STANDARD CONDITIONS	. [
1	ΕOI	JIPMENTS USED DURING TEST	
4	EQI	JIPMEN 13 03ED DUKING 1E31	٠.
5	RΔI	DIO SPECTRUM MATTER TEST RESULTS	-
_			
	5.1	MAGNETIC FIELD STRENGTH	. 7
	5.1.	1 E.U.T. Operation	. 8
	5.1.	2 Test Setup Diagram	. 8
		3 Measurement Procedure and Data	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate\*\* (Advisors Company and the content or appearance of the such authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate\*\* (Advisors Company and the comp



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 4 of 9

### 3 General Information

### 3.1 Details of E.U.T.

Power supply:	Micro USB Input: 5V/2A		
	Wireless charger output: DC 5V,1A,		
	output:5W		
Cable(s):	Undetachable USB cable:80cm unshielded		
Operation frequency:	121k.0Hz to 192.8kHz		
Modulation type:	Load modulation		
Antenna type:	Loop Antenna		

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

### 3.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Adapter	Apple	A2167	REF. No.SEA01A01
mobile phone	Apple	lphone12	F17F5HQE0DYL

#### 3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 5 of 9

### 3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

#### 3.5 Deviation from Standards

None

#### 3.6 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 6 of 9

# 4 Equipments Used during Test

Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Due date
1	3m Anechoic Chamber	CRT	N/A	SEM001-13	2024/7/12
2	Electric and Magnetic Field Analyzer	Narda	EHP-200AC	SEM022-20	2023-04-01

**Test Mode Description** 

Pre-scan / Final test	Mode Code	Description
Final test	00	Charge mode_Keep the EUT charging(5W)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 7 of 9

# 5 Radio Spectrum Matter Test Results

### 5.1 Magnetic field strength

Test Requirement: 47 CFR PART 1, Subpart I, Section 1.1310

47 CFR PART 2, Subpart J, Section 2.1091

Measurement Distance: 15cm

#### Limit:

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)					
(i) Limits for Occupational/Controlled Exposure									
0.3-3.0	*(100)	≤6							
3.0-30	1842/f	4.89/f	*(900/f²)	<6					
30-300	61.4	0.163	1.0	<6					
300-1,500	/	/	f/300	<6					
1,500-100,000	/	/	/ 5						
(ii) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	<30					
1.34-30	.34-30 824/f		80 824/f 2.19/f *(180/f²)		<30				
30-300	27.5	0.073	0.2	<30					
300-1,500	/	/	f/1500	<30					
1,500-100,000	/	/	1.0	<30					

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thut://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

<sup>\*=</sup>Plane-wave equivalent power density



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 8 of 9


### 5.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

This device has been tested the worst status of full load and the device has been tested with mobile phone at zero charge, intermediate charge, and full charge.

#### 5.1.2 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, Please contact us at telephone: (86-755) 8307 1443, \*\*Certificate, P



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220800031602

Page: 9 of 9

#### 5.1.3 Measurement Procedure and Data

Input Voltage=DC 5V; The max output power =5W Magnetic Field Emissions

Operation frequency	Test Distance (cm)	Test Position	Prol	be Measure Re (A/m)	50 % Limit (A/m)	10 % Limit (A/m)	
			unload	Half load	full load		
133 kHz	15	Side 1	0.043	0.052	0.060		
which is the worst		Side 2	0.036	0.043	0.051		
case		Side 3	0.034	0.044	0.047	0.015	0.462
within the operation frequency range		Side 4	0.031	0.038	0.049	0.815	0.163
		Тор	0.037	0.044	0.057		

### **Magnetic Field Emissions**

Operation	Test Distance	Test	Probe Measure Result(A/m)			50 % Limit	10 % Limit
Operation frequency	(cm)	Position	zero charge	intermediate charge	full charge	(A/m)	(A/m)
124 kHz	15	Side 1	0.051	0.043	0.034	0.815	0.163
which is the worst		Side 2	0.043	0.036	0.029		
case		Side 3	0.045	0.038	0.030		
within the operation frequency range		Side 4	0.042	0.035	0.028		
		Тор	0.043	0.036	0.029		

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions