

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 1 of 9

# TEST REPORT

**Application No.:** FYCR2209000347AT (SGS SZ NO.: T52210300145EM)

Applicant: SCX DESIGN

Address of Applicant: 68 bis Boulevard Pereire 75017 Paris, France

Manufacturer: SCX DESIGN

Address of Manufacturer: 68 bis Boulevard Pereire 75017 Paris, France

**Equipment Under Test (EUT):** 

**EUT Name:** 10W WIRELESS CHARGING BASE WITH PENCIL CASE

 Model No.:
 32510

 PO No:
 5502\_SCX

 Shipment Order No:
 7163393

**FCC ID:** 2A2OH-W1730L

**Country of Origin** China **Country of Distribution:** US

Standard(s): 47 CFR PART 1, Subpart I, Section 1.1310

47 CFR PART 2, Subpart J, Section 2.1091

 Date of Receipt:
 2022-09-01

 Date of Test:
 2022-09-26

 Date of Issue:
 2022-09-27

Test Result: Pass\*

Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 2 of 9

Revision Record								
Version Chapter Date Modifier Re								
01		2022-09-27		Original				

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	-
	WinkeyWarg	
	Winkey Wang/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CN Descherciffsus cond.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 3 of 9

### 2 Contents

			Page
1	CO	VER PAGE	1
2		NTENTS	
-			
	3.1	DETAILS OF E.U.T.	4
	3.2	DESCRIPTION OF SUPPORT UNITS	4
	3.3	TEST LOCATION	
	3.4	TEST FACILITY	5
	3.5	DEVIATION FROM STANDARDS	
	3.6	ABNORMALITIES FROM STANDARD CONDITIONS	5
4	EQU	UIPMENTS USED DURING TEST	6
5	RAD	DIO SPECTRUM MATTER TEST RESULTS	7
	5.1	Magnetic field strength	7
	5.1.	1 E.U.T. Operation	8
	5.1.	.2 Test Setup Diagram	8
	5.1.	3 Measurement Procedure and Data	9



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apg.">http://www.sgs.com/en/Terms-and-Conditions.apg.</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.apg.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.apg.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tasted and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sss.com; or certificate, please accontact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sss.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sss.com; or certificate, please accontact us at telephone: (86-755) 8307 1443.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 4 of 9

### 3 General Information

### 3.1 Details of E.U.T.

Power supply:	Input: DC 5V/3A,9V/3A	
	USB-A output: DC 5V/1A	
	Type-C output:DC 5V/1A	
	Wireless output:DC 5V/1A(5W),DC 9V/1.1A(10W)	
Cable(s):	Type-C USB cable:80cm unshielded	
Operation Frequency:	111.2kHz to 143.8kHz	
Modulation type:	Load Modulation	
Antenna Type:	Loop Antenna	

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

### 3.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Adapter	Mi	MDY-11-EP	REF. No.SEA05M02F
mobile phone	SAMSUNG	Galaxy S9	R58M681WFNB
E-loading	SGS	N/A	REF. No.SEA42A00





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 5 of 9

#### 3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

### 3.5 Deviation from Standards

None

#### 3.6 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thite://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 6 of 9

# 4 Equipments Used during Test

Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Due date
1	3m Anechoic Chamber	CRT	N/A	SEM001-13	2024/7/12
2	Electric and Magnetic Field Analyzer	Narda	EHP-200AC	SEM022-20	2023-04-01

**Test Mode Description** 

Pre-scan / Final test	Mode Code	Description	
Pre-scan	01	Charge mode_Keep the EUT charging(5W)	
Final test	02	Charge mode_Keep the EUT charging(10W)	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 7 of 9

# 5 Radio Spectrum Matter Test Results

### 5.1 Magnetic field strength

Test Requirement: 47 CFR PART 1, Subpart I, Section 1.1310

47 CFR PART 2, Subpart J, Section 2.1091

Measurement Distance: 15cm

#### Limit:

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)				
(i) Limits for Occupational/Controlled Exposure								
0.3-3.0 614 1.63 *(100) ≤6								
3.0-30	1842/f	4.89/f	*(900/f²)	<6				
30-300	61.4	0.163	1.0	<6				
300-1,500	/	/	f/300	<6				
1,500-100,000	/	/	5 <6					
(ii) Limits for General Population/Uncontrolled Exposure								
0.3-1.34	614	1.63	*(100)	<30				
1.34-30	824/f	2.19/f	*(180/f²)	<30				
30-300	27.5	0.073	0.2	<30				
300-1,500	/	/	f/1500	<30				
1,500-100,000	/	/	1.0	<30				

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the time of the strength of the strengt

<sup>\*=</sup>Plane-wave equivalent power density



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 8 of 9


### 5.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

This device has been tested the worst status of full load and the device has been tested with mobile phone at zero charge, intermediate charge, and full charge.

### 5.1.2 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVP. Doccheck@ses.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900034703

Page: 9 of 9

#### 5.1.3 Measurement Procedure and Data

Input Voltage=DC 5V; The max output power =10W Magnetic Field Emissions

Operation frequency	Test Distance (cm)	Test Position	Prol	Probe Measure Result (A/m)			10 % Limit (A/m)
nequency		1 03111011	unload	Half load	full load		
125 kHz which is the worst case		Side 1	0.080	0.090	0.111	-	
		Side 2	0.081	0.091	0.111		
		Side 3	0.082	0.097	0.115		
within the	15	Side 4	0.079	0.095	0.111	0.815	0.163
operation frequency range		Тор	0.093	0.104	0.128		

#### **Magnetic Field Emissions**

0	Test Distance	T	Probe	Measure Resul	50 % Limit	10 % Limit	
Operation frequency	(cm)	Test Position	zero charge	intermediate charge	full charge	(A/m)	(A/m)
125 kHz	5	Side 1	0.112	0.094	0.075		
which is		Side 2	0.108	0.091	0.072		
the worst case within the operation frequency range	45	Side 3	0.114	0.096			0.400
	15	15 Side 4 0.106 0.089	0.071	0.815	0.163		
		Тор	0.122	0.103	0.082		

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an