




Date: 4.NOV.2023 02:37:28




Date: 7.NOV.2023 03:07:22




Date: 18.MAR.2024 13:09:35





Date: 18.MAR.2024 13:14:32




Date: 18.MAR.2024 12:58:10




Date: 18.MAR.2024 13:23:14







Date: 8.NOV.2023 02:23:22




Date: 8.NOV.2023 03:40:14




Date: 8.NOV.2023 02:26:50




Date: 8.NOV.2023 03:43:22




Date: 8.NOV.2023 02:35:48



Date: 8.NOV.2023 03:53:07




Date: 8.NOV.2023 02:33:02




Date: 8.NOV.2023 03:49:36







Date: 8.NOV.2023 02:29:52




Date: 8.NOV.2023 03:46:33




Date: 8.NOV.2023 03:02:06




Date: 8.NOV.2023 04:19:12




Date: 8.NOV.2023 03:05:18





Date: 8.NOV.2023 04:24:08




Date: 8.NOV.2023 02:39:11




Date: 8.NOV.2023 03:57:11







Date: 8.NOV.2023 02:45:08




Date: 8.NOV.2023 04:04:55




Date: 8.NOV.2023 03:11:13



Date: 8.NOV.2023 04:37:34






Date: 8.NOV.2023 03:15:03




Date: 8.NOV.2023 04:33:05










Date: 8.NOV.2023 02:58:05




Date: 8.NOV.2023 04:14:58







Date: 8.NOV.2023 02:52:07




Date: 8.NOV.2023 04:07:57




Date: 8.NOV.2023 03:22:33




Date: 8.NOV.2023 04:41:16




Date: 8.NOV.2023 03:19:09



Date: 8.NOV.2023 04:45:22



Date: 8.NOV.2023 03:26:41



Date: 8.NOV.2023 04:54:23

## Frequency Stability

Condition	Mode	Time (mins)	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 40.8V	a	0	5180	Ant1	5179.92	-80000	-15.44	25	Pass
20C 48V	a	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 55.2V	a	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C 48V	a	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 48V	a	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
0C 48V	a	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 48V	a	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C 48V	a	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 48V	a	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C 48V	a	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 40.8V	a	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 48V	a	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 55.2V	a	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-20C 48V	a	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-10C 48V	a	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
0C 48V	a	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C 48V	a	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
30C 48V	a	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
40C 48V	a	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
50C 48V	a	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 40.8V	a	0	5240	Ant1	5239.92	-80000	-15.27	25	Pass
20C 48V	a	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 55.2V	a	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-20C 48V	a	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-10C 48V	a	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
0C 48V	a	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
10C 48V	a	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
30C 48V	a	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
40C 48V	a	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
50C 48V	a	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 40.8V	a	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 48V	a	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 55.2V	a	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
-20C 48V	a	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
-10C 48V	a	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
0C 48V	a	0	5260	Ant1	5259.92	-80000	-15.21	25	Pass
10C 48V	a	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
30C 48V	a	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
40C 48V	a	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
50C 48V	a	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 40.8V	a	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
20C 48V	a	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 55.2V	a	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
-20C 48V	a	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
-10C 48V	a	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
0C 48V	a	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
10C 48V	a	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
30C 48V	a	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
40C 48V	a	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
50C 48V	a	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 40.8V	a	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 48V	a	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 55.2V	a	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass



-20C 48V	a	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
-10C 48V	a	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
0C 48V	a	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
10C 48V	a	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
30C 48V	a	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
40C 48V	a	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
50C 48V	a	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 40.8V	a	0	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 48V	a	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
20C 55.2V	a	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
-20C 48V	a	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
-10C 48V	a	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
0C 48V	a	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
10C 48V	a	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
30C 48V	a	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
40C 48V	a	0	5500	Ant1	5499.98	-20000	-3.64	25	Pass
50C 48V	a	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 40.8V	a	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
20C 48V	a	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 55.2V	a	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
-20C 48V	a	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
-10C 48V	a	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
0C 48V	a	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
10C 48V	a	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
30C 48V	a	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
40C 48V	a	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
50C 48V	a	0	5600	Ant1	5599.98	-20000	-3.57	25	Pass
20C 40.8V	a	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 48V	a	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 55.2V	a	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
-20C 48V	a	0	5700	Ant1	5699.92	-80000	-14.04	25	Pass
-10C 48V	a	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
0C 48V	a	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
10C 48V	a	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
30C 48V	a	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
40C 48V	a	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
50C 48V	a	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
20C 40.8V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 55.2V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-20C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-10C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
0C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
10C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
40C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
50C 48V	a	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 40.8V	a	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
20C 48V	a	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
20C 55.2V	a	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
-20C 48V	a	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
-10C 48V	a	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
0C 48V	a	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
10C 48V	a	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
30C 48V	a	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
40C 48V	a	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
50C 48V	a	0	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 40.8V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 48V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 55.2V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-20C 48V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-10C 48V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass

0C 48V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
10C 48V	a	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
30C 48V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
40C 48V	a	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
50C 48V	a	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 40.8V	a	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
20C 48V	a	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
20C 55.2V	a	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
-20C 48V	a	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
-10C 48V	a	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
0C 48V	a	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
10C 48V	a	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
30C 48V	a	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
40C 48V	a	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
50C 48V	a	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
20C 40.8V	a	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 48V	a	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 55.2V	a	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
-20C 48V	a	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
-10C 48V	a	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
0C 48V	a	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
10C 48V	a	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
30C 48V	a	0	5300	Ant2	5299.98	-20000	-3.77	25	Pass
40C 48V	a	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
50C 48V	a	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 40.8V	a	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 48V	a	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 55.2V	a	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
-20C 48V	a	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
-10C 48V	a	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
0C 48V	a	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
10C 48V	a	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
30C 48V	a	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
40C 48V	a	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
50C 48V	a	0	5320	Ant2	5319.92	-80000	-15.04	25	Pass
20C 40.8V	a	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
20C 48V	a	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
20C 55.2V	a	0	5500	Ant2	5499.98	-20000	-3.64	25	Pass
-20C 48V	a	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
-10C 48V	a	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
0C 48V	a	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
10C 48V	a	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
30C 48V	a	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
40C 48V	a	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
50C 48V	a	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
20C 40.8V	a	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
20C 48V	a	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
20C 55.2V	a	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
-20C 48V	a	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
-10C 48V	a	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
0C 48V	a	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
10C 48V	a	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
30C 48V	a	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
40C 48V	a	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
50C 48V	a	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
20C 40.8V	a	0	5700	Ant2	5699.96	-40000	-7.02	25	Pass
20C 48V	a	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
20C 55.2V	a	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
-20C 48V	a	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
-10C 48V	a	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
0C 48V	a	0	5700	Ant2	5699.96	-40000	-7.02	25	Pass
10C 48V	a	0	5700	Ant2	5699.96	-40000	-7.02	25	Pass

30C 48V	a	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
40C 48V	a	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
50C 48V	a	0	5700	Ant2	5699.96	-40000	-7.02	25	Pass
20C 40.8V	n20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 48V	n20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 55.2V	n20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-20C 48V	n20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 48V	n20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C 48V	n20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C 48V	n20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
30C 48V	n20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 48V	n20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
50C 48V	n20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 40.8V	n20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 48V	n20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 55.2V	n20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-20C 48V	n20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-10C 48V	n20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
0C 48V	n20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
10C 48V	n20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
30C 48V	n20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
40C 48V	n20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
50C 48V	n20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 40.8V	n20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 48V	n20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 55.2V	n20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-20C 48V	n20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-10C 48V	n20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 48V	n20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
10C 48V	n20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 48V	n20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
40C 48V	n20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
50C 48V	n20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 40.8V	n20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 48V	n20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 55.2V	n20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
-20C 48V	n20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
-10C 48V	n20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
0C 48V	n20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
10C 48V	n20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
30C 48V	n20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
40C 48V	n20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
50C 48V	n20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 40.8V	n20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 48V	n20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
20C 55.2V	n20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
-20C 48V	n20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
-10C 48V	n20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
0C 48V	n20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
10C 48V	n20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
30C 48V	n20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
40C 48V	n20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
50C 48V	n20	0	5300	Ant1	5299.98	-20000	-3.77	25	Pass
20C 40.8V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C 48V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C 55.2V	n20	0	5320	Ant1	5319.98	-20000	-3.76	25	Pass
-20C 48V	n20	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
-10C 48V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
0C 48V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
10C 48V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
30C 48V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
40C 48V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass

50C 48V	n20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C 40.8V	n20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 48V	n20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 55.2V	n20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
-20C 48V	n20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
-10C 48V	n20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
0C 48V	n20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
10C 48V	n20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
30C 48V	n20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
40C 48V	n20	0	5500	Ant1	5499.98	-20000	-3.64	25	Pass
50C 48V	n20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 40.8V	n20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 48V	n20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
20C 55.2V	n20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
-20C 48V	n20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
-10C 48V	n20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
0C 48V	n20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
10C 48V	n20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
30C 48V	n20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
40C 48V	n20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
50C 48V	n20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 40.8V	n20	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
20C 48V	n20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 55.2V	n20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
-20C 48V	n20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
-10C 48V	n20	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
0C 48V	n20	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
10C 48V	n20	0	5700	Ant1	5699.98	-20000	-3.51	25	Pass
30C 48V	n20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
40C 48V	n20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
50C 48V	n20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 40.8V	n20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 48V	n20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 55.2V	n20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
-20C 48V	n20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-10C 48V	n20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
0C 48V	n20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
10C 48V	n20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 48V	n20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
40C 48V	n20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
50C 48V	n20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
20C 40.8V	n20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
20C 48V	n20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
20C 55.2V	n20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
-20C 48V	n20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
-10C 48V	n20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
0C 48V	n20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
10C 48V	n20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
30C 48V	n20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
40C 48V	n20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
50C 48V	n20	0	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 40.8V	n20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
20C 48V	n20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 55.2V	n20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
-20C 48V	n20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-10C 48V	n20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
0C 48V	n20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
10C 48V	n20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
30C 48V	n20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
40C 48V	n20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
50C 48V	n20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass

20C 40.8V	n20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
20C 48V	n20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
20C 55.2V	n20	0	5260	Ant2	5259.98	-20000	-3.8	25	Pass
-20C 48V	n20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
-10C 48V	n20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
0C 48V	n20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
10C 48V	n20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
30C 48V	n20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
40C 48V	n20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
50C 48V	n20	0	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 40.8V	n20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
20C 48V	n20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
20C 55.2V	n20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
-20C 48V	n20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
-10C 48V	n20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
0C 48V	n20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
10C 48V	n20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
30C 48V	n20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
40C 48V	n20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
50C 48V	n20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 40.8V	n20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 48V	n20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 55.2V	n20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
-20C 48V	n20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
-10C 48V	n20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
0C 48V	n20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
10C 48V	n20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
30C 48V	n20	0	5320	Ant2	5319.98	-20000	-3.76	25	Pass
40C 48V	n20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
50C 48V	n20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 40.8V	n20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
20C 48V	n20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
20C 55.2V	n20	0	5500	Ant2	5499.98	-20000	-3.64	25	Pass
-20C 48V	n20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
-10C 48V	n20	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
0C 48V	n20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
10C 48V	n20	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
30C 48V	n20	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
40C 48V	n20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
50C 48V	n20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
20C 40.8V	n20	0	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 48V	n20	0	5600	Ant2	5599.92	-80000	-14.29	25	Pass
20C 55.2V	n20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
-20C 48V	n20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
-10C 48V	n20	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
0C 48V	n20	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
10C 48V	n20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
30C 48V	n20	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
40C 48V	n20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
50C 48V	n20	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
20C 40.8V	n20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
20C 48V	n20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
20C 55.2V	n20	0	5700	Ant2	5699.96	-40000	-7.02	25	Pass
-20C 48V	n20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
-10C 48V	n20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
0C 48V	n20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
10C 48V	n20	0	5700	Ant2	5699.96	-40000	-7.02	25	Pass
30C 48V	n20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
40C 48V	n20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
50C 48V	n20	0	5700	Ant2	5699.92	-80000	-14.04	25	Pass
20C 40.8V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass

20C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 55.2V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-20C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 48V	n40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 40.8V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 55.2V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-20C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-10C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
0C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
10C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
30C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
50C 48V	n40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 40.8V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 55.2V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
-20C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
-10C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
0C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
10C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
30C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
40C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
50C 48V	n40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 40.8V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 48V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 55.2V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
-20C 48V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
-10C 48V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
0C 48V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
10C 48V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
30C 48V	n40	0	5310	Ant1	5309.92	-80000	-15.07	25	Pass
40C 48V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
50C 48V	n40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 40.8V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 55.2V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
-20C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
-10C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
0C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
10C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
30C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
40C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
50C 48V	n40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 40.8V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 48V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 55.2V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
-20C 48V	n40	0	5590	Ant1	5589.92	-80000	-14.31	25	Pass
-10C 48V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
0C 48V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
10C 48V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
30C 48V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
40C 48V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
50C 48V	n40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 40.8V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 48V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass

20C 55.2V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
-20C 48V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
-10C 48V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
0C 48V	n40	0	5670	Ant1	5669.92	-80000	-14.11	25	Pass
10C 48V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
30C 48V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
40C 48V	n40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
50C 48V	n40	0	5670	Ant1	5669.92	-80000	-14.11	25	Pass
20C 40.8V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 55.2V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-20C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-10C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
0C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
10C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
30C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
40C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
50C 48V	n40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 40.8V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 55.2V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
-20C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
-10C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
0C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
10C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
30C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
40C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
50C 48V	n40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 40.8V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 48V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 55.2V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
-20C 48V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
-10C 48V	n40	0	5270	Ant2	5269.92	-80000	-15.18	25	Pass
0C 48V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
10C 48V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
30C 48V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
40C 48V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
50C 48V	n40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 40.8V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 48V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 55.2V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
-20C 48V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
-10C 48V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
0C 48V	n40	0	5310	Ant2	5309.92	-80000	-15.07	25	Pass
10C 48V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
30C 48V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
40C 48V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
50C 48V	n40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 40.8V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
20C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
20C 55.2V	n40	0	5510	Ant2	5509.92	-80000	-14.52	25	Pass
-20C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
-10C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
0C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
10C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
30C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
40C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
50C 48V	n40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
20C 40.8V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 55.2V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass

-20C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
-10C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
0C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
10C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
30C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
40C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
50C 48V	n40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 40.8V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 55.2V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
-20C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
-10C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
0C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
10C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
30C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
40C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
50C 48V	n40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 40.8V	ac20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 48V	ac20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 55.2V	ac20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-20C 48V	ac20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-10C 48V	ac20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
0C 48V	ac20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 48V	ac20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
30C 48V	ac20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 48V	ac20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
50C 48V	ac20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 40.8V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 48V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 55.2V	ac20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-20C 48V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-10C 48V	ac20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
0C 48V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
10C 48V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
30C 48V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
40C 48V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
50C 48V	ac20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 40.8V	ac20	0	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 48V	ac20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 55.2V	ac20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-20C 48V	ac20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-10C 48V	ac20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 48V	ac20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
10C 48V	ac20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 48V	ac20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
40C 48V	ac20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
50C 48V	ac20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 40.8V	ac20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 48V	ac20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
20C 55.2V	ac20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
-20C 48V	ac20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
-10C 48V	ac20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
0C 48V	ac20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
10C 48V	ac20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
30C 48V	ac20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
40C 48V	ac20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
50C 48V	ac20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 40.8V	ac20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
20C 48V	ac20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 55.2V	ac20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
-20C 48V	ac20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
-10C 48V	ac20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass



0C 48V	ac20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
10C 48V	ac20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
30C 48V	ac20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
40C 48V	ac20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
50C 48V	ac20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
20C 40.8V	ac20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C 48V	ac20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C 55.2V	ac20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
-20C 48V	ac20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
-10C 48V	ac20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
0C 48V	ac20	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
10C 48V	ac20	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
30C 48V	ac20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
40C 48V	ac20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
50C 48V	ac20	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 40.8V	ac20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
20C 48V	ac20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
20C 55.2V	ac20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
-20C 48V	ac20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
-10C 48V	ac20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
0C 48V	ac20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
10C 48V	ac20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
30C 48V	ac20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
40C 48V	ac20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
50C 48V	ac20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 40.8V	ac20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
20C 48V	ac20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
20C 55.2V	ac20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
-20C 48V	ac20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
-10C 48V	ac20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
0C 48V	ac20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
10C 48V	ac20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
30C 48V	ac20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
40C 48V	ac20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
50C 48V	ac20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
20C 40.8V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 48V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 55.2V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
-20C 48V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
-10C 48V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
0C 48V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
10C 48V	ac20	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
30C 48V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
40C 48V	ac20	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
50C 48V	ac20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 40.8V	ac20	0	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 48V	ac20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
20C 55.2V	ac20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-20C 48V	ac20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
-10C 48V	ac20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
0C 48V	ac20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
10C 48V	ac20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
30C 48V	ac20	0	5180	Ant2	5179.98	-20000	-3.86	25	Pass
40C 48V	ac20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
50C 48V	ac20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
20C 40.8V	ac20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
20C 48V	ac20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
20C 55.2V	ac20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
-20C 48V	ac20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
-10C 48V	ac20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
0C 48V	ac20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
10C 48V	ac20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass

30C 48V	ac20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
40C 48V	ac20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
50C 48V	ac20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
20C 40.8V	ac20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 48V	ac20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 55.2V	ac20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
-20C 48V	ac20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-10C 48V	ac20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
0C 48V	ac20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
10C 48V	ac20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
30C 48V	ac20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
40C 48V	ac20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
50C 48V	ac20	0	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 40.8V	ac20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
20C 48V	ac20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
20C 55.2V	ac20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
-20C 48V	ac20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
-10C 48V	ac20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
0C 48V	ac20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
10C 48V	ac20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
30C 48V	ac20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
40C 48V	ac20	0	5260	Ant2	5259.98	-20000	-3.8	25	Pass
50C 48V	ac20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
20C 40.8V	ac20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 48V	ac20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
20C 55.2V	ac20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
-20C 48V	ac20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
-10C 48V	ac20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
0C 48V	ac20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
10C 48V	ac20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
30C 48V	ac20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
40C 48V	ac20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
50C 48V	ac20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass
20C 40.8V	ac20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
20C 48V	ac20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
20C 55.2V	ac20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
-20C 48V	ac20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
-10C 48V	ac20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
0C 48V	ac20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
10C 48V	ac20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
30C 48V	ac20	0	5320	Ant2	5319.96	-40000	-7.52	25	Pass
40C 48V	ac20	0	5320	Ant2	5319.98	-20000	-3.76	25	Pass
50C 48V	ac20	0	5320	Ant2	5319.94	-60000	-11.28	25	Pass
20C 40.8V	ac20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
20C 48V	ac20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
20C 55.2V	ac20	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
-20C 48V	ac20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
-10C 48V	ac20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
0C 48V	ac20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
10C 48V	ac20	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
30C 48V	ac20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
40C 48V	ac20	0	5500	Ant2	5499.94	-60000	-10.91	25	Pass
50C 48V	ac20	0	5500	Ant2	5499.96	-40000	-7.27	25	Pass
20C 40.8V	ac20	0	5600	Ant2	5599.98	-20000	-3.57	25	Pass
20C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
20C 55.2V	ac20	0	5600	Ant2	5599.96	-40000	-7.14	25	Pass
-20C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
-10C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
0C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
10C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
30C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
40C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass

50C 48V	ac20	0	5600	Ant2	5599.94	-60000	-10.71	25	Pass
20C 40.8V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
20C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
20C 55.2V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
-20C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
-10C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
0C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
10C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
30C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
40C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
50C 48V	ac20	0	5700	Ant2	5699.94	-60000	-10.53	25	Pass
20C 40.8V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 55.2V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-20C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
0C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
10C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
40C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 48V	ac40	0	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 40.8V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 48V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 55.2V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-20C 48V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
-10C 48V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
0C 48V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
10C 48V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
30C 48V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 48V	ac40	0	5230	Ant1	5230	0	0	25	Pass
50C 48V	ac40	0	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 40.8V	ac40	0	5270	Ant1	5270	0	0	25	Pass
20C 48V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 55.2V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
-20C 48V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
-10C 48V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
0C 48V	ac40	0	5270	Ant1	5270	0	0	25	Pass
10C 48V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
30C 48V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
40C 48V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
50C 48V	ac40	0	5270	Ant1	5269.96	-40000	-7.59	25	Pass
20C 40.8V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 48V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 55.2V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
-20C 48V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
-10C 48V	ac40	0	5310	Ant1	5310	0	0	25	Pass
0C 48V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
10C 48V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
30C 48V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
40C 48V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
50C 48V	ac40	0	5310	Ant1	5309.96	-40000	-7.53	25	Pass
20C 40.8V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
20C 55.2V	ac40	0	5510	Ant1	5510	0	0	25	Pass
-20C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
-10C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
0C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
10C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
30C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
40C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass
50C 48V	ac40	0	5510	Ant1	5509.96	-40000	-7.26	25	Pass

20C 40.8V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 55.2V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
-20C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
-10C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
0C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
10C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
30C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
40C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
50C 48V	ac40	0	5590	Ant1	5589.96	-40000	-7.16	25	Pass
20C 40.8V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 48V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 55.2V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
-20C 48V	ac40	0	5670	Ant1	5670	0	0	25	Pass
-10C 48V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
0C 48V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
10C 48V	ac40	0	5670	Ant1	5669.92	-80000	-14.11	25	Pass
30C 48V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
40C 48V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
50C 48V	ac40	0	5670	Ant1	5669.96	-40000	-7.05	25	Pass
20C 40.8V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 55.2V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-20C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
-10C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
0C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
10C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
30C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
40C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
50C 48V	ac40	0	5190	Ant2	5189.96	-40000	-7.71	25	Pass
20C 40.8V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 48V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 55.2V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
-20C 48V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
-10C 48V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
0C 48V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
10C 48V	ac40	0	5230	Ant2	5230	0	0	25	Pass
30C 48V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
40C 48V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
50C 48V	ac40	0	5230	Ant2	5229.96	-40000	-7.65	25	Pass
20C 40.8V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 55.2V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
-20C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
-10C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
0C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
10C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
30C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
40C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
50C 48V	ac40	0	5270	Ant2	5269.96	-40000	-7.59	25	Pass
20C 40.8V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 48V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 55.2V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
-20C 48V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
-10C 48V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
0C 48V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
10C 48V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
30C 48V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
40C 48V	ac40	0	5310	Ant2	5310	0	0	25	Pass
50C 48V	ac40	0	5310	Ant2	5309.96	-40000	-7.53	25	Pass
20C 40.8V	ac40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass

20C 48V	ac40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
20C 55.2V	ac40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
-20C 48V	ac40	0	5510	Ant2	5510	0	0	25	Pass
-10C 48V	ac40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
0C 48V	ac40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
10C 48V	ac40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
30C 48V	ac40	0	5510	Ant2	5509.96	-40000	-7.26	25	Pass
40C 48V	ac40	0	5510	Ant2	5510	0	0	25	Pass
50C 48V	ac40	0	5510	Ant2	5510	0	0	25	Pass
20C 40.8V	ac40	0	5590	Ant2	5590	0	0	25	Pass
20C 48V	ac40	0	5590	Ant2	5590	0	0	25	Pass
20C 55.2V	ac40	0	5590	Ant2	5590	0	0	25	Pass
-20C 48V	ac40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
-10C 48V	ac40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
0C 48V	ac40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
10C 48V	ac40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
30C 48V	ac40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
40C 48V	ac40	0	5590	Ant2	5590	0	0	25	Pass
50C 48V	ac40	0	5590	Ant2	5589.96	-40000	-7.16	25	Pass
20C 40.8V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 55.2V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
-20C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
-10C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
0C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
10C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
30C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
40C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
50C 48V	ac40	0	5670	Ant2	5669.96	-40000	-7.05	25	Pass
20C 40.8V	ac80	0	5210	Ant1	5210	0	0	25	Pass
20C 48V	ac80	0	5210	Ant1	5210	0	0	25	Pass
20C 55.2V	ac80	0	5210	Ant1	5210	0	0	25	Pass
-20C 48V	ac80	0	5210	Ant1	5210	0	0	25	Pass
-10C 48V	ac80	0	5210	Ant1	5210	0	0	25	Pass
0C 48V	ac80	0	5210	Ant1	5210	0	0	25	Pass
10C 48V	ac80	0	5210	Ant1	5210	0	0	25	Pass
30C 48V	ac80	0	5210	Ant1	5210	0	0	25	Pass
40C 48V	ac80	0	5210	Ant1	5209.92	-80000	-15.36	25	Pass
50C 48V	ac80	0	5210	Ant1	5210	0	0	25	Pass
20C 40.8V	ac80	0	5290	Ant1	5290	0	0	25	Pass
20C 48V	ac80	0	5290	Ant1	5289.92	-80000	-15.12	25	Pass
20C 55.2V	ac80	0	5290	Ant1	5289.92	-80000	-15.12	25	Pass
-20C 48V	ac80	0	5290	Ant1	5290	0	0	25	Pass
-10C 48V	ac80	0	5290	Ant1	5290	0	0	25	Pass
0C 48V	ac80	0	5290	Ant1	5290	0	0	25	Pass
10C 48V	ac80	0	5290	Ant1	5289.92	-80000	-15.12	25	Pass
30C 48V	ac80	0	5290	Ant1	5290	0	0	25	Pass
40C 48V	ac80	0	5290	Ant1	5290	0	0	25	Pass
50C 48V	ac80	0	5290	Ant1	5289.92	-80000	-15.12	25	Pass
20C 40.8V	ac80	0	5530	Ant1	5529.92	-80000	-14.47	25	Pass
20C 48V	ac80	0	5530	Ant1	5529.92	-80000	-14.47	25	Pass
20C 55.2V	ac80	0	5530	Ant1	5530	0	0	25	Pass
-20C 48V	ac80	0	5530	Ant1	5530	0	0	25	Pass
-10C 48V	ac80	0	5530	Ant1	5529.92	-80000	-14.47	25	Pass
0C 48V	ac80	0	5530	Ant1	5529.92	-80000	-14.47	25	Pass
10C 48V	ac80	0	5530	Ant1	5529.92	-80000	-14.47	25	Pass
30C 48V	ac80	0	5530	Ant1	5530	0	0	25	Pass
40C 48V	ac80	0	5530	Ant1	5530	0	0	25	Pass
50C 48V	ac80	0	5530	Ant1	5529.92	-80000	-14.47	25	Pass
20C 40.8V	ac80	0	5610	Ant1	5609.92	-80000	-14.26	25	Pass
20C 48V	ac80	0	5610	Ant1	5610	0	0	25	Pass

20C 55.2V	ac80	0	5610	Ant1	5609.92	-80000	-14.26	25	Pass
-20C 48V	ac80	0	5610	Ant1	5609.92	-80000	-14.26	25	Pass
-10C 48V	ac80	0	5610	Ant1	5610	0	0	25	Pass
0C 48V	ac80	0	5610	Ant1	5610	0	0	25	Pass
10C 48V	ac80	0	5610	Ant1	5610	0	0	25	Pass
30C 48V	ac80	0	5610	Ant1	5610	0	0	25	Pass
40C 48V	ac80	0	5610	Ant1	5609.92	-80000	-14.26	25	Pass
50C 48V	ac80	0	5610	Ant1	5609.92	-80000	-14.26	25	Pass
20C 40.8V	ac80	0	5210	Ant2	5210	0	0	25	Pass
20C 48V	ac80	0	5210	Ant2	5210	0	0	25	Pass
20C 55.2V	ac80	0	5210	Ant2	5210	0	0	25	Pass
-20C 48V	ac80	0	5210	Ant2	5210	0	0	25	Pass
-10C 48V	ac80	0	5210	Ant2	5210	0	0	25	Pass
0C 48V	ac80	0	5210	Ant2	5210	0	0	25	Pass
10C 48V	ac80	0	5210	Ant2	5209.92	-80000	-15.36	25	Pass
30C 48V	ac80	0	5210	Ant2	5209.92	-80000	-15.36	25	Pass
40C 48V	ac80	0	5210	Ant2	5210	0	0	25	Pass
50C 48V	ac80	0	5210	Ant2	5209.92	-80000	-15.36	25	Pass
20C 40.8V	ac80	0	5290	Ant2	5290	0	0	25	Pass
20C 48V	ac80	0	5290	Ant2	5290	0	0	25	Pass
20C 55.2V	ac80	0	5290	Ant2	5290	0	0	25	Pass
-20C 48V	ac80	0	5290	Ant2	5290	0	0	25	Pass
-10C 48V	ac80	0	5290	Ant2	5289.92	-80000	-15.12	25	Pass
0C 48V	ac80	0	5290	Ant2	5290	0	0	25	Pass
10C 48V	ac80	0	5290	Ant2	5290	0	0	25	Pass
30C 48V	ac80	0	5290	Ant2	5290	0	0	25	Pass
40C 48V	ac80	0	5290	Ant2	5290	0	0	25	Pass
50C 48V	ac80	0	5290	Ant2	5290	0	0	25	Pass
20C 40.8V	ac80	0	5530	Ant2	5530	0	0	25	Pass
20C 48V	ac80	0	5530	Ant2	5529.92	-80000	-14.47	25	Pass
20C 55.2V	ac80	0	5530	Ant2	5530	0	0	25	Pass
-20C 48V	ac80	0	5530	Ant2	5529.92	-80000	-14.47	25	Pass
-10C 48V	ac80	0	5530	Ant2	5529.92	-80000	-14.47	25	Pass
0C 48V	ac80	0	5530	Ant2	5530	0	0	25	Pass
10C 48V	ac80	0	5530	Ant2	5529.92	-80000	-14.47	25	Pass
30C 48V	ac80	0	5530	Ant2	5530	0	0	25	Pass
40C 48V	ac80	0	5530	Ant2	5529.92	-80000	-14.47	25	Pass
50C 48V	ac80	0	5530	Ant2	5530	0	0	25	Pass
20C 40.8V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
20C 48V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
20C 55.2V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
-20C 48V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
-10C 48V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
0C 48V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
10C 48V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
30C 48V	ac80	0	5610	Ant2	5610	0	0	25	Pass
40C 48V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
50C 48V	ac80	0	5610	Ant2	5609.92	-80000	-14.26	25	Pass
20C 40.8V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 48V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 55.2V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-20C 48V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-10C 48V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C 48V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 48V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C 48V	ax20	0	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 48V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
50C 48V	ax20	0	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 40.8V	ax20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 48V	ax20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 55.2V	ax20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass

-20C 48V	ax20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-10C 48V	ax20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
0C 48V	ax20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C 48V	ax20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
30C 48V	ax20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
40C 48V	ax20	0	5200	Ant1	5199.94	-60000	-11.54	25	Pass
50C 48V	ax20	0	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 40.8V	ax20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 48V	ax20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 55.2V	ax20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-20C 48V	ax20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-10C 48V	ax20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 48V	ax20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
10C 48V	ax20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 48V	ax20	0	5240	Ant1	5239.96	-40000	-7.63	25	Pass
40C 48V	ax20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
50C 48V	ax20	0	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 40.8V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 48V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 55.2V	ax20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
-20C 48V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
-10C 48V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
0C 48V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
10C 48V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
30C 48V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
40C 48V	ax20	0	5260	Ant1	5259.96	-40000	-7.6	25	Pass
50C 48V	ax20	0	5260	Ant1	5259.94	-60000	-11.41	25	Pass
20C 40.8V	ax20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
20C 48V	ax20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 55.2V	ax20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
-20C 48V	ax20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
-10C 48V	ax20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
0C 48V	ax20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
10C 48V	ax20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
30C 48V	ax20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
40C 48V	ax20	0	5300	Ant1	5299.94	-60000	-11.32	25	Pass
50C 48V	ax20	0	5300	Ant1	5299.96	-40000	-7.55	25	Pass
20C 40.8V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C 48V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
20C 55.2V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
-20C 48V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
-10C 48V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
0C 48V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
10C 48V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
30C 48V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
40C 48V	ax20	0	5320	Ant1	5319.94	-60000	-11.28	25	Pass
50C 48V	ax20	0	5320	Ant1	5319.96	-40000	-7.52	25	Pass
20C 40.8V	ax20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
20C 48V	ax20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
20C 55.2V	ax20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
-20C 48V	ax20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
-10C 48V	ax20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
0C 48V	ax20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
10C 48V	ax20	0	5500	Ant1	5499.98	-20000	-3.64	25	Pass
30C 48V	ax20	0	5500	Ant1	5499.94	-60000	-10.91	25	Pass
40C 48V	ax20	0	5500	Ant1	5499.96	-40000	-7.27	25	Pass
50C 48V	ax20	0	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 40.8V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
20C 48V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
20C 55.2V	ax20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
-20C 48V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
-10C 48V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass

0C 48V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
10C 48V	ax20	0	5600	Ant1	5599.96	-40000	-7.14	25	Pass
30C 48V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
40C 48V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
50C 48V	ax20	0	5600	Ant1	5599.94	-60000	-10.71	25	Pass
20C 40.8V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 48V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 55.2V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
-20C 48V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
-10C 48V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
0C 48V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
10C 48V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
30C 48V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
40C 48V	ax20	0	5700	Ant1	5699.96	-40000	-7.02	25	Pass
50C 48V	ax20	0	5700	Ant1	5699.94	-60000	-10.53	25	Pass
20C 40.8V	ax20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
20C 48V	ax20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
20C 55.2V	ax20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-20C 48V	ax20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
-10C 48V	ax20	0	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 48V	ax20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
10C 48V	ax20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
30C 48V	ax20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
40C 48V	ax20	0	5180	Ant2	5179.96	-40000	-7.72	25	Pass
50C 48V	ax20	0	5180	Ant2	5179.94	-60000	-11.58	25	Pass
20C 40.8V	ax20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
20C 48V	ax20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
20C 55.2V	ax20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
-20C 48V	ax20	0	5200	Ant2	5199.96	-40000	-7.69	25	Pass
-10C 48V	ax20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
0C 48V	ax20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
10C 48V	ax20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
30C 48V	ax20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
40C 48V	ax20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
50C 48V	ax20	0	5200	Ant2	5199.94	-60000	-11.54	25	Pass
20C 40.8V	ax20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
20C 48V	ax20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
20C 55.2V	ax20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
-20C 48V	ax20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
-10C 48V	ax20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
0C 48V	ax20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
10C 48V	ax20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
30C 48V	ax20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
40C 48V	ax20	0	5240	Ant2	5239.96	-40000	-7.63	25	Pass
50C 48V	ax20	0	5240	Ant2	5239.94	-60000	-11.45	25	Pass
20C 40.8V	ax20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
20C 48V	ax20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
20C 55.2V	ax20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
-20C 48V	ax20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
-10C 48V	ax20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
0C 48V	ax20	0	5260	Ant2	5259.96	-40000	-7.6	25	Pass
10C 48V	ax20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
30C 48V	ax20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
40C 48V	ax20	0	5260	Ant2	5259.94	-60000	-11.41	25	Pass
50C 48V	ax20	0	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 40.8V	ax20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
20C 48V	ax20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
20C 55.2V	ax20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
-20C 48V	ax20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
-10C 48V	ax20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
0C 48V	ax20	0	5300	Ant2	5299.94	-60000	-11.32	25	Pass
10C 48V	ax20	0	5300	Ant2	5299.96	-40000	-7.55	25	Pass