




Date: 20.MAY.2023 14:21:05



Date: 20.MAY.2023 14:32:42



Date: 20.MAY.2023 13:41:10



Date: 20.MAY.2023 14:03:17

## Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.68	0.22	11.9	30	Pass
NVNT	a	5180	Ant2	9.69	0.22	9.91	30	Pass
NVNT	a	5180	Ant3	10.17	0.21	10.38	30	Pass
NVNT	a	5180	Ant4	9.06	0.22	9.28	30	Pass
NVNT	a	5200	Ant1	11.5	0.21	11.71	30	Pass
NVNT	a	5200	Ant2	10.31	0.22	10.53	30	Pass
NVNT	a	5200	Ant3	10.52	0.22	10.74	30	Pass
NVNT	a	5200	Ant4	9.19	0.22	9.41	30	Pass
NVNT	a	5240	Ant1	11.62	0.22	11.84	30	Pass
NVNT	a	5240	Ant2	10.99	0.22	11.21	30	Pass
NVNT	a	5240	Ant3	10.66	0.21	10.87	30	Pass
NVNT	a	5240	Ant4	9.88	0.22	10.1	30	Pass
NVNT	n20	5180	Ant1	8.08	0.21	8.29	30	Pass
NVNT	n20	5180	Ant2	8.24	0.22	8.46	30	Pass
NVNT	n20	5180	Ant3	7.42	0.21	7.63	30	Pass
NVNT	n20	5180	Ant4	8.36	0.21	8.57	30	Pass
NVNT	n20	5180	Sum	14.06	-	14.28	30	Pass
NVNT	n20	5200	Ant1	8.08	0.21	8.29	30	Pass
NVNT	n20	5200	Ant2	8.39	0.21	8.6	30	Pass
NVNT	n20	5200	Ant3	7.84	0.21	8.05	30	Pass
NVNT	n20	5200	Ant4	8.83	0.21	9.04	30	Pass
NVNT	n20	5200	Sum	14.32	-	14.53	30	Pass
NVNT	n20	5240	Ant1	7.6	0.21	7.81	30	Pass
NVNT	n20	5240	Ant2	7.58	0.21	7.79	30	Pass
NVNT	n20	5240	Ant3	7.18	0.21	7.39	30	Pass
NVNT	n20	5240	Ant4	8.61	0.21	8.82	30	Pass
NVNT	n20	5240	Sum	13.8	-	14.01	30	Pass
NVNT	n40	5190	Ant1	2.12	0.42	2.54	30	Pass
NVNT	n40	5190	Ant2	4.33	0.42	4.75	30	Pass
NVNT	n40	5190	Ant3	3.93	0.41	4.34	30	Pass
NVNT	n40	5190	Ant4	4.04	0.42	4.46	30	Pass
NVNT	n40	5190	Sum	9.7	-	10.12	30	Pass
NVNT	n40	5230	Ant1	2.26	0.41	2.67	30	Pass
NVNT	n40	5230	Ant2	4.5	0	4.5	30	Pass
NVNT	n40	5230	Ant3	3.9	0.41	4.31	30	Pass
NVNT	n40	5230	Ant4	4.06	0.42	4.48	30	Pass
NVNT	n40	5230	Sum	9.78	-	10.07	30	Pass
NVNT	ac20	5180	Ant1	8.27	0	8.27	30	Pass
NVNT	ac20	5180	Ant2	8.46	0	8.46	30	Pass
NVNT	ac20	5180	Ant3	7.81	0	7.81	30	Pass
NVNT	ac20	5180	Ant4	8.6	0	8.6	30	Pass
NVNT	ac20	5180	Sum	14.32	-	14.32	30	Pass
NVNT	ac20	5200	Ant1	8.23	0	8.23	30	Pass
NVNT	ac20	5200	Ant2	8.47	0	8.47	30	Pass
NVNT	ac20	5200	Ant3	8.06	0	8.06	30	Pass
NVNT	ac20	5200	Ant4	8.72	0	8.72	30	Pass
NVNT	ac20	5200	Sum	14.4	-	14.4	30	Pass
NVNT	ac20	5240	Ant1	7.66	0	7.66	30	Pass
NVNT	ac20	5240	Ant2	7.7	0	7.7	30	Pass
NVNT	ac20	5240	Ant3	7.28	0	7.28	30	Pass
NVNT	ac20	5240	Ant4	8.68	0	8.68	30	Pass
NVNT	ac20	5240	Sum	13.88	-	13.88	30	Pass
NVNT	ac40	5190	Ant1	2.69	0.11	2.8	30	Pass
NVNT	ac40	5190	Ant2	4.55	0.12	4.67	30	Pass
NVNT	ac40	5190	Ant3	4.1	0.11	4.21	30	Pass
NVNT	ac40	5190	Ant4	4.11	0.13	4.24	30	Pass
NVNT	ac40	5190	Sum	9.94	-	10.06	30	Pass
NVNT	ac40	5230	Ant1	2.29	0.32	2.61	30	Pass
NVNT	ac40	5230	Ant2	4.31	0.12	4.43	30	Pass
NVNT	ac40	5230	Ant3	4.19	0.12	4.31	30	Pass
NVNT	ac40	5230	Ant4	4.39	0.12	4.51	30	Pass
NVNT	ac40	5230	Sum	9.9	-	10.05	30	Pass
NVNT	ac80	5210	Ant1	2.31	0.24	2.55	30	Pass
NVNT	ac80	5210	Ant2	4.25	0.25	4.5	30	Pass
NVNT	ac80	5210	Ant3	3.98	0.24	4.22	30	Pass

NVNT	ac80	5210	Ant4	3.99	0.23	4.22	30	Pass
NVNT	ac80	5210	Sum	9.72	-	9.96	30	Pass
NVNT	ac160	5250	Ant1	1.42	0.42	1.84	30	Pass
NVNT	ac160	5250	Ant2	3.41	0.41	3.82	30	Pass
NVNT	ac160	5250	Ant3	2.86	0.42	3.28	30	Pass
NVNT	ac160	5250	Ant4	3.36	0.42	3.78	30	Pass
NVNT	ac160	5250	Sum	8.85	-	9.27	30	Pass
NVNT	ax160	5250	Ant1	1.72	0.43	2.15	30	Pass
NVNT	ax160	5250	Ant2	3.72	0.43	4.15	30	Pass
NVNT	ax160	5250	Ant3	3.3	0.43	3.73	30	Pass
NVNT	ax160	5250	Ant4	3.67	0.45	4.12	30	Pass
NVNT	ax160	5250	Sum	9.19	-	9.63	30	Pass
NVNT	ax20	5180	Ant1	8.51	0	8.51	30	Pass
NVNT	ax20	5180	Ant2	6.78	0	6.78	30	Pass
NVNT	ax20	5180	Ant3	7.72	0	7.72	30	Pass
NVNT	ax20	5180	Ant4	8.85	0	8.85	30	Pass
NVNT	ax20	5180	Sum	14.06	-	14.06	30	Pass
NVNT	ax20	5200	Ant1	8.47	0	8.47	30	Pass
NVNT	ax20	5200	Ant2	8.81	0	8.81	30	Pass
NVNT	ax20	5200	Ant3	8.26	0	8.26	30	Pass
NVNT	ax20	5200	Ant4	9.31	0	9.31	30	Pass
NVNT	ax20	5200	Sum	14.75	-	14.75	30	Pass
NVNT	ax20	5240	Ant1	7.92	0	7.92	30	Pass
NVNT	ax20	5240	Ant2	7.96	0	7.96	30	Pass
NVNT	ax20	5240	Ant3	7.53	0	7.53	30	Pass
NVNT	ax20	5240	Ant4	9.06	0	9.06	30	Pass
NVNT	ax20	5240	Sum	14.18	-	14.18	30	Pass
NVNT	ax40	5190	Ant1	3.03	0.14	3.17	30	Pass
NVNT	ax40	5190	Ant2	4.87	0.14	5.01	30	Pass
NVNT	ax40	5190	Ant3	4.08	0.14	4.22	30	Pass
NVNT	ax40	5190	Ant4	4.19	0.14	4.33	30	Pass
NVNT	ax40	5190	Sum	10.11	-	10.25	30	Pass
NVNT	ax40	5230	Ant1	2.86	0.14	3	30	Pass
NVNT	ax40	5230	Ant2	4.68	0.14	4.82	30	Pass
NVNT	ax40	5230	Ant3	4.04	0.14	4.18	30	Pass
NVNT	ax40	5230	Ant4	4.5	0.14	4.64	30	Pass
NVNT	ax40	5230	Sum	10.09	-	10.23	30	Pass
NVNT	ax80	5210	Ant1	2.54	0.27	2.81	30	Pass
NVNT	ax80	5210	Ant2	4.48	0.27	4.75	30	Pass
NVNT	ax80	5210	Ant3	3.67	0.26	3.93	30	Pass
NVNT	ax80	5210	Ant4	4.23	0.25	4.48	30	Pass
NVNT	ax80	5210	Sum	9.81	-	10.07	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Antenna Gain(dBi)	E.i.r.p (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.9	4.17	16.07	22.28	Pass
NVNT	a	5180	Ant2	9.91	4.17	14.08	22.27	Pass
NVNT	a	5180	Ant3	10.38	4.17	14.55	22.28	Pass
NVNT	a	5180	Ant4	9.28	4.17	13.45	22.28	Pass
NVNT	a	5200	Ant1	11.71	4.17	15.88	22.23	Pass
NVNT	a	5200	Ant2	10.53	4.17	14.7	22.23	Pass
NVNT	a	5200	Ant3	10.74	4.17	14.91	22.23	Pass
NVNT	a	5200	Ant4	9.41	4.17	13.58	22.23	Pass
NVNT	a	5240	Ant1	11.84	4.17	16.01	22.23	Pass
NVNT	a	5240	Ant2	11.21	4.17	15.38	22.23	Pass
NVNT	a	5240	Ant3	10.87	4.17	15.04	22.23	Pass
NVNT	a	5240	Ant4	10.1	4.17	14.27	22.23	Pass
NVNT	n20	5180	Ant1	8.29	4.17	12.46	22.54	Pass
NVNT	n20	5180	Ant2	8.46	4.17	12.63	22.55	Pass
NVNT	n20	5180	Ant3	7.63	4.17	11.8	22.55	Pass
NVNT	n20	5180	Ant4	8.57	4.17	12.74	22.55	Pass
NVNT	n20	5180	Sum	14.28	-	18.45	22.54	Pass
NVNT	n20	5200	Ant1	8.29	4.17	12.46	22.52	Pass
NVNT	n20	5200	Ant2	8.6	4.17	12.77	22.52	Pass
NVNT	n20	5200	Ant3	8.05	4.17	12.22	22.52	Pass
NVNT	n20	5200	Ant4	9.04	4.17	13.21	22.52	Pass
NVNT	n20	5200	Sum	14.53	-	18.7	22.52	Pass
NVNT	n20	5240	Ant1	7.81	4.17	11.98	22.52	Pass
NVNT	n20	5240	Ant2	7.79	4.17	11.96	22.52	Pass
NVNT	n20	5240	Ant3	7.39	4.17	11.56	22.52	Pass
NVNT	n20	5240	Ant4	8.82	4.17	12.99	22.52	Pass
NVNT	n20	5240	Sum	14.01	-	18.18	22.52	Pass
NVNT	n40	5190	Ant1	2.54	4.17	6.71	23.01	Pass

NVNT	n40	5190	Ant2	4.75	4.17	8.92	23.01	Pass
NVNT	n40	5190	Ant3	4.34	4.17	8.51	23.01	Pass
NVNT	n40	5190	Ant4	4.46	4.17	8.63	23.01	Pass
NVNT	n40	5190	Sum	10.12	-	14.29	23.01	Pass
NVNT	n40	5230	Ant1	2.67	4.17	6.84	23.01	Pass
NVNT	n40	5230	Ant2	4.5	4.17	8.67	23.01	Pass
NVNT	n40	5230	Ant3	4.31	4.17	8.48	23.01	Pass
NVNT	n40	5230	Ant4	4.48	4.17	8.65	23.01	Pass
NVNT	n40	5230	Sum	10.07	-	14.24	23.01	Pass
NVNT	ac20	5180	Ant1	8.27	4.17	12.44	22.54	Pass
NVNT	ac20	5180	Ant2	8.46	4.17	12.63	22.55	Pass
NVNT	ac20	5180	Ant3	7.81	4.17	11.98	22.55	Pass
NVNT	ac20	5180	Ant4	8.6	4.17	12.77	22.55	Pass
NVNT	ac20	5180	Sum	14.32	-	18.49	22.54	Pass
NVNT	ac20	5200	Ant1	8.23	4.17	12.4	22.52	Pass
NVNT	ac20	5200	Ant2	8.47	4.17	12.64	22.52	Pass
NVNT	ac20	5200	Ant3	8.06	4.17	12.23	22.51	Pass
NVNT	ac20	5200	Ant4	8.72	4.17	12.89	22.52	Pass
NVNT	ac20	5200	Sum	14.4	-	18.57	22.51	Pass
NVNT	ac20	5240	Ant1	7.66	4.17	11.83	22.52	Pass
NVNT	ac20	5240	Ant2	7.7	4.17	11.87	22.52	Pass
NVNT	ac20	5240	Ant3	7.28	4.17	11.45	22.52	Pass
NVNT	ac20	5240	Ant4	8.68	4.17	12.85	22.52	Pass
NVNT	ac20	5240	Sum	13.88	-	18.05	22.52	Pass
NVNT	ac40	5190	Ant1	2.8	4.17	6.97	23.01	Pass
NVNT	ac40	5190	Ant2	4.67	4.17	8.84	23.01	Pass
NVNT	ac40	5190	Ant3	4.21	4.17	8.38	23.01	Pass
NVNT	ac40	5190	Ant4	4.24	4.17	8.41	23.01	Pass
NVNT	ac40	5190	Sum	10.06	-	14.23	23.01	Pass
NVNT	ac40	5230	Ant1	2.61	4.17	6.78	23.01	Pass
NVNT	ac40	5230	Ant2	4.43	4.17	8.6	23.01	Pass
NVNT	ac40	5230	Ant3	4.31	4.17	8.48	23.01	Pass
NVNT	ac40	5230	Ant4	4.51	4.17	8.68	23.01	Pass
NVNT	ac40	5230	Sum	10.05	-	14.22	23.01	Pass
NVNT	ac80	5210	Ant1	2.55	4.17	6.72	23.01	Pass
NVNT	ac80	5210	Ant2	4.5	4.17	8.67	23.01	Pass
NVNT	ac80	5210	Ant3	4.22	4.17	8.39	23.01	Pass
NVNT	ac80	5210	Ant4	4.22	4.17	8.39	23.01	Pass
NVNT	ac80	5210	Sum	9.96	-	14.13	23.01	Pass
NVNT	ac160	5250	Ant1	1.84	4.17	6.01	23.01	Pass
NVNT	ac160	5250	Ant2	3.82	4.17	7.99	23.01	Pass
NVNT	ac160	5250	Ant3	3.28	4.17	7.45	23.01	Pass
NVNT	ac160	5250	Ant4	3.78	4.17	7.95	23.01	Pass
NVNT	ac160	5250	Sum	9.27	-	13.44	23.01	Pass
NVNT	ax160	5250	Ant1	2.15	4.17	6.32	23.01	Pass
NVNT	ax160	5250	Ant2	4.15	4.17	8.32	23.01	Pass
NVNT	ax160	5250	Ant3	3.73	4.17	7.9	23.01	Pass
NVNT	ax160	5250	Ant4	4.12	4.17	8.29	23.01	Pass
NVNT	ax160	5250	Sum	9.63	-	13.8	23.01	Pass
NVNT	ax20	5180	Ant1	8.51	4.17	12.68	22.80	Pass
NVNT	ax20	5180	Ant2	6.78	4.17	10.95	22.80	Pass
NVNT	ax20	5180	Ant3	7.72	4.17	11.89	22.81	Pass
NVNT	ax20	5180	Ant4	8.85	4.17	13.02	22.80	Pass
NVNT	ax20	5180	Sum	14.06	-	18.23	22.80	Pass
NVNT	ax20	5200	Ant1	8.47	4.17	12.64	22.79	Pass
NVNT	ax20	5200	Ant2	8.81	4.17	12.98	22.79	Pass
NVNT	ax20	5200	Ant3	8.26	4.17	12.43	22.79	Pass
NVNT	ax20	5200	Ant4	9.31	4.17	13.48	22.80	Pass
NVNT	ax20	5200	Sum	14.75	-	18.92	22.79	Pass
NVNT	ax20	5240	Ant1	7.92	4.17	12.09	22.80	Pass
NVNT	ax20	5240	Ant2	7.96	4.17	12.13	22.79	Pass
NVNT	ax20	5240	Ant3	7.53	4.17	11.7	22.79	Pass
NVNT	ax20	5240	Ant4	9.06	4.17	13.23	22.79	Pass
NVNT	ax20	5240	Sum	14.18	-	18.35	22.79	Pass
NVNT	ax40	5190	Ant1	3.17	4.17	7.34	23.01	Pass
NVNT	ax40	5190	Ant2	5.01	4.17	9.18	23.01	Pass
NVNT	ax40	5190	Ant3	4.22	4.17	8.39	23.01	Pass
NVNT	ax40	5190	Ant4	4.33	4.17	8.5	23.01	Pass
NVNT	ax40	5190	Sum	10.25	-	14.42	23.01	Pass
NVNT	ax40	5230	Ant1	3	4.17	7.17	23.01	Pass
NVNT	ax40	5230	Ant2	4.82	4.17	8.99	23.01	Pass
NVNT	ax40	5230	Ant3	4.18	4.17	8.35	23.01	Pass
NVNT	ax40	5230	Ant4	4.64	4.17	8.81	23.01	Pass

NVNT	ax40	5230	Sum	10.23	-	14.4	23.01	Pass
NVNT	ax80	5210	Ant1	2.81	4.17	6.98	23.01	Pass
NVNT	ax80	5210	Ant2	4.75	4.17	8.92	23.01	Pass
NVNT	ax80	5210	Ant3	3.93	4.17	8.1	23.01	Pass
NVNT	ax80	5210	Ant4	4.48	4.17	8.65	23.01	Pass
NVNT	ax80	5210	Sum	10.07	-	14.24	23.01	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.76	0.22	10.98	24	Pass
NVNT	a	5260	Ant2	10.84	0.22	11.06	24	Pass
NVNT	a	5260	Ant3	10.87	0.22	11.09	24	Pass
NVNT	a	5260	Ant4	11.22	0.21	11.43	24	Pass
NVNT	a	5280	Ant1	10.47	0.22	10.69	24	Pass
NVNT	a	5280	Ant2	10.82	0.21	11.03	24	Pass
NVNT	a	5280	Ant3	10.35	0.22	10.57	24	Pass
NVNT	a	5280	Ant4	11.51	0.22	11.73	24	Pass
NVNT	a	5320	Ant1	8.53	0.22	8.75	24	Pass
NVNT	a	5320	Ant2	10.02	0.22	10.24	24	Pass
NVNT	a	5320	Ant3	9.41	0.22	9.63	24	Pass
NVNT	a	5320	Ant4	10.77	0.22	10.99	24	Pass
NVNT	n20	5260	Ant1	8.03	0.21	8.24	24	Pass
NVNT	n20	5260	Ant2	9.02	0.21	9.23	24	Pass
NVNT	n20	5260	Ant3	7.98	0.21	8.19	24	Pass
NVNT	n20	5260	Ant4	9.75	0.21	9.96	24	Pass
NVNT	n20	5260	Sum	14.78	-	14.99	24	Pass
NVNT	n20	5280	Ant1	7.43	0.21	7.64	24	Pass
NVNT	n20	5280	Ant2	8.74	0.21	8.95	24	Pass
NVNT	n20	5280	Ant3	7.63	0.21	7.84	24	Pass
NVNT	n20	5280	Ant4	9.67	0.22	9.89	24	Pass
NVNT	n20	5280	Sum	14.48	-	14.69	24	Pass
NVNT	n20	5320	Ant1	6.73	0.21	6.94	24	Pass
NVNT	n20	5320	Ant2	7.61	0.21	7.82	24	Pass
NVNT	n20	5320	Ant3	6.62	0.21	6.83	24	Pass
NVNT	n20	5320	Ant4	8.41	0.21	8.62	24	Pass
NVNT	n20	5320	Sum	13.42	-	13.63	24	Pass
NVNT	n40	5270	Ant1	1.32	0.42	1.74	24	Pass
NVNT	n40	5270	Ant2	3.52	0.42	3.94	24	Pass
NVNT	n40	5270	Ant3	2.74	0.42	3.16	24	Pass
NVNT	n40	5270	Ant4	3.2	0.42	3.62	24	Pass
NVNT	n40	5270	Sum	8.79	-	9.21	24	Pass
NVNT	n40	5310	Ant1	0.52	0.42	0.94	24	Pass
NVNT	n40	5310	Ant2	2.83	0.42	3.25	24	Pass
NVNT	n40	5310	Ant3	2.4	0.41	2.81	24	Pass
NVNT	n40	5310	Ant4	2.98	0.42	3.4	24	Pass
NVNT	n40	5310	Sum	8.31	-	8.73	24	Pass
NVNT	ac20	5260	Ant1	8.31	0	8.31	24	Pass
NVNT	ac20	5260	Ant2	9.16	0	9.16	24	Pass
NVNT	ac20	5260	Ant3	8.24	0	8.24	24	Pass
NVNT	ac20	5260	Ant4	9.65	0	9.65	24	Pass
NVNT	ac20	5260	Sum	14.9	-	14.9	24	Pass
NVNT	ac20	5280	Ant1	7.77	0	7.77	24	Pass
NVNT	ac20	5280	Ant2	8.94	0	8.94	24	Pass
NVNT	ac20	5280	Ant3	7.75	0	7.75	24	Pass
NVNT	ac20	5280	Ant4	9.67	0	9.67	24	Pass
NVNT	ac20	5280	Sum	14.63	-	14.63	24	Pass
NVNT	ac20	5320	Ant1	6.79	0	6.79	24	Pass
NVNT	ac20	5320	Ant2	7.85	0	7.85	24	Pass
NVNT	ac20	5320	Ant3	6.82	0	6.82	24	Pass
NVNT	ac20	5320	Ant4	8.59	0	8.59	24	Pass
NVNT	ac20	5320	Sum	13.6	-	13.6	24	Pass
NVNT	ac40	5270	Ant1	1.39	0.12	1.51	24	Pass
NVNT	ac40	5270	Ant2	3.67	0.12	3.79	24	Pass
NVNT	ac40	5270	Ant3	3.02	0.12	3.14	24	Pass
NVNT	ac40	5270	Ant4	3.5	0.12	3.62	24	Pass
NVNT	ac40	5270	Sum	9.01	-	9.13	24	Pass
NVNT	ac40	5310	Ant1	0.9	0.12	1.02	24	Pass
NVNT	ac40	5310	Ant2	3.11	0.11	3.22	24	Pass
NVNT	ac40	5310	Ant3	2.67	0.12	2.79	24	Pass
NVNT	ac40	5310	Ant4	3.13	0.12	3.25	24	Pass
NVNT	ac40	5310	Sum	8.56	-	8.68	24	Pass
NVNT	ac80	5290	Ant1	1.42	0.24	1.66	24	Pass
NVNT	ac80	5290	Ant2	3.77	0.24	4.01	24	Pass

NVNT	ac80	5290	Ant3	3.32	0.23	3.55	24	Pass
NVNT	ac80	5290	Ant4	3.85	0.24	4.09	24	Pass
NVNT	ac80	5290	Sum	9.21	-	9.45	24	Pass
NVNT	ax20	5260	Ant1	8.64	0	8.64	24	Pass
NVNT	ax20	5260	Ant2	9.5	0	9.5	24	Pass
NVNT	ax20	5260	Ant3	8.33	0	8.33	24	Pass
NVNT	ax20	5260	Ant4	9.87	0	9.87	24	Pass
NVNT	ax20	5260	Sum	15.15	-	15.15	24	Pass
NVNT	ax20	5280	Ant1	8.03	0	8.03	24	Pass
NVNT	ax20	5280	Ant2	9.21	0	9.21	24	Pass
NVNT	ax20	5280	Ant3	7.7	0	7.7	24	Pass
NVNT	ax20	5280	Ant4	10.16	0	10.16	24	Pass
NVNT	ax20	5280	Sum	14.9	-	14.9	24	Pass
NVNT	ax20	5320	Ant1	6.84	0	6.84	24	Pass
NVNT	ax20	5320	Ant2	7.88	0	7.88	24	Pass
NVNT	ax20	5320	Ant3	7.07	0	7.07	24	Pass
NVNT	ax20	5320	Ant4	8.81	0	8.81	24	Pass
NVNT	ax20	5320	Sum	13.74	-	13.74	24	Pass
NVNT	ax40	5270	Ant1	2.03	0.14	2.17	24	Pass
NVNT	ax40	5270	Ant2	4.24	0.14	4.38	24	Pass
NVNT	ax40	5270	Ant3	3.63	0.14	3.77	24	Pass
NVNT	ax40	5270	Ant4	4.02	0.14	4.16	24	Pass
NVNT	ax40	5270	Sum	9.58	-	9.72	24	Pass
NVNT	ax40	5310	Ant1	1.22	0.14	1.36	24	Pass
NVNT	ax40	5310	Ant2	3.64	0.14	3.78	24	Pass
NVNT	ax40	5310	Ant3	3.05	0.14	3.19	24	Pass
NVNT	ax40	5310	Ant4	3.88	0	3.88	24	Pass
NVNT	ax40	5310	Sum	9.09	-	9.19	24	Pass
NVNT	ax80	5290	Ant1	2.01	0.25	2.26	24	Pass
NVNT	ax80	5290	Ant2	4.23	0.26	4.49	24	Pass
NVNT	ax80	5290	Ant3	3.48	0.26	3.74	24	Pass
NVNT	ax80	5290	Ant4	4.21	0.27	4.48	24	Pass
NVNT	ax80	5290	Sum	9.59	-	9.86	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.76	0.22	10.98	23.23	Pass
NVNT	a	5260	Ant2	10.84	0.22	11.06	23.23	Pass
NVNT	a	5260	Ant3	10.87	0.22	11.09	23.23	Pass
NVNT	a	5260	Ant4	11.22	0.21	11.43	23.23	Pass
NVNT	a	5280	Ant1	10.47	0.22	10.69	23.23	Pass
NVNT	a	5280	Ant2	10.82	0.21	11.03	23.23	Pass
NVNT	a	5280	Ant3	10.35	0.22	10.57	23.23	Pass
NVNT	a	5280	Ant4	11.51	0.22	11.73	23.23	Pass
NVNT	a	5320	Ant1	8.53	0.22	8.75	23.27	Pass
NVNT	a	5320	Ant2	10.02	0.22	10.24	23.27	Pass
NVNT	a	5320	Ant3	9.41	0.22	9.63	23.28	Pass
NVNT	a	5320	Ant4	10.77	0.22	10.99	23.28	Pass
NVNT	n20	5260	Ant1	8.03	0.21	8.24	23.52	Pass
NVNT	n20	5260	Ant2	9.02	0.21	9.23	23.52	Pass
NVNT	n20	5260	Ant3	7.98	0.21	8.19	23.52	Pass
NVNT	n20	5260	Ant4	9.75	0.21	9.96	23.52	Pass
NVNT	n20	5260	Sum	14.78	-	14.99	23.52	Pass
NVNT	n20	5280	Ant1	7.43	0.21	7.64	23.52	Pass
NVNT	n20	5280	Ant2	8.74	0.21	8.95	23.52	Pass
NVNT	n20	5280	Ant3	7.63	0.21	7.84	23.52	Pass
NVNT	n20	5280	Ant4	9.67	0.22	9.89	23.52	Pass
NVNT	n20	5280	Sum	14.48	-	14.69	23.52	Pass
NVNT	n20	5320	Ant1	6.73	0.21	6.94	23.55	Pass
NVNT	n20	5320	Ant2	7.61	0.21	7.82	23.55	Pass
NVNT	n20	5320	Ant3	6.62	0.21	6.83	23.55	Pass
NVNT	n20	5320	Ant4	8.41	0.21	8.62	23.55	Pass
NVNT	n20	5320	Sum	13.42	-	13.63	23.55	Pass
NVNT	n40	5270	Ant1	1.32	0.42	1.74	24	Pass
NVNT	n40	5270	Ant2	3.52	0.42	3.94	24	Pass
NVNT	n40	5270	Ant3	2.74	0.42	3.16	24	Pass
NVNT	n40	5270	Ant4	3.2	0.42	3.62	24	Pass
NVNT	n40	5270	Sum	8.79	-	9.21	24	Pass
NVNT	n40	5310	Ant1	0.52	0.42	0.94	24	Pass
NVNT	n40	5310	Ant2	2.83	0.42	3.25	24	Pass
NVNT	n40	5310	Ant3	2.4	0.41	2.81	24	Pass
NVNT	n40	5310	Ant4	2.98	0.42	3.4	24	Pass

NVNT	n40	5310	Sum	8.31	-	8.73	24	Pass
NVNT	ac20	5260	Ant1	8.31	0	8.31	23.52	Pass
NVNT	ac20	5260	Ant2	9.16	0	9.16	23.52	Pass
NVNT	ac20	5260	Ant3	8.24	0	8.24	23.52	Pass
NVNT	ac20	5260	Ant4	9.65	0	9.65	23.52	Pass
NVNT	ac20	5260	Sum	14.9	-	14.9	23.52	Pass
NVNT	ac20	5280	Ant1	7.77	0	7.77	23.52	Pass
NVNT	ac20	5280	Ant2	8.94	0	8.94	23.52	Pass
NVNT	ac20	5280	Ant3	7.75	0	7.75	23.52	Pass
NVNT	ac20	5280	Ant4	9.67	0	9.67	23.51	Pass
NVNT	ac20	5280	Sum	14.63	-	14.63	23.51	Pass
NVNT	ac20	5320	Ant1	6.79	0	6.79	23.55	Pass
NVNT	ac20	5320	Ant2	7.85	0	7.85	23.55	Pass
NVNT	ac20	5320	Ant3	6.82	0	6.82	23.54	Pass
NVNT	ac20	5320	Ant4	8.59	0	8.59	23.55	Pass
NVNT	ac20	5320	Sum	13.6	-	13.6	23.54	Pass
NVNT	ac40	5270	Ant1	1.39	0.12	1.51	24	Pass
NVNT	ac40	5270	Ant2	3.67	0.12	3.79	24	Pass
NVNT	ac40	5270	Ant3	3.02	0.12	3.14	24	Pass
NVNT	ac40	5270	Ant4	3.5	0.12	3.62	24	Pass
NVNT	ac40	5270	Sum	9.01	-	9.13	24	Pass
NVNT	ac40	5310	Ant1	0.9	0.12	1.02	24	Pass
NVNT	ac40	5310	Ant2	3.11	0.11	3.22	24	Pass
NVNT	ac40	5310	Ant3	2.67	0.12	2.79	24	Pass
NVNT	ac40	5310	Ant4	3.13	0.12	3.25	24	Pass
NVNT	ac40	5310	Sum	8.56	-	8.68	24	Pass
NVNT	ac80	5290	Ant1	1.42	0.24	1.66	24	Pass
NVNT	ac80	5290	Ant2	3.77	0.24	4.01	24	Pass
NVNT	ac80	5290	Ant3	3.32	0.23	3.55	24	Pass
NVNT	ac80	5290	Ant4	3.85	0.24	4.09	24	Pass
NVNT	ac80	5290	Sum	9.21	-	9.45	24	Pass
NVNT	ax20	5260	Ant1	8.64	0	8.64	23.80	Pass
NVNT	ax20	5260	Ant2	9.5	0	9.5	23.79	Pass
NVNT	ax20	5260	Ant3	8.33	0	8.33	23.79	Pass
NVNT	ax20	5260	Ant4	9.87	0	9.87	23.79	Pass
NVNT	ax20	5260	Sum	15.15	-	15.15	23.79	Pass
NVNT	ax20	5280	Ant1	8.03	0	8.03	23.79	Pass
NVNT	ax20	5280	Ant2	9.21	0	9.21	23.79	Pass
NVNT	ax20	5280	Ant3	7.7	0	7.7	23.79	Pass
NVNT	ax20	5280	Ant4	10.16	0	10.16	23.79	Pass
NVNT	ax20	5280	Sum	14.9	-	14.9	23.79	Pass
NVNT	ax20	5320	Ant1	6.84	0	6.84	23.80	Pass
NVNT	ax20	5320	Ant2	7.88	0	7.88	23.80	Pass
NVNT	ax20	5320	Ant3	7.07	0	7.07	23.80	Pass
NVNT	ax20	5320	Ant4	8.81	0	8.81	23.81	Pass
NVNT	ax20	5320	Sum	13.74	-	13.74	23.80	Pass
NVNT	ax40	5270	Ant1	2.03	0.14	2.17	24	Pass
NVNT	ax40	5270	Ant2	4.24	0.14	4.38	24	Pass
NVNT	ax40	5270	Ant3	3.63	0.14	3.77	24	Pass
NVNT	ax40	5270	Ant4	4.02	0.14	4.16	24	Pass
NVNT	ax40	5270	Sum	9.58	-	9.72	24	Pass
NVNT	ax40	5310	Ant1	1.22	0.14	1.36	24	Pass
NVNT	ax40	5310	Ant2	3.64	0.14	3.78	24	Pass
NVNT	ax40	5310	Ant3	3.05	0.14	3.19	24	Pass
NVNT	ax40	5310	Ant4	3.88	0	3.88	24	Pass
NVNT	ax40	5310	Sum	9.09	-	9.19	24	Pass
NVNT	ax80	5290	Ant1	2.01	0.25	2.26	24	Pass
NVNT	ax80	5290	Ant2	4.23	0.26	4.49	24	Pass
NVNT	ax80	5290	Ant3	3.48	0.26	3.74	24	Pass
NVNT	ax80	5290	Ant4	4.21	0.27	4.48	24	Pass
NVNT	ax80	5290	Sum	9.59	-	9.86	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Antenna Gain (dBi)	E.i.r.p. (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.98	4.17	15.15	29.23	Pass
NVNT	a	5260	Ant2	11.06	4.17	15.23	29.23	Pass
NVNT	a	5260	Ant3	11.09	4.17	15.26	29.23	Pass
NVNT	a	5260	Ant4	11.43	4.17	15.6	29.23	Pass
NVNT	a	5280	Ant1	10.69	4.17	14.86	29.23	Pass
NVNT	a	5280	Ant2	11.03	4.17	15.2	29.23	Pass
NVNT	a	5280	Ant3	10.57	4.17	14.74	29.23	Pass
NVNT	a	5280	Ant4	11.73	4.17	15.9	29.23	Pass
NVNT	a	5320	Ant1	8.75	4.17	12.92	29.27	Pass



NVNT	a	5320	Ant2	10.24	4.17	14.41	29.27	Pass
NVNT	a	5320	Ant3	9.63	4.17	13.8	29.28	Pass
NVNT	a	5320	Ant4	10.99	4.17	15.16	29.28	Pass
NVNT	n20	5260	Ant1	8.24	4.17	12.41	29.52	Pass
NVNT	n20	5260	Ant2	9.23	4.17	13.4	29.52	Pass
NVNT	n20	5260	Ant3	8.19	4.17	12.36	29.52	Pass
NVNT	n20	5260	Ant4	9.96	4.17	14.13	29.52	Pass
NVNT	n20	5260	Sum	14.99	-	19.16	29.52	Pass
NVNT	n20	5280	Ant1	7.64	4.17	11.81	29.52	Pass
NVNT	n20	5280	Ant2	8.95	4.17	13.12	29.52	Pass
NVNT	n20	5280	Ant3	7.84	4.17	12.01	29.52	Pass
NVNT	n20	5280	Ant4	9.89	4.17	14.06	29.52	Pass
NVNT	n20	5280	Sum	14.69	-	18.86	29.52	Pass
NVNT	n20	5320	Ant1	6.94	4.17	11.11	29.55	Pass
NVNT	n20	5320	Ant2	7.82	4.17	11.99	29.55	Pass
NVNT	n20	5320	Ant3	6.83	4.17	11	29.55	Pass
NVNT	n20	5320	Ant4	8.62	4.17	12.79	29.55	Pass
NVNT	n20	5320	Sum	13.63	-	17.8	29.55	Pass
NVNT	n40	5270	Ant1	1.74	4.17	5.91	30	Pass
NVNT	n40	5270	Ant2	3.94	4.17	8.11	30	Pass
NVNT	n40	5270	Ant3	3.16	4.17	7.33	30	Pass
NVNT	n40	5270	Ant4	3.62	4.17	7.79	30	Pass
NVNT	n40	5270	Sum	9.21	-	13.38	30	Pass
NVNT	n40	5310	Ant1	0.94	4.17	5.11	30	Pass
NVNT	n40	5310	Ant2	3.25	4.17	7.42	30	Pass
NVNT	n40	5310	Ant3	2.81	4.17	6.98	30	Pass
NVNT	n40	5310	Ant4	3.4	4.17	7.57	30	Pass
NVNT	n40	5310	Sum	8.73	-	12.9	30	Pass
NVNT	ac20	5260	Ant1	8.31	4.17	12.48	29.52	Pass
NVNT	ac20	5260	Ant2	9.16	4.17	13.33	29.52	Pass
NVNT	ac20	5260	Ant3	8.24	4.17	12.41	29.52	Pass
NVNT	ac20	5260	Ant4	9.65	4.17	13.82	29.52	Pass
NVNT	ac20	5260	Sum	14.9	-	19.07	29.52	Pass
NVNT	ac20	5280	Ant1	7.77	4.17	11.94	29.52	Pass
NVNT	ac20	5280	Ant2	8.94	4.17	13.11	29.52	Pass
NVNT	ac20	5280	Ant3	7.75	4.17	11.92	29.52	Pass
NVNT	ac20	5280	Ant4	9.67	4.17	13.84	29.51	Pass
NVNT	ac20	5280	Sum	14.63	-	18.8	29.51	Pass
NVNT	ac20	5320	Ant1	6.79	4.17	10.96	29.55	Pass
NVNT	ac20	5320	Ant2	7.85	4.17	12.02	29.55	Pass
NVNT	ac20	5320	Ant3	6.82	4.17	10.99	29.54	Pass
NVNT	ac20	5320	Ant4	8.59	4.17	12.76	29.55	Pass
NVNT	ac20	5320	Sum	13.6	-	17.77	29.54	Pass
NVNT	ac40	5270	Ant1	1.51	4.17	5.68	30	Pass
NVNT	ac40	5270	Ant2	3.79	4.17	7.96	30	Pass
NVNT	ac40	5270	Ant3	3.14	4.17	7.31	30	Pass
NVNT	ac40	5270	Ant4	3.62	4.17	7.79	30	Pass
NVNT	ac40	5270	Sum	9.13	-	13.3	30	Pass
NVNT	ac40	5310	Ant1	1.02	4.17	5.19	30	Pass
NVNT	ac40	5310	Ant2	3.22	4.17	7.39	30	Pass
NVNT	ac40	5310	Ant3	2.79	4.17	6.96	30	Pass
NVNT	ac40	5310	Ant4	3.25	4.17	7.42	30	Pass
NVNT	ac40	5310	Sum	8.68	-	12.85	30	Pass
NVNT	ac80	5290	Ant1	1.66	4.17	5.83	30	Pass
NVNT	ac80	5290	Ant2	4.01	4.17	8.18	30	Pass
NVNT	ac80	5290	Ant3	3.55	4.17	7.72	30	Pass
NVNT	ac80	5290	Ant4	4.09	4.17	8.26	30	Pass
NVNT	ac80	5290	Sum	9.45	-	13.62	30	Pass
NVNT	ax20	5260	Ant1	8.64	4.17	12.81	29.80	Pass
NVNT	ax20	5260	Ant2	9.5	4.17	13.67	29.79	Pass
NVNT	ax20	5260	Ant3	8.33	4.17	12.5	29.79	Pass
NVNT	ax20	5260	Ant4	9.87	4.17	14.04	29.79	Pass
NVNT	ax20	5260	Sum	15.15	-	19.32	29.79	Pass
NVNT	ax20	5280	Ant1	8.03	4.17	12.2	29.79	Pass
NVNT	ax20	5280	Ant2	9.21	4.17	13.38	29.79	Pass
NVNT	ax20	5280	Ant3	7.7	4.17	11.87	29.79	Pass
NVNT	ax20	5280	Ant4	10.16	4.17	14.33	29.79	Pass
NVNT	ax20	5280	Sum	14.9	-	19.07	29.79	Pass
NVNT	ax20	5320	Ant1	6.84	4.17	11.01	29.80	Pass
NVNT	ax20	5320	Ant2	7.88	4.17	12.05	29.80	Pass
NVNT	ax20	5320	Ant3	7.07	4.17	11.24	29.80	Pass
NVNT	ax20	5320	Ant4	8.81	4.17	12.98	29.81	Pass
NVNT	ax20	5320	Sum	13.74	-	17.91	29.80	Pass

NVNT	ax40	5270	Ant1	2.17	4.17	6.34	30	Pass
NVNT	ax40	5270	Ant2	4.38	4.17	8.55	30	Pass
NVNT	ax40	5270	Ant3	3.77	4.17	7.94	30	Pass
NVNT	ax40	5270	Ant4	4.16	4.17	8.33	30	Pass
NVNT	ax40	5270	Sum	9.72	-	13.89	30	Pass
NVNT	ax40	5310	Ant1	1.36	4.17	5.53	30	Pass
NVNT	ax40	5310	Ant2	3.78	4.17	7.95	30	Pass
NVNT	ax40	5310	Ant3	3.19	4.17	7.36	30	Pass
NVNT	ax40	5310	Ant4	3.88	4.17	8.05	30	Pass
NVNT	ax40	5310	Sum	9.19	-	13.36	30	Pass
NVNT	ax80	5290	Ant1	2.26	4.17	6.43	30	Pass
NVNT	ax80	5290	Ant2	4.49	4.17	8.66	30	Pass
NVNT	ax80	5290	Ant3	3.74	4.17	7.91	30	Pass
NVNT	ax80	5290	Ant4	4.48	4.17	8.65	30	Pass
NVNT	ax80	5290	Sum	9.86	-	14.03	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	10.89	0.22	11.11	30	Pass
NVNT	a	5745	Ant2	11.02	0.22	11.24	30	Pass
NVNT	a	5745	Ant3	11.1	0.22	11.32	30	Pass
NVNT	a	5745	Ant4	10.75	0.22	10.97	30	Pass
NVNT	a	5785	Ant1	10.88	0.22	11.1	30	Pass
NVNT	a	5785	Ant2	10.9	0.22	11.12	30	Pass
NVNT	a	5785	Ant3	11.4	0.22	11.62	30	Pass
NVNT	a	5785	Ant4	10.45	0.22	10.67	30	Pass
NVNT	a	5825	Ant1	9.93	0.22	10.15	30	Pass
NVNT	a	5825	Ant2	10.32	0.22	10.54	30	Pass
NVNT	a	5825	Ant3	10.33	0.22	10.55	30	Pass
NVNT	a	5825	Ant4	9.24	0.22	9.46	30	Pass
NVNT	n20	5745	Ant1	10.73	0.22	10.95	30	Pass
NVNT	n20	5745	Ant2	11.01	0.21	11.22	30	Pass
NVNT	n20	5745	Ant3	11.12	0.21	11.33	30	Pass
NVNT	n20	5745	Ant4	10.59	0.21	10.8	30	Pass
NVNT	n20	5745	Sum	16.89	-	17.1	30	Pass
NVNT	n20	5785	Ant1	10.92	0.21	11.13	30	Pass
NVNT	n20	5785	Ant2	10.89	0.22	11.11	30	Pass
NVNT	n20	5785	Ant3	11.22	0.21	11.43	30	Pass
NVNT	n20	5785	Ant4	10.22	0.21	10.43	30	Pass
NVNT	n20	5785	Sum	16.85	-	17.06	30	Pass
NVNT	n20	5825	Ant1	9.92	0.22	10.14	30	Pass
NVNT	n20	5825	Ant2	10.15	0.21	10.36	30	Pass
NVNT	n20	5825	Ant3	10.38	0.21	10.59	30	Pass
NVNT	n20	5825	Ant4	9.27	0.21	9.48	30	Pass
NVNT	n20	5825	Sum	15.97	-	16.18	30	Pass
NVNT	n40	5755	Ant1	10.62	0.42	11.04	30	Pass
NVNT	n40	5755	Ant2	10.47	0.42	10.89	30	Pass
NVNT	n40	5755	Ant3	11.09	0.43	11.52	30	Pass
NVNT	n40	5755	Ant4	9.56	0.41	9.97	30	Pass
NVNT	n40	5755	Sum	16.49	-	16.91	30	Pass
NVNT	n40	5795	Ant1	10.48	0.42	10.9	30	Pass
NVNT	n40	5795	Ant2	10.07	0.42	10.49	30	Pass
NVNT	n40	5795	Ant3	11.08	0.2	11.28	30	Pass
NVNT	n40	5795	Ant4	9.46	0.41	9.87	30	Pass
NVNT	n40	5795	Sum	16.33	-	16.68	30	Pass
NVNT	ac20	5745	Ant1	10.89	0	10.89	30	Pass
NVNT	ac20	5745	Ant2	11.17	0	11.17	30	Pass
NVNT	ac20	5745	Ant3	11.34	0	11.34	30	Pass
NVNT	ac20	5745	Ant4	10.88	0	10.88	30	Pass
NVNT	ac20	5745	Sum	17.1	-	17.1	30	Pass
NVNT	ac20	5785	Ant1	11.08	0	11.08	30	Pass
NVNT	ac20	5785	Ant2	11.16	0	11.16	30	Pass
NVNT	ac20	5785	Ant3	11.44	0	11.44	30	Pass
NVNT	ac20	5785	Ant4	10.31	0	10.31	30	Pass
NVNT	ac20	5785	Sum	17.04	-	17.04	30	Pass
NVNT	ac20	5825	Ant1	10.1	0	10.1	30	Pass
NVNT	ac20	5825	Ant2	10.39	0	10.39	30	Pass
NVNT	ac20	5825	Ant3	10.61	0	10.61	30	Pass
NVNT	ac20	5825	Ant4	9.38	0	9.38	30	Pass
NVNT	ac20	5825	Sum	16.16	-	16.16	30	Pass
NVNT	ac40	5755	Ant1	11.07	0.13	11.2	30	Pass
NVNT	ac40	5755	Ant2	10.55	0.37	10.92	30	Pass
NVNT	ac40	5755	Ant3	11.42	0.12	11.54	30	Pass

NVNT	ac40	5755	Ant4	9.8	0.11	9.91	30	Pass
NVNT	ac40	5755	Sum	16.77	-	16.96	30	Pass
NVNT	ac40	5795	Ant1	10.82	0.11	10.93	30	Pass
NVNT	ac40	5795	Ant2	10.06	0.42	10.48	30	Pass
NVNT	ac40	5795	Ant3	11.25	0.11	11.36	30	Pass
NVNT	ac40	5795	Ant4	9.77	0.11	9.88	30	Pass
NVNT	ac40	5795	Sum	16.54	-	16.72	30	Pass
NVNT	ac80	5775	Ant1	0.5	0.26	0.76	30	Pass
NVNT	ac80	5775	Ant2	3.75	0.26	4.01	30	Pass
NVNT	ac80	5775	Ant3	2.79	0.23	3.02	30	Pass
NVNT	ac80	5775	Ant4	1.61	0.23	1.84	30	Pass
NVNT	ac80	5775	Sum	8.35	-	8.6	30	Pass
NVNT	ax20	5745	Ant1	11.07	0	11.07	30	Pass
NVNT	ax20	5745	Ant2	11.43	0	11.43	30	Pass
NVNT	ax20	5745	Ant3	11.57	0	11.57	30	Pass
NVNT	ax20	5745	Ant4	11.1	0	11.1	30	Pass
NVNT	ax20	5745	Sum	17.32	-	17.32	30	Pass
NVNT	ax20	5785	Ant1	11.55	0	11.55	30	Pass
NVNT	ax20	5785	Ant2	11.36	0	11.36	30	Pass
NVNT	ax20	5785	Ant3	11.71	0	11.71	30	Pass
NVNT	ax20	5785	Ant4	10.76	0	10.76	30	Pass
NVNT	ax20	5785	Sum	17.39	-	17.39	30	Pass
NVNT	ax20	5825	Ant1	10.41	0	10.41	30	Pass
NVNT	ax20	5825	Ant2	10.66	0	10.66	30	Pass
NVNT	ax20	5825	Ant3	10.91	0	10.91	30	Pass
NVNT	ax20	5825	Ant4	9.81	0	9.81	30	Pass
NVNT	ax20	5825	Sum	16.49	-	16.49	30	Pass
NVNT	ax40	5755	Ant1	11.27	0.15	11.42	30	Pass
NVNT	ax40	5755	Ant2	11.08	0.13	11.21	30	Pass
NVNT	ax40	5755	Ant3	11.61	0.14	11.75	30	Pass
NVNT	ax40	5755	Ant4	10.35	0.14	10.49	30	Pass
NVNT	ax40	5755	Sum	17.12	-	17.26	30	Pass
NVNT	ax40	5795	Ant1	11.18	0.13	11.31	30	Pass
NVNT	ax40	5795	Ant2	10.59	0.13	10.72	30	Pass
NVNT	ax40	5795	Ant3	11.43	0.14	11.57	30	Pass
NVNT	ax40	5795	Ant4	9.96	0.16	10.12	30	Pass
NVNT	ax40	5795	Sum	16.85	-	16.99	30	Pass
NVNT	ax80	5775	Ant1	0.89	0.2	1.09	30	Pass
NVNT	ax80	5775	Ant2	4.13	0.24	4.37	30	Pass
NVNT	ax80	5775	Ant3	2.74	0.26	3	30	Pass
NVNT	ax80	5775	Ant4	2.04	0.25	2.29	30	Pass
NVNT	ax80	5775	Sum	8.63	-	8.87	30	Pass

## -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	23.502	0.5	Pass
NVNT	a	5180	Ant2	25.227	0.5	Pass
NVNT	a	5180	Ant3	23.739	0.5	Pass
NVNT	a	5180	Ant4	24.528	0.5	Pass
NVNT	a	5200	Ant1	21.6	0.5	Pass
NVNT	a	5200	Ant2	21.867	0.5	Pass
NVNT	a	5200	Ant3	21.69	0.5	Pass
NVNT	a	5200	Ant4	21.537	0.5	Pass
NVNT	a	5240	Ant1	21.564	0.5	Pass
NVNT	a	5240	Ant2	21.576	0.5	Pass
NVNT	a	5240	Ant3	21.597	0.5	Pass
NVNT	a	5240	Ant4	21.597	0.5	Pass
NVNT	n20	5180	Ant1	27.273	0.5	Pass
NVNT	n20	5180	Ant2	28.77	0.5	Pass
NVNT	n20	5180	Ant3	27.696	0.5	Pass
NVNT	n20	5180	Ant4	28.389	0.5	Pass
NVNT	n20	5200	Ant1	21.783	0.5	Pass
NVNT	n20	5200	Ant2	21.834	0.5	Pass
NVNT	n20	5200	Ant3	21.792	0.5	Pass
NVNT	n20	5200	Ant4	21.816	0.5	Pass
NVNT	n20	5240	Ant1	21.822	0.5	Pass
NVNT	n20	5240	Ant2	21.864	0.5	Pass
NVNT	n20	5240	Ant3	21.741	0.5	Pass
NVNT	n20	5240	Ant4	21.804	0.5	Pass
NVNT	n40	5190	Ant1	48.678	0.5	Pass
NVNT	n40	5190	Ant2	50.136	0.5	Pass
NVNT	n40	5190	Ant3	53.346	0.5	Pass
NVNT	n40	5190	Ant4	56.694	0.5	Pass
NVNT	n40	5230	Ant1	39.798	0.5	Pass
NVNT	n40	5230	Ant2	39.744	0.5	Pass
NVNT	n40	5230	Ant3	39.708	0.5	Pass
NVNT	n40	5230	Ant4	39.894	0.5	Pass
NVNT	ac20	5180	Ant1	23.904	0.5	Pass
NVNT	ac20	5180	Ant2	25.56	0.5	Pass
NVNT	ac20	5180	Ant3	25.071	0.5	Pass
NVNT	ac20	5180	Ant4	27.687	0.5	Pass
NVNT	ac20	5200	Ant1	21.915	0.5	Pass
NVNT	ac20	5200	Ant2	21.849	0.5	Pass
NVNT	ac20	5200	Ant3	21.774	0.5	Pass
NVNT	ac20	5200	Ant4	21.75	0.5	Pass
NVNT	ac20	5240	Ant1	21.81	0.5	Pass
NVNT	ac20	5240	Ant2	21.945	0.5	Pass
NVNT	ac20	5240	Ant3	21.9	0.5	Pass
NVNT	ac20	5240	Ant4	22.086	0.5	Pass
NVNT	ac40	5190	Ant1	56.934	0.5	Pass
NVNT	ac40	5190	Ant2	53.922	0.5	Pass
NVNT	ac40	5190	Ant3	53.286	0.5	Pass
NVNT	ac40	5190	Ant4	55.752	0.5	Pass
NVNT	ac40	5230	Ant1	39.744	0.5	Pass
NVNT	ac40	5230	Ant2	39.75	0.5	Pass
NVNT	ac40	5230	Ant3	39.756	0.5	Pass
NVNT	ac40	5230	Ant4	39.756	0.5	Pass
NVNT	ac80	5210	Ant1	86.04	0.5	Pass
NVNT	ac80	5210	Ant2	95.328	0.5	Pass
NVNT	ac80	5210	Ant3	96.432	0.5	Pass
NVNT	ac80	5210	Ant4	99.888	0.5	Pass
NVNT	ac160	5250	Ant1	160.152	0.5	Pass
NVNT	ac160	5250	Ant2	159.96	0.5	Pass
NVNT	ac160	5250	Ant3	159.576	0.5	Pass
NVNT	ac160	5250	Ant4	159.432	0.5	Pass
NVNT	ax160	5250	Ant1	161.088	0.5	Pass
NVNT	ax160	5250	Ant2	161.136	0.5	Pass
NVNT	ax160	5250	Ant3	161.208	0.5	Pass
NVNT	ax160	5250	Ant4	160.944	0.5	Pass
NVNT	ax20	5180	Ant1	25.203	0.5	Pass
NVNT	ax20	5180	Ant2	24.054	0.5	Pass
NVNT	ax20	5180	Ant3	23.76	0.5	Pass
NVNT	ax20	5180	Ant4	25.968	0.5	Pass
NVNT	ax20	5200	Ant1	21.678	0.5	Pass

NVNT	ax20	5200	Ant2	21.699	0.5	Pass
NVNT	ax20	5200	Ant3	21.87	0.5	Pass
NVNT	ax20	5200	Ant4	21.717	0.5	Pass
NVNT	ax20	5240	Ant1	21.873	0.5	Pass
NVNT	ax20	5240	Ant2	21.768	0.5	Pass
NVNT	ax20	5240	Ant3	21.846	0.5	Pass
NVNT	ax20	5240	Ant4	21.744	0.5	Pass
NVNT	ax40	5190	Ant1	48.732	0.5	Pass
NVNT	ax40	5190	Ant2	43.062	0.5	Pass
NVNT	ax40	5190	Ant3	45.906	0.5	Pass
NVNT	ax40	5190	Ant4	53.088	0.5	Pass
NVNT	ax40	5230	Ant1	40.416	0.5	Pass
NVNT	ax40	5230	Ant2	40.218	0.5	Pass
NVNT	ax40	5230	Ant3	40.302	0.5	Pass
NVNT	ax40	5230	Ant4	40.224	0.5	Pass
NVNT	ax80	5210	Ant1	84.864	0.5	Pass
NVNT	ax80	5210	Ant2	84.552	0.5	Pass
NVNT	ax80	5210	Ant3	84	0.5	Pass
NVNT	ax80	5210	Ant4	89.28	0.5	Pass

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	21.504	0.5	Pass
NVNT	a	5260	Ant2	21.597	0.5	Pass
NVNT	a	5260	Ant3	21.591	0.5	Pass
NVNT	a	5260	Ant4	21.609	0.5	Pass
NVNT	a	5280	Ant1	21.591	0.5	Pass
NVNT	a	5280	Ant2	21.51	0.5	Pass
NVNT	a	5280	Ant3	21.591	0.5	Pass
NVNT	a	5280	Ant4	21.594	0.5	Pass
NVNT	a	5320	Ant1	24.096	0.5	Pass
NVNT	a	5320	Ant2	23.178	0.5	Pass
NVNT	a	5320	Ant3	23.739	0.5	Pass
NVNT	a	5320	Ant4	24.186	0.5	Pass
NVNT	n20	5260	Ant1	21.939	0.5	Pass
NVNT	n20	5260	Ant2	21.804	0.5	Pass
NVNT	n20	5260	Ant3	21.792	0.5	Pass
NVNT	n20	5260	Ant4	21.849	0.5	Pass
NVNT	n20	5280	Ant1	21.768	0.5	Pass
NVNT	n20	5280	Ant2	21.747	0.5	Pass
NVNT	n20	5280	Ant3	21.813	0.5	Pass
NVNT	n20	5280	Ant4	21.99	0.5	Pass
NVNT	n20	5320	Ant1	27.486	0.5	Pass
NVNT	n20	5320	Ant2	26.604	0.5	Pass
NVNT	n20	5320	Ant3	28.233	0.5	Pass
NVNT	n20	5320	Ant4	28.983	0.5	Pass
NVNT	n40	5270	Ant1	39.678	0.5	Pass
NVNT	n40	5270	Ant2	39.798	0.5	Pass
NVNT	n40	5270	Ant3	39.924	0.5	Pass
NVNT	n40	5270	Ant4	39.798	0.5	Pass
NVNT	n40	5310	Ant1	49.146	0.5	Pass
NVNT	n40	5310	Ant2	53.442	0.5	Pass
NVNT	n40	5310	Ant3	54.564	0.5	Pass
NVNT	n40	5310	Ant4	55.806	0.5	Pass
NVNT	ac20	5260	Ant1	21.918	0.5	Pass
NVNT	ac20	5260	Ant2	21.777	0.5	Pass
NVNT	ac20	5260	Ant3	21.879	0.5	Pass
NVNT	ac20	5260	Ant4	21.783	0.5	Pass
NVNT	ac20	5280	Ant1	21.888	0.5	Pass
NVNT	ac20	5280	Ant2	21.993	0.5	Pass
NVNT	ac20	5280	Ant3	21.798	0.5	Pass
NVNT	ac20	5280	Ant4	22.056	0.5	Pass
NVNT	ac20	5320	Ant1	24.189	0.5	Pass
NVNT	ac20	5320	Ant2	26.418	0.5	Pass
NVNT	ac20	5320	Ant3	27.606	0.5	Pass
NVNT	ac20	5320	Ant4	27.183	0.5	Pass
NVNT	ac40	5270	Ant1	39.768	0.5	Pass
NVNT	ac40	5270	Ant2	39.918	0.5	Pass
NVNT	ac40	5270	Ant3	39.99	0.5	Pass
NVNT	ac40	5270	Ant4	39.732	0.5	Pass
NVNT	ac40	5310	Ant1	51.498	0.5	Pass
NVNT	ac40	5310	Ant2	49.548	0.5	Pass
NVNT	ac40	5310	Ant3	51.546	0.5	Pass
NVNT	ac40	5310	Ant4	50.778	0.5	Pass


NVNT	ac80	5290	Ant1	95.268	0.5	Pass
NVNT	ac80	5290	Ant2	88.644	0.5	Pass
NVNT	ac80	5290	Ant3	98.976	0.5	Pass
NVNT	ac80	5290	Ant4	94.776	0.5	Pass
NVNT	ax20	5260	Ant1	21.804	0.5	Pass
NVNT	ax20	5260	Ant2	21.774	0.5	Pass
NVNT	ax20	5260	Ant3	21.66	0.5	Pass
NVNT	ax20	5260	Ant4	21.9	0.5	Pass
NVNT	ax20	5280	Ant1	21.69	0.5	Pass
NVNT	ax20	5280	Ant2	21.789	0.5	Pass
NVNT	ax20	5280	Ant3	21.651	0.5	Pass
NVNT	ax20	5280	Ant4	21.807	0.5	Pass
NVNT	ax20	5320	Ant1	27.3	0.5	Pass
NVNT	ax20	5320	Ant2	26.412	0.5	Pass
NVNT	ax20	5320	Ant3	24.846	0.5	Pass
NVNT	ax20	5320	Ant4	26.091	0.5	Pass
NVNT	ax40	5270	Ant1	39.93	0.5	Pass
NVNT	ax40	5270	Ant2	40.35	0.5	Pass
NVNT	ax40	5270	Ant3	40.296	0.5	Pass
NVNT	ax40	5270	Ant4	40.056	0.5	Pass
NVNT	ax40	5310	Ant1	43.878	0.5	Pass
NVNT	ax40	5310	Ant2	42.306	0.5	Pass
NVNT	ax40	5310	Ant3	44.076	0.5	Pass
NVNT	ax40	5310	Ant4	42.036	0.5	Pass
NVNT	ax80	5290	Ant1	82.524	0.5	Pass
NVNT	ax80	5290	Ant2	85.728	0.5	Pass
NVNT	ax80	5290	Ant3	82.932	0.5	Pass
NVNT	ax80	5290	Ant4	83.7	0.5	Pass

















Date: 17.MAY.2023 07:43:38




Date: 17.MAY.2023 08:50:45








Date: 16.MAY.2023 15:00:28




Date: 16.MAY.2023 15:42:23








Date: 17.MAY.2023 07:54:35




Date: 17.MAY.2023 08:35:30








Date: 17.MAY.2023 07:51:02




Date: 17.MAY.2023 08:44:41







Date: 17.MAY.2023 08:56:56



Date: 18.MAY.2023 10:51:38



Date: 16.MAY.2023 16:01:59



Date: 16.MAY.2023 16:35:17



















Date: 16.MAY.2023 15:07:48



Date: 16.MAY.2023 15:35:27




Date: 17.MAY.2023 08:05:32




Date: 17.MAY.2023 08:25:24








Date: 16.MAY.2023 16:05:58




Date: 16.MAY.2023 16:30:26







Date: 16.MAY.2023 16:44:52



Date: 16.MAY.2023 16:55:41

