



18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.33	-68.6	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.65	-25	Pass	9701
1000	2560	1	RMS	2552	-44.2	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.78	60	Pass	401
2630	3000	1	RMS	2956.525	-45.06	-25	Pass	401
3000	12000	1	RMS	11695	-45.92	-25	Pass	9002
12000	26500	1	RMS	26012	-32.16	-25	Pass	14502




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.8	-25	Pass	2986
30	1000	0.1	RMS	845.2	-59.97	-25	Pass	9701
1000	2560	1	RMS	2525	-46.56	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.66	60	Pass	401
2630	3000	1	RMS	2955.6	-45.08	-25	Pass	401
3000	12000	1	RMS	11698	-45.93	-25	Pass	9002
12000	26500	1	RMS	26002	-32.16	-25	Pass	14502




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-25	Pass	2986
30	1000	0.1	RMS	862.409	-59.84	-25	Pass	9701
1000	2560	1	RMS	2519	-46.54	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.16	60	Pass	401
2630	3000	1	RMS	2954.675	-45.06	-25	Pass	401
3000	12000	1	RMS	11705	-45.86	-25	Pass	9002
12000	26500	1	RMS	26004	-32.19	-25	Pass	14502




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-25	Pass	2986
30	1000	0.1	RMS	845.6	-60.02	-25	Pass	9701
1000	2560	1	RMS	2520	-46.52	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.61	60	Pass	401
2630	3000	1	RMS	2957.45	-45.05	-25	Pass	401
3000	12000	1	RMS	11700	-45.94	-25	Pass	9002
12000	26500	1	RMS	26003	-32.16	-25	Pass	14502




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.84	-25	Pass	2986
30	1000	0.1	RMS	815.9	-59.96	-25	Pass	9701
1000	2560	1	RMS	2520	-46.57	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.15	60	Pass	401
2630	3000	1	RMS	2970.4	-45.07	-25	Pass	401
3000	12000	1	RMS	11701	-45.89	-25	Pass	9002
12000	26500	1	RMS	25995	-32.16	-25	Pass	14502




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.83	-25	Pass	2986
30	1000	0.1	RMS	839.6	-60.01	-25	Pass	9701
1000	2560	1	RMS	2560	-41.06	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.35	60	Pass	401
2630	3000	1	RMS	2956.525	-45.05	-25	Pass	401
3000	12000	1	RMS	11707	-45.96	-25	Pass	9002
12000	26500	1	RMS	26011	-32.24	-25	Pass	14502




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.3	-25	Pass	2986
30	1000	0.1	RMS	844.9	-60.01	-25	Pass	9701
1000	2560	1	RMS	2557	-43.12	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.75	60	Pass	401
2630	3000	1	RMS	2956.525	-45.06	-25	Pass	401
3000	12000	1	RMS	11701	-45.92	-25	Pass	9002
12000	26500	1	RMS	26004	-32.15	-25	Pass	14502




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.4	-25	Pass	2986
30	1000	0.1	RMS	844.4	-59.97	-25	Pass	9701
1000	2560	1	RMS	2517	-46.57	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.75	60	Pass	401
2630	3000	1	RMS	2955.6	-45.07	-25	Pass	401
3000	12000	1	RMS	11695	-45.81	-25	Pass	9002
12000	26500	1	RMS	26008	-32.19	-25	Pass	14502




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.93	-25	Pass	2986
30	1000	0.1	RMS	846	-59.85	-25	Pass	9701
1000	2560	1	RMS	2528	-46.6	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.37	60	Pass	401
2630	3000	1	RMS	2957.45	-45.09	-25	Pass	401
3000	12000	1	RMS	11712	-45.86	-25	Pass	9002
12000	26500	1	RMS	26018	-32.22	-25	Pass	14502




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-63.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.86	-25	Pass	2986
30	1000	0.1	RMS	894.73	-59.77	-25	Pass	9701
1000	2560	1	RMS	2520	-45.96	-25	Pass	1561
2560	2630	1	RMS	2605.85	23.87	60	Pass	401
2645	3000	1	RMS	2881.963	-44.19	-25	Pass	401
3000	12000	1	RMS	8901	-54.67	-25	Pass	9002
12000	26500	1	RMS	25201	-42.31	-25	Pass	14502




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.62	-25	Pass	2986
30	1000	0.1	RMS	904.036	-59.69	-25	Pass	9701
1000	2560	1	RMS	2515	-45.95	-25	Pass	1561
2560	2630	1	RMS	2605.675	22.96	60	Pass	401
2645	3000	1	RMS	2883.738	-44.15	-25	Pass	401
3000	12000	1	RMS	8900	-54.63	-25	Pass	9002
12000	26500	1	RMS	25196	-42.32	-25	Pass	14502




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.75	-25	Pass	2986
30	1000	0.1	RMS	610.4	-59.76	-25	Pass	9701
1000	2560	1	RMS	2558	-41.72	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.3	60	Pass	401
2630	3000	1	RMS	2948.2	-45.1	-25	Pass	401
3000	12000	1	RMS	11995	-45.93	-25	Pass	9002
12000	26500	1	RMS	26011	-32.13	-25	Pass	14502




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	Pass	2986
30	1000	0.1	RMS	812.8	-60.07	-25	Pass	9701
1000	2560	1	RMS	2560	-40.4	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.14	60	Pass	401
2630	3000	1	RMS	2953.75	-45.09	-25	Pass	401
3000	12000	1	RMS	11702	-45.93	-25	Pass	9002
12000	26500	1	RMS	26002	-32.21	-25	Pass	14502




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.7	-25	Pass	2986
30	1000	0.1	RMS	846.8	-60.04	-25	Pass	9701
1000	2560	1	RMS	2550	-40.71	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.02	60	Pass	401
2630	3000	1	RMS	2952.825	-45.08	-25	Pass	401
3000	12000	1	RMS	11716	-45.95	-25	Pass	9002
12000	26500	1	RMS	26007	-32.18	-25	Pass	14502




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-25	Pass	2986
30	1000	0.1	RMS	845.8	-59.96	-25	Pass	9701
1000	2560	1	RMS	2551	-42.96	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.26	60	Pass	401
2630	3000	1	RMS	2958.375	-45.07	-25	Pass	401
3000	12000	1	RMS	11701	-45.84	-25	Pass	9002
12000	26500	1	RMS	26001	-32.09	-25	Pass	14502




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-64.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.19	-25	Pass	2986
30	1000	0.1	RMS	893.229	-59.74	-25	Pass	9701
1000	2560	1	RMS	2501	-45.96	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.75	60	Pass	401
2645	3000	1	RMS	2868.65	-44.13	-25	Pass	401
3000	12000	1	RMS	8901	-54.65	-25	Pass	9002
12000	26500	1	RMS	25199	-42.24	-25	Pass	14502



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.48	-25	Pass	401
0.15	30	0.01	RMS	0.29	-67.77	-25	Pass	2986
30	1000	0.1	RMS	994.296	-59.69	-25	Pass	9701
1000	2560	1	RMS	2518	-45.93	-25	Pass	1561
2560	2630	1	RMS	2600.95	23.46	60	Pass	401
2645	3000	1	RMS	2872.2	-44.18	-25	Pass	401
3000	12000	1	RMS	8903	-54.62	-25	Pass	9002
12000	26500	1	RMS	25198	-42.31	-25	Pass	14502



19. LTE_Band41 120M


**19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-65.18	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.43	-25	Pass	2986
30	1000	0.1	RMS	856.605	-59.66	-25	Pass	9701
1000	2525	1	RMS	2525	-45.79	-25	Pass	1526
2525	2665	1	RMS	2535.15	23.1	60	Pass	401
2665	3000	1	RMS	2868.513	-44.15	-25	Pass	401
3000	12000	1	RMS	8902	-54.64	-25	Pass	9002
12000	27000	1	RMS	25199	-40.73	-25	Pass	15002




19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-64.44	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.43	-25	Pass	2986
30	1000	0.1	RMS	993.896	-59.68	-25	Pass	9701
1000	2525	1	RMS	2516	-45.93	-25	Pass	1526
2525	2665	1	RMS	2535.15	22.32	60	Pass	401
2665	3000	1	RMS	2878.563	-44.15	-25	Pass	401
3000	12000	1	RMS	8906	-54.62	-25	Pass	9002
12000	27000	1	RMS	25201	-40.76	-25	Pass	15002




19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-63.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.46	-25	Pass	2986
30	1000	0.1	RMS	997.398	-59.75	-25	Pass	9701
1000	2525	1	RMS	2506	-45.97	-25	Pass	1526
2525	2665	1	RMS	2592.55	23.14	60	Pass	401
2665	3000	1	RMS	2879.4	-44.16	-25	Pass	401
3000	12000	1	RMS	8903	-54.65	-25	Pass	9002
12000	27000	1	RMS	25199	-40.75	-25	Pass	15002




19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.93	-25	Pass	2986
30	1000	0.1	RMS	889.627	-59.77	-25	Pass	9701
1000	2525	1	RMS	2516	-45.92	-25	Pass	1526
2525	2665	1	RMS	2592.55	22.47	60	Pass	401
2665	3000	1	RMS	2876.888	-44.15	-25	Pass	401
3000	12000	1	RMS	8906	-54.64	-25	Pass	9002
12000	27000	1	RMS	25199	-40.81	-25	Pass	15002




**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.92	-25	Pass	2986
30	1000	0.1	RMS	999.099	-59.55	-25	Pass	9701
1000	2525	1	RMS	2520	-45.91	-25	Pass	1526
2525	2665	1	RMS	2650.3	23.75	60	Pass	401
2665	3000	1	RMS	2868.513	-44.17	-25	Pass	401
3000	12000	1	RMS	8897	-54.71	-25	Pass	9002
12000	27000	1	RMS	25202	-40.62	-25	Pass	15002




19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.72	-25	Pass	2986
30	1000	0.1	RMS	978.686	-59.7	-25	Pass	9701
1000	2525	1	RMS	2521	-45.89	-25	Pass	1526
2525	2665	1	RMS	2649.95	22.45	60	Pass	401
2665	3000	1	RMS	2868.513	-44.16	-25	Pass	401
3000	12000	1	RMS	8902	-54.71	-25	Pass	9002
12000	27000	1	RMS	25202	-40.78	-25	Pass	15002




**19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.3	-25	Pass	2986
30	1000	0.1	RMS	890.427	-59.69	-25	Pass	9701
1000	2525	1	RMS	2518	-42.24	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.96	60	Pass	401
2665	3000	1	RMS	2876.05	-44.15	-25	Pass	401
3000	12000	1	RMS	7607	-54.16	-25	Pass	9002
12000	27000	1	RMS	25203	-40.78	-25	Pass	15002




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.99	-25	Pass	2986
30	1000	0.1	RMS	912.442	-59.71	-25	Pass	9701
1000	2525	1	RMS	2525	-44.76	-25	Pass	1526
2525	2665	1	RMS	2535.15	21.92	60	Pass	401
2665	3000	1	RMS	2869.35	-44.14	-25	Pass	401
3000	12000	1	RMS	7607	-53.68	-25	Pass	9002
12000	27000	1	RMS	25197	-40.76	-25	Pass	15002




**19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.06	-25	Pass	2986
30	1000	0.1	RMS	996.498	-59.64	-25	Pass	9701
1000	2525	1	RMS	2519	-45.92	-25	Pass	1526
2525	2665	1	RMS	2590.1	22.88	60	Pass	401
2665	3000	1	RMS	2872.7	-44.15	-25	Pass	401
3000	12000	1	RMS	8901	-54.71	-25	Pass	9002
12000	27000	1	RMS	25203	-40.8	-25	Pass	15002




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.74	-25	Pass	2986
30	1000	0.1	RMS	883.623	-59.72	-25	Pass	9701
1000	2525	1	RMS	2499	-45.92	-25	Pass	1526
2525	2665	1	RMS	2590.45	23.09	60	Pass	401
2665	3000	1	RMS	2876.888	-44.13	-25	Pass	401
3000	12000	1	RMS	8897	-54.63	-25	Pass	9002
12000	27000	1	RMS	25200	-40.72	-25	Pass	15002




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.61	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.02	-25	Pass	2986
30	1000	0.1	RMS	894.23	-59.74	-25	Pass	9701
1000	2525	1	RMS	2519	-45.87	-25	Pass	1526
2525	2665	1	RMS	2645.4	23.03	60	Pass	401
2665	3000	1	RMS	2872.7	-44.15	-25	Pass	401
3000	12000	1	RMS	8909	-54.72	-25	Pass	9002
12000	27000	1	RMS	25202	-40.67	-25	Pass	15002




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.89	-25	Pass	2986
30	1000	0.1	RMS	909.14	-59.7	-25	Pass	9701
1000	2525	1	RMS	2516	-45.92	-25	Pass	1526
2525	2665	1	RMS	2645.4	22.93	60	Pass	401
2665	3000	1	RMS	2877.725	-44.15	-25	Pass	401
3000	12000	1	RMS	8903	-54.7	-25	Pass	9002
12000	27000	1	RMS	25201	-40.68	-25	Pass	15002




**19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.02	-25	Pass	2986
30	1000	0.1	RMS	891.328	-59.65	-25	Pass	9701
1000	2525	1	RMS	2525	-41.47	-25	Pass	1526
2525	2665	1	RMS	2535.85	23.48	60	Pass	401
2665	3000	1	RMS	2870.188	-44.14	-25	Pass	401
3000	12000	1	RMS	7607	-54.15	-25	Pass	9002
12000	27000	1	RMS	25202	-40.6	-25	Pass	15002




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.08	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.75	-25	Pass	2986
30	1000	0.1	RMS	895.531	-59.56	-25	Pass	9701
1000	2525	1	RMS	2525	-42.7	-25	Pass	1526
2525	2665	1	RMS	2535.5	21.93	60	Pass	401
2665	3000	1	RMS	2872.7	-44.14	-25	Pass	401
3000	12000	1	RMS	8899	-54.61	-25	Pass	9002
12000	27000	1	RMS	25196	-40.67	-25	Pass	15002




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.97	-25	Pass	2986
30	1000	0.1	RMS	893.63	-59.63	-25	Pass	9701
1000	2525	1	RMS	2516	-45.89	-25	Pass	1526
2525	2665	1	RMS	2588.35	23.13	60	Pass	401
2665	3000	1	RMS	2869.35	-44.09	-25	Pass	401
3000	12000	1	RMS	8898	-54.63	-25	Pass	9002
12000	27000	1	RMS	25201	-40.69	-25	Pass	15002




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.11	-25	Pass	2986
30	1000	0.1	RMS	997.799	-59.37	-25	Pass	9701
1000	2525	1	RMS	2516	-45.87	-25	Pass	1526
2525	2665	1	RMS	2588.35	22.58	60	Pass	401
2665	3000	1	RMS	2872.7	-44.14	-25	Pass	401
3000	12000	1	RMS	8914	-54.63	-25	Pass	9002
12000	27000	1	RMS	25201	-40.78	-25	Pass	15002




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.84	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.02	-25	Pass	2986
30	1000	0.1	RMS	908.639	-59.55	-25	Pass	9701
1000	2525	1	RMS	2503	-46.2	-25	Pass	1526
2525	2665	1	RMS	2640.5	22.59	60	Pass	401
2680	3000	1	RMS	2876.8	-44.58	-25	Pass	401
3000	12000	1	RMS	8901	-54.81	-25	Pass	9002
12000	27000	1	RMS	25204	-40.93	-25	Pass	15002




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.88	-25	Pass	2986
30	1000	0.1	RMS	899.333	-59.59	-25	Pass	9701
1000	2525	1	RMS	2505	-46.18	-25	Pass	1526
2525	2665	1	RMS	2640.85	21.92	60	Pass	401
2680	3000	1	RMS	2871.2	-44.57	-25	Pass	401
3000	12000	1	RMS	8892	-54.75	-25	Pass	9002
12000	27000	1	RMS	25199	-40.88	-25	Pass	15002




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.01	-25	Pass	2986
30	1000	0.1	RMS	888.826	-59.67	-25	Pass	9701
1000	2525	1	RMS	2525	-41.18	-25	Pass	1526
2525	2665	1	RMS	2535.85	23.18	60	Pass	401
2665	3000	1	RMS	2868.513	-44.14	-25	Pass	401
3000	12000	1	RMS	8907	-54.66	-25	Pass	9002
12000	27000	1	RMS	25205	-40.8	-25	Pass	15002




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.08	-25	Pass	2986
30	1000	0.1	RMS	904.337	-59.72	-25	Pass	9701
1000	2525	1	RMS	2525	-40.77	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.26	60	Pass	401
2665	3000	1	RMS	2873.538	-44.16	-25	Pass	401
3000	12000	1	RMS	8900	-54.6	-25	Pass	9002
12000	27000	1	RMS	25203	-40.73	-25	Pass	15002




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.6	-25	Pass	2986
30	1000	0.1	RMS	998.599	-59.66	-25	Pass	9701
1000	2525	1	RMS	2501	-45.91	-25	Pass	1526
2525	2665	1	RMS	2585.9	22.81	60	Pass	401
2665	3000	1	RMS	2870.188	-44.15	-25	Pass	401
3000	12000	1	RMS	8911	-54.65	-25	Pass	9002
12000	27000	1	RMS	25199	-40.67	-25	Pass	15002




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.01	-25	Pass	2986
30	1000	0.1	RMS	992.195	-59.68	-25	Pass	9701
1000	2525	1	RMS	2516	-45.93	-25	Pass	1526
2525	2665	1	RMS	2585.9	22.82	60	Pass	401
2665	3000	1	RMS	2881.075	-44.16	-25	Pass	401
3000	12000	1	RMS	8900	-54.66	-25	Pass	9002
12000	27000	1	RMS	25195	-40.73	-25	Pass	15002




**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.35	-25	Pass	2986
30	1000	0.1	RMS	891.328	-59.39	-25	Pass	9701
1000	2525	1	RMS	2519	-46.15	-25	Pass	1526
2525	2665	1	RMS	2635.95	22.91	60	Pass	401
2680	3000	1	RMS	2868	-44.51	-25	Pass	401
3000	12000	1	RMS	8902	-54.73	-25	Pass	9002
12000	27000	1	RMS	25202	-40.96	-25	Pass	15002



**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.42	-25	Pass	2986
30	1000	0.1	RMS	916.445	-59.59	-25	Pass	9701
1000	2525	1	RMS	2502	-46.18	-25	Pass	1526
2525	2665	1	RMS	2635.95	22.57	60	Pass	401
2680	3000	1	RMS	2879.2	-44.58	-25	Pass	401
3000	12000	1	RMS	8900	-54.71	-25	Pass	9002
12000	27000	1	RMS	25198	-40.85	-25	Pass	15002



--BLANK BELOW--