






Out of band emission, Band Edge

Mode	Lowest	Highest
16QAM 1.4MHz		
16QAM 3MHz		
16QAM 5MHz		

Out of band emission, Band Edge



4.13 Antenna Port Test Data and Results for LTE Band 26

Serial Number:	2DYK-1	Test Date:	2024/1/2-2024/3/7
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jim Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.5~26.5	Relative Humidity: (%)	40~55	ATM Pressure: (kPa)	101.1-101.9
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2023/3/31	2024/3/30
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/3/31	2024/3/30
UNI-T	Multimeter	UT39A+	C210582554	2023/9/29	2024/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency For 90S (MHz)	Highest Frequency For 90S (MHz)	Channel Cross 90S and 22H	Lowest Frequency For 22H (MHz)	Middle Frequency For 22H (MHz)	Highest Frequency For 22H (MHz)
1.4MHz	814.7	823.3	824	824.7	831.5	848.3
3MHz	815.5	822.5	824	825.5	831.5	847.5
5MHz	816.5	821.5	824	826.5	831.5	846.5
10MHz	819	/	824	829	831.5	844
15MHz	821.5	/	824	831.5	836.5	841.5

Test Data for Part 90S:**RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel For 90S	Highest Channel For 90S	Cross Channel		
1.4MHz QPSK	RB1#0	22.89	22.83	22.75	20.68	50
	RB1#3	23.03	23.00	22.92		
	RB1#5	22.80	22.83	22.76		
	RB3#0	23.04	23.04	22.86		
	RB3#3	23.01	22.91	22.90		
	RB6#0	21.91	21.90	21.82		
1.4MHz 16QAM	RB1#0	21.95	21.94	21.78	19.92	50
	RB1#3	22.08	22.24	21.97		
	RB1#5	21.91	21.95	21.84		
	RB3#0	22.26	21.93	21.97		
	RB3#3	22.28	21.93	21.97		
	RB6#0	20.99	20.95	20.79		
3MHz QPSK	RB1#0	22.94	22.85	22.82	20.58	50
	RB1#8	22.92	22.85	22.81		
	RB1#14	22.86	22.77	22.73		
	RB6#0	21.84	21.78	21.75		
	RB6#9	21.78	21.82	21.76		
	RB15#0	21.88	21.87	21.83		
3MHz 16QAM	RB1#0	22.06	21.93	22.40	20.08	50
	RB1#8	22.05	21.89	22.36		
	RB1#14	21.96	21.84	22.44		
	RB6#0	20.85	20.78	20.90		
	RB6#9	20.87	20.77	20.83		
	RB15#0	20.91	20.94	20.89		
5MHz QPSK	RB1#0	22.84	22.80	22.74	20.56	50
	RB1#13	22.92	22.85	22.81		
	RB1#24	22.80	22.71	22.75		
	RB15#0	21.83	21.89	21.87		
	RB15#10	21.90	21.85	21.83		
	RB25#0	21.85	21.85	21.83		
5MHz 16QAM	RB1#0	22.20	21.81	21.68	19.85	50
	RB1#13	22.21	21.97	21.77		
	RB1#24	22.11	21.82	21.68		
	RB15#0	20.82	20.96	20.94		
	RB15#10	20.88	20.91	20.88		
	RB25#0	20.88	20.91	20.94		
10MHz QPSK	RB1#0	25.68	/	25.67	23.38	50
	RB1#25	25.71	/	25.74		

	RB1#49	25.57	/	25.54		
	RB25#0	24.63	/	24.65		
	RB25#25	24.74	/	24.58		
	RB50#0	24.71	/	24.58		
10MHz 16QAM	RB1#0	25.31	/	24.82	23.05	50
	RB1#25	25.41	/	24.85		
	RB1#49	25.10	/	24.68		
	RB25#0	23.67	/	23.64		
	RB25#25	23.81	/	23.64		
	RB50#0	23.75	/	23.66		
15MHz QPSK	RB1#0	25.65	/	25.64	23.29	50
	RB1#38	25.64	/	25.65		
	RB1#74	25.47	/	25.42		
	RB36#0	24.54	/	24.62		
	RB36#39	24.66	/	24.58		
	RB75#0	24.64	/	24.59		
15MHz 16QAM	RB1#0	24.79	/	25.03	23.29	50
	RB1#38	24.80	/	25.01		
	RB1#74	24.61	/	24.84		
	RB36#0	23.64	/	23.61		
	RB36#39	23.68	/	23.56		
	RB75#0	23.69	/	23.57		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15**Result:****Pass**

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Lowest For 90S	Highest For 90S	Cross	Lowest For 90S	Highest For 90S	Cross
1.4MHz QPSK	1.102	1.096	1.102	1.296	1.296	1.302
1.4MHz 16QAM	1.096	1.096	1.096	1.302	1.320	1.302
3MHz QPSK	2.683	2.683	2.683	2.868	2.880	2.892
3MHz 16QAM	2.683	2.683	2.683	2.880	2.880	2.880
5MHz QPSK	4.511	4.491	4.491	4.940	4.900	4.960
5MHz 16QAM	4.511	4.511	4.511	4.960	4.960	4.940
10MHz QPSK	8.942	/	8.942	9.520	/	9.640
10MHz 16QAM	8.981	/	8.942	9.640	/	9.600
15MHz QPSK	13.473	/	13.473	14.700	/	14.820
15MHz 16QAM	13.473	/	13.473	14.700	/	14.760

Spurious Emissions at Antenna Terminal**Result:****Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.**

Out of band emission, Band Edge

Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	---

Frequency Stability

Test Modulation:	15 MHz QPSK		Test Channel:	821.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.8	-6.77	-0.008	2.5
	-20	3.8	-9.97	-0.012	2.5
	-10	3.8	-6.13	-0.007	2.5
	0	3.8	6.17	0.007	2.5
	10	3.8	7.92	0.010	2.5
	20	3.8	6.46	0.008	2.5
	30	3.8	-6.52	-0.008	2.5
	40	3.8	7.18	0.009	2.5
Frequency Stability vs. Voltage	50	3.8	-9.69	-0.012	2.5
	20	3.23	-8.17	-0.010	2.5
	20	4.18	-7.05	-0.008	2.5
Result:				Pass	

Frequency Stability

Test Modulation:	15 MHz 16QAM		Test Channel:	821.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.8	-1.92	-0.002	2.5
	-20	3.8	-6.68	-0.008	2.5
	-10	3.8	9.77	0.012	2.5
	0	3.8	-7.62	-0.009	2.5
	10	3.8	-9.91	-0.012	2.5
	20	3.8	-9.82	-0.012	2.5
	30	3.8	-6.68	-0.008	2.5
	40	3.8	-8.85	-0.011	2.5
	50	3.8	5.67	0.007	2.5
Frequency Stability vs. Voltage	20	3.23	6.05	0.007	2.5
	20	4.18	7.52	0.009	2.5
Result:				Pass	

Test Data for Part 22H:**RF Output Power**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Frequency For 22H	Middle Frequency For 22H	Highest Frequency For 22H		
1.4MHz QPSK	RB1#0	22.78	22.55	22.47	20.62	38.45
	RB1#3	22.98	22.72	22.60		
	RB1#5	22.83	22.56	22.49		
	RB3#0	22.92	22.71	22.54		
	RB3#3	22.94	22.71	22.59		
	RB6#0	21.84	21.67	21.53		
1.4MHz 16QAM	RB1#0	21.85	21.59	21.57	19.7	38.45
	RB1#3	22.06	21.76	21.78		
	RB1#5	21.81	21.60	21.57		
	RB3#0	22.04	21.87	21.51		
	RB3#3	22.01	21.81	21.53		
	RB6#0	20.85	20.67	20.55		
3MHz QPSK	RB1#0	21.87	22.65	22.52	20.45	38.45
	RB1#8	22.81	22.63	22.52		
	RB1#14	22.76	22.58	22.43		
	RB6#0	21.83	21.63	21.49		
	RB6#9	21.76	21.54	21.45		
	RB15#0	21.85	21.63	21.51		
3MHz 16QAM	RB1#0	22.46	21.82	21.60	20.1	38.45
	RB1#8	22.45	21.79	21.54		
	RB1#14	22.46	21.76	21.45		
	RB6#0	20.92	20.64	20.38		
	RB6#9	20.89	20.65	20.39		
	RB15#0	20.90	20.60	20.58		
5MHz QPSK	RB1#0	22.74	22.57	22.46	20.51	38.45
	RB1#13	22.87	22.66	22.51		
	RB1#24	22.69	22.50	22.36		
	RB15#0	21.82	21.69	21.59		
	RB15#10	21.81	21.57	21.48		
	RB25#0	21.82	21.60	21.51		
5MHz 16QAM	RB1#0	21.75	21.82	21.51	19.61	38.45
	RB1#13	21.78	21.97	21.58		
	RB1#24	21.60	21.80	21.45		
	RB15#0	20.89	20.66	20.59		
	RB15#10	20.91	20.60	20.54		
	RB25#0	20.89	20.64	20.57		
10MHz QPSK	RB1#0	22.88	22.68	22.53	20.52	38.45

	RB1#25	22.87	22.78	22.64		
	RB1#49	22.68	22.51	22.49		
	RB25#0	21.82	21.79	21.59		
	RB25#25	21.75	21.58	21.54		
	RB50#0	21.73	21.70	21.58		
10MHz 16QAM	RB1#0	22.46	21.88	21.58	20.1	38.45
	RB1#25	22.45	21.93	21.71		
	RB1#49	22.19	21.66	21.48		
	RB25#0	20.87	20.82	20.71		
	RB25#25	20.80	20.65	20.61		
	RB50#0	20.80	20.68	20.62		
15MHz QPSK	RB1#0	22.82	22.66	22.60	20.46	38.45
	RB1#38	22.68	22.63	22.56		
	RB1#74	22.52	22.42	22.43		
	RB36#0	21.82	21.79	21.68		
	RB36#39	21.68	21.54	21.52		
	RB75#0	21.75	21.73	21.60		
15MHz 16QAM	RB1#0	22.24	22.22	21.77	19.88	38.45
	RB1#38	22.13	22.20	21.67		
	RB1#74	21.92	22.06	21.51		
	RB36#0	20.82	20.75	20.70		
	RB36#39	20.69	20.52	20.56		
	RB75#0	20.72	20.72	20.63		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15**Result:****Pass****Peak-to-average Ratio(PAR)**

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Frequency For 22H	Middle Frequency For 22H	Highest Frequency For 22H	
15MHz QPSK	RB1#0	5.30	4.52	4.99	13
	RB75#0	5.33	5.19	5.48	13
15MHz 16QAM	RB1#0	6.26	5.25	5.83	13
	RB75#0	6.26	6.12	6.32	13
				Result:	Pass

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Lowest Frequency For 22H	Middle Frequency For 22H	Highest Frequency For 22H	Lowest Frequency For 22H	Middle Frequency For 22H	Highest Frequency For 22H
1.4MHz QPSK	1.096	1.102	1.102	1.296	1.320	1.296
1.4MHz 16QAM	1.102	1.090	1.096	1.326	1.296	1.302
3MHz QPSK	2.683	2.683	2.683	2.880	2.880	2.868
3MHz 16QAM	2.683	2.683	2.683	2.880	2.892	2.880
5MHz QPSK	4.491	4.511	4.511	4.940	4.940	4.960
5MHz 16QAM	4.511	4.491	4.531	4.940	4.900	4.960
10MHz QPSK	8.942	/	8.942	9.720	9.600	9.680
10MHz 16QAM	8.942	/	8.942	9.520	9.600	9.640
15MHz QPSK	13.473	/	13.473	14.760	14.820	14.640
15MHz 16QAM	13.473	/	13.473	14.700	14.700	14.640

Note: The test plots please refer to the Plots of Occupied Bandwidth

Frequency Stability					
Test Modulation:	15 MHz QPSK		Test Channel:	831.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.8	-9.63	-0.012	2.5
	-20	3.8	-9.97	-0.012	2.5
	-10	3.8	-6.13	-0.007	2.5
	0	3.8	6.17	0.007	2.5
	10	3.8	7.92	0.010	2.5
	20	3.8	6.46	0.008	2.5
	30	3.8	-6.52	-0.008	2.5
	40	3.8	7.18	0.009	2.5
	50	3.8	-9.69	-0.012	2.5
Frequency Stability vs. Voltage	20	3.23	-8.17	-0.010	2.5
	20	4.18	-7.05	-0.008	2.5
				Result:	Pass

Frequency Stability					
Test Modulation:	15 MHz 16QAM		Test Channel:	831.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.8	-5.45	-0.007	2.5
	-20	3.8	-6.68	-0.008	2.5
	-10	3.8	9.77	0.012	2.5
	0	3.8	-7.62	-0.009	2.5
	10	3.8	-9.91	-0.012	2.5
	20	3.8	-9.82	-0.012	2.5
	30	3.8	-6.68	-0.008	2.5
	40	3.8	-8.85	-0.011	2.5
	50	3.8	5.67	0.007	2.5
Frequency Stability vs. Voltage	20	3.23	6.05	0.007	2.5
	20	4.18	7.52	0.009	2.5
				Result:	Pass



Test Plots(Note: The 14.5dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Part 22:**Occupied Bandwidth****Channel**



1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest




Occupied Bandwidth

Channel


10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM

Lowest




ProjectNo.:CR231168756 RF Tester:Jlm Wei
Date: 31.JAN.2024 23:48:01




ProjectNo.:CR231168756 RF Tester:Jlm Wei
Date: 31.JAN.2024 23:48:10

Middle




ProjectNo.:CR231168756 RF Tester:Jlm Wei
Date: 31.JAN.2024 23:48:17




ProjectNo.:CR231168756 RF Tester:Jlm Wei
Date: 31.JAN.2024 23:48:26

Highest



ProjectNo.:CR231168756 RF Tester:Jlm Wei
Date: 31.JAN.2024 23:49:59



ProjectNo.:CR231168756 RF Tester:Jlm Wei
Date: 31.JAN.2024 23:50:25



Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest





RB1#0:

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Full RB:

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle




Highest




1RB:

Out of band emission, Band Edge



Out of band emission, Band Edge




Mode



Lowest

Highest



16QAM
1.4MHz




16QAM
3MHz



16QAM
5MHz




Out of band emission, Band Edge




Full RB:


Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



Part 90:



Occupied Bandwidth

Channel




1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM

Lowest



Highest

Cross
90S and
22H



Occupied Bandwidth

Channel





3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM

Lowest



Highest

Cross
90S and
22H



Occupied Bandwidth

Channel





5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM

Lowest



Highest

Cross
90S and
22H





Occupied Bandwidth

Channel

10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM

Lowest

Cross
90S and
22H





Occupied Bandwidth

Channel

15MHz Bandwidth QPSK


15MHz Bandwidth 16QAM

Lowest

Cross
90S and
22H

1RB:

Spurious Emissions at Antenna Terminal





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK

Lowest



Highest

Cross
90S and
22H