



7.5 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.67	13	Pass




7.6 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.67	13	Pass




7.7 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.42	13	Pass




7.8 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.52	13	Pass




7.9 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.62	13	Pass




7.10 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.72	13	Pass




7.11 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.8	13	Pass




7.12 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.52	13	Pass




8. LTE_Band12

8.1 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




8.2 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	5.81	13	Pass




8.3 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	5.95	13	Pass




8.4 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	6.52	13	Pass




8.5 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.67	13	Pass




8.6 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.67	13	Pass




8.7 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	6.61	13	Pass




8.8 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	6.52	13	Pass




8.9 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.34	13	Pass




8.10 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.67	13	Pass




8.11 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	6	13	Pass




8.12 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	6.52	13	Pass




9. LTE_Band38

9.1 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




9.2 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	9.19	13	Pass




9.3 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	9.61	13	Pass




9.4 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	9.94	13	Pass




9.5 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.23	13	Pass




9.6 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.23	13	Pass




9.7 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.89	13	Pass




9.8 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.89	13	Pass




9.9 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	9.33	13	Pass




9.10 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	9.28	13	Pass




9.11 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	9.84	13	Pass




9.12 LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	9.94	13	Pass




10. LTE_Band41 120M

10.1 LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2 LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




10.3 LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.58	13	Pass




10.4 LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.62	13	Pass




10.5 LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.67	13	Pass




10.6 LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.58	13	Pass




10.7 LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.58	13	Pass




10.8 LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.48	13	Pass




10.9 LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	8.53	13	Pass




10.10 LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	8.53	13	Pass




10.11 LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	8.53	13	Pass



10.12 LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	8.58	13	Pass



--BLANK BELOW--