



10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-67.43	-13	54.43	Pass	401
0.15	30	0.01	RMS	2.27	-50.19	-13	37.19	Pass	2986
30	814	0.1	RMS	802.5	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	847.9	18.28	60	41.72	Pass	461
860	1000	0.1	RMS	982.5	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	2543	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-63.24	-13	50.24	Pass	401
0.15	30	0.01	RMS	2.23	-53.66	-13	40.66	Pass	2986
30	814	0.1	RMS	813.6	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	824.3	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	978.1	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	2472	-44.71	-13	31.71	Pass	2001
3000	10000	1	RMS	6799	-45.45	-13	32.45	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.02	-13	53.02	Pass	401
0.15	30	0.01	RMS	2.65	-52.41	-13	39.41	Pass	2986
30	814	0.1	RMS	811	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	824.3	18.06	60	41.94	Pass	461
860	1000	0.1	RMS	967.1	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	2472	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	6801	-45.38	-13	32.38	Pass	7001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-66.92	-13	53.92	Pass	401
0.15	30	0.01	RMS	2.75	-54.54	-13	41.54	Pass	2986
30	814	0.1	RMS	812	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	835.3	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	868.1	-65.1	-13	52.1	Pass	1401
1000	3000	1	RMS	2505	-44.59	-13	31.59	Pass	2001
3000	10000	1	RMS	6801	-45.34	-13	32.34	Pass	7001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.01	-13	54.01	Pass	401
0.15	30	0.01	RMS	2.31	-51.41	-13	38.41	Pass	2986
30	814	0.1	RMS	809.5	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	835.3	18.01	60	41.99	Pass	461
860	1000	0.1	RMS	972	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	2505	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	6802	-45.46	-13	32.46	Pass	7001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	2.83	-52.2	-13	39.2	Pass	2986
30	814	0.1	RMS	60.9	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	846.3	18.96	60	41.04	Pass	461
860	1000	0.1	RMS	946.7	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	2538	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	6802	-45.42	-13	32.42	Pass	7001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	2.75	-51.32	-13	38.32	Pass	2986
30	814	0.1	RMS	60.9	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	846.3	18.23	60	41.77	Pass	461
860	1000	0.1	RMS	964	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	2538	-49.02	-13	36.02	Pass	2001
3000	10000	1	RMS	6803	-45.5	-13	32.5	Pass	7001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-61.58	-13	48.58	Pass	401
0.15	30	0.01	RMS	2.25	-56.63	-13	43.63	Pass	2986
30	814	0.1	RMS	813	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	824.4	18.88	60	41.12	Pass	461
860	1000	0.1	RMS	922.7	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	2473	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	6800	-45.36	-13	32.36	Pass	7001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	2.17	-55.25	-13	42.25	Pass	2986
30	814	0.1	RMS	805.4	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	824.4	18.22	60	41.78	Pass	461
860	1000	0.1	RMS	945.7	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	2473	-45.49	-13	32.49	Pass	2001
3000	10000	1	RMS	6799	-45.46	-13	32.46	Pass	7001



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.99	-13	51.99	Pass	401
0.15	30	0.01	RMS	2.26	-55.02	-13	42.02	Pass	2986
30	814	0.1	RMS	742.1	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	834.4	19.11	60	40.89	Pass	461
860	1000	0.1	RMS	999.7	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	2503	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	6798	-45.44	-13	32.44	Pass	7001



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.87	-13	54.87	Pass	401
0.15	30	0.01	RMS	2.2	-52.32	-13	39.32	Pass	2986
30	814	0.1	RMS	779.1	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	834.4	18.37	60	41.63	Pass	461
860	1000	0.1	RMS	873.2	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	2503	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6800	-45.31	-13	32.31	Pass	7001



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-68.04	-13	55.04	Pass	401
0.15	30	0.01	RMS	2.26	-51.77	-13	38.77	Pass	2986
30	814	0.1	RMS	806.4	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	844.4	19.04	60	40.96	Pass	461
860	1000	0.1	RMS	863.9	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	2533	-46.26	-13	33.26	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-68.17	-13	55.17	Pass	401
0.15	30	0.01	RMS	2.67	-51.24	-13	38.24	Pass	2986
30	814	0.1	RMS	809.4	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	844.4	18.3	60	41.7	Pass	461
860	1000	0.1	RMS	950.9	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	2533	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	6805	-45.45	-13	32.45	Pass	7001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-66.28	-13	53.28	Pass	401
0.15	30	0.01	RMS	2.21	-53.52	-13	40.52	Pass	2986
30	814	0.1	RMS	813.9	-65.23	-13	52.23	Pass	7841
814	860	0.1	RMS	824.6	19.41	60	40.59	Pass	461
860	1000	0.1	RMS	960.3	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	2473	-46.01	-13	33.01	Pass	2001
3000	10000	1	RMS	6800	-45.29	-13	32.29	Pass	7001



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.79	-13	53.79	Pass	401
0.15	30	0.01	RMS	2.24	-52.68	-13	39.68	Pass	2986
30	814	0.1	RMS	812.6	-65.26	-13	52.26	Pass	7841
814	860	0.1	RMS	824.6	18.51	60	41.49	Pass	461
860	1000	0.1	RMS	962.5	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	2473	-46.45	-13	33.45	Pass	2001
3000	10000	1	RMS	6800	-45.38	-13	32.38	Pass	7001



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-65.15	-13	52.15	Pass	401
0.15	30	0.01	RMS	2.28	-54.32	-13	41.32	Pass	2986
30	814	0.1	RMS	749.1	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	832.1	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	934.8	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	2496	-43.86	-13	30.86	Pass	2001
3000	10000	1	RMS	6799	-45.4	-13	32.4	Pass	7001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-68.13	-13	55.13	Pass	401
0.15	30	0.01	RMS	2.29	-51.61	-13	38.61	Pass	2986
30	814	0.1	RMS	808.1	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	832.1	18.41	60	41.59	Pass	461
860	1000	0.1	RMS	977.6	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	2496	-46.2	-13	33.2	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-66.95	-13	53.95	Pass	401
0.15	30	0.01	RMS	2.8	-52.42	-13	39.42	Pass	2986
30	814	0.1	RMS	813.6	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	839.6	19.45	60	40.55	Pass	461
860	1000	0.1	RMS	990.9	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	2518	-46.24	-13	33.24	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-62.79	-13	49.79	Pass	401
0.15	30	0.01	RMS	2.26	-51.08	-13	38.08	Pass	2986
30	814	0.1	RMS	812	-65.17	-13	52.17	Pass	7841
814	860	0.1	RMS	839.6	18.61	60	41.39	Pass	461
860	1000	0.1	RMS	965.6	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	2518	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	6800	-45.31	-13	32.31	Pass	7001



11. LTE_Band5


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-25	46.9	Pass	401
0.15	30	0.01	RMS	0.16	-70.63	-25	45.63	Pass	2986
30	1000	0.1	RMS	539.7	-64.32	-25	39.32	Pass	9701
1000	2490	1	RMS	2490	-51.55	-25	26.55	Pass	1491
2490	2580	1	RMS	2500.35	21.94	60	38.06	Pass	401
2580	3000	1	RMS	2996	-51.34	-25	26.34	Pass	421
3000	12000	1	RMS	11972	-62.03	-25	37.03	Pass	9002
12000	26000	1	RMS	25502	-52.26	-25	27.26	Pass	14002




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.103	-68.94	-25	43.94	Pass	401
0.15	30	0.01	RMS	2.65	-47.67	-25	22.67	Pass	2986
30	1000	0.1	RMS	539.7	-64.35	-25	39.35	Pass	9701
1000	2490	1	RMS	2490	-51.66	-25	26.66	Pass	1491
2490	2580	1	RMS	2500.35	21.05	60	38.95	Pass	401
2580	3000	1	RMS	2989	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	11980	-62.04	-25	37.04	Pass	9002
12000	26000	1	RMS	17801	-56.17	-25	31.17	Pass	14002




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	2.29	-48.76	-25	23.76	Pass	2986
30	1000	0.1	RMS	572.2	-65.03	-25	40.03	Pass	9701
1000	2490	1	RMS	2483	-52.19	-25	27.19	Pass	1491
2490	2580	1	RMS	2532.75	22.04	60	37.96	Pass	401
2580	3000	1	RMS	2582	-51.23	-25	26.23	Pass	421
3000	12000	1	RMS	11979	-62.02	-25	37.02	Pass	9002
12000	26000	1	RMS	17799	-56.02	-25	31.02	Pass	14002




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-25	47.27	Pass	401
0.15	30	0.01	RMS	2.21	-47.8	-25	22.8	Pass	2986
30	1000	0.1	RMS	572.2	-65.2	-25	40.2	Pass	9701
1000	2490	1	RMS	2483	-52.38	-25	27.38	Pass	1491
2490	2580	1	RMS	2532.75	21.21	60	38.79	Pass	401
2580	3000	1	RMS	2995	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	11983	-61.95	-25	36.95	Pass	9002
12000	26000	1	RMS	17804	-56.09	-25	31.09	Pass	14002




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	2.57	-48.39	-25	23.39	Pass	2986
30	1000	0.1	RMS	60.9	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2486	-52.38	-25	27.38	Pass	1491
2490	2580	1	RMS	2565.375	21.99	60	38.01	Pass	401
2580	3000	1	RMS	2991	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	11976	-61.91	-25	36.91	Pass	9002
12000	26000	1	RMS	17805	-56.11	-25	31.11	Pass	14002




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-65.65	-25	40.65	Pass	401
0.15	30	0.01	RMS	2.74	-48.01	-25	23.01	Pass	2986
30	1000	0.1	RMS	60.9	-65.2	-25	40.2	Pass	9701
1000	2490	1	RMS	2489	-52.41	-25	27.41	Pass	1491
2490	2580	1	RMS	2565.375	21.22	60	38.78	Pass	401
2580	3000	1	RMS	2993	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	11981	-61.92	-25	36.92	Pass	9002
12000	26000	1	RMS	17808	-56.02	-25	31.02	Pass	14002




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	2.51	-48.09	-25	23.09	Pass	2986
30	1000	0.1	RMS	540	-64.24	-25	39.24	Pass	9701
1000	2490	1	RMS	2490	-47.52	-25	22.52	Pass	1491
2490	2580	1	RMS	2500.575	22.07	60	37.93	Pass	401
2580	3000	1	RMS	2983	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	11973	-62.07	-25	37.07	Pass	9002
12000	26000	1	RMS	17801	-55.97	-25	30.97	Pass	14002




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	2.71	-48.59	-25	23.59	Pass	2986
30	1000	0.1	RMS	540	-64.59	-25	39.59	Pass	9701
1000	2490	1	RMS	2490	-48.11	-25	23.11	Pass	1491
2490	2580	1	RMS	2500.575	21.21	60	38.79	Pass	401
2580	3000	1	RMS	3000	-51.31	-25	26.31	Pass	421
3000	12000	1	RMS	11980	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	17801	-56.11	-25	31.11	Pass	14002



11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.14	-25	42.14	Pass	401
0.15	30	0.01	RMS	2.63	-48.21	-25	23.21	Pass	2986
30	1000	0.1	RMS	570	-65.2	-25	40.2	Pass	9701
1000	2490	1	RMS	2481	-52.33	-25	27.33	Pass	1491
2490	2580	1	RMS	2530.5	22.11	60	37.89	Pass	401
2580	3000	1	RMS	2580	-50.93	-25	25.93	Pass	421
3000	12000	1	RMS	11980	-62.03	-25	37.03	Pass	9002
12000	26000	1	RMS	17802	-56.06	-25	31.06	Pass	14002



11.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	2.8	-48.35	-25	23.35	Pass	2986
30	1000	0.1	RMS	60.9	-65.11	-25	40.11	Pass	9701
1000	2490	1	RMS	2481	-52.33	-25	27.33	Pass	1491
2490	2580	1	RMS	2530.5	21.16	60	38.84	Pass	401
2580	3000	1	RMS	2993	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	11976	-61.94	-25	36.94	Pass	9002
12000	26000	1	RMS	17804	-56.03	-25	31.03	Pass	14002



11.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-69.15	-25	44.15	Pass	401
0.15	30	0.01	RMS	2.57	-46.69	-25	21.69	Pass	2986
30	1000	0.1	RMS	600	-64.87	-25	39.87	Pass	9701
1000	2490	1	RMS	2486	-52.36	-25	27.36	Pass	1491
2490	2580	1	RMS	2560.65	22	60	38	Pass	401
2580	3000	1	RMS	2580	-50.31	-25	25.31	Pass	421
3000	12000	1	RMS	11982	-61.96	-25	36.96	Pass	9002
12000	26000	1	RMS	17801	-56.03	-25	31.03	Pass	14002



11.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	2.52	-47.32	-25	22.32	Pass	2986
30	1000	0.1	RMS	980.887	-65.21	-25	40.21	Pass	9701
1000	2490	1	RMS	2490	-52.44	-25	27.44	Pass	1491
2490	2580	1	RMS	2560.65	21.11	60	38.89	Pass	401
2580	3000	1	RMS	2580	-50.42	-25	25.42	Pass	421
3000	12000	1	RMS	11976	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	17799	-55.99	-25	30.99	Pass	14002



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	2.5	-47.14	-25	22.14	Pass	2986
30	1000	0.1	RMS	540.2	-64.21	-25	39.21	Pass	9701
1000	2490	1	RMS	2490	-46.52	-25	21.52	Pass	1491
2490	2580	1	RMS	2500.8	21.97	60	38.03	Pass	401
2580	3000	1	RMS	2994	-51.33	-25	26.33	Pass	421
3000	12000	1	RMS	11975	-61.96	-25	36.96	Pass	9002
12000	26000	1	RMS	17800	-56.01	-25	31.01	Pass	14002



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	2.57	-48.02	-25	23.02	Pass	2986
30	1000	0.1	RMS	540.2	-64.77	-25	39.77	Pass	9701
1000	2490	1	RMS	2490	-46.52	-25	21.52	Pass	1491
2490	2580	1	RMS	2500.8	21.14	60	38.86	Pass	401
2580	3000	1	RMS	2998	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	11982	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17800	-56.12	-25	31.12	Pass	14002



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-71.05	-25	46.05	Pass	401
0.15	30	0.01	RMS	2.75	-48.71	-25	23.71	Pass	2986
30	1000	0.1	RMS	567.7	-64.94	-25	39.94	Pass	9701
1000	2490	1	RMS	2487	-52.41	-25	27.41	Pass	1491
2490	2580	1	RMS	2528.25	22.07	60	37.93	Pass	401
2580	3000	1	RMS	2996	-51.31	-25	26.31	Pass	421
3000	12000	1	RMS	11982	-61.94	-25	36.94	Pass	9002
12000	26000	1	RMS	17800	-56	-25	31	Pass	14002



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-68.44	-25	43.44	Pass	401
0.15	30	0.01	RMS	2.78	-48.57	-25	23.57	Pass	2986
30	1000	0.1	RMS	60.9	-65.25	-25	40.25	Pass	9701
1000	2490	1	RMS	2487	-52.42	-25	27.42	Pass	1491
2490	2580	1	RMS	2528.25	21.06	60	38.94	Pass	401
2580	3000	1	RMS	2996	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	11981	-61.92	-25	36.92	Pass	9002
12000	26000	1	RMS	17802	-55.97	-25	30.97	Pass	14002



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-68.8	-25	43.8	Pass	401
0.15	30	0.01	RMS	2.56	-47.27	-25	22.27	Pass	2986
30	1000	0.1	RMS	595.2	-64.95	-25	39.95	Pass	9701
1000	2490	1	RMS	2490	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2555.925	21.83	60	38.17	Pass	401
2580	3000	1	RMS	2582	-35.6	-25	10.6	Pass	421
3000	12000	1	RMS	11989	-61.94	-25	36.94	Pass	9002
12000	26000	1	RMS	17806	-56.12	-25	31.12	Pass	14002



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.66	-25	42.66	Pass	401
0.15	30	0.01	RMS	2.61	-47.74	-25	22.74	Pass	2986
30	1000	0.1	RMS	595.2	-64.75	-25	39.75	Pass	9701
1000	2490	1	RMS	2485	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2555.925	21.07	60	38.93	Pass	401
2580	3000	1	RMS	2582	-36.74	-25	11.74	Pass	421
3000	12000	1	RMS	11977	-62.01	-25	37.01	Pass	9002
12000	26000	1	RMS	17801	-56.1	-25	31.1	Pass	14002



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	2.67	-47.35	-25	22.35	Pass	2986
30	1000	0.1	RMS	540.5	-64.12	-25	39.12	Pass	9701
1000	2490	1	RMS	2490	-47.2	-25	22.2	Pass	1491
2490	2580	1	RMS	2501.025	21.89	60	38.11	Pass	401
2580	3000	1	RMS	2997	-51.34	-25	26.34	Pass	421
3000	12000	1	RMS	11980	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17799	-56.06	-25	31.06	Pass	14002



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	2.62	-47.92	-25	22.92	Pass	2986
30	1000	0.1	RMS	540.5	-64.52	-25	39.52	Pass	9701
1000	2490	1	RMS	2490	-47.43	-25	22.43	Pass	1491
2490	2580	1	RMS	2501.025	21.08	60	38.92	Pass	401
2580	3000	1	RMS	2984	-51.34	-25	26.34	Pass	421
3000	12000	1	RMS	11978	-61.9	-25	36.9	Pass	9002
12000	26000	1	RMS	17798	-56.09	-25	31.09	Pass	14002



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	2.5	-48.82	-25	23.82	Pass	2986
30	1000	0.1	RMS	565.5	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2490	-50.91	-25	25.91	Pass	1491
2490	2580	1	RMS	2526	21.95	60	38.05	Pass	401
2580	3000	1	RMS	2998	-51.35	-25	26.35	Pass	421
3000	12000	1	RMS	11985	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	17797	-56.07	-25	31.07	Pass	14002



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	2.6	-47.39	-25	22.39	Pass	2986
30	1000	0.1	RMS	834.6	-65.11	-25	40.11	Pass	9701
1000	2490	1	RMS	2490	-51.57	-25	26.57	Pass	1491
2490	2580	1	RMS	2526	20.98	60	39.02	Pass	401
2580	3000	1	RMS	2932	-51.34	-25	26.34	Pass	421
3000	12000	1	RMS	11977	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	17798	-56.07	-25	31.07	Pass	14002



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.5	-25	42.5	Pass	401
0.15	30	0.01	RMS	2.59	-47.93	-25	22.93	Pass	2986
30	1000	0.1	RMS	590.5	-64.84	-25	39.84	Pass	9701
1000	2490	1	RMS	2489	-52.42	-25	27.42	Pass	1491
2490	2580	1	RMS	2550.975	21.84	60	38.16	Pass	401
2580	3000	1	RMS	2586	-38.01	-25	13.01	Pass	421
3000	12000	1	RMS	11975	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17801	-56.11	-25	31.11	Pass	14002



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-67.4	-25	42.4	Pass	401
0.15	30	0.01	RMS	2.64	-48.18	-25	23.18	Pass	2986
30	1000	0.1	RMS	590.5	-64.88	-25	39.88	Pass	9701
1000	2490	1	RMS	2487	-52.46	-25	27.46	Pass	1491
2490	2580	1	RMS	2550.975	20.92	60	39.08	Pass	401
2580	3000	1	RMS	2586	-39.14	-25	14.14	Pass	421
3000	12000	1	RMS	10240	-61.96	-25	36.96	Pass	9002
12000	26000	1	RMS	17799	-56.03	-25	31.03	Pass	14002



12. LTE_Band12


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-63.23	-13	50.23	Pass	401
0.15	30	0.01	RMS	2.61	-52.39	-13	39.39	Pass	2986
30	689	0.1	RMS	375	-66	-13	53	Pass	6591
689	726	0.1	RMS	699.268	18.71	60	41.29	Pass	401
726	1000	0.1	RMS	997.3	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	2097	-39.83	-13	26.83	Pass	2001
3000	10000	1	RMS	6798	-45.52	-13	32.52	Pass	7001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.8	-13	50.8	Pass	401
0.15	30	0.01	RMS	2.52	-52.27	-13	39.27	Pass	2986
30	689	0.1	RMS	495.4	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	699.268	17.68	60	42.32	Pass	401
726	1000	0.1	RMS	863.5	-64.96	-13	51.96	Pass	2741
1000	3000	1	RMS	2097	-43.34	-13	30.34	Pass	2001
3000	10000	1	RMS	6800	-45.45	-13	32.45	Pass	7001




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	2.53	-53.25	-13	40.25	Pass	2986
30	689	0.1	RMS	688.9	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	707.038	18.68	60	41.32	Pass	401
726	1000	0.1	RMS	979.4	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	2121	-41.49	-13	28.49	Pass	2001
3000	10000	1	RMS	6800	-45.45	-13	32.45	Pass	7001




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	2.67	-53.63	-13	40.63	Pass	2986
30	689	0.1	RMS	499.7	-65.88	-13	52.88	Pass	6591
689	726	0.1	RMS	707.038	17.74	60	42.26	Pass	401
726	1000	0.1	RMS	893.9	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	2121	-41.55	-13	28.55	Pass	2001
3000	10000	1	RMS	6800	-45.42	-13	32.42	Pass	7001




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-66.01	-13	53.01	Pass	401
0.15	30	0.01	RMS	2.43	-52.54	-13	39.54	Pass	2986
30	689	0.1	RMS	364.3	-65.76	-13	52.76	Pass	6591
689	726	0.1	RMS	714.9	19.02	60	40.98	Pass	401
726	1000	0.1	RMS	987.3	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	2144	-40.6	-13	27.6	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001



12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.83	-13	53.83	Pass	401
0.15	30	0.01	RMS	2.51	-51.09	-13	38.09	Pass	2986
30	689	0.1	RMS	364.3	-65.72	-13	52.72	Pass	6591
689	726	0.1	RMS	714.9	18.19	60	41.81	Pass	401
726	1000	0.1	RMS	845.3	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	2144	-43.38	-13	30.38	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001



12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-63.95	-13	50.95	Pass	401
0.15	30	0.01	RMS	2.87	-54.21	-13	41.21	Pass	2986
30	689	0.1	RMS	498.7	-65.89	-13	52.89	Pass	6591
689	726	0.1	RMS	699.268	18.51	60	41.49	Pass	401
726	1000	0.1	RMS	937.4	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	2097	-41.73	-13	28.73	Pass	2001
3000	10000	1	RMS	6797	-45.56	-13	32.56	Pass	7001

