



12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-63.88	-13	50.88	Pass	401
0.15	30	0.01	RMS	2.68	-53.57	-13	40.57	Pass	2986
30	689	0.1	RMS	364.3	-65.85	-13	52.85	Pass	6591
689	726	0.1	RMS	699.268	17.69	60	42.31	Pass	401
726	1000	0.1	RMS	833.1	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	2097	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	6800	-45.43	-13	32.43	Pass	7001



12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-65.89	-13	52.89	Pass	401
0.15	30	0.01	RMS	2.5	-53.76	-13	40.76	Pass	2986
30	689	0.1	RMS	493.4	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	706.298	18.79	60	41.21	Pass	401
726	1000	0.1	RMS	992.7	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	2118	-41.23	-13	28.23	Pass	2001
3000	10000	1	RMS	6801	-45.42	-13	32.42	Pass	7001



12.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-65.24	-13	52.24	Pass	401
0.15	30	0.01	RMS	2.7	-55.06	-13	42.06	Pass	2986
30	689	0.1	RMS	499.8	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	706.298	17.78	60	42.22	Pass	401
726	1000	0.1	RMS	934.7	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	2118	-43.77	-13	30.77	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001



12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-68.8	-13	55.8	Pass	401
0.15	30	0.01	RMS	2.54	-54.22	-13	41.22	Pass	2986
30	689	0.1	RMS	512.7	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	713.235	18.68	60	41.32	Pass	401
726	1000	0.1	RMS	986.8	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	2139	-43.04	-13	30.04	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.59	-13	55.59	Pass	401
0.15	30	0.01	RMS	2.58	-54.15	-13	41.15	Pass	2986
30	689	0.1	RMS	364.3	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	713.235	17.82	60	42.18	Pass	401
726	1000	0.1	RMS	825.5	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	2139	-43.96	-13	30.96	Pass	2001
3000	10000	1	RMS	6802	-45.44	-13	32.44	Pass	7001



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-69.17	-13	56.17	Pass	401
0.15	30	0.01	RMS	2.63	-53.73	-13	40.73	Pass	2986
30	689	0.1	RMS	492.4	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	699.36	18.68	60	41.32	Pass	401
726	1000	0.1	RMS	845.5	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	2098	-42.9	-13	29.9	Pass	2001
3000	10000	1	RMS	6799	-45.51	-13	32.51	Pass	7001



12.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.76	-13	56.76	Pass	401
0.15	30	0.01	RMS	2.61	-51.94	-13	38.94	Pass	2986
30	689	0.1	RMS	375	-65.72	-13	52.72	Pass	6591
689	726	0.1	RMS	699.36	17.89	60	42.11	Pass	401
726	1000	0.1	RMS	845.1	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	2098	-40.58	-13	27.58	Pass	2001
3000	10000	1	RMS	6800	-45.37	-13	32.37	Pass	7001



12.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.105	-62.58	-13	49.58	Pass	401
0.15	30	0.01	RMS	2.61	-52.5	-13	39.5	Pass	2986
30	689	0.1	RMS	620.5	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	705.373	19.21	60	40.79	Pass	401
726	1000	0.1	RMS	994.3	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	2116	-39.99	-13	26.99	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001



12.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-64.92	-13	51.92	Pass	401
0.15	30	0.01	RMS	2.58	-52.72	-13	39.72	Pass	2986
30	689	0.1	RMS	604	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	705.373	18.45	60	41.55	Pass	401
726	1000	0.1	RMS	956.9	-64.9	-13	51.9	Pass	2741
1000	3000	1	RMS	2116	-41.71	-13	28.71	Pass	2001
3000	10000	1	RMS	6801	-45.46	-13	32.46	Pass	7001



12.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-63.76	-13	50.76	Pass	401
0.15	30	0.01	RMS	2.7	-53.81	-13	40.81	Pass	2986
30	689	0.1	RMS	510.8	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	711.385	18.96	60	41.04	Pass	401
726	1000	0.1	RMS	987.9	-65	-13	52	Pass	2741
1000	3000	1	RMS	2134	-40.29	-13	27.29	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001



12.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.094	-66.79	-13	53.79	Pass	401
0.15	30	0.01	RMS	2.66	-51.96	-13	38.96	Pass	2986
30	689	0.1	RMS	504.5	-65.88	-13	52.88	Pass	6591
689	726	0.1	RMS	711.385	18.38	60	41.62	Pass	401
726	1000	0.1	RMS	971.2	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	2134	-42.39	-13	29.39	Pass	2001
3000	10000	1	RMS	6801	-45.44	-13	32.44	Pass	7001



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-62.79	-13	49.79	Pass	401
0.15	30	0.01	RMS	2.48	-53.11	-13	40.11	Pass	2986
30	689	0.1	RMS	682	-65.47	-13	52.47	Pass	6591
689	726	0.1	RMS	699.638	18.8	60	41.2	Pass	401
726	1000	0.1	RMS	851.2	-64.89	-13	51.89	Pass	2741
1000	3000	1	RMS	2098	-40.77	-13	27.77	Pass	2001
3000	10000	1	RMS	6802	-45.53	-13	32.53	Pass	7001



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-62.6	-13	49.6	Pass	401
0.15	30	0.01	RMS	2.63	-52.71	-13	39.71	Pass	2986
30	689	0.1	RMS	682.1	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	699.638	18.04	60	41.96	Pass	401
726	1000	0.1	RMS	858.9	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	2098	-43	-13	30	Pass	2001
3000	10000	1	RMS	6799	-45.49	-13	32.49	Pass	7001



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-60.29	-13	47.29	Pass	401
0.15	30	0.01	RMS	2.62	-53.39	-13	40.39	Pass	2986
30	689	0.1	RMS	511.5	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	703.153	18.92	60	41.08	Pass	401
726	1000	0.1	RMS	841.9	-64.96	-13	51.96	Pass	2741
1000	3000	1	RMS	2109	-41.32	-13	28.32	Pass	2001
3000	10000	1	RMS	6799	-45.48	-13	32.48	Pass	7001



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.36	-13	51.36	Pass	401
0.15	30	0.01	RMS	2.64	-53.77	-13	40.77	Pass	2986
30	689	0.1	RMS	511.1	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	703.153	17.99	60	42.01	Pass	401
726	1000	0.1	RMS	967.5	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	2109	-42.2	-13	29.2	Pass	2001
3000	10000	1	RMS	6798	-45.48	-13	32.48	Pass	7001



12.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-62.63	-13	49.63	Pass	401
0.15	30	0.01	RMS	2.62	-52.76	-13	39.76	Pass	2986
30	689	0.1	RMS	492.3	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	706.575	18.95	60	41.05	Pass	401
726	1000	0.1	RMS	957.7	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	2119	-41.07	-13	28.07	Pass	2001
3000	10000	1	RMS	6804	-45.49	-13	32.49	Pass	7001



12.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-66.34	-13	53.34	Pass	401
0.15	30	0.01	RMS	2.67	-51.98	-13	38.98	Pass	2986
30	689	0.1	RMS	375	-66.09	-13	53.09	Pass	6591
689	726	0.1	RMS	706.575	18.1	60	41.9	Pass	401
726	1000	0.1	RMS	956.3	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	2119	-42.03	-13	29.03	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001



13. LTE_Band38


13.1 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-67.54	-25	42.54	Pass	401
0.15	30	0.01	RMS	2.39	-45.99	-25	20.99	Pass	2986
30	1000	0.1	RMS	814.3	-60.9	-25	35.9	Pass	9701
1000	2560	1	RMS	2559	-43.69	-25	18.69	Pass	1561
2560	2630	1	RMS	2570.5	23.2	60	36.8	Pass	401
2630	3000	1	RMS	2997.225	-46.47	-25	21.47	Pass	401
3000	12000	1	RMS	11976	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25514	-32.49	-25	7.49	Pass	14502




13.2 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-67.37	-25	42.37	Pass	401
0.15	30	0.01	RMS	2.43	-43.32	-25	18.32	Pass	2986
30	1000	0.1	RMS	939.86	-60.96	-25	35.96	Pass	9701
1000	2560	1	RMS	2560	-41.83	-25	16.83	Pass	1561
2560	2630	1	RMS	2570.325	22.27	60	37.73	Pass	401
2630	3000	1	RMS	2996.3	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11988	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25506	-32.55	-25	7.55	Pass	14502




13.3 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	2.38	-44.38	-25	19.38	Pass	2986
30	1000	0.1	RMS	863.61	-60.89	-25	35.89	Pass	9701
1000	2560	1	RMS	2506	-47.48	-25	22.48	Pass	1561
2560	2630	1	RMS	2592.9	23.21	60	36.79	Pass	401
2630	3000	1	RMS	2999.075	-46.44	-25	21.44	Pass	401
3000	12000	1	RMS	11976	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25494	-32.57	-25	7.57	Pass	14502




13.4 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	2.64	-44.84	-25	19.84	Pass	2986
30	1000	0.1	RMS	895.131	-60.97	-25	35.97	Pass	9701
1000	2560	1	RMS	2557	-47.49	-25	22.49	Pass	1561
2560	2630	1	RMS	2592.725	22.28	60	37.72	Pass	401
2630	3000	1	RMS	2997.225	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11981	-47.65	-25	22.65	Pass	9002
12000	26500	1	RMS	25512	-32.58	-25	7.58	Pass	14502




**13.5 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.22	-25	42.22	Pass	401
0.15	30	0.01	RMS	2.47	-45.91	-25	20.91	Pass	2986
30	1000	0.1	RMS	362.2	-60.93	-25	35.93	Pass	9701
1000	2560	1	RMS	2516	-47.53	-25	22.53	Pass	1561
2560	2630	1	RMS	2615.475	23.19	60	36.81	Pass	401
2630	3000	1	RMS	2630	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11973	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25524	-32.57	-25	7.57	Pass	14502




13.6 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	2.39	-45.64	-25	20.64	Pass	2986
30	1000	0.1	RMS	964.076	-60.88	-25	35.88	Pass	9701
1000	2560	1	RMS	2533	-47.43	-25	22.43	Pass	1561
2560	2630	1	RMS	2615.3	21.88	60	38.12	Pass	401
2630	3000	1	RMS	2636.475	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11980	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25494	-32.62	-25	7.62	Pass	14502




**13.7 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	2.82	-45.54	-25	20.54	Pass	2986
30	1000	0.1	RMS	971.681	-60.82	-25	35.82	Pass	9701
1000	2560	1	RMS	2559	-44.23	-25	19.23	Pass	1561
2560	2630	1	RMS	2570.675	22.85	60	37.15	Pass	401
2630	3000	1	RMS	3000	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11979	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25505	-32.48	-25	7.48	Pass	14502




13.8 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	2.46	-45.14	-25	20.14	Pass	2986
30	1000	0.1	RMS	815	-60.95	-25	35.95	Pass	9701
1000	2560	1	RMS	2560	-44.09	-25	19.09	Pass	1561
2560	2630	1	RMS	2570.5	22.39	60	37.61	Pass	401
2630	3000	1	RMS	2999.075	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11981	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25498	-32.47	-25	7.47	Pass	14502




**13.9 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.26	-25	42.26	Pass	401
0.15	30	0.01	RMS	2.61	-43.57	-25	18.57	Pass	2986
30	1000	0.1	RMS	975.384	-60.89	-25	35.89	Pass	9701
1000	2560	1	RMS	2541	-47.43	-25	22.43	Pass	1561
2560	2630	1	RMS	2590.625	23.1	60	36.9	Pass	401
2630	3000	1	RMS	2997.225	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11979	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25499	-32.58	-25	7.58	Pass	14502




13.10 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-67.89	-25	42.89	Pass	401
0.15	30	0.01	RMS	2.7	-45.39	-25	20.39	Pass	2986
30	1000	0.1	RMS	854.303	-60.96	-25	35.96	Pass	9701
1000	2560	1	RMS	2499	-47.44	-25	22.44	Pass	1561
2560	2630	1	RMS	2590.625	22.11	60	37.89	Pass	401
2630	3000	1	RMS	2996.3	-46.45	-25	21.45	Pass	401
3000	12000	1	RMS	11976	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25507	-32.53	-25	7.53	Pass	14502




**13.11 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	2.43	-44.3	-25	19.3	Pass	2986
30	1000	0.1	RMS	939.16	-60.92	-25	35.92	Pass	9701
1000	2560	1	RMS	2521	-47.46	-25	22.46	Pass	1561
2560	2630	1	RMS	2610.575	23.27	60	36.73	Pass	401
2630	3000	1	RMS	2630	-45.41	-25	20.41	Pass	401
3000	12000	1	RMS	11982	-47.68	-25	22.68	Pass	9002
12000	26500	1	RMS	25502	-32.55	-25	7.55	Pass	14502




**13.12 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	2.66	-45.99	-25	20.99	Pass	2986
30	1000	0.1	RMS	848.6	-60.93	-25	35.93	Pass	9701
1000	2560	1	RMS	2508	-47.53	-25	22.53	Pass	1561
2560	2630	1	RMS	2610.75	22.42	60	37.58	Pass	401
2630	3000	1	RMS	2630	-45.72	-25	20.72	Pass	401
3000	12000	1	RMS	11972	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25502	-32.49	-25	7.49	Pass	14502




**13.13 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	2.51	-45.09	-25	20.09	Pass	2986
30	1000	0.1	RMS	885.824	-60.87	-25	35.87	Pass	9701
1000	2560	1	RMS	2558	-40.79	-25	15.79	Pass	1561
2560	2630	1	RMS	2570.85	23.04	60	36.96	Pass	401
2630	3000	1	RMS	3000	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11983	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25509	-32.55	-25	7.55	Pass	14502




**13.14 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	2.41	-44.64	-25	19.64	Pass	2986
30	1000	0.1	RMS	930.554	-60.93	-25	35.93	Pass	9701
1000	2560	1	RMS	2559	-40.94	-25	15.94	Pass	1561
2560	2630	1	RMS	2570.85	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2999.075	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11979	-47.64	-25	22.64	Pass	9002
12000	26500	1	RMS	25498	-32.55	-25	7.55	Pass	14502




**13.15 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	2.64	-43.03	-25	18.03	Pass	2986
30	1000	0.1	RMS	978.786	-60.83	-25	35.83	Pass	9701
1000	2560	1	RMS	2559	-47.37	-25	22.37	Pass	1561
2560	2630	1	RMS	2588.35	22.81	60	37.19	Pass	401
2630	3000	1	RMS	3000	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11977	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25524	-32.61	-25	7.61	Pass	14502




**13.16 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	2.2	-46.03	-25	21.03	Pass	2986
30	1000	0.1	RMS	996.998	-60.9	-25	35.9	Pass	9701
1000	2560	1	RMS	2555	-47.45	-25	22.45	Pass	1561
2560	2630	1	RMS	2588.35	22.35	60	37.65	Pass	401
2630	3000	1	RMS	2998.15	-46.38	-25	21.38	Pass	401
3000	12000	1	RMS	11978	-47.66	-25	22.66	Pass	9002
12000	26500	1	RMS	25501	-32.58	-25	7.58	Pass	14502




**13.17 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	2.57	-43.41	-25	18.41	Pass	2986
30	1000	0.1	RMS	861.308	-60.83	-25	35.83	Pass	9701
1000	2560	1	RMS	2556	-47.42	-25	22.42	Pass	1561
2560	2630	1	RMS	2605.85	23.51	60	36.49	Pass	401
2630	3000	1	RMS	2631.85	-34.88	-25	9.88	Pass	401
3000	12000	1	RMS	11982	-47.71	-25	22.71	Pass	9002
12000	26500	1	RMS	25505	-32.61	-25	7.61	Pass	14502




**13.18 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.48	-25	43.48	Pass	401
0.15	30	0.01	RMS	2.84	-44.36	-25	19.36	Pass	2986
30	1000	0.1	RMS	866.111	-61.04	-25	36.04	Pass	9701
1000	2560	1	RMS	2556	-47.49	-25	22.49	Pass	1561
2560	2630	1	RMS	2605.85	22.34	60	37.66	Pass	401
2630	3000	1	RMS	2631.85	-35.38	-25	10.38	Pass	401
3000	12000	1	RMS	11980	-47.71	-25	22.71	Pass	9002
12000	26500	1	RMS	25501	-32.57	-25	7.57	Pass	14502




**13.19 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	2.76	-43.82	-25	18.82	Pass	2986
30	1000	0.1	RMS	900.634	-61.02	-25	36.02	Pass	9701
1000	2560	1	RMS	2559	-40.57	-25	15.57	Pass	1561
2560	2630	1	RMS	2571.2	23.11	60	36.89	Pass	401
2630	3000	1	RMS	2999.075	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11976	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25490	-32.52	-25	7.52	Pass	14502




**13.20 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	42.85	Pass	401
0.15	30	0.01	RMS	2.55	-45.35	-25	20.35	Pass	2986
30	1000	0.1	RMS	983.589	-60.94	-25	35.94	Pass	9701
1000	2560	1	RMS	2559	-41.52	-25	16.52	Pass	1561
2560	2630	1	RMS	2571.2	22.53	60	37.47	Pass	401
2630	3000	1	RMS	2996.3	-46.46	-25	21.46	Pass	401
3000	12000	1	RMS	11981	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25500	-32.59	-25	7.59	Pass	14502




**13.21 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-68.05	-25	43.05	Pass	401
0.15	30	0.01	RMS	2.47	-43.1	-25	18.1	Pass	2986
30	1000	0.1	RMS	990.294	-60.88	-25	35.88	Pass	9701
1000	2560	1	RMS	2551	-45.09	-25	20.09	Pass	1561
2560	2630	1	RMS	2586.075	22.86	60	37.14	Pass	401
2630	3000	1	RMS	3000	-46.44	-25	21.44	Pass	401
3000	12000	1	RMS	11979	-47.67	-25	22.67	Pass	9002
12000	26500	1	RMS	25502	-32.53	-25	7.53	Pass	14502




**13.22 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	2.48	-44.64	-25	19.64	Pass	2986
30	1000	0.1	RMS	845	-60.96	-25	35.96	Pass	9701
1000	2560	1	RMS	2550	-45.91	-25	20.91	Pass	1561
2560	2630	1	RMS	2586.075	22.43	60	37.57	Pass	401
2630	3000	1	RMS	3000	-46.44	-25	21.44	Pass	401
3000	12000	1	RMS	11980	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25521	-32.47	-25	7.47	Pass	14502




**13.23 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-66.52	-25	41.52	Pass	401
0.15	30	0.01	RMS	2.4	-45.05	-25	20.05	Pass	2986
30	1000	0.1	RMS	958.973	-60.95	-25	35.95	Pass	9701
1000	2560	1	RMS	2552	-47.34	-25	22.34	Pass	1561
2560	2630	1	RMS	2600.95	22.97	60	37.03	Pass	401
2630	3000	1	RMS	2636.475	-35.7	-25	10.7	Pass	401
3000	12000	1	RMS	11982	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25499	-32.54	-25	7.54	Pass	14502



**13.24 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-66.77	-25	41.77	Pass	401
0.15	30	0.01	RMS	2.57	-43.83	-25	18.83	Pass	2986
30	1000	0.1	RMS	991.294	-61.01	-25	36.01	Pass	9701
1000	2560	1	RMS	2551	-47.49	-25	22.49	Pass	1561
2560	2630	1	RMS	2601.125	22.43	60	37.57	Pass	401
2630	3000	1	RMS	2636.475	-36.74	-25	11.74	Pass	401
3000	12000	1	RMS	11980	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25501	-32.55	-25	7.55	Pass	14502



14. LTE_Band41 120M


14.1 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.94	-25	42.94	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	42.88	Pass	2986
30	1000	0.1	RMS	994.496	-60.93	-25	35.93	Pass	9701
1000	2486	1	RMS	2439	-46.96	-25	21.96	Pass	1487
2486	2700	1	RMS	2535.22	23.05	60	36.95	Pass	401
2700	3000	1	RMS	2999.25	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11979	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25502	-32.46	-25	7.46	Pass	14502




14.2 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.17	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	923.349	-60.96	-25	35.96	Pass	9701
1000	2486	1	RMS	2464	-46.96	-25	21.96	Pass	1487
2486	2700	1	RMS	2535.22	21.16	60	38.84	Pass	401
2700	3000	1	RMS	2997	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11977	-47.68	-25	22.68	Pass	9002
12000	26500	1	RMS	25513	-32.53	-25	7.53	Pass	14502




14.3 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.25	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	952.368	-61	-25	36	Pass	9701
1000	2486	1	RMS	2483	-47.58	-25	22.58	Pass	1487
2486	2700	1	RMS	2592.465	21.8	60	38.2	Pass	401
2700	3000	1	RMS	2999.25	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11988	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25492	-32.54	-25	7.54	Pass	14502




14.4 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.17	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	932.155	-61	-25	36	Pass	9701
1000	2486	1	RMS	2484	-47.61	-25	22.61	Pass	1487
2486	2700	1	RMS	2592.465	21.24	60	38.76	Pass	401
2700	3000	1	RMS	2999.25	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11983	-47.67	-25	22.67	Pass	9002
12000	26500	1	RMS	25500	-32.5	-25	7.5	Pass	14502




**14.5 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.15	-67.59	-25	42.59	Pass	2986
30	1000	0.1	RMS	971.281	-60.87	-25	35.87	Pass	9701
1000	2486	1	RMS	2483	-47.6	-25	22.6	Pass	1487
2486	2700	1	RMS	2650.24 5	22.57	60	37.43	Pass	401
2700	3000	1	RMS	2998.5	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11975	-47.67	-25	22.67	Pass	9002
12000	26500	1	RMS	25504	-32.55	-25	7.55	Pass	14502




14.6 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.54	-25	42.54	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	849.7	-60.96	-25	35.96	Pass	9701
1000	2486	1	RMS	2486	-47.61	-25	22.61	Pass	1487
2486	2700	1	RMS	2650.245	22.47	60	37.53	Pass	401
2700	3000	1	RMS	2997.75	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11977	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25490	-32.58	-25	7.58	Pass	14502




**14.7 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.27	-25	43.27	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	986.291	-60.91	-25	35.91	Pass	9701
1000	2486	1	RMS	2485	-47.58	-25	22.58	Pass	1487
2486	2700	1	RMS	2535.755	22.35	60	37.65	Pass	401
2700	3000	1	RMS	2999.25	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11985	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25491	-32.52	-25	7.52	Pass	14502




**14.8 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	964.476	-60.93	-25	35.93	Pass	9701
1000	2486	1	RMS	2481	-47.59	-25	22.59	Pass	1487
2486	2700	1	RMS	2535.22	21.47	60	38.53	Pass	401
2700	3000	1	RMS	3000	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11987	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25501	-32.54	-25	7.54	Pass	14502




**14.9 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.16	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	967.779	-60.86	-25	35.86	Pass	9701
1000	2486	1	RMS	2465	-47.41	-25	22.41	Pass	1487
2486	2700	1	RMS	2590.325	23.32	60	36.68	Pass	401
2700	3000	1	RMS	2998.5	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11976	-47.71	-25	22.71	Pass	9002
12000	26500	1	RMS	25498	-32.59	-25	7.59	Pass	14502




14.10 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.21	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	972.382	-60.96	-25	35.96	Pass	9701
1000	2486	1	RMS	2485	-47.59	-25	22.59	Pass	1487
2486	2700	1	RMS	2590.325	20.98	60	39.02	Pass	401
2700	3000	1	RMS	3000	-46.38	-25	21.38	Pass	401
3000	12000	1	RMS	11980	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25489	-32.57	-25	7.57	Pass	14502




**14.11 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.01	-25	43.01	Pass	401
0.15	30	0.01	RMS	0.2	-68.39	-25	43.39	Pass	2986
30	1000	0.1	RMS	993.195	-60.91	-25	35.91	Pass	9701
1000	2486	1	RMS	2484	-47.64	-25	22.64	Pass	1487
2486	2700	1	RMS	2645.43	23.13	60	36.87	Pass	401
2700	3000	1	RMS	2997.75	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11983	-47.79	-25	22.79	Pass	9002
12000	26500	1	RMS	25502	-32.52	-25	7.52	Pass	14502




**14.12 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.86	-25	42.86	Pass	401
0.15	30	0.01	RMS	0.24	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	981.388	-60.96	-25	35.96	Pass	9701
1000	2486	1	RMS	2486	-47.56	-25	22.56	Pass	1487
2486	2700	1	RMS	2645.43	21.14	60	38.86	Pass	401
2700	3000	1	RMS	3000	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11984	-47.67	-25	22.67	Pass	9002
12000	26500	1	RMS	25512	-32.56	-25	7.56	Pass	14502




**14.13 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.24	-25	42.24	Pass	401
0.15	30	0.01	RMS	0.16	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	993.896	-60.89	-25	35.89	Pass	9701
1000	2486	1	RMS	2486	-47.59	-25	22.59	Pass	1487
2486	2700	1	RMS	2535.755	21.8	60	38.2	Pass	401
2700	3000	1	RMS	2997.75	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11977	-47.79	-25	22.79	Pass	9002
12000	26500	1	RMS	25495	-32.45	-25	7.45	Pass	14502




**14.14 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.41	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	927.652	-60.78	-25	35.78	Pass	9701
1000	2486	1	RMS	2482	-47.61	-25	22.61	Pass	1487
2486	2700	1	RMS	2535.75 5	22.43	60	37.57	Pass	401
2700	3000	1	RMS	2998.5	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11979	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25498	-32.62	-25	7.62	Pass	14502




**14.15 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.18	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	988.793	-60.85	-25	35.85	Pass	9701
1000	2486	1	RMS	2484	-47.61	-25	22.61	Pass	1487
2486	2700	1	RMS	2588.185	21.82	60	38.18	Pass	401
2700	3000	1	RMS	2996.25	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11987	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25514	-32.57	-25	7.57	Pass	14502




**14.16 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.05	-25	43.05	Pass	401
0.15	30	0.01	RMS	0.22	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	992.395	-60.93	-25	35.93	Pass	9701
1000	2486	1	RMS	2478	-47.59	-25	22.59	Pass	1487
2486	2700	1	RMS	2588.18 5	21.43	60	38.57	Pass	401
2700	3000	1	RMS	3000	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11977	-47.64	-25	22.64	Pass	9002
12000	26500	1	RMS	25526	-37.93	-25	12.93	Pass	14502




**14.17 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.18	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	991.394	-60.97	-25	35.97	Pass	9701
1000	2486	1	RMS	2486	-47.56	-25	22.56	Pass	1487
2486	2700	1	RMS	2640.615	23.47	60	36.53	Pass	401
2700	3000	1	RMS	2999.25	-46.36	-25	21.36	Pass	401
3000	12000	1	RMS	11973	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25507	-32.58	-25	7.58	Pass	14502




**14.18 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.33	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	989.093	-60.88	-25	35.88	Pass	9701
1000	2486	1	RMS	2483	-47.58	-25	22.58	Pass	1487
2486	2700	1	RMS	2640.615	22.4	60	37.6	Pass	401
2700	3000	1	RMS	2999.25	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11980	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25506	-32.44	-25	7.44	Pass	14502




**14.19 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.18	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	945.064	-60.88	-25	35.88	Pass	9701
1000	2486	1	RMS	2485	-47.62	-25	22.62	Pass	1487
2486	2700	1	RMS	2535.755	22.65	60	37.35	Pass	401
2700	3000	1	RMS	2998.5	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11982	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25500	-32.56	-25	7.56	Pass	14502




**14.20 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.2	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	987.892	-60.83	-25	35.83	Pass	9701
1000	2486	1	RMS	2484	-47.63	-25	22.63	Pass	1487
2486	2700	1	RMS	2535.755	21.19	60	38.81	Pass	401
2700	3000	1	RMS	3000	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11973	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25501	-32.41	-25	7.41	Pass	14502




**14.21 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.59	-25	43.59	Pass	401
0.15	30	0.01	RMS	0.25	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	992.695	-60.88	-25	35.88	Pass	9701
1000	2486	1	RMS	2481	-47.53	-25	22.53	Pass	1487
2486	2700	1	RMS	2586.045	22.66	60	37.34	Pass	401
2700	3000	1	RMS	3000	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11980	-47.67	-25	22.67	Pass	9002
12000	26500	1	RMS	25503	-32.47	-25	7.47	Pass	14502




**14.22 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	0.21	-67.7	-25	42.7	Pass	2986
30	1000	0.1	RMS	874.417	-60.91	-25	35.91	Pass	9701
1000	2486	1	RMS	2480	-47.61	-25	22.61	Pass	1487
2486	2700	1	RMS	2586.045	21.03	60	38.97	Pass	401
2700	3000	1	RMS	2998.5	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11982	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25493	-32.53	-25	7.53	Pass	14502




**14.23 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.44	-25	43.44	Pass	401
0.15	30	0.01	RMS	0.15	-67.63	-25	42.63	Pass	2986
30	1000	0.1	RMS	826.2	-60.89	-25	35.89	Pass	9701
1000	2486	1	RMS	2481	-47.65	-25	22.65	Pass	1487
2486	2700	1	RMS	2635.8	22.03	60	37.97	Pass	401
2700	3000	1	RMS	2998.5	-46.44	-25	21.44	Pass	401
3000	12000	1	RMS	5272	-57.25	-25	32.25	Pass	9002
12000	27000	1	RMS	25506	-48.16	-25	23.16	Pass	15002



**14.24 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.22	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	927.352	-60.9	-25	35.9	Pass	9701
1000	2486	1	RMS	2486	-47.5	-25	22.5	Pass	1487
2486	2700	1	RMS	2635.8	20.91	60	39.09	Pass	401
2700	3000	1	RMS	2998.5	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11982	-57.85	-25	32.85	Pass	9002
12000	27000	1	RMS	25504	-48.23	-25	23.23	Pass	15002



--BLANK BELOW--