



#### **Test Data**


### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	0.282	0	0.282	30	Pass
NVNT	BLE	2442	Ant1	1.409	0	1.409	30	Pass
NVNT	BLE	2480	Ant1	-0.842	0	-0.842	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.622	0.5	Pass
NVNT	BLE	2442	Ant1	0.625	0.5	Pass
NVNT	BLE	2480	Ant1	0.621	0.5	Pass













# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.038848266	
NVNT	BLE	2442	Ant1	1.042006267	
NVNT	BLE	2480	Ant1	1.041658375	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.187	8	Pass
NVNT	BLE	2442	Ant1	-5.046	8	Pass
NVNT	BLE	2480	Ant1	-7.314	8	Pass















### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-54.02	-20	Pass
NVNT	BLE	2480	Ant1	-53.07	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.01	-20	Pass
NVNT	BLE	2442	Ant1	-49.99	-20	Pass
NVNT	BLE	2480	Ant1	-47.47	-20	Pass







