



### 17.4 LTE Band 38 BW20, Middle Channel

RSE-H&H LTE Band 38 BW20 CH38000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.175	-69.16	-15.82	-25.0	-44.16	299.00	Horizontal	Horizontal	Pass
2561.400	-20.30	8.83	-25.0	4.70	13.00	Horizontal	Horizontal	N/A
2630.500	-24.66	8.23	-25.0	0.34	360.00	Horizontal	Horizontal	N/A
6653.750	-38.30	15.02	-25.0	-13.30	246.00	Horizontal	Horizontal	Pass
13376.588	-39.01	16.79	-25.0	-14.01	118.00	Horizontal	Horizontal	Pass
19296.676	-40.51	12.92	-25.0	-15.51	15.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 38 BW20 CH38000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.320	-68.84	-15.77	-25.0	-43.84	261.00	Horizontal	Vertical	Pass
2563.200	-32.38	8.88	-25.0	-7.38	102.00	Horizontal	Vertical	N/A
2629.300	-33.07	8.41	-25.0	-8.07	279.00	Horizontal	Vertical	N/A
6669.000	-38.82	14.66	-25.0	-13.82	4.00	Horizontal	Vertical	Pass
13395.750	-38.57	16.97	-25.0	-13.57	173.00	Horizontal	Vertical	Pass
19469.650	-40.37	12.92	-25.0	-15.37	269.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 38 BW20 CH38000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.854	-68.32	-15.65	-25.0	-43.32	108.00	Vertical	Vertical	Pass
2560.400	-24.17	8.66	-25.0	0.83	57.00	Vertical	Vertical	N/A
2630.100	-28.30	8.26	-25.0	-3.30	121.00	Vertical	Vertical	N/A
6660.000	-39.12	14.83	-25.0	-14.12	342.00	Vertical	Vertical	Pass
13358.737	-38.55	16.62	-25.0	-13.55	-3.00	Vertical	Vertical	Pass
20042.975	-40.71	12.95	-25.0	-15.71	-1.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 38 BW20 CH38000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.145	-72.28	-15.59	-25.0	-47.28	155.00	Vertical	Horizontal	Pass
2552.200	-37.77	7.05	-25.0	-12.77	277.00	Vertical	Horizontal	N/A
2630.700	-36.50	8.22	-25.0	-11.50	360.00	Vertical	Horizontal	N/A
6870.000	-38.34	14.16	-25.0	-13.34	360.00	Vertical	Horizontal	Pass
13383.937	-37.85	16.86	-25.0	-12.85	298.00	Vertical	Horizontal	Pass
19722.099	-40.79	12.94	-25.0	-15.79	273.00	Vertical	Horizontal	Pass

### 18 LTE Band 41


#### 18.1 LTE Band 41 BW5, Middle Channel

RSE-H&H LTE Band 41 BW5 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.997	-66.02	-15.83	-25.0	-41.02	113.00	Horizontal	Horizontal	Pass
2560.800	-26.57	8.75	-25.0	-1.57	351.00	Horizontal	Horizontal	N/A
2628.500	-29.98	8.55	-25.0	-4.98	165.00	Horizontal	Horizontal	N/A
5175.500	-38.50	10.88	-25.0	-13.50	144.00	Horizontal	Horizontal	Pass
13372.650	-38.95	16.75	-25.0	-13.95	194.00	Horizontal	Horizontal	Pass
19780.198	-40.97	12.94	-25.0	-15.97	7.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW5 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.806	-71.88	-15.66	-25.0	-46.88	284.00	Horizontal	Vertical	Pass
2556.800	-34.53	7.36	-25.0	-9.53	192.00	Horizontal	Vertical	N/A
2628.100	-33.07	8.61	-25.0	-8.07	192.00	Horizontal	Vertical	N/A
5182.000	-35.75	10.59	-25.0	-10.75	193.00	Horizontal	Vertical	Pass
13397.850	-37.57	16.99	-25.0	-12.57	65.00	Horizontal	Vertical	Pass
19472.849	-39.84	12.93	-25.0	-14.84	234.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW5 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.667	-67.16	-24.24	-25.0	-42.16	314.00	Vertical	Vertical	Pass
2561.700	-31.97	8.84	-25.0	-6.97	196.00	Vertical	Vertical	N/A
2629.000	-33.06	8.47	-25.0	-8.06	214.00	Vertical	Vertical	N/A
6760.000	-38.52	14.31	-25.0	-13.52	228.00	Vertical	Vertical	Pass
13399.950	-37.70	17.01	-25.0	-12.70	201.00	Vertical	Vertical	Pass
20114.551	-40.64	12.96	-25.0	-15.64	94.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW5 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.503	-66.57	-24.42	-25.0	-41.57	12.00	Vertical	Horizontal	Pass
2561.300	-42.00	8.83	-25.0	-17.00	309.00	Vertical	Horizontal	N/A
2969.900	-42.43	11.91	-25.0	-17.43	158.00	Vertical	Horizontal	Pass
7810.750	-39.08	16.29	-25.0	-14.08	291.00	Vertical	Horizontal	Pass
13378.688	-38.39	16.81	-25.0	-13.39	362.00	Vertical	Horizontal	Pass
20113.650	-41.47	12.96	-25.0	-16.47	326.00	Vertical	Horizontal	Pass




## 18.2 LTE Band 41 BW10, Middle Channel

RSE-H&H LTE Band 41 BW10 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
190.050	-67.42	-16.30	-25.0	-42.42	104.00	Horizontal	Horizontal	Pass
2555.500	-23.35	7.28	-25.0	1.65	136.00	Horizontal	Horizontal	N/A
2627.300	-28.09	8.78	-25.0	-3.09	78.00	Horizontal	Horizontal	N/A
6703.500	-38.24	15.52	-25.0	-13.24	59.00	Horizontal	Horizontal	Pass
13389.450	-37.61	16.91	-25.0	-12.61	205.00	Horizontal	Horizontal	Pass
20224.801	-40.59	12.96	-25.0	-15.59	0.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW10 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.309	-71.67	-15.44	-25.0	-46.67	280.00	Horizontal	Vertical	Pass
2554.700	-38.29	7.24	-25.0	-13.29	251.00	Horizontal	Vertical	N/A
2641.800	-33.59	8.55	-25.0	-8.59	185.00	Horizontal	Vertical	N/A
5177.750	-38.98	10.67	-25.0	-13.98	217.00	Horizontal	Vertical	Pass
13382.625	-38.45	16.85	-25.0	-13.45	44.00	Horizontal	Vertical	Pass
19304.550	-41.15	12.92	-25.0	-16.15	194.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW10 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.716	-67.02	-24.22	-25.0	-42.02	302.00	Vertical	Vertical	Pass
2561.000	-27.56	8.80	-25.0	-2.56	238.00	Vertical	Vertical	N/A
2627.200	-29.65	8.83	-25.0	-4.65	111.00	Vertical	Vertical	N/A
6708.250	-39.21	15.73	-25.0	-14.21	362.00	Vertical	Vertical	Pass
13415.175	-38.44	16.68	-25.0	-13.44	8.00	Vertical	Vertical	Pass
19730.250	-40.85	12.94	-25.0	-15.85	296.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 41 BW10 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.783	-70.75	-23.42	-25.0	-45.75	350.00	Vertical	Horizontal	Pass
2519.000	-40.91	6.71	-25.0	-15.91	276.00	Vertical	Horizontal	N/A
2642.900	-40.19	8.95	-25.0	-15.19	173.00	Vertical	Horizontal	N/A
6718.000	-38.06	15.62	-25.0	-13.06	68.00	Vertical	Horizontal	Pass
13399.687	-38.34	17.01	-25.0	-13.34	236.00	Vertical	Horizontal	Pass
18297.448	-40.43	12.87	-25.0	-15.43	205.00	Vertical	Horizontal	Pass


### 18.3 LTE Band 41 BW15, Middle Channel

RSE-H&H LTE Band 41 BW15 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.837	-68.31	-16.44	-25.0	-43.31	89.00	Horizontal	Horizontal	Pass
2558.900	-21.94	8.35	-25.0	3.06	358.00	Horizontal	Horizontal	N/A
2628.500	-26.14	8.55	-25.0	-1.14	358.00	Horizontal	Horizontal	N/A
6644.750	-38.69	15.12	-25.0	-13.69	75.00	Horizontal	Horizontal	Pass
13382.362	-38.71	16.84	-25.0	-13.71	346.00	Horizontal	Horizontal	Pass
19738.800	-41.06	12.94	-25.0	-16.06	362.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW15 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.552	-71.92	-15.41	-25.0	-46.92	276.00	Horizontal	Vertical	Pass
2561.400	-35.52	8.83	-25.0	-10.52	327.00	Horizontal	Vertical	N/A
2630.300	-35.89	8.24	-25.0	-10.89	176.00	Horizontal	Vertical	N/A
5173.250	-37.92	10.79	-25.0	-12.92	194.00	Horizontal	Vertical	Pass
13367.663	-37.70	16.71	-25.0	-12.70	125.00	Horizontal	Vertical	Pass
19386.900	-40.97	12.92	-25.0	-15.97	34.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW15 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.571	-67.35	-24.27	-25.0	-42.35	-2.00	Vertical	Vertical	Pass
2557.100	-26.73	7.53	-25.0	-1.73	295.00	Vertical	Vertical	N/A
2627.200	-30.32	8.83	-25.0	-5.32	193.00	Vertical	Vertical	N/A
7802.500	-38.73	15.88	-25.0	-13.73	167.00	Vertical	Vertical	Pass
13373.438	-38.27	16.76	-25.0	-13.27	80.00	Vertical	Vertical	Pass
20442.151	-40.74	12.97	-25.0	-15.74	235.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW15 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.444	-66.32	-23.75	-25.0	-41.32	215.00	Vertical	Horizontal	Pass
2553.700	-36.27	7.30	-25.0	-11.27	265.00	Vertical	Horizontal	N/A
2631.000	-40.28	8.20	-25.0	-15.28	333.00	Vertical	Horizontal	N/A
6632.500	-39.41	14.93	-25.0	-14.41	103.00	Vertical	Horizontal	Pass
13353.750	-38.15	16.58	-25.0	-13.15	361.00	Vertical	Horizontal	Pass
19761.750	-39.82	12.94	-25.0	-14.82	362.00	Vertical	Horizontal	Pass




### 18.4 LTE Band 41 BW20, Middle Channel

RSE-H&H LTE Band 41 BW20 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
190.001	-69.83	-16.30	-25.0	-44.83	102.00	Horizontal	Horizontal	Pass
2559.400	-20.05	8.52	-25.0	4.95	145.00	Horizontal	Horizontal	N/A
2628.300	-24.35	8.58	-25.0	0.65	346.00	Horizontal	Horizontal	N/A
6709.000	-39.15	15.63	-25.0	-14.15	130.00	Horizontal	Horizontal	Pass
13425.675	-38.35	16.45	-25.0	-13.35	63.00	Horizontal	Horizontal	Pass
19786.500	-40.63	12.94	-25.0	-15.63	-1.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW20 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.260	-70.05	-15.45	-25.0	-45.05	262.00	Horizontal	Vertical	Pass
2561.000	-28.02	8.80	-25.0	-3.02	195.00	Horizontal	Vertical	N/A
2635.600	-34.82	8.24	-25.0	-9.82	186.00	Horizontal	Vertical	N/A
5168.750	-38.78	10.96	-25.0	-13.78	271.00	Horizontal	Vertical	Pass
13391.813	-38.62	16.93	-25.0	-13.62	-2.00	Horizontal	Vertical	Pass
19734.749	-40.70	12.94	-25.0	-15.70	135.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW20 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.522	-67.51	-24.29	-25.0	-42.51	-2.00	Vertical	Vertical	Pass
2560.800	-23.58	8.75	-25.0	1.42	198.00	Vertical	Vertical	N/A
2630.900	-26.87	8.20	-25.0	-1.87	190.00	Vertical	Vertical	N/A
6716.000	-38.87	15.68	-25.0	-13.87	360.00	Vertical	Vertical	Pass
13399.950	-38.47	17.01	-25.0	-13.47	166.00	Vertical	Vertical	Pass
19739.699	-39.87	12.94	-25.0	-14.87	153.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW20 CH40620




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.056	-65.70	-24.08	-25.0	-40.70	220.00	Vertical	Horizontal	Pass
2560.900	-34.38	8.78	-25.0	-9.38	26.00	Vertical	Horizontal	N/A
2635.000	-39.94	8.30	-25.0	-14.94	346.00	Vertical	Horizontal	N/A
6721.500	-38.73	15.68	-25.0	-13.73	334.00	Vertical	Horizontal	Pass
13390.500	-38.11	16.92	-25.0	-13.11	286.00	Vertical	Horizontal	Pass
20085.301	-40.84	12.96	-25.0	-15.84	53.00	Vertical	Horizontal	Pass

CA

19 CA\_7C

19.1 CA\_7C 20MHz+10MHz, QPSK, Low Channel

RSE-H&H PCC 20850 BW20 QPSK RB1 LOW SCC 20994 BW10 QPSK RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.348	-68.33	-16.07	-25.0	-43.33	106.00	Horizontal	Horizontal	Pass
2529.400	-41.13	8.19	-25.0	-16.13	203.00	Horizontal	Horizontal	N/A
2644.300	-30.04	8.48	-25.0	-5.04	357.00	Horizontal	Horizontal	N/A
6716.000	-38.45	15.68	-25.0	-13.45	23.00	Horizontal	Horizontal	Pass
13366.088	-38.38	16.69	-25.0	-13.38	302.00	Horizontal	Horizontal	Pass
19756.100	-40.83	12.94	-25.0	-15.83	286.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH20850 BW20 RB1 LOW SCC CH20994 BW10 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.411	-71.23	-16.15	-25.0	-46.23	259.00	Horizontal	Vertical	Pass
2507.900	-45.01	8.27	-25.0	-20.01	-1.00	Horizontal	Vertical	Pass
2623.900	-28.52	6.98	-25.0	-3.52	216.00	Horizontal	Vertical	N/A
6703.750	-38.48	15.51	-25.0	-13.48	251.00	Horizontal	Vertical	Pass
13397.850	-38.24	16.99	-25.0	-13.24	91.00	Horizontal	Vertical	Pass
20096.526	-40.76	12.96	-25.0	-15.76	39.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH20850 BW20 RB1 LOW SCC CH20994 BW10 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
207.170	-66.85	-16.30	-25.0	-41.85	281.00	Vertical	Vertical	Pass
2502.000	-44.49	8.29	-25.0	-19.49	143.00	Vertical	Vertical	Pass
2625.000	-37.73	7.07	-25.0	-12.73	38.00	Vertical	Vertical	N/A
6715.000	-38.65	15.76	-25.0	-13.65	39.00	Vertical	Vertical	Pass
13346.138	-37.52	16.39	-25.0	-12.52	277.00	Vertical	Vertical	Pass
18334.900	-40.53	12.87	-25.0	-15.53	152.00	Vertical	Vertical	Pass

RSE-V&H PCC CH20850 BW20 RB1 LOW SCC CH20994 BW10 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.309	-71.71	-15.44	-25.0	-46.71	277.00	Vertical	Horizontal	Pass
2094.700	-47.05	4.59	-25.0	-22.05	319.00	Vertical	Horizontal	Pass
2647.300	-40.08	8.49	-25.0	-15.08	31.00	Vertical	Horizontal	N/A
6647.500	-38.54	15.17	-25.0	-13.54	211.00	Vertical	Horizontal	Pass
13382.362	-37.91	16.84	-25.0	-12.91	185.00	Vertical	Horizontal	Pass
20360.874	-40.66	12.97	-25.0	-15.66	220.00	Vertical	Horizontal	Pass




### 19.2 CA\_7C 20MHz+10MHz, QPSK , Middle Channel

RSE-H&H PCC CH21051 BW20 RB1 LOW SCC CH21195 BW10 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.768	-70.23	-16.04	-25.0	-45.23	108.00	Horizontal	Horizontal	Pass
2577.300	-32.30	8.55	-25.0	-7.30	156.00	Horizontal	Horizontal	N/A
2666.600	-27.93	7.86	-25.0	-2.93	137.00	Horizontal	Horizontal	N/A
6709.500	-38.26	15.62	-25.0	-13.26	16.00	Horizontal	Horizontal	Pass
13337.213	-38.29	16.04	-25.0	-13.29	223.00	Horizontal	Horizontal	Pass
20413.575	-40.62	12.97	-25.0	-15.62	349.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21051 BW20 RB1 LOW SCC CH21195 BW10 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.842	-71.24	-15.36	-25.0	-46.24	263.00	Horizontal	Vertical	Pass
2577.100	-41.58	8.54	-25.0	-16.58	132.00	Horizontal	Vertical	N/A
2668.200	-27.33	7.92	-25.0	-2.33	200.00	Horizontal	Vertical	N/A
6667.250	-39.30	14.58	-25.0	-14.30	157.00	Horizontal	Vertical	Pass
13391.813	-38.01	16.93	-25.0	-13.01	-3.00	Horizontal	Vertical	Pass
20087.599	-40.59	12.96	-25.0	-15.59	280.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21051 BW20 RB1 LOW SCC CH21195 BW10 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.842	-68.63	-15.36	-25.0	-43.63	273.00	Vertical	Vertical	Pass
2577.400	-35.85	8.55	-25.0	-10.85	56.00	Vertical	Vertical	N/A
2663.500	-39.29	7.96	-25.0	-14.29	242.00	Vertical	Vertical	N/A
6742.250	-38.68	14.93	-25.0	-13.68	138.00	Vertical	Vertical	Pass
13367.137	-38.78	16.70	-25.0	-13.78	345.00	Vertical	Vertical	Pass
20439.075	-40.92	12.97	-25.0	-15.92	-1.00	Vertical	Vertical	Pass

RSE-V&H PCC CH21051 BW20 RB1 LOW SCC CH21195 BW10 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.940	-70.62	-15.35	-25.0	-45.62	247.00	Vertical	Horizontal	Pass
2577.200	-42.44	8.54	-25.0	-17.44	195.00	Vertical	Horizontal	N/A
2669.400	-41.60	7.97	-25.0	-16.60	195.00	Vertical	Horizontal	N/A
6706.250	-38.53	15.54	-25.0	-13.53	223.00	Vertical	Horizontal	Pass
13377.112	-37.87	16.79	-25.0	-12.87	361.00	Vertical	Horizontal	Pass
19737.823	-40.89	12.94	-25.0	-15.89	363.00	Vertical	Horizontal	Pass


### 19.3 CA\_7C 20MHz+10MHz, QPSK, High Channel

RSE-H&H PCC CH21251 BW20 RB1 LOW SCC CH21395 BW10 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
197.422	-70.15	-15.97	-25.0	-45.15	84.00	Horizontal	Horizontal	Pass
2577.400	-33.12	8.55	-25.0	-8.12	163.00	Horizontal	Horizontal	N/A
2687.100	-26.16	7.37	-25.0	-1.16	143.00	Horizontal	Horizontal	N/A
6695.750	-39.25	15.15	-25.0	-14.25	179.00	Horizontal	Horizontal	Pass
13397.588	-38.48	16.99	-25.0	-13.48	206.00	Horizontal	Horizontal	Pass
20133.501	-40.76	12.96	-25.0	-15.76	253.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21251 BW20 RB1 LOW SCC CH21395 BW10 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.406	-70.25	-15.43	-25.0	-45.25	263.00	Horizontal	Vertical	Pass
2580.800	-35.02	8.57	-25.0	-10.02	179.00	Horizontal	Vertical	N/A
2681.600	-26.28	7.87	-25.0	-1.28	203.00	Horizontal	Vertical	N/A
6644.250	-37.65	15.11	-25.0	-12.65	309.00	Horizontal	Vertical	Pass
13404.675	-37.49	16.91	-25.0	-12.49	158.00	Horizontal	Vertical	Pass
20042.975	-40.72	12.95	-25.0	-15.72	38.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21251 BW20 RB1 LOW SCC CH21395 BW10 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
205.279	-68.56	-16.11	-25.0	-43.56	277.00	Vertical	Vertical	Pass
2579.900	-34.01	8.59	-25.0	-9.01	282.00	Vertical	Vertical	N/A
2687.400	-33.97	7.35	-25.0	-8.97	164.00	Vertical	Vertical	N/A
6663.500	-38.72	14.66	-25.0	-13.72	241.00	Vertical	Vertical	Pass
13357.162	-37.98	16.61	-25.0	-12.98	102.00	Vertical	Vertical	Pass
19753.550	-40.80	12.94	-25.0	-15.80	300.00	Vertical	Vertical	Pass

RSE-V&H PCC CH21251 BW20 RB1 LOW SCC CH21395 BW10 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
387.882	-70.85	-9.86	-25.0	-45.85	360.00	Vertical	Horizontal	Pass
2030.800	-48.22	3.82	-25.0	-23.22	343.00	Vertical	Horizontal	Pass
2682.300	-40.21	7.88	-25.0	-15.21	230.00	Vertical	Horizontal	N/A
6682.500	-38.94	14.63	-25.0	-13.94	175.00	Vertical	Horizontal	Pass
13386.563	-37.73	16.88	-25.0	-12.73	56.00	Vertical	Horizontal	Pass
20360.450	-40.75	12.97	-25.0	-15.75	363.00	Vertical	Horizontal	Pass




### 19.4 CA\_7C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH20850 BW20 RB1 LOW SCC CH21048 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.242	-70.15	-15.57	-25.0	-45.15	103.00	Horizontal	Horizontal	Pass
2577.100	-32.73	8.54	-25.0	-7.73	202.00	Horizontal	Horizontal	N/A
2651.100	-28.10	8.56	-25.0	-3.10	110.00	Horizontal	Horizontal	N/A
6605.000	-39.27	14.39	-25.0	-14.27	159.00	Horizontal	Horizontal	Pass
13334.325	-38.14	15.92	-25.0	-13.14	278.00	Horizontal	Horizontal	Pass
20028.948	-40.32	12.95	-25.0	-15.32	177.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH20850 BW20 RB1 LOW SCC CH21048 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.891	-71.23	-15.36	-25.0	-46.23	259.00	Horizontal	Vertical	Pass
2577.300	-39.55	8.55	-25.0	-14.55	177.00	Horizontal	Vertical	N/A
2628.600	-26.71	7.21	-25.0	-1.71	202.00	Horizontal	Vertical	N/A
6720.750	-38.44	15.71	-25.0	-13.44	33.00	Horizontal	Vertical	Pass
13389.450	-38.23	16.91	-25.0	-13.23	15.00	Horizontal	Vertical	Pass
18252.876	-41.44	12.86	-25.0	-16.44	57.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH20850 BW20 RB1 LOW SCC CH21048 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.552	-68.85	-15.41	-25.0	-43.85	282.00	Vertical	Vertical	Pass
2577.100	-35.22	8.54	-25.0	-10.22	42.00	Vertical	Vertical	N/A
2633.000	-37.39	7.30	-25.0	-12.39	256.00	Vertical	Vertical	N/A
6651.250	-39.20	15.06	-25.0	-14.20	83.00	Vertical	Vertical	Pass
13390.238	-37.85	16.92	-25.0	-12.85	15.00	Vertical	Vertical	Pass
18189.126	-41.24	12.86	-25.0	-16.24	128.00	Vertical	Vertical	Pass


RSE-V&H PCC CH20850 BW20 RB1 LOW SCC CH21048 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
384.923	-71.08	-10.01	-25.0	-46.08	363.00	Vertical	Horizontal	Pass
1736.100	-52.03	-0.05	-25.0	-27.03	6.00	Vertical	Horizontal	Pass
2635.400	-40.20	7.83	-25.0	-15.20	195.00	Vertical	Horizontal	N/A
6707.500	-38.60	15.66	-25.0	-13.60	234.00	Vertical	Horizontal	Pass
13354.013	-38.41	16.58	-25.0	-13.41	292.00	Vertical	Horizontal	Pass
20042.551	-41.41	12.95	-25.0	-16.41	-3.00	Vertical	Horizontal	Pass


### 19.5 CA\_7C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH20850 BW20 RB1 LOW SCC CH21048 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.145	-65.20	-15.59	-25.0	-40.20	294.00	Horizontal	Horizontal	Pass
2517.100	-42.48	8.23	-25.0	-17.48	353.00	Horizontal	Horizontal	N/A
2670.700	-28.64	7.92	-25.0	-3.64	108.00	Horizontal	Horizontal	N/A
6612.500	-39.33	14.44	-25.0	-14.33	310.00	Horizontal	Horizontal	Pass
13804.987	-38.39	16.89	-25.0	-13.39	107.00	Horizontal	Horizontal	Pass
19371.901	-40.87	12.92	-25.0	-15.87	-3.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21001 BW20 RB1 LOW SCC CH21199 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.018	-68.71	-15.48	-25.0	-43.71	318.00	Horizontal	Vertical	Pass
2056.000	-48.33	3.88	-25.0	-23.33	361.00	Horizontal	Vertical	Pass
2651.000	-31.29	8.56	-25.0	-6.29	296.00	Horizontal	Vertical	N/A
6882.000	-38.68	14.12	-25.0	-13.68	120.00	Horizontal	Vertical	Pass
13375.537	-37.57	16.78	-25.0	-12.57	64.00	Horizontal	Vertical	Pass
20110.975	-40.98	12.96	-25.0	-15.98	155.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21001 BW20 RB1 LOW SCC CH21199 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.648	-68.37	-15.39	-25.0	-43.37	148.00	Vertical	Vertical	Pass
2516.800	-43.35	8.23	-25.0	-18.35	65.00	Vertical	Vertical	N/A
2665.800	-30.63	7.90	-25.0	-5.63	246.00	Vertical	Vertical	N/A
6710.750	-39.23	15.70	-25.0	-14.23	161.00	Vertical	Vertical	Pass
13360.312	-38.64	16.64	-25.0	-13.64	91.00	Vertical	Vertical	Pass
19734.850	-41.47	12.94	-25.0	-16.47	294.00	Vertical	Vertical	Pass

RSE-V&H PCC CH21001 BW20 RB1 LOW SCC CH21199 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
392.780	-71.51	-9.61	-25.0	-46.51	327.00	Vertical	Horizontal	Pass
2076.300	-48.84	4.09	-25.0	-23.84	315.00	Vertical	Horizontal	Pass
2673.300	-41.38	7.88	-25.0	-16.38	209.00	Vertical	Horizontal	N/A
6690.250	-38.93	14.80	-25.0	-13.93	275.00	Vertical	Horizontal	Pass
13356.900	-38.46	16.60	-25.0	-13.46	278.00	Vertical	Horizontal	Pass
20104.600	-40.38	12.96	-25.0	-15.38	361.00	Vertical	Horizontal	Pass




### 19.6 CA\_7C 20MHz+20MHz, QPSK, High Channel

RSE-H&H CH21001 BW20 RB1 LOW SCC CH21199 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.404	-66.99	-15.91	-25.0	-41.99	318.00	Horizontal	Horizontal	Pass
2580.000	-33.70	8.59	-25.0	-8.70	109.00	Horizontal	Horizontal	N/A
2672.500	-27.82	7.92	-25.0	-2.82	109.00	Horizontal	Horizontal	N/A
6633.750	-39.01	14.89	-25.0	-14.01	111.00	Horizontal	Horizontal	Pass
13337.737	-37.84	16.06	-25.0	-12.84	156.00	Horizontal	Horizontal	Pass
19912.499	-40.60	12.95	-25.0	-15.60	227.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21152 BW20 RB1 LOW SCC CH21350 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.336	-68.97	-15.84	-25.0	-43.97	360.00	Horizontal	Vertical	Pass
2572.700	-44.71	8.47	-25.0	-19.71	33.00	Horizontal	Vertical	N/A
2655.100	-28.31	8.25	-25.0	-3.31	133.00	Horizontal	Vertical	N/A
6656.000	-39.14	15.05	-25.0	-14.14	335.00	Horizontal	Vertical	Pass
13366.875	-38.37	16.70	-25.0	-13.37	115.00	Horizontal	Vertical	Pass
19782.001	-40.38	12.94	-25.0	-15.38	47.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21152 BW20 RB1 LOW SCC CH21350 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.474	-69.11	-24.31	-25.0	-44.11	280.00	Vertical	Vertical	Pass
2582.600	-39.30	8.27	-25.0	-14.30	105.00	Vertical	Vertical	N/A
2663.800	-36.73	7.92	-25.0	-11.73	241.00	Vertical	Vertical	N/A
6708.250	-38.99	15.73	-25.0	-13.99	-1.00	Vertical	Vertical	Pass
13389.187	-38.30	16.91	-25.0	-13.30	320.00	Vertical	Vertical	Pass
19660.950	-40.07	12.93	-25.0	-15.07	267.00	Vertical	Vertical	Pass


RSE-V&H PCC CH21152 BW20 RB1 LOW SCC CH21350 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.279	-71.45	-24.39	-25.0	-46.45	267.00	Vertical	Horizontal	Pass
2532.900	-44.84	8.17	-25.0	-19.84	184.00	Vertical	Horizontal	Pass
2665.300	-38.92	7.90	-25.0	-13.92	184.00	Vertical	Horizontal	N/A
6791.500	-38.94	14.39	-25.0	-13.94	198.00	Vertical	Horizontal	Pass
13363.724	-38.53	16.67	-25.0	-13.53	362.00	Vertical	Horizontal	Pass
19745.550	-40.64	12.94	-25.0	-15.64	328.00	Vertical	Horizontal	Pass


NR  
 20 n5  
 20.1 n5 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.506	-47.89	4.77	-13.0	-34.89	95.00	Horizontal	Horizontal	N/A
879.671	-22.29	4.21	-13.0	-9.29	184.00	Horizontal	Horizontal	N/A
1675.000	-54.44	-4.50	-13.0	-41.44	320.00	Horizontal	Horizontal	Pass
3225.500	-47.96	6.72	-13.0	-34.96	250.00	Horizontal	Horizontal	Pass
7891.750	-37.93	15.00	-13.0	-24.93	14.00	Horizontal	Horizontal	Pass
8929.800	-40.47	13.74	-13.0	-27.47	61.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.446	-48.13	4.85	-13.0	-35.13	18.00	Horizontal	Vertical	N/A
881.417	-21.44	4.17	-13.0	-8.44	12.00	Horizontal	Vertical	N/A
1761.500	-53.71	-4.64	-13.0	-40.71	187.00	Horizontal	Vertical	Pass
3940.000	-46.10	8.51	-13.0	-33.10	5.00	Horizontal	Vertical	Pass
6832.750	-39.11	14.18	-13.0	-26.11	222.00	Horizontal	Vertical	Pass
8946.000	-40.38	13.60	-13.0	-27.38	298.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.372	-44.30	4.69	-13.0	-31.30	140.00	Vertical	Vertical	N/A
883.260	-31.66	4.15	-13.0	-18.66	37.00	Vertical	Vertical	N/A
2009.700	-53.03	-1.46	-13.0	-40.03	287.00	Vertical	Vertical	Pass
4477.250	-45.74	9.55	-13.0	-32.74	55.00	Vertical	Vertical	Pass
6640.750	-39.16	15.00	-13.0	-26.16	320.00	Vertical	Vertical	Pass
8905.000	-40.41	13.97	-13.0	-27.41	354.00	Vertical	Vertical	Pass

RSE-V&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.446	-50.59	4.85	-13.0	-37.59	313.00	Vertical	Horizontal	N/A
882.873	-29.72	4.16	-13.0	-16.72	115.00	Vertical	Horizontal	N/A
2116.200	-53.42	-0.78	-13.0	-40.42	258.00	Vertical	Horizontal	Pass
3893.500	-46.54	9.15	-13.0	-33.54	307.00	Vertical	Horizontal	Pass
6663.000	-38.63	14.68	-13.0	-25.63	148.00	Vertical	Horizontal	Pass
8992.600	-40.14	13.59	-13.0	-27.14	230.00	Vertical	Horizontal	Pass




## 20.2 n5 BW5, QPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.409	-48.00	4.77	-13.0	-35.00	82.00	Horizontal	Horizontal	N/A
880.156	-22.04	4.19	-13.0	-9.04	179.00	Horizontal	Horizontal	N/A
1672.700	-54.02	-4.29	-13.0	-41.02	329.00	Horizontal	Horizontal	Pass
4453.750	-44.51	10.06	-13.0	-31.51	34.00	Horizontal	Horizontal	Pass
6637.000	-37.74	14.93	-13.0	-24.74	0.00	Horizontal	Horizontal	Pass
8983.200	-40.06	13.58	-13.0	-27.06	298.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.991	-53.80	4.79	-13.0	-40.80	11.00	Horizontal	Vertical	N/A
879.769	-27.64	4.20	-13.0	-14.64	359.00	Horizontal	Vertical	N/A
1761.800	-55.64	-4.63	-13.0	-42.64	180.00	Horizontal	Vertical	Pass
3916.000	-46.23	9.20	-13.0	-33.23	256.00	Horizontal	Vertical	Pass
7819.500	-38.06	16.25	-13.0	-25.06	200.00	Horizontal	Vertical	Pass
9455.300	-40.10	14.05	-13.0	-27.10	213.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.264	-45.91	4.76	-13.0	-32.91	66.00	Vertical	Vertical	N/A
882.533	-30.47	4.17	-13.0	-17.47	166.00	Vertical	Vertical	N/A
1672.900	-55.72	-4.30	-13.0	-42.72	231.00	Vertical	Vertical	Pass
4067.750	-46.64	9.04	-13.0	-33.64	170.00	Vertical	Vertical	Pass
7834.500	-38.04	15.30	-13.0	-25.04	271.00	Vertical	Vertical	Pass
8992.800	-40.31	13.59	-13.0	-27.31	362.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.361	-53.68	4.77	-13.0	-40.68	23.00	Vertical	Horizontal	N/A
880.932	-33.83	4.17	-13.0	-20.83	204.00	Vertical	Horizontal	N/A
2104.600	-52.88	-0.26	-13.0	-39.88	137.00	Vertical	Horizontal	Pass
3909.000	-46.82	9.25	-13.0	-33.82	56.00	Vertical	Horizontal	Pass
6703.250	-38.99	15.53	-13.0	-25.99	204.00	Vertical	Horizontal	Pass
9441.700	-40.15	14.09	-13.0	-27.15	134.00	Vertical	Horizontal	Pass


### 20.3 n5 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.476	-51.94	4.81	-13.0	-38.94	145.00	Horizontal	Horizontal	N/A
874.870	-26.78	4.39	-13.0	-13.78	8.00	Horizontal	Horizontal	N/A
2104.500	-53.68	-0.23	-13.0	-40.68	1.00	Horizontal	Horizontal	Pass
4005.750	-46.65	9.05	-13.0	-33.65	222.00	Horizontal	Horizontal	Pass
6758.750	-37.69	14.32	-13.0	-24.69	112.00	Horizontal	Horizontal	Pass
8982.000	-40.21	13.58	-13.0	-27.21	30.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.894	-56.17	4.79	-13.0	-43.17	31.00	Horizontal	Vertical	N/A
876.858	-27.35	4.01	-13.0	-14.35	14.00	Horizontal	Vertical	N/A
2023.700	-54.08	-1.56	-13.0	-41.08	19.00	Horizontal	Vertical	Pass
4055.000	-46.85	9.39	-13.0	-33.85	67.00	Horizontal	Vertical	Pass
6635.750	-38.61	14.86	-13.0	-25.61	236.00	Horizontal	Vertical	Pass
9346.000	-39.59	14.84	-13.0	-26.59	73.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.596	-49.50	4.66	-13.0	-36.50	143.00	Vertical	Vertical	N/A
875.404	-35.84	4.22	-13.0	-22.84	217.00	Vertical	Vertical	N/A
2104.900	-53.19	-0.26	-13.0	-40.19	209.00	Vertical	Vertical	Pass
4487.500	-44.93	10.07	-13.0	-31.93	106.00	Vertical	Vertical	Pass
7805.250	-38.89	16.02	-13.0	-25.89	352.00	Vertical	Vertical	Pass
9588.700	-40.26	12.60	-13.0	-27.26	148.00	Vertical	Vertical	Pass

RSE-V&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.865	-56.97	4.83	-13.0	-43.97	326.00	Vertical	Horizontal	N/A
877.150	-36.85	4.04	-13.0	-23.85	135.00	Vertical	Horizontal	N/A
2104.600	-53.65	-0.26	-13.0	-40.65	53.00	Vertical	Horizontal	Pass
3761.250	-45.84	8.94	-13.0	-32.84	133.00	Vertical	Horizontal	Pass
7789.500	-38.93	15.56	-13.0	-25.93	248.00	Vertical	Horizontal	Pass
9306.299	-40.79	15.27	-13.0	-27.79	294.00	Vertical	Horizontal	Pass




## 20.4 n5 BW15, QPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.876	-52.19	4.75	-13.0	-39.19	161.00	Horizontal	Horizontal	N/A
881.999	-26.99	4.17	-13.0	-13.99	194.00	Horizontal	Horizontal	N/A
1667.900	-52.65	-4.36	-13.0	-39.65	335.00	Horizontal	Horizontal	Pass
3781.000	-47.83	7.95	-13.0	-34.83	280.00	Horizontal	Horizontal	Pass
6648.250	-39.32	15.15	-13.0	-26.32	235.00	Horizontal	Horizontal	Pass
8957.100	-40.33	13.56	-13.0	-27.33	82.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.652	-56.97	4.78	-13.0	-43.97	45.00	Horizontal	Vertical	N/A
877.343	-27.80	4.06	-13.0	-14.80	28.00	Horizontal	Vertical	N/A
2100.700	-53.72	-0.08	-13.0	-40.72	255.00	Horizontal	Vertical	Pass
4486.500	-43.87	10.07	-13.0	-30.87	309.00	Horizontal	Vertical	Pass
6696.500	-38.65	15.14	-13.0	-25.65	297.00	Horizontal	Vertical	Pass
8959.799	-40.39	13.57	-13.0	-27.39	336.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.474	-48.28	4.49	-13.0	-35.28	46.00	Vertical	Vertical	N/A
875.985	-36.88	4.08	-13.0	-23.88	346.00	Vertical	Vertical	N/A
2053.000	-53.51	-1.20	-13.0	-40.51	202.00	Vertical	Vertical	Pass
3751.000	-47.62	7.99	-13.0	-34.62	231.00	Vertical	Vertical	Pass
6694.750	-38.87	15.03	-13.0	-25.87	286.00	Vertical	Vertical	Pass
9347.800	-40.20	14.82	-13.0	-27.20	55.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.522	-54.00	4.49	-13.0	-41.00	213.00	Vertical	Horizontal	N/A
882.775	-35.15	4.16	-13.0	-22.15	59.00	Vertical	Horizontal	N/A
2610.700	-51.34	0.51	-13.0	-38.34	307.00	Vertical	Horizontal	Pass
4137.750	-45.53	8.14	-13.0	-32.53	0.00	Vertical	Horizontal	Pass
6709.750	-38.56	15.62	-13.0	-25.56	201.00	Vertical	Horizontal	Pass
9557.800	-39.74	13.76	-13.0	-26.74	40.00	Vertical	Horizontal	Pass


20.5 n5 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	-53.60	4.75	-13.0	-40.60	119.00	Horizontal	Horizontal	N/A
887.577	-27.43	4.46	-13.0	-14.43	11.00	Horizontal	Horizontal	N/A
2078.300	-53.88	-0.90	-13.0	-40.88	219.00	Horizontal	Horizontal	Pass
3963.000	-46.04	8.71	-13.0	-33.04	241.00	Horizontal	Horizontal	Pass
6647.000	-37.93	15.27	-13.0	-24.93	178.00	Horizontal	Horizontal	Pass
9301.100	-40.61	15.33	-13.0	-27.61	269.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.804	-57.85	4.91	-13.0	-44.85	187.00	Horizontal	Vertical	N/A
873.900	-29.82	4.16	-13.0	-16.82	210.00	Horizontal	Vertical	N/A
2069.300	-54.08	-1.20	-13.0	-41.08	361.00	Horizontal	Vertical	Pass
4272.500	-46.31	8.69	-13.0	-33.31	31.00	Horizontal	Vertical	Pass
6716.500	-38.93	15.68	-13.0	-25.93	224.00	Horizontal	Vertical	Pass
9346.300	-39.88	14.84	-13.0	-26.88	44.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	-50.82	4.81	-13.0	-37.82	122.00	Vertical	Vertical	N/A
872.494	-37.25	4.27	-13.0	-24.25	1.00	Vertical	Vertical	N/A
2080.100	-52.78	-0.97	-13.0	-39.78	205.00	Vertical	Vertical	Pass
3983.250	-46.37	9.28	-13.0	-33.37	8.00	Vertical	Vertical	Pass
6786.000	-38.90	14.39	-13.0	-25.90	115.00	Vertical	Vertical	Pass
8963.900	-39.39	13.57	-13.0	-26.39	188.00	Vertical	Vertical	Pass

RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.943	-57.56	4.79	-13.0	-44.56	312.00	Vertical	Horizontal	N/A
884.376	-38.92	4.21	-13.0	-25.92	255.00	Vertical	Horizontal	N/A
2092.000	-53.64	-0.79	-13.0	-40.64	95.00	Vertical	Horizontal	Pass
3907.250	-46.39	9.27	-13.0	-33.39	1.00	Vertical	Horizontal	Pass
7195.000	-39.08	14.78	-13.0	-26.08	305.00	Vertical	Horizontal	Pass
8946.400	-40.24	13.59	-13.0	-27.24	346.00	Vertical	Horizontal	Pass




## 20.6 n5 BW20, QPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.622	-53.22	4.82	-13.0	-40.22	112.00	Horizontal	Horizontal	N/A
889.420	-26.21	4.61	-13.0	-13.21	193.00	Horizontal	Horizontal	N/A
1654.500	-53.63	-4.14	-13.0	-40.63	334.00	Horizontal	Horizontal	Pass
3853.750	-46.73	8.84	-13.0	-33.73	348.00	Horizontal	Horizontal	Pass
7791.500	-38.89	15.68	-13.0	-25.89	125.00	Horizontal	Horizontal	Pass
9314.400	-40.41	15.18	-13.0	-27.41	96.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
827.049	-54.25	4.39	-13.0	-41.25	213.00	Horizontal	Vertical	N/A
881.951	-29.69	4.17	-13.0	-16.69	192.00	Horizontal	Vertical	N/A
2097.400	-53.77	-0.21	-13.0	-40.77	236.00	Horizontal	Vertical	Pass
4030.000	-46.57	9.24	-13.0	-33.57	272.00	Horizontal	Vertical	Pass
6645.000	-39.14	15.13	-13.0	-26.14	227.00	Horizontal	Vertical	Pass
8694.100	-40.79	14.07	-13.0	-27.79	131.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.804	-50.57	4.91	-13.0	-37.57	114.00	Vertical	Vertical	N/A
882.436	-36.67	4.17	-13.0	-23.67	109.00	Vertical	Vertical	N/A
2024.700	-53.46	-1.77	-13.0	-40.46	0.00	Vertical	Vertical	Pass
3924.000	-46.17	8.90	-13.0	-33.17	148.00	Vertical	Vertical	Pass
6669.750	-39.26	14.62	-13.0	-26.26	338.00	Vertical	Vertical	Pass
9358.500	-40.32	14.57	-13.0	-27.32	360.00	Vertical	Vertical	Pass

RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
827.049	-57.53	4.39	-13.0	-44.53	28.00	Vertical	Horizontal	N/A
884.376	-35.26	4.21	-13.0	-22.26	86.00	Vertical	Horizontal	N/A
2111.700	-52.54	-0.44	-13.0	-39.54	175.00	Vertical	Horizontal	Pass
4782.750	-44.49	9.66	-13.0	-31.49	163.00	Vertical	Horizontal	Pass
7818.250	-38.96	16.33	-13.0	-25.96	80.00	Vertical	Horizontal	Pass
8995.200	-40.24	13.59	-13.0	-27.24	182.00	Vertical	Horizontal	Pass

21 n7


21.1 n7 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.512	-67.04	-15.90	-25.0	-42.04	130.00	Horizontal	Horizontal	Pass
2536.100	-36.42	8.16	-25.0	-11.42	360.00	Horizontal	Horizontal	N/A
2655.200	-19.09	8.24	-25.0	5.91	185.00	Horizontal	Horizontal	N/A
7781.750	-37.92	15.46	-25.0	-12.92	-1.00	Horizontal	Horizontal	Pass
13811.025	-38.56	16.75	-25.0	-13.56	97.00	Horizontal	Horizontal	Pass
20360.700	-40.24	12.97	-25.0	-15.24	361.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
187.286	-68.30	-16.56	-25.0	-43.30	319.00	Horizontal	Vertical	Pass
2535.300	-43.05	8.17	-25.0	-18.05	283.00	Horizontal	Vertical	N/A
2654.700	-20.48	8.30	-25.0	4.52	266.00	Horizontal	Vertical	N/A
7809.500	-38.90	16.24	-25.0	-13.90	278.00	Horizontal	Vertical	Pass
13359.526	-38.85	16.63	-25.0	-13.85	36.00	Horizontal	Vertical	Pass
19742.401	-39.50	12.94	-25.0	-14.50	282.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
187.092	-65.63	-16.55	-25.0	-40.63	9.00	Vertical	Vertical	Pass
2536.500	-39.55	8.16	-25.0	-14.55	126.00	Vertical	Vertical	N/A
2656.900	-25.59	8.09	-25.0	-0.59	217.00	Vertical	Vertical	N/A
6670.250	-38.86	14.59	-25.0	-13.86	88.00	Vertical	Vertical	Pass
13386.299	-38.90	16.88	-25.0	-13.90	126.00	Vertical	Vertical	Pass
19782.001	-39.77	12.94	-25.0	-14.77	323.00	Vertical	Vertical	Pass

RSE-V&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.142	-67.86	-15.83	-25.0	-42.86	129.00	Vertical	Horizontal	Pass
2555.900	-45.79	8.21	-25.0	-20.79	308.00	Vertical	Horizontal	Pass
2654.600	-33.18	8.30	-25.0	-8.18	274.00	Vertical	Horizontal	N/A
7776.250	-39.02	15.10	-25.0	-14.02	191.00	Vertical	Horizontal	Pass
13362.413	-37.47	16.66	-25.0	-12.47	56.00	Vertical	Horizontal	Pass
20100.151	-40.54	12.96	-25.0	-15.54	361.00	Vertical	Horizontal	Pass




## 21.2 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.318	-67.23	-15.94	-25.0	-42.23	153.00	Horizontal	Horizontal	Pass
2538.000	-37.33	8.16	-25.0	-12.33	135.00	Horizontal	Horizontal	N/A
2655.500	-20.05	8.20	-25.0	4.95	219.00	Horizontal	Horizontal	N/A
6659.500	-38.73	14.85	-25.0	-13.73	198.00	Horizontal	Horizontal	Pass
12901.200	-39.07	15.46	-25.0	-14.07	1.00	Horizontal	Horizontal	Pass
20030.849	-40.11	12.95	-25.0	-15.11	67.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.831	-68.33	-16.85	-25.0	-43.33	311.00	Horizontal	Vertical	Pass
2537.500	-43.19	8.16	-25.0	-18.19	361.00	Horizontal	Vertical	N/A
2655.100	-18.99	8.25	-25.0	6.01	308.00	Horizontal	Vertical	N/A
5066.250	-41.12	11.31	-25.0	-16.12	220.00	Horizontal	Vertical	Pass
13355.850	-38.46	16.59	-25.0	-13.46	58.00	Horizontal	Vertical	Pass
19655.551	-40.39	12.93	-25.0	-15.39	199.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
187.722	-65.39	-16.59	-25.0	-40.39	362.00	Vertical	Vertical	Pass
2537.800	-39.72	8.16	-25.0	-14.72	19.00	Vertical	Vertical	N/A
2654.100	-26.63	8.31	-25.0	-1.63	204.00	Vertical	Vertical	N/A
7804.750	-38.15	16.08	-25.0	-13.15	337.00	Vertical	Vertical	Pass
13386.825	-38.76	16.89	-25.0	-13.76	121.00	Vertical	Vertical	Pass
19753.200	-40.46	12.94	-25.0	-15.46	142.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.648	-66.49	-15.39	-25.0	-41.49	145.00	Vertical	Horizontal	Pass
2572.600	-45.34	8.47	-25.0	-20.34	117.00	Vertical	Horizontal	Pass
2655.200	-32.09	8.24	-25.0	-7.09	184.00	Vertical	Horizontal	N/A
6725.000	-38.74	15.58	-25.0	-13.74	37.00	Vertical	Horizontal	Pass
13366.088	-38.84	16.69	-25.0	-13.84	175.00	Vertical	Horizontal	Pass
19766.249	-39.73	12.94	-25.0	-14.73	288.00	Vertical	Horizontal	Pass


### 21.3 n7 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.318	-67.87	-15.94	-25.0	-42.87	129.00	Horizontal	Horizontal	Pass
2536.400	-39.68	8.16	-25.0	-14.68	1.00	Horizontal	Horizontal	N/A
2650.900	-22.76	8.56	-25.0	2.24	194.00	Horizontal	Horizontal	N/A
6650.250	-39.23	15.11	-25.0	-14.23	291.00	Horizontal	Horizontal	Pass
13398.901	-38.35	17.00	-25.0	-13.35	61.00	Horizontal	Horizontal	Pass
19763.100	-40.18	12.94	-25.0	-15.18	123.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
186.122	-68.43	-16.84	-25.0	-43.43	304.00	Horizontal	Vertical	Pass
2536.000	-44.74	8.16	-25.0	-19.74	362.00	Horizontal	Vertical	N/A
2661.300	-26.31	7.91	-25.0	-1.31	219.00	Horizontal	Vertical	N/A
6692.500	-38.62	14.87	-25.0	-13.62	260.00	Horizontal	Vertical	Pass
13372.912	-38.49	16.76	-25.0	-13.49	284.00	Horizontal	Vertical	Pass
19783.350	-40.77	12.94	-25.0	-15.77	295.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.366	-65.64	-15.93	-25.0	-40.64	-2.00	Vertical	Vertical	Pass
2537.900	-42.45	8.16	-25.0	-17.45	362.00	Vertical	Vertical	N/A
2660.200	-33.22	7.94	-25.0	-8.22	101.00	Vertical	Vertical	N/A
7816.250	-38.23	16.32	-25.0	-13.23	50.00	Vertical	Vertical	Pass
13369.763	-38.50	16.73	-25.0	-13.50	24.00	Vertical	Vertical	Pass
19947.151	-40.25	12.95	-25.0	-15.25	362.00	Vertical	Vertical	Pass

RSE-V&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.411	-67.94	-16.91	-25.0	-42.94	85.00	Vertical	Horizontal	Pass
2516.000	-44.55	8.24	-25.0	-19.55	127.00	Vertical	Horizontal	Pass
2652.100	-35.90	8.44	-25.0	-10.90	193.00	Vertical	Horizontal	N/A
6814.500	-38.61	14.32	-25.0	-13.61	219.00	Vertical	Horizontal	Pass
13407.300	-38.28	16.85	-25.0	-13.28	7.00	Vertical	Horizontal	Pass
19812.600	-40.49	12.94	-25.0	-15.49	334.00	Vertical	Horizontal	Pass




## 21.4 n7 BW15, QPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.930	-67.97	-16.02	-25.0	-42.97	142.00	Horizontal	Horizontal	Pass
2537.600	-42.42	8.16	-25.0	-17.42	42.00	Horizontal	Horizontal	N/A
2651.700	-25.90	8.49	-25.0	-0.90	192.00	Horizontal	Horizontal	N/A
7867.000	-38.75	14.67	-25.0	-13.75	0.00	Horizontal	Horizontal	Pass
13353.224	-38.75	16.57	-25.0	-13.75	344.00	Horizontal	Horizontal	Pass
19755.000	-39.42	12.94	-25.0	-14.42	53.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.953	-68.55	-16.31	-25.0	-43.55	287.00	Horizontal	Vertical	Pass
2508.800	-44.95	8.26	-25.0	-19.95	274.00	Horizontal	Vertical	Pass
2657.000	-27.64	8.07	-25.0	-2.64	17.00	Horizontal	Vertical	N/A
6717.750	-38.94	15.59	-25.0	-13.94	196.00	Horizontal	Vertical	Pass
13351.125	-38.56	16.55	-25.0	-13.56	284.00	Horizontal	Vertical	Pass
19499.401	-40.25	12.93	-25.0	-15.25	362.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.318	-64.78	-15.94	-25.0	-39.78	360.00	Vertical	Vertical	Pass
2536.100	-43.19	8.16	-25.0	-18.19	243.00	Vertical	Vertical	N/A
2651.900	-34.18	8.47	-25.0	-9.18	226.00	Vertical	Vertical	N/A
7061.000	-38.83	13.77	-25.0	-13.83	16.00	Vertical	Vertical	Pass
13812.862	-38.78	16.71	-25.0	-13.78	304.00	Vertical	Vertical	Pass
19404.450	-40.38	12.92	-25.0	-15.38	32.00	Vertical	Vertical	Pass


RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.018	-66.50	-15.48	-25.0	-41.50	128.00	Vertical	Horizontal	Pass
2555.700	-44.31	8.20	-25.0	-19.31	-1.00	Vertical	Horizontal	Pass
2651.300	-39.95	8.54	-25.0	-14.95	27.00	Vertical	Horizontal	N/A
6823.250	-38.65	14.20	-25.0	-13.65	123.00	Vertical	Horizontal	Pass
13363.200	-38.58	16.66	-25.0	-13.58	226.00	Vertical	Horizontal	Pass
19729.801	-40.78	12.94	-25.0	-15.78	12.00	Vertical	Horizontal	Pass


### 21.5 n7 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.202	-67.41	-16.08	-25.0	-42.41	117.00	Horizontal	Horizontal	Pass
2530.100	-40.65	8.18	-25.0	-15.65	155.00	Horizontal	Horizontal	N/A
2651.400	-26.54	8.53	-25.0	-1.54	191.00	Horizontal	Horizontal	N/A
4434.250	-45.44	9.63	-25.0	-20.44	178.00	Horizontal	Horizontal	Pass
6651.500	-38.86	15.06	-25.0	-13.86	339.00	Horizontal	Horizontal	Pass
13384.200	-38.27	16.86	-25.0	-13.27	-1.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.560	-68.11	-15.89	-25.0	-43.11	145.00	Horizontal	Vertical	Pass
2576.400	-44.54	8.53	-25.0	-19.54	2.00	Horizontal	Vertical	N/A
2664.100	-28.77	7.90	-25.0	-3.77	224.00	Horizontal	Vertical	N/A
3761.000	-46.78	8.90	-25.0	-21.78	266.00	Horizontal	Vertical	Pass
6689.750	-38.98	14.74	-25.0	-13.98	41.00	Horizontal	Vertical	Pass
13426.463	-38.36	16.43	-25.0	-13.36	308.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
187.577	-64.95	-16.58	-25.0	-39.95	0.00	Vertical	Vertical	Pass
2530.500	-43.05	8.18	-25.0	-18.05	195.00	Vertical	Vertical	N/A
2648.900	-38.34	8.54	-25.0	-13.34	255.00	Vertical	Vertical	N/A
4883.250	-43.47	10.67	-25.0	-18.47	29.00	Vertical	Vertical	Pass
7934.000	-38.84	14.66	-25.0	-13.84	8.00	Vertical	Vertical	Pass
13345.875	-38.57	16.38	-25.0	-13.57	85.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.466	-68.36	-15.74	-25.0	-43.36	170.00	Vertical	Horizontal	Pass
2555.300	-44.38	8.20	-25.0	-19.38	335.00	Vertical	Horizontal	N/A
2655.400	-38.83	8.21	-25.0	-13.83	268.00	Vertical	Horizontal	N/A
6650.750	-37.38	15.09	-25.0	-12.38	222.00	Vertical	Horizontal	Pass
12774.938	-39.02	14.36	-25.0	-14.02	150.00	Vertical	Horizontal	Pass
19761.199	-40.60	12.94	-25.0	-15.60	207.00	Vertical	Horizontal	Pass




## 21.6 n7 BW20, QPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.464	-66.39	-15.91	-25.0	-41.39	123.00	Horizontal	Horizontal	Pass
2530.600	-39.51	8.18	-25.0	-14.51	34.00	Horizontal	Horizontal	N/A
2648.300	-26.21	8.52	-25.0	-1.21	181.00	Horizontal	Horizontal	N/A
6624.250	-38.59	14.67	-25.0	-13.59	277.00	Horizontal	Horizontal	Pass
13402.838	-38.42	16.95	-25.0	-13.42	270.00	Horizontal	Horizontal	Pass
17801.550	-40.85	13.16	-25.0	-15.85	84.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.904	-68.06	-16.31	-25.0	-43.06	302.00	Horizontal	Vertical	Pass
2497.400	-44.87	8.27	-25.0	-19.87	73.00	Horizontal	Vertical	Pass
2648.000	-28.02	8.49	-25.0	-3.02	209.00	Horizontal	Vertical	N/A
6604.000	-39.38	14.30	-25.0	-14.38	52.00	Horizontal	Vertical	Pass
13403.099	-38.83	16.94	-25.0	-13.83	358.00	Horizontal	Vertical	Pass
19738.800	-40.72	12.94	-25.0	-15.72	361.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.240	-65.19	-15.84	-25.0	-40.19	0.00	Vertical	Vertical	Pass
2536.800	-41.77	8.16	-25.0	-16.77	192.00	Vertical	Vertical	N/A
2662.600	-37.59	7.85	-25.0	-12.59	166.00	Vertical	Vertical	N/A
4882.250	-42.89	10.59	-25.0	-17.89	357.00	Vertical	Vertical	Pass
7353.500	-38.02	14.91	-25.0	-13.02	237.00	Vertical	Vertical	Pass
13356.112	-38.60	16.60	-25.0	-13.60	15.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.210	-68.67	-15.90	-25.0	-43.67	177.00	Vertical	Horizontal	Pass
2556.400	-44.22	8.21	-25.0	-19.22	119.00	Vertical	Horizontal	N/A
2656.000	-39.69	8.19	-25.0	-14.69	267.00	Vertical	Horizontal	N/A
3891.750	-45.89	9.05	-25.0	-20.89	337.00	Vertical	Horizontal	Pass
6009.750	-40.32	13.31	-25.0	-15.32	51.00	Vertical	Horizontal	Pass
13360.312	-38.30	16.64	-25.0	-13.30	250.00	Vertical	Horizontal	Pass

22 n41


22.1 n41 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
190.584	-66.74	-16.29	-25.0	-41.74	127.00	Horizontal	Horizontal	Pass
1331.100	-51.82	-0.32	-25.0	-26.82	322.00	Horizontal	Horizontal	Pass
2559.900	-39.95	8.59	-25.0	-14.95	359.00	Horizontal	Horizontal	N/A
6639.000	-39.26	15.04	-25.0	-14.26	324.00	Horizontal	Horizontal	Pass
13495.763	-38.11	15.42	-25.0	-13.11	247.00	Horizontal	Horizontal	Pass
19656.651	-40.82	12.93	-25.0	-15.82	185.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.466	-65.17	-15.74	-25.0	-40.17	299.00	Horizontal	Vertical	Pass
2023.100	-48.52	4.17	-25.0	-23.52	0.00	Horizontal	Vertical	Pass
2599.700	-43.22	9.75	-25.0	-18.22	225.00	Horizontal	Vertical	N/A
4877.000	-43.64	10.45	-25.0	-18.64	60.00	Horizontal	Vertical	Pass
6710.000	-38.09	15.63	-25.0	-13.09	124.00	Horizontal	Vertical	Pass
13341.150	-38.35	16.19	-25.0	-13.35	-1.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.242	-69.03	-15.57	-25.0	-44.03	363.00	Vertical	Vertical	Pass
1553.000	-51.80	0.31	-25.0	-26.80	231.00	Vertical	Vertical	Pass
2591.100	-40.76	9.54	-25.0	-15.76	84.00	Vertical	Vertical	N/A
4993.500	-43.62	10.70	-25.0	-18.62	8.00	Vertical	Vertical	Pass
6665.000	-39.05	14.69	-25.0	-14.05	61.00	Vertical	Vertical	Pass
13409.138	-38.19	16.81	-25.0	-13.19	36.00	Vertical	Vertical	Pass

RSE-V&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.667	-66.34	-24.24	-25.0	-41.34	335.00	Vertical	Horizontal	Pass
1590.900	-52.00	0.17	-25.0	-27.00	315.00	Vertical	Horizontal	Pass
2577.000	-43.16	9.21	-25.0	-18.16	0.00	Vertical	Horizontal	Pass
4006.500	-46.57	9.10	-25.0	-21.57	272.00	Vertical	Horizontal	Pass
6644.250	-39.23	15.11	-25.0	-14.23	360.00	Vertical	Horizontal	Pass
13367.663	-37.94	16.71	-25.0	-12.94	106.00	Vertical	Horizontal	Pass




## 22.2 n41 BW20, QPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.833	-65.40	-16.03	-25.0	-40.40	108.00	Horizontal	Horizontal	Pass
1541.400	-52.85	0.11	-25.0	-27.85	127.00	Horizontal	Horizontal	Pass
2591.100	-41.10	9.54	-25.0	-16.10	341.00	Horizontal	Horizontal	N/A
6925.000	-38.75	14.00	-25.0	-13.75	360.00	Horizontal	Horizontal	Pass
13388.137	-38.68	16.90	-25.0	-13.68	300.00	Horizontal	Horizontal	Pass
17956.950	-40.47	13.92	-25.0	-15.47	-2.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.336	-71.40	-15.84	-25.0	-46.40	112.00	Horizontal	Vertical	Pass
1293.100	-53.10	-0.76	-25.0	-28.10	225.00	Horizontal	Vertical	Pass
2590.700	-44.09	9.53	-25.0	-19.09	316.00	Horizontal	Vertical	N/A
3900.000	-46.60	9.23	-25.0	-21.60	93.00	Horizontal	Vertical	Pass
6958.250	-39.15	13.54	-25.0	-14.15	50.00	Horizontal	Vertical	Pass
12655.000	-38.99	14.32	-25.0	-13.99	360.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.692	-69.40	-16.46	-25.0	-44.40	49.00	Vertical	Vertical	Pass
1624.600	-51.81	0.46	-25.0	-26.81	237.00	Vertical	Vertical	Pass
2591.300	-42.20	9.55	-25.0	-17.20	133.00	Vertical	Vertical	N/A
7147.250	-37.92	14.08	-25.0	-12.92	357.00	Vertical	Vertical	Pass
13369.238	-38.70	16.72	-25.0	-13.70	328.00	Vertical	Vertical	Pass
19773.100	-40.48	12.94	-25.0	-15.48	163.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.328	-67.76	-24.37	-25.0	-42.76	2.00	Vertical	Horizontal	Pass
1756.100	-51.38	0.04	-25.0	-26.38	359.00	Vertical	Horizontal	Pass
2600.200	-42.91	9.76	-25.0	-17.91	247.00	Vertical	Horizontal	N/A
6697.500	-38.76	15.21	-25.0	-13.76	148.00	Vertical	Horizontal	Pass
11955.088	-39.78	13.99	-25.0	-14.78	301.00	Vertical	Horizontal	Pass
17968.239	-40.63	13.64	-25.0	-15.63	-2.00	Vertical	Horizontal	Pass


### 22.3 n41 BW60, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
187.334	-68.98	-17.05	-25.0	-43.98	204.00	Horizontal	Horizontal	Pass
2564.700	4.99	8.31	-25.0	29.99	173.00	Horizontal	Horizontal	N/A
2631.500	-28.03	9.02	-25.0	-3.03	154.00	Horizontal	Horizontal	N/A
7996.250	-35.39	18.78	-25.0	-10.39	360.00	Horizontal	Horizontal	Pass
13392.600	-39.59	16.94	-25.0	-14.59	61.00	Horizontal	Horizontal	Pass
19995.750	-41.07	12.95	-25.0	-16.07	141.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.272	-66.55	-15.79	-25.0	-41.55	312.00	Horizontal	Vertical	Pass
1585.600	-51.93	0.26	-25.0	-26.93	356.00	Horizontal	Vertical	Pass
2564.500	6.05	8.91	-25.0	31.05	270.00	Horizontal	Vertical	N/A
2629.000	-38.68	8.47	-25.0	-13.68	197.00	Horizontal	Vertical	N/A
6818.500	-38.95	14.32	-25.0	-13.95	104.00	Horizontal	Vertical	Pass
13372.125	-37.95	16.75	-25.0	-12.95	48.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.611	-71.40	-15.70	-25.0	-46.40	360.00	Vertical	Vertical	Pass
1512.600	-52.59	-0.36	-25.0	-27.59	232.00	Vertical	Vertical	Pass
2564.700	9.30	8.91	-25.0	34.30	-2.00	Vertical	Vertical	N/A
2626.700	-33.89	9.09	-25.0	-8.89	348.00	Vertical	Vertical	N/A
6653.500	-38.63	15.02	-25.0	-13.63	148.00	Vertical	Vertical	Pass
13359.263	-38.86	16.63	-25.0	-13.86	253.00	Vertical	Vertical	Pass

RSE-V&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
603.609	-65.35	-4.94	-25.0	-40.35	51.00	Vertical	Horizontal	Pass
2565.000	-3.41	8.92	-25.0	21.59	1.00	Vertical	Horizontal	N/A
2630.600	-41.57	8.22	-25.0	-16.57	353.00	Vertical	Horizontal	N/A
6663.500	-38.59	14.66	-25.0	-13.59	353.00	Vertical	Horizontal	Pass
13379.474	-38.02	16.82	-25.0	-13.02	233.00	Vertical	Horizontal	Pass
19791.800	-39.61	12.94	-25.0	-14.61	106.00	Vertical	Horizontal	Pass




## 22.4 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.466	-68.15	-15.74	-25.0	-43.15	141.00	Horizontal	Horizontal	Pass
2564.900	13.56	8.92	-25.0	38.56	-1.00	Horizontal	Horizontal	N/A
2630.400	-31.53	8.24	-25.0	-6.53	1.00	Horizontal	Horizontal	N/A
6667.500	-38.84	14.55	-25.0	-13.84	352.00	Horizontal	Horizontal	Pass
13371.862	-38.21	16.75	-25.0	-13.21	-3.00	Horizontal	Horizontal	Pass
17935.950	-40.89	13.75	-25.0	-15.89	1.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.078	-65.93	-15.85	-25.0	-40.93	301.00	Horizontal	Vertical	Pass
1563.100	-52.16	0.33	-25.0	-27.16	182.00	Horizontal	Vertical	Pass
2564.500	3.46	8.91	-25.0	28.46	208.00	Horizontal	Vertical	N/A
2629.600	-39.06	8.34	-25.0	-14.06	194.00	Horizontal	Vertical	N/A
13402.838	-38.42	16.95	-25.0	-13.42	227.00	Horizontal	Vertical	Pass
19772.676	-40.01	12.94	-25.0	-15.01	313.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.492	-66.42	-23.70	-25.0	-41.42	261.00	Vertical	Vertical	Pass
2564.600	10.48	8.91	-25.0	35.48	233.00	Vertical	Vertical	N/A
2630.300	-34.79	8.24	-25.0	-9.79	55.00	Vertical	Vertical	N/A
6702.000	-39.16	15.50	-25.0	-14.16	179.00	Vertical	Vertical	Pass
13819.162	-38.25	16.56	-25.0	-13.25	208.00	Vertical	Vertical	Pass
19720.825	-40.58	12.94	-25.0	-15.58	15.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.279	-65.71	-24.39	-25.0	-40.71	305.00	Vertical	Horizontal	Pass
2564.700	1.39	8.91	-25.0	26.39	31.00	Vertical	Horizontal	N/A
2629.900	-40.84	8.28	-25.0	-15.84	7.00	Vertical	Horizontal	N/A
6639.500	-39.01	15.08	-25.0	-14.01	151.00	Vertical	Horizontal	Pass
13380.787	-38.37	16.83	-25.0	-13.37	4.00	Vertical	Horizontal	Pass
19516.824	-41.05	12.93	-25.0	-16.05	363.00	Vertical	Horizontal	Pass


## 22.5 n41 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
184.715	-65.55	-17.02	-25.0	-40.55	66.00	Horizontal	Horizontal	Pass
2544.600	12.50	6.39	-25.0	37.50	25.00	Horizontal	Horizontal	N/A
2627.400	-17.62	8.72	-25.0	7.38	155.00	Horizontal	Horizontal	N/A
6644.250	-38.81	15.11	-25.0	-13.81	135.00	Horizontal	Horizontal	Pass
13360.838	-38.62	16.64	-25.0	-13.62	0.00	Horizontal	Horizontal	Pass
20350.349	-40.59	12.97	-25.0	-15.59	324.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.126	-67.29	-15.83	-25.0	-42.29	240.00	Horizontal	Vertical	Pass
2544.700	6.15	6.37	-25.0	31.15	204.00	Horizontal	Vertical	N/A
2632.700	-24.45	8.14	-25.0	0.55	85.00	Horizontal	Vertical	N/A
7184.500	-38.84	14.53	-25.0	-13.84	229.00	Horizontal	Vertical	Pass
13355.588	-38.35	16.59	-25.0	-13.35	361.00	Horizontal	Vertical	Pass
20298.600	-40.51	12.97	-25.0	-15.51	296.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.571	-67.26	-24.27	-25.0	-42.26	124.00	Vertical	Vertical	Pass
2544.700	12.21	6.37	-25.0	37.21	103.00	Vertical	Vertical	N/A
2627.800	-18.35	8.66	-25.0	6.65	86.00	Vertical	Vertical	N/A
7804.750	-38.59	16.08	-25.0	-13.59	0.00	Vertical	Vertical	Pass
13377.901	-37.94	16.80	-25.0	-12.94	123.00	Vertical	Vertical	Pass
19438.651	-40.37	12.92	-25.0	-15.37	360.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.764	-67.19	-24.21	-25.0	-42.19	347.00	Vertical	Horizontal	Pass
2544.700	12.46	6.37	-25.0	37.46	77.00	Vertical	Horizontal	N/A
2627.000	-15.93	8.93	-25.0	9.07	134.00	Vertical	Horizontal	N/A
6708.000	-39.19	15.71	-25.0	-14.19	344.00	Vertical	Horizontal	Pass
13807.875	-37.24	16.83	-25.0	-12.24	128.00	Vertical	Horizontal	Pass
19925.101	-40.28	12.95	-25.0	-15.28	349.00	Vertical	Horizontal	Pass




## 22.6 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.514	-66.44	-15.72	-25.0	-41.44	69.00	Horizontal	Horizontal	Pass
2544.700	12.58	6.37	-25.0	37.58	92.00	Horizontal	Horizontal	N/A
2628.600	-15.79	8.53	-25.0	9.21	133.00	Horizontal	Horizontal	N/A
7797.500	-37.93	15.81	-25.0	-12.93	138.00	Horizontal	Horizontal	Pass
13383.412	-38.24	16.85	-25.0	-13.24	153.00	Horizontal	Horizontal	Pass
20353.499	-39.75	12.97	-25.0	-14.75	127.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.787	-66.77	-15.93	-25.0	-41.77	72.00	Horizontal	Vertical	Pass
2544.800	5.49	6.35	-25.0	30.49	304.00	Horizontal	Vertical	N/A
2629.600	-23.87	8.34	-25.0	1.13	196.00	Horizontal	Vertical	N/A
6656.250	-38.82	15.05	-25.0	-13.82	43.00	Horizontal	Vertical	Pass
13351.388	-38.37	16.55	-25.0	-13.37	241.00	Horizontal	Vertical	Pass
20225.249	-40.83	12.96	-25.0	-15.83	14.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.466	-67.99	-15.74	-25.0	-42.99	25.00	Vertical	Vertical	Pass
2544.500	12.21	6.42	-25.0	37.21	225.00	Vertical	Vertical	N/A
2630.100	-19.75	8.26	-25.0	5.25	54.00	Vertical	Vertical	N/A
6670.250	-38.70	14.59	-25.0	-13.70	329.00	Vertical	Vertical	Pass
13801.838	-38.28	16.97	-25.0	-13.28	152.00	Vertical	Vertical	Pass
19759.499	-40.19	12.94	-25.0	-15.19	67.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.522	-67.08	-24.29	-25.0	-42.08	352.00	Vertical	Horizontal	Pass
2544.600	3.95	6.39	-25.0	28.95	26.00	Vertical	Horizontal	N/A
2626.800	-28.45	9.04	-25.0	-3.45	308.00	Vertical	Horizontal	N/A
6833.500	-38.63	14.16	-25.0	-13.63	143.00	Vertical	Horizontal	Pass
13363.200	-37.72	16.66	-25.0	-12.72	141.00	Vertical	Horizontal	Pass
19777.051	-40.11	12.94	-25.0	-15.11	197.00	Vertical	Horizontal	Pass

23 n77(3450-3550MHz)


23.1 n77(3450-3550MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.706	-66.92	-15.87	-13.0	-53.92	251.00	Horizontal	Horizontal	Pass
2111.300	-53.12	-0.28	-13.0	-40.12	306.00	Horizontal	Horizontal	Pass
3497.250	-31.92	14.85	-13.0	-18.92	147.00	Horizontal	Horizontal	N/A
7963.750	-29.19	25.14	-13.0	-16.19	225.00	Horizontal	Horizontal	Pass
12697.750	-37.56	16.50	-13.0	-24.56	34.00	Horizontal	Horizontal	Pass
17960.624	-40.39	13.83	-13.0	-27.39	241.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.822	-67.96	-15.87	-13.0	-54.96	228.00	Horizontal	Vertical	Pass
2110.600	-53.43	-0.29	-13.0	-40.43	274.00	Horizontal	Vertical	Pass
3418.000	-39.91	15.50	-13.0	-26.91	57.00	Horizontal	Vertical	Pass
7798.250	-30.31	25.33	-13.0	-17.31	230.00	Horizontal	Vertical	Pass
12611.063	-38.20	15.31	-13.0	-25.20	221.00	Horizontal	Vertical	Pass
17948.287	-41.11	14.05	-13.0	-28.11	253.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.007	-66.29	-24.12	-13.0	-53.29	169.00	Vertical	Vertical	Pass
1977.000	-53.56	-1.67	-13.0	-40.56	250.00	Vertical	Vertical	Pass
3497.250	-36.45	14.85	-13.0	-23.45	286.00	Vertical	Vertical	N/A
6982.250	-27.55	21.05	-13.0	-14.55	203.00	Vertical	Vertical	Pass
12681.600	-37.95	16.22	-13.0	-24.95	161.00	Vertical	Vertical	Pass
17798.926	-41.64	13.13	-13.0	-28.64	-1.00	Vertical	Vertical	Pass

RSE-V&H n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.056	-66.75	-24.08	-13.0	-53.75	156.00	Vertical	Horizontal	Pass
2113.400	-52.88	-0.26	-13.0	-39.88	64.00	Vertical	Horizontal	Pass
3396.750	-40.36	15.58	-13.0	-27.36	51.00	Vertical	Horizontal	Pass
6702.750	-30.69	23.68	-13.0	-17.69	145.00	Vertical	Horizontal	Pass
12503.000	-37.48	15.60	-13.0	-24.48	332.00	Vertical	Horizontal	Pass
17947.763	-41.17	14.04	-13.0	-28.17	362.00	Vertical	Horizontal	Pass




### 23.2 n77(3450-3550MHz) BW20, Middle Channel QPSK

RSE-H&H n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.318	-67.37	-15.94	-13.0	-54.37	235.00	Horizontal	Horizontal	Pass
2086.100	-53.02	-0.06	-13.0	-40.02	359.00	Horizontal	Horizontal	Pass
3496.500	-34.86	14.86	-13.0	-21.86	221.00	Horizontal	Horizontal	N/A
7866.750	-29.87	23.55	-13.0	-16.87	283.00	Horizontal	Horizontal	Pass
12673.526	-37.94	16.08	-13.0	-24.94	161.00	Horizontal	Horizontal	Pass
17941.987	-40.73	13.90	-13.0	-27.73	256.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.064	-66.95	-15.89	-13.0	-53.95	232.00	Horizontal	Vertical	Pass
2086.400	-52.93	-0.08	-13.0	-39.93	268.00	Horizontal	Vertical	Pass
3481.500	-39.88	15.01	-13.0	-26.88	15.00	Horizontal	Vertical	Pass
7959.250	-29.87	25.11	-13.0	-16.87	360.00	Horizontal	Vertical	Pass
13338.526	-37.62	16.09	-13.0	-24.62	347.00	Horizontal	Vertical	Pass
17954.324	-41.09	13.98	-13.0	-28.09	91.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.716	-65.88	-24.22	-13.0	-52.88	139.00	Vertical	Vertical	Pass
2103.100	-53.52	-0.38	-13.0	-40.52	359.00	Vertical	Vertical	Pass
3497.750	-36.96	14.85	-13.0	-23.96	266.00	Vertical	Vertical	N/A
6999.750	-27.86	20.90	-13.0	-14.86	172.00	Vertical	Vertical	Pass
13404.937	-37.59	16.90	-13.0	-24.59	15.00	Vertical	Vertical	Pass
17815.988	-40.79	12.77	-13.0	-27.79	175.00	Vertical	Vertical	Pass


RSE-V&Hn77 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.861	-65.37	-24.17	-13.0	-52.37	129.00	Vertical	Horizontal	Pass
2033.500	-53.26	-0.96	-13.0	-40.26	120.00	Vertical	Horizontal	Pass
3400.000	-40.53	15.60	-13.0	-27.53	119.00	Vertical	Horizontal	Pass
7942.000	-29.80	24.07	-13.0	-16.80	212.00	Vertical	Horizontal	Pass
12657.138	-38.14	15.79	-13.0	-25.14	188.00	Vertical	Horizontal	Pass
17812.312	-41.85	12.87	-13.0	-28.85	293.00	Vertical	Horizontal	Pass


### 23.3 n77(3450-3550MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.415	-66.74	-15.92	-13.0	-53.74	125.00	Horizontal	Horizontal	Pass
2046.700	-52.95	-0.94	-13.0	-39.95	363.00	Horizontal	Horizontal	Pass
3495.500	-32.40	14.87	-13.0	-19.40	321.00	Horizontal	Horizontal	N/A
6648.750	-31.13	23.30	-13.0	-18.13	332.00	Horizontal	Horizontal	Pass
9548.262	-38.80	14.00	-13.0	-25.80	12.00	Horizontal	Horizontal	Pass
12680.175	-37.45	16.20	-13.0	-24.45	284.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
186.316	-68.72	-16.81	-13.0	-55.72	303.00	Horizontal	Vertical	Pass
2024.600	-53.29	-0.90	-13.0	-40.29	20.00	Horizontal	Vertical	Pass
3494.750	-35.37	14.88	-13.0	-22.37	116.00	Horizontal	Vertical	N/A
5124.750	-36.99	17.78	-13.0	-23.99	235.00	Horizontal	Vertical	Pass
7805.500	-29.75	24.91	-13.0	-16.75	84.00	Horizontal	Vertical	Pass
12730.050	-38.08	16.22	-13.0	-25.08	260.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.172	-65.34	-15.97	-13.0	-52.34	-3.00	Vertical	Vertical	Pass
1319.000	-56.31	-4.20	-13.0	-43.31	340.00	Vertical	Vertical	Pass
1988.500	-54.16	-1.25	-13.0	-41.16	213.00	Vertical	Vertical	Pass
3494.500	-39.24	14.88	-13.0	-26.24	96.00	Vertical	Vertical	N/A
6637.500	-30.86	23.31	-13.0	-17.86	362.00	Vertical	Vertical	Pass
12515.350	-38.02	15.35	-13.0	-25.02	137.00	Vertical	Vertical	Pass

RSE-V&H n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.393	-66.34	-16.11	-13.0	-53.34	284.00	Vertical	Horizontal	Pass
2100.900	-53.53	-0.39	-13.0	-40.53	134.00	Vertical	Horizontal	Pass
3418.000	-40.14	15.50	-13.0	-27.14	165.00	Vertical	Horizontal	N/A
5172.250	-37.04	17.70	-13.0	-24.04	362.00	Vertical	Horizontal	Pass
7963.500	-30.06	25.14	-13.0	-17.06	303.00	Vertical	Horizontal	Pass
12698.937	-38.59	16.52	-13.0	-25.59	123.00	Vertical	Horizontal	Pass




### 23.4 n77(3450-3550MHz) BW50, Middle Channel QPSK

RSE-H&H n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.976	-67.71	-16.84	-13.0	-54.71	98.00	Horizontal	Horizontal	Pass
2110.600	-52.71	-0.29	-13.0	-39.71	20.00	Horizontal	Horizontal	Pass
3496.000	-32.38	14.86	-13.0	-19.38	323.00	Horizontal	Horizontal	N/A
4828.750	-37.92	16.93	-13.0	-24.92	65.00	Horizontal	Horizontal	Pass
7796.750	-29.87	25.31	-13.0	-16.87	323.00	Horizontal	Horizontal	Pass
12705.350	-37.69	16.48	-13.0	-24.69	303.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.978	-69.16	-16.01	-13.0	-56.16	142.00	Horizontal	Vertical	Pass
2048.000	-53.35	-1.07	-13.0	-40.35	155.00	Horizontal	Vertical	Pass
3495.750	-33.94	14.87	-13.0	-20.94	114.00	Horizontal	Vertical	N/A
4965.250	-36.51	18.36	-13.0	-23.51	0.00	Horizontal	Vertical	Pass
6651.750	-30.06	23.11	-13.0	-17.06	257.00	Horizontal	Vertical	Pass
12712.950	-37.66	16.40	-13.0	-24.66	287.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.152	-65.06	-16.90	-13.0	-52.06	-3.00	Vertical	Vertical	Pass
2106.900	-52.39	-0.37	-13.0	-39.39	183.00	Vertical	Vertical	Pass
3494.500	-38.06	14.88	-13.0	-25.06	93.00	Vertical	Vertical	N/A
5824.250	-33.89	19.77	-13.0	-20.89	355.00	Vertical	Vertical	Pass
7930.250	-30.37	23.71	-13.0	-17.37	292.00	Vertical	Vertical	Pass
12564.987	-38.68	14.81	-13.0	-25.68	356.00	Vertical	Vertical	Pass


RSE-V&H n77 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.235	-67.95	-16.14	-13.0	-54.95	137.00	Vertical	Horizontal	Pass
2043.000	-53.05	-0.70	-13.0	-40.05	99.00	Vertical	Horizontal	Pass
3434.000	-40.36	15.41	-13.0	-27.36	122.00	Vertical	Horizontal	N/A
6676.500	-29.33	22.53	-13.0	-16.33	227.00	Vertical	Horizontal	Pass
7970.000	-30.14	24.28	-13.0	-17.14	259.00	Vertical	Horizontal	Pass
12703.450	-37.84	16.50	-13.0	-24.84	152.00	Vertical	Horizontal	Pass


23.5 n77(3450-3550MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.344	-66.32	-16.02	-13.0	-53.32	69.00	Horizontal	Horizontal	Pass
2032.600	-52.64	-0.89	-13.0	-39.64	211.00	Horizontal	Horizontal	Pass
3451.750	-37.44	15.30	-13.0	-24.44	149.00	Horizontal	Horizontal	N/A
7238.250	-30.49	23.08	-13.0	-17.49	343.00	Horizontal	Horizontal	Pass
12650.250	-37.73	15.67	-13.0	-24.73	292.00	Horizontal	Horizontal	Pass
17803.651	-40.44	13.10	-13.0	-27.44	153.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.388	-66.38	-15.55	-13.0	-53.38	78.00	Horizontal	Vertical	Pass
2083.500	-53.36	-0.14	-13.0	-40.36	233.00	Horizontal	Vertical	Pass
3451.750	-39.60	15.30	-13.0	-26.60	6.00	Horizontal	Vertical	N/A
7798.000	-30.03	25.33	-13.0	-17.03	266.00	Horizontal	Vertical	Pass
12717.938	-38.18	16.35	-13.0	-25.18	34.00	Horizontal	Vertical	Pass
17944.349	-41.09	13.95	-13.0	-28.09	347.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.734	-66.19	-23.47	-13.0	-53.19	175.00	Vertical	Vertical	Pass
2094.600	-53.14	-0.20	-13.0	-40.14	199.00	Vertical	Vertical	Pass
3495.250	-37.66	14.87	-13.0	-24.66	234.00	Vertical	Vertical	N/A
6902.500	-26.19	22.29	-13.0	-13.19	162.00	Vertical	Vertical	Pass
12704.874	-37.51	16.49	-13.0	-24.51	144.00	Vertical	Vertical	Pass
17798.136	-41.27	13.08	-13.0	-28.27	362.00	Vertical	Vertical	Pass

RSE-V&H n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.686	-65.85	-23.51	-13.0	-52.85	129.00	Vertical	Horizontal	Pass
2154.600	-52.89	-1.79	-13.0	-39.89	17.00	Vertical	Horizontal	Pass
3394.500	-40.39	15.57	-13.0	-27.39	275.00	Vertical	Horizontal	Pass
7818.000	-29.60	24.41	-13.0	-16.60	251.00	Vertical	Horizontal	Pass
13379.738	-38.21	16.82	-13.0	-25.21	117.00	Vertical	Horizontal	Pass
17949.073	-40.74	14.07	-13.0	-27.74	136.00	Vertical	Horizontal	Pass




### 23.6 n77(3450-3550MHz) BW100, Middle Channel QPSK

RSE-H&H n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.029	-68.30	-15.86	-13.0	-55.30	297.00	Horizontal	Horizontal	Pass
2137.800	-53.14	-0.82	-13.0	-40.14	65.00	Horizontal	Horizontal	Pass
3451.500	-34.24	15.30	-13.0	-21.24	173.00	Horizontal	Horizontal	N/A
7798.750	-29.93	25.33	-13.0	-16.93	173.00	Horizontal	Horizontal	Pass
12724.112	-38.44	16.28	-13.0	-25.44	0.00	Horizontal	Horizontal	Pass
17961.413	-41.38	13.81	-13.0	-28.38	362.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.223	-68.12	-15.80	-13.0	-55.12	301.00	Horizontal	Vertical	Pass
2136.400	-53.37	-0.69	-13.0	-40.37	361.00	Horizontal	Vertical	Pass
3378.750	-25.70	15.43	-13.0	-12.70	140.00	Horizontal	Vertical	N/A
7967.250	-29.65	24.74	-13.0	-16.65	243.00	Horizontal	Vertical	Pass
12696.563	-38.91	16.48	-13.0	-25.91	305.00	Horizontal	Vertical	Pass
17811.788	-41.46	12.88	-13.0	-28.46	35.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
395.836	-71.38	-9.60	-13.0	-58.38	3.00	Vertical	Vertical	Pass
2104.400	-53.49	-0.34	-13.0	-40.49	165.00	Vertical	Vertical	Pass
3522.250	-37.31	14.75	-13.0	-24.31	280.00	Vertical	Vertical	N/A
7779.500	-30.27	23.82	-13.0	-17.27	64.00	Vertical	Vertical	Pass
12667.825	-38.04	15.98	-13.0	-25.04	0.00	Vertical	Vertical	Pass
17810.213	-41.24	12.92	-13.0	-28.24	224.00	Vertical	Vertical	Pass

RSE-V&H n77 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.007	-68.79	-24.12	-13.0	-55.79	246.00	Vertical	Horizontal	Pass
2004.600	-54.01	-1.54	-13.0	-41.01	1.00	Vertical	Horizontal	Pass
3459.500	-39.24	15.22	-13.0	-26.24	193.00	Vertical	Horizontal	Pass
7947.500	-29.75	24.17	-13.0	-16.75	357.00	Vertical	Horizontal	Pass
12653.100	-37.87	15.72	-13.0	-24.87	159.00	Vertical	Horizontal	Pass
17931.225	-40.74	13.64	-13.0	-27.74	319.00	Vertical	Horizontal	Pass

24 n77(3700-3980MHz)


24.1 n77(3700-3980MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.059	-66.87	-16.03	-13.0	-53.87	295.00	Horizontal	Horizontal	Pass
2114.500	-53.20	-0.32	-13.0	-40.20	209.00	Horizontal	Horizontal	Pass
3840.250	-30.25	16.11	-13.0	-17.25	127.00	Horizontal	Horizontal	N/A
6641.500	-30.56	23.52	-13.0	-17.56	360.00	Horizontal	Horizontal	Pass
12484.950	-38.09	15.16	-13.0	-25.09	244.00	Horizontal	Horizontal	Pass
17800.499	-41.10	13.19	-13.0	-28.10	286.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.574	-68.40	-16.07	-13.0	-55.40	312.00	Horizontal	Vertical	Pass
2014.200	-52.78	-1.40	-13.0	-39.78	158.00	Horizontal	Vertical	Pass
3838.000	-29.90	16.10	-13.0	-16.90	142.00	Horizontal	Vertical	N/A
7814.250	-29.88	24.56	-13.0	-16.88	192.00	Horizontal	Vertical	Pass
12490.412	-38.24	15.34	-13.0	-25.24	0.00	Horizontal	Vertical	Pass
17952.225	-41.13	14.03	-13.0	-28.13	222.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
394.284	-68.50	-9.71	-13.0	-55.50	0.00	Vertical	Vertical	Pass
2090.600	-53.47	-0.14	-13.0	-40.47	275.00	Vertical	Vertical	Pass
3832.000	-33.84	16.06	-13.0	-20.84	65.00	Vertical	Vertical	N/A
7684.250	-29.24	22.20	-13.0	-16.24	190.00	Vertical	Vertical	Pass
12499.200	-38.00	15.63	-13.0	-25.00	45.00	Vertical	Vertical	Pass
17797.087	-40.73	13.02	-13.0	-27.73	110.00	Vertical	Vertical	Pass

RSE-V&H n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
396.757	-69.69	-9.50	-13.0	-56.69	38.00	Vertical	Horizontal	Pass
2095.500	-53.26	-0.34	-13.0	-40.26	266.00	Vertical	Horizontal	Pass
4024.750	-38.01	17.29	-13.0	-25.01	342.00	Vertical	Horizontal	Pass
6669.750	-30.09	22.60	-13.0	-17.09	240.00	Vertical	Horizontal	Pass
12729.813	-37.65	16.22	-13.0	-24.65	290.00	Vertical	Horizontal	Pass
17933.062	-41.60	13.68	-13.0	-28.60	362.00	Vertical	Horizontal	Pass




## 24.2 n77(3700-3980MHz) BW20, Middle Channel QPSK

RSE-H&H n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.175	-67.82	-15.82	-13.0	-54.82	302.00	Horizontal	Horizontal	Pass
2057.000	-53.07	-0.97	-13.0	-40.07	361.00	Horizontal	Horizontal	Pass
3838.750	-30.28	16.10	-13.0	-17.28	120.00	Horizontal	Horizontal	N/A
7818.500	-30.29	24.46	-13.0	-17.29	315.00	Horizontal	Horizontal	Pass
13368.974	-38.28	16.72	-13.0	-25.28	360.00	Horizontal	Horizontal	Pass
17943.038	-41.30	13.92	-13.0	-28.30	118.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.951	-69.06	-15.63	-13.0	-56.06	290.00	Horizontal	Vertical	Pass
2046.700	-53.14	-0.94	-13.0	-40.14	-2.00	Horizontal	Vertical	Pass
3840.500	-29.59	16.11	-13.0	-16.59	129.00	Horizontal	Vertical	N/A
7810.250	-30.04	24.71	-13.0	-17.04	129.00	Horizontal	Vertical	Pass
12510.599	-38.12	15.44	-13.0	-25.12	259.00	Horizontal	Vertical	Pass
17956.426	-40.33	13.93	-13.0	-27.33	359.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.902	-70.37	-15.64	-13.0	-57.37	362.00	Vertical	Vertical	Pass
2112.500	-52.61	-0.19	-13.0	-39.61	358.00	Vertical	Vertical	Pass
3841.000	-32.84	16.12	-13.0	-19.84	100.00	Vertical	Vertical	N/A
7877.750	-29.96	23.70	-13.0	-16.96	120.00	Vertical	Vertical	Pass
12722.688	-37.88	16.29	-13.0	-24.88	254.00	Vertical	Vertical	Pass
17803.911	-41.60	13.09	-13.0	-28.60	362.00	Vertical	Vertical	Pass


RSE-V&H n77 (3700-3980MHz) BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
395.205	-69.81	-9.66	-13.0	-56.81	176.00	Vertical	Horizontal	Pass
2106.000	-52.18	-0.42	-13.0	-39.18	57.00	Vertical	Horizontal	Pass
3841.000	-37.06	16.12	-13.0	-24.06	211.00	Vertical	Horizontal	N/A
7880.000	-30.36	23.74	-13.0	-17.36	119.00	Vertical	Horizontal	Pass
12718.175	-37.85	16.34	-13.0	-24.85	304.00	Vertical	Horizontal	Pass
17879.511	-40.99	12.46	-13.0	-27.99	35.00	Vertical	Horizontal	Pass


### 24.3 n77(3700-3980MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.202	-66.78	-16.08	-13.0	-53.78	130.00	Horizontal	Horizontal	Pass
2108.300	-53.33	-0.39	-13.0	-40.33	362.00	Horizontal	Horizontal	Pass
3508.000	-35.48	12.84	-13.0	-22.48	57.00	Horizontal	Horizontal	Pass
3749.750	-31.61	16.28	-13.0	-18.61	87.00	Horizontal	Horizontal	N/A
6674.250	-30.91	22.61	-13.0	-17.91	344.00	Horizontal	Horizontal	Pass
12696.325	-37.65	16.48	-13.0	-24.65	14.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.852	-68.27	-15.85	-13.0	-55.27	142.00	Horizontal	Vertical	Pass
2015.800	-52.86	-1.49	-13.0	-39.86	172.00	Horizontal	Vertical	Pass
3732.250	-26.19	15.24	-13.0	-13.19	25.00	Horizontal	Vertical	N/A
3838.750	-33.69	16.10	-13.0	-20.69	138.00	Horizontal	Vertical	N/A
7969.250	-29.75	24.45	-13.0	-16.75	118.00	Horizontal	Vertical	Pass
12701.787	-38.43	16.52	-13.0	-25.43	348.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.494	-64.66	-16.06	-13.0	-51.66	0.00	Vertical	Vertical	Pass
2105.200	-53.06	-0.39	-13.0	-40.06	362.00	Vertical	Vertical	Pass
3716.000	-33.36	13.64	-13.0	-20.36	69.00	Vertical	Vertical	N/A
3838.000	-33.43	16.10	-13.0	-20.43	89.00	Vertical	Vertical	N/A
6665.000	-30.83	22.68	-13.0	-17.83	308.00	Vertical	Vertical	Pass
12666.401	-37.49	15.96	-13.0	-24.49	81.00	Vertical	Vertical	Pass

RSE-V&H n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.914	-68.60	-16.04	-13.0	-55.60	198.00	Vertical	Horizontal	Pass
2004.500	-53.78	-1.55	-13.0	-40.78	254.00	Vertical	Horizontal	Pass
3758.750	-38.01	16.21	-13.0	-25.01	225.00	Vertical	Horizontal	N/A
6722.250	-30.70	24.69	-13.0	-17.70	119.00	Vertical	Horizontal	Pass
7833.000	-30.24	23.85	-13.0	-17.24	-2.00	Vertical	Horizontal	Pass
12682.075	-38.02	16.23	-13.0	-25.02	4.00	Vertical	Horizontal	Pass




### 24.4 n77(3700-3980MHz) BW50, Middle Channel QPSK

RSE-H&H n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.784	-67.91	-16.03	-13.0	-54.91	117.00	Horizontal	Horizontal	Pass
2114.500	-53.03	-0.32	-13.0	-40.03	287.00	Horizontal	Horizontal	Pass
3507.750	-35.45	12.85	-13.0	-22.45	47.00	Horizontal	Horizontal	N/A
3836.750	-33.87	16.09	-13.0	-20.87	37.00	Horizontal	Horizontal	N/A
6714.000	-30.49	24.09	-13.0	-17.49	239.00	Horizontal	Horizontal	Pass
12503.713	-37.72	15.58	-13.0	-24.72	60.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.803	-69.96	-15.85	-13.0	-56.96	327.00	Horizontal	Vertical	Pass
2113.500	-52.83	-0.27	-13.0	-39.83	201.00	Horizontal	Vertical	Pass
3734.750	-35.18	15.30	-13.0	-22.18	0.00	Horizontal	Vertical	N/A
3833.250	-34.97	16.07	-13.0	-21.97	131.00	Horizontal	Vertical	N/A
6638.250	-30.16	23.41	-13.0	-17.16	361.00	Horizontal	Vertical	Pass
12672.099	-38.19	16.05	-13.0	-25.19	89.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.094	-65.22	-15.83	-13.0	-52.22	-3.00	Vertical	Vertical	Pass
2020.800	-53.12	-1.05	-13.0	-40.12	261.00	Vertical	Vertical	Pass
3741.500	-34.63	16.19	-13.0	-21.63	282.00	Vertical	Vertical	N/A
3842.250	-33.68	16.12	-13.0	-20.68	92.00	Vertical	Vertical	N/A
6729.750	-30.57	24.20	-13.0	-17.57	260.00	Vertical	Vertical	Pass
12669.250	-38.47	16.00	-13.0	-25.47	360.00	Vertical	Vertical	Pass


RSE-V&H n77 (3700-3980MHz) BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.101	-69.16	-15.99	-13.0	-56.16	164.00	Vertical	Horizontal	Pass
2040.500	-52.69	-0.89	-13.0	-39.69	348.00	Vertical	Horizontal	Pass
3162.750	-41.86	12.41	-13.0	-28.86	245.00	Vertical	Horizontal	N/A
4233.250	-36.58	17.48	-13.0	-23.58	47.00	Vertical	Horizontal	Pass
7787.750	-30.19	24.53	-13.0	-17.19	360.00	Vertical	Horizontal	Pass
12701.075	-37.60	16.53	-13.0	-24.60	253.00	Vertical	Horizontal	Pass


24.5 n77(3700-3980MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.339	-66.37	-15.56	-13.0	-53.37	297.00	Horizontal	Horizontal	Pass
2105.500	-52.81	-0.40	-13.0	-39.81	361.00	Horizontal	Horizontal	Pass
3791.500	-14.44	15.93	-13.0	-1.44	200.00	Horizontal	Horizontal	N/A
7904.750	-29.85	23.78	-13.0	-16.85	140.00	Horizontal	Horizontal	Pass
12499.200	-38.27	15.63	-13.0	-25.27	333.00	Horizontal	Horizontal	Pass
17983.463	-41.17	13.26	-13.0	-28.17	36.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.533	-67.02	-15.53	-13.0	-54.02	297.00	Horizontal	Vertical	Pass
2086.300	-52.71	-0.07	-13.0	-39.71	26.00	Horizontal	Vertical	Pass
3833.500	-33.16	16.07	-13.0	-20.16	122.00	Horizontal	Vertical	N/A
6730.500	-30.27	24.16	-13.0	-17.27	9.00	Horizontal	Vertical	Pass
12706.537	-38.34	16.47	-13.0	-25.34	245.00	Horizontal	Vertical	Pass
17954.589	-40.97	13.98	-13.0	-27.97	158.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.231	-68.50	-24.41	-13.0	-55.50	301.00	Vertical	Vertical	Pass
2092.000	-53.86	-0.19	-13.0	-40.86	104.00	Vertical	Vertical	Pass
3841.750	-36.34	16.12	-13.0	-23.34	47.00	Vertical	Vertical	N/A
7655.000	-28.49	21.81	-13.0	-15.49	171.00	Vertical	Vertical	Pass
12701.312	-38.08	16.53	-13.0	-25.08	260.00	Vertical	Vertical	Pass
17813.101	-40.91	12.84	-13.0	-27.91	219.00	Vertical	Vertical	Pass

RSE-V&H n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
393.944	-69.81	-9.66	-13.0	-56.81	16.00	Vertical	Horizontal	Pass
2020.800	-53.24	-1.05	-13.0	-40.24	270.00	Vertical	Horizontal	Pass
4051.500	-38.34	17.50	-13.0	-25.34	346.00	Vertical	Horizontal	Pass
7335.250	-29.87	22.77	-13.0	-16.87	9.00	Vertical	Horizontal	Pass
12675.425	-38.13	16.11	-13.0	-25.13	187.00	Vertical	Horizontal	Pass
17962.463	-41.30	13.78	-13.0	-28.30	57.00	Vertical	Horizontal	Pass




### 24.6 n77(3700-3980MHz) BW100, Middle Channel QPSK

RSE-H&H n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.824	-66.60	-15.50	-13.0	-53.60	283.00	Horizontal	Horizontal	Pass
2211.000	-53.17	-1.44	-13.0	-40.17	348.00	Horizontal	Horizontal	Pass
3791.500	-13.86	15.93	-13.0	-0.86	119.00	Horizontal	Horizontal	N/A
6718.500	-30.10	24.45	-13.0	-17.10	119.00	Horizontal	Horizontal	Pass
12501.812	-37.99	15.62	-13.0	-24.99	0.00	Horizontal	Horizontal	Pass
17946.712	-39.32	14.01	-13.0	-26.32	116.00	Horizontal	Horizontal	Pass

RSE-H&V n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.872	-67.13	-15.50	-13.0	-54.13	312.00	Horizontal	Vertical	Pass
2118.200	-53.38	-0.29	-13.0	-40.38	180.00	Horizontal	Vertical	Pass
3791.500	-23.61	15.93	-13.0	-10.61	180.00	Horizontal	Vertical	N/A
6724.750	-30.44	24.66	-13.0	-17.44	342.00	Horizontal	Vertical	Pass
12712.950	-38.20	16.40	-13.0	-25.20	37.00	Horizontal	Vertical	Pass
17961.937	-40.38	13.79	-13.0	-27.38	259.00	Horizontal	Vertical	Pass

RSE-V&V n77 (3700-3980MHz) BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.891	-68.56	-15.36	-13.0	-55.56	142.00	Vertical	Vertical	Pass
2073.400	-52.66	-0.77	-13.0	-39.66	81.00	Vertical	Vertical	Pass
3831.250	-36.77	16.05	-13.0	-23.77	88.00	Vertical	Vertical	N/A
7803.500	-29.86	25.01	-13.0	-16.86	233.00	Vertical	Vertical	Pass
12697.275	-38.36	16.49	-13.0	-25.36	261.00	Vertical	Vertical	Pass
17789.739	-41.33	12.56	-13.0	-28.33	178.00	Vertical	Vertical	Pass

RSE-V&H n77 (3700-3980MHz) BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
398.066	-69.15	-9.64	-13.0	-56.15	15.00	Vertical	Horizontal	Pass
2088.900	-52.98	-0.01	-13.0	-39.98	54.00	Vertical	Horizontal	Pass
3889.000	-38.06	16.77	-13.0	-25.06	150.00	Vertical	Horizontal	Pass
7811.250	-29.98	24.75	-13.0	-16.98	342.00	Vertical	Horizontal	Pass
12495.638	-38.33	15.51	-13.0	-25.33	0.00	Vertical	Horizontal	Pass
17799.975	-41.09	13.20	-13.0	-28.09	1.00	Vertical	Horizontal	Pass

25 n78(3450-3550MHz)


25.1 n78(3450-3550MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.940	-66.40	-15.35	-13.0	-53.40	306.00	Horizontal	Horizontal	Pass
2109.100	-53.05	-0.42	-13.0	-40.05	-2.00	Horizontal	Horizontal	Pass
3496.250	-34.37	14.86	-13.0	-21.37	220.00	Horizontal	Horizontal	N/A
6740.250	-30.39	23.12	-13.0	-17.39	149.00	Horizontal	Horizontal	Pass
12708.200	-38.21	16.45	-13.0	-25.21	0.00	Horizontal	Horizontal	Pass
17964.825	-40.31	13.72	-13.0	-27.31	115.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.411	-67.23	-16.15	-13.0	-54.23	292.00	Horizontal	Vertical	Pass
2095.600	-53.07	-0.34	-13.0	-40.07	266.00	Horizontal	Vertical	Pass
3497.000	-34.28	14.85	-13.0	-21.28	122.00	Horizontal	Vertical	N/A
7038.500	-29.70	23.10	-13.0	-16.70	-1.00	Horizontal	Vertical	Pass
12717.938	-38.15	16.35	-13.0	-25.15	25.00	Horizontal	Vertical	Pass
17798.400	-40.51	13.10	-13.0	-27.51	156.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.182	-70.06	-24.43	-13.0	-57.06	301.00	Vertical	Vertical	Pass
2201.400	-53.07	-1.46	-13.0	-40.07	361.00	Vertical	Vertical	Pass
3496.250	-37.41	14.86	-13.0	-24.41	91.00	Vertical	Vertical	N/A
6646.000	-30.60	23.48	-13.0	-17.60	146.00	Vertical	Vertical	Pass
12470.938	-38.58	14.69	-13.0	-25.58	248.00	Vertical	Vertical	Pass
17976.900	-40.97	13.42	-13.0	-27.97	336.00	Vertical	Vertical	Pass

RSE-V&H n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.279	-72.27	-24.39	-13.0	-59.27	331.00	Vertical	Horizontal	Pass
2099.800	-52.65	-0.30	-13.0	-39.65	351.00	Vertical	Horizontal	Pass
3395.750	-40.96	15.58	-13.0	-27.96	92.00	Vertical	Horizontal	Pass
7245.500	-30.48	23.16	-13.0	-17.48	-1.00	Vertical	Horizontal	Pass
12706.775	-38.33	16.47	-13.0	-25.33	105.00	Vertical	Horizontal	Pass
17961.150	-41.42	13.81	-13.0	-28.42	177.00	Vertical	Horizontal	Pass




## 25.2 n78(3450-3550MHz) BW20, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.697	-68.01	-15.38	-13.0	-55.01	94.00	Horizontal	Horizontal	Pass
2099.700	-53.28	-0.29	-13.0	-40.28	276.00	Horizontal	Horizontal	Pass
3496.000	-32.62	14.86	-13.0	-19.62	146.00	Horizontal	Horizontal	N/A
7799.500	-29.73	25.38	-13.0	-16.73	174.00	Horizontal	Horizontal	Pass
12731.713	-37.95	16.20	-13.0	-24.95	61.00	Horizontal	Horizontal	Pass
17923.088	-41.10	13.44	-13.0	-28.10	360.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.295	-67.00	-16.01	-13.0	-54.00	306.00	Horizontal	Vertical	Pass
2075.900	-52.45	-0.61	-13.0	-39.45	235.00	Horizontal	Vertical	Pass
3495.750	-32.41	14.87	-13.0	-19.41	146.00	Horizontal	Vertical	N/A
7816.250	-30.19	24.40	-13.0	-17.19	358.00	Horizontal	Vertical	Pass
13429.875	-37.79	16.35	-13.0	-24.79	343.00	Horizontal	Vertical	Pass
17798.662	-41.60	13.12	-13.0	-28.60	360.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.474	-68.80	-24.31	-13.0	-55.80	263.00	Vertical	Vertical	Pass
2106.000	-53.44	-0.42	-13.0	-40.44	74.00	Vertical	Vertical	Pass
3498.000	-35.67	14.84	-13.0	-22.67	315.00	Vertical	Vertical	N/A
7806.250	-30.00	24.87	-13.0	-17.00	48.00	Vertical	Vertical	Pass
13365.826	-38.10	16.69	-13.0	-25.10	125.00	Vertical	Vertical	Pass
17829.376	-41.55	12.40	-13.0	-28.55	360.00	Vertical	Vertical	Pass


RSE-V&Hn78 (3450-3550MHz) BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.182	-68.56	-24.43	-13.0	-55.56	326.00	Vertical	Horizontal	Pass
2131.800	-53.63	-0.62	-13.0	-40.63	284.00	Vertical	Horizontal	Pass
3540.250	-40.44	14.68	-13.0	-27.44	91.00	Vertical	Horizontal	Pass
7798.250	-29.31	25.33	-13.0	-16.31	315.00	Vertical	Horizontal	Pass
12707.963	-37.88	16.45	-13.0	-24.88	177.00	Vertical	Horizontal	Pass
17959.574	-40.93	13.85	-13.0	-27.93	101.00	Vertical	Horizontal	Pass


### 25.3 n78(3450-3550MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.727	-67.76	-15.51	-13.0	-54.76	283.00	Horizontal	Horizontal	Pass
2096.800	-53.57	-0.30	-13.0	-40.57	284.00	Horizontal	Horizontal	Pass
3495.500	-35.61	14.87	-13.0	-22.61	148.00	Horizontal	Horizontal	N/A
7042.000	-30.01	23.12	-13.0	-17.01	-1.00	Horizontal	Horizontal	Pass
12678.750	-38.36	16.17	-13.0	-25.36	119.00	Horizontal	Horizontal	Pass
17967.712	-41.16	13.65	-13.0	-28.16	339.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.369	-68.42	-15.76	-13.0	-55.42	297.00	Horizontal	Vertical	Pass
2104.000	-52.86	-0.29	-13.0	-39.86	293.00	Horizontal	Vertical	Pass
3493.500	-35.50	14.89	-13.0	-22.50	35.00	Horizontal	Vertical	N/A
7792.750	-29.94	24.94	-13.0	-16.94	362.00	Horizontal	Vertical	Pass
12724.350	-38.43	16.28	-13.0	-25.43	147.00	Horizontal	Vertical	Pass
17796.825	-41.16	13.00	-13.0	-28.16	101.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.764	-68.78	-24.21	-13.0	-55.78	258.00	Vertical	Vertical	Pass
2104.600	-53.28	-0.36	-13.0	-40.28	343.00	Vertical	Vertical	Pass
3495.250	-39.06	14.87	-13.0	-26.06	105.00	Vertical	Vertical	N/A
7817.500	-30.12	24.43	-13.0	-17.12	287.00	Vertical	Vertical	Pass
12672.812	-38.35	16.07	-13.0	-25.35	336.00	Vertical	Vertical	Pass
17951.699	-40.17	14.05	-13.0	-27.17	263.00	Vertical	Vertical	Pass

RSE-V&H n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.813	-68.41	-24.19	-13.0	-55.41	274.00	Vertical	Horizontal	Pass
2103.300	-53.48	-0.35	-13.0	-40.48	167.00	Vertical	Horizontal	Pass
3397.250	-39.29	15.58	-13.0	-26.29	61.00	Vertical	Horizontal	Pass
6953.000	-29.88	21.91	-13.0	-16.88	6.00	Vertical	Horizontal	Pass
12666.401	-38.02	15.96	-13.0	-25.02	361.00	Vertical	Horizontal	Pass
17801.550	-40.57	13.16	-13.0	-27.57	294.00	Vertical	Horizontal	Pass




25.4 n77(3450-3550MHz) BW50, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.526	-67.66	-16.08	-13.0	-54.66	295.00	Horizontal	Horizontal	Pass
2040.600	-53.01	-0.89	-13.0	-40.01	25.00	Horizontal	Horizontal	Pass
3497.250	-37.68	14.85	-13.0	-24.68	161.00	Horizontal	Horizontal	N/A
7799.750	-30.70	25.36	-13.0	-17.70	175.00	Horizontal	Horizontal	Pass
13399.162	-37.89	17.00	-13.0	-24.89	0.00	Horizontal	Horizontal	Pass
17804.175	-41.09	13.09	-13.0	-28.09	321.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.854	-68.53	-15.65	-13.0	-55.53	312.00	Horizontal	Vertical	Pass
2014.300	-53.66	-1.41	-13.0	-40.66	78.00	Horizontal	Vertical	Pass
3497.250	-35.43	14.85	-13.0	-22.43	133.00	Horizontal	Vertical	N/A
7805.250	-29.91	24.99	-13.0	-16.91	147.00	Horizontal	Vertical	Pass
12647.400	-38.76	15.65	-13.0	-25.76	13.00	Horizontal	Vertical	Pass
17806.801	-40.46	13.02	-13.0	-27.46	56.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.328	-68.08	-24.37	-13.0	-55.08	266.00	Vertical	Vertical	Pass
2105.400	-53.36	-0.40	-13.0	-40.36	93.00	Vertical	Vertical	Pass
3494.250	-39.40	14.88	-13.0	-26.40	276.00	Vertical	Vertical	N/A
7958.750	-30.37	24.88	-13.0	-17.37	6.00	Vertical	Vertical	Pass
12643.599	-38.41	15.61	-13.0	-25.41	58.00	Vertical	Vertical	Pass
17950.124	-41.88	14.09	-13.0	-28.88	213.00	Vertical	Vertical	Pass


RSE-V&H n78 (3450-3550MHz) BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.764	-69.10	-24.21	-13.0	-56.10	245.00	Vertical	Horizontal	Pass
2113.200	-53.70	-0.23	-13.0	-40.70	-2.00	Vertical	Horizontal	Pass
3436.750	-39.60	15.39	-13.0	-26.60	287.00	Vertical	Horizontal	Pass
6952.750	-29.09	21.91	-13.0	-16.09	357.00	Vertical	Horizontal	Pass
12732.900	-37.75	16.18	-13.0	-24.75	264.00	Vertical	Horizontal	Pass
17948.813	-40.62	14.06	-13.0	-27.62	85.00	Vertical	Horizontal	Pass


25.5 n78(3450-3550MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.078	-67.88	-15.85	-13.0	-54.88	290.00	Horizontal	Horizontal	Pass
2036.300	-53.65	-0.94	-13.0	-40.65	118.00	Horizontal	Horizontal	Pass
3459.750	-33.08	15.22	-13.0	-20.08	26.00	Horizontal	Horizontal	N/A
7802.000	-29.54	25.26	-13.0	-16.54	183.00	Horizontal	Horizontal	Pass
12699.412	-36.38	16.53	-13.0	-23.38	186.00	Horizontal	Horizontal	Pass
17961.150	-41.30	13.81	-13.0	-28.30	175.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.981	-68.56	-15.87	-13.0	-55.56	311.00	Horizontal	Vertical	Pass
2104.300	-53.02	-0.33	-13.0	-40.02	276.00	Horizontal	Vertical	Pass
3451.750	-30.65	15.30	-13.0	-17.65	45.00	Horizontal	Vertical	N/A
7967.750	-29.59	24.59	-13.0	-16.59	77.00	Horizontal	Vertical	Pass
13375.013	-38.33	16.78	-13.0	-25.33	360.00	Horizontal	Vertical	Pass
17961.413	-40.77	13.81	-13.0	-27.77	15.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.503	-67.37	-24.42	-13.0	-54.37	263.00	Vertical	Vertical	Pass
2093.800	-52.18	-0.19	-13.0	-39.18	123.00	Vertical	Vertical	Pass
3364.250	-31.69	13.36	-13.0	-18.69	125.00	Vertical	Vertical	N/A
7908.750	-30.05	23.96	-13.0	-17.05	69.00	Vertical	Vertical	Pass
12706.537	-38.01	16.47	-13.0	-25.01	230.00	Vertical	Vertical	Pass
17784.224	-41.67	12.22	-13.0	-28.67	158.00	Vertical	Vertical	Pass

RSE-V&H n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-68.55	-24.50	-13.0	-55.55	291.00	Vertical	Horizontal	Pass
2113.600	-52.85	-0.28	-13.0	-39.85	35.00	Vertical	Horizontal	Pass
3381.000	-39.73	15.48	-13.0	-26.73	215.00	Vertical	Horizontal	Pass
7038.500	-29.90	23.10	-13.0	-16.90	111.00	Vertical	Horizontal	Pass
12699.175	-37.62	16.53	-13.0	-24.62	84.00	Vertical	Horizontal	Pass
17992.651	-41.29	13.03	-13.0	-28.29	305.00	Vertical	Horizontal	Pass




### 25.6 n78(3450-3550MHz) BW100, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.544	-67.86	-16.00	-13.0	-54.86	290.00	Horizontal	Horizontal	Pass
2036.800	-53.72	-0.87	-13.0	-40.72	58.00	Horizontal	Horizontal	Pass
3379.500	-31.23	15.47	-13.0	-18.23	252.00	Horizontal	Horizontal	N/A
7887.750	-29.65	24.00	-13.0	-16.65	334.00	Horizontal	Horizontal	Pass
12687.537	-38.03	16.32	-13.0	-25.03	0.00	Horizontal	Horizontal	Pass
17945.926	-41.03	13.99	-13.0	-28.03	136.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.533	-68.74	-15.53	-13.0	-55.74	113.00	Horizontal	Vertical	Pass
2106.900	-53.26	-0.37	-13.0	-40.26	133.00	Horizontal	Vertical	Pass
3459.750	-33.20	15.22	-13.0	-20.20	148.00	Horizontal	Vertical	N/A
7801.000	-30.17	25.31	-13.0	-17.17	169.00	Horizontal	Vertical	Pass
12517.724	-38.03	15.30	-13.0	-25.03	121.00	Horizontal	Vertical	Pass
17934.637	-40.87	13.72	-13.0	-27.87	96.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3450-3550MHz) BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-68.81	-24.50	-13.0	-55.81	284.00	Vertical	Vertical	Pass
2095.800	-53.35	-0.32	-13.0	-40.35	133.00	Vertical	Vertical	Pass
3451.750	-34.04	15.30	-13.0	-21.04	108.00	Vertical	Vertical	N/A
7959.750	-29.71	25.19	-13.0	-16.71	-1.00	Vertical	Vertical	Pass
12729.338	-38.08	16.22	-13.0	-25.08	116.00	Vertical	Vertical	Pass
17801.550	-41.01	13.16	-13.0	-28.01	35.00	Vertical	Vertical	Pass

RSE-V&H n78 (3450-3550MHz) BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.279	-68.89	-24.39	-13.0	-55.89	302.00	Vertical	Horizontal	Pass
2047.100	-53.25	-0.98	-13.0	-40.25	243.00	Vertical	Horizontal	Pass
3431.000	-39.76	15.43	-13.0	-26.76	265.00	Vertical	Horizontal	Pass
7878.000	-29.67	24.22	-13.0	-16.67	348.00	Vertical	Horizontal	Pass
12680.175	-37.41	16.20	-13.0	-24.41	173.00	Vertical	Horizontal	Pass
17790.261	-41.04	12.60	-13.0	-28.04	224.00	Vertical	Horizontal	Pass

26 n78(3700-3800MHz)


26.1 n78(3700-3800MHz) BW20, Middle Channel PI/2 BPSK

RSE-H&H n78 (3700-3800MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.108	-67.63	-16.03	-13.0	-54.63	291.00	Horizontal	Horizontal	Pass
2065.100	-53.43	-1.12	-13.0	-40.43	52.00	Horizontal	Horizontal	Pass
3485.500	-37.23	13.29	-13.0	-24.23	138.00	Horizontal	Horizontal	Pass
3741.500	-39.31	15.22	-13.0	-26.31	231.00	Horizontal	Horizontal	N/A
7819.000	-30.22	24.30	-13.0	-17.22	97.00	Horizontal	Horizontal	Pass
12693.474	-38.16	16.43	-13.0	-25.16	202.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.776	-68.78	-15.51	-13.0	-55.78	300.00	Horizontal	Vertical	Pass
2096.300	-53.41	-0.30	-13.0	-40.41	359.00	Horizontal	Vertical	Pass
3511.500	-34.05	13.73	-13.0	-21.05	121.00	Horizontal	Vertical	Pass
3748.000	-39.00	15.29	-13.0	-26.00	121.00	Horizontal	Vertical	N/A
6629.250	-30.49	22.98	-13.0	-17.49	152.00	Horizontal	Vertical	Pass
13802.100	-38.55	16.96	-13.0	-25.55	59.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.842	-69.85	-15.36	-13.0	-56.85	175.00	Vertical	Vertical	Pass
2105.900	-53.07	-0.41	-13.0	-40.07	84.00	Vertical	Vertical	Pass
3750.000	-38.77	15.32	-13.0	-25.77	97.00	Vertical	Vertical	N/A
7810.500	-30.83	24.54	-13.0	-17.83	302.00	Vertical	Vertical	Pass
13362.413	-38.07	16.66	-13.0	-25.07	338.00	Vertical	Vertical	Pass
17959.838	-41.19	13.85	-13.0	-28.19	177.00	Vertical	Vertical	Pass

RSE-V&H n78 (3700-3800MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.522	-68.38	-24.29	-13.0	-55.38	0.00	Vertical	Horizontal	Pass
2047.400	-53.66	-1.02	-13.0	-40.66	361.00	Vertical	Horizontal	Pass
3727.250	-40.64	15.05	-13.0	-27.64	171.00	Vertical	Horizontal	Pass
7779.500	-30.29	23.80	-13.0	-17.29	68.00	Vertical	Horizontal	Pass
13403.099	-38.25	16.94	-13.0	-25.25	341.00	Vertical	Horizontal	Pass
17948.287	-40.52	14.05	-13.0	-27.52	361.00	Vertical	Horizontal	Pass




## 26.2 n78(3700-3800MHz) BW20, Middle Channel QPSK

RSE-H&H n78 (3450-3550MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.417	-67.89	-15.75	-13.0	-54.89	294.00	Horizontal	Horizontal	Pass
2037.500	-52.97	-0.67	-13.0	-39.97	66.00	Horizontal	Horizontal	Pass
3749.750	-38.52	15.31	-13.0	-25.52	179.00	Horizontal	Horizontal	N/A
7885.250	-29.89	23.74	-13.0	-16.89	-1.00	Horizontal	Horizontal	Pass
12714.138	-38.03	16.39	-13.0	-25.03	282.00	Horizontal	Horizontal	Pass
17986.613	-41.11	13.18	-13.0	-28.11	78.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.611	-68.07	-15.70	-13.0	-55.07	302.00	Horizontal	Vertical	Pass
3512.500	-35.48	13.71	-13.0	-22.48	36.00	Horizontal	Vertical	Pass
3848.750	-32.00	15.23	-13.0	-19.00	148.00	Horizontal	Vertical	Pass
7178.250	-30.65	22.75	-13.0	-17.65	313.00	Horizontal	Vertical	Pass
12718.888	-37.82	16.34	-13.0	-24.82	232.00	Horizontal	Vertical	Pass
17951.699	-41.05	14.05	-13.0	-28.05	280.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.377	-69.18	-24.34	-13.0	-56.18	231.00	Vertical	Vertical	Pass
2022.600	-53.47	-0.87	-13.0	-40.47	167.00	Vertical	Vertical	Pass
3845.000	-33.89	15.27	-13.0	-20.89	285.00	Vertical	Vertical	Pass
7818.250	-30.67	24.38	-13.0	-17.67	98.00	Vertical	Vertical	Pass
12675.662	-38.72	16.12	-13.0	-25.72	202.00	Vertical	Vertical	Pass
17983.199	-41.26	13.27	-13.0	-28.26	115.00	Vertical	Vertical	Pass


RSE-V&Hn78 (3700-3800MHz) BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
387.348	-69.21	-9.90	-13.0	-56.21	19.00	Vertical	Horizontal	Pass
2116.000	-53.19	-0.26	-13.0	-40.19	361.00	Vertical	Horizontal	Pass
3729.500	-39.93	15.07	-13.0	-26.93	-1.00	Vertical	Horizontal	Pass
7817.000	-29.77	24.45	-13.0	-16.77	222.00	Vertical	Horizontal	Pass
12483.049	-38.75	15.09	-13.0	-25.75	0.00	Vertical	Horizontal	Pass
17954.849	-41.68	13.97	-13.0	-28.68	97.00	Vertical	Horizontal	Pass


### 26.3 n78(3700-3800MHz) BW50, Middle Channel PI/2 BPSK

RSE-H&H n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.078	-67.84	-15.85	-13.0	-54.84	301.00	Horizontal	Horizontal	Pass
3509.750	-34.82	13.67	-13.0	-21.82	190.00	Horizontal	Horizontal	Pass
3836.250	-34.50	15.20	-13.0	-21.50	344.00	Horizontal	Horizontal	Pass
7964.250	-29.10	24.47	-13.0	-16.10	283.00	Horizontal	Horizontal	Pass
12701.075	-38.22	16.53	-13.0	-25.22	276.00	Horizontal	Horizontal	Pass
17946.712	-41.25	14.01	-13.0	-28.25	160.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.932	-68.74	-15.89	-13.0	-55.74	122.00	Horizontal	Vertical	Pass
2054.700	-53.05	-1.06	-13.0	-40.05	75.00	Horizontal	Vertical	Pass
3546.250	-37.45	13.91	-13.0	-24.45	138.00	Horizontal	Vertical	Pass
7046.750	-30.55	23.55	-13.0	-17.55	46.00	Horizontal	Vertical	Pass
12695.612	-38.51	16.46	-13.0	-25.51	43.00	Horizontal	Vertical	Pass
17945.926	-40.44	13.99	-13.0	-27.44	96.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.746	-66.75	-24.47	-13.0	-53.75	232.00	Vertical	Vertical	Pass
2103.600	-53.28	-0.31	-13.0	-40.28	227.00	Vertical	Vertical	Pass
3515.250	-39.56	13.51	-13.0	-26.56	270.00	Vertical	Vertical	Pass
7799.750	-30.67	24.76	-13.0	-17.67	56.00	Vertical	Vertical	Pass
12504.901	-37.07	15.56	-13.0	-24.07	0.00	Vertical	Vertical	Pass
17937.000	-41.51	13.78	-13.0	-28.51	362.00	Vertical	Vertical	Pass

RSE-V&H n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.571	-68.78	-24.27	-13.0	-55.78	321.00	Vertical	Horizontal	Pass
2103.200	-53.67	-0.37	-13.0	-40.67	192.00	Vertical	Horizontal	Pass
3732.000	-40.00	15.10	-13.0	-27.00	98.00	Vertical	Horizontal	Pass
7803.500	-30.35	24.73	-13.0	-17.35	98.00	Vertical	Horizontal	Pass
12509.412	-38.06	15.47	-13.0	-25.06	291.00	Vertical	Horizontal	Pass
17934.637	-40.68	13.72	-13.0	-27.68	16.00	Vertical	Horizontal	Pass




26.4 n77(3700-3800MHz) BW50, Middle Channel QPSK

RSE-H&H n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.921	-68.07	-15.49	-13.0	-55.07	298.00	Horizontal	Horizontal	Pass
2107.100	-53.35	-0.35	-13.0	-40.35	275.00	Horizontal	Horizontal	Pass
3490.250	-33.52	13.15	-13.0	-20.52	146.00	Horizontal	Horizontal	Pass
3831.000	-35.70	15.16	-13.0	-22.70	305.00	Horizontal	Horizontal	Pass
7802.250	-29.74	24.72	-13.0	-16.74	27.00	Horizontal	Horizontal	Pass
12697.750	-38.17	16.50	-13.0	-25.17	319.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.108	-68.17	-16.03	-13.0	-55.17	296.00	Horizontal	Vertical	Pass
2107.600	-52.76	-0.35	-13.0	-39.76	359.00	Horizontal	Vertical	Pass
3841.000	-32.32	15.24	-13.0	-19.32	16.00	Horizontal	Vertical	Pass
7787.750	-30.12	24.62	-13.0	-17.12	215.00	Horizontal	Vertical	Pass
12724.588	-38.33	16.27	-13.0	-25.33	216.00	Horizontal	Vertical	Pass
17932.012	-39.79	13.66	-13.0	-26.79	156.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.988	-67.72	-24.51	-13.0	-54.72	249.00	Vertical	Vertical	Pass
2105.100	-53.33	-0.38	-13.0	-40.33	216.00	Vertical	Vertical	Pass
3732.500	-40.25	15.11	-13.0	-27.25	186.00	Vertical	Vertical	Pass
7793.500	-30.46	24.69	-13.0	-17.46	253.00	Vertical	Vertical	Pass
12708.912	-38.42	16.44	-13.0	-25.42	173.00	Vertical	Vertical	Pass
17928.073	-41.05	13.56	-13.0	-28.05	343.00	Vertical	Vertical	Pass


RSE-V&H n78 (3700-3800MHz) BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-66.93	-24.47	-13.0	-53.93	329.00	Vertical	Horizontal	Pass
2120.700	-53.40	-0.57	-13.0	-40.40	257.00	Vertical	Horizontal	Pass
3757.500	-39.18	15.26	-13.0	-26.18	15.00	Vertical	Horizontal	N/A
6724.000	-31.25	24.10	-13.0	-18.25	316.00	Vertical	Horizontal	Pass
12718.888	-38.14	16.34	-13.0	-25.14	290.00	Vertical	Horizontal	Pass
17801.550	-41.00	13.16	-13.0	-28.00	362.00	Vertical	Horizontal	Pass


26.5 n78(3700-3800MHz) BW100, Middle Channel PI/2 BPSK

RSE-H&H n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.932	-67.76	-15.89	-13.0	-54.76	300.00	Horizontal	Horizontal	Pass
2019.000	-52.70	-1.16	-13.0	-39.70	9.00	Horizontal	Horizontal	Pass
3834.250	-37.14	15.19	-13.0	-24.14	128.00	Horizontal	Horizontal	N/A
7162.750	-30.60	22.79	-13.0	-17.60	-1.00	Horizontal	Horizontal	Pass
12715.088	-38.14	16.38	-13.0	-25.14	218.00	Horizontal	Horizontal	Pass
17922.300	-41.24	13.43	-13.0	-28.24	314.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.029	-68.71	-15.86	-13.0	-55.71	107.00	Horizontal	Vertical	Pass
2096.400	-53.31	-0.30	-13.0	-40.31	361.00	Horizontal	Vertical	Pass
3834.750	-37.64	15.19	-13.0	-24.64	39.00	Horizontal	Vertical	N/A
7959.750	-30.37	24.11	-13.0	-17.37	107.00	Horizontal	Vertical	Pass
13394.700	-38.08	16.96	-13.0	-25.08	201.00	Horizontal	Vertical	Pass
17800.761	-41.15	13.18	-13.0	-28.15	179.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
397.000	-68.22	-9.46	-13.0	-55.22	151.00	Vertical	Vertical	Pass
2092.700	-53.26	-0.26	-13.0	-40.26	361.00	Vertical	Vertical	Pass
3835.000	-37.80	15.19	-13.0	-24.80	86.00	Vertical	Vertical	N/A
7969.750	-29.88	24.58	-13.0	-16.88	134.00	Vertical	Vertical	Pass
12680.651	-37.72	16.20	-13.0	-24.72	27.00	Vertical	Vertical	Pass
17920.463	-41.39	13.38	-13.0	-28.39	17.00	Vertical	Vertical	Pass

RSE-V&H n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.764	-68.89	-24.21	-13.0	-55.89	277.00	Vertical	Horizontal	Pass
2085.300	-53.34	-0.07	-13.0	-40.34	137.00	Vertical	Horizontal	Pass
3737.000	-39.86	15.16	-13.0	-26.86	-1.00	Vertical	Horizontal	Pass
7049.500	-29.59	23.54	-13.0	-16.59	109.00	Vertical	Horizontal	Pass
13394.175	-38.91	16.96	-13.0	-25.91	154.00	Vertical	Horizontal	Pass
17937.525	-41.16	13.79	-13.0	-28.16	35.00	Vertical	Horizontal	Pass




### 26.6 n78(3700-3800MHz) BW100, Middle Channel QPSK

RSE-H&H n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.242	-68.01	-15.57	-13.0	-55.01	306.00	Horizontal	Horizontal	Pass
2125.300	-53.09	-0.78	-13.0	-40.09	361.00	Horizontal	Horizontal	Pass
3936.750	-37.03	14.55	-13.0	-24.03	128.00	Horizontal	Horizontal	Pass
7951.750	-29.71	23.68	-13.0	-16.71	318.00	Horizontal	Horizontal	Pass
12705.112	-38.50	16.48	-13.0	-25.50	281.00	Horizontal	Horizontal	Pass
17799.713	-41.37	13.18	-13.0	-28.37	132.00	Horizontal	Horizontal	Pass

RSE-H&V n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.884	-68.82	-15.90	-13.0	-55.82	91.00	Horizontal	Vertical	Pass
2096.800	-52.86	-0.30	-13.0	-39.86	-2.00	Horizontal	Vertical	Pass
3507.500	-38.83	13.21	-13.0	-25.83	36.00	Horizontal	Vertical	Pass
3917.500	-35.88	15.64	-13.0	-22.88	108.00	Horizontal	Vertical	N/A
7782.500	-29.00	24.11	-13.0	-16.00	67.00	Horizontal	Vertical	Pass
12746.438	-38.55	16.04	-13.0	-25.55	318.00	Horizontal	Vertical	Pass

RSE-V&V n78 (3700-3800MHz) BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
661.373	-68.80	-3.74	-13.0	-55.80	289.00	Vertical	Vertical	Pass
2126.100	-53.87	-0.73	-13.0	-40.87	117.00	Vertical	Vertical	Pass
3858.750	-39.18	14.99	-13.0	-26.18	99.00	Vertical	Vertical	Pass
7793.000	-29.35	24.66	-13.0	-16.35	360.00	Vertical	Vertical	Pass
12675.662	-37.75	16.12	-13.0	-24.75	127.00	Vertical	Vertical	Pass
17932.538	-41.59	13.67	-13.0	-28.59	177.00	Vertical	Vertical	Pass

RSE-V&H n78 (3700-3800MHz) BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
397.048	-69.59	-9.46	-13.0	-56.59	159.00	Vertical	Horizontal	Pass
1987.600	-53.91	-1.18	-13.0	-40.91	323.00	Vertical	Horizontal	Pass
3730.250	-39.72	15.08	-13.0	-26.72	-1.00	Vertical	Horizontal	Pass
7052.250	-30.41	23.34	-13.0	-17.41	337.00	Vertical	Horizontal	Pass
12718.175	-37.89	16.34	-13.0	-24.89	315.00	Vertical	Horizontal	Pass
17924.925	-41.62	13.49	-13.0	-28.62	195.00	Vertical	Horizontal	Pass

27 DC\_5A\_n78A (3450-3550MHz)


27.1 DC\_5A\_n78A(3450-3550MHz) BW10MHz(LTE)+BW100MHz(NR) QPSK

RSE-H&H DC\_5A\_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.045	-40.81	4.85	-13.0	-27.81	119.00	Horizontal	Horizontal	N/A
887.334	-26.21	4.42	-13.0	-13.21	272.00	Horizontal	Horizontal	N/A
2897.600	-38.10	15.79	-13.0	-25.10	361.00	Horizontal	Horizontal	Pass
3452.000	-29.16	15.30	-13.0	-16.16	156.00	Horizontal	Horizontal	N/A
7957.500	-30.35	24.84	-13.0	-17.35	103.00	Horizontal	Horizontal	Pass
12651.201	-38.02	15.69	-13.0	-25.02	307.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.142	-47.31	4.85	-13.0	-34.31	61.00	Horizontal	Vertical	N/A
891.942	-24.77	4.59	-13.0	-11.77	15.00	Horizontal	Vertical	N/A
2975.300	-38.16	16.80	-13.0	-25.16	246.00	Horizontal	Vertical	Pass
3451.500	-29.15	15.30	-13.0	-16.15	139.00	Horizontal	Vertical	N/A
7189.750	-30.13	22.92	-13.0	-17.13	173.00	Horizontal	Vertical	Pass
10353.625	-36.56	11.24	-13.0	-23.56	198.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.948	-40.84	4.85	-13.0	-27.84	182.00	Vertical	Vertical	N/A
886.268	-31.26	4.36	-13.0	-18.26	217.00	Vertical	Vertical	N/A
2972.700	-38.31	16.83	-13.0	-25.31	28.00	Vertical	Vertical	Pass
3451.500	-30.60	15.30	-13.0	-17.60	61.00	Vertical	Vertical	N/A
7797.000	-30.02	25.34	-13.0	-17.02	1.00	Vertical	Vertical	Pass
12669.487	-37.88	16.01	-13.0	-24.88	183.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n78A(3450-3550MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.094	-44.99	4.85	-13.0	-31.99	74.00	Vertical	Horizontal	N/A
892.961	-38.57	4.57	-13.0	-25.57	295.00	Vertical	Horizontal	N/A
2955.800	-38.02	15.93	-13.0	-25.02	353.00	Vertical	Horizontal	Pass
3451.750	-37.12	15.30	-13.0	-24.12	28.00	Vertical	Horizontal	N/A
7951.000	-29.70	24.22	-13.0	-16.70	143.00	Vertical	Horizontal	Pass
10353.388	-37.29	11.24	-13.0	-24.29	1.00	Vertical	Horizontal	Pass



28 DC\_5A\_n78A (3700-3800MHz)


28.1 DC\_5A\_n78A(3700-3800MHz) BW10MHz(LTE)+BW100MHz(NR) QPSK

RSE-H&H DC\_5A\_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-42.05	5.01	-13.0	-29.05	148.00	Horizontal	Horizontal	N/A
890.487	-24.97	5.23	-13.0	-11.97	197.00	Horizontal	Horizontal	N/A
2928.800	-37.54	15.69	-13.0	-24.54	1.00	Horizontal	Horizontal	Pass
3664.250	-40.19	14.42	-13.0	-27.19	230.00	Horizontal	Horizontal	N/A
7046.750	-30.27	23.55	-13.0	-17.27	262.00	Horizontal	Horizontal	Pass
12519.625	-38.20	15.26	-13.0	-25.20	84.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.560	-48.45	5.01	-13.0	-35.45	107.00	Horizontal	Vertical	N/A
887.722	-25.15	5.20	-13.0	-12.15	199.00	Horizontal	Vertical	N/A
2969.100	-38.58	17.01	-13.0	-25.58	19.00	Horizontal	Vertical	Pass
3812.750	-39.42	15.03	-13.0	-26.42	338.00	Horizontal	Vertical	N/A
6697.250	-30.85	23.23	-13.0	-17.85	223.00	Horizontal	Vertical	Pass
13373.700	-38.07	16.76	-13.0	-25.07	363.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-40.16	5.01	-13.0	-27.16	218.00	Vertical	Vertical	N/A
892.088	-31.95	5.28	-13.0	-18.95	23.00	Vertical	Vertical	N/A
2948.600	-38.48	15.49	-13.0	-25.48	67.00	Vertical	Vertical	Pass
3733.000	-39.70	15.11	-13.0	-26.70	182.00	Vertical	Vertical	N/A
7889.500	-30.55	23.74	-13.0	-17.55	182.00	Vertical	Vertical	Pass
12690.862	-38.38	16.38	-13.0	-25.38	167.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n78A(3700-3800MHz) BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.997	-48.18	5.01	-13.0	-35.18	82.00	Vertical	Horizontal	N/A
886.073	-31.79	5.13	-13.0	-18.79	19.00	Vertical	Horizontal	N/A
2045.000	-44.74	7.10	-13.0	-31.74	189.00	Vertical	Horizontal	Pass
3760.250	-39.29	15.24	-13.0	-26.29	334.00	Vertical	Horizontal	N/A
6643.000	-30.39	23.30	-13.0	-17.39	110.00	Vertical	Horizontal	Pass
12651.201	-37.45	15.69	-13.0	-24.45	333.00	Vertical	Horizontal	Pass

29 DC\_7A\_n78A (3450-3550MHz)


29.1 DC\_7A\_n78A(3450-3550MHz) BW20MHz(LTE)+BW100MHz(NR) QPSK

RSE-H&H DC\_7A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
190.050	-66.10	-16.30	-13.0	-53.10	107.00	Horizontal	Horizontal	Pass
2580.700	-28.20	9.72	-13.0	-15.20	-1.00	Horizontal	Horizontal	N/A
2672.400	-24.38	9.08	-13.0	-11.38	100.00	Horizontal	Horizontal	N/A
3417.750	-39.61	15.50	-13.0	-26.61	145.00	Horizontal	Horizontal	N/A
7261.250	-29.66	23.77	-13.0	-16.66	343.00	Horizontal	Horizontal	Pass
12707.488	-38.43	16.46	-13.0	-25.43	280.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
184.230	-69.78	-17.17	-13.0	-56.78	305.00	Horizontal	Vertical	Pass
2579.900	-29.97	9.95	-13.0	-16.97	206.00	Horizontal	Vertical	N/A
2677.600	-24.21	9.13	-13.0	-11.21	138.00	Horizontal	Vertical	N/A
3419.500	-39.97	15.49	-13.0	-26.97	360.00	Horizontal	Vertical	N/A
6837.750	-29.51	22.36	-13.0	-16.51	360.00	Horizontal	Vertical	Pass
12693.474	-38.16	16.43	-13.0	-25.16	118.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
186.898	-67.08	-16.61	-13.0	-54.08	360.00	Vertical	Vertical	Pass
2578.100	-28.62	10.56	-13.0	-15.62	132.00	Vertical	Vertical	N/A
2686.200	-34.40	8.88	-13.0	-21.40	14.00	Vertical	Vertical	N/A
3379.500	-39.51	15.47	-13.0	-26.51	93.00	Vertical	Vertical	N/A
7963.250	-30.35	25.13	-13.0	-17.35	186.00	Vertical	Vertical	Pass
12492.313	-38.66	15.40	-13.0	-25.66	262.00	Vertical	Vertical	Pass

RSE-V&H DC\_7A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.878	-66.11	-16.63	-13.0	-53.11	28.00	Vertical	Horizontal	Pass
2579.300	-41.81	10.34	-13.0	-28.81	55.00	Vertical	Horizontal	N/A
2685.800	-35.87	8.91	-13.0	-22.87	13.00	Vertical	Horizontal	N/A
3419.500	-39.88	15.49	-13.0	-26.88	78.00	Vertical	Horizontal	N/A
6726.500	-30.41	23.73	-13.0	-17.41	282.00	Vertical	Horizontal	Pass
12508.937	-38.56	15.48	-13.0	-25.56	314.00	Vertical	Horizontal	Pass



30 DC\_7A\_n78A (3700-3800MHz)


30.1 DC\_7A\_n78A(3700-3800MHz) BW20MHz(LTE)+BW100MHz(NR) QPSK

RSE-H&H DC\_7A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.274	-65.29	-16.37	-13.0	-52.29	114.00	Horizontal	Horizontal	Pass
2580.100	-24.39	9.89	-13.0	-11.39	63.00	Horizontal	Horizontal	N/A
2675.800	-23.69	9.05	-13.0	-10.69	133.00	Horizontal	Horizontal	N/A
3900.000	-40.18	15.66	-13.0	-27.18	311.00	Horizontal	Horizontal	Pass
7960.250	-29.36	24.16	-13.0	-16.36	342.00	Horizontal	Horizontal	Pass
12699.175	-38.00	16.53	-13.0	-25.00	220.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.057	-68.08	-16.10	-13.0	-55.08	143.00	Horizontal	Vertical	Pass
2582.600	-32.70	9.53	-13.0	-19.70	270.00	Horizontal	Vertical	N/A
2674.200	-22.74	9.11	-13.0	-9.74	105.00	Horizontal	Vertical	N/A
3758.000	-38.81	15.26	-13.0	-25.81	61.00	Horizontal	Vertical	Pass
6678.500	-30.61	22.73	-13.0	-17.61	353.00	Horizontal	Vertical	Pass
12711.525	-38.30	16.42	-13.0	-25.30	148.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
191.990	-66.07	-16.17	-13.0	-53.07	20.00	Vertical	Vertical	Pass
2579.200	-29.39	10.41	-13.0	-16.39	166.00	Vertical	Vertical	N/A
2685.000	-35.66	8.98	-13.0	-22.66	-2.00	Vertical	Vertical	N/A
4884.000	-37.10	17.31	-13.0	-24.10	236.00	Vertical	Vertical	Pass
7964.250	-29.43	24.47	-13.0	-16.43	290.00	Vertical	Vertical	Pass
12671.625	-38.46	16.05	-13.0	-25.46	279.00	Vertical	Vertical	Pass

RSE-V&H DC\_7A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.266	-64.47	-16.86	-13.0	-51.47	35.00	Vertical	Horizontal	Pass
2498.600	-42.40	10.42	-13.0	-29.40	-2.00	Vertical	Horizontal	N/A
2673.300	-35.89	9.04	-13.0	-22.89	25.00	Vertical	Horizontal	N/A
3696.500	-40.31	14.69	-13.0	-27.31	13.00	Vertical	Horizontal	Pass
6709.750	-31.00	23.59	-13.0	-18.00	105.00	Vertical	Horizontal	Pass
13335.375	-38.12	15.96	-13.0	-25.12	-3.00	Vertical	Horizontal	Pass

31 DC\_38A\_n78A (3450-3550MHz)


31.1 DC\_38A\_n78A(3450-3550MHz) BW20MHz(LTE)+BW100MHz(NR) QPSK

RSE-H&H DC\_38A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
775.396	-66.56	-1.37	-13.0	-53.56	360.00	Horizontal	Horizontal	Pass
2561.400	-25.86	10.17	-13.0	-12.86	360.00	Horizontal	Horizontal	N/A
2630.300	-16.38	9.59	-13.0	-3.38	142.00	Horizontal	Horizontal	N/A
3451.250	-32.98	15.31	-13.0	-19.98	131.00	Horizontal	Horizontal	N/A
6902.500	-28.44	22.29	-13.0	-15.44	289.00	Horizontal	Horizontal	Pass
13393.651	-37.71	16.95	-13.0	-24.71	252.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_38A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
796.640	-67.88	-1.28	-13.0	-54.88	1.00	Horizontal	Vertical	Pass
2544.200	-40.38	7.79	-13.0	-27.38	185.00	Horizontal	Vertical	N/A
2631.900	-30.19	9.49	-13.0	-17.19	198.00	Horizontal	Vertical	N/A
3451.750	-29.10	15.30	-13.0	-16.10	113.00	Horizontal	Vertical	N/A
6902.250	-28.12	22.27	-13.0	-15.12	186.00	Horizontal	Vertical	Pass
12684.213	-37.69	16.27	-13.0	-24.69	340.00	Horizontal	Vertical	Pass

RSE-V&V DC\_38A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
63.174	-67.69	-17.29	-13.0	-54.69	85.00	Vertical	Vertical	Pass
2554.400	-31.01	8.55	-13.0	-18.01	186.00	Vertical	Vertical	N/A
2630.000	-22.30	9.62	-13.0	-9.30	119.00	Vertical	Vertical	N/A
3451.500	-32.08	15.30	-13.0	-19.08	83.00	Vertical	Vertical	N/A
6902.250	-23.73	22.27	-13.0	-10.73	188.00	Vertical	Vertical	Pass
12693.000	-38.00	16.42	-13.0	-25.00	360.00	Vertical	Vertical	Pass

RSE-V&H DC\_38A\_n78A(3450-3550MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
847.613	-67.59	-0.12	-13.0	-54.59	265.00	Vertical	Horizontal	Pass
2549.200	-42.18	7.95	-13.0	-29.18	45.00	Vertical	Horizontal	N/A
2627.800	-27.69	9.90	-13.0	-14.69	38.00	Vertical	Horizontal	N/A
3451.500	-37.36	15.30	-13.0	-24.36	186.00	Vertical	Horizontal	N/A
6903.000	-29.69	22.34	-13.0	-16.69	0.00	Vertical	Horizontal	Pass
12517.963	-38.33	15.29	-13.0	-25.33	348.00	Vertical	Horizontal	Pass



32 DC\_38A\_n78A (3700-3800MHz)


32.1 DC\_38A\_n78A(3700-3800MHz) BW20MHz(LTE)+BW100MHz(NR) QPSK

RSE-H&H DC\_38A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
775.736	-66.84	-1.36	-13.0	-53.84	10.00	Horizontal	Horizontal	Pass
2559.400	-28.62	9.86	-13.0	-15.62	362.00	Horizontal	Horizontal	N/A
2628.900	-15.06	9.64	-13.0	-2.06	0.00	Horizontal	Horizontal	N/A
3701.500	-39.52	14.74	-13.0	-26.52	225.00	Horizontal	Horizontal	N/A
6646.750	-30.99	23.17	-13.0	-17.99	174.00	Horizontal	Horizontal	Pass
13386.299	-37.71	16.88	-13.0	-24.71	196.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_38A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
771.468	-67.31	-1.46	-13.0	-54.31	362.00	Horizontal	Vertical	Pass
2540.800	-38.29	8.11	-13.0	-25.29	176.00	Horizontal	Vertical	N/A
2627.400	-28.25	10.00	-13.0	-15.25	103.00	Horizontal	Vertical	N/A
3761.000	-40.33	15.23	-13.0	-27.33	235.00	Horizontal	Vertical	N/A
6679.000	-30.76	22.69	-13.0	-17.76	28.00	Horizontal	Vertical	Pass
11103.651	-36.36	10.47	-13.0	-23.36	231.00	Horizontal	Vertical	Pass

RSE-V&V DC\_38A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
938.599	-66.28	1.29	-13.0	-53.28	343.00	Vertical	Vertical	Pass
2561.300	-30.03	10.17	-13.0	-17.03	205.00	Vertical	Vertical	N/A
2627.600	-15.58	9.95	-13.0	-2.58	193.00	Vertical	Vertical	N/A
3701.500	-40.05	14.74	-13.0	-27.05	69.00	Vertical	Vertical	N/A
6715.000	-28.69	23.93	-13.0	-15.69	360.00	Vertical	Vertical	Pass
12654.287	-37.85	15.74	-13.0	-24.85	298.00	Vertical	Vertical	Pass

RSE-V&H DC\_38A\_n78A(3700-3800MHz) BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.636	-66.16	-16.37	-13.0	-53.16	108.00	Vertical	Horizontal	Pass
2555.200	-40.91	8.60	-13.0	-27.91	362.00	Vertical	Horizontal	N/A
2630.400	-31.59	9.58	-13.0	-18.59	362.00	Vertical	Horizontal	N/A
3764.500	-40.24	15.21	-13.0	-27.24	360.00	Vertical	Horizontal	N/A
6716.750	-30.85	24.02	-13.0	-17.85	49.00	Vertical	Horizontal	Pass
12659.512	-38.28	15.84	-13.0	-25.28	207.00	Vertical	Horizontal	Pass