



U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.78	3.78	68.2	-10.42	Peak	117.00	150	Horizontal	Pass
2	5815.416	59.69	3.48	68.2	-8.51	Peak	316.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.84	3.88	68.2	-10.36	Peak	183.00	150	Horizontal	Pass
1**	5470.000	47.46	3.88	--	--	AV	183.00	150	Horizontal	N/A
2	5460.000	57.55	3.79	68.2	-10.65	Peak	145.00	150	Horizontal	Pass
2**	5460.000	46.92	3.79	54.0	-7.08	AV	145.00	150	Horizontal	Pass
3	5468.400	59.00	3.90	68.2	-9.20	Peak	130.00	150	Horizontal	Pass
3**	5468.400	47.68	3.90	--	--	AV	130.00	150	Horizontal	N/A
4	5457.000	58.84	3.80	68.2	-9.36	Peak	18.00	150	Horizontal	Pass
4**	5457.000	46.96	3.80	54.0	-7.04	AV	18.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.93	3.78	68.2	-10.27	Peak	160.00	150	Horizontal	Pass
2	5750.834	59.35	3.83	68.2	-8.85	Peak	237.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.79	3.88	68.2	-10.41	Peak	236.00	150	Horizontal	Pass
1**	5470.000	46.95	3.88	--	--	AV	236.00	150	Horizontal	N/A
2	5460.000	56.92	3.79	68.2	-11.28	Peak	346.00	150	Horizontal	Pass
2**	5460.000	46.49	3.79	54.0	-7.51	AV	346.00	150	Horizontal	Pass
3	5465.400	58.67	3.84	68.2	-9.53	Peak	352.00	150	Horizontal	Pass
3**	5465.400	46.56	3.84	--	--	AV	352.00	150	Horizontal	N/A
4	5425.800	58.43	3.30	68.2	-9.77	Peak	8.00	150	Horizontal	Pass
4**	5425.800	46.65	3.30	54.0	-7.35	AV	8.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.44	3.78	68.2	-10.76	Peak	302.00	150	Horizontal	Pass
2	5778.750	59.48	3.95	68.2	-8.72	Peak	179.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.03	3.88	68.2	-10.17	Peak	157.00	150	Horizontal	Pass
1**	5470.000	47.51	3.88	--	--	AV	157.00	150	Horizontal	N/A
2	5460.000	57.59	3.79	68.2	-10.61	Peak	212.00	150	Horizontal	Pass
2**	5460.000	46.98	3.79	54.0	-7.02	AV	212.00	150	Horizontal	Pass
3	5468.200	59.13	3.91	68.2	-9.07	Peak	203.00	150	Horizontal	Pass
3**	5468.200	47.32	3.91	--	--	AV	203.00	150	Horizontal	N/A
4	5459.200	58.79	3.85	68.2	-9.41	Peak	180.00	150	Horizontal	Pass
4**	5459.200	47.07	3.85	54.0	-6.93	AV	180.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.68	3.78	68.2	-9.52	Peak	304.00	150	Horizontal	Pass
2	5764.583	59.19	4.13	68.2	-9.01	Peak	253.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.41	3.88	68.2	-7.79	Peak	156.00	150	Horizontal	Pass
1**	5470.000	47.71	3.88	--	--	AV	156.00	150	Horizontal	N/A
2	5460.000	58.37	3.79	68.2	-9.83	Peak	229.00	150	Horizontal	Pass
2**	5460.000	47.47	3.79	54.0	-6.53	AV	229.00	150	Horizontal	Pass
3	5467.600	61.86	3.91	68.2	-6.34	Peak	26.00	150	Horizontal	Pass
3**	5467.600	47.73	3.91	--	--	AV	26.00	150	Horizontal	N/A
4	5449.200	59.91	3.66	68.2	-8.29	Peak	30.00	150	Horizontal	Pass
4**	5449.200	47.41	3.66	54.0	-6.59	AV	30.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.73	3.78	68.2	-10.47	Peak	229.00	150	Horizontal	Pass
2	5834.791	59.86	4.00	68.2	-8.34	Peak	207.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.33	3.88	68.2	-9.87	Peak	99.00	150	Horizontal	Pass
1**	5470.000	46.91	3.88	--	--	AV	99.00	150	Horizontal	N/A
2	5460.000	57.07	3.79	68.2	-11.13	Peak	117.00	150	Horizontal	Pass
2**	5460.000	46.67	3.79	54.0	-7.33	AV	117.00	150	Horizontal	Pass
3	5467.400	58.96	3.91	68.2	-9.24	Peak	282.00	150	Horizontal	Pass
3**	5467.400	46.99	3.91	--	--	AV	282.00	150	Horizontal	N/A
4	5457.800	58.92	3.81	68.2	-9.28	Peak	66.00	150	Horizontal	Pass
4**	5457.800	46.70	3.81	54.0	-7.30	AV	66.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.06	3.78	68.2	-9.14	Peak	219.00	150	Horizontal	Pass
2	5725.209	60.12	3.76	68.2	-8.08	Peak	279.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.85	3.88	68.2	-10.35	Peak	183.00	150	Horizontal	Pass
1**	5470.000	47.36	3.88	--	--	AV	183.00	150	Horizontal	N/A
2	5460.000	59.99	3.79	68.2	-8.21	Peak	192.00	150	Horizontal	Pass
2**	5460.000	46.79	3.79	54.0	-7.21	AV	192.00	150	Horizontal	Pass
3	5466.800	60.11	3.89	68.2	-8.09	Peak	28.00	150	Horizontal	Pass
3**	5466.800	47.06	3.89	--	--	AV	28.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.12	3.78	68.2	-10.08	Peak	268.00	150	Horizontal	Pass
2	5725.000	58.12	3.78	68.2	-10.08	Peak	268.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.72	3.88	68.2	-9.48	Peak	259.00	150	Horizontal	Pass
1**	5470.000	47.69	3.88	--	--	AV	259.00	150	Horizontal	N/A
2	5460.000	58.81	3.79	68.2	-9.39	Peak	20.00	150	Horizontal	Pass
2**	5460.000	47.32	3.79	54.0	-6.68	AV	20.00	150	Horizontal	Pass
3	5460.600	59.88	3.74	68.2	-8.32	Peak	226.00	150	Horizontal	Pass
3**	5460.600	47.37	3.74	--	--	AV	226.00	150	Horizontal	N/A
4	5453.000	59.93	3.83	68.2	-8.27	Peak	235.00	150	Horizontal	Pass
4**	5453.000	47.51	3.83	54.0	-6.49	AV	235.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.80	3.78	68.2	-10.40	Peak	190.00	150	Horizontal	Pass
2	5810.625	59.35	3.56	68.2	-8.85	Peak	219.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.209	57.16	3.39	68.2	-11.04	Peak	87.00	150	Horizontal	Pass
2	5650.000	57.01	3.60	68.2	-11.19	Peak	73.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.12	3.43	68.2	-10.08	Peak	0.00	150	Horizontal	Pass
2	5972.500	60.17	4.89	68.2	-8.03	Peak	98.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.333	58.81	3.34	68.2	-9.39	Peak	92.00	150	Horizontal	Pass
2	5650.000	57.94	3.60	68.2	-10.26	Peak	111.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.81	3.43	68.2	-10.39	Peak	294.00	150	Horizontal	Pass
2	5975.000	59.82	4.76	68.2	-8.38	Peak	319.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.791	58.62	3.39	68.2	-9.58	Peak	139.00	150	Horizontal	Pass
2	5650.000	57.28	3.60	68.2	-10.92	Peak	20.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.79	3.43	68.2	-10.41	Peak	58.00	150	Horizontal	Pass
2	5939.000	60.15	4.12	68.2	-8.05	Peak	311.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.875	58.83	3.46	68.2	-9.37	Peak	296.00	150	Horizontal	Pass
2	5650.000	57.45	3.60	68.2	-10.75	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.41	3.43	68.2	-9.79	Peak	170.00	150	Horizontal	Pass
2	5987.000	59.50	4.28	68.2	-8.70	Peak	219.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.291	58.45	3.38	68.2	-9.75	Peak	136.00	150	Horizontal	Pass
2	5650.000	57.79	3.60	68.2	-10.41	Peak	179.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.42	3.43	68.2	-9.78	Peak	105.00	150	Horizontal	Pass
2	5940.250	59.73	4.15	68.2	-8.47	Peak	81.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.125	58.62	3.37	68.2	-9.58	Peak	20.00	150	Horizontal	Pass
2	5650.000	58.08	3.60	68.2	-10.12	Peak	36.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.09	3.43	68.2	-10.11	Peak	109.00	150	Horizontal	Pass
2	5995.750	59.76	4.49	68.2	-8.44	Peak	43.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.26	3.60	68.2	-9.94	Peak	53.00	150	Horizontal	Pass
2	5640.416	59.20	3.37	68.2	-9.00	Peak	213.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.54	3.43	68.2	-10.66	Peak	140.00	150	Horizontal	Pass
2	5950.500	59.66	4.63	68.2	-8.54	Peak	333.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5612.917	59.49	3.47	68.2	-8.71	Peak	54.00	150	Horizontal	Pass
2	5650.000	56.99	3.60	68.2	-11.21	Peak	168.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.41	3.43	68.2	-9.79	Peak	122.00	150	Horizontal	Pass
2	5986.250	60.43	4.37	68.2	-7.77	Peak	130.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.334	59.05	3.39	68.2	-9.15	Peak	266.00	150	Horizontal	Pass
2	5650.000	58.23	3.60	68.2	-9.97	Peak	170.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.62	3.43	68.2	-10.58	Peak	135.00	150	Horizontal	Pass
2	5958.250	59.47	4.64	68.2	-8.73	Peak	288.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.53	3.88	68.2	-10.67	Peak	346.00	150	Horizontal	Pass
1**	5470.000	46.90	3.88	--	--	AV	346.00	150	Horizontal	N/A
2	5460.000	57.95	3.79	68.2	-10.25	Peak	7.00	150	Horizontal	Pass
2**	5460.000	46.50	3.79	54.0	-7.50	AV	7.00	150	Horizontal	Pass
3	5466.800	58.75	3.89	68.2	-9.45	Peak	246.00	150	Horizontal	Pass
3**	5466.800	46.83	3.89	--	--	AV	246.00	150	Horizontal	N/A
4	5421.400	58.81	3.34	68.2	-9.39	Peak	329.00	150	Horizontal	Pass
4**	5421.400	46.70	3.34	54.0	-7.30	AV	329.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.19	3.43	68.2	-10.01	Peak	360.00	150	Horizontal	Pass
2	5986.500	60.00	4.34	68.2	-8.20	Peak	2.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.60	3.88	68.2	-10.60	Peak	2.00	150	Horizontal	Pass
1**	5470.000	46.97	3.88	--	--	AV	2.00	150	Horizontal	N/A
2	5460.000	57.55	3.79	68.2	-10.65	Peak	153.00	150	Horizontal	Pass
2**	5460.000	46.59	3.79	54.0	-7.41	AV	153.00	150	Horizontal	Pass
3	5467.800	59.42	3.92	68.2	-8.78	Peak	26.00	150	Horizontal	Pass
3**	5467.800	46.82	3.92	--	--	AV	26.00	150	Horizontal	N/A
4	5410.000	58.67	3.37	68.2	-9.53	Peak	161.00	150	Horizontal	Pass
4**	5410.000	46.50	3.37	54.0	-7.50	AV	161.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.48	3.43	68.2	-10.72	Peak	301.00	150	Horizontal	Pass
2	5943.250	60.14	4.37	68.2	-8.06	Peak	136.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.66	3.88	68.2	-10.54	Peak	335.00	150	Horizontal	Pass
1**	5470.000	46.86	3.88	--	--	AV	335.00	150	Horizontal	N/A
2	5460.000	58.12	3.79	68.2	-10.08	Peak	111.00	150	Horizontal	Pass
2**	5460.000	46.63	3.79	54.0	-7.37	AV	111.00	150	Horizontal	Pass
3	5469.200	58.16	3.89	68.2	-10.04	Peak	300.00	150	Horizontal	Pass
3**	5469.200	46.96	3.89	--	--	AV	300.00	150	Horizontal	N/A
4	5457.400	58.74	3.80	68.2	-9.46	Peak	155.00	150	Horizontal	Pass
4**	5457.400	46.57	3.80	54.0	-7.43	AV	155.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.32	3.43	68.2	-10.88	Peak	254.00	150	Horizontal	Pass
2	5950.750	59.99	4.65	68.2	-8.21	Peak	203.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.27	3.88	68.2	-9.93	Peak	174.00	150	Horizontal	Pass
1**	5470.000	46.97	3.88	--	--	AV	174.00	150	Horizontal	N/A
2	5460.000	57.03	3.79	68.2	-11.17	Peak	224.00	150	Horizontal	Pass
2**	5460.000	46.68	3.79	54.0	-7.32	AV	224.00	150	Horizontal	Pass
3	5461.800	58.80	3.67	68.2	-9.40	Peak	157.00	150	Horizontal	Pass
3**	5461.800	46.56	3.67	--	--	AV	157.00	150	Horizontal	N/A
4	5384.400	58.88	3.50	68.2	-9.32	Peak	249.00	150	Horizontal	Pass
4**	5384.400	46.49	3.50	54.0	-7.51	AV	249.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.90	3.43	68.2	-10.30	Peak	318.00	150	Horizontal	Pass
2	5986.500	59.73	4.34	68.2	-8.47	Peak	215.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.26	3.88	68.2	-10.94	Peak	127.00	150	Horizontal	Pass
1**	5470.000	47.00	3.88	--	--	AV	127.00	150	Horizontal	N/A
2	5460.000	57.46	3.79	68.2	-10.74	Peak	0.00	150	Horizontal	Pass
2**	5460.000	46.54	3.79	54.0	-7.46	AV	0.00	150	Horizontal	Pass
3	5461.200	58.50	3.69	68.2	-9.70	Peak	219.00	150	Horizontal	Pass
3**	5461.200	46.51	3.69	--	--	AV	219.00	150	Horizontal	N/A
4	5422.600	58.59	3.29	68.2	-9.61	Peak	260.00	150	Horizontal	Pass
4**	5422.600	46.66	3.29	54.0	-7.34	AV	260.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.82	3.43	68.2	-10.38	Peak	64.00	150	Horizontal	Pass
2	5953.250	59.89	4.71	68.2	-8.31	Peak	199.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.07	3.88	68.2	-10.13	Peak	348.00	150	Horizontal	Pass
1**	5470.000	46.94	3.88	--	--	AV	348.00	150	Horizontal	N/A
2	5460.000	57.87	3.79	68.2	-10.33	Peak	92.00	150	Horizontal	Pass
2**	5460.000	46.58	3.79	54.0	-7.42	AV	92.00	150	Horizontal	Pass
3	5460.400	58.65	3.75	68.2	-9.55	Peak	228.00	150	Horizontal	Pass
3**	5460.400	46.57	3.75	--	--	AV	228.00	150	Horizontal	N/A
4	5430.600	58.50	3.36	68.2	-9.70	Peak	16.00	150	Horizontal	Pass
4**	5430.600	46.68	3.36	54.0	-7.32	AV	16.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.08	3.43	68.2	-10.12	Peak	163.00	150	Horizontal	Pass
2	5987.000	60.19	4.28	68.2	-8.01	Peak	360.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.12	3.88	68.2	-11.08	Peak	293.00	150	Horizontal	Pass
1**	5470.000	46.81	3.88	--	--	AV	293.00	150	Horizontal	N/A
2	5460.000	57.51	3.79	68.2	-10.69	Peak	0.00	150	Horizontal	Pass
2**	5460.000	46.77	3.79	54.0	-7.23	AV	0.00	150	Horizontal	Pass
3	5469.000	58.31	3.89	68.2	-9.89	Peak	224.00	150	Horizontal	Pass
3**	5469.000	46.98	3.89	--	--	AV	224.00	150	Horizontal	N/A
4	5437.200	59.20	3.48	68.2	-9.00	Peak	284.00	150	Horizontal	Pass
4**	5437.200	46.49	3.48	54.0	-7.51	AV	284.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.47	3.43	68.2	-9.73	Peak	203.00	150	Horizontal	Pass
2	5966.250	59.64	4.88	68.2	-8.56	Peak	331.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.73	3.88	68.2	-10.47	Peak	301.00	150	Horizontal	Pass
1**	5470.000	46.90	3.88	--	--	AV	301.00	150	Horizontal	N/A
2	5460.000	57.10	3.79	68.2	-11.10	Peak	284.00	150	Horizontal	Pass
2**	5460.000	46.52	3.79	54.0	-7.48	AV	284.00	150	Horizontal	Pass
3	5464.400	58.25	3.75	68.2	-9.95	Peak	206.00	150	Horizontal	Pass
3**	5464.400	46.78	3.75	--	--	AV	206.00	150	Horizontal	N/A
4	5439.400	58.59	3.56	68.2	-9.61	Peak	145.00	150	Horizontal	Pass
4**	5439.400	46.53	3.56	54.0	-7.47	AV	145.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.24	3.43	68.2	-9.96	Peak	232.00	150	Horizontal	Pass
2	5939.750	60.16	4.15	68.2	-8.04	Peak	241.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax80(SU) CH138



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.79	3.88	68.2	-10.41	Peak	0.00	150	Horizontal	Pass
1**	5470.000	46.88	3.88	--	--	AV	0.00	150	Horizontal	N/A
2	5460.000	57.05	3.79	68.2	-11.15	Peak	115.00	150	Horizontal	Pass
2**	5460.000	46.73	3.79	54.0	-7.27	AV	115.00	150	Horizontal	Pass
3	5462.600	57.89	3.67	68.2	-10.31	Peak	0.00	150	Horizontal	Pass
3**	5462.600	46.61	3.67	--	--	AV	0.00	150	Horizontal	N/A
4	5406.000	58.87	3.30	68.2	-9.33	Peak	186.00	150	Horizontal	Pass
4**	5406.000	46.27	3.30	54.0	-7.73	AV	186.00	150	Horizontal	Pass


U-NII-2C&U-NII-3 11ax80(SU) CH138



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.67	3.43	68.2	-10.53	Peak	313.00	150	Horizontal	Pass
2	5968.750	59.75	4.93	68.2	-8.45	Peak	340.00	150	Horizontal	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.10	3.22	68.2	-11.10	Peak	0.00	150	Vertical	Pass
1**	5150.000	46.55	3.22	54.0	-7.45	AV	0.00	150	Vertical	Pass
2	4917.625	58.27	3.74	68.2	-9.93	Peak	282.00	150	Vertical	Pass
2**	4917.625	46.90	3.74	54.0	-7.10	AV	282.00	150	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.64	2.98	68.2	-11.56	Peak	22.00	150	Vertical	Pass
1**	5350.000	45.82	2.98	54.0	-8.18	AV	22.00	150	Vertical	Pass
2	5396.750	59.13	3.35	68.2	-9.07	Peak	55.00	150	Vertical	Pass
2**	5396.750	46.24	3.35	54.0	-7.76	AV	55.00	150	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.49	3.22	68.2	-11.71	Peak	300.00	150	Vertical	Pass
1**	5150.000	46.81	3.22	54.0	-7.19	AV	300.00	150	Vertical	Pass
2	4821.750	58.21	2.56	68.2	-9.99	Peak	61.00	150	Vertical	Pass
2**	4821.750	46.40	2.56	54.0	-7.60	AV	61.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.45	2.98	68.2	-11.75	Peak	80.00	150	Vertical	Pass
1**	5350.000	45.78	2.98	54.0	-8.22	AV	80.00	150	Vertical	Pass
2	5395.100	58.89	3.33	68.2	-9.31	Peak	108.00	150	Vertical	Pass
2**	5395.100	46.29	3.33	54.0	-7.71	AV	108.00	150	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.65	3.22	68.2	-10.55	Peak	104.00	150	Vertical	Pass
1**	5150.000	47.01	3.22	54.0	-6.99	AV	104.00	150	Vertical	Pass
2	4802.575	58.91	3.38	68.2	-9.29	Peak	41.00	150	Vertical	Pass
2**	4802.575	46.64	3.38	54.0	-7.36	AV	41.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.77	2.98	68.2	-11.43	Peak	58.00	150	Vertical	Pass
1**	5350.000	45.98	2.98	54.0	-8.02	AV	58.00	150	Vertical	Pass
2	5400.600	58.90	3.34	68.2	-9.30	Peak	171.00	150	Vertical	Pass
2**	5400.600	46.30	3.34	54.0	-7.70	AV	171.00	150	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.73	3.22	68.2	-11.47	Peak	53.00	150	Vertical	Pass
1**	5150.000	46.85	3.22	54.0	-7.15	AV	53.00	150	Vertical	Pass
2	5112.950	58.30	3.60	68.2	-9.90	Peak	53.00	150	Vertical	Pass
2**	5112.950	46.82	3.60	54.0	-7.18	AV	53.00	150	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.13	2.98	68.2	-11.07	Peak	176.00	150	Vertical	Pass
1**	5350.000	46.06	2.98	54.0	-7.94	AV	176.00	150	Vertical	Pass
2	5402.983	58.83	3.33	68.2	-9.37	Peak	63.00	150	Vertical	Pass
2**	5402.983	46.36	3.33	54.0	-7.64	AV	63.00	150	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.05	3.22	68.2	-11.15	Peak	36.00	150	Vertical	Pass
1**	5150.000	47.27	3.22	54.0	-6.73	AV	36.00	150	Vertical	Pass
2	5144.475	58.18	3.42	68.2	-10.02	Peak	220.00	150	Vertical	Pass
2**	5144.475	47.03	3.42	54.0	-6.97	AV	220.00	150	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.07	2.98	68.2	-11.13	Peak	24.00	150	Vertical	Pass
1**	5350.000	45.83	2.98	54.0	-8.17	AV	24.00	150	Vertical	Pass
2	5436.900	59.04	3.45	68.2	-9.16	Peak	112.00	150	Vertical	Pass
2**	5436.900	46.63	3.45	54.0	-7.37	AV	112.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.85	3.22	68.2	-10.35	Peak	97.00	150	Vertical	Pass
1**	5150.000	48.13	3.22	54.0	-5.87	AV	97.00	150	Vertical	Pass
2	5146.750	61.90	3.39	68.2	-6.30	Peak	97.00	150	Vertical	Pass
2**	5146.750	48.02	3.39	54.0	-5.98	AV	97.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.52	2.98	68.2	-11.68	Peak	359.00	150	Vertical	Pass
1**	5350.000	45.79	2.98	54.0	-8.21	AV	359.00	150	Vertical	Pass
2	5433.050	58.94	3.38	68.2	-9.26	Peak	290.00	150	Vertical	Pass
2**	5433.050	46.43	3.38	54.0	-7.57	AV	290.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.14	3.22	68.2	-11.06	Peak	0.00	150	Vertical	Pass
1**	5150.000	46.56	3.22	54.0	-7.44	AV	0.00	150	Vertical	Pass
2	4799.650	58.45	3.45	68.2	-9.75	Peak	283.00	150	Vertical	Pass
2**	4799.650	46.38	3.45	54.0	-7.62	AV	283.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.69	2.98	68.2	-11.51	Peak	274.00	150	Vertical	Pass
1**	5350.000	45.97	2.98	54.0	-8.03	AV	274.00	150	Vertical	Pass
2	5406.100	58.55	3.29	68.2	-9.65	Peak	310.00	150	Vertical	Pass
2**	5406.100	46.24	3.29	54.0	-7.76	AV	310.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.36	3.22	68.2	-11.84	Peak	89.00	150	Vertical	Pass
1**	5150.000	47.17	3.22	54.0	-6.83	AV	89.00	150	Vertical	Pass
2	5135.050	58.34	3.68	68.2	-9.86	Peak	360.00	150	Vertical	Pass
2**	5135.050	46.90	3.68	54.0	-7.10	AV	360.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.83	2.98	68.2	-11.37	Peak	166.00	150	Vertical	Pass
1**	5350.000	45.81	2.98	54.0	-8.19	AV	166.00	150	Vertical	Pass
2	5387.400	58.50	3.43	68.2	-9.70	Peak	296.00	150	Vertical	Pass
2**	5387.400	46.24	3.43	54.0	-7.76	AV	296.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.16	3.22	68.2	-11.04	Peak	312.00	150	Vertical	Pass
1**	5150.000	47.53	3.22	54.0	-6.47	AV	312.00	150	Vertical	Pass
2	5140.250	59.05	3.58	68.2	-9.15	Peak	82.00	150	Vertical	Pass
2**	5140.250	47.20	3.58	54.0	-6.80	AV	82.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.72	2.98	68.2	-11.48	Peak	329.00	150	Vertical	Pass
1**	5350.000	45.81	2.98	54.0	-8.19	AV	329.00	150	Vertical	Pass
2	5416.550	58.41	3.21	68.2	-9.79	Peak	102.00	150	Vertical	Pass
2**	5416.550	46.47	3.21	54.0	-7.53	AV	102.00	150	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.09	3.22	68.2	-12.11	Peak	164.00	150	Vertical	Pass
1**	5150.000	46.78	3.22	54.0	-7.22	AV	164.00	150	Vertical	Pass
2	5128.550	58.85	3.71	68.2	-9.35	Peak	46.00	150	Vertical	Pass
2**	5128.550	46.68	3.71	54.0	-7.32	AV	46.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.76	2.98	68.2	-11.44	Peak	342.00	150	Vertical	Pass
1**	5350.000	45.96	2.98	54.0	-8.04	AV	342.00	150	Vertical	Pass
2	5425.717	59.10	3.30	68.2	-9.10	Peak	104.00	150	Vertical	Pass
2**	5425.717	46.66	3.30	54.0	-7.34	AV	104.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.42	3.22	68.2	-11.78	Peak	345.00	150	Vertical	Pass
1**	5150.000	46.87	3.22	54.0	-7.13	AV	345.00	150	Vertical	Pass
2	5116.850	58.33	3.72	68.2	-9.87	Peak	129.00	150	Vertical	Pass
2**	5116.850	46.57	3.72	54.0	-7.43	AV	129.00	150	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.56	2.98	68.2	-11.64	Peak	342.00	150	Vertical	Pass
1**	5350.000	45.90	2.98	54.0	-8.10	AV	342.00	150	Vertical	Pass
2	5413.433	58.63	3.23	68.2	-9.57	Peak	232.00	150	Vertical	Pass
2**	5413.433	46.32	3.23	54.0	-7.68	AV	232.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.55	3.22	68.2	-11.65	Peak	360.00	150	Vertical	Pass
1**	5150.000	46.89	3.22	54.0	-7.11	AV	360.00	150	Vertical	Pass
2	4926.725	58.21	3.20	68.2	-9.99	Peak	323.00	150	Vertical	Pass
2**	4926.725	46.72	3.20	54.0	-7.28	AV	323.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.17	2.98	68.2	-10.03	Peak	35.00	150	Vertical	Pass
1**	5350.000	48.37	2.98	54.0	-5.63	AV	35.00	150	Vertical	Pass
2	5351.834	60.84	3.03	68.2	-7.36	Peak	56.00	150	Vertical	Pass
2**	5351.834	47.12	3.03	54.0	-6.88	AV	56.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.20	3.22	68.2	-12.00	Peak	10.00	150	Vertical	Pass
1**	5150.000	46.78	3.22	54.0	-7.22	AV	10.00	150	Vertical	Pass
2	5119.775	58.16	3.74	68.2	-10.04	Peak	19.00	150	Vertical	Pass
2**	5119.775	46.99	3.74	54.0	-7.01	AV	19.00	150	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.40	2.98	68.2	-11.80	Peak	152.00	150	Vertical	Pass
1**	5350.000	45.96	2.98	54.0	-8.04	AV	152.00	150	Vertical	Pass
2	5405.367	58.50	3.30	68.2	-9.70	Peak	240.00	150	Vertical	Pass
2**	5405.367	46.22	3.30	54.0	-7.78	AV	240.00	150	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.88	3.22	68.2	-11.32	Peak	184.00	150	Vertical	Pass
1**	5150.000	46.76	3.22	54.0	-7.24	AV	184.00	150	Vertical	Pass
2	5124.650	58.81	3.82	68.2	-9.39	Peak	27.00	150	Vertical	Pass
2**	5124.650	46.79	3.82	54.0	-7.21	AV	27.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.85	2.98	68.2	-10.35	Peak	58.00	150	Vertical	Pass
1**	5350.000	47.12	2.98	54.0	-6.88	AV	58.00	150	Vertical	Pass
2	5350.000	57.85	2.98	68.2	-10.35	Peak	58.00	150	Vertical	Pass
2**	5350.000	47.12	2.98	54.0	-6.88	AV	58.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.77	3.22	68.2	-11.43	Peak	0.00	150	Vertical	Pass
1**	5150.000	46.77	3.22	54.0	-7.23	AV	0.00	150	Vertical	Pass
2	5091.175	58.24	3.49	68.2	-9.96	Peak	342.00	150	Vertical	Pass
2**	5091.175	46.85	3.49	54.0	-7.15	AV	342.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.88	2.98	68.2	-5.32	Peak	82.00	150	Vertical	Pass
1**	5350.000	48.43	2.98	54.0	-5.57	AV	82.00	150	Vertical	Pass
2	5356.417	63.43	3.23	68.2	-4.77	Peak	72.00	150	Vertical	Pass
2**	5356.417	47.69	3.23	54.0	-6.31	AV	72.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.21	3.22	68.2	-11.99	Peak	187.00	150	Vertical	Pass
1**	5150.000	46.76	3.22	54.0	-7.24	AV	187.00	150	Vertical	Pass
2	5082.725	58.62	3.39	68.2	-9.58	Peak	275.00	150	Vertical	Pass
2**	5082.725	46.66	3.39	54.0	-7.34	AV	275.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.57	2.98	68.2	-11.63	Peak	181.00	150	Vertical	Pass
1**	5350.000	45.84	2.98	54.0	-8.16	AV	181.00	150	Vertical	Pass
2	5382.266	58.33	3.55	68.2	-9.87	Peak	218.00	150	Vertical	Pass
2**	5382.266	46.43	3.55	54.0	-7.57	AV	218.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.67	3.22	68.2	-11.53	Peak	86.00	150	Vertical	Pass
1**	5150.000	46.67	3.22	54.0	-7.33	AV	86.00	150	Vertical	Pass
2	4995.300	58.16	3.07	68.2	-10.04	Peak	285.00	150	Vertical	Pass
2**	4995.300	46.17	3.07	54.0	-7.83	AV	285.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.15	2.98	68.2	-10.05	Peak	68.00	150	Vertical	Pass
1**	5350.000	47.34	2.98	54.0	-6.66	AV	68.00	150	Vertical	Pass
2	5352.567	59.63	3.11	68.2	-8.57	Peak	78.00	150	Vertical	Pass
2**	5352.567	46.91	3.11	54.0	-7.09	AV	78.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.56	3.22	68.2	-11.64	Peak	264.00	150	Vertical	Pass
1**	5150.000	46.76	3.22	54.0	-7.24	AV	264.00	150	Vertical	Pass
2	5096.375	58.49	3.52	68.2	-9.71	Peak	2.00	150	Vertical	Pass
2**	5096.375	46.78	3.52	54.0	-7.22	AV	2.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.49	2.98	68.2	-7.71	Peak	64.00	150	Vertical	Pass
1**	5350.000	48.01	2.98	54.0	-5.99	AV	64.00	150	Vertical	Pass
2	5354.767	61.32	3.12	68.2	-6.88	Peak	73.00	150	Vertical	Pass
2**	5354.767	47.57	3.12	54.0	-6.43	AV	73.00	150	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.26	3.88	68.2	-9.94	Peak	271.00	150	Vertical	Pass
1**	5470.000	46.84	3.88	--	--	AV	271.00	150	Vertical	N/A
2	5460.000	56.92	3.79	68.2	-11.28	Peak	262.00	150	Vertical	Pass
2**	5460.000	46.45	3.79	54.0	-7.55	AV	262.00	150	Vertical	Pass
3	5468.400	58.34	3.90	68.2	-9.86	Peak	79.00	150	Vertical	Pass
3**	5468.400	46.80	3.90	--	--	AV	79.00	150	Vertical	N/A
4	5397.000	59.29	3.35	68.2	-8.91	Peak	317.00	150	Vertical	Pass
4**	5397.000	46.32	3.35	54.0	-7.68	AV	317.00	150	Vertical	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.00	3.78	68.2	-10.20	Peak	65.00	150	Vertical	Pass
2	5728.958	59.13	3.61	68.2	-9.07	Peak	279.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.67	3.88	68.2	-10.53	Peak	238.00	150	Vertical	Pass
1**	5470.000	46.79	3.88	--	--	AV	238.00	150	Vertical	N/A
2	5460.000	57.10	3.79	68.2	-11.10	Peak	283.00	150	Vertical	Pass
2**	5460.000	46.56	3.79	54.0	-7.44	AV	283.00	150	Vertical	Pass
3	5465.200	58.81	3.82	68.2	-9.39	Peak	17.00	150	Vertical	Pass
3**	5465.200	46.66	3.82	--	--	AV	17.00	150	Vertical	N/A
4	5425.600	58.68	3.30	68.2	-9.52	Peak	243.00	150	Vertical	Pass
4**	5425.600	46.79	3.30	54.0	-7.21	AV	243.00	150	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.36	3.78	68.2	-9.84	Peak	334.00	150	Vertical	Pass
2	5813.959	58.86	3.49	68.2	-9.34	Peak	217.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.64	3.88	68.2	-9.56	Peak	65.00	150	Vertical	Pass
1**	5470.000	48.47	3.88	--	--	AV	65.00	150	Vertical	N/A
2	5460.000	57.58	3.79	68.2	-10.62	Peak	83.00	150	Vertical	Pass
2**	5460.000	47.19	3.79	54.0	-6.81	AV	83.00	150	Vertical	Pass
3	5466.800	59.10	3.89	68.2	-9.10	Peak	226.00	150	Vertical	Pass
3**	5466.800	47.83	3.89	--	--	AV	226.00	150	Vertical	N/A
4	5456.800	58.72	3.80	68.2	-9.48	Peak	51.00	150	Vertical	Pass
4**	5456.800	47.15	3.80	54.0	-6.85	AV	51.00	150	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.73	3.78	68.2	-10.47	Peak	285.00	150	Vertical	Pass
2	5843.750	59.41	4.21	68.2	-8.79	Peak	87.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.43	3.88	68.2	-10.77	Peak	97.00	150	Vertical	Pass
1**	5470.000	46.86	3.88	--	--	AV	97.00	150	Vertical	N/A
2	5460.000	57.21	3.79	68.2	-10.99	Peak	301.00	150	Vertical	Pass
2**	5460.000	46.72	3.79	54.0	-7.28	AV	301.00	150	Vertical	Pass
3	5469.600	58.50	3.88	68.2	-9.70	Peak	0.00	150	Vertical	Pass
3**	5469.600	47.00	3.88	--	--	AV	0.00	150	Vertical	N/A
4	5417.000	59.10	3.21	68.2	-9.10	Peak	262.00	150	Vertical	Pass
4**	5417.000	46.58	3.21	54.0	-7.42	AV	262.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.80	3.78	68.2	-10.40	Peak	251.00	150	Vertical	Pass
2	5840.000	60.20	4.17	68.2	-8.00	Peak	101.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.65	3.88	68.2	-10.55	Peak	189.00	150	Vertical	Pass
1**	5470.000	47.70	3.88	--	--	AV	189.00	150	Vertical	N/A
2	5460.000	57.91	3.79	68.2	-10.29	Peak	73.00	150	Vertical	Pass
2**	5460.000	46.81	3.79	54.0	-7.19	AV	73.00	150	Vertical	Pass
3	5466.400	58.77	3.88	68.2	-9.43	Peak	63.00	150	Vertical	Pass
3**	5466.400	47.45	3.88	--	--	AV	63.00	150	Vertical	N/A
4	5424.600	58.84	3.30	68.2	-9.36	Peak	44.00	150	Vertical	Pass
4**	5424.600	46.80	3.30	54.0	-7.20	AV	44.00	150	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.07	3.78	68.2	-10.13	Peak	360.00	150	Vertical	Pass
2	5845.000	59.01	4.27	68.2	-9.19	Peak	313.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.80	3.88	68.2	-9.40	Peak	92.00	150	Vertical	Pass
1**	5470.000	47.80	3.88	--	--	AV	92.00	150	Vertical	N/A
2	5460.000	58.16	3.79	68.2	-10.04	Peak	82.00	150	Vertical	Pass
2**	5460.000	47.51	3.79	54.0	-6.49	AV	82.00	150	Vertical	Pass
3	5466.600	61.96	3.89	68.2	-6.24	Peak	82.00	150	Vertical	Pass
3**	5466.600	47.79	3.89	--	--	AV	82.00	150	Vertical	N/A
4	5451.400	59.26	3.72	68.2	-8.94	Peak	87.00	150	Vertical	Pass
4**	5451.400	47.51	3.72	54.0	-6.49	AV	87.00	150	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.82	3.78	68.2	-10.38	Peak	144.00	150	Vertical	Pass
2	5776.250	59.43	4.07	68.2	-8.77	Peak	41.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.23	3.88	68.2	-10.97	Peak	271.00	150	Vertical	Pass
1**	5470.000	46.88	3.88	--	--	AV	271.00	150	Vertical	N/A
2	5460.000	57.35	3.79	68.2	-10.85	Peak	177.00	150	Vertical	Pass
2**	5460.000	46.67	3.79	54.0	-7.33	AV	177.00	150	Vertical	Pass
3	5468.000	58.86	3.91	68.2	-9.34	Peak	0.00	150	Vertical	Pass
3**	5468.000	46.79	3.91	--	--	AV	0.00	150	Vertical	N/A
4	5453.000	58.97	3.83	68.2	-9.23	Peak	192.00	150	Vertical	Pass
4**	5453.000	46.68	3.83	54.0	-7.32	AV	192.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.58	3.78	68.2	-10.62	Peak	304.00	150	Vertical	Pass
2	5739.167	59.74	3.66	68.2	-8.46	Peak	28.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.50	3.88	68.2	-9.70	Peak	239.00	150	Vertical	Pass
1**	5470.000	47.29	3.88	--	--	AV	239.00	150	Vertical	N/A
2	5460.000	57.66	3.79	68.2	-10.54	Peak	57.00	150	Vertical	Pass
2**	5460.000	46.74	3.79	54.0	-7.26	AV	57.00	150	Vertical	Pass
3	5469.200	58.76	3.89	68.2	-9.44	Peak	62.00	150	Vertical	Pass
3**	5469.200	47.24	3.89	--	--	AV	62.00	150	Vertical	N/A
4	5384.800	59.14	3.48	68.2	-9.06	Peak	144.00	150	Vertical	Pass
4**	5384.800	46.36	3.48	54.0	-7.64	AV	144.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.62	3.78	68.2	-9.58	Peak	171.00	150	Vertical	Pass
2	5741.875	59.35	3.75	68.2	-8.85	Peak	149.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.70	3.88	68.2	-10.50	Peak	70.00	150	Vertical	Pass
1**	5470.000	47.93	3.88	--	--	AV	70.00	150	Vertical	N/A
2	5460.000	58.24	3.79	68.2	-9.96	Peak	64.00	150	Vertical	Pass
2**	5460.000	47.53	3.79	54.0	-6.47	AV	64.00	150	Vertical	Pass
3	5464.600	60.33	3.77	68.2	-7.87	Peak	70.00	150	Vertical	Pass
3**	5464.600	47.46	3.77	--	--	AV	70.00	150	Vertical	N/A
4	5457.400	60.27	3.80	68.2	-7.93	Peak	92.00	150	Vertical	Pass
4**	5457.400	47.18	3.80	54.0	-6.82	AV	92.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.77	3.78	68.2	-10.43	Peak	58.00	150	Vertical	Pass
2	5808.750	59.25	3.55	68.2	-8.95	Peak	269.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.89	3.60	68.2	-10.31	Peak	2.00	150	Vertical	Pass
2	5614.792	58.57	3.46	68.2	-9.63	Peak	100.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.20	3.43	68.2	-10.00	Peak	332.00	150	Vertical	Pass
2	5947.250	59.46	4.58	68.2	-8.74	Peak	359.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.75	3.60	68.2	-10.45	Peak	75.00	150	Vertical	Pass
2	5629.583	59.06	3.44	68.2	-9.14	Peak	111.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.20	3.43	68.2	-10.00	Peak	203.00	150	Vertical	Pass
2	5932.250	59.49	3.86	68.2	-8.71	Peak	112.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.31	3.60	68.2	-10.89	Peak	220.00	150	Vertical	Pass
2	5624.584	58.50	3.34	68.2	-9.70	Peak	338.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.38	3.43	68.2	-10.82	Peak	224.00	150	Vertical	Pass
2	5943.500	59.60	4.40	68.2	-8.60	Peak	160.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.98	3.60	68.2	-11.22	Peak	360.00	150	Vertical	Pass
2	5623.959	58.64	3.36	68.2	-9.56	Peak	100.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.04	3.43	68.2	-11.16	Peak	360.00	150	Vertical	Pass
2	5982.000	59.97	4.47	68.2	-8.23	Peak	338.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.99	3.60	68.2	-11.21	Peak	199.00	150	Vertical	Pass
2	5627.292	59.02	3.41	68.2	-9.18	Peak	9.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.66	3.43	68.2	-10.54	Peak	236.00	150	Vertical	Pass
2	5978.750	60.11	4.57	68.2	-8.09	Peak	25.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.19	3.60	68.2	-11.01	Peak	134.00	150	Vertical	Pass
2	5634.584	59.18	3.45	68.2	-9.02	Peak	62.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.71	3.43	68.2	-9.49	Peak	310.00	150	Vertical	Pass
2	5966.750	59.73	4.90	68.2	-8.47	Peak	26.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.59	3.60	68.2	-10.61	Peak	341.00	150	Vertical	Pass
2	5618.542	58.72	3.39	68.2	-9.48	Peak	230.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.20	3.43	68.2	-11.00	Peak	1.00	150	Vertical	Pass
2	5946.000	59.71	4.49	68.2	-8.49	Peak	269.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.61	3.60	68.2	-10.59	Peak	287.00	150	Vertical	Pass
2	5619.583	57.26	3.39	68.2	-10.94	Peak	56.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.19	3.43	68.2	-11.01	Peak	104.00	150	Vertical	Pass
2	5972.000	59.58	4.93	68.2	-8.62	Peak	338.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.90	3.60	68.2	-11.30	Peak	208.00	150	Vertical	Pass
2	5614.792	58.65	3.46	68.2	-9.55	Peak	72.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.78	3.43	68.2	-10.42	Peak	136.00	150	Vertical	Pass
2	5947.250	59.94	4.58	68.2	-8.26	Peak	86.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.45	3.88	68.2	-10.75	Peak	217.00	150	Vertical	Pass
1**	5470.000	46.78	3.88	--	--	AV	217.00	150	Vertical	N/A
2	5460.000	57.28	3.79	68.2	-10.92	Peak	81.00	150	Vertical	Pass
2**	5460.000	46.64	3.79	54.0	-7.36	AV	81.00	150	Vertical	Pass
3	5468.800	59.17	3.90	68.2	-9.03	Peak	25.00	150	Vertical	Pass
3**	5468.800	46.86	3.90	--	--	AV	25.00	150	Vertical	N/A
4	5447.400	58.19	3.60	68.2	-10.01	Peak	344.00	150	Vertical	Pass
4**	5447.400	46.41	3.60	54.0	-7.59	AV	344.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.53	3.43	68.2	-10.67	Peak	328.00	150	Vertical	Pass
2	5933.000	60.21	3.92	68.2	-7.99	Peak	320.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.69	3.88	68.2	-10.51	Peak	146.00	150	Vertical	Pass
1**	5470.000	46.83	3.88	--	--	AV	146.00	150	Vertical	N/A
2	5460.000	57.45	3.79	68.2	-10.75	Peak	327.00	150	Vertical	Pass
2**	5460.000	46.66	3.79	54.0	-7.34	AV	327.00	150	Vertical	Pass
3	5466.400	58.55	3.88	68.2	-9.65	Peak	186.00	150	Vertical	Pass
3**	5466.400	46.84	3.88	--	--	AV	186.00	150	Vertical	N/A
4	5424.400	59.19	3.29	68.2	-9.01	Peak	268.00	150	Vertical	Pass
4**	5424.400	46.59	3.29	54.0	-7.41	AV	268.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.06	3.43	68.2	-10.14	Peak	133.00	150	Vertical	Pass
2	5947.750	59.93	4.61	68.2	-8.27	Peak	0.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.88	3.88	68.2	-10.32	Peak	2.00	150	Vertical	Pass
1**	5470.000	46.93	3.88	--	--	AV	2.00	150	Vertical	N/A
2	5460.000	57.27	3.79	68.2	-10.93	Peak	87.00	150	Vertical	Pass
2**	5460.000	46.67	3.79	54.0	-7.33	AV	87.00	150	Vertical	Pass
3	5466.800	58.67	3.89	68.2	-9.53	Peak	96.00	150	Vertical	Pass
3**	5466.800	47.05	3.89	--	--	AV	96.00	150	Vertical	N/A
4	5384.600	58.90	3.49	68.2	-9.30	Peak	237.00	150	Vertical	Pass
4**	5384.600	46.38	3.49	54.0	-7.62	AV	237.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.85	3.43	68.2	-10.35	Peak	91.00	150	Vertical	Pass
2	5949.250	60.32	4.62	68.2	-7.88	Peak	66.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.47	3.88	68.2	-10.73	Peak	170.00	150	Vertical	Pass
1**	5470.000	46.90	3.88	--	--	AV	170.00	150	Vertical	N/A
2	5460.000	57.18	3.79	68.2	-11.02	Peak	196.00	150	Vertical	Pass
2**	5460.000	46.61	3.79	54.0	-7.39	AV	196.00	150	Vertical	Pass
3	5467.000	58.24	3.90	68.2	-9.96	Peak	119.00	150	Vertical	Pass
3**	5467.000	46.90	3.90	--	--	AV	119.00	150	Vertical	N/A
4	5448.600	58.52	3.66	68.2	-9.68	Peak	360.00	150	Vertical	Pass
4**	5448.600	46.37	3.66	54.0	-7.63	AV	360.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.80	3.43	68.2	-9.40	Peak	161.00	150	Vertical	Pass
2	5949.500	59.68	4.62	68.2	-8.52	Peak	85.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.26	3.88	68.2	-10.94	Peak	39.00	150	Vertical	Pass
1**	5470.000	46.88	3.88	--	--	AV	39.00	150	Vertical	N/A
2	5460.000	57.45	3.79	68.2	-10.75	Peak	22.00	150	Vertical	Pass
2**	5460.000	46.67	3.79	54.0	-7.33	AV	22.00	150	Vertical	Pass
3	5461.600	58.57	3.67	68.2	-9.63	Peak	0.00	150	Vertical	Pass
3**	5461.600	46.44	3.67	--	--	AV	0.00	150	Vertical	N/A
4	5459.600	58.62	3.82	68.2	-9.58	Peak	214.00	150	Vertical	Pass
4**	5459.600	46.73	3.82	54.0	-7.27	AV	214.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.56	3.43	68.2	-10.64	Peak	214.00	150	Vertical	Pass
2	5935.250	60.18	4.09	68.2	-8.02	Peak	280.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.20	3.88	68.2	-11.00	Peak	33.00	150	Vertical	Pass
1**	5470.000	47.01	3.88	--	--	AV	33.00	150	Vertical	N/A
2	5460.000	56.89	3.79	68.2	-11.31	Peak	290.00	150	Vertical	Pass
2**	5460.000	46.73	3.79	54.0	-7.27	AV	290.00	150	Vertical	Pass
3	5461.800	59.11	3.67	68.2	-9.09	Peak	16.00	150	Vertical	Pass
3**	5461.800	46.61	3.67	--	--	AV	16.00	150	Vertical	N/A
4	5399.000	59.36	3.34	68.2	-8.84	Peak	50.00	150	Vertical	Pass
4**	5399.000	46.43	3.34	54.0	-7.57	AV	50.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.08	3.43	68.2	-10.12	Peak	69.00	150	Vertical	Pass
2	5977.500	60.72	4.70	68.2	-7.48	Peak	335.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.57	3.88	68.2	-10.63	Peak	283.00	150	Vertical	Pass
1**	5470.000	46.90	3.88	--	--	AV	283.00	150	Vertical	N/A
2	5460.000	57.71	3.79	68.2	-10.49	Peak	188.00	150	Vertical	Pass
2**	5460.000	46.70	3.79	54.0	-7.30	AV	188.00	150	Vertical	Pass
3	5467.800	58.52	3.92	68.2	-9.68	Peak	144.00	150	Vertical	Pass
3**	5467.800	46.88	3.92	--	--	AV	144.00	150	Vertical	N/A
4	5431.600	59.14	3.34	68.2	-9.06	Peak	318.00	150	Vertical	Pass
4**	5431.600	46.57	3.34	54.0	-7.43	AV	318.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.56	3.43	68.2	-10.64	Peak	236.00	150	Vertical	Pass
2	5985.250	60.04	4.35	68.2	-8.16	Peak	227.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.92	3.88	68.2	-10.28	Peak	54.00	150	Vertical	Pass
1**	5470.000	46.97	3.88	--	--	AV	54.00	150	Vertical	N/A
2	5456.400	58.07	3.81	68.2	-10.13	Peak	360.00	150	Vertical	Pass
2**	5456.400	46.46	3.81	54.0	-7.54	AV	360.00	150	Vertical	Pass
3	5469.800	58.91	3.88	68.2	-9.29	Peak	360.00	150	Vertical	Pass
3**	5469.800	46.92	3.88	--	--	AV	360.00	150	Vertical	N/A
4	5390.000	58.85	3.36	68.2	-9.35	Peak	46.00	150	Vertical	Pass
4**	5390.000	46.33	3.36	54.0	-7.67	AV	46.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.65	3.43	68.2	-10.55	Peak	203.00	150	Vertical	Pass
2	5948.250	59.94	4.63	68.2	-8.26	Peak	141.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax80(SU) CH138



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.79	3.88	68.2	-10.41	Peak	96.00	150	Vertical	Pass
1**	5470.000	46.96	3.88	--	--	AV	96.00	150	Vertical	N/A
2	5460.000	57.25	3.79	68.2	-10.95	Peak	169.00	150	Vertical	Pass
2**	5460.000	46.65	3.79	54.0	-7.35	AV	169.00	150	Vertical	Pass
3	5466.800	58.35	3.89	68.2	-9.85	Peak	105.00	150	Vertical	Pass
3**	5466.800	46.83	3.89	--	--	AV	105.00	150	Vertical	N/A
4	5459.200	58.81	3.85	68.2	-9.39	Peak	1.00	150	Vertical	Pass
4**	5459.200	46.68	3.85	54.0	-7.32	AV	1.00	150	Vertical	Pass


U-NII-2C&U-NII-3 11ax80(SU) CH138



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.31	3.43	68.2	-10.89	Peak	28.00	150	Vertical	Pass
2	5943.250	60.60	4.37	68.2	-7.60	Peak	28.00	150	Vertical	Pass


MIMO

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.34	3.22	68.2	-10.86	Peak	249.00	150	Horizontal	Pass
1**	5150.000	46.73	3.22	54.0	-7.27	AV	249.00	150	Horizontal	Pass
2	5049.575	58.10	3.19	68.2	-10.10	Peak	266.00	150	Horizontal	Pass
2**	5049.575	46.42	3.19	54.0	-7.58	AV	266.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.73	2.98	68.2	-11.47	Peak	267.00	150	Horizontal	Pass
1**	5350.000	45.67	2.98	54.0	-8.33	AV	267.00	150	Horizontal	Pass
2	5419.484	58.55	3.28	68.2	-9.65	Peak	101.00	150	Horizontal	Pass
2**	5419.484	46.58	3.28	54.0	-7.42	AV	101.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.42	3.22	68.2	-11.78	Peak	9.00	150	Horizontal	Pass
1**	5150.000	47.36	3.22	54.0	-6.64	AV	9.00	150	Horizontal	Pass
2	4987.825	58.07	3.09	68.2	-10.13	Peak	171.00	150	Horizontal	Pass
2**	4987.825	46.28	3.09	54.0	-7.72	AV	171.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.32	2.98	68.2	-10.88	Peak	299.00	150	Horizontal	Pass
1**	5350.000	45.68	2.98	54.0	-8.32	AV	299.00	150	Horizontal	Pass
2	5402.433	58.64	3.34	68.2	-9.56	Peak	129.00	150	Horizontal	Pass
2**	5402.433	46.35	3.34	54.0	-7.65	AV	129.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.43	3.22	68.2	-10.77	Peak	269.00	150	Horizontal	Pass
1**	5150.000	46.82	3.22	54.0	-7.18	AV	269.00	150	Horizontal	Pass
2	4854.900	58.11	2.76	68.2	-10.09	Peak	285.00	150	Horizontal	Pass
2**	4854.900	45.95	2.76	54.0	-8.05	AV	285.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.06	2.98	68.2	-12.14	Peak	348.00	150	Horizontal	Pass
1**	5350.000	46.04	2.98	54.0	-7.96	AV	348.00	150	Horizontal	Pass
2	5424.984	59.13	3.30	68.2	-9.07	Peak	57.00	150	Horizontal	Pass
2**	5424.984	46.60	3.30	54.0	-7.40	AV	57.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.79	3.22	68.2	-11.41	Peak	37.00	150	Horizontal	Pass
1**	5150.000	46.95	3.22	54.0	-7.05	AV	37.00	150	Horizontal	Pass
2	4893.575	58.13	2.79	68.2	-10.07	Peak	139.00	150	Horizontal	Pass
2**	4893.575	46.34	2.79	54.0	-7.66	AV	139.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.31	2.98	68.2	-11.89	Peak	100.00	150	Horizontal	Pass
1**	5350.000	45.92	2.98	54.0	-8.08	AV	100.00	150	Horizontal	Pass
2	5427.550	59.17	3.31	68.2	-9.03	Peak	324.00	150	Horizontal	Pass
2**	5427.550	46.60	3.31	54.0	-7.40	AV	324.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.39	3.22	68.2	-10.81	Peak	360.00	150	Horizontal	Pass
1**	5150.000	47.04	3.22	54.0	-6.96	AV	360.00	150	Horizontal	Pass
2	5144.150	58.03	3.44	68.2	-10.17	Peak	137.00	150	Horizontal	Pass
2**	5144.150	47.29	3.44	54.0	-6.71	AV	137.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.87	2.98	68.2	-11.33	Peak	307.00	150	Horizontal	Pass
1**	5350.000	45.94	2.98	54.0	-8.06	AV	307.00	150	Horizontal	Pass
2	5430.850	58.74	3.36	68.2	-9.46	Peak	186.00	150	Horizontal	Pass
2**	5430.850	46.48	3.36	54.0	-7.52	AV	186.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.68	3.22	68.2	-11.52	Peak	90.00	150	Horizontal	Pass
1**	5150.000	46.99	3.22	54.0	-7.01	AV	90.00	150	Horizontal	Pass
2	5089.875	58.64	3.53	68.2	-9.56	Peak	258.00	150	Horizontal	Pass
2**	5089.875	46.94	3.53	54.0	-7.06	AV	258.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.34	2.98	68.2	-11.86	Peak	21.00	150	Horizontal	Pass
1**	5350.000	45.86	2.98	54.0	-8.14	AV	21.00	150	Horizontal	Pass
2	5434.150	59.43	3.40	68.2	-8.77	Peak	321.00	150	Horizontal	Pass
2**	5434.150	46.40	3.40	54.0	-7.60	AV	321.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.83	3.22	68.2	-10.37	Peak	81.00	150	Horizontal	Pass
1**	5150.000	47.33	3.22	54.0	-6.67	AV	81.00	150	Horizontal	Pass
2	4916.325	58.99	3.70	68.2	-9.21	Peak	131.00	150	Horizontal	Pass
2**	4916.325	46.76	3.70	54.0	-7.24	AV	131.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.81	2.98	68.2	-12.39	Peak	185.00	150	Horizontal	Pass
1**	5350.000	45.78	2.98	54.0	-8.22	AV	185.00	150	Horizontal	Pass
2	5423.517	58.91	3.28	68.2	-9.29	Peak	44.00	150	Horizontal	Pass
2**	5423.517	46.61	3.28	54.0	-7.39	AV	44.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.16	3.22	68.2	-12.04	Peak	347.00	150	Horizontal	Pass
1**	5150.000	47.19	3.22	54.0	-6.81	AV	347.00	150	Horizontal	Pass
2	5027.150	57.61	2.89	68.2	-10.59	Peak	296.00	150	Horizontal	Pass
2**	5027.150	46.33	2.89	54.0	-7.67	AV	296.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.85	2.98	68.2	-11.35	Peak	94.00	150	Horizontal	Pass
1**	5350.000	45.86	2.98	54.0	-8.14	AV	94.00	150	Horizontal	Pass
2	5429.750	58.84	3.38	68.2	-9.36	Peak	46.00	150	Horizontal	Pass
2**	5429.750	46.67	3.38	54.0	-7.33	AV	46.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.92	3.22	68.2	-11.28	Peak	353.00	150	Horizontal	Pass
1**	5150.000	46.64	3.22	54.0	-7.36	AV	353.00	150	Horizontal	Pass
2	5132.450	58.58	3.74	68.2	-9.62	Peak	353.00	150	Horizontal	Pass
2**	5132.450	46.75	3.74	54.0	-7.25	AV	353.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.69	2.98	68.2	-11.51	Peak	322.00	150	Horizontal	Pass
1**	5350.000	46.04	2.98	54.0	-7.96	AV	322.00	150	Horizontal	Pass
2	5391.984	58.43	3.31	68.2	-9.77	Peak	151.00	150	Horizontal	Pass
2**	5391.984	46.23	3.31	54.0	-7.77	AV	151.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.81	3.22	68.2	-11.39	Peak	196.00	150	Horizontal	Pass
1**	5150.000	46.91	3.22	54.0	-7.09	AV	196.00	150	Horizontal	Pass
2	4812.000	58.44	2.97	68.2	-9.76	Peak	188.00	150	Horizontal	Pass
2**	4812.000	46.67	2.97	54.0	-7.33	AV	188.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.97	2.98	68.2	-11.23	Peak	360.00	150	Horizontal	Pass
1**	5350.000	46.52	2.98	54.0	-7.48	AV	360.00	150	Horizontal	Pass
2	5456.517	58.65	3.81	68.2	-9.55	Peak	10.00	150	Horizontal	Pass
2**	5456.517	46.51	3.81	54.0	-7.49	AV	10.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.74	3.22	68.2	-11.46	Peak	74.00	150	Horizontal	Pass
1**	5150.000	46.90	3.22	54.0	-7.10	AV	74.00	150	Horizontal	Pass
2	5104.500	59.02	3.61	68.2	-9.18	Peak	88.00	150	Horizontal	Pass
2**	5104.500	47.02	3.61	54.0	-6.98	AV	88.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.12	2.98	68.2	-11.08	Peak	336.00	150	Horizontal	Pass
1**	5350.000	46.00	2.98	54.0	-8.00	AV	336.00	150	Horizontal	Pass
2	5432.317	58.99	3.36	68.2	-9.21	Peak	346.00	150	Horizontal	Pass
2**	5432.317	46.65	3.36	54.0	-7.35	AV	346.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.42	3.22	68.2	-11.78	Peak	221.00	150	Horizontal	Pass
1**	5150.000	46.87	3.22	54.0	-7.13	AV	221.00	150	Horizontal	Pass
2	5103.525	58.74	3.58	68.2	-9.46	Peak	265.00	150	Horizontal	Pass
2**	5103.525	46.76	3.58	54.0	-7.24	AV	265.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.71	2.98	68.2	-11.49	Peak	218.00	150	Horizontal	Pass
1**	5350.000	46.38	2.98	54.0	-7.62	AV	218.00	150	Horizontal	Pass
2	5445.883	59.05	3.56	68.2	-9.15	Peak	140.00	150	Horizontal	Pass
2**	5445.883	46.37	3.56	54.0	-7.63	AV	140.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.54	3.22	68.2	-11.66	Peak	230.00	150	Horizontal	Pass
1**	5150.000	46.68	3.22	54.0	-7.32	AV	230.00	150	Horizontal	Pass
2	4907.875	58.13	3.51	68.2	-10.07	Peak	36.00	150	Horizontal	Pass
2**	4907.875	46.68	3.51	54.0	-7.32	AV	36.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.01	2.98	68.2	-11.19	Peak	51.00	150	Horizontal	Pass
1**	5350.000	46.94	2.98	54.0	-7.06	AV	51.00	150	Horizontal	Pass
2	5372.917	58.87	3.45	68.2	-9.33	Peak	16.00	150	Horizontal	Pass
2**	5372.917	46.45	3.45	54.0	-7.55	AV	16.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.60	3.22	68.2	-11.60	Peak	30.00	150	Horizontal	Pass
1**	5150.000	47.03	3.22	54.0	-6.97	AV	30.00	150	Horizontal	Pass
2	5013.500	58.35	2.84	68.2	-9.85	Peak	160.00	150	Horizontal	Pass
2**	5013.500	46.50	2.84	54.0	-7.50	AV	160.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.21	2.98	68.2	-11.99	Peak	58.00	150	Horizontal	Pass
1**	5350.000	45.90	2.98	54.0	-8.10	AV	58.00	150	Horizontal	Pass
2	5438.917	58.54	3.55	68.2	-9.66	Peak	82.00	150	Horizontal	Pass
2**	5438.917	46.46	3.55	54.0	-7.54	AV	82.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.68	3.22	68.2	-10.52	Peak	34.00	150	Horizontal	Pass
1**	5150.000	46.67	3.22	54.0	-7.33	AV	34.00	150	Horizontal	Pass
2	4797.375	58.10	3.38	68.2	-10.10	Peak	327.00	150	Horizontal	Pass
2**	4797.375	46.50	3.38	54.0	-7.50	AV	327.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.07	2.98	68.2	-11.13	Peak	335.00	150	Horizontal	Pass
1**	5350.000	46.19	2.98	54.0	-7.81	AV	335.00	150	Horizontal	Pass
2	5401.700	58.46	3.35	68.2	-9.74	Peak	309.00	150	Horizontal	Pass
2**	5401.700	46.27	3.35	54.0	-7.73	AV	309.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.75	3.22	68.2	-11.45	Peak	36.00	150	Horizontal	Pass
1**	5150.000	46.77	3.22	54.0	-7.23	AV	36.00	150	Horizontal	Pass
2	5090.525	59.03	3.51	68.2	-9.17	Peak	192.00	150	Horizontal	Pass
2**	5090.525	47.03	3.51	54.0	-6.97	AV	192.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.183	56.87	2.96	68.2	-11.33	Peak	0.00	150	Horizontal	Pass
1**	5350.183	46.42	2.96	54.0	-7.58	AV	0.00	150	Horizontal	Pass
2	5361.550	58.51	3.49	68.2	-9.69	Peak	350.00	150	Horizontal	Pass
2**	5361.550	46.31	3.49	54.0	-7.69	AV	350.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.62	3.88	68.2	-10.58	Peak	130.00	150	Vertical	Pass
1**	5470.000	46.86	3.88	--	--	AV	130.00	150	Vertical	N/A
2	5460.000	58.09	3.79	68.2	-10.11	Peak	51.00	150	Vertical	Pass
2**	5460.000	46.55	3.79	54.0	-7.45	AV	51.00	150	Vertical	Pass
3	5465.600	58.93	3.86	68.2	-9.27	Peak	318.00	150	Vertical	Pass
3**	5465.600	46.76	3.86	--	--	AV	318.00	150	Vertical	N/A
4	5385.000	59.67	3.47	68.2	-8.53	Peak	231.00	150	Vertical	Pass
4**	5385.000	46.43	3.47	54.0	-7.57	AV	231.00	150	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.53	3.78	68.2	-10.67	Peak	280.00	150	Vertical	Pass
2	5827.083	60.26	3.67	68.2	-7.94	Peak	106.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.29	3.88	68.2	-10.91	Peak	310.00	150	Vertical	Pass
1**	5470.000	47.08	3.88	--	--	AV	310.00	150	Vertical	N/A
2	5460.000	57.60	3.79	68.2	-10.60	Peak	140.00	150	Vertical	Pass
2**	5460.000	46.51	3.79	54.0	-7.49	AV	140.00	150	Vertical	Pass
3	5468.600	58.81	3.90	68.2	-9.39	Peak	193.00	150	Vertical	Pass
3**	5468.600	46.89	3.90	--	--	AV	193.00	150	Vertical	N/A
4	5419.600	58.89	3.29	68.2	-9.31	Peak	148.00	150	Vertical	Pass
4**	5419.600	46.51	3.29	54.0	-7.49	AV	148.00	150	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.01	3.78	68.2	-10.19	Peak	0.00	150	Vertical	Pass
2	5842.083	59.29	4.24	68.2	-8.91	Peak	341.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.99	3.88	68.2	-11.21	Peak	299.00	150	Vertical	Pass
1**	5470.000	46.79	3.88	--	--	AV	299.00	150	Vertical	N/A
2	5460.000	56.66	3.79	68.2	-11.54	Peak	292.00	150	Vertical	Pass
2**	5460.000	46.57	3.79	54.0	-7.43	AV	292.00	150	Vertical	Pass
3	5468.400	59.46	3.90	68.2	-8.74	Peak	306.00	150	Vertical	Pass
3**	5468.400	46.80	3.90	--	--	AV	306.00	150	Vertical	N/A
4	5383.000	59.08	3.59	68.2	-9.12	Peak	326.00	150	Vertical	Pass
4**	5383.000	46.44	3.59	54.0	-7.56	AV	326.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.71	3.78	68.2	-10.49	Peak	348.00	150	Vertical	Pass
2	5755.417	59.25	3.96	68.2	-8.95	Peak	302.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.79	3.88	68.2	-10.41	Peak	84.00	150	Vertical	Pass
1**	5470.000	47.08	3.88	--	--	AV	84.00	150	Vertical	N/A
2	5460.000	57.07	3.79	68.2	-11.13	Peak	57.00	150	Vertical	Pass
2**	5460.000	46.60	3.79	54.0	-7.40	AV	57.00	150	Vertical	Pass
3	5467.600	58.84	3.91	68.2	-9.36	Peak	0.00	150	Vertical	Pass
3**	5467.600	46.81	3.91	--	--	AV	0.00	150	Vertical	N/A
4	5426.400	58.63	3.30	68.2	-9.57	Peak	268.00	150	Vertical	Pass
4**	5426.400	46.66	3.30	54.0	-7.34	AV	268.00	150	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.46	3.78	68.2	-10.74	Peak	358.00	150	Vertical	Pass
2	5756.875	59.10	3.98	68.2	-9.10	Peak	45.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.58	3.88	68.2	-10.62	Peak	171.00	150	Vertical	Pass
1**	5470.000	47.14	3.88	--	--	AV	171.00	150	Vertical	N/A
2	5460.000	57.45	3.79	68.2	-10.75	Peak	273.00	150	Vertical	Pass
2**	5460.000	46.99	3.79	54.0	-7.01	AV	273.00	150	Vertical	Pass
3	5460.800	58.41	3.72	68.2	-9.79	Peak	222.00	150	Vertical	Pass
3**	5460.800	46.68	3.72	--	--	AV	222.00	150	Vertical	N/A
4	5418.400	58.71	3.24	68.2	-9.49	Peak	35.00	150	Vertical	Pass
4**	5418.400	46.45	3.24	54.0	-7.55	AV	35.00	150	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.23	3.78	68.2	-10.97	Peak	258.00	150	Vertical	Pass
2	5838.750	59.27	4.14	68.2	-8.93	Peak	273.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.36	3.88	68.2	-10.84	Peak	149.00	150	Vertical	Pass
1**	5470.000	46.84	3.88	--	--	AV	149.00	150	Vertical	N/A
2	5460.000	58.20	3.79	68.2	-10.00	Peak	142.00	150	Vertical	Pass
2**	5460.000	46.48	3.79	54.0	-7.52	AV	142.00	150	Vertical	Pass
3	5467.800	58.38	3.92	68.2	-9.82	Peak	282.00	150	Vertical	Pass
3**	5467.800	46.66	3.92	--	--	AV	282.00	150	Vertical	N/A
4	5401.200	58.57	3.34	68.2	-9.63	Peak	58.00	150	Vertical	Pass
4**	5401.200	46.28	3.34	54.0	-7.72	AV	58.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.00	3.78	68.2	-10.20	Peak	263.00	150	Vertical	Pass
2	5834.584	59.39	3.98	68.2	-8.81	Peak	64.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.49	3.88	68.2	-10.71	Peak	169.00	150	Vertical	Pass
1**	5470.000	46.93	3.88	--	--	AV	169.00	150	Vertical	N/A
2	5460.000	57.60	3.79	68.2	-10.60	Peak	193.00	150	Vertical	Pass
2**	5460.000	46.49	3.79	54.0	-7.51	AV	193.00	150	Vertical	Pass
3	5467.600	58.45	3.91	68.2	-9.75	Peak	186.00	150	Vertical	Pass
3**	5467.600	46.79	3.91	--	--	AV	186.00	150	Vertical	N/A
4	5428.600	58.62	3.35	68.2	-9.58	Peak	136.00	150	Vertical	Pass
4**	5428.600	46.59	3.35	54.0	-7.41	AV	136.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.29	3.78	68.2	-10.91	Peak	100.00	150	Vertical	Pass
2	5753.125	59.37	3.85	68.2	-8.83	Peak	13.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.20	3.88	68.2	-10.00	Peak	63.00	150	Vertical	Pass
1**	5470.000	47.16	3.88	--	--	AV	63.00	150	Vertical	N/A
2	5460.000	57.57	3.79	68.2	-10.63	Peak	4.00	150	Vertical	Pass
2**	5460.000	46.80	3.79	54.0	-7.20	AV	4.00	150	Vertical	Pass
3	5466.400	58.96	3.88	68.2	-9.24	Peak	325.00	150	Vertical	Pass
3**	5466.400	47.15	3.88	--	--	AV	325.00	150	Vertical	N/A
4	5441.800	58.67	3.64	68.2	-9.53	Peak	223.00	150	Vertical	Pass
4**	5441.800	46.84	3.64	54.0	-7.16	AV	223.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.52	3.78	68.2	-10.68	Peak	97.00	150	Vertical	Pass
2	5768.125	59.06	4.18	68.2	-9.14	Peak	147.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.09	3.60	68.2	-11.11	Peak	267.00	150	Horizontal	Pass
2	5633.958	58.63	3.47	68.2	-9.57	Peak	339.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.33	3.43	68.2	-10.87	Peak	330.00	150	Horizontal	Pass
2	5965.500	60.73	4.85	68.2	-7.47	Peak	241.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.72	3.60	68.2	-10.48	Peak	208.00	150	Horizontal	Pass
2	5628.125	58.69	3.42	68.2	-9.51	Peak	63.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.89	3.43	68.2	-10.31	Peak	187.00	150	Horizontal	Pass
2	5955.500	59.41	4.72	68.2	-8.79	Peak	153.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.98	3.60	68.2	-10.22	Peak	181.00	150	Horizontal	Pass
2	5635.000	58.92	3.44	68.2	-9.28	Peak	181.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.93	3.43	68.2	-9.27	Peak	120.00	150	Horizontal	Pass
2	5963.500	59.54	4.77	68.2	-8.66	Peak	289.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.67	3.60	68.2	-10.53	Peak	132.00	150	Horizontal	Pass
2	5630.834	58.43	3.44	68.2	-9.77	Peak	9.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.48	3.43	68.2	-10.72	Peak	17.00	150	Horizontal	Pass
2	5935.500	59.77	4.08	68.2	-8.43	Peak	91.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.44	3.60	68.2	-10.76	Peak	197.00	150	Horizontal	Pass
2	5635.625	58.59	3.42	68.2	-9.61	Peak	67.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.95	3.43	68.2	-10.25	Peak	9.00	150	Horizontal	Pass
2	5963.250	59.90	4.76	68.2	-8.30	Peak	183.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.33	3.60	68.2	-10.87	Peak	216.00	150	Horizontal	Pass
2	5605.625	59.17	3.43	68.2	-9.03	Peak	171.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.52	3.43	68.2	-10.68	Peak	331.00	150	Horizontal	Pass
2	5943.250	60.53	4.37	68.2	-7.67	Peak	187.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.99	3.60	68.2	-11.21	Peak	360.00	150	Horizontal	Pass
2	5632.916	58.42	3.47	68.2	-9.78	Peak	150.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.83	3.43	68.2	-10.37	Peak	183.00	150	Horizontal	Pass
2	5985.000	60.17	4.35	68.2	-8.03	Peak	228.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.20	3.60	68.2	-11.00	Peak	4.00	150	Horizontal	Pass
2	5613.541	58.63	3.48	68.2	-9.57	Peak	30.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.37	3.43	68.2	-10.83	Peak	13.00	150	Horizontal	Pass
2	5963.250	59.94	4.76	68.2	-8.26	Peak	321.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.40	3.88	68.2	-10.80	Peak	345.00	150	Horizontal	Pass
1**	5470.000	46.87	3.88	--	--	AV	345.00	150	Horizontal	N/A
2	5460.000	56.99	3.79	68.2	-11.21	Peak	84.00	150	Horizontal	Pass
2**	5460.000	46.63	3.79	54.0	-7.37	AV	84.00	150	Horizontal	Pass
3	5467.000	58.46	3.90	68.2	-9.74	Peak	360.00	150	Horizontal	Pass
3**	5467.000	46.88	3.90	--	--	AV	360.00	150	Horizontal	N/A
4	5430.400	59.55	3.36	68.2	-8.65	Peak	0.00	150	Horizontal	Pass
4**	5430.400	46.64	3.36	54.0	-7.36	AV	0.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.24	3.43	68.2	-9.96	Peak	221.00	150	Horizontal	Pass
2	5941.500	60.39	4.15	68.2	-7.81	Peak	42.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.31	3.88	68.2	-9.89	Peak	204.00	150	Horizontal	Pass
1**	5470.000	46.81	3.88	--	--	AV	204.00	150	Horizontal	N/A
2	5460.000	56.57	3.79	68.2	-11.63	Peak	63.00	150	Horizontal	Pass
2**	5460.000	46.60	3.79	54.0	-7.40	AV	63.00	150	Horizontal	Pass
3	5468.400	58.83	3.90	68.2	-9.37	Peak	63.00	150	Horizontal	Pass
3**	5468.400	46.83	3.90	--	--	AV	63.00	150	Horizontal	N/A
4	5431.000	58.93	3.35	68.2	-9.27	Peak	58.00	150	Horizontal	Pass
4**	5431.000	46.56	3.35	54.0	-7.44	AV	58.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.29	3.43	68.2	-10.91	Peak	360.00	150	Horizontal	Pass
2	5985.000	59.93	4.35	68.2	-8.27	Peak	50.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.30	3.88	68.2	-10.90	Peak	344.00	150	Horizontal	Pass
1**	5470.000	46.82	3.88	--	--	AV	344.00	150	Horizontal	N/A
2	5460.000	56.72	3.79	68.2	-11.48	Peak	72.00	150	Horizontal	Pass
2**	5460.000	46.45	3.79	54.0	-7.55	AV	72.00	150	Horizontal	Pass
3	5464.800	58.55	3.79	68.2	-9.65	Peak	234.00	150	Horizontal	Pass
3**	5464.800	46.60	3.79	--	--	AV	234.00	150	Horizontal	N/A
4	5427.200	58.79	3.30	68.2	-9.41	Peak	150.00	150	Horizontal	Pass
4**	5427.200	46.67	3.30	54.0	-7.33	AV	150.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.49	3.43	68.2	-10.71	Peak	159.00	150	Horizontal	Pass
2	5965.500	59.55	4.85	68.2	-8.65	Peak	0.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.01	3.88	68.2	-11.19	Peak	258.00	150	Horizontal	Pass
1**	5470.000	46.82	3.88	--	--	AV	258.00	150	Horizontal	N/A
2	5460.000	57.51	3.79	68.2	-10.69	Peak	43.00	150	Horizontal	Pass
2**	5460.000	46.54	3.79	54.0	-7.46	AV	43.00	150	Horizontal	Pass
3	5468.000	58.99	3.91	68.2	-9.21	Peak	339.00	150	Horizontal	Pass
3**	5468.000	46.77	3.91	--	--	AV	339.00	150	Horizontal	N/A
4	5439.800	59.01	3.57	68.2	-9.19	Peak	360.00	150	Horizontal	Pass
4**	5439.800	46.54	3.57	54.0	-7.46	AV	360.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.43	3.43	68.2	-10.77	Peak	282.00	150	Horizontal	Pass
2	5970.000	60.16	4.95	68.2	-8.04	Peak	350.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.98	3.88	68.2	-11.22	Peak	15.00	150	Horizontal	Pass
1**	5470.000	46.80	3.88	--	--	AV	15.00	150	Horizontal	N/A
2	5460.000	57.55	3.79	68.2	-10.65	Peak	78.00	150	Horizontal	Pass
2**	5460.000	46.61	3.79	54.0	-7.39	AV	78.00	150	Horizontal	Pass
3	5466.800	58.27	3.89	68.2	-9.93	Peak	356.00	150	Horizontal	Pass
3**	5466.800	46.98	3.89	--	--	AV	356.00	150	Horizontal	N/A
4	5402.200	58.61	3.34	68.2	-9.59	Peak	102.00	150	Horizontal	Pass
4**	5402.200	46.33	3.34	54.0	-7.67	AV	102.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.16	3.43	68.2	-10.04	Peak	229.00	150	Horizontal	Pass
2	5968.750	60.17	4.93	68.2	-8.03	Peak	57.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.71	3.88	68.2	-10.49	Peak	185.00	150	Horizontal	Pass
1**	5470.000	46.85	3.88	--	--	AV	185.00	150	Horizontal	N/A
2	5460.000	58.12	3.79	68.2	-10.08	Peak	358.00	150	Horizontal	Pass
2**	5460.000	46.53	3.79	54.0	-7.47	AV	358.00	150	Horizontal	Pass
3	5465.200	58.42	3.82	68.2	-9.78	Peak	296.00	150	Horizontal	Pass
3**	5465.200	46.61	3.82	--	--	AV	296.00	150	Horizontal	N/A
4	5404.000	58.74	3.31	68.2	-9.46	Peak	289.00	150	Horizontal	Pass
4**	5404.000	46.54	3.31	54.0	-7.46	AV	289.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20(SU) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.84	3.43	68.2	-10.36	Peak	154.00	150	Horizontal	Pass
2	5946.250	60.30	4.51	68.2	-7.90	Peak	154.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.01	3.88	68.2	-11.19	Peak	136.00	150	Horizontal	Pass
1**	5470.000	46.93	3.88	--	--	AV	136.00	150	Horizontal	N/A
2	5460.000	56.90	3.79	68.2	-11.30	Peak	296.00	150	Horizontal	Pass
2**	5460.000	46.58	3.79	54.0	-7.42	AV	296.00	150	Horizontal	Pass
3	5466.200	58.78	3.88	68.2	-9.42	Peak	274.00	150	Horizontal	Pass
3**	5466.200	46.83	3.88	--	--	AV	274.00	150	Horizontal	N/A
4	5459.800	58.84	3.80	68.2	-9.36	Peak	304.00	150	Horizontal	Pass
4**	5459.800	46.61	3.80	54.0	-7.39	AV	304.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40(SU) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.14	3.43	68.2	-10.06	Peak	174.00	150	Horizontal	Pass
2	5962.250	60.05	4.72	68.2	-8.15	Peak	352.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax80(SU) CH138



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.35	3.88	68.2	-10.85	Peak	214.00	150	Horizontal	Pass
1**	5470.000	46.97	3.88	--	--	AV	214.00	150	Horizontal	N/A
2	5460.000	57.51	3.79	68.2	-10.69	Peak	0.00	150	Horizontal	Pass
2**	5460.000	46.60	3.79	54.0	-7.40	AV	0.00	150	Horizontal	Pass
3	5467.400	59.22	3.91	68.2	-8.98	Peak	29.00	150	Horizontal	Pass
3**	5467.400	46.77	3.91	--	--	AV	29.00	150	Horizontal	N/A
4	5431.000	58.95	3.35	68.2	-9.25	Peak	288.00	150	Horizontal	Pass
4**	5431.000	46.58	3.35	54.0	-7.42	AV	288.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ax80(SU) CH138



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.32	3.43	68.2	-10.88	Peak	217.00	150	Horizontal	Pass
2	5951.750	59.52	4.70	68.2	-8.68	Peak	346.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-EC21C0857-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-EC21C0857-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-EC21C0857-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the laboratory.
6. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--