

Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: L1 Tablet PC


Test Model: L1

Environmental Conditions

Temperature:	23.1° C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.001	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.991	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.934	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.314	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.29	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.311	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.299	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.312	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.299	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1







-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.35	21	Pass
NVNT	1-DH5	2441	Ant1	0.18	21	Pass
NVNT	1-DH5	2480	Ant1	-0.49	21	Pass
NVNT	2-DH5	2402	Ant1	0.84	21	Pass
NVNT	2-DH5	2441	Ant1	1.31	21	Pass
NVNT	2-DH5	2480	Ant1	0.16	21	Pass
NVNT	3-DH5	2402	Ant1	0.96	21	Pass
NVNT	3-DH5	2441	Ant1	1.18	21	Pass
NVNT	3-DH5	2480	Ant1	-0.09	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1











A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.014	2403.16	1.146	0.667	Pass
NVNT	2-DH5	Ant1	2402.016	2403.004	0.988	0.876	Pass
NVNT	3-DH5	Ant1	2402.014	2403.026	1.012	0.875	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1





CFS NVNT 2-DH5 2402MHz Ant1








CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	308.46	106	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.899	272.506	94	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	289.7	100	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst






Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1





Hopping No. NVNT 2-DH5 2402MHz Ant1








Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.84	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.46	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-54.38	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.55	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-54.15	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.06	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission







Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission







Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission







Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref





Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-56.44	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.93	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.23	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.97	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-54.28	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.21	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission







Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission






A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.41	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.77	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.88	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.44	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.72	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.51	-20	Pass
NVNT	3-DH5	2402	Ant1	-54.14	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.82	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.16	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission







Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission






A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.29	1.12	0.34
NVNT	2-DH5	2441	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	76.37	1.17	0.36
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	76.37	1.17	0.36




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1





Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.34	2	-	45.92	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.23	2	1.1	40.13	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2333.328	-46.99	2	-	50.27	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2385.456	-57.52	2	1.1	40.84	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.12	2	-	47.14	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.56	2	1.1	39.8	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.97	2	-	48.29	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.58	2	1.1	40.78	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.384	-45.5	2	-	51.76	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.592	-57.09	2	1.1	41.27	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.19	2	-	48.07	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.96	2	1.1	40.4	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.88	2	-	46.38	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.56	2	1.12	39.82	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2311.056	-47.48	2	-	49.78	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2357.808	-57.42	2	1.12	40.96	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.94	2	-	47.32	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.52	2	1.12	39.86	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.27	2	-	47.99	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.71	2	1.12	40.67	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2487.592	-46.24	2	-	51.02	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2488.048	-57.13	2	1.12	41.25	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-51.07	2	-	46.19	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.96	2	1.12	40.42	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.76	2	-	47.5	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.68	2	1.17	39.75	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2375.472	-47.25	2	-	50.01	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2374.224	-57.58	2	1.17	40.85	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.62	2	-	46.64	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.77	2	1.17	40.66	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.98	2	-	46.28	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.26	2	1.17	40.17	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2498.704	-47.54	2	-	49.72	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2485.384	-57.02	2	1.17	41.41	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.1	2	-	48.16	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.18	2	1.17	40.25	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

