

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK
 BACKGROUND - WHITE
 MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT
 ADHESIVE - 1.8 mil #350 ACRYLIC


LABEL SIZE - 2.0 x 1.0 ± .02
 CORNER RADIUS - .05 ± .02
 ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02


- 4. DIE CUT TO LINER. PERFORATE LINER BETWEEN LABELS. PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
- 5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
- 6. LABEL MUST BE PROCURED FROM UL AUTHORIZED SUPPLIER.
- 7. REFERENCE S14913.
- 8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
- 9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION
 CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED BY 21CFR 20.61. DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: S. Goldston	DATE: 03/03/23	 ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA		
	DIMENSIONS IN INCHES TOLERANCES .XX ± .02 ANGULAR ± 2° .XXX ± .010 63 ✓		MATERIAL: 2	TITLE: LABEL, DCP FCC - IC ID	
THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.	APPLIED FINISH: None	SCALE 1/1	SIZE B	DWG NO. 80005176-101	REV. A
DO NOT SCALE DRAWING			SHEET 1 OF 1		

ATTENTION PRELIMINARY DRAFT! Only for Information.
 ACHTUNG VORENTWURF! Nur zur Information.



Fonts:

- 1) Calibri 11 bold
- 2) Calibri 8 bold
- 3) Calibri 8 normal
- 4) Calibri 7 normal
- 5) Calibri 7 bold
- 6) Arial 7 bold
- 7) Calibri 10 normal

THIS PART IS A U.L. CRITICAL PART.
 ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP.
 LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2.
 RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2.
 EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.


Item -No.	Title	Manufacturer	Manufact. part-no.	Material	Article-No.
1	Etikett 5" Polyester ws glanz	Zebra Technologies	880261-050D	Z-Ultimate® 3000T White	30006224
2	Transferfolie Harz sw	Zebra Technologies	05095GS11007	Base Film: Polyester black	30006291

	General tolerances	Surface finish	Scale 1:1	Weight: 0.00 g	
	DIN ISO 2768 - mK	DIN ISO 1302	Material	Sale No. 12791	Revision

	Date	Signature	Device Label Decapper Module (DM) Double
Cre. Part	30.11.2022	kiw	
Cre. Drw.	10.02.2023	kiw	
Appv'd			

	Article No.	20039856	Sheet 1 / 1
	Sachsenkamp 5, 20097 Hamburg		A4

Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for: 20034347	Replaced by:
------	--------	------	------	--------------------------------------	---------------------------	--------------



Front view
hood open

Label locations

Product label
IC HVIN location



FCC IC label location
(Permanent acrylic adhesive)