

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.

2 PRINTING SPECIFICATION:

INK COLOR - BLACK
BACKGROUND - WHITE
MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT
ADHESIVE - 1.8 mil #350 ACRYLIC

LABEL SIZE - 2.0 x 1.0 ± .02

CORNER RADIUS - .05 ± .02
ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02

4. DIE CUT TO LINER.
PERFORATING LINER BETWEEN LABELS IS OPTIONAL.
PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.


5. LABEL MUST CONFORM TO UL 969 AND SHALL
BE UL APPROVED MATERIAL WITH SUPPLIER
NAME AND LABEL NAME OR DESIGNATION ON
INSIDE OF ROLL CORE.

6. LABEL MUST BE PROCURED FROM UL AUTHORIZED
SUPPLIER.

7. REFERENCE S14913.

8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS
PART MUST BE APPROVED BY EMC/SAFETY GROUP.

9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE
LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION

CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION
WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED
BY 21CFR 20.61. DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: S. Goldston	DATE: 07/14/22		 ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA		
	MATERIAL: 2		TITLE: LABEL, GLP2 FCC - IC ID			
DIMENSIONS IN INCHES TOLERANCES .XX ± .02 .XXX ± .010	APPLIED FINISH: None			SCALE 1/1	SIZE B	DWG NO. 80004973-101
	THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.		DO NOT SCALE DRAWING		SHEET 1 OF 1	

UNLESS OTHERWISE SPECIFIED:	
DIMENSIONS IN INCHES	
TOLERANCES	
.XX ± .02	ANGULAR ± 2° 63 ✓
.XXX ± .010	
THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.	

DWN BY: S. Goldston	DATE: 07/14/22
MATERIAL: 2	
APPLIED FINISH: None	

 ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA			
TITLE: LABEL, GLP2 FCC - IC ID			
SCALE 1/1	SIZE B	DWG NO. 80004973-101	REV. A
DO NOT SCALE DRAWING		SHEET 1 OF 1	

Device Label
IC HVIN Location

FCC/IC Label Location
(Permanent Acrylic
Adhesive)

**GLPSYSTEMS**
Großmoorbogen 25
D-21079 Hamburg
Germany

2020W15
SAL Alinity T-Element 12412
SN SAL12412000044

230 V - 240 V ~ 50/60 Hz
net power P_{typ} 105 W / P_{max} 210 W
Made in Germany

