

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK  
 BACKGROUND - WHITE  
 MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT  
 ADHESIVE - 1.8 mil #350 ACRYLIC

LABEL SIZE - 2.0 x 1.0 ± .02  
 CORNER RADIUS - .05 ± .02  
 ROLL SIZE - 500, MAX


3 INNER DIE CUT: 1.25 x 0.5 ± .02

- 4. DIE CUT TO LINER. PERFORATE LINER BETWEEN LABELS. PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
- 5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
- 6. LABEL MUST BE PROCURED FROM UL AUTHORIZED SUPPLIER.
- 7. REFERENCE S14913.
- 8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
- 9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION  
 CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED BY 21CFR 20.61. DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: D. Dominguez	DATE: 03/13/23	ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA		
	DIMENSIONS IN INCHES TOLERANCES .XX ± .02   ANGULAR ± 2° .XXX ± .010   63 ✓		MATERIAL: 2	TITLE: LABEL, RCP FCC – IC ID	
THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.	APPLIED FINISH: None	SCALE 1/1	SIZE B	DWG NO. 80005178-101	REV. A
DO NOT SCALE DRAWING			SHEET 1 OF 1		



Fonts:

- 1) Calibri 11 bold
- 2) Calibri 8 bold
- 3) Calibri 8 normal
- 4) Calibri 7 normal
- 5) Calibri 7 bold
- 6) Arial 7 bold
- 7) Calibri 10 normal

THIS PART IS A U.L. CRITICAL PART.  
 ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP.  
 LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2.  
 RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2.  
 EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.

Item -No.	Title		Article-No.	
1	Etikett 5" Polyester ws glanz		30006224-101	
2	Transferfolie Harz sw		30006291-101	
		General tolerances	Surface finish	Scale 1:1
		DIN ISO 2768 - mK	DIN ISO 1302	Weight: 0.00 g
		Date	Signature	Title
		Cre. Part 05.12.2022	kiw	<b>Device Label</b> Recapper Module SL Double
		Cre. Drw. 10.02.2023	kiw	
		Appv'd 14.02.2023	evg	
		Standard		
				Article No.
		Sachsenkamp 5, 20097 Hamburg		20039879-101
Rev.	Change	Date	Name	Refer to protection notice ISO 16016
				Replacement for: 20034352
				Replaced by:
				Sheet 1 / 1



Label locations



Front view  
hood open



Product label  
IC HVIN location

GLPSYSTEM  
Gründerbergweg 20  
D-21078 Hamburg  
2019W47  
Recapper Module (RMSL) 12254  
SN RMSL000023  
230V 240V - 50/60 Hz  
net power P<sub>n</sub> 85 W / P<sub>max</sub> 212 W  
Made in Germany

DAL006123  
CONTROLLED

FCC IC label location  
(Permanent acrylic  
adhesive)