

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK
 BACKGROUND - WHITE
 MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT
 ADHESIVE - 1.8 mil #350 ACRYLIC

LABEL SIZE - 2.0 x 1.0 ± .02
 CORNER RADIUS - .05 ± .02
 ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02


4. DIE CUT TO LINER. PERFORATE LINER BETWEEN LABELS. PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
6. LABEL MUST BE PROCURED FROM UL AUTHORIZED SUPPLIER.
7. REFERENCE S14913.
8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION
 CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED BY 21CFR 20.61. DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: D. Dominguez	DATE: 03/13/23	ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA		
	DIMENSIONS IN INCHES TOLERANCES .XX ± .02 ANGULAR ± 2° .XXX ± .010 63 ✓		MATERIAL: 2	TITLE: LABEL, RMR FCC – IC ID	
THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.	APPLIED FINISH: None	SCALE 1/1	SIZE B	DWG NO. 80005179-101	REV. A
DO NOT SCALE DRAWING			SHEET 1 OF 1		

ATTENTION PRELIMINARY DRAFT! Only for Information.
 ACHTUNG VORENTWURF! Nur zur Information.




Fonts:

- 1) Calibri 11 bold
- 2) Calibri 8 bold
- 3) Calibri 8 normal
- 4) Calibri 7 normal
- 5) Calibri 7 bold
- 6) Arial 7 bold
- 7) Calibri 10 normal

THIS PART IS A U.L. CRITICAL PART.
 ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP.
 LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2.
 RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2.
 EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.

Item -No.	Title	Manufacturer	Manufact. part-no.	Material	Article-No.
1	Etikett 5" Polyester ws glanz	Zebra Technologies	880261-050D	Z-Ulimate® 3000T White	30006224
2	Transferfolie Harz sw	Zebra Technologies	05095GS11007	Base Film: Polyester black	30006291



General tolerances
DIN ISO 2768 - mK

Surface finish
DIN ISO 1302

Scale 1:1

Weight: 0.00 g

Material

Sale No.

Revision

12809

Date	Signature	Title
Cre. Part 05.12.2022	kiw	Device Label Remover Module SL (REM)
Cre. Drw. 10.02.2023	kiw	
Appv'd		
Standard		




Article No.
20039880

Sheet
1 / 1

A4

Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for: 20035043	Replaced by:
1						



Label locations

Front view
hood open

Product label
IC HVIN location

FCC IC label location
(Permanent acrylic
adhesive)

