

NOTES: UNLESS OTHERWISE SPECIFIED

PURCHASED LABEL

1. PRINT PER LABEL CONTENT SHOWN.


2 PRINTING SPECIFICATION:

INK COLOR - BLACK  
 BACKGROUND - WHITE  
 MATERIAL - 2mil POLYESTER with 1 mil CLEAR OVERCOAT  
 ADHESIVE - 1.8 mil #350 ACRYLIC


LABEL SIZE - 2.0 x 1.0 ± .02  
 CORNER RADIUS - .05 ± .02  
 ROLL SIZE - 500, MAX

3 INNER DIE CUT: 1.25 x 0.5 ± .02


- 4. DIE CUT TO LINER. PERFORATE LINER BETWEEN LABELS. PART NUMBER TO BE PRINTED ON THE WASTE MATRIX.
- 5. LABEL MUST CONFORM TO UL 969 AND CSA 22.2 NO. 0.15-95 AND SHALL BE UL APPROVED MATERIAL, WITH SUPPLIER NAME AND LABEL NAME OR DESIGNATION ON INSIDE OF ROLL CORE.
- 6. LABEL MUST BE PROCURED FROM UL AUTHORIZED SUPPLIER.
- 7. REFERENCE S14913.
- 8. THIS PART IS A U.L. CRITICAL PART. ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP. LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGDQ2/PGDQ8. EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.
- 9. THIS PART/ASSEMBLY SHALL BE COMPLIANT PER THE LATEST REVISION OF ABBOTT SPECIFICATION S205053.



CONFIDENTIAL INFORMATION  
 CONTAINS TRADE SECRET AND/OR CONFIDENTIAL INFORMATION WHICH IS THE PROPERTY OF ABBOTT LABORATORIES. AS PROVIDED BY 21CFR 20.61. DO NOT DISCLOSE TO THE PUBLIC.

UNLESS OTHERWISE SPECIFIED:	DWN BY: S. Goldston	DATE: 03/03/23	 ABBOTT DIAGNOSTIC DIVISION ABBOTT LABORATORIES 1921 HURD DRIVE IRVING, TEXAS 75038, USA			
	MATERIAL: 2		TITLE: LABEL, SCP FCC - IC ID			
DIMENSIONS IN INCHES TOLERANCES .XX ± .02      ANGULAR ± 2° .XXX ± .010      63 ✓ THREADS CLASS 2A OR 2B REMOVE BURRS AND SHARP EDGES .02 MAX.	APPLIED FINISH: None		SCALE 1/1	SIZE B	DWG NO. 80005175-101	REV. A
	DO NOT SCALE DRAWING			SHEET 1 OF 1		

ATTENTION PRELIMINARY DRAFT! Only for Information.  
 ACHTUNG VORENTWURF! Nur zur Information.




Fonts:

- 1) Calibri 11 bold
- 2) Calibri 8 bold
- 3) Calibri 8 normal
- 4) Calibri 7 normal
- 5) Calibri 7 bold
- 6) Arial 7 bold
- 7) Calibri 10 normal

THIS PART IS A U.L. CRITICAL PART.  
 ANY CHANGES TO THIS PART MUST BE REVIEWED BY EMC/SAFETY GROUP.  
 LABEL TO BE U.L. RECOGNIZED COMPONENT CATEGORY PGJ12 OR PGDQ2.  
 RIBBON TO BE U.L. RECOGNIZED CATEGORY PGGU2.  
 EMC/SAFETY GROUP MUST REVIEW ALL SUPPLIERS.

Item -No.	Title	Manufacturer	Manufact. part-no.	Material	Article-No.
1	Etikett 5" Polyester ws glanz	Zebra Technologies	880261-050D	Z-Ulimate® 3000T White	30006224
2	Transferfolie Harz sw	Zebra Technologies	05095GS11007	Base Film: Polyester black	30006291



General tolerances  
DIN ISO  
2768 - mK

Surface finish  
DIN ISO  
1302

Scale 1:1  
Material

Weight: 0.00 g

Sale No.

12804

Revision

Date

Signature

Cre. Part 05.12.2022

Cre. Drw. 05.12.2022

Appv'd

Standard

Title

**Device Label**

ScrewCapper Module (SCCM)

Article No.

20039881


Sheet

1 / 1

A4




Rev.	Change	Date	Name	Refer to protection notice ISO 16016	Replacement for:	Replaced by:
1						



Front view  
hood open

Label locations

Device label  
IC HVIN location



FCC IC label location  
(Permanent acrylic  
adhesive)