


**Dwell Time**


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.39	124.41	319	31600	400	Pass
NVNT	1-DH3	2441	1.64	254.2	155	31600	400	Pass
NVNT	1-DH5	2441	2.89	320.79	111	31600	400	Pass
NVNT	2-DH1	2441	0.4	127.2	318	31600	400	Pass
NVNT	2-DH3	2441	1.65	247.5	150	31600	400	Pass
NVNT	2-DH5	2441	2.9	298.7	103	31600	400	Pass
NVNT	3-DH1	2441	0.4	126	315	31600	400	Pass
NVNT	3-DH3	2441	1.65	260.7	158	31600	400	Pass
NVNT	3-DH5	2441	2.9	301.6	104	31600	400	Pass



Test Graphs



Dwell NVNT 1-DH1 2441MHz Ant1 One Burst







Dwell NVNT 1-DH1 2441MHz Ant1 Accumulated





























**Appendix B: Photographs of Test Setup**  
Product: Portable Led Color Changing Party speaker  
Model: MLB-2000PS  
Radiated Emission



Conducted Emission



**Appendix C: Photographs of EUT**  
**Product: Portable Led Color Changing Party speaker**  
**Model: MLB-2000PS**  
**External Photos**





















**Product: Portable Led Color Changing Party speaker**  
**Model: MLB-2000PS**  
**Internal Photos**
















**\*\*\*\*\*END OF REPORT\*\*\*\*\***