



深圳市飞敏科技有限公司

ShenZhen City FeiMin Technology CO., LTD.

产品承认书

SPECIFICATION FOR APPROVED

客户

CUSTOMER: _____

产品名称

PRODUCTS: _____ FM TX Antenna

客户料号

PART NO: _____ 030DS10501

产品型号

Spec.: _____ FM-S2402-DS105TX-EB

日期

Data: _____ 2023. 6. 25

供应商		
SUPPLIER		
拟制 PREPARED BY	审核 CHECKED BY	批准 APPROVED BY

客户		
CUSTOMER		
承认 ACCEPTED BY	审核 CHECKED BY	批准 APPROVED BY

备注：承认盖章后请回复一份承认书（或复印件）给我司，其余由贵公司存档

REMARK: Please send us one(or copy) of this approval with stamp after accepting, other copies filed by the customer.

地址：深圳市宝安区西乡街道固戍社区恒南一路 C 栋厂房 303 室

ADD: Room 303, Building C, Hengnan one Road, Gushu community, Xixiang Street, Bao' an District, Shenzhen City

电话 Tel: 0755-23035723

传真 Fax: 0755-23036702

邮箱 E-mail: ant001@fmant.cn

网址 HTTP: www.fmant.cn

1. 项目信息 Project Information.....	4
1.1. 外观尺寸 Appearance and Dimensions	4
2. 电气性能 Electrical Characteristics.....	5
2.1. 测试环境条件 Test Environment Conditions	5
2.2. 测试方法 Measurement method	5
2.2. 天线参数 Pictorial view	5


ANTENNA SPECIFICATION

Revision history

Ver.	DATE	
A1	2023-6-25	

1. 项目信息 Project Information

1.1. 外观尺寸 Appearance and Dimensions




ANTENNA SPECIFICATION

2. 电气性能 Electrical Characteristics

2.1. 测试环境条件 Test Environment Conditions

温度 Temperature	Ordinary Temperature (5 to 35℃)
湿度 Humidity	Ordinary Humidity (25 to 85% RH)

2.2. 测试方法 Measurement method



2.2. 天线参数 Pictorial view

天线的主要参数 Main Technical Specifications			
频段 (MHz) Frequency Range	阻抗 (Ω) Impedence	极化方式 Polarization mode	匹配网络 Matching network
88.5-102.9MHZ	50	线极化 Line polarization	π TYPE
Antenna Type: Integral Antenna			
Frequency(MHz)	Gain(dBi)	Effi(%)	
88.5	-0.50	65.23	
93.7	0.0	65.26	
102.9	-0.42	65.56	