

# HiStone

Self-service Kiosk

HS520M

## Key Features

- ❑ 27" True flat capacitive touch screen enhancing user experience
- ❑ Flexible operational scenarios; wall mount or floor stand
- ❑ Multi-modular design allowing for self-service or self-checkout customization to suit a variety of retail or hospitality environments
- ❑ The host adopts aluminum alloy frame, More beautiful and fashionable.



MODEL		HS520M
Processor		Intel Skylake-U, Intel 6th generation CPU I3-6100U, SOC 2.3Ghz
Operating System		POSready7/Windows7/Windows 10/Linux
Memory		SO-DIMM DDR4 2166MHz 4GB, up to 16GB
Storage		SATA SSD 128GB, up to 256GB
Display Panel		27inch TFT-LCD 16:9 Display resolution:1920*1080
Touch Screen		True flat capacitive touch screen
Power Supply		150W integrated power supply
Integrated Scanner		Single window, support 1D/2D barcode
Integrated Printer		80mm thermal printer
Speaker		2*5W Speaker
MIC		MIC, Omnidirectional
I/O Ports		1* RJ45 , 100M/1000M Gigabit LAN port
		4*USB 2.0 Ports
		2* Serial Ports
Dimensions (LxWxH)		1690*1092*482mm
Weight		57kg (Host + stand)
Optional Peripherals	Transaction camera	Face ID camera or Membership camera
	Alarm light	Security camera
		Alarm light
		Number plate
	Card reader	MSR (only)
		MSR +RFID
	Fingerprint reader	Fingerprint Reader
	Stand	Ground Stand
		Big Metal plate(optional for no grounding screws)
	Wall Mount	Wall mount bracket(for no stand)
	Shelving Unit	Big shelving unit(metal /plastic)
		Small shelving unit(metal /plastic)
Bracket	EFTPOS holder	
	External Fiscal Printer holder	
	Disinfectant bottle holder	
Operating Voltage		110V/240V AC, 50-60hz
Environment	Operating	5°C - 40°C/40%-60% RH non-condensing
	Storage	-5°C - 50°C/30%-80% RH non-condensing
EMC and Safety		CE/ FCC Pending
Colour		Standard: White Optional: Black



- Front opening door for easier maintenance

- Patented protection lock, printer anti-theft design to prevent accidental touch



- Big Shelving Unit or Small Shelving Unit optional



**Disclaimer:** All products specifications are subject to change without notice.

QINGDAO HISTONE INTELLIGENT COMMERCIAL SYSTEM CO.,LTD.  
Wisdom Valley,NO.8 Shengshui Road, Laoshan District, Qingdao City,  
China.

☎tel: +86 (532) 66069168  
✉infopos@histonetec.com

🌐www.hics.histonetec.com

# HiStone

FCC Statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the following

two conditions: (1) This device may not cause harmful interference, and (2) this device

must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital

device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the

user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications not expressly approved by the party responsible

for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This equipment should be installed and operated with minimum distance 20cm between the radiator&your body.