







|  |   |
|--|---|
| <p style="text-align: center;"><b>Solder<br/>Board-Component View<br/>10</b></p> |  A photograph of a small green printed circuit board (PCB) component, labeled 'WALORKEY_V10', placed on a blue textured surface. A black ruler with white markings is positioned vertically to the left of the component, showing measurements in millimeters. The component features a central integrated circuit, several surface-mount components, and a white connector on the left side.                                       |
| <p style="text-align: center;"><b>Solder<br/>Board-Component View<br/>11</b></p> |  A photograph of the same green PCB component, labeled 'WALORKEY_V11', placed on a blue textured surface. A black ruler with white markings is positioned vertically to the left of the component. This view shows the component from a different angle, highlighting a white connector on the left side and a multi-pin connector on the right side. The component is labeled with 'WALORKEY_V11', 'PHOTO', 'LEO_CAM', and 'GND'. |

|  |  |
|--|--|
| <p style="text-align: center;"><b>Solder<br/>Board-Component View<br/>12</b></p> |  A photograph of a small green printed circuit board (PCB) component. The board is rectangular and has four circular solder pads, two on each of the longer sides. A black multi-pin connector is attached to the right edge of the board. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 25 mm and its width approximately 15 mm. |
| <p style="text-align: center;"><b>Solder<br/>Board-Component View<br/>13</b></p> |  A photograph of a soldered component assembly. It features a multi-colored ribbon cable with a white plastic connector at one end. The other end of the cable is soldered to a small component that is partially wrapped in a piece of crumpled brown paper. The assembly is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 100 mm.               |

|  |   |
|--|---|
| <p style="text-align: center;"><b>Solder<br/>Board-Component View<br/>14</b></p> |  <p>A photograph showing a small electronic component, possibly a sensor or actuator, soldered onto a board. The component is wrapped in a piece of white tape. It has several multi-colored wires (red, yellow, green, blue) extending from it. A white connector is attached to the end of the wires. The component is placed on a blue textured surface next to a black ruler with white markings for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm.</p> |
| <p style="text-align: center;"><b>Solder<br/>Board-Component View<br/>15</b></p> |  <p>A photograph showing a small green printed circuit board (PCB) component soldered onto a board. The component has several surface-mounted components, including a small black chip and several resistors. It is placed on a blue textured surface next to a black ruler with white markings for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm.</p>   |