

FCC AND ISCED CERTIFICATION TEST REPORT

Report No.: DDT-B21102902-2E10

Applicant	:	Beijing Orion Star Technology Co., Ltd.
Address	:	Room A-2570, 2nd Floor, No. 30, Shixing Street, Shijingshan District, Beijing China
Equipment under Test	:	AI Service Robot
Model No.	:	OS-R-SD03
Trade Mark	:	ORIONSTAR
FCC ID	:	2A3BD-OSRSD03
IC	:	27780-OSRSD03
Manufacturer	:	Beijing Orion Star Technology Co., Ltd.
Address	:	Room A-2570, 2nd Floor, No. 30, Shixing Street, Shijingshan District, Beijing China

Issued By: Tianjin Dongdian Testing Service Co., Ltd.

Address: Building D-1, No. 19, Weier Road, Microelectronics Industrial Park
Development Area, Tianjin, China

Tel: +86-22-58038033, E-mail: ddt@dgddt.com, <http://www.ddttest.com>



REPORT

Table of Contents

1.	Summary of test results	6
2.	General Test Information	7
2.1.	Description of EUT	7
2.2.	Accessories of EUT	8
2.3.	Assistant equipment used for test	8
2.4.	Block diagram of EUT configuration for test	8
2.5.	Deviations of test standard	10
2.6.	Test environment conditions	10
2.7.	Test laboratory	10
2.8.	Measurement uncertainty	11
3.	Equipment Used During Test	12
4.	26dB Bandwidth, 6dB Bandwidth and 99% Bandwidth	13
4.1.	Block diagram of test setup	13
4.2.	Limits	13
4.3.	Test procedure	13
4.4.	Test result	14
4.5.	Original test data	19
5.	Maximum Conducted Output Power	137
5.1.	Block diagram of test setup	137
5.2.	Limits	137
5.3.	Test procedure	137
5.4.	Test result	138
5.5.	Original test data	151
6.	Power Spectral Density	210
6.1.	Block diagram of test setup	210
6.2.	Limits	210
6.3.	Test procedure	210
6.4.	Test result	211
6.5.	Original test data	216
7.	Frequency Stability Measurement	275
7.1.	Limit of Frequency Stability	275
7.2.	Measuring Instruments	275
7.3.	Test procedures	275
7.4.	Test setup	275
7.5.	Test result	276
8.	Emissions in restricted frequency bands	296

8.1.	Block diagram of test setup	296
8.2.	Limit	297
8.3.	Test procedure	299
8.4.	Test result	300
9.	Band Edge Compliance	308
9.1.	Block diagram of test setup	308
9.2.	Limit	308
9.3.	Test procedure	308
9.4.	Test result	309
10.	Power Line Conducted Emission	362
10.1.	Block diagram of test setup	362
10.2.	Power Line Conducted Emission Limits (Class B)	362
10.3.	Test Procedure	362
10.4.	Test Result	363
11.	Antenna Requirements	366
11.1.	Limit	366
11.2.	Result	366
12.	Dynamic Frequency Selection	367
12.1.	Applicability of DFS requirements	367
12.2.	Limit	368
12.3.	Parameters of radar test waveforms	368
12.4.	Calibration of radar waveform	369
12.5.	Channel closing transmission time, channel move time and non-occupancy period	372
12.6.	Test setup	373
12.7.	Test result	373
13.	Test setup photograph——Nil	376
14.	Photos of the EUT——External photos	380
15.	Photos of the EUT——Internal photos	388

Test Report Declare

Applicant	:	Beijing Orion Star Technology Co., Ltd.
Address	:	Room A-2570, 2nd Floor, No. 30, Shixing Street, Shijingshan District, Beijing China
Equipment under Test	:	AI Service Robot
Model No	:	OS-R-SD03
Trade Mark	:	ORIONSTAR
Manufacturer	:	Beijing Orion Star Technology Co., Ltd.
Address	:	Room A-2570, 2nd Floor, No. 30, Shixing Street, Shijingshan District, Beijing China

Test Standard Used: FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 2 February 2017.

Test procedure used: ANSI C63.10:2020, 789033 D02 General U-NII Test Procedures New Rules v02r01, 662911 D01 Multiple Transmitter Output v02r01, RSS-Gen Issue 5: Apr. 2018

We Declare:

The equipment described above is tested by Tianjin Dongdian Testing Service Co., Ltd and in the configuration tested the equipment complied with the standards specified above. The test results are contained in this test report and Tianjin Dongdian Testing Service Co., Ltd is assumed of full responsibility for the accuracy and completeness of these tests.

After test and evaluation, our opinion is that the equipment provided for test compliance with the requirement of the above FCC&ISED standards.

Report No:	DDT-B21102902-2E10		
Date of Receipt:	Feb. 24, 2022	Date of Test:	Feb. 24, 2022 ~ Mar. 26, 2022

Prepared By:

Sunny Zhang

Sunny Zhang/Engineer

Approved By:

Leon Li

Leon Li /RF Manager



Note: This report applies to above tested sample only. This report shall not be reproduced in parts without written approval of Tianjin Dongdian Testing Service Co., Ltd.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Revision History

Rev.	Revisions	Issue Date	Revised By
---	Initial issue	Mar. 26, 2022	

1. Summary of test results

The EUT have been tested according to the applicable standards as referenced below.

Description of Test Item	Standard	Verdict
6/26db Bandwidth and 99% Bandwidth	FCC 15.407 (e) RSS-247 Clause 6.2	Pass
Maximum Conducted Output Power	FCC 15.407 (a) RSS-247 Clause 6.2	Pass
Power Spectral Density	FCC 15.407 (a) RSS-247 Clause 6.2	Pass
Frequency Stability Measurement	FCC 15.407 (g)	Pass
Emissions in restricted frequency bands	FCC 15.407 (a) FCC 15.209 FCC 15.205 [®] RSS-247 Clause 6.2 RSS-GEN Clause 8.9	Pass [®]
Band Edge Compliance	FCC 15.407 (a) FCC 15.209 FCC 15.205 [®] RSS-247 Clause 6.2 RSS-GEN Clause 8.9	Pass [®]
Power Line Conducted Emission	FCC 15.207 RSS-GEN Clause 8.8	Pass
Antenna requirement	FCC 15.203 [®] RSS-GEN Clause 8.3	Pass [®]
Dynamic Frequency Selection	FCC 15.407 (h) RSS-247 Clause 6.3	Pass

2. General Test Information

2.1. Description of EUT

EUT* Name	: AI Service Robot
Model Number	: OS-R-SD03
EUT function description	: Please reference user manual of this device
Power supply	: DC 25.2V by Polymer Li-ion built-in battery AC 100-240V~50/60Hz by ac/dc adapter for charge
Radio Technology	: IEEE 802.11a/n/ac
FCC Operation frequency	: IEEE 802.11a: 5180MHz-5240MHz, 5260MHz-5320MHz, 5500MHz-5700MHz, 5745MHz-5825MHz IEEE 802.11n HT20: 5180MHz-5240MHz, 5260MHz-5320MHz, 5500MHz-5700MHz, 5745MHz-5825MHz IEEE 802.11n HT40: 5190MHz-5230MHz, 5270MHz-5310MHz, 5510MHz-5670MHz, 5755MHz-5795MHz IEEE 802.11ac HT20: 5180MHz-5240MHz, 5260MHz-5320MHz, 5500MHz-5700MHz, 5745MHz-5825MHz IEEE 802.11ac HT40: 5190MHz-5230MHz, 5270MHz-5310MHz, 5510MHz-5670MHz, 5755MHz-5795MHz IEEE 802.11ac HT80: 5210MHz, 5290MHz, 5530MHz, 5775MHz
Modulation	: IEEE 802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK) IEEE 802.11n HT20, HT40: OFDM (64QAM, 16QAM, QPSK, BPSK) IEEE 802.11ac: OFDM (256QAM, 64QAM, 16QAM, QPSK, BPSK)
Transmitter rate	: IEEE 802.11a: 6, 9, 12, 18, 24, 36, 48, 54 Mbps IEEE 802.11n HT20: MCS8~MCS15 IEEE 802.11n HT40: MCS8~MCS15 IEEE 802.11ac VHT20: MCS0~MCS8 IEEE 802.11ac VHT40: MCS0~MCS8 IEEE 802.11ac VHT80: MCS0~MCS8
Antenna Type	: Antenna 1: Dedicated FPC antenna, maximum PK gain: 6.22 dBi Antenna 2: Dedicated FPC antenna, maximum PK gain: 4.44 dBi
Serial Number	: MC1TCNC010022006VFC1

Note 1: EUT is the ab. of equipment under test.

Note 2: EUT without DFS detection.

Antenna information			
	Ant1 gain	Ant2 gain	MIMO
IEEE 802.11a	6.22	4.44	/
IEEE 802.11n HT20	6.22	4.44	8.43
IEEE 802.11n HT40	6.22	4.44	8.43
IEEE 802.11ac VHT20	6.22	4.44	8.43
IEEE 802.11ac VHT40	6.22	4.44	8.43
IEEE 802.11ac VHT80	6.22	4.44	8.43

2.2. Accessories of EUT

Description of Accessories	Manufacturer	Model number	Description	Remark
AC/DC ADAPTER	FOSHAN SHUNDE GUANYUDA POWER SUPPLY CO., LTD	GM130-3200393-2F	INPUT:100-240V~50/60Hz 2.5A OUTPUT:32V-3.39A;125.76W	GVE
Charging pile	Beijing Orion Star Technology Co., Ltd.	OS-R-SDCS01S	INPUT:100-240V~50/60Hz 2.5A OUTPUT:32V	ORIONSTAR

2.3. Assistant equipment used for test

Assistant equipment	Manufacturer	Model number	EMC Compliance	SN
Notebook	Lenovo Beijing Co. Ltd.	ThinkPad	FCC/CE	TP00067A
Wireless LAN Access Point	ASUS	RT-AX82U	FCC ID: MSQ-RTAXJ300	LAIC4003599

2.4. Block diagram of EUT configuration for test

EUT

Run a special test software “QRCT.exe” provided by manufacturer to control EUT work in

Continuous Tx mode, and select test channel, wireless mode and data rate.

Tested mode, channel, and data rate information					
Mode	Setting Tx Power		data rate (Mbps) (see Note)	Channel	Frequency (MHz)
	Ant1	Ant2			
IEEE 802.11a	15	15	6	Low: CH36	5180
	15	15	6	Middle: CH40	5200
	15	15	6	High: CH48	5240
	15	15	6	Low: CH52	5260
	15	15	6	Middle: CH56	5280
	15	15	6	High: CH64	5320
	15	15	6	Low: CH100	5500
	15	15	6	Middle: CH120	5600
	15	15	6	High: CH140	5700
	15	15	6	Low: CH149	5745
	15	15	6	Middle: CH157	5785
	15	15	6	High: CH165	5825
IEEE 802.11n HT20	14	14	MCS 8	Low: CH36	5180
	14	14	MCS 8	Middle: CH40	5200
	14	14	MCS 8	High: CH48	5240
	14	14	MCS 8	Low: CH52	5260
	14	14	MCS 8	Middle: CH56	5280
	14	14	MCS 8	High: CH64	5320
	14	14	MCS 8	Low: CH100	5500
	14	14	MCS 8	Middle: CH120	5600
	14	14	MCS 8	High: CH140	5700
	14	14	MCS 8	Low: CH149	5745
	14	14	MCS 8	Middle: CH157	5785
	14	14	MCS 8	High: CH165	5825
IEEE 802.11n HT40	12	12	MCS 8	Low: CH38	5190
	12	12	MCS 8	High: CH46	5230
	12	12	MCS 8	Low: CH54	5270
	12	12	MCS 8	High: CH62	5310
	12	12	MCS 8	Low: CH102	5510
	12	12	MCS 8	Middle : CH110	5550
	12	12	MCS 8	High: CH134	5670
	12	12	MCS 8	Low: CH151	5755
	12	12	MCS 8	High: CH159	5795
IEEE 802.11ac HT20	14	14	MCS 0	Low: CH36	5180
	14	14	MCS 0	Middle: CH40	5200
	14	14	MCS 0	High: CH48	5240
	14	14	MCS 0	Low: CH52	5260
	14	14	MCS 0	Middle: CH56	5280
	14	14	MCS 0	High: CH64	5320
	14	14	MCS 0	Low: CH100	5500
	14	14	MCS 0	Middle: CH120	5600
	14	14	MCS 0	High: CH140	5700
	14	14	MCS 0	Low: CH149	5745
	14	14	MCS 0	Middle: CH157	5785
	14	14	MCS 0	High: CH165	5825

IEEE 802.11ac HT40	12	12	MCS 0	Low: CH38	5190
	12	12	MCS 0	High: CH46	5230
	12	12	MCS 0	Low: CH54	5270
	12	12	MCS 0	High: CH62	5310
	12	12	MCS 0	Low: CH102	5510
	12	12	MCS 0	Middle : CH110	5550
	12	12	MCS 0	High: CH134	5670
	12	12	MCS 0	Low: CH151	5755
	12	12	MCS 0	High: CH159	5795
IEEE 802.11ac HT80	12	12	MCS 0	CH42	5210
	12	12	MCS 0	CH58	5290
	12	12	MCS 0	CH106	5530
	12	12	MCS 0	CH122	5610
	12	12	MCS 0	CH155	5775

Note: According exploratory test, EUT will have maximum output power in those data rate, so those data rate were used for all test. For ISCED the EUT is not be capable of transmitting in the band 5600-5650 MHz.

2.5. Deviations of test standard

No Deviation.

2.6. Test environment conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature range:	21-28°C
Humidity range:	20-75%
Pressure range:	86-106 kPa

2.7. Test laboratory

Tianjin Dongdian Testing Service Co., Ltd.

Address: Building D-1, No. 19, Weisi Road, Microelectronics Industrial Park Development Area, Tianjin, China.

Tel: +86-22-58038033, <http://www.ddttest.com>, Email: ddt@dgddt.com

NVLAP (National Voluntary Laboratory Accreditation Program) CODE: 500036-0

CNAS (China National Accreditation Service for Conformity Assessment) CODE: L13402

FCC Designation Number: CN5004; FCC Test Firm Registration Number: 368676

ISED (Innovation, Science and Economic Development Canada) Company Number: 27768

Conformity Assessment Body Identifier: CN0125

VCCI Facility Registration Number: C-20089, T-20093, R-20125, G-20122

2.8. Measurement uncertainty


Test Item	Uncertainty
Bandwidth	0.14%
Peak Output Power (Conducted) (Spectrum Analyzer)	0.12 dB ($10 \text{ MHz} \leq f < 3.6 \text{ GHz}$);
	0.32 dB ($3.6 \text{ GHz} \leq f < 8 \text{ GHz}$)
Peak Output Power (Conducted) (Power Sensor)	0.51 dB
Power Spectral Density	0.12 dB ($10 \text{ MHz} \leq f < 3.6 \text{ GHz}$);
	0.32 dB ($3.6 \text{ GHz} \leq f < 8 \text{ GHz}$)
Frequencies Stability	6.7×10^{-8} (Antenna couple method)
	3.4×10^{-8} (Conducted method)
Conducted Spurious Emissions	0.12 dB ($10 \text{ MHz} \leq f < 3.6 \text{ GHz}$);
	0.32 dB ($3.6 \text{ GHz} \leq f < 8 \text{ GHz}$)
	0.52 dB ($8 \text{ GHz} \leq f < 22 \text{ GHz}$)
Uncertainty for Radio Frequency (RBW < 20 kHz)	3×10^{-7}
Temperature	$\pm 2^{\circ}\text{C}$
Humidity	$\pm 1\%$
Uncertainty for Radiation Emission Test (30 MHz - 1 GHz)	2.72 dB (Antenna Polarize: V)
	2.72 dB (Antenna Polarize: H)
Uncertainty for Radiation Emission Test (1 GHz - 40 GHz)	2.74 dB (1 - 6 GHz)
	2.72 dB (6 GHz - 18 GHz)
	3.54 dB (18 GHz - 26 GHz)
	4.30 dB (26 GHz - 40 GHz)
Uncertainty for Power Line Conduction Emission Test	3.40 dB (150 kHz - 30 MHz)
Note: This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.	

3. Equipment Used During Test

Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
RF Connected Test (MWRFTest system)					
Microwave Signal Generator	R&S	SMF100A	101396	2021/06/08	1 Year
MXG Vector Signal Generator	Keysight	N5182A	MY50143288	2021/03/08	1 Year
MXG Vector Signal Generator	Keysight	N5182A	MY50143288	2022/03/07	1 Year
EMI Test Receiver	R&S	ESU26	100243	2021/03/03	1 Year
EMI Test Receiver	R&S	ESU26	100243	2022/03/03	1 Year
Wideband Radio Communication Tester	R&S	CMW500	158800	2021/05/25	1 Year
Power Detector	MWRFTest	MW100-PSB	MW201203008	2021/03/31	1 Year
DC Power Supply	inSTEK	PSP-2010	EN122317	2022/02/12	1 Year
Test Software	MWRFTest	MTS8310	V03	N/A	N/A
Radiated Emission -10m EMI Chamber					
Active Loop Antenna	R&S	HFH2-Z2	100269	2021/05/08	1 Year
Broad Band Horn Antenna	Schwarzbeck	BBHA 9170	790	2021/05/08	1 Year
Broadband Horn Antenna	TESEQ	BHA 9118	31754	2021/10/12	1 Year
Low noise amplifier	MITEQ	TPA0118-36	0914	2022/02/16	1 Year
EMI Test Receiver	R&S	ESCI	101024	2022/03/03	1 Year
EMI Test Receiver	R&S	ESCI	101030	2021/05/15	1 Year
Bilog Antenna	TESEQ	CBL6112D	29068	2020/10/12	2 Year
Bilog Antenna	TESEQ	CBL6112D	29069	2020/10/12	2 Year
Amplifier	Sonoma	310N	300913	2022/02/15	1 Year
Amplifier	Sonoma	310N	300914	2022/02/15	1 Year
Ant Mast	Innco	MA4000	N/A	N/A	N/A
Ant Mast	Innco	MA4000	N/A	N/A	N/A
Mast Controller	Innco	CO2000	N/A	N/A	N/A
Mast Controller	Innco	CO2000	N/A	N/A	N/A
RF Selector 4CH	TOYO	NS4904N	Selector1	N/A	N/A
RF Selector 4CH	TOYO	NS4904N	Selector2	N/A	N/A
Test software	TOYO	EP5/RSE	Ver 1.9.1	N/A	N/A
Test software	Audix	E3	V 6.11111b	N/A	N/A
Power Line Conducted Emissions Test					
Test Receiver	R&S	ESCI	101397	2021/03/03	1 Year
Test Receiver	R&S	ESCI	101397	2022/03/03	1 Year
LISN	R&S	ENV216	101122	2021/03/31	1 Year
Test software	TOYO	EP5/CE	V 5.4.40	N/A	N/A

4. 26dB Bandwidth, 6dB Bandwidth and 99% Bandwidth

4.1. Block diagram of test setup



4.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Bandwidth	26 dB Bandwidth	5150 - 5250
	26 dB Bandwidth	5250 - 5350
	26 dB Bandwidth	For FCC: 5470 - 5725 For IC: 5470 - 5600 5650 - 5725
	Minimum 500 kHz 6 dB Bandwidth	5725 - 5850

4.3. Test procedure

(1) Connect EUT's antenna output to spectrum analyzer by RF cable.

Center Frequency	The centre frequency of the channel under test
Detector	Peak
RBW	For 6 dB Bandwidth: RBW=100 kHz For 26 dB Bandwidth: approximately 1% of the emission bandwidth.
VBW	For 6 dB Bandwidth: VBW=300 kHz For 26 dB Bandwidth: >3 RBW
Trace	Max hold
Sweep	Auto couple

(2) Allow the trace to stabilize, measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 26 dB and 6 dB relative to the maximum level measured in the fundamental emission.

4.4. Test result

99% OBW

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5180	Ant1	16.722
a	5200	Ant1	16.656
a	5240	Ant1	16.722
a	5260	Ant1	16.647
a	5280	Ant1	16.704
a	5320	Ant1	16.704
a	5500	Ant1	16.701
a	5600	Ant1	16.737
a	5700	Ant1	16.686
a	5745	Ant1	16.698
a	5785	Ant1	16.671
a	5825	Ant1	16.638
a	5180	Ant2	16.581
a	5200	Ant2	16.584
a	5240	Ant2	16.584
a	5260	Ant2	16.569
a	5280	Ant2	16.617
a	5320	Ant2	16.602
a	5500	Ant2	16.578
a	5600	Ant2	16.617
a	5700	Ant2	16.587
a	5745	Ant2	16.581
a	5785	Ant2	16.587
a	5825	Ant2	16.566
ac20	5180	Ant1	17.877
ac20	5180	Ant2	17.787
ac20	5200	Ant1	17.847
ac20	5200	Ant2	17.769
ac20	5240	Ant1	17.862
ac20	5240	Ant2	17.775
ac20	5260	Ant1	17.823
ac20	5260	Ant2	17.748
ac20	5280	Ant1	17.880
ac20	5280	Ant2	17.805
ac20	5320	Ant1	17.868
ac20	5320	Ant2	17.793
ac20	5500	Ant1	17.862
ac20	5500	Ant2	17.778
ac20	5600	Ant1	17.895
ac20	5600	Ant2	17.802
ac20	5700	Ant1	17.865
ac20	5700	Ant2	17.781
ac20	5745	Ant1	17.880
ac20	5745	Ant2	17.778
ac20	5785	Ant1	17.841
ac20	5785	Ant2	17.766

ac20	5825	Ant1	17.814
ac20	5825	Ant2	17.745
ac40	5190	Ant1	36.600
ac40	5190	Ant2	36.474
ac40	5230	Ant1	36.564
ac40	5230	Ant2	36.444
ac40	5270	Ant1	36.618
ac40	5270	Ant2	36.468
ac40	5310	Ant1	36.654
ac40	5310	Ant2	36.486
ac40	5510	Ant1	36.612
ac40	5510	Ant2	36.474
ac40	5550	Ant1	36.612
ac40	5550	Ant2	36.498
ac40	5670	Ant1	36.780
ac40	5670	Ant2	36.588
ac40	5755	Ant1	36.582
ac40	5755	Ant2	36.456
ac40	5795	Ant1	36.618
ac40	5795	Ant2	36.462
ac80	5210	Ant1	75.984
ac80	5210	Ant2	75.996
ac80	5290	Ant1	76.104
ac80	5290	Ant2	76.128
ac80	5530	Ant1	76.116
ac80	5530	Ant2	75.996
ac80	5610	Ant1	76.080
ac80	5610	Ant2	76.140
ac80	5775	Ant1	76.080
ac80	5775	Ant2	76.116
n20	5180	Ant1	17.886
n20	5180	Ant2	17.778
n20	5200	Ant1	17.844
n20	5200	Ant2	17.751
n20	5240	Ant1	17.865
n20	5240	Ant2	17.763
n20	5260	Ant1	17.82
n20	5260	Ant2	17.739
n20	5280	Ant1	17.880
n20	5280	Ant2	17.784
n20	5320	Ant1	17.877
n20	5320	Ant2	17.781
n20	5500	Ant1	17.871
n20	5500	Ant2	17.766
n20	5600	Ant1	17.889
n20	5600	Ant2	17.790
n20	5700	Ant1	17.865
n20	5700	Ant2	17.772
n20	5745	Ant1	17.892
n20	5745	Ant2	17.769
n20	5785	Ant1	17.847
n20	5785	Ant2	17.757

n20	5825	Ant1	17.829
n20	5825	Ant2	17.739
n40	5190	Ant1	36.636
n40	5190	Ant2	36.480
n40	5230	Ant1	36.606
n40	5230	Ant2	36.450
n40	5270	Ant1	36.648
n40	5270	Ant2	36.504
n40	5310	Ant1	36.666
n40	5310	Ant2	36.498
n40	5510	Ant1	36.624
n40	5510	Ant2	36.522
n40	5550	Ant1	36.618
n40	5550	Ant2	36.516
n40	5670	Ant1	36.762
n40	5670	Ant2	36.642
n40	5755	Ant1	36.576
n40	5755	Ant2	36.492
n40	5795	Ant1	36.588
n40	5795	Ant2	36.522

26 dB Bandwidth

Mode	Frequency (MHz)	Antenna	26 dB Bandwidth (MHz)	Limit 26 dB Bandwidth (MHz)	Verdict
a	5180	Ant1	22.698	0.5	Pass
a	5200	Ant1	22.596	0.5	Pass
a	5240	Ant1	22.962	0.5	Pass
a	5260	Ant1	22.320	0.5	Pass
a	5280	Ant1	23.649	0.5	Pass
a	5320	Ant1	22.998	0.5	Pass
a	5500	Ant1	22.827	0.5	Pass
a	5600	Ant1	23.367	0.5	Pass
a	5700	Ant1	22.692	0.5	Pass
a	5180	Ant2	21.798	0.5	Pass
a	5200	Ant2	21.912	0.5	Pass
a	5240	Ant2	21.891	0.5	Pass
a	5260	Ant2	21.759	0.5	Pass
a	5280	Ant2	21.852	0.5	Pass
a	5320	Ant2	22.077	0.5	Pass
a	5500	Ant2	22.122	0.5	Pass
a	5600	Ant2	22.566	0.5	Pass
a	5700	Ant2	22.191	0.5	Pass
ac20	5180	Ant1	23.706	0.5	Pass
ac20	5180	Ant2	22.884	0.5	Pass
ac20	5200	Ant1	23.283	0.5	Pass
ac20	5200	Ant2	22.614	0.5	Pass
ac20	5240	Ant1	23.751	0.5	Pass
ac20	5240	Ant2	22.857	0.5	Pass
ac20	5260	Ant1	23.460	0.5	Pass
ac20	5260	Ant2	22.590	0.5	Pass
ac20	5280	Ant1	24.396	0.5	Pass
ac20	5280	Ant2	22.818	0.5	Pass

ac20	5320	Ant1	24.000	0.5	Pass
ac20	5320	Ant2	22.770	0.5	Pass
ac20	5500	Ant1	23.724	0.5	Pass
ac20	5500	Ant2	22.647	0.5	Pass
ac20	5600	Ant1	24.114	0.5	Pass
ac20	5600	Ant2	22.884	0.5	Pass
ac20	5700	Ant1	23.988	0.5	Pass
ac20	5700	Ant2	22.533	0.5	Pass
ac40	5190	Ant1	42.336	0.5	Pass
ac40	5190	Ant2	41.010	0.5	Pass
ac40	5230	Ant1	41.574	0.5	Pass
ac40	5230	Ant2	41.268	0.5	Pass
ac40	5270	Ant1	41.916	0.5	Pass
ac40	5270	Ant2	41.118	0.5	Pass
ac40	5310	Ant1	42.270	0.5	Pass
ac40	5310	Ant2	41.292	0.5	Pass
ac40	5510	Ant1	41.898	0.5	Pass
ac40	5510	Ant2	41.280	0.5	Pass
ac40	5550	Ant1	41.658	0.5	Pass
ac40	5550	Ant2	41.220	0.5	Pass
ac40	5670	Ant1	41.964	0.5	Pass
ac40	5670	Ant2	41.502	0.5	Pass
ac80	5210	Ant1	82.872	0.5	Pass
ac80	5210	Ant2	82.032	0.5	Pass
ac80	5290	Ant1	82.956	0.5	Pass
ac80	5290	Ant2	82.116	0.5	Pass
ac80	5530	Ant1	83.124	0.5	Pass
ac80	5530	Ant2	82.272	0.5	Pass
ac80	5610	Ant1	82.632	0.5	Pass
ac80	5610	Ant2	82.476	0.5	Pass
n20	5180	Ant1	24.411	0.5	Pass
n20	5180	Ant2	22.725	0.5	Pass
n20	5200	Ant1	24.003	0.5	Pass
n20	5200	Ant2	23.082	0.5	Pass
n20	5240	Ant1	24.063	0.5	Pass
n20	5240	Ant2	22.905	0.5	Pass
n20	5260	Ant1	24.102	0.5	Pass
n20	5260	Ant2	22.425	0.5	Pass
n20	5280	Ant1	24.978	0.5	Pass
n20	5280	Ant2	23.172	0.5	Pass
n20	5320	Ant1	24.081	0.5	Pass
n20	5320	Ant2	23.013	0.5	Pass
n20	5500	Ant1	24.384	0.5	Pass
n20	5500	Ant2	22.977	0.5	Pass
n20	5600	Ant1	24.033	0.5	Pass
n20	5600	Ant2	22.821	0.5	Pass
n20	5700	Ant1	23.805	0.5	Pass
n20	5700	Ant2	22.662	0.5	Pass
n40	5190	Ant1	42.120	0.5	Pass
n40	5190	Ant2	41.382	0.5	Pass
n40	5230	Ant1	41.766	0.5	Pass
n40	5230	Ant2	41.280	0.5	Pass


n40	5270	Ant1	41.814	0.5	Pass
n40	5270	Ant2	41.244	0.5	Pass
n40	5310	Ant1	41.676	0.5	Pass
n40	5310	Ant2	41.022	0.5	Pass
n40	5510	Ant1	42.162	0.5	Pass
n40	5510	Ant2	41.436	0.5	Pass
n40	5550	Ant1	41.952	0.5	Pass
n40	5550	Ant2	41.472	0.5	Pass
n40	5670	Ant1	42.384	0.5	Pass
n40	5670	Ant2	41.382	0.5	Pass


6 dB Bandwidth

Mode	Frequency (MHz)	Antenna	6 dB Bandwidth (MHz)	Limit 6 dB Bandwidth (MHz)	Verdict
a	5745	Ant1	16.344	0.5	Pass
a	5785	Ant1	16.326	0.5	Pass
a	5825	Ant1	16.317	0.5	Pass
a	5745	Ant2	16.347	0.5	Pass
a	5785	Ant2	16.344	0.5	Pass
a	5825	Ant2	16.344	0.5	Pass
ac20	5745	Ant1	17.577	0.5	Pass
ac20	5745	Ant2	17.586	0.5	Pass
ac20	5785	Ant1	17.565	0.5	Pass
ac20	5785	Ant2	17.574	0.5	Pass
ac20	5825	Ant1	17.568	0.5	Pass
ac20	5825	Ant2	17.577	0.5	Pass
ac40	5755	Ant1	36.294	0.5	Pass
ac40	5755	Ant2	36.324	0.5	Pass
ac40	5795	Ant1	36.312	0.5	Pass
ac40	5795	Ant2	36.33	0.5	Pass
ac80	5775	Ant1	76.056	0.5	Pass
ac80	5775	Ant2	76.32	0.5	Pass
n20	5745	Ant1	17.577	0.5	Pass
n20	5745	Ant2	17.586	0.5	Pass
n20	5785	Ant1	17.571	0.5	Pass
n20	5785	Ant2	17.571	0.5	Pass
n20	5825	Ant1	17.559	0.5	Pass
n20	5825	Ant2	17.571	0.5	Pass
n40	5755	Ant1	36.264	0.5	Pass
n40	5755	Ant2	36.312	0.5	Pass
n40	5795	Ant1	36.318	0.5	Pass
n40	5795	Ant2	36.33	0.5	Pass

4.5. Original test data


99% Bandwidth:






Date: 28.FEB.2022 11:55:16

OBW NVNT a 5260MHz Ant1




Date: 28.FEB.2022 13:06:24

OBW NVNT a 5280MHz Ant1




Date: 28.FEB.2022 13:14:43

OBW NVNT a 5320MHz Ant1




Date: 28.FEB.2022 13:21:27

OBW NVNT a 5500MHz Ant1




Date: 28.FEB.2022 13:32:10

OBW NVNT a 5600MHz Ant1




Date: 28.FEB.2022 13:40:31

OBW NVNT a 5700MHz Ant1




Date: 28.FEB.2022 13:49:17

OBW NVNT a 5745MHz Ant1




Date: 28.FEB.2022 14:01:47

OBW NVNT a 5785MHz Ant1




Date: 28.FEB.2022 14:10:19

OBW NVNT a 5825MHz Ant1




Date: 28.FEB.2022 14:20:01

OBW NVNT a 5180MHz Ant2




Date: 28.FEB.2022 09:44:00

OBW NVNT a 5200MHz Ant2




Date: 28.FEB.2022 11:51:13

OBW NVNT a 5240MHz Ant2




Date: 28.FEB.2022 11:58:30

OBW NVNT a 5260MHz Ant2




Date: 28.FEB.2022 13:09:47

OBW NVNT a 5280MHz Ant2




Date: 28.FEB.2022 13:17:41

OBW NVNT a 5320MHz Ant2




Date: 28.FEB.2022 13:28:01

OBW NVNT a 5500MHz Ant2




Date: 28.FEB.2022 13:35:29

OBW NVNT a 5600MHz Ant2




Date: 28.FEB.2022 13:44:02

OBW NVNT a 5700MHz Ant2




Date: 28.FEB.2022 13:58:02

OBW NVNT a 5745MHz Ant2




Date: 28.FEB.2022 14:04:51

OBW NVNT a 5785MHz Ant2




Date: 28.FEB.2022 14:14:39

OBW NVNT a 5825MHz Ant2




Date: 28.FEB.2022 14:25:29

OBW NVNT ac20 5180MHz Ant1




Date: 28.FEB.2022 17:37:15

OBW NVNT ac20 5180MHz Ant2




Date: 28.FEB.2022 17:37:36

OBW NVNT ac20 5200MHz Ant1




Date: 28.FEB.2022 17:44:12

OBW NVNT ac20 5200MHz Ant2




Date: 28.FEB.2022 17:44:33


OBW NVNT ac20 5240MHz Ant1



OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac20 5260MHz Ant1




Date: 28.FEB.2022 17:54:26

OBW NVNT ac20 5260MHz Ant2




Date: 28.FEB.2022 17:54:47

OBW NVNT ac20 5280MHz Ant1




Date: 28.FEB.2022 17:59:32

OBW NVNT ac20 5280MHz Ant2




Date: 28.FEB.2022 17:59:53

OBW NVNT ac20 5320MHz Ant1




Date: 28.FEB.2022 18:04:02

OBW NVNT ac20 5320MHz Ant2




Date: 28.FEB.2022 18:04:22

OBW NVNT ac20 5500MHz Ant1




Date: 28.FEB.2022 18:09:38

OBW NVNT ac20 5600MHz Ant1




Date: 28.FEB.2022 18:14:34

OBW NVNT ac20 5600MHz Ant2




Date: 28.FEB.2022 18:14:56

OBW NVNT ac20 5700MHz Ant1




Date: 28.FEB.2022 18:19:15

OBW NVNT ac20 5700MHz Ant2




Date: 28.FEB.2022 18:19:36

OBW NVNT ac20 5745MHz Ant1




Date: 28.FEB.2022 18:23:32

OBW NVNT ac20 5745MHz Ant2




Date: 28.FEB.2022 18:23:53

OBW NVNT ac20 5785MHz Ant1




Date: 28.FEB.2022 18:29:27

OBW NVNT ac20 5785MHz Ant2




Date: 28.FEB.2022 18:29:48

OBW NVNT ac20 5825MHz Ant1




Date: 28.FEB.2022 18:38:49

OBW NVNT ac20 5825MHz Ant2




Date: 28.FEB.2022 18:39:10

OBW NVNT ac40 5190MHz Ant1




Date: 28.FEB.2022 18:48:17

OBW NVNT ac40 5190MHz Ant2




Date: 28.FEB.2022 18:48:37

OBW NVNT ac40 5230MHz Ant1




Date: 28.FEB.2022 18:53:51

OBW NVNT ac40 5230MHz Ant2




Date: 28.FEB.2022 18:54:12

OBW NVNT ac40 5270MHz Ant1




Date: 28.FEB.2022 18:58:39

OBW NVNT ac40 5270MHz Ant2




Date: 28.FEB.2022 18:59:00

OBW NVNT ac40 5310MHz Ant1




Date: 28.FEB.2022 19:05:12

OBW NVNT ac40 5310MHz Ant2




Date: 28.FEB.2022 19:05:32

OBW NVNT ac40 5510MHz Ant1




Date: 28.FEB.2022 19:10:02

OBW NVNT ac40 5510MHz Ant2




Date: 28.FEB.2022 19:10:23

OBW NVNT ac40 5550MHz Ant1




Date: 28.FEB.2022 19:16:53

OBW NVNT ac40 5550MHz Ant2




Date: 28.FEB.2022 19:17:14


OBW NVNT ac40 5670MHz Ant1



OBW NVNT ac40 5670MHz Ant2




OBW NVNT ac40 5755MHz Ant1




Date: 28.FEB.2022 19:28:10

OBW NVNT ac40 5755MHz Ant2




Date: 28.FEB.2022 19:28:31

OBW NVNT ac40 5795MHz Ant1




Date: 28.FEB.2022 19:34:02

OBW NVNT ac40 5795MHz Ant2




Date: 28.FEB.2022 19:34:23

OBW NVNT ac80 5210MHz Ant1




Date: 1.MAR.2022 08:41:56

OBW NVNT ac80 5210MHz Ant2




Date: 1.MAR.2022 08:42:19

OBW NVNT ac80 5290MHz Ant1




Date: 1.MAR.2022 08:51:58

OBW NVNT ac80 5290MHz Ant2




Date: 1.MAR.2022 08:52:20

OBW NVNT ac80 5530MHz Ant1




Date: 1.MAR.2022 08:59:31

OBW NVNT ac80 5530MHz Ant2




Date: 1.MAR.2022 08:59:53

OBW NVNT ac80 5610MHz Ant1




Date: 1.MAR.2022 09:06:43

OBW NVNT ac80 5610MHz Ant2




Date: 1.MAR.2022 09:07:06

OBW NVNT ac80 5775MHz Ant1




Date: 1.MAR.2022 09:18:25

OBW NVNT ac80 5775MHz Ant2




Date: 1.MAR.2022 09:18:48

OBW NVNT n20 5180MHz Ant1




Date: 28.FEB.2022 14:36:50

OBW NVNT n20 5180MHz Ant2




Date: 28.FEB.2022 14:37:12

OBW NVNT n20 5200MHz Ant1




Date: 28.FEB.2022 14:49:59

OBW NVNT n20 5200MHz Ant2




Date: 28.FEB.2022 14:50:20


OBW NVNT n20 5240MHz Ant1



OBW NVNT n20 5240MHz Ant2




OBW NVNT n20 5260MHz Ant1




Date: 28.FEB.2022 15:04:08

OBW NVNT n20 5260MHz Ant2




Date: 28.FEB.2022 15:04:29


OBW NVNT n20 5280MHz Ant1



OBW NVNT n20 5280MHz Ant2




OBW NVNT n20 5320MHz Ant1




Date: 28.FEB.2022 15:17:24

OBW NVNT n20 5320MHz Ant2




Date: 28.FEB.2022 15:17:45

OBW NVNT n20 5500MHz Ant1




Date: 28.FEB.2022 15:22:18

OBW NVNT n20 5500MHz Ant2




Date: 28.FEB.2022 15:22:39


OBW NVNT n20 5600MHz Ant1



OBW NVNT n20 5600MHz Ant2



OBW NVNT n20 5700MHz Ant1



Ref 20 dBm Att 20 dB RBW 200 kHz VBW 1 MHz SWT 45 ms Marker 1 [T1] 3.88 dBm 5.705064000 GHz

20 Offset 5.3 dB

OBW 17.77200000 MHz Temp 1 [T1 OBW] -4.23 dBm SGL

5.691150000 GHz Temp 2 [T1 OBW] 4.74 dBm LVL

5.705964000 GHz

PS


30dB AC

Center 5.7 GHz 3 MHz/ Span 30 MHz

Date: 28.FEB.2022 17:09:53


OBW NVNT n20 5745MHz Ant1

OBW NVNT n20 5745MHz Ant1




Date: 28.FEB.2022 17:13:52

OBW NVNT n20 5745MHz Ant2




Date: 28.FEB.2022 17:14:13

OBW NVNT n20 5785MHz Ant1




Date: 28.FEB.2022 17:18:19

OBW NVNT n20 5785MHz Ant2




Date: 28.FEB.2022 17:18:40

OBW NVNT n20 5825MHz Ant1




Date: 28.FEB.2022 17:22:29

OBW NVNT n20 5825MHz Ant2




Date: 28.FEB.2022 17:22:50

OBW NVNT n40 5190MHz Ant1




Date: 28.FEB.2022 16:05:43

OBW NVNT n40 5190MHz Ant2




Date: 28.FEB.2022 16:06:04

OBW NVNT n40 5230MHz Ant1




Date: 28.FEB.2022 16:10:36

OBW NVNT n40 5230MHz Ant2




Date: 28.FEB.2022 16:10:57


OBW NVNT n40 5270MHz Ant1



OBW NVNT n40 5270MHz Ant2




OBW NVNT n40 5310MHz Ant1




Date: 28.FEB.2022 16:22:56

OBW NVNT n40 5310MHz Ant2




Date: 28.FEB.2022 16:23:16

OBW NVNT n40 5510MHz Ant1




Date: 28.FEB.2022 16:28:14

OBW NVNT n40 5510MHz Ant2




Date: 28.FEB.2022 16:28:34


OBW NVNT n40 5550MHz Ant1



OBW NVNT n40 5550MHz Ant2




OBW NVNT n40 5670MHz Ant1




Date: 28.FEB.2022 16:42:04

OBW NVNT n40 5670MHz Ant2




Date: 28.FEB.2022 16:42:25


OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5755MHz Ant2




OBW NVNT n40 5795MHz Ant1




OBW NVNT n40 5795MHz Ant2




26dB Bandwidth






Date: 28.FEB.2022 11:55:42


-26dB Bandwidth NVNT a 5260MHz Ant1

Date: 28.FEB.2022 13:06:49

-26dB Bandwidth NVNT a 5280MHz Ant1




Date: 28.FEB.2022 13:15:09

-26dB Bandwidth NVNT a 5320MHz Ant1


Date: 28.FEB.2022 13:21:53

-26dB Bandwidth NVNT a 5500MHz Ant1




Date: 28.FEB.2022 13:32:38

-26dB Bandwidth NVNT a 5600MHz Ant1




Date: 28.FEB.2022 13:41:00


-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT a 5180MHz Ant2



-26dB Bandwidth NVNT a 5200MHz Ant2




Date: 28.FEB.2022 11:51:38


-26dB Bandwidth NVNT a 5240MHz Ant2

Date: 28.FEB.2022 11:58:56


-26dB Bandwidth NVNT a 5260MHz Ant2




-26dB Bandwidth NVNT a 5280MHz Ant2



-26dB Bandwidth NVNT a 5320MHz Ant2




Date: 28.FEB.2022 13:28:29


-26dB Bandwidth NVNT a 5500MHz Ant2

Date: 28.FEB.2022 13:35:57

-26dB Bandwidth NVNT a 5600MHz Ant2




Date: 28.FEB.2022 13:44:32


-26dB Bandwidth NVNT a 5700MHz Ant2

Date: 28.FEB.2022 13:58:26

-26dB Bandwidth NVNT ac20 5180MHz Ant1




Date: 28.FEB.2022 17:38:02


-26dB Bandwidth NVNT ac20 5180MHz Ant2

Date: 28.FEB.2022 17:38:22

-26dB Bandwidth NVNT ac20 5200MHz Ant1




Date: 28.FEB.2022 17:44:58


-26dB Bandwidth NVNT ac20 5200MHz Ant2

Date: 28.FEB.2022 17:45:18

-26dB Bandwidth NVNT ac20 5240MHz Ant1




Date: 28.FEB.2022 17:49:58


-26dB Bandwidth NVNT ac20 5240MHz Ant2

Date: 28.FEB.2022 17:50:18


-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant2



-26dB Bandwidth NVNT ac20 5280MHz Ant1




Date: 28.FEB.2022 18:00:19


-26dB Bandwidth NVNT ac20 5280MHz Ant2

Date: 28.FEB.2022 18:00:38


-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant2



-26dB Bandwidth NVNT ac20 5500MHz Ant1




Date: 28.FEB.2022 18:10:05

-26dB Bandwidth NVNT ac20 5500MHz Ant2


Date: 28.FEB.2022 18:10:25

-26dB Bandwidth NVNT ac20 5600MHz Ant1




Date: 28.FEB.2022 18:15:23

-26dB Bandwidth NVNT ac20 5600MHz Ant2




Date: 28.FEB.2022 18:15:43

-26dB Bandwidth NVNT ac20 5700MHz Ant1




Date: 28.FEB.2022 18:20:03


-26dB Bandwidth NVNT ac20 5700MHz Ant2

Date: 28.FEB.2022 18:20:22

-26dB Bandwidth NVNT ac40 5190MHz Ant1




Date: 28.FEB.2022 18:49:01


-26dB Bandwidth NVNT ac40 5190MHz Ant2

Date: 28.FEB.2022 18:49:21

-26dB Bandwidth NVNT ac40 5230MHz Ant1




Date: 28.FEB.2022 18:54:37


-26dB Bandwidth NVNT ac40 5230MHz Ant2

Date: 28.FEB.2022 18:54:56


-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant2




-26dB Bandwidth NVNT ac40 5310MHz Ant1



-26dB Bandwidth NVNT ac40 5310MHz Ant2




-26dB Bandwidth NVNT ac40 5510MHz Ant1



Date: 28.FEB.2022 19:10:48

-26dB Bandwidth NVNT ac40 5510MHz Ant2



Date: 28.FEB.2022 19:11:07

-26dB Bandwidth NVNT ac40 5550MHz Ant1