

W503R specification

1. The PCBA size

The tolerance of PCB dimension is + -0.2mm

PCB thickness 1.0mm tolerance + -0.1mm

1.1 Forward and reverse trend diagram of PCB:


The drawings will be packaged later

2. Compatible system

Window

3. Layout Requirements (KR, US universal Software)

3.1 KR layout :



4. LED lights description

From left to right are lights 1 . A. battery


LED 1 When the Number Lock is on, the indicator is on white


LED A : With the Caps Lock on, the indicator is on white


LED battery when the battery is low power

When the keyboard is low voltage, the red led flashes

Multimedia specification

FN+  to reduce brightness of screen

FN+  to increase brightness of screen

FN+  Multitasking window (win+tab)

FN+  web home

FN+  to show desk(win+D)

FN+  search

FN+  previous

FN+  pause

FN+  next

FN+  mute

FN+  volume-

FN+  volume+

Press F key alone for the corresponding multimedia function, FN + F key to display the function of F key

Remark : setting up procedure

1.insert battery firstly

2.input the receiver to the device as secondly

3.it is necessary to wait around 5-10 seconds for the first connection until the drivers are fully installed

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.