RF Test Data for 2.4G WiFi (Conducted Measurements)

General Description of EUT	
Product Name:	Tablet
Test Model:	Pad
Sample ID:	202307-0111-3-2#
Environmental Conditions	
Temperature:	25℃
Relative Humidity:	55%
Test Voltage:	DC 3.8V
Test Engineer:	Huang jian ping
Note: For a more detailed features description, please refer to the report TBR-C-202307-0111-42 The report only show the worst case data.	

Contents

1. Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	88.75	0.52	1.41
NVNT	b	2437	Ant1	88.61	0.53	1.43
NVNT	b	2462	Ant1	87.5	0.58	1.43
NVNT	g	2412	Ant1	57.14	2.43	8.33
NVNT	g	2437	Ant1	57.14	2.43	8.33
NVNT	g	2462	Ant1	57.89	2.37	9.09
NVNT	n(HT20)	2412	Ant1	54.55	2.63	8.33
NVNT	n(HT20)	2437	Ant1	52.17	2.83	8.33
NVNT	n(HT20)	2462	Ant1	55	2.6	9.09
NVNT	n(HT40)	2422	Ant1	43.75	3.59	14.29
NVNT	n(HT40)	2437	Ant1	33.33	4.77	12.5
NVNT	n(HT40)	2452	Ant1	29.17	5.35	14.29

Test Graphs
Duty Cycle NVNT b 2412MHz Ant1



Duty Cycle NVNT b 2437MHz Ant1



Duty Cycle NVNT b 2462MHz Ant1



Duty Cycle NVNT g 2412MHz Ant1



Duty Cycle NVNT g 2437MHz Ant1



Duty Cycle NVNT g 2462MHz Ant1



Duty Cycle NVNT n(HT20) 2412MHz Ant1



Duty Cycle NVNT n(HT20) 2437MHz Ant1



Duty Cycle NVNT n(HT20) 2462MHz Ant1



Duty Cycle NVNT n(HT40) 2422MHz Ant1



Duty Cycle NVNT n(HT40) 2437MHz Ant1



Duty Cycle NVNT n(HT40) 2452MHz Ant1



2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	18.072	30	Pass
NVNT	b	2437	Ant1	16.343	30	Pass
NVNT	b	2462	Ant1	18.201	30	Pass
NVNT	g	2412	Ant1	10.415	30	Pass
NVNT	g	2437	Ant1	10.361	30	Pass
NVNT	g	2462	Ant1	13.402	30	Pass
NVNT	n(HT20)	2412	Ant1	11.502	30	Pass
NVNT	n(HT20)	2437	Ant1	10.693	30	Pass
NVNT	n(HT20)	2462	Ant1	10.552	30	Pass
NVNT	n(HT40)	2422	Ant1	6.866	30	Pass
NVNT	n(HT40)	2437	Ant1	7.955	30	Pass
NVNT	n(HT40)	2452	Ant1	6.226	30	Pass

3. -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	8.28	0.5	Pass
NVNT	b	2437	Ant1	8.62	0.5	Pass
NVNT	b	2462	Ant1	9.07	0.5	Pass
NVNT	g	2412	Ant1	15.09	0.5	Pass
NVNT	g	2437	Ant1	15.76	0.5	Pass
NVNT	g	2462	Ant1	15.73	0.5	Pass
NVNT	n(HT20)	2412	Ant1	15.92	0.5	Pass
NVNT	n(HT20)	2437	Ant1	16.58	0.5	Pass
NVNT	n(HT20)	2462	Ant1	15.98	0.5	Pass
NVNT	n(HT40)	2422	Ant1	35.06	0.5	Pass
NVNT	n(HT40)	2437	Ant1	35.54	0.5	Pass
NVNT	n(HT40)	2452	Ant1	35.17	0.5	Pass

Test Graphs
-6dB Bandwidth NVNT b 2412MHz Ant1



-6dB Bandwidth NVNT b 2437MHz Ant1



-6dB Bandwidth NVNT b 2462MHz Ant1



-6dB Bandwidth NVNT g 2412MHz Ant1



-6dB Bandwidth NVNT g 2437MHz Ant1



-6dB Bandwidth NVNT g 2462MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2462MHz Ant1



-6dB Bandwidth NVNT n(HT40) 2422MHz Ant1



-6dB Bandwidth NVNT n(HT40) 2437MHz Ant1



-6dB Bandwidth NVNT n(HT40) 2452MHz Ant1



4. Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	12.327
NVNT	b	2437	Ant1	12.119
NVNT	b	2462	Ant1	12.309
NVNT	g	2412	Ant1	17.857
NVNT	g	2437	Ant1	16.537
NVNT	g	2462	Ant1	16.412
NVNT	n(HT20)	2412	Ant1	17.463
NVNT	n(HT20)	2437	Ant1	17.61
NVNT	n(HT20)	2462	Ant1	17.537
NVNT	n(HT40)	2422	Ant1	35.701
NVNT	n(HT40)	2437	Ant1	36.293
NVNT	n(HT40)	2452	Ant1	36.192

Test Graphs
OBW NVNT b 2412MHz Ant1

OBW NVNT b 2437MHz Ant1


OBW NVNT b 2462MHz Ant1



OBW NVNT g 2412MHz Ant1



OBW NVNT g 2437MHz Ant1



OBW NVNT g 2462MHz Ant1



OBW NVNT n(HT20) 2412MHz Ant1



OBW NVNT n(HT20) 2437MHz Ant1



OBW NVNT n(HT20) 2462MHz Ant1



OBW NVNT n(HT40) 2422MHz Ant1



OBW NVNT n(HT40) 2437MHz Ant1



OBW NVNT n(HT40) 2452MHz Ant1



5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-3.972	8	Pass
NVNT	b	2437	Ant1	-6.151	8	Pass
NVNT	b	2462	Ant1	-4.101	8	Pass
NVNT	g	2412	Ant1	-11.065	8	Pass
NVNT	g	2437	Ant1	-13.032	8	Pass
NVNT	g	2462	Ant1	-10.438	8	Pass
NVNT	n(HT20)	2412	Ant1	-12.133	8	Pass
NVNT	n(HT20)	2437	Ant1	-13.372	8	Pass
NVNT	n(HT20)	2462	Ant1	-13.663	8	Pass
NVNT	n(HT40)	2422	Ant1	-17.121	8	Pass
NVNT	n(HT40)	2437	Ant1	-17.05	8	Pass
NVNT	n(HT40)	2452	Ant1	-19.115	8	Pass

Test Graphs

PSD NVNT b 2412MHz Ant1

PSD NVNT b 2437MHz Ant1



PSD NVNT b 2462MHz Ant1



PSD NVNT g 2412MHz Ant1



PSD NVNT g 2437MHz Ant1



PSD NVNT g 2462MHz Ant1



PSD NVNT n(HT20) 2412MHz Ant1



PSD NVNT n(HT20) 2437MHz Ant1



PSD NVNT n(HT20) 2462MHz Ant1



PSD NVNT n(HT40) 2422MHz Ant1



PSD NVNT n(HT40) 2437MHz Ant1



PSD NVNT n(HT40) 2452MHz Ant1



6. Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-60.79	-20	Pass
NVNT	b	2462	Ant1	-51.06	-20	Pass
NVNT	g	2412	Ant1	-43.11	-20	Pass
NVNT	g	2462	Ant1	-45.28	-20	Pass
NVNT	n(HT20)	2412	Ant1	-44.49	-20	Pass
NVNT	n(HT20)	2462	Ant1	-44.6	-20	Pass
NVNT	n(HT40)	2422	Ant1	-43.23	-20	Pass
NVNT	n(HT40)	2452	Ant1	-38.5	-20	Pass

Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref



Band Edge NVNT b 2412MHz Ant1 Emission



Band Edge NVNT b 2462MHz Ant1 Ref

Band Edge NVNT b 2462MHz Ant1 Emission



Band Edge NVNT g 2412MHz Ant1 Ref



Band Edge NVNT g 2412MHz Ant1 Emission



Band Edge NVNT g 2462MHz Ant1 Ref



Band Edge NVNT g 2462MHz Ant1 Emission

Band Edge NVNT n(HT20) 2412MHz Ant1 Ref



Band Edge NVNT n(HT20) 2412MHz Ant1 Emission



Band Edge NVNT n(HT20) 2462MHz Ant1 Ref



Band Edge NVNT n(HT20) 2462MHz Ant1 Emission



Band Edge NVNT n(HT40) 2422MHz Ant1 Ref



Band Edge NVNT n(HT40) 2422MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.419 5 GHz	-1.800 dBm			
2	N	1	f	2.400 0 GHz	-40.529 dBm			
3	N	1	f	2.390 0 GHz	-46.284 dBm			
4	N	1	f	2.388 2 GHz	-45.030 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge NVNT n(HT40) 2452MHz Ant1 Ref



Band Edge NVNT n(HT40) 2452MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.464 5 GHz	-3.501 dBm			
2	N	1	f	2.483 5 GHz	-47.089 dBm			
3	N	1	f	2.500 0 GHz	-58.345 dBm			
4	N	1	f	2.484 9 GHz	-42.033 dBm			
5								
6								
7								
8								
9								
10								
11								

7. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-50.14	-20	Pass
NVNT	b	2437	Ant1	-46.16	-20	Pass
NVNT	b	2462	Ant1	-50.2	-20	Pass
NVNT	g	2412	Ant1	-49.98	-20	Pass
NVNT	g	2437	Ant1	-43.79	-20	Pass
NVNT	g	2462	Ant1	-46.77	-20	Pass
NVNT	n(HT20)	2412	Ant1	-43.71	-20	Pass
NVNT	n(HT20)	2437	Ant1	-40.86	-20	Pass
NVNT	n(HT20)	2462	Ant1	-43.8	-20	Pass
NVNT	n(HT40)	2422	Ant1	-39.6	-20	Pass
NVNT	n(HT40)	2437	Ant1	-39.49	-20	Pass
NVNT	n(HT40)	2452	Ant1	-37.4	-20	Pass

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref



Tx. Spurious NVNT b 2412MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.412 GHz	(Δ) 8.027 dBm			
2	N	1	f	24.806 GHz	-40.050 dBm			
3	N	1	f	4.636 GHz	-55.636 dBm			
4	N	1	f	7.150 GHz	-55.376 dBm			
5	N	1	f	9.692 GHz	-56.350 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT b 2437MHz Ant1 Ref

Tx. Spurious NVNT b 2437MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f (Δ)	2.439 GHz (Δ)	3.495 dBm			
2	N	1	f	24.753 GHz	-40.972 dBm			
3	N	1	f	5.006 GHz	-54.778 dBm			
4	N	1	f	7.150 GHz	-54.899 dBm			
5	N	1	f	9.850 GHz	-55.999 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT b 2462MHz Ant1 Ref



Tx. Spurious NVNT b 2462MHz Ant1 Emission



Tx. Spurious NVNT g 2412MHz Ant1 Ref



Tx. Spurious NVNT g 2412MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f (Δ)	2.412 GHz (Δ)	8.617 dBm			
2	N	1	f	24.700 GHz	-40.041 dBm			
3	N	1	f	5.006 GHz	-55.396 dBm			
4	N	1	f	7.045 GHz	-54.370 dBm			
5	N	1	f	9.559 GHz	-55.612 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT g 2437MHz Ant1 Ref



Tx. Spurious NVNT g 2437MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f (Δ)	2.439 GHz (Δ)	0.700 dBm			
2	N	1	f	24.700 GHz	-40.669 dBm			
3	N	1	f	5.059 GHz	-55.648 dBm			
4	N	1	f	7.442 GHz	-54.593 dBm			
5	N	1	f	9.586 GHz	-56.478 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT g 2462MHz Ant1 Ref



Tx. Spurious NVNT g 2462MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y
1	N	1	f	2.465 GHz	1.309 dBm
2	N	1	f	24.753 GHz	-40.978 dBm
3	N	1	f	5.112 GHz	-54.245 dBm
4	N	1	f	7.309 GHz	-54.960 dBm
5	N	1	f	9.956 GHz	-55.177 dBm

Tx. Spurious NVNT n(HT40) 2422MHz Ant1 Ref



Tx. Spurious NVNT n(HT40) 2422MHz Ant1 Emission



Tx. Spurious NVNT n(HT40) 2437MHz Ant1 Ref



Tx. Spurious NVNT n(HT40) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT40) 2452MHz Ant1 Ref



Tx. Spurious NVNT n(HT40) 2452MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.465 GHz	-4.326 dBm			
2	N	1	f	24.727 GHz	-40.650 dBm			
3	N	1	f	4.980 GHz	-55.678 dBm			
4	N	1	f	7.177 GHz	-54.740 dBm			
5	N	1	f	9.956 GHz	-55.454 dBm			
6								
7								
8								
9								
10								
11								

8. Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-47.74	2	49.52	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-57.49	2	39.77	Average	54	Pass
NVNT	b	2412	Ant1	2389.794	-41.91	2	55.35	Peak	74	Pass
NVNT	b	2412	Ant1	2389.56	-51.81	2	45.45	Average	54	Pass
NVNT	b	2412	Ant1	2390	-42.88	2	54.38	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-51.39	2	45.87	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-40.12	2	57.14	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-46.12	2	51.14	Average	54	Pass
NVNT	b	2462	Ant1	2483.941	-39.37	2	57.89	Peak	74	Pass
NVNT	b	2462	Ant1	2483.517	-46.12	2	51.14	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.33	2	48.93	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-57.2	2	40.06	Average	54	Pass
NVNT	g	2412	Ant1	2310	-47.87	2	49.39	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-56.49	2	40.77	Average	54	Pass
NVNT	g	2412	Ant1	2389.677	-34.91	2	62.35	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-50.19	2	47.07	Average	54	Pass
NVNT	g	2412	Ant1	2390	-36.87	2	60.39	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-49.9	2	47.36	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-31.48	2	65.78	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-45.16	2	52.1	Average	54	Pass
NVNT	g	2462	Ant1	2483.941	-27.91	2	69.35	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-45.16	2	52.1	Average	54	Pass
NVNT	g	2462	Ant1	2500	-48.23	2	49.03	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-55.74	2	41.52	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-48.02	2	49.24	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-56.6	2	40.66	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2389.911	-26.77	2	70.49	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.677	-43.65	2	53.61	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-29.04	2	68.22	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-43.29	2	53.97	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-32.29	2	64.97	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-47.01	2	50.25	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2486.061	-28.87	2	68.39	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.517	-47.01	2	50.25	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-48.73	2	48.53	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-56.64	2	40.62	Average	54	Pass
NVNT	n(HT40)	2422	Ant1	2310	-48.47	2	48.79	Peak	74	Pass
NVNT	n(HT40)	2422	Ant1	2310	-55.49	2	41.77	Average	54	Pass
NVNT	n(HT40)	2422	Ant1	2389.946	-33.33	2	63.93	Peak	74	Pass
NVNT	n(HT40)	2422	Ant1	2389.946	-46.8	2	50.46	Average	54	Pass
NVNT	n(HT40)	2422	Ant1	2390	-32.96	2	64.3	Peak	74	Pass

NVNT	n(HT40)	2422	Ant1	2390	-46.93	2	50.33	Average	54	Pass
NVNT	n(HT40)	2452	Ant1	2483.5	-30.07	2	67.19	Peak	74	Pass
NVNT	n(HT40)	2452	Ant1	2483.5	-45.07	2	52.19	Average	54	Pass
NVNT	n(HT40)	2452	Ant1	2485.804	-28.63	2	68.63	Peak	74	Pass
NVNT	n(HT40)	2452	Ant1	2483.698	-44.65	2	52.61	Average	54	Pass
NVNT	n(HT40)	2452	Ant1	2500	-47.44	2	49.82	Peak	74	Pass
NVNT	n(HT40)	2452	Ant1	2500	-55.53	2	41.73	Average	54	Pass

Test Graphs
Restrict Band NVNT b 2412MHz Ant1 Peak

Restrict Band NVNT b 2412MHz Ant1 Average


Restrict Band NVNT b 2462MHz Ant1 Peak

Restrict Band NVNT b 2462MHz Ant1 Average

Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average



Restrict Band NVNT g 2462MHz Ant1 Peak

Restrict Band NVNT g 2462MHz Ant1 Average

Restrict Band NVNT n(HT20) 2412MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2412MHz Ant1 Average



Restrict Band NVNT n(HT20) 2462MHz Ant1 Peak

MKR	MODE	TRC	SCL	X	Y
1	N	1	f	2.457 441 GHz	10.897 dBm
2	N	1	f	2.483 500 GHz	-32.288 dBm
3	N	1	f	2.500 000 GHz	-48.727 dBm
4	N	1	f	2.486 061 GHz	-28.871 dBm

Restrict Band NVNT n(HT20) 2462MHz Ant1 Average



MKR	MODE	TRC	SCL	X	Y
1	N	1	f	2.457 441 GHz	1.846 dBm
2	N	1	f	2.483 500 GHz	-47.008 dBm
3	N	1	f	2.500 000 GHz	-56.641 dBm
4	N	1	f	2.483 517 GHz	-47.008 dBm

Restrict Band NVNT n(HT40) 2422MHz Ant1 Peak



Restrict Band NVNT n(HT40) 2422MHz Ant1 Average



Restrict Band NVNT n(HT40) 2452MHz Ant1 Peak



Restrict Band NVNT n(HT40) 2452MHz Ant1 Average



-----END OF THE REPORT-----