


Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1252.885	47.31	25.03	2.36	38.35	36.35	68.20	-31.85	HORIZONTAL	Peak
2	1663.137	46.86	25.65	2.80	37.91	37.40	74.00	-36.60	HORIZONTAL	Peak
3	3177.672	48.03	28.56	3.99	37.10	43.48	68.20	-24.72	HORIZONTAL	Peak
4	3856.668	48.85	29.62	4.60	36.84	46.23	74.00	-27.77	HORIZONTAL	Peak
5	10520.000	39.63	39.50	7.42	37.35	49.20	68.20	-19.00	HORIZONTAL	Peak
6	15780.000	34.58	38.70	9.86	35.39	47.75	74.00	-26.25	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	47.57	24.48	2.32	38.42	35.95	74.00	-38.05	VERTICAL Peak
2	1592.571	47.29	25.57	2.80	37.98	37.68	74.00	-36.32	VERTICAL Peak
3	3495.691	48.03	28.90	4.30	36.94	44.29	68.20	-23.91	VERTICAL Peak
4	4405.090	46.81	30.68	4.70	36.81	45.38	68.20	-22.82	VERTICAL Peak
5	10520.000	39.26	39.50	7.42	37.35	48.83	68.20	-19.37	VERTICAL Peak
6	15780.000	34.98	38.70	9.86	35.39	48.15	74.00	-25.85	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	48.57	24.50	2.36	38.42	37.01	74.00	-36.99	HORIZONTAL	Peak
2	1672.779	47.24	25.67	2.80	37.91	37.80	74.00	-36.20	HORIZONTAL	Peak
3	3405.929	48.32	28.85	4.11	36.98	44.30	68.20	-23.90	HORIZONTAL	Peak
4	4230.396	48.11	30.26	4.61	36.81	46.17	74.00	-27.83	HORIZONTAL	Peak
5	10600.000	39.66	39.59	7.46	37.34	49.37	68.20	-18.83	HORIZONTAL	Peak
6	15900.000	36.42	38.44	9.86	35.40	49.32	74.00	-24.68	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	47.22	25.02	2.34	38.35	36.23	68.20	-31.97	VERTICAL Peak
2	1667.951	47.07	25.66	2.80	37.91	37.62	74.00	-36.38	VERTICAL Peak
3	3495.691	47.89	28.90	4.30	36.94	44.15	68.20	-24.05	VERTICAL Peak
4	4469.214	47.74	30.77	4.93	36.81	46.63	68.20	-21.57	VERTICAL Peak
5	10600.000	39.48	39.59	7.46	37.34	49.19	68.20	-19.01	VERTICAL Peak
6	15900.000	34.56	38.44	9.86	35.40	47.46	74.00	-26.54	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1278.492	46.16	25.14	2.50	38.33	35.47	68.20	-32.73	HORIZONTAL Peak
2	1583.392	47.55	25.56	2.80	38.00	37.91	74.00	-36.09	HORIZONTAL Peak
3	3376.523	48.40	28.83	4.09	36.99	44.33	68.20	-23.87	HORIZONTAL Peak
4	4392.376	48.40	30.66	4.70	36.81	46.95	74.00	-27.05	HORIZONTAL Peak
5	10640.000	38.87	39.63	7.48	37.33	48.65	74.00	-25.35	HORIZONTAL Peak
6	15960.000	35.11	38.37	9.85	35.40	47.93	74.00	-26.07	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.828	48.25	24.52	2.40	38.42	36.75	74.00	-37.25	VERTICAL	Peak
2	1672.779	47.67	25.67	2.80	37.91	38.23	74.00	-35.77	VERTICAL	Peak
3	3337.710	48.10	28.79	4.08	37.01	43.96	74.00	-30.04	VERTICAL	Peak
4	4279.589	48.43	30.42	4.63	36.81	46.67	74.00	-27.33	VERTICAL	Peak
5	10640.000	39.10	39.63	7.48	37.33	48.88	74.00	-25.12	VERTICAL	Peak
6	15960.000	34.91	38.37	9.85	35.40	47.73	74.00	-26.27	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1189.368	48.06	24.63	2.36	38.39	36.66	74.00	-37.34	HORIZONTAL	Peak
2	1692.231	46.29	25.70	2.80	37.89	36.90	74.00	-37.10	HORIZONTAL	Peak
3	3445.535	47.93	28.87	4.18	36.96	44.02	68.20	-24.18	HORIZONTAL	Peak
4	4495.125	46.97	30.80	5.05	36.82	46.00	68.20	-22.20	HORIZONTAL	Peak
5	10540.000	39.37	39.53	7.43	37.35	48.98	68.20	-19.22	HORIZONTAL	Peak
6	15810.000	35.05	38.61	9.86	35.39	48.13	74.00	-25.87	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	49.59	24.93	2.30	38.37	38.45	74.00	-35.55	VERTICAL	Peak
2	1702.042	47.66	25.72	2.80	37.89	38.29	74.00	-35.71	VERTICAL	Peak
3	3308.894	48.81	28.76	4.06	37.03	44.60	68.20	-23.60	VERTICAL	Peak
4	4279.589	48.40	30.42	4.63	36.81	46.64	74.00	-27.36	VERTICAL	Peak
5	10540.000	40.13	39.53	7.43	37.35	49.74	68.20	-18.46	VERTICAL	Peak
6	15810.000	34.99	38.61	9.86	35.39	48.07	74.00	-25.93	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	47.03	24.93	2.30	38.37	35.89	74.00	-38.11	HORIZONTAL Peak
2	1702.042	46.74	25.72	2.80	37.89	37.37	74.00	-36.63	HORIZONTAL Peak
3	3318.471	48.00	28.77	4.07	37.02	43.82	68.20	-24.38	HORIZONTAL Peak
4	3812.336	48.77	29.55	4.60	36.85	46.07	74.00	-27.93	HORIZONTAL Peak
5	10620.000	40.49	39.59	7.46	37.34	50.20	74.00	-23.80	HORIZONTAL Peak
6	15930.000	34.81	38.37	9.85	35.40	47.63	74.00	-26.37	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	47.33	24.85	2.31	38.37	36.12	74.00	-37.88	VERTICAL	Peak
2	1687.347	48.58	25.69	2.80	37.91	39.16	74.00	-34.84	VERTICAL	Peak
3	3347.371	47.30	28.80	4.08	37.01	43.17	74.00	-30.83	VERTICAL	Peak
4	4254.921	48.44	30.34	4.62	36.81	46.59	74.00	-27.41	VERTICAL	Peak
5	10620.000	40.04	39.59	7.46	37.34	49.75	74.00	-24.25	VERTICAL	Peak
6	15930.000	34.97	38.37	9.85	35.40	47.79	74.00	-26.21	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1242.068	47.48	24.98	2.31	38.35	36.42	68.20	-31.78	HORIZONTAL Peak
2	1697.129	46.65	25.71	2.80	37.89	37.27	74.00	-36.73	HORIZONTAL Peak
3	3425.675	47.91	28.86	4.15	36.97	43.95	68.20	-24.25	HORIZONTAL Peak
4	3823.371	48.20	29.57	4.60	36.84	45.53	74.00	-28.47	HORIZONTAL Peak
5	10580.000	40.91	39.56	7.45	37.34	50.58	68.20	-17.62	HORIZONTAL Peak
6	15870.000	34.35	38.52	9.86	35.40	47.33	74.00	-26.67	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1231.345	47.82	24.91	2.31	38.37	36.67	74.00	-37.33	VERTICAL Peak
2	1597.181	50.27	25.58	2.80	37.98	40.67	74.00	-33.33	VERTICAL Peak
3	3357.061	48.10	28.81	4.09	37.01	43.99	74.00	-30.01	VERTICAL Peak
4	4392.376	47.83	30.66	4.70	36.81	46.38	74.00	-27.62	VERTICAL Peak
5	10580.000	39.45	39.56	7.45	37.34	49.12	68.20	-19.08	VERTICAL Peak
6	15870.000	34.53	38.52	9.86	35.40	47.51	74.00	-26.49	VERTICAL Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
Guangzhou Branch Technical Services EEC Laboratory 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1142.201	48.03	24.47	2.30	38.42	36.38	74.00	-37.62	HORIZONTAL Peak
2	1592.571	47.98	25.57	2.80	37.98	38.37	74.00	-35.63	HORIZONTAL Peak
3	2999.187	48.95	28.40	3.80	37.25	43.90	68.20	-24.30	HORIZONTAL Peak
4	4495.125	47.15	30.80	5.05	36.82	46.18	68.20	-22.02	HORIZONTAL Peak
5	11000.000	39.44	40.10	7.71	37.25	50.00	74.00	-24.00	HORIZONTAL Peak
6	16500.000	34.69	39.60	9.44	35.38	48.35	68.20	-19.85	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1285.904	47.98	25.16	2.53	38.33	37.34	68.20	-30.86	VERTICAL Peak
2	1677.621	47.15	25.68	2.80	37.91	37.72	74.00	-36.28	VERTICAL Peak
3	3242.619	48.62	28.67	4.02	37.06	44.25	68.20	-23.95	VERTICAL Peak
4	3867.831	48.66	29.64	4.60	36.83	46.07	74.00	-27.93	VERTICAL Peak
5	11000.000	37.98	40.10	7.71	37.25	48.54	74.00	-25.46	VERTICAL Peak
6	16500.000	34.19	39.60	9.44	35.38	47.85	68.20	-20.35	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	48.06	25.02	2.34	38.35	37.07	68.20	-31.13	HORIZONTAL Peak
2	1592.571	47.00	25.57	2.80	37.98	37.39	74.00	-36.61	HORIZONTAL Peak
3	3280.326	48.53	28.73	4.04	37.04	44.26	68.20	-23.94	HORIZONTAL Peak
4	4050.904	48.22	29.87	4.60	36.80	45.89	74.00	-28.11	HORIZONTAL Peak
5	11160.000	39.67	40.04	7.90	37.21	50.40	74.00	-23.60	HORIZONTAL Peak
6	16740.000	34.86	40.49	9.41	35.37	49.39	68.20	-18.81	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	46.35	25.20	2.60	38.31	35.84	74.00	-38.16	VERTICAL	Peak
2	1583.392	47.27	25.56	2.80	38.00	37.63	74.00	-36.37	VERTICAL	Peak
3	3376.523	47.58	28.83	4.09	36.99	43.51	68.20	-24.69	VERTICAL	Peak
4	4074.388	48.23	29.90	4.60	36.80	45.93	74.00	-28.07	VERTICAL	Peak
5	11160.000	39.67	40.04	7.90	37.21	50.40	74.00	-23.60	VERTICAL	Peak
6	16740.000	34.49	40.49	9.41	35.37	49.02	68.20	-19.18	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.828	47.90	24.52	2.40	38.42	36.40	74.00	-37.60	HORIZONTAL	Peak
2	1697.129	46.77	25.71	2.80	37.89	37.39	74.00	-36.61	HORIZONTAL	Peak
3	3280.326	48.44	28.73	4.04	37.04	44.17	68.20	-24.03	HORIZONTAL	Peak
4	4304.400	47.48	30.48	4.65	36.81	45.80	74.00	-28.20	HORIZONTAL	Peak
5	11400.000	39.03	39.94	8.28	37.16	50.09	74.00	-23.91	HORIZONTAL	Peak
6	17100.000	32.05	42.32	9.63	35.34	48.66	68.20	-19.54	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	48.98	24.43	2.20	38.43	37.18	74.00	-36.82	VERTICAL	Peak
2	1597.181	49.16	25.58	2.80	37.98	39.56	74.00	-34.44	VERTICAL	Peak
3	3485.601	47.45	28.89	4.27	36.95	43.66	68.20	-24.54	VERTICAL	Peak
4	4443.453	47.70	30.73	4.83	36.81	46.45	68.20	-21.75	VERTICAL	Peak
5	11400.000	38.62	39.94	8.28	37.16	49.68	74.00	-24.32	VERTICAL	Peak
6	17100.000	32.36	42.32	9.63	35.34	48.97	68.20	-19.23	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	47.45	24.50	2.36	38.42	35.89	74.00	-38.11	HORIZONTAL	Peak
2	1587.975	47.35	25.57	2.80	37.98	37.74	74.00	-36.26	HORIZONTAL	Peak
3	3261.418	48.30	28.70	4.03	37.06	43.97	74.00	-30.03	HORIZONTAL	Peak
4	4279.589	47.69	30.42	4.63	36.81	45.93	74.00	-28.07	HORIZONTAL	Peak
5	11000.000	37.93	40.10	7.71	37.25	48.49	74.00	-25.51	HORIZONTAL	Peak
6	16500.000	34.97	39.60	9.44	35.38	48.63	68.20	-19.57	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1185.936	48.19	24.62	2.37	38.40	36.78	74.00	-37.22	VERTICAL	Peak
2	1597.181	49.72	25.58	2.80	37.98	40.12	74.00	-33.88	VERTICAL	Peak
3	3415.787	48.39	28.85	4.13	36.97	44.40	68.20	-23.80	VERTICAL	Peak
4	4469.214	46.71	30.77	4.93	36.81	45.60	68.20	-22.60	VERTICAL	Peak
5	11000.000	38.13	40.10	7.71	37.25	48.69	74.00	-25.31	VERTICAL	Peak
6	16500.000	34.78	39.60	9.44	35.38	48.44	68.20	-19.76	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	46.41	25.10	2.44	38.33	35.62	68.20	-32.58	HORIZONTAL	Peak
2	1667.951	47.75	25.66	2.80	37.91	38.30	74.00	-35.70	HORIZONTAL	Peak
3	3386.297	47.93	28.83	4.10	36.99	43.87	68.20	-24.33	HORIZONTAL	Peak
4	4329.354	47.33	30.54	4.67	36.81	45.73	74.00	-28.27	HORIZONTAL	Peak
5	11160.000	40.21	40.04	7.90	37.21	50.94	74.00	-23.06	HORIZONTAL	Peak
6	16740.000	35.48	40.49	9.41	35.37	50.01	68.20	-18.19	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1185.936	47.55	24.62	2.37	38.40	36.14	74.00	-37.86	VERTICAL	Peak
2	1667.951	47.11	25.66	2.80	37.91	37.66	74.00	-36.34	VERTICAL	Peak
3	3376.523	47.76	28.83	4.09	36.99	43.69	68.20	-24.51	VERTICAL	Peak
4	4405.090	47.72	30.68	4.70	36.81	46.29	68.20	-21.91	VERTICAL	Peak
5	11160.000	39.33	40.04	7.90	37.21	50.06	74.00	-23.94	VERTICAL	Peak
6	16740.000	34.44	40.49	9.41	35.37	48.97	68.20	-19.23	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark	
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1285.904	47.21	25.16	2.53	38.33	36.57	68.20	-31.63	HORIZONTAL Peak
2	1592.571	46.96	25.57	2.80	37.98	37.35	74.00	-36.65	HORIZONTAL Peak
3	3485.601	48.25	28.89	4.27	36.95	44.46	68.20	-23.74	HORIZONTAL Peak
4	4495.125	47.03	30.80	5.05	36.82	46.06	68.20	-22.14	HORIZONTAL Peak
5	11400.000	39.18	39.94	8.28	37.16	50.24	74.00	-23.76	HORIZONTAL Peak
6	17100.000	31.73	42.32	9.63	35.34	48.34	68.20	-19.86	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1106.457	48.07	24.38	2.28	38.45	36.28	74.00	-37.72	VERTICAL	Peak
2	1692.231	47.40	25.70	2.80	37.89	38.01	74.00	-35.99	VERTICAL	Peak
3	3299.344	48.71	28.75	4.06	37.03	44.49	68.20	-23.71	VERTICAL	Peak
4	4230.396	48.20	30.26	4.61	36.81	46.26	74.00	-27.74	VERTICAL	Peak
5	11400.000	38.25	39.94	8.28	37.16	49.31	74.00	-24.69	VERTICAL	Peak
6	17100.000	31.60	42.32	9.63	35.34	48.21	68.20	-19.99	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1231.345	46.48	24.91	2.31	38.37	35.33	74.00	-38.67	HORIZONTAL Peak
2	1574.265	46.86	25.56	2.80	38.00	37.22	74.00	-36.78	HORIZONTAL Peak
3	3405.929	47.80	28.85	4.11	36.98	43.78	68.20	-24.42	HORIZONTAL Peak
4	4329.354	48.18	30.54	4.67	36.81	46.58	74.00	-27.42	HORIZONTAL Peak
5	11020.000	39.49	40.10	7.71	37.24	50.06	74.00	-23.94	HORIZONTAL Peak
6	16530.000	35.21	39.76	9.44	35.38	49.03	68.20	-19.17	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	47.65	24.88	2.31	38.37	36.47	74.00	-37.53	VERTICAL	Peak
2	1587.975	46.88	25.57	2.80	37.98	37.27	74.00	-36.73	VERTICAL	Peak
3	3214.623	48.28	28.61	4.01	37.07	43.83	68.20	-24.37	VERTICAL	Peak
4	4230.396	48.01	30.26	4.61	36.81	46.07	74.00	-27.93	VERTICAL	Peak
5	11020.000	39.51	40.10	7.71	37.24	50.08	74.00	-23.92	VERTICAL	Peak
6	16530.000	35.16	39.76	9.44	35.38	48.98	68.20	-19.22	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1278.492	46.58	25.14	2.50	38.33	35.89	68.20	-32.31	HORIZONTAL Peak
2	1677.621	46.80	25.68	2.80	37.91	37.37	74.00	-36.63	HORIZONTAL Peak
3	3347.371	47.48	28.80	4.08	37.01	43.35	74.00	-30.65	HORIZONTAL Peak
4	4230.396	49.06	30.26	4.61	36.81	47.12	74.00	-26.88	HORIZONTAL Peak
5	11100.000	38.50	40.07	7.82	37.22	49.17	74.00	-24.83	HORIZONTAL Peak
6	16650.000	34.16	40.10	9.43	35.38	48.31	68.20	-19.89	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1135.617	48.07	24.45	2.25	38.43	36.34	74.00	-37.66	VERTICAL	Peak
2	1597.181	50.30	25.58	2.80	37.98	40.70	74.00	-33.30	VERTICAL	Peak
3	3386.297	47.59	28.83	4.10	36.99	43.53	68.20	-24.67	VERTICAL	Peak
4	4304.400	48.60	30.48	4.65	36.81	46.92	74.00	-27.08	VERTICAL	Peak
5	11100.000	38.51	40.07	7.82	37.22	49.18	74.00	-24.82	VERTICAL	Peak
6	16650.000	35.11	40.10	9.43	35.38	49.26	68.20	-18.94	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	47.32	24.88	2.31	38.37	36.14	74.00	-37.86	HORIZONTAL	Peak
2	1692.231	47.78	25.70	2.80	37.89	38.39	74.00	-35.61	HORIZONTAL	Peak
3	3435.590	48.41	28.87	4.16	36.97	44.47	68.20	-23.73	HORIZONTAL	Peak
4	4062.629	48.51	29.88	4.60	36.80	46.19	74.00	-27.81	HORIZONTAL	Peak
5	11340.000	39.87	39.97	8.18	37.17	50.85	74.00	-23.15	HORIZONTAL	Peak
6	17010.000	31.70	41.75	9.39	35.35	47.49	68.20	-20.71	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	47.52	25.02	2.34	38.35	36.53	68.20	-31.67	VERTICAL	Peak
2	1592.571	47.59	25.57	2.80	37.98	37.98	74.00	-36.02	VERTICAL	Peak
3	3465.510	47.94	28.88	4.22	36.95	44.09	68.20	-24.11	VERTICAL	Peak
4	4169.698	47.62	30.09	4.60	36.80	45.51	74.00	-28.49	VERTICAL	Peak
5	11340.000	39.58	39.97	8.18	37.17	50.56	74.00	-23.44	VERTICAL	Peak
6	17010.000	32.37	41.75	9.39	35.35	48.16	68.20	-20.04	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1185.936	47.54	24.62	2.37	38.40	36.13	74.00	-37.87	HORIZONTAL	Peak
2	1677.621	47.16	25.68	2.80	37.91	37.73	74.00	-36.27	HORIZONTAL	Peak
3	3242.619	48.28	28.67	4.02	37.06	43.91	68.20	-24.29	HORIZONTAL	Peak
4	4121.768	48.15	29.98	4.60	36.80	45.93	74.00	-28.07	HORIZONTAL	Peak
5	11000.000	39.06	40.10	7.71	37.25	49.62	74.00	-24.38	HORIZONTAL	Peak
6	16500.000	34.46	39.60	9.44	35.38	48.12	68.20	-20.08	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	47.21	24.96	2.30	38.35	36.12	74.00	-37.88	VERTICAL	Peak
2	1677.621	47.82	25.68	2.80	37.91	38.39	74.00	-35.61	VERTICAL	Peak
3	2939.115	48.87	28.34	3.74	37.30	43.65	68.20	-24.55	VERTICAL	Peak
4	4341.886	46.59	30.57	4.67	36.81	45.02	74.00	-28.98	VERTICAL	Peak
5	11000.000	38.54	40.10	7.71	37.25	49.10	74.00	-24.90	VERTICAL	Peak
6	16500.000	35.95	39.60	9.44	35.38	49.61	68.20	-18.59	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1263.796	46.87	25.08	2.42	38.33	36.04	68.20	-32.16	HORIZONTAL	Peak
2	1606.441	47.51	25.59	2.80	37.98	37.92	74.00	-36.08	HORIZONTAL	Peak
3	3485.601	47.44	28.89	4.27	36.95	43.65	68.20	-24.55	HORIZONTAL	Peak
4	4218.186	47.82	30.22	4.60	36.81	45.83	74.00	-28.17	HORIZONTAL	Peak
5	11160.000	38.31	40.04	7.90	37.21	49.04	74.00	-24.96	HORIZONTAL	Peak
6	16740.000	34.03	40.49	9.41	35.37	48.56	68.20	-19.64	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	47.13	24.50	2.36	38.42	35.57	74.00	-38.43	VERTICAL	Peak
2	1625.121	46.80	25.61	2.80	37.95	37.26	74.00	-36.74	VERTICAL	Peak
3	3386.297	48.09	28.83	4.10	36.99	44.03	68.20	-24.17	VERTICAL	Peak
4	4304.400	47.53	30.48	4.65	36.81	45.85	74.00	-28.15	VERTICAL	Peak
5	11160.000	38.82	40.04	7.90	37.21	49.55	74.00	-24.45	VERTICAL	Peak
6	16740.000	33.95	40.49	9.41	35.37	48.48	68.20	-19.72	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1196.264	46.84	24.67	2.35	38.39	35.47	74.00	-38.53	HORIZONTAL Peak
2	1592.571	46.98	25.57	2.80	37.98	37.37	74.00	-36.63	HORIZONTAL Peak
3	3495.691	47.76	28.90	4.30	36.94	44.02	68.20	-24.18	HORIZONTAL Peak
4	4206.011	47.64	30.18	4.60	36.81	45.61	74.00	-28.39	HORIZONTAL Peak
5	11400.000	39.66	39.94	8.28	37.16	50.72	74.00	-23.28	HORIZONTAL Peak
6	17100.000	31.99	42.32	9.63	35.34	48.60	68.20	-19.60	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1125.813	47.15	24.42	2.21	38.43	35.35	74.00	-38.65	VERTICAL	Peak
2	1597.181	48.64	25.58	2.80	37.98	39.04	74.00	-34.96	VERTICAL	Peak
3	3485.601	47.61	28.89	4.27	36.95	43.82	68.20	-24.38	VERTICAL	Peak
4	4279.589	47.75	30.42	4.63	36.81	45.99	74.00	-28.01	VERTICAL	Peak
5	11400.000	38.24	39.94	8.28	37.16	49.30	74.00	-24.70	VERTICAL	Peak
6	17100.000	31.49	42.32	9.63	35.34	48.10	68.20	-20.10	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1224.247	47.50	24.85	2.31	38.37	36.29	74.00	-37.71	HORIZONTAL	Peak
2	1677.621	49.14	25.68	2.80	37.91	39.71	74.00	-34.29	HORIZONTAL	Peak
3	3465.510	47.82	28.88	4.22	36.95	43.97	68.20	-24.23	HORIZONTAL	Peak
4	4121.768	48.64	29.98	4.60	36.80	46.42	74.00	-27.58	HORIZONTAL	Peak
5	11020.000	38.24	40.10	7.71	37.24	48.81	74.00	-25.19	HORIZONTAL	Peak
6	16530.000	34.49	39.76	9.44	35.38	48.31	68.20	-19.89	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1109.660	48.59	24.39	2.27	38.45	36.80	74.00	-37.20	VERTICAL	Peak
2	1702.042	47.03	25.72	2.80	37.89	37.66	74.00	-36.34	VERTICAL	Peak
3	3415.787	48.22	28.85	4.13	36.97	44.23	68.20	-23.97	VERTICAL	Peak
4	4417.841	49.08	30.70	4.74	36.81	47.71	68.20	-20.49	VERTICAL	Peak
5	11020.000	37.73	40.10	7.71	37.24	48.30	74.00	-25.70	VERTICAL	Peak
6	16530.000	36.52	39.76	9.44	35.38	50.34	68.20	-17.86	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1289.627	45.90	25.17	2.55	38.31	35.31	68.20	-32.89	HORIZONTAL	Peak
2	1697.129	47.30	25.71	2.80	37.89	37.92	74.00	-36.08	HORIZONTAL	Peak
3	3299.344	47.46	28.75	4.06	37.03	43.24	68.20	-24.96	HORIZONTAL	Peak
4	4341.886	47.06	30.57	4.67	36.81	45.49	74.00	-28.51	HORIZONTAL	Peak
5	11100.000	38.93	40.07	7.82	37.22	49.60	74.00	-24.40	HORIZONTAL	Peak
6	16650.000	34.04	40.10	9.43	35.38	48.19	68.20	-20.01	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1260.149	48.36	25.07	2.40	38.35	37.48	68.20	-30.72	VERTICAL	Peak
2	1667.951	47.37	25.66	2.80	37.91	37.92	74.00	-36.08	VERTICAL	Peak
3	3123.039	48.94	28.50	3.94	37.14	44.24	68.20	-23.96	VERTICAL	Peak
4	4367.058	47.80	30.62	4.68	36.81	46.29	74.00	-27.71	VERTICAL	Peak
5	11100.000	38.11	40.07	7.82	37.22	48.78	74.00	-25.22	VERTICAL	Peak
6	16650.000	35.25	40.10	9.43	35.38	49.40	68.20	-18.80	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1189.368	47.49	24.63	2.36	38.39	36.09	74.00	-37.91	HORIZONTAL	Peak
2	1672.779	47.23	25.67	2.80	37.91	37.79	74.00	-36.21	HORIZONTAL	Peak
3	3366.778	48.16	28.82	4.09	36.99	44.08	68.20	-24.12	HORIZONTAL	Peak
4	4316.859	48.15	30.51	4.66	36.81	46.51	74.00	-27.49	HORIZONTAL	Peak
5	11340.000	38.04	39.97	8.18	37.17	49.02	74.00	-24.98	HORIZONTAL	Peak
6	17010.000	32.70	41.75	9.39	35.35	48.49	68.20	-19.71	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1206.682	47.77	24.72	2.33	38.39	36.43	74.00	-37.57	VERTICAL	Peak
2	1639.274	46.93	25.62	2.80	37.93	37.42	68.20	-30.78	VERTICAL	Peak
3	3376.523	47.42	28.83	4.09	36.99	43.35	68.20	-24.85	VERTICAL	Peak
4	4405.090	48.30	30.68	4.70	36.81	46.87	68.20	-21.33	VERTICAL	Peak
5	11340.000	37.99	39.97	8.18	37.17	48.97	74.00	-25.03	VERTICAL	Peak
6	17010.000	32.13	41.75	9.39	35.35	47.92	68.20	-20.28	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Trace: (Discrete)


	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1162.182	47.29	24.53	2.40	38.42	35.80	74.00	-38.20	HORIZONTAL	Peak
2	1672.779	47.22	25.67	2.80	37.91	37.78	74.00	-36.22	HORIZONTAL	Peak
3	3475.541	47.81	28.89	4.25	36.95	44.00	68.20	-24.20	HORIZONTAL	Peak
4	4254.921	48.45	30.34	4.62	36.81	46.60	74.00	-27.40	HORIZONTAL	Peak
5	11060.000	38.77	40.09	7.74	37.23	49.37	74.00	-24.63	HORIZONTAL	Peak
6	16590.000	34.18	39.93	9.43	35.38	48.16	68.20	-20.04	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1116.093	47.00	24.40	2.25	38.43	35.22	74.00	-38.78	VERTICAL	Peak
2	1611.091	47.50	25.59	2.80	37.98	37.91	74.00	-36.09	VERTICAL	Peak
3	3357.061	48.92	28.81	4.09	37.01	44.81	74.00	-29.19	VERTICAL	Peak
4	4482.150	47.37	30.78	4.99	36.81	46.33	68.20	-21.87	VERTICAL	Peak
5	11060.000	39.46	40.09	7.74	37.23	50.06	74.00	-23.94	VERTICAL	Peak
6	16590.000	34.98	39.93	9.43	35.38	48.96	68.20	-19.24	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1168.920	47.61	24.55	2.39	38.40	36.15	74.00	-37.85	HORIZONTAL	Peak
2	1667.951	46.80	25.66	2.80	37.91	37.35	74.00	-36.65	HORIZONTAL	Peak
3	3366.778	48.35	28.82	4.09	36.99	44.27	68.20	-23.93	HORIZONTAL	Peak
4	4341.886	48.41	30.57	4.67	36.81	46.84	74.00	-27.16	HORIZONTAL	Peak
5	11220.000	40.61	40.03	7.95	37.19	51.40	74.00	-22.60	HORIZONTAL	Peak
6	16830.000	33.00	40.94	9.40	35.37	47.97	68.20	-20.23	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1278.492	47.19	25.14	2.50	38.33	36.50	68.20	-31.70	VERTICAL Peak
2	1677.621	47.14	25.68	2.80	37.91	37.71	74.00	-36.29	VERTICAL Peak
3	3347.371	47.45	28.80	4.08	37.01	43.32	74.00	-30.68	VERTICAL Peak
4	4291.977	48.44	30.45	4.64	36.81	46.72	74.00	-27.28	VERTICAL Peak
5	11220.000	39.56	40.03	7.95	37.19	50.35	74.00	-23.65	VERTICAL Peak
6	16830.000	34.13	40.94	9.40	35.37	49.10	68.20	-19.10	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1155.483	47.82	24.51	2.38	38.42	36.29	74.00	-37.71	HORIZONTAL	Peak
2	1592.571	46.59	25.57	2.80	37.98	36.98	74.00	-37.02	HORIZONTAL	Peak
3	3435.590	47.71	28.87	4.16	36.97	43.77	68.20	-24.43	HORIZONTAL	Peak
4	4193.872	47.60	30.15	4.60	36.81	45.54	74.00	-28.46	HORIZONTAL	Peak
5	11490.000	35.99	39.90	8.41	37.15	47.15	74.00	-26.85	HORIZONTAL	Peak
6	17235.000	31.78	43.01	10.08	35.33	49.54	68.20	-18.66	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1158.828	48.55	24.52	2.40	38.42	37.05	74.00	-36.95	VERTICAL	Peak
2	1687.347	47.62	25.69	2.80	37.91	38.20	74.00	-35.80	VERTICAL	Peak
3	3214.623	48.75	28.61	4.01	37.07	44.30	68.20	-23.90	VERTICAL	Peak
4	4304.400	47.82	30.48	4.65	36.81	46.14	74.00	-27.86	VERTICAL	Peak
5	11490.000	36.32	39.90	8.41	37.15	47.48	74.00	-26.52	VERTICAL	Peak
6	17235.000	31.66	43.01	10.08	35.33	49.42	68.20	-18.78	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1152.148	47.18	24.50	2.36	38.42	35.62	74.00	-38.38	HORIZONTAL	Peak
2	1692.231	47.45	25.70	2.80	37.89	38.06	74.00	-35.94	HORIZONTAL	Peak
3	3475.541	48.77	28.89	4.25	36.95	44.96	68.20	-23.24	HORIZONTAL	Peak
4	4254.921	47.84	30.34	4.62	36.81	45.99	74.00	-28.01	HORIZONTAL	Peak
5	11570.000	37.04	39.78	8.38	37.14	48.06	74.00	-25.94	HORIZONTAL	Peak
6	17355.000	30.42	43.40	10.39	35.32	48.89	68.20	-19.31	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1238.483	47.39	24.96	2.30	38.35	36.30	74.00	-37.70	VERTICAL	Peak
2	1592.571	47.16	25.57	2.80	37.98	37.55	74.00	-36.45	VERTICAL	Peak
3	3495.691	47.34	28.90	4.30	36.94	43.60	68.20	-24.60	VERTICAL	Peak
4	4329.354	48.13	30.54	4.67	36.81	46.53	74.00	-27.47	VERTICAL	Peak
5	11570.000	37.34	39.78	8.38	37.14	48.36	74.00	-25.64	VERTICAL	Peak
6	17355.000	30.69	43.40	10.39	35.32	49.16	68.20	-19.04	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	47.60	24.48	2.32	38.42	35.98	74.00	-38.02	HORIZONTAL	Peak
2	1520.598	47.40	25.51	2.80	38.07	37.64	74.00	-36.36	HORIZONTAL	Peak
3	3386.297	47.99	28.83	4.10	36.99	43.93	68.20	-24.27	HORIZONTAL	Peak
4	4193.872	47.78	30.15	4.60	36.81	45.72	74.00	-28.28	HORIZONTAL	Peak
5	11650.000	37.37	39.65	8.35	37.13	48.24	74.00	-25.76	HORIZONTAL	Peak
6	17475.000	30.65	43.90	10.77	35.32	50.00	68.20	-18.20	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1192.811	47.15	24.65	2.36	38.39	35.77	74.00	-38.23	VERTICAL	Peak
2	1597.181	49.83	25.58	2.80	37.98	40.23	74.00	-33.77	VERTICAL	Peak
3	3435.590	47.81	28.87	4.16	36.97	43.87	68.20	-24.33	VERTICAL	Peak
4	4218.186	48.83	30.22	4.60	36.81	46.84	74.00	-27.16	VERTICAL	Peak
5	11650.000	38.04	39.65	8.35	37.13	48.91	74.00	-25.09	VERTICAL	Peak
6	17475.000	29.97	43.90	10.77	35.32	49.32	68.20	-18.88	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	48.18	24.48	2.32	38.42	36.56	74.00	-37.44	HORIZONTAL	Peak
2	1677.621	47.48	25.68	2.80	37.91	38.05	74.00	-35.95	HORIZONTAL	Peak
3	3289.821	47.67	28.74	4.05	37.03	43.43	68.20	-24.77	HORIZONTAL	Peak
4	4367.058	47.64	30.62	4.68	36.81	46.13	74.00	-27.87	HORIZONTAL	Peak
5	11490.000	36.00	39.90	8.41	37.15	47.16	74.00	-26.84	HORIZONTAL	Peak
6	17235.000	30.78	43.01	10.08	35.33	48.54	68.20	-19.66	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	48.28	24.48	2.32	38.42	36.66	74.00	-37.34	VERTICAL Peak
2	1697.129	46.63	25.71	2.80	37.89	37.25	74.00	-36.75	VERTICAL Peak
3	3495.691	47.75	28.90	4.30	36.94	44.01	68.20	-24.19	VERTICAL Peak
4	4230.396	47.53	30.26	4.61	36.81	45.59	74.00	-28.41	VERTICAL Peak
5	11490.000	38.05	39.90	8.41	37.15	49.21	74.00	-24.79	VERTICAL Peak
6	17235.000	31.36	43.01	10.08	35.33	49.12	68.20	-19.08	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	46.93	25.20	2.60	38.31	36.42	74.00	-37.58	HORIZONTAL Peak
2	1687.347	46.70	25.69	2.80	37.91	37.28	74.00	-36.72	HORIZONTAL Peak
3	3485.601	47.48	28.89	4.27	36.95	43.69	68.20	-24.51	HORIZONTAL Peak
4	4279.589	48.97	30.42	4.63	36.81	47.21	74.00	-26.79	HORIZONTAL Peak
5	11570.000	36.21	39.78	8.38	37.14	47.23	74.00	-26.77	HORIZONTAL Peak
6	17355.000	30.74	43.40	10.39	35.32	49.21	68.20	-18.99	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	47.97	24.46	2.27	38.42	36.28	74.00	-37.72	VERTICAL Peak
2	1697.129	46.53	25.71	2.80	37.89	37.15	74.00	-36.85	VERTICAL Peak
3	3357.061	47.62	28.81	4.09	37.01	43.51	74.00	-30.49	VERTICAL Peak
4	4482.150	46.96	30.78	4.99	36.81	45.92	68.20	-22.28	VERTICAL Peak
5	11570.000	37.07	39.78	8.38	37.14	48.09	74.00	-25.91	VERTICAL Peak
6	17355.000	30.46	43.40	10.39	35.32	48.93	68.20	-19.27	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	48.00	24.43	2.20	38.43	36.20	74.00	-37.80	HORIZONTAL	Peak
2	1677.621	47.51	25.68	2.80	37.91	38.08	74.00	-35.92	HORIZONTAL	Peak
3	3455.508	48.92	28.88	4.20	36.96	45.04	68.20	-23.16	HORIZONTAL	Peak
4	4379.699	47.33	30.64	4.69	36.81	45.85	74.00	-28.15	HORIZONTAL	Peak
5	11650.000	37.91	39.65	8.35	37.13	48.78	74.00	-25.22	HORIZONTAL	Peak
6	17475.000	31.20	43.90	10.77	35.32	50.55	68.20	-17.65	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dB	dB			
1	1116.093	47.31	24.40	2.25	38.43	35.53	74.00	-38.47	VERTICAL	Peak
2	1597.181	50.66	25.58	2.80	37.98	41.06	74.00	-32.94	VERTICAL	Peak
3	3485.601	47.46	28.89	4.27	36.95	43.67	68.20	-24.53	VERTICAL	Peak
4	4379.699	47.35	30.64	4.69	36.81	45.87	74.00	-28.13	VERTICAL	Peak
5	11650.000	37.53	39.65	8.35	37.13	48.40	74.00	-25.60	VERTICAL	Peak
6	17475.000	31.66	43.90	10.77	35.32	51.01	68.20	-17.19	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1168.920	47.42	24.55	2.39	38.40	35.96	74.00	-38.04	HORIZONTAL Peak
2	1702.042	47.70	25.72	2.80	37.89	38.33	74.00	-35.67	HORIZONTAL Peak
3	3405.929	47.85	28.85	4.11	36.98	43.83	68.20	-24.37	HORIZONTAL Peak
4	4316.859	47.37	30.51	4.66	36.81	45.73	74.00	-28.27	HORIZONTAL Peak
5	11510.000	35.71	39.90	8.41	37.15	46.87	74.00	-27.13	HORIZONTAL Peak
6	17265.000	30.82	43.21	10.24	35.33	48.94	68.20	-19.26	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1289.627	47.48	25.17	2.55	38.31	36.89	68.20	-31.31	VERTICAL Peak
2	1620.431	48.21	25.60	2.80	37.95	38.66	74.00	-35.34	VERTICAL Peak
3	3465.510	47.64	28.88	4.22	36.95	43.79	68.20	-24.41	VERTICAL Peak
4	4443.453	47.97	30.73	4.83	36.81	46.72	68.20	-21.48	VERTICAL Peak
5	11510.000	36.72	39.90	8.41	37.15	47.88	74.00	-26.12	VERTICAL Peak
6	17265.000	30.70	43.21	10.24	35.33	48.82	68.20	-19.38	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	47.84	24.93	2.30	38.37	36.70	74.00	-37.30	HORIZONTAL	Peak
2	1587.975	47.65	25.57	2.80	37.98	38.04	74.00	-35.96	HORIZONTAL	Peak
3	3485.601	47.83	28.89	4.27	36.95	44.04	68.20	-24.16	HORIZONTAL	Peak
4	4279.589	48.17	30.42	4.63	36.81	46.41	74.00	-27.59	HORIZONTAL	Peak
5	11590.000	37.46	39.72	8.37	37.14	48.41	74.00	-25.59	HORIZONTAL	Peak
6	17385.000	29.85	43.57	10.53	35.32	48.63	68.20	-19.57	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	47.68	24.79	2.32	38.37	36.42	74.00	-37.58	VERTICAL Peak
2	1672.779	47.04	25.67	2.80	37.91	37.60	74.00	-36.40	VERTICAL Peak
3	3485.601	48.96	28.89	4.27	36.95	45.17	68.20	-23.03	VERTICAL Peak
4	4254.921	48.19	30.34	4.62	36.81	46.34	74.00	-27.66	VERTICAL Peak
5	11590.000	36.09	39.72	8.37	37.14	47.04	74.00	-26.96	VERTICAL Peak
6	17385.000	30.81	43.57	10.53	35.32	49.59	68.20	-18.61	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	47.32	24.48	2.32	38.42	35.70	74.00	-38.30	HORIZONTAL	Peak
2	1677.621	47.62	25.68	2.80	37.91	38.19	74.00	-35.81	HORIZONTAL	Peak
3	3396.098	47.32	28.84	4.10	36.98	43.28	68.20	-24.92	HORIZONTAL	Peak
4	4329.354	47.51	30.54	4.67	36.81	45.91	74.00	-28.09	HORIZONTAL	Peak
5	11490.000	36.63	39.90	8.41	37.15	47.79	74.00	-26.21	HORIZONTAL	Peak
6	17235.000	30.89	43.01	10.08	35.33	48.65	68.20	-19.55	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark		
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1245.663	46.97	25.00	2.33	38.35	35.95	68.20	-32.25	VERTICAL	Peak
2	1692.231	47.89	25.70	2.80	37.89	38.50	74.00	-35.50	VERTICAL	Peak
3	3386.297	47.86	28.83	4.10	36.99	43.80	68.20	-24.40	VERTICAL	Peak
4	4291.977	47.12	30.45	4.64	36.81	45.40	74.00	-28.60	VERTICAL	Peak
5	11490.000	35.83	39.90	8.41	37.15	46.99	74.00	-27.01	VERTICAL	Peak
6	17235.000	31.86	43.01	10.08	35.33	49.62	68.20	-18.58	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1271.123	46.97	25.11	2.46	38.33	36.21	68.20	-31.99	HORIZONTAL	Peak
2	1592.571	47.38	25.57	2.80	37.98	37.77	74.00	-36.23	HORIZONTAL	Peak
3	3366.778	48.36	28.82	4.09	36.99	44.28	68.20	-23.92	HORIZONTAL	Peak
4	4443.453	46.78	30.73	4.83	36.81	45.53	68.20	-22.67	HORIZONTAL	Peak
5	11570.000	36.61	39.78	8.38	37.14	47.63	74.00	-26.37	HORIZONTAL	Peak
6	17355.000	31.25	43.40	10.39	35.32	49.72	68.20	-18.48	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	46.85	24.93	2.30	38.37	35.71	74.00	-38.29	VERTICAL	Peak
2	1592.571	47.59	25.57	2.80	37.98	37.98	74.00	-36.02	VERTICAL	Peak
3	3465.510	47.45	28.88	4.22	36.95	43.60	68.20	-24.60	VERTICAL	Peak
4	4206.011	48.79	30.18	4.60	36.81	46.76	74.00	-27.24	VERTICAL	Peak
5	11570.000	37.72	39.78	8.38	37.14	48.74	74.00	-25.26	VERTICAL	Peak
6	17355.000	30.39	43.40	10.39	35.32	48.86	68.20	-19.34	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1227.791	47.12	24.88	2.31	38.37	35.94	74.00	-38.06	HORIZONTAL Peak
2	1601.804	47.26	25.58	2.80	37.98	37.66	74.00	-36.34	HORIZONTAL Peak
3	3465.510	47.71	28.88	4.22	36.95	43.86	68.20	-24.34	HORIZONTAL Peak
4	4254.921	48.03	30.34	4.62	36.81	46.18	74.00	-27.82	HORIZONTAL Peak
5	11650.000	37.67	39.65	8.35	37.13	48.54	74.00	-25.46	HORIZONTAL Peak
6	17475.000	30.34	43.90	10.77	35.32	49.69	68.20	-18.51	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1282.193	46.46	25.15	2.52	38.33	35.80	68.20	-32.40	VERTICAL Peak
2	1592.571	47.05	25.57	2.80	37.98	37.44	74.00	-36.56	VERTICAL Peak
3	3415.787	48.28	28.85	4.13	36.97	44.29	68.20	-23.91	VERTICAL Peak
4	4367.058	47.22	30.62	4.68	36.81	45.71	74.00	-28.29	VERTICAL Peak
5	11650.000	37.91	39.65	8.35	37.13	48.78	74.00	-25.22	VERTICAL Peak
6	17475.000	30.53	43.90	10.77	35.32	49.88	68.20	-18.32	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1252.885	46.30	25.03	2.36	38.35	35.34	68.20	-32.86	HORIZONTAL	Peak
2	1606.441	47.24	25.59	2.80	37.98	37.65	74.00	-36.35	HORIZONTAL	Peak
3	3214.623	48.74	28.61	4.01	37.07	44.29	68.20	-23.91	HORIZONTAL	Peak
4	4242.641	47.67	30.30	4.62	36.81	45.78	74.00	-28.22	HORIZONTAL	Peak
5	11510.000	36.80	39.90	8.41	37.15	47.96	74.00	-26.04	HORIZONTAL	Peak
6	17265.000	31.67	43.21	10.24	35.33	49.79	68.20	-18.41	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)

	Read	Antenna	Cable	Preamp	Limit	Over				
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	47.06	24.96	2.30	38.35	35.97	74.00	-38.03	VERTICAL	Peak
2	1687.347	47.72	25.69	2.80	37.91	38.30	74.00	-35.70	VERTICAL	Peak
3	3445.535	47.26	28.87	4.18	36.96	43.35	68.20	-24.85	VERTICAL	Peak
4	4392.376	47.96	30.66	4.70	36.81	46.51	74.00	-27.49	VERTICAL	Peak
5	11510.000	36.73	39.90	8.41	37.15	47.89	74.00	-26.11	VERTICAL	Peak
6	17265.000	32.54	43.21	10.24	35.33	50.66	68.20	-17.54	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.