



## Appendix B

### RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Smart LED Wall Light

Test Model: WL1-8

#### Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Joker Hu
Supervised by:	Nick Peng





### B.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	9.087	>=0.5	Pass
NVNT	b	2437	Ant1	8.744	>=0.5	Pass
NVNT	b	2462	Ant1	10.036	>=0.5	Pass
NVNT	g	2412	Ant1	16.295	>=0.5	Pass
NVNT	g	2437	Ant1	16.324	>=0.5	Pass
NVNT	g	2462	Ant1	16.354	>=0.5	Pass
NVNT	n20	2412	Ant1	16.299	>=0.5	Pass
NVNT	n20	2437	Ant1	16.533	>=0.5	Pass
NVNT	n20	2462	Ant1	16.315	>=0.5	Pass
NVNT	n40	2422	Ant1	34.009	>=0.5	Pass
NVNT	n40	2437	Ant1	33.803	>=0.5	Pass
NVNT	n40	2452	Ant1	32.527	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1






-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1






-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1






-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1






-6dB Bandwidth NVNT n20 2462MHz Ant1




-6dB Bandwidth NVNT n40 2422MHz Ant1






-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1







## B.2 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	12.843
NVNT	b	2437	Ant1	12.883
NVNT	b	2462	Ant1	12.88
NVNT	g	2412	Ant1	16.328
NVNT	g	2437	Ant1	16.355
NVNT	g	2462	Ant1	16.341
NVNT	n20	2412	Ant1	17.211
NVNT	n20	2437	Ant1	17.248
NVNT	n20	2462	Ant1	17.237
NVNT	n40	2422	Ant1	35.552
NVNT	n40	2437	Ant1	35.61
NVNT	n40	2452	Ant1	35.562






Test Graphs

OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1






OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1








OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1








OBW NVNT n20 2462MHz Ant1




OBW NVNT n40 2422MHz Ant1






OBW NVNT n40 2437MHz Ant1



OBW NVNT n40 2452MHz Ant1





### B.3 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	15.24	30	Pass
NVNT	b	2437	Ant1	15.42	30	Pass
NVNT	b	2462	Ant1	15.58	30	Pass
NVNT	g	2412	Ant1	14.4	30	Pass
NVNT	g	2437	Ant1	14.56	30	Pass
NVNT	g	2462	Ant1	14.72	30	Pass
NVNT	n20	2412	Ant1	13.43	30	Pass
NVNT	n20	2437	Ant1	13.52	30	Pass
NVNT	n20	2462	Ant1	13.79	30	Pass
NVNT	n40	2422	Ant1	12.82	30	Pass
NVNT	n40	2437	Ant1	13.08	30	Pass
NVNT	n40	2452	Ant1	13.32	30	Pass

#### EIRP

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Antenna Gain	Report EIRP Power(dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	15.24	4.54	19.78	36	Pass
NVNT	b	2437	Ant1	15.42	4.54	19.96	36	Pass
NVNT	b	2462	Ant1	15.58	4.54	20.12	36	Pass
NVNT	g	2412	Ant1	14.4	4.54	18.94	36	Pass
NVNT	g	2437	Ant1	14.56	4.54	19.1	36	Pass
NVNT	g	2462	Ant1	14.72	4.54	19.26	36	Pass
NVNT	n20	2412	Ant1	13.43	4.54	17.97	36	Pass
NVNT	n20	2437	Ant1	13.52	4.54	18.06	36	Pass
NVNT	n20	2462	Ant1	13.79	4.54	18.33	36	Pass
NVNT	n40	2422	Ant1	12.82	4.54	17.36	36	Pass
NVNT	n40	2437	Ant1	13.08	4.54	17.62	36	Pass
NVNT	n40	2452	Ant1	13.32	4.54	17.86	36	Pass







### B.4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-11.93	8	Pass
NVNT	b	2437	Ant1	-11.6	8	Pass
NVNT	b	2462	Ant1	-11.94	8	Pass
NVNT	g	2412	Ant1	-15.74	8	Pass
NVNT	g	2437	Ant1	-15.95	8	Pass
NVNT	g	2462	Ant1	-14.96	8	Pass
NVNT	n20	2412	Ant1	-17.18	8	Pass
NVNT	n20	2437	Ant1	-17.05	8	Pass
NVNT	n20	2462	Ant1	-15.3	8	Pass
NVNT	n40	2422	Ant1	-18.86	8	Pass
NVNT	n40	2437	Ant1	-18.38	8	Pass
NVNT	n40	2452	Ant1	-18.19	8	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1






PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1










PSD NVNT g 2437MHz Ant1





PSD NVNT g 2462MHz Ant1











## B.5 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-52.36	-20	Pass
NVNT	b	2462	Ant1	-54.42	-20	Pass
NVNT	g	2412	Ant1	-43.17	-20	Pass
NVNT	g	2462	Ant1	-50.4	-20	Pass
NVNT	n20	2412	Ant1	-46.26	-20	Pass
NVNT	n20	2462	Ant1	-49.03	-20	Pass
NVNT	n40	2422	Ant1	-39.12	-20	Pass
NVNT	n40	2452	Ant1	-47.4	-20	Pass









Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission






Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission






Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission






Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission








Band Edge NVNT n20 2412MHz Ant1 Ref




Band Edge NVNT n20 2412MHz Ant1 Emission








Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission






Band Edge NVNT n40 2452MHz Ant1 Ref



Band Edge NVNT n40 2452MHz Ant1 Emission







## B.6 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-47.6	-20	Pass
NVNT	b	2437	Ant1	-47.95	-20	Pass
NVNT	b	2462	Ant1	-48.25	-20	Pass
NVNT	g	2412	Ant1	-42.07	-20	Pass
NVNT	g	2437	Ant1	-42.43	-20	Pass
NVNT	g	2462	Ant1	-42.39	-20	Pass
NVNT	n20	2412	Ant1	-42.82	-20	Pass
NVNT	n20	2437	Ant1	-41.98	-20	Pass
NVNT	n20	2462	Ant1	-43.53	-20	Pass
NVNT	n40	2422	Ant1	-40.03	-20	Pass
NVNT	n40	2437	Ant1	-39.71	-20	Pass
NVNT	n40	2452	Ant1	-40.58	-20	Pass






Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission






Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission








Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission






Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission





### B.7 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	100	0	0
NVNT	b	2437	Ant1	99.86	0	0
NVNT	b	2462	Ant1	99.87	0	0
NVNT	g	2412	Ant1	99.1	0	0.18
NVNT	g	2437	Ant1	99.53	0	0.18
NVNT	g	2462	Ant1	99.53	0	0.18
NVNT	n20	2412	Ant1	96.36	0.16	0.2
NVNT	n20	2437	Ant1	99.49	0	0.2
NVNT	n20	2462	Ant1	99.49	0	0.2
NVNT	n40	2422	Ant1	98.96	0	0.41
NVNT	n40	2437	Ant1	98.96	0	0.41
NVNT	n40	2452	Ant1	99	0	0.41






Test Graphs

Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1






Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1








Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1






Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1






Duty Cycle NVNT n20 2462MHz Ant1




Duty Cycle NVNT n40 2422MHz Ant1






Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1





## B.8 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Correction Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-49.49	4.54	-	50.28	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-57.75	4.54	0	42.02	Average	54	Pass
NVNT	b	2412	Ant1	2387.22	-45.86	4.54	-	53.91	Peak	74	Pass
NVNT	b	2412	Ant1	2387.103	-54.59	4.54	0	45.18	Average	54	Pass
NVNT	b	2412	Ant1	2390	-47.03	4.54	-	52.74	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-55.86	4.54	0	43.91	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-45.53	4.54	-	54.24	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-55.39	4.54	0	44.38	Average	54	Pass
NVNT	b	2462	Ant1	2487.28	-44.49	4.54	-	55.28	Peak	74	Pass
NVNT	b	2462	Ant1	2488.022	-53.17	4.54	0	46.60	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.38	4.54	-	51.39	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-54.94	4.54	0	44.83	Average	54	Pass
NVNT	g	2412	Ant1	2310	-49.84	4.54	-	49.93	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-57.73	4.54	0	42.04	Average	54	Pass
NVNT	g	2412	Ant1	2389.209	-45.03	4.54	-	54.74	Peak	74	Pass
NVNT	g	2412	Ant1	2389.794	-54.08	4.54	0	45.69	Average	54	Pass
NVNT	g	2412	Ant1	2390	-47.01	4.54	-	52.76	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-54.59	4.54	0	45.18	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-44.87	4.54	-	54.90	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-53.98	4.54	0	45.79	Average	54	Pass
NVNT	g	2462	Ant1	2486.962	-42.33	4.54	-	57.44	Peak	74	Pass
NVNT	g	2462	Ant1	2483.729	-53.1	4.54	0	46.67	Average	54	Pass
NVNT	g	2462	Ant1	2500	-47.06	4.54	-	52.71	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-55.25	4.54	0	44.52	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-50.37	4.54	-	49.40	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-57.79	4.54	0.16	42.14	Average	54	Pass
NVNT	n20	2412	Ant1	2384.529	-45.11	4.54	-	54.66	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.443	-54.8	4.54	0.16	45.13	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-46.85	4.54	-	52.92	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-54.41	4.54	0.16	45.52	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-39.26	4.54	-	60.51	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-53.96	4.54	0	45.81	Average	54	Pass
NVNT	n20	2462	Ant1	2483.517	-39.26	4.54	-	60.51	Peak	74	Pass
NVNT	n20	2462	Ant1	2484.948	-53.54	4.54	0	46.23	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-47.22	4.54	-	52.55	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-55.04	4.54	0	44.73	Average	54	Pass





NVNT	n40	2422	Ant1	2310	-49.56	4.54	-	50.21	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-58.42	4.54	0	41.35	Average	54	Pass
NVNT	n40	2422	Ant1	2387.816	-40.01	4.54	-	59.76	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.52	-54.35	4.54	0	45.42	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-46.93	4.54	-	52.84	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-54.71	4.54	0	45.06	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-46.44	4.54	-	53.33	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-54.22	4.54	0	45.55	Average	54	Pass
NVNT	n40	2452	Ant1	2484.322	-38.23	4.54	-	61.54	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.776	-52.95	4.54	0	46.82	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-45.52	4.54	-	54.25	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-54.68	4.54	0	45.09	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average






Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average








Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average






Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average






Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average






Restrict Band NVNT n40 2422MHz Ant1 Peak




Restrict Band NVNT n40 2422MHz Ant1 Average





Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average

