





<p style="text-align: center;">Solder Board-Component View 4</p>	 A photograph showing a small green PCB component with a silver connector on top. The component is placed on a blue perforated surface. A black ruler with white markings is visible on the left and bottom, showing measurements in millimeters. The component is positioned between the 10mm and 20mm marks on the ruler.
<p style="text-align: center;">Solder Board-Component View 5</p>	 A photograph showing a larger green PCB component with various components and a connector. The component is placed on a blue perforated surface. A black ruler with white markings is visible on the left and bottom, showing measurements in millimeters. The component is positioned between the 10mm and 20mm marks on the ruler.

<p>Solder Board-Component View 6</p>	 <p>A photograph of a small green PCB component with several circular solder pads. The component is placed on a blue perforated surface. A black ruler with white markings is visible, showing measurements in millimeters. The ruler is oriented vertically on the left and horizontally at the bottom. The component is positioned between the 10mm and 50mm marks on the vertical ruler and between the 30mm and 70mm marks on the horizontal ruler.</p>
<p>Solder Board-Component View 7</p>	 <p>A photograph of a battery pack with two cells and a cable. The battery cells are white with black text: '-E8A1 102540 +3.7V 1000mAh UXX'. The battery is placed on a blue perforated surface. A black ruler with white markings is visible, showing measurements in millimeters. The ruler is oriented vertically on the left and horizontally at the bottom. The battery pack is positioned between the 10mm and 100mm marks on the vertical ruler and between the 30mm and 70mm marks on the horizontal ruler.</p>

