

Appendix B: Test Results of 5GHz Wi-Fi

APPENDIX B: TEST RESULTS OF 5GHZ WI-FI.....	1
APPENDIX B.1: TEST RESULTS OF MAXIMUM OUTPUT POWER.....	2
APPENDIX B.2: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	6
APPENDIX B.3: TEST RESULTS OF FREQUENCY STABILITY.....	58
APPENDIX B.4: TEST RESULTS OF 26DB BANDWIDTH.....	59
APPENDIX B.5: TEST RESULTS OF 99% BANDWIDTH.....	83
APPENDIX B.6: TEST RESULTS OF 6DB BANDWIDTH.....	107
APPENDIX B.7: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	113
30MHz - 1GHz (Worst case)	113
1GHz - 18GHz.....	115
APPENDIX B.8: TEST RESULTS OF DYNAMIC FREQUENCY SELECTION (DFS).....	241
DFS Detection Thresholds	241
Channel Move Time and Channel Closing Transmission Time	242
Non-Occupancy Period.....	243

Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 2 of 243

Appendix B.1: Test Results of Maximum output power

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	16.10	≤23.98	PASS
	Ant2	5180	9.34	≤23.98	PASS
	total	----	----	----	----
	Ant1	5220	16.19	≤23.98	PASS
	Ant2	5220	10.96	≤23.98	PASS
	total	----	----	----	----
	Ant1	5240	16.48	≤23.98	PASS
	Ant2	5240	10.35	≤23.98	PASS
	total	----	----	----	----
	Ant1	5260	16.06	≤23.98	PASS
	Ant2	5260	11.80	≤23.98	PASS
	total	----	----	----	----
	Ant1	5300	15.72	≤23.98	PASS
	Ant2	5300	11.43	≤23.98	PASS
	total	----	----	----	----
	Ant1	5320	16.25	≤23.98	PASS
	Ant2	5320	11.76	≤23.98	PASS
	total	----	----	----	----
	Ant1	5500	15.53	≤23.98	PASS
	Ant2	5500	12.10	≤23.98	PASS
	total	----	----	----	----
	Ant1	5580	15.21	≤23.98	PASS
	Ant2	5580	12.62	≤23.98	PASS
	total	----	----	----	----
	Ant1	5700	14.81	≤23.98	PASS
	Ant2	5700	11.22	≤23.98	PASS
	total	----	----	----	----
	Ant1	5720	15.13	≤23.98	PASS
	Ant2	5720	11.22	≤23.98	PASS
	total	----	----	----	----
	Ant1	5745	16.33	≤30.00	PASS
	Ant2	5745	11.12	≤30.00	PASS
	total	----	----	----	----
	Ant1	5785	16.38	≤30.00	PASS
	Ant2	5785	11.47	≤30.00	PASS
	total	----	----	----	----
	Ant1	5825	16.90	≤30.00	PASS
	Ant2	5825	11.85	≤30.00	PASS
	total	----	----	----	----
11N20MIMO	Ant1	5180	15.99	≤23.98	PASS
	Ant2	5180	9.38	≤23.98	PASS
	total	5180	16.85	≤23.98	PASS
	Ant1	5220	15.88	≤23.98	PASS
	Ant2	5220	9.49	≤23.98	PASS
	total	5220	16.78	≤23.98	PASS
	Ant1	5240	16.31	≤23.98	PASS
	Ant2	5240	10.12	≤23.98	PASS
	total	5240	17.25	≤23.98	PASS
	Ant1	5260	15.85	≤23.98	PASS
	Ant2	5260	11.53	≤23.98	PASS
	total	5260	17.22	≤23.98	PASS
	Ant1	5300	15.74	≤23.98	PASS
	Ant2	5300	11.30	≤23.98	PASS
	total	5300	17.07	≤23.98	PASS
	Ant1	5320	16.10	≤23.98	PASS
	Ant2	5320	11.53	≤23.98	PASS
	total	5320	17.40	≤23.98	PASS
	Ant1	5500	15.35	≤23.98	PASS

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 3 of 243

	Ant2	5500	11.86	≤23.98	PASS
	total	5500	16.96	≤23.98	PASS
	Ant1	5580	15.14	≤23.98	PASS
	Ant2	5580	12.43	≤23.98	PASS
	total	5580	17.00	≤23.98	PASS
	Ant1	5700	14.16	≤23.98	PASS
	Ant2	5700	10.47	≤23.98	PASS
	total	5700	15.71	≤23.98	PASS
	Ant1	5720	14.54	≤23.98	PASS
	Ant2	5720	10.53	≤23.98	PASS
	total	5720	15.99	≤23.98	PASS
	Ant1	5745	16.30	≤30.00	PASS
	Ant2	5745	11.83	≤30.00	PASS
	total	5745	17.63	≤30.00	PASS
	Ant1	5785	16.40	≤30.00	PASS
	Ant2	5785	11.31	≤30.00	PASS
	total	5785	17.57	≤30.00	PASS
	Ant1	5825	16.49	≤30.00	PASS
11N40MIMO	Ant2	5825	11.76	≤30.00	PASS
	total	5825	17.75	≤30.00	PASS
	Ant1	5190	16.57	≤23.98	PASS
	Ant2	5190	9.81	≤23.98	PASS
	total	5190	17.40	≤23.98	PASS
	Ant1	5230	15.88	≤23.98	PASS
	Ant2	5230	9.46	≤23.98	PASS
	total	5230	16.77	≤23.98	PASS
	Ant1	5270	16.64	≤23.98	PASS
	Ant2	5270	12.22	≤23.98	PASS
	total	5270	17.98	≤23.98	PASS
	Ant1	5310	16.12	≤23.98	PASS
	Ant2	5310	11.69	≤23.98	PASS
	total	5310	17.46	≤23.98	PASS
	Ant1	5510	15.96	≤23.98	PASS
	Ant2	5510	12.25	≤23.98	PASS
	total	5510	17.50	≤23.98	PASS
	Ant1	5550	14.64	≤23.98	PASS
	Ant2	5550	11.43	≤23.98	PASS
	total	5550	16.34	≤23.98	PASS
	Ant1	5670	14.47	≤23.98	PASS
	Ant2	5670	11.35	≤23.98	PASS
	total	5670	16.19	≤23.98	PASS
	Ant1	5710	14.88	≤23.98	PASS
	Ant2	5710	11.06	≤23.98	PASS
	total	5710	16.39	≤23.98	PASS
	Ant1	5755	16.57	≤30.00	PASS
	Ant2	5755	11.96	≤30.00	PASS
	total	5755	17.86	≤30.00	PASS
	Ant1	5795	17.14	≤30.00	PASS
	Ant2	5795	11.98	≤30.00	PASS
	total	5795	18.30	≤30.00	PASS
11AC20MIMO	Ant1	5180	16.00	≤23.98	PASS
	Ant2	5180	9.39	≤23.98	PASS
	total	5180	16.86	≤23.98	PASS
	Ant1	5220	15.90	≤23.98	PASS
	Ant2	5220	9.44	≤23.98	PASS
	total	5220	16.78	≤23.98	PASS
	Ant1	5240	16.44	≤23.98	PASS
	Ant2	5240	10.15	≤23.98	PASS
	total	5240	17.36	≤23.98	PASS
	Ant1	5260	16.20	≤23.98	PASS
	Ant2	5260	11.65	≤23.98	PASS
	total	5260	17.51	≤23.98	PASS
	Ant1	5300	15.54	≤23.98	PASS

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 4 of 243

	Ant2	5300	11.20	≤23.98	PASS
	total	5300	16.90	≤23.98	PASS
	Ant1	5320	16.18	≤23.98	PASS
	Ant2	5320	11.52	≤23.98	PASS
	total	5320	17.46	≤23.98	PASS
	Ant1	5500	15.37	≤23.98	PASS
	Ant2	5500	11.63	≤23.98	PASS
	total	5500	16.90	≤23.98	PASS
	Ant1	5580	15.00	≤23.98	PASS
	Ant2	5580	12.29	≤23.98	PASS
	total	5580	16.86	≤23.98	PASS
	Ant1	5700	14.13	≤23.98	PASS
	Ant2	5700	10.29	≤23.98	PASS
	total	5700	15.63	≤23.98	PASS
	Ant1	5720	14.46	≤23.98	PASS
	Ant2	5720	10.28	≤23.98	PASS
	total	5720	15.86	≤23.98	PASS
	Ant1	5745	16.09	≤30.00	PASS
	Ant2	5745	11.61	≤30.00	PASS
	total	5745	17.41	≤30.00	PASS
	Ant1	5785	16.26	≤30.00	PASS
	Ant2	5785	11.36	≤30.00	PASS
	total	5785	17.48	≤30.00	PASS
	Ant1	5825	16.67	≤30.00	PASS
	Ant2	5825	11.72	≤30.00	PASS
	total	5825	17.88	≤30.00	PASS
11AC40MIMO	Ant1	5190	16.65	≤23.98	PASS
	Ant2	5190	9.94	≤23.98	PASS
	total	5190	17.49	≤23.98	PASS
	Ant1	5230	15.92	≤23.98	PASS
	Ant2	5230	9.46	≤23.98	PASS
	total	5230	16.80	≤23.98	PASS
	Ant1	5270	16.65	≤23.98	PASS
	Ant2	5270	11.90	≤23.98	PASS
	total	5270	17.90	≤23.98	PASS
	Ant1	5310	16.10	≤23.98	PASS
	Ant2	5310	11.29	≤23.98	PASS
	total	5310	17.34	≤23.98	PASS
	Ant1	5510	15.86	≤23.98	PASS
	Ant2	5510	12.11	≤23.98	PASS
	total	5510	17.39	≤23.98	PASS
	Ant1	5550	14.59	≤23.98	PASS
	Ant2	5550	11.18	≤23.98	PASS
	total	5550	16.22	≤23.98	PASS
	Ant1	5670	14.37	≤23.98	PASS
	Ant2	5670	11.13	≤23.98	PASS
	total	5670	16.06	≤23.98	PASS
	Ant1	5710	14.94	≤23.98	PASS
	Ant2	5710	10.56	≤23.98	PASS
	total	5710	16.29	≤23.98	PASS
	Ant1	5755	16.66	≤30.00	PASS
	Ant2	5755	11.99	≤30.00	PASS
	total	5755	17.93	≤30.00	PASS
	Ant1	5795	17.15	≤30.00	PASS
	Ant2	5795	11.96	≤30.00	PASS
	total	5795	18.30	≤30.00	PASS
11AC80MIMO	Ant1	5210	16.47	≤23.98	PASS
	Ant2	5210	9.91	≤23.98	PASS
	total	5210	17.34	≤23.98	PASS
	Ant1	5290	15.21	≤23.98	PASS
	Ant2	5290	9.67	≤23.98	PASS
	total	5290	16.28	≤23.98	PASS
	Ant1	5530	15.12	≤23.98	PASS

Appendix B
CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 5 of 243

	Ant2	5530	10.97	≤23.98	PASS
	total	5530	16.53	≤23.98	PASS
	Ant1	5610	14.11	≤23.98	PASS
	Ant2	5610	10.82	≤23.98	PASS
	total	5610	15.78	≤23.98	PASS
	Ant1	5690	14.06	≤23.98	PASS
	Ant2	5690	10.31	≤23.98	PASS
	total	5690	15.59	≤23.98	PASS
	Ant1	5775	16.61	≤30.00	PASS
	Ant2	5775	11.52	≤30.00	PASS
	total	5775	17.78	≤30.00	PASS

Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 6 of 243

Appendix B.2: Test Results of Conducted Power Spectral Density

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	6.12	≤11.00	PASS
	Ant2	5180	0.45	≤11.00	PASS
	total	----	----	----	----
	Ant1	5220	5.78	≤11.00	PASS
	Ant2	5220	0.59	≤11.00	PASS
	total	----	----	----	----
	Ant1	5240	5.91	≤11.00	PASS
	Ant2	5240	0.38	≤11.00	PASS
	total	----	----	----	----
	Ant1	5260	5.51	≤11.00	PASS
	Ant2	5260	1.21	≤11.00	PASS
	total	----	----	----	----
	Ant1	5300	5.29	≤11.00	PASS
	Ant2	5300	1.04	≤11.00	PASS
	total	----	----	----	----
	Ant1	5320	5.95	≤11.00	PASS
	Ant2	5320	1.45	≤11.00	PASS
	total	----	----	----	----
	Ant1	5500	5.28	≤11.00	PASS
	Ant2	5500	2.07	≤11.00	PASS
	total	----	----	----	----
	Ant1	5580	5.39	≤11.00	PASS
	Ant2	5580	2.72	≤11.00	PASS
	total	----	----	----	----
	Ant1	5700	4.6	≤11.00	PASS
	Ant2	5700	1.46	≤11.00	PASS
	total	----	----	----	----
	Ant1	5720_UNII-2C	5.57	≤11.00	PASS
	Ant2	5720_UNII-2C	1.69	≤11.00	PASS
	total	----	----	----	----
	Ant1	5720_UNII-3	1.43	≤30.00	PASS
	Ant2	5720_UNII-3	-2.67	≤30.00	PASS
	total	----	----	----	----
	Ant1	5745	4.83	≤30.00	PASS
	Ant2	5745	0.02	≤30.00	PASS
	total	----	----	----	----
	Ant1	5785	3.87	≤30.00	PASS
	Ant2	5785	-1.06	≤30.00	PASS
	total	----	----	----	----
	Ant1	5825	4.62	≤30.00	PASS
	Ant2	5825	-0.17	≤30.00	PASS
	total	----	----	----	----
11N20MIMO	Ant1	5180	5.99	≤11.00	PASS
	Ant2	5180	-0.21	≤11.00	PASS
	total	5180	6.92	≤11.00	PASS
	Ant1	5220	5.01	≤11.00	PASS
	Ant2	5220	-1.44	≤11.00	PASS
	total	5220	5.90	≤11.00	PASS
	Ant1	5240	5.35	≤11.00	PASS
	Ant2	5240	-0.76	≤11.00	PASS
	total	5240	6.30	≤11.00	PASS
	Ant1	5260	4.57	≤11.00	PASS
	Ant2	5260	0.56	≤11.00	PASS
	total	5260	6.02	≤11.00	PASS
	Ant1	5300	4.72	≤11.00	PASS
	Ant2	5300	0.31	≤11.00	PASS
	total	5300	6.06	≤11.00	PASS
	Ant1	5320	5.35	≤11.00	PASS

Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 7 of 243

	Ant2	5320	0.67	≤11.00	PASS
	total	5320	6.62	≤11.00	PASS
	Ant1	5500	4.69	≤11.00	PASS
	Ant2	5500	1.11	≤11.00	PASS
	total	5500	6.27	≤11.00	PASS
	Ant1	5580	5.55	≤11.00	PASS
	Ant2	5580	2.24	≤11.00	PASS
	total	5580	7.21	≤11.00	PASS
	Ant1	5700	4.06	≤11.00	PASS
	Ant2	5700	0.49	≤11.00	PASS
	total	5700	5.64	≤11.00	PASS
	Ant1	5720 UNII-2C	5.11	≤11.00	PASS
	Ant2	5720 UNII-2C	0.76	≤11.00	PASS
	total	5720 UNII-2C	6.47	≤11.00	PASS
	Ant1	5720 UNII-3	0.62	≤30.00	PASS
	Ant2	5720 UNII-3	-2.97	≤30.00	PASS
	total	5720 UNII-3	2.20	≤11.00	PASS
	Ant1	5745	4.14	≤30.00	PASS
	Ant2	5745	0.09	≤30.00	PASS
	total	5745	5.58	≤30.00	PASS
	Ant1	5785	3.07	≤30.00	PASS
	Ant2	5785	-1.88	≤30.00	PASS
	total	5785	4.28	≤30.00	PASS
	Ant1	5825	3.3	≤30.00	PASS
	Ant2	5825	-0.93	≤30.00	PASS
	total	5825	4.69	≤30.00	PASS
11N40MIMO	Ant1	5190	3.48	≤11.00	PASS
	Ant2	5190	-2.94	≤11.00	PASS
	total	5190	4.37	≤11.00	PASS
	Ant1	5230	2.79	≤11.00	PASS
	Ant2	5230	-3.38	≤11.00	PASS
	total	5230	3.73	≤11.00	PASS
	Ant1	5270	2.85	≤11.00	PASS
	Ant2	5270	-1.52	≤11.00	PASS
	total	5270	4.20	≤11.00	PASS
	Ant1	5310	2.52	≤11.00	PASS
	Ant2	5310	-2.44	≤11.00	PASS
	total	5310	3.72	≤11.00	PASS
	Ant1	5510	2.92	≤11.00	PASS
	Ant2	5510	-1.09	≤11.00	PASS
	total	5510	4.37	≤11.00	PASS
	Ant1	5550	0.99	≤11.00	PASS
	Ant2	5550	-2.53	≤11.00	PASS
	total	5550	2.59	≤11.00	PASS
	Ant1	5670	1.87	≤11.00	PASS
	Ant2	5670	-0.48	≤11.00	PASS
	total	5670	3.84	≤11.00	PASS
	Ant1	5710 UNII-2C	2.19	≤11.00	PASS
	Ant2	5710 UNII-2C	-1.37	≤11.00	PASS
	total	5710 UNII-2C	3.78	≤11.00	PASS
	Ant1	5710 UNII-3	-1.76	≤30.00	PASS
	Ant2	5710 UNII-3	-6.41	≤30.00	PASS
	total	5710 UNII-3	-0.48	≤11.00	PASS
	Ant1	5755	1.1	≤30.00	PASS
	Ant2	5755	-2.98	≤30.00	PASS
	total	5755	2.53	≤30.00	PASS
	Ant1	5795	0.96	≤30.00	PASS
	Ant2	5795	-4.24	≤30.00	PASS
	total	5795	2.11	≤30.00	PASS
11AC20MIMO	Ant1	5180	5.72	≤11.00	PASS
	Ant2	5180	-0.38	≤11.00	PASS
	total	5180	6.67	≤11.00	PASS
	Ant1	5220	4.95	≤11.00	PASS

Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 8 of 243

	Ant2	5220	-1.34	≤11.00	PASS
	total	5220	5.87	≤11.00	PASS
	Ant1	5240	0.48	≤11.00	PASS
	Ant2	5240	-0.29	≤11.00	PASS
	total	5240	3.12	≤11.00	PASS
	Ant1	5260	5.85	≤11.00	PASS
	Ant2	5260	1.49	≤11.00	PASS
	total	5260	7.21	≤11.00	PASS
	Ant1	5300	4.87	≤11.00	PASS
	Ant2	5300	0.2	≤11.00	PASS
	total	5300	6.14	≤11.00	PASS
	Ant1	5320	-43.56	≤11.00	PASS
	Ant2	5320	1.94	≤11.00	PASS
	total	5320	1.94	≤11.00	PASS
	Ant1	5500	4.88	≤11.00	PASS
	Ant2	5500	1.15	≤11.00	PASS
	total	5500	6.41	≤11.00	PASS
	Ant1	5580	5.37	≤11.00	PASS
	Ant2	5580	2.26	≤11.00	PASS
	total	5580	7.10	≤11.00	PASS
	Ant1	5700	4.23	≤11.00	PASS
	Ant2	5700	0.41	≤11.00	PASS
	total	5700	5.74	≤11.00	PASS
	Ant1	5720 UNII-2C	5.09	≤11.00	PASS
	Ant2	5720 UNII-2C	0.59	≤11.00	PASS
	total	5720 UNII-2C	6.41	≤11.00	PASS
	Ant1	5720 UNII-3	0.69	≤30.00	PASS
	Ant2	5720 UNII-3	-3.18	≤30.00	PASS
	total	5720 UNII-3	2.18	≤11.00	PASS
	Ant1	5745	3.51	≤30.00	PASS
	Ant2	5745	-0.4	≤30.00	PASS
	total	5745	4.99	≤30.00	PASS
	Ant1	5785	3.16	≤30.00	PASS
	Ant2	5785	-1.55	≤30.00	PASS
	total	5785	4.42	≤30.00	PASS
	Ant1	5825	3.98	≤30.00	PASS
	Ant2	5825	-0.47	≤30.00	PASS
	total	5825	5.31	≤30.00	PASS
11AC40MIMO	Ant1	5190	3.54	≤11.00	PASS
	Ant2	5190	-2.65	≤11.00	PASS
	total	5190	4.48	≤11.00	PASS
	Ant1	5230	1.83	≤11.00	PASS
	Ant2	5230	-4.31	≤11.00	PASS
	total	5230	2.78	≤11.00	PASS
	Ant1	5270	2.86	≤11.00	PASS
	Ant2	5270	-1.68	≤11.00	PASS
	total	5270	4.17	≤11.00	PASS
	Ant1	5310	2.09	≤11.00	PASS
	Ant2	5310	-2.4	≤11.00	PASS
	total	5310	3.41	≤11.00	PASS
	Ant1	5510	3.14	≤11.00	PASS
	Ant2	5510	-0.91	≤11.00	PASS
	total	5510	4.58	≤11.00	PASS
	Ant1	5550	1.18	≤11.00	PASS
	Ant2	5550	-2.71	≤11.00	PASS
	total	5550	2.67	≤11.00	PASS
	Ant1	5670	1.74	≤11.00	PASS
	Ant2	5670	-0.88	≤11.00	PASS
	total	5670	3.63	≤11.00	PASS
	Ant1	5710 UNII-2C	1.71	≤11.00	PASS
	Ant2	5710 UNII-2C	-1.7	≤11.00	PASS
	total	5710 UNII-2C	3.34	≤11.00	PASS
	Ant1	5710 UNII-3	-2.06	≤30.00	PASS

Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 9 of 243

	Ant2	5710 UNII-3	-6.22	≤30.00	PASS
	total	5710 UNII-3	-0.65	≤11.00	PASS
	Ant1	5755	1.25	≤30.00	PASS
	Ant2	5755	-3.26	≤30.00	PASS
	total	5755	2.57	≤30.00	PASS
	Ant1	5795	1.18	≤30.00	PASS
	Ant2	5795	-3.88	≤30.00	PASS
	total	5795	2.36	≤30.00	PASS
11AC80MIMO	Ant1	5210	-0.53	≤11.00	PASS
	Ant2	5210	-6.7	≤11.00	PASS
	total	5210	0.41	≤11.00	PASS
	Ant1	5290	-1.59	≤11.00	PASS
	Ant2	5290	-6.78	≤11.00	PASS
	total	5290	-0.44	≤11.00	PASS
	Ant1	5530	-0.08	≤11.00	PASS
	Ant2	5530	-4.51	≤11.00	PASS
	total	5530	1.26	≤11.00	PASS
	Ant1	5610	-2.64	≤11.00	PASS
	Ant2	5610	-5.37	≤11.00	PASS
	total	5610	-0.78	≤11.00	PASS
	Ant1	5690 UNII-2C	-1.76	≤11.00	PASS
	Ant2	5690 UNII-2C	-5.38	≤11.00	PASS
	total	5690 UNII-2C	-0.19	≤11.00	PASS
	Ant1	5690 UNII-3	-5.37	≤30.00	PASS
	Ant2	5690 UNII-3	-9.05	≤30.00	PASS
	total	5690 UNII-3	-3.82	≤11.00	PASS
	Ant1	5775	-2.75	≤30.00	PASS
	Ant2	5775	-7.39	≤30.00	PASS
	total	5775	-1.47	≤30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.



Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 11 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 12 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 13 of 243



Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 14 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 15 of 243



11A Ant1 5700



11A Ant2 5700



11A Ant1 5720_UNII-2C

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 16 of 243



11A Ant2 5720 UNII-2C



11A Ant1 5720 UNII-3



11A Ant2 5720 UNII-3

Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 17 of 243



11A Ant1 5745



11A Ant2 5745



11A Ant1 5785

Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 18 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 19 of 243



11N20MIMO Ant1 5180



11N20MIMO Ant2 5180



11N20MIMO Ant1 5220

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 20 of 243



11N20MIMO Ant2 5220



11N20MIMO Ant1 5240



11N20MIMO Ant2 5240

Appendix B

CN22OSX9 003



TÜVRheinland®

Prüfbericht - Produkte

Test Report - Products

Page 21 of 243



Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 22 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 23 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products






11N20MIMO Ant2 5580



11N20MIMO Ant1 5700



11N20MIMO Ant2 5700



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 26 of 243



11N20MIMO_Ant2 5720 UNII-3



11N20MIMO_Ant1 5745



11N20MIMO_Ant2 5745


Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 27 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products


Page 28 of 243



11N20MIMO Ant2 5825



11N40MIMO Ant1 5190



11N40MIMO Ant2 5190

Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 29 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 30 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 31 of 243



11N40MIMO Ant1 5510



11N40MIMO Ant2 5510



11N40MIMO Ant1 5550

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 32 of 243



11N40MIMO Ant2 5550



11N40MIMO Ant1 5670




11N40MIMO Ant2 5670

Appendix B


CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products



11N40MIMO Ant1 5710 UNII-2C



11N40MIMO Ant2 5710 UNII-2C




11N40MIMO Ant1 5710 UNII-3

Appendix B


CN22OSX9 003




Prüfbericht - Produkte
Test Report - Products



11N40MIMO_Ant2_5710_UNII-3



11N40MIMO_Ant1_5755



11N40MIMO_Ant2_5755

Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 35 of 243



11N40MIMO Ant1 5795



11N40MIMO Ant2 5795



11AC20MIMO Ant1 5180

Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 36 of 243



Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products

Page 37 of 243



Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 38 of 243



11AC20MIMO_Ant2_5300

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 39 of 243



11AC20MIMO_Ant1 5320



11AC20MIMO_Ant2 5320



11AC20MIMO_Ant1 5500

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 40 of 243



11AC20MIMO_Ant2_5500



11AC20MIMO_Ant1_5580




11AC20MIMO_Ant2_5580

Appendix B

CN22OSX9 003



Prüfbericht - Produkte
Test Report - Products



Appendix B


CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 42 of 243



11AC20MIMO_Ant2 5720 UNII-2C



11AC20MIMO_Ant1 5720 UNII-3



11AC20MIMO_Ant2 5720 UNII-3

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 43 of 243



11AC20MIMO_Ant1_5745



11AC20MIMO_Ant2_5745



11AC20MIMO_Ant1_5785

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 44 of 243



11AC20MIMO_Ant2 5785



11AC20MIMO_Ant1 5825



11AC20MIMO_Ant2 5825

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 45 of 243



11AC40MIMO_Ant1_5190



11AC40MIMO_Ant2_5190



11AC40MIMO_Ant1_5230

Appendix B


CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 46 of 243



Appendix B


CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 47 of 243



11AC40MIMO_Ant1_5310



11AC40MIMO_Ant2_5310



11AC40MIMO_Ant1_5510

Page 48 of 243



11AC40MIMO_Ant2_5510



11AC40MIMO_Ant1_5550



11AC40MIMO_Ant2_5550

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 49 of 243



11AC40MIMO_Ant1_5670



11AC40MIMO_Ant2_5670



11AC40MIMO_Ant1_5710_UNII-2C

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 50 of 243



11AC40MIMO_Ant2 5710 UNII-2C



11AC40MIMO_Ant1 5710 UNII-3



11AC40MIMO_Ant2 5710 UNII-3

Appendix B

CN22OSX9 003



Prüfbericht - Produkte

Test Report - Products

Page 51 of 243



11AC40MIMO_Ant1 5755



11AC40MIMO_Ant2 5755



11AC40MIMO_Ant1 5795

Appendix B

CN22OSX9 003

Prüfbericht - Produkte
Test Report - Products

Page 52 of 243

