



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Portable Label Maker

Test Model: U10

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	 Joker Hu
Supervised by:	 Li Huan





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.999	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.023	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.036	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.291	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.281	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.295	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.291	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.292	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.01	0	0.01	21	Pass
NVNT	1-DH5	2441	Ant1	0.12	0	0.12	21	Pass
NVNT	1-DH5	2480	Ant1	0.02	0	0.02	21	Pass
NVNT	2-DH5	2402	Ant1	-0.24	0	-0.24	21	Pass
NVNT	2-DH5	2441	Ant1	-0.09	0	-0.09	21	Pass
NVNT	2-DH5	2480	Ant1	-0.23	0	-0.23	21	Pass
NVNT	3-DH5	2402	Ant1	-0.15	0	-0.15	21	Pass
NVNT	3-DH5	2441	Ant1	0.02	0	0.02	21	Pass
NVNT	3-DH5	2480	Ant1	-0.1	0	-0.1	21	Pass








Test Graphs



Power NVNT 1-DH5 2402MHz Ant1






Power NVNT 1-DH5 2441MHz Ant1













A.3 Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.01	2403.006	0.996	0.666	Pass
NVNT	2-DH5	Ant1	2401.836	2403.156	1.32	0.861	Pass
NVNT	3-DH5	Ant1	2402.01	2403.014	1.004	0.863	Pass






Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.881	276.576	96	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	297.155	103	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	352.214	122	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 2-DH5 2402MHz Ant1 One Burst



Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.87	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.58	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-54.27	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.67	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-53.86	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.47	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.32	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.49	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-53.31	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-51.85	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-57.21	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-56.18	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.7 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.99	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.16	-20	Pass
NVNT	1-DH5	2480	Ant1	-54.5	-20	Pass
NVNT	2-DH5	2402	Ant1	-52.99	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.65	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.78	-20	Pass
NVNT	3-DH5	2402	Ant1	-52.89	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.5	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.8	-20	Pass






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-47.53	2	49.73	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.41	2	37.85	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2358.48	-46.04	2	51.22	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2389.968	-58.9	2	38.36	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.69	2	47.57	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.97	2	38.29	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.73	2	48.53	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.5	2	38.76	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.936	-45.84	2	51.42	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.512	-58.5	2	38.76	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-47.92	2	49.34	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.77	2	38.49	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.05	2	48.21	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-59.48	2	37.78	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2351.856	-46.54	2	50.72	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2388.528	-58.87	2	38.39	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.82	2	47.44	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-59.04	2	38.22	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-47.46	2	49.8	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-58.64	2	38.62	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2494.84	-45.92	2	51.34	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2491.96	-58.53	2	38.73	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.48	2	48.78	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.87	2	38.39	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.06	2	46.2	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.31	2	37.95	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2370.384	-46.87	2	50.39	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2388.816	-58.83	2	38.43	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.53	2	48.73	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-59.08	2	38.18	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-48.17	2	49.09	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.69	2	38.57	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2491.888	-46.01	2	51.25	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.016	-58.57	2	38.69	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.31	2	47.95	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.77	2	38.49	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

