

1. Effective (Isotropic) Radiated Power Output Data

1.1 B2_1.4MHz_EIRP

1.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.53	-1.72	21.81	<=33.01	Pass
			2	23.50	-1.72	21.78	<=33.01	Pass
			5	23.56	-1.72	21.84	<=33.01	Pass
		3	0	22.87	-1.72	21.15	<=33.01	Pass
			2	22.87	-1.72	21.15	<=33.01	Pass
			3	22.81	-1.72	21.09	<=33.01	Pass
		6	0	22.52	-1.72	20.80	<=33.01	Pass
	1880	1	0	23.42	-1.72	21.70	<=33.01	Pass
			2	23.31	-1.72	21.59	<=33.01	Pass
			5	23.40	-1.72	21.68	<=33.01	Pass
		3	0	22.81	-1.72	21.09	<=33.01	Pass
			2	22.94	-1.72	21.22	<=33.01	Pass
			3	22.84	-1.72	21.12	<=33.01	Pass
		6	0	22.36	-1.72	20.64	<=33.01	Pass
	1909.3	1	0	23.15	-1.72	21.43	<=33.01	Pass
			2	23.12	-1.72	21.40	<=33.01	Pass
			5	22.98	-1.72	21.26	<=33.01	Pass
		3	0	22.82	-1.72	21.10	<=33.01	Pass
			2	22.89	-1.72	21.17	<=33.01	Pass
			3	22.91	-1.72	21.19	<=33.01	Pass
		6	0	22.02	-1.72	20.30	<=33.01	Pass
16QAM	1850.7	1	0	22.55	-1.72	20.83	<=33.01	Pass
			2	22.62	-1.72	20.90	<=33.01	Pass
			5	22.56	-1.72	20.84	<=33.01	Pass
		3	0	21.93	-1.72	20.21	<=33.01	Pass
			2	21.92	-1.72	20.20	<=33.01	Pass
			3	21.92	-1.72	20.20	<=33.01	Pass
		6	0	20.95	-1.72	19.23	<=33.01	Pass
	1880	1	0	22.26	-1.72	20.54	<=33.01	Pass
			2	22.20	-1.72	20.48	<=33.01	Pass
			5	22.27	-1.72	20.55	<=33.01	Pass
		3	0	21.74	-1.72	20.02	<=33.01	Pass
			2	21.88	-1.72	20.16	<=33.01	Pass
			3	21.78	-1.72	20.06	<=33.01	Pass
		6	0	20.85	-1.72	19.13	<=33.01	Pass
	1909.3	1	0	21.67	-1.72	19.95	<=33.01	Pass
			2	21.60	-1.72	19.88	<=33.01	Pass
			5	21.60	-1.72	19.88	<=33.01	Pass
		3	0	21.91	-1.72	20.19	<=33.01	Pass
			2	21.96	-1.72	20.24	<=33.01	Pass
			3	21.85	-1.72	20.13	<=33.01	Pass
		6	0	20.88	-1.72	19.16	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.2 B2_3MHz_EIRP

1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1851.5	1	0	23.35	-1.72	21.63	<=33.01	Pass	
			7	23.33	-1.72	21.61	<=33.01	Pass	
			14	23.23	-1.72	21.51	<=33.01	Pass	
		8	0	22.43	-1.72	20.71	<=33.01	Pass	
			4	22.38	-1.72	20.66	<=33.01	Pass	
			7	22.38	-1.72	20.66	<=33.01	Pass	
		15	0	21.87	-1.72	20.15	<=33.01	Pass	
		1880	1	0	22.78	-1.72	21.06	<=33.01	Pass
				7	22.81	-1.72	21.09	<=33.01	Pass
	14			22.90	-1.72	21.18	<=33.01	Pass	
	8		0	21.84	-1.72	20.12	<=33.01	Pass	
			4	21.89	-1.72	20.17	<=33.01	Pass	
			7	21.94	-1.72	20.22	<=33.01	Pass	
	15	0	21.85	-1.72	20.13	<=33.01	Pass		
	1908.5	1	0	23.22	-1.72	21.50	<=33.01	Pass	
			7	23.16	-1.72	21.44	<=33.01	Pass	
			14	22.64	-1.72	20.92	<=33.01	Pass	
		8	0	22.09	-1.72	20.37	<=33.01	Pass	
			4	22.13	-1.72	20.41	<=33.01	Pass	
			7	22.04	-1.72	20.32	<=33.01	Pass	
		15	0	21.87	-1.72	20.15	<=33.01	Pass	
16QAM		1851.5	1	0	22.72	-1.72	21.00	<=33.01	Pass
				7	22.65	-1.72	20.93	<=33.01	Pass
	14			22.61	-1.72	20.89	<=33.01	Pass	
	8		0	21.57	-1.72	19.85	<=33.01	Pass	
			4	21.55	-1.72	19.83	<=33.01	Pass	
			7	21.64	-1.72	19.92	<=33.01	Pass	
	15		0	20.92	-1.72	19.20	<=33.01	Pass	
	1880		1	0	22.42	-1.72	20.70	<=33.01	Pass
				7	22.40	-1.72	20.68	<=33.01	Pass
		14		22.41	-1.72	20.69	<=33.01	Pass	
		8	0	21.04	-1.72	19.32	<=33.01	Pass	
			4	21.10	-1.72	19.38	<=33.01	Pass	
			7	21.12	-1.72	19.40	<=33.01	Pass	
	15	0	20.88	-1.72	19.16	<=33.01	Pass		
	1908.5	1	0	22.08	-1.72	20.36	<=33.01	Pass	
			7	22.03	-1.72	20.31	<=33.01	Pass	
			14	21.99	-1.72	20.27	<=33.01	Pass	
		8	0	21.34	-1.72	19.62	<=33.01	Pass	
			4	21.33	-1.72	19.61	<=33.01	Pass	
			7	21.29	-1.72	19.57	<=33.01	Pass	
		15	0	20.77	-1.72	19.05	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.3 B2_5MHz_EIRP

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1852.5	1	0	23.36	-1.72	21.64	<=33.01	Pass	
			13	23.35	-1.72	21.63	<=33.01	Pass	
			24	23.35	-1.72	21.63	<=33.01	Pass	
		12	0	22.39	-1.72	20.67	<=33.01	Pass	
			6	22.47	-1.72	20.75	<=33.01	Pass	
			13	22.40	-1.72	20.68	<=33.01	Pass	
		25	0	21.39	-1.72	19.67	<=33.01	Pass	
		1880	1	0	22.91	-1.72	21.19	<=33.01	Pass
				13	22.96	-1.72	21.24	<=33.01	Pass
	24			22.92	-1.72	21.20	<=33.01	Pass	
	12		0	22.24	-1.72	20.52	<=33.01	Pass	
			6	22.10	-1.72	20.38	<=33.01	Pass	
			13	22.26	-1.72	20.54	<=33.01	Pass	
	25	0	21.44	-1.72	19.72	<=33.01	Pass		
	1907.5	1	0	23.11	-1.72	21.39	<=33.01	Pass	
			13	22.96	-1.72	21.24	<=33.01	Pass	
			24	22.77	-1.72	21.05	<=33.01	Pass	
		12	0	22.21	-1.72	20.49	<=33.01	Pass	
			6	22.17	-1.72	20.45	<=33.01	Pass	
			13	22.07	-1.72	20.35	<=33.01	Pass	
		25	0	21.13	-1.72	19.41	<=33.01	Pass	
16QAM	1852.5	1	0	22.19	-1.72	20.47	<=33.01	Pass	
			13	22.22	-1.72	20.50	<=33.01	Pass	
			24	22.21	-1.72	20.49	<=33.01	Pass	
		12	0	21.49	-1.72	19.77	<=33.01	Pass	
			6	21.56	-1.72	19.84	<=33.01	Pass	
			13	21.49	-1.72	19.77	<=33.01	Pass	
		25	0	20.54	-1.72	18.82	<=33.01	Pass	
	1880	1	0	22.09	-1.72	20.37	<=33.01	Pass	
			13	22.06	-1.72	20.34	<=33.01	Pass	
			24	22.18	-1.72	20.46	<=33.01	Pass	
		12	0	21.00	-1.72	19.28	<=33.01	Pass	
			6	20.94	-1.72	19.22	<=33.01	Pass	
			13	21.00	-1.72	19.28	<=33.01	Pass	
	25	0	20.89	-1.72	19.17	<=33.01	Pass		
	1907.5	1	0	22.34	-1.72	20.62	<=33.01	Pass	
			13	22.19	-1.72	20.47	<=33.01	Pass	
			24	22.09	-1.72	20.37	<=33.01	Pass	
		12	0	21.31	-1.72	19.59	<=33.01	Pass	
			6	21.23	-1.72	19.51	<=33.01	Pass	
			13	21.15	-1.72	19.43	<=33.01	Pass	
		25	0	20.29	-1.72	18.57	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.4 B2_10MHz_EIRP

1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.41	-1.72	21.69	<=33.01	Pass
			25	23.33	-1.72	21.61	<=33.01	Pass
			49	23.36	-1.72	21.64	<=33.01	Pass
		25	0	22.38	-1.72	20.66	<=33.01	Pass
			13	22.50	-1.72	20.78	<=33.01	Pass
			25	22.44	-1.72	20.72	<=33.01	Pass
		50	0	21.57	-1.72	19.85	<=33.01	Pass
	1880	1	0	23.06	-1.72	21.34	<=33.01	Pass
			25	22.92	-1.72	21.20	<=33.01	Pass
			49	22.99	-1.72	21.27	<=33.01	Pass
		25	0	21.97	-1.72	20.25	<=33.01	Pass
			13	21.98	-1.72	20.26	<=33.01	Pass
			25	22.05	-1.72	20.33	<=33.01	Pass
		50	0	21.74	-1.72	20.02	<=33.01	Pass
	1905	1	0	23.42	-1.72	21.70	<=33.01	Pass
			25	23.24	-1.72	21.52	<=33.01	Pass
			49	22.69	-1.72	20.97	<=33.01	Pass
		25	0	22.29	-1.72	20.57	<=33.01	Pass
			13	22.19	-1.72	20.47	<=33.01	Pass
			25	22.14	-1.72	20.42	<=33.01	Pass
		50	0	21.19	-1.72	19.47	<=33.01	Pass
16QAM	1855	1	0	22.81	-1.72	21.09	<=33.01	Pass
			25	22.75	-1.72	21.03	<=33.01	Pass
			49	22.76	-1.72	21.04	<=33.01	Pass
		25	0	21.57	-1.72	19.85	<=33.01	Pass
			13	21.56	-1.72	19.84	<=33.01	Pass
			25	21.52	-1.72	19.80	<=33.01	Pass
		50	0	20.54	-1.72	18.82	<=33.01	Pass
	1880	1	0	22.22	-1.72	20.50	<=33.01	Pass
			25	22.16	-1.72	20.44	<=33.01	Pass
			49	22.29	-1.72	20.57	<=33.01	Pass
		25	0	21.11	-1.72	19.39	<=33.01	Pass
			13	21.12	-1.72	19.40	<=33.01	Pass
			25	21.11	-1.72	19.39	<=33.01	Pass
		50	0	20.09	-1.72	18.37	<=33.01	Pass
	1905	1	0	22.31	-1.72	20.59	<=33.01	Pass
			25	22.16	-1.72	20.44	<=33.01	Pass
			49	22.08	-1.72	20.36	<=33.01	Pass
		25	0	21.48	-1.72	19.76	<=33.01	Pass
			13	21.42	-1.72	19.70	<=33.01	Pass
			25	21.35	-1.72	19.63	<=33.01	Pass
		50	0	20.27	-1.72	18.55	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.5 B2_15MHz_EIRP

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.40	-1.72	21.68	<=33.01	Pass
			38	23.22	-1.72	21.50	<=33.01	Pass
			74	23.03	-1.72	21.31	<=33.01	Pass
		36	0	22.44	-1.72	20.72	<=33.01	Pass
			18	22.44	-1.72	20.72	<=33.01	Pass
			39	22.44	-1.72	20.72	<=33.01	Pass
		75	0	21.36	-1.72	19.64	<=33.01	Pass
	1880	1	0	22.98	-1.72	21.26	<=33.01	Pass
			38	22.88	-1.72	21.16	<=33.01	Pass
			74	23.02	-1.72	21.30	<=33.01	Pass
		36	0	21.90	-1.72	20.18	<=33.01	Pass
			18	21.85	-1.72	20.13	<=33.01	Pass
			39	21.99	-1.72	20.27	<=33.01	Pass
		75	0	20.94	-1.72	19.22	<=33.01	Pass
	1902.5	1	0	23.29	-1.72	21.57	<=33.01	Pass
			38	23.22	-1.72	21.50	<=33.01	Pass
			74	22.94	-1.72	21.22	<=33.01	Pass
		36	0	22.28	-1.72	20.56	<=33.01	Pass
			18	22.27	-1.72	20.55	<=33.01	Pass
			39	22.13	-1.72	20.41	<=33.01	Pass
		75	0	21.21	-1.72	19.49	<=33.01	Pass
16QAM	1857.5	1	0	22.75	-1.72	21.03	<=33.01	Pass
			38	22.69	-1.72	20.97	<=33.01	Pass
			74	22.77	-1.72	21.05	<=33.01	Pass
		36	0	21.49	-1.72	19.77	<=33.01	Pass
			18	21.51	-1.72	19.79	<=33.01	Pass
			39	21.42	-1.72	19.70	<=33.01	Pass
		75	0	20.50	-1.72	18.78	<=33.01	Pass
	1880	1	0	22.20	-1.72	20.48	<=33.01	Pass
			38	22.25	-1.72	20.53	<=33.01	Pass
			74	22.47	-1.72	20.75	<=33.01	Pass
		36	0	21.06	-1.72	19.34	<=33.01	Pass
			18	21.02	-1.72	19.30	<=33.01	Pass
			39	21.07	-1.72	19.35	<=33.01	Pass
		75	0	20.08	-1.72	18.36	<=33.01	Pass
	1902.5	1	0	22.64	-1.72	20.92	<=33.01	Pass
			38	22.62	-1.72	20.90	<=33.01	Pass
			74	22.10	-1.72	20.38	<=33.01	Pass
		36	0	21.37	-1.72	19.65	<=33.01	Pass
			18	21.27	-1.72	19.55	<=33.01	Pass
			39	21.25	-1.72	19.53	<=33.01	Pass
		75	0	20.28	-1.72	18.56	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.29	-1.72	21.57	<=33.01	Pass
			50	22.75	-1.72	21.03	<=33.01	Pass
			99	23.11	-1.72	21.39	<=33.01	Pass
		50	0	22.44	-1.72	20.72	<=33.01	Pass
			25	22.42	-1.72	20.70	<=33.01	Pass
			50	22.26	-1.72	20.54	<=33.01	Pass
		100	0	21.41	-1.72	19.69	<=33.01	Pass
	1880	1	0	22.95	-1.72	21.23	<=33.01	Pass
			50	22.82	-1.72	21.10	<=33.01	Pass
			99	23.08	-1.72	21.36	<=33.01	Pass
		50	0	21.94	-1.72	20.22	<=33.01	Pass
			25	22.03	-1.72	20.31	<=33.01	Pass
			50	22.04	-1.72	20.32	<=33.01	Pass
		100	0	21.36	-1.72	19.64	<=33.01	Pass
	1900	1	0	23.39	-1.72	21.67	<=33.01	Pass
			50	22.96	-1.72	21.24	<=33.01	Pass
			99	22.82	-1.72	21.10	<=33.01	Pass
		50	0	22.39	-1.72	20.67	<=33.01	Pass
			25	22.22	-1.72	20.50	<=33.01	Pass
			50	22.18	-1.72	20.46	<=33.01	Pass
		100	0	21.30	-1.72	19.58	<=33.01	Pass
16QAM	1860	1	0	22.50	-1.72	20.78	<=33.01	Pass
			50	22.41	-1.72	20.69	<=33.01	Pass
			99	22.18	-1.72	20.46	<=33.01	Pass
		50	0	21.50	-1.72	19.78	<=33.01	Pass
			25	21.53	-1.72	19.81	<=33.01	Pass
			50	21.38	-1.72	19.66	<=33.01	Pass
		100	0	20.44	-1.72	18.72	<=33.01	Pass
	1880	1	0	21.89	-1.72	20.17	<=33.01	Pass
			50	21.86	-1.72	20.14	<=33.01	Pass
			99	22.16	-1.72	20.44	<=33.01	Pass
		50	0	21.02	-1.72	19.30	<=33.01	Pass
			25	21.01	-1.72	19.29	<=33.01	Pass
			50	21.18	-1.72	19.46	<=33.01	Pass
		100	0	20.06	-1.72	18.34	<=33.01	Pass
	1900	1	0	22.75	-1.72	21.03	<=33.01	Pass
			50	22.92	-1.72	21.20	<=33.01	Pass
			99	22.38	-1.72	20.66	<=33.01	Pass
		50	0	21.35	-1.72	19.63	<=33.01	Pass
			25	21.35	-1.72	19.63	<=33.01	Pass
			50	21.21	-1.72	19.49	<=33.01	Pass
		100	0	20.31	-1.72	18.59	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Effective (Isotropic) Radiated Power Output Data

2.1 B4_1.4MHz_EIRP

2.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.93	-1.63	22.30	<=30	Pass
			2	23.98	-1.63	22.35	<=30	Pass
			5	23.96	-1.63	22.33	<=30	Pass
		3	0	23.07	-1.63	21.44	<=30	Pass
			2	23.09	-1.63	21.46	<=30	Pass
			3	23.01	-1.63	21.38	<=30	Pass
		6	0	21.89	-1.63	20.26	<=30	Pass
	1732.5	1	0	24.04	-1.63	22.41	<=30	Pass
			2	24.08	-1.63	22.45	<=30	Pass
			5	24.09	-1.63	22.46	<=30	Pass
		3	0	23.27	-1.63	21.64	<=30	Pass
			2	23.26	-1.63	21.63	<=30	Pass
			3	23.25	-1.63	21.62	<=30	Pass
		6	0	22.15	-1.63	20.52	<=30	Pass
	1754.3	1	0	24.28	-1.63	22.65	<=30	Pass
			2	24.17	-1.63	22.54	<=30	Pass
			5	24.15	-1.63	22.52	<=30	Pass
		3	0	23.04	-1.63	21.41	<=30	Pass
			2	23.12	-1.63	21.49	<=30	Pass
			3	23.06	-1.63	21.43	<=30	Pass
		6	0	22.13	-1.63	20.50	<=30	Pass
16QAM	1710.7	1	0	23.02	-1.63	21.39	<=30	Pass
			2	23.05	-1.63	21.42	<=30	Pass
			5	23.04	-1.63	21.41	<=30	Pass
		3	0	22.34	-1.63	20.71	<=30	Pass
			2	22.41	-1.63	20.78	<=30	Pass
			3	22.42	-1.63	20.79	<=30	Pass
		6	0	21.02	-1.63	19.39	<=30	Pass
	1732.5	1	0	23.33	-1.63	21.70	<=30	Pass
			2	23.31	-1.63	21.68	<=30	Pass
			5	23.31	-1.63	21.68	<=30	Pass
		3	0	22.33	-1.63	20.70	<=30	Pass
			2	22.38	-1.63	20.75	<=30	Pass
			3	22.37	-1.63	20.74	<=30	Pass
		6	0	21.35	-1.63	19.72	<=30	Pass
	1754.3	1	0	23.39	-1.63	21.76	<=30	Pass
			2	23.28	-1.63	21.65	<=30	Pass
			5	23.41	-1.63	21.78	<=30	Pass
		3	0	22.41	-1.63	20.78	<=30	Pass
			2	22.45	-1.63	20.82	<=30	Pass
			3	22.44	-1.63	20.81	<=30	Pass
		6	0	21.28	-1.63	19.65	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.2 B4_3MHz_EIRP

2.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.92	-1.63	22.29	<=30	Pass
			7	23.89	-1.63	22.26	<=30	Pass
			14	23.89	-1.63	22.26	<=30	Pass
		8	0	22.97	-1.63	21.34	<=30	Pass
			4	22.92	-1.63	21.29	<=30	Pass
			7	22.90	-1.63	21.27	<=30	Pass
		15	0	21.99	-1.63	20.36	<=30	Pass
	1732.5	1	0	24.08	-1.63	22.45	<=30	Pass
			7	24.06	-1.63	22.43	<=30	Pass
			14	24.06	-1.63	22.43	<=30	Pass
		8	0	23.13	-1.63	21.50	<=30	Pass
			4	23.12	-1.63	21.49	<=30	Pass
			7	23.17	-1.63	21.54	<=30	Pass
		15	0	22.08	-1.63	20.45	<=30	Pass
	1753.5	1	0	24.32	-1.63	22.69	<=30	Pass
			7	24.31	-1.63	22.68	<=30	Pass
			14	24.29	-1.63	22.66	<=30	Pass
		8	0	23.11	-1.63	21.48	<=30	Pass
			4	23.15	-1.63	21.52	<=30	Pass
			7	23.10	-1.63	21.47	<=30	Pass
		15	0	22.07	-1.63	20.44	<=30	Pass
16QAM	1711.5	1	0	23.37	-1.63	21.74	<=30	Pass
			7	23.36	-1.63	21.73	<=30	Pass
			14	23.38	-1.63	21.75	<=30	Pass
		8	0	22.31	-1.63	20.68	<=30	Pass
			4	22.33	-1.63	20.70	<=30	Pass
			7	22.32	-1.63	20.69	<=30	Pass
		15	0	21.11	-1.63	19.48	<=30	Pass
	1732.5	1	0	23.31	-1.63	21.68	<=30	Pass
			7	23.35	-1.63	21.72	<=30	Pass
			14	23.26	-1.63	21.63	<=30	Pass
		8	0	22.28	-1.63	20.65	<=30	Pass
			4	22.29	-1.63	20.66	<=30	Pass
			7	22.29	-1.63	20.66	<=30	Pass
		15	0	21.25	-1.63	19.62	<=30	Pass
	1753.5	1	0	23.35	-1.63	21.72	<=30	Pass
			7	23.35	-1.63	21.72	<=30	Pass
			14	23.31	-1.63	21.68	<=30	Pass
		8	0	22.46	-1.63	20.83	<=30	Pass
			4	22.39	-1.63	20.76	<=30	Pass
			7	22.35	-1.63	20.72	<=30	Pass
		15	0	21.23	-1.63	19.60	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.3 B4_5MHz_EIRP

2.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1712.5	1	0	24.00	-1.63	22.37	<=30	Pass	
			13	23.95	-1.63	22.32	<=30	Pass	
			24	23.97	-1.63	22.34	<=30	Pass	
		12	0	23.03	-1.63	21.40	<=30	Pass	
			6	23.11	-1.63	21.48	<=30	Pass	
			13	23.02	-1.63	21.39	<=30	Pass	
		25	0	21.99	-1.63	20.36	<=30	Pass	
		1732.5	1	0	24.12	-1.63	22.49	<=30	Pass
				13	24.12	-1.63	22.49	<=30	Pass
	24			23.82	-1.63	22.19	<=30	Pass	
	12		0	23.16	-1.63	21.53	<=30	Pass	
			6	23.19	-1.63	21.56	<=30	Pass	
			13	23.18	-1.63	21.55	<=30	Pass	
	25	0	22.18	-1.63	20.55	<=30	Pass		
	1752.5	1	0	24.04	-1.63	22.41	<=30	Pass	
			13	23.76	-1.63	22.13	<=30	Pass	
			24	23.86	-1.63	22.23	<=30	Pass	
		12	0	23.14	-1.63	21.51	<=30	Pass	
			6	23.03	-1.63	21.40	<=30	Pass	
			13	23.12	-1.63	21.49	<=30	Pass	
		25	0	22.13	-1.63	20.50	<=30	Pass	
16QAM		1712.5	1	0	22.31	-1.63	20.68	<=30	Pass
				13	22.27	-1.63	20.64	<=30	Pass
	24			22.32	-1.63	20.69	<=30	Pass	
	12		0	22.14	-1.63	20.51	<=30	Pass	
			6	22.11	-1.63	20.48	<=30	Pass	
			13	22.13	-1.63	20.50	<=30	Pass	
	25		0	21.17	-1.63	19.54	<=30	Pass	
	1732.5	1	0	23.25	-1.63	21.62	<=30	Pass	
			13	23.26	-1.63	21.63	<=30	Pass	
			24	23.23	-1.63	21.60	<=30	Pass	
		12	0	22.16	-1.63	20.53	<=30	Pass	
			6	22.22	-1.63	20.59	<=30	Pass	
			13	22.21	-1.63	20.58	<=30	Pass	
	25	0	21.22	-1.63	19.59	<=30	Pass		
	1752.5	1	0	23.24	-1.63	21.61	<=30	Pass	
			13	23.21	-1.63	21.58	<=30	Pass	
			24	23.24	-1.63	21.61	<=30	Pass	
		12	0	22.18	-1.63	20.55	<=30	Pass	
			6	22.24	-1.63	20.61	<=30	Pass	
			13	22.20	-1.63	20.57	<=30	Pass	
		25	0	21.35	-1.63	19.72	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2.4 B4_10MHz_EIRP

2.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.55	-1.63	21.92	<=30	Pass
			25	23.60	-1.63	21.97	<=30	Pass
			49	23.56	-1.63	21.93	<=30	Pass
		25	0	23.09	-1.63	21.46	<=30	Pass
			13	23.02	-1.63	21.39	<=30	Pass
			25	23.11	-1.63	21.48	<=30	Pass
		50	0	22.06	-1.63	20.43	<=30	Pass
	1732.5	1	0	23.80	-1.63	22.17	<=30	Pass
			25	23.81	-1.63	22.18	<=30	Pass
			49	23.80	-1.63	22.17	<=30	Pass
		25	0	23.16	-1.63	21.53	<=30	Pass
			13	23.15	-1.63	21.52	<=30	Pass
			25	23.14	-1.63	21.51	<=30	Pass
		50	0	22.22	-1.63	20.59	<=30	Pass
	1750	1	0	23.82	-1.63	22.19	<=30	Pass
			25	23.77	-1.63	22.14	<=30	Pass
			49	23.75	-1.63	22.12	<=30	Pass
		25	0	23.12	-1.63	21.49	<=30	Pass
			13	23.10	-1.63	21.47	<=30	Pass
			25	23.09	-1.63	21.46	<=30	Pass
		50	0	22.07	-1.63	20.44	<=30	Pass
16QAM	1715	1	0	23.03	-1.63	21.40	<=30	Pass
			25	23.12	-1.63	21.49	<=30	Pass
			49	23.09	-1.63	21.46	<=30	Pass
		25	0	22.07	-1.63	21.44	<=30	Pass
			13	22.04	-1.63	21.41	<=30	Pass
			25	22.02	-1.63	20.39	<=30	Pass
		50	0	21.08	-1.63	19.45	<=30	Pass
	1732.5	1	0	23.18	-1.63	21.55	<=30	Pass
			25	23.15	-1.63	21.52	<=30	Pass
			49	23.17	-1.63	21.54	<=30	Pass
		25	0	22.14	-1.63	20.51	<=30	Pass
			13	22.22	-1.63	20.59	<=30	Pass
			25	22.20	-1.63	20.57	<=30	Pass
		50	0	21.18	-1.63	19.55	<=30	Pass
	1750	1	0	23.06	-1.63	21.43	<=30	Pass
			25	23.04	-1.63	21.41	<=30	Pass
			49	23.16	-1.63	21.53	<=30	Pass
		25	0	22.15	-1.63	20.52	<=30	Pass
			13	22.17	-1.63	20.54	<=30	Pass
			25	22.13	-1.63	20.50	<=30	Pass
		50	0	21.11	-1.63	19.48	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.5 B4_15MHz_EIRP

2.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.97	-1.63	22.34	<=30	Pass
			38	23.99	-1.63	22.36	<=30	Pass
			74	24.00	-1.63	22.37	<=30	Pass
		36	0	23.10	-1.63	21.47	<=30	Pass
			18	23.11	-1.63	21.48	<=30	Pass
			39	22.90	-1.63	21.27	<=30	Pass
		75	0	22.02	-1.63	20.39	<=30	Pass
	1732.5	1	0	24.07	-1.63	22.44	<=30	Pass
			38	24.14	-1.63	22.51	<=30	Pass
			74	24.20	-1.63	22.57	<=30	Pass
		36	0	23.01	-1.63	21.38	<=30	Pass
			18	23.20	-1.63	21.57	<=30	Pass
			39	23.11	-1.63	21.48	<=30	Pass
		75	0	22.13	-1.63	20.50	<=30	Pass
	1747.5	1	0	24.24	-1.63	22.61	<=30	Pass
			38	24.22	-1.63	22.59	<=30	Pass
			74	24.18	-1.63	22.55	<=30	Pass
		36	0	23.25	-1.63	21.62	<=30	Pass
			18	23.24	-1.63	21.61	<=30	Pass
			39	23.16	-1.63	21.53	<=30	Pass
		75	0	22.16	-1.63	20.53	<=30	Pass
16QAM	1717.5	1	0	23.47	-1.63	21.84	<=30	Pass
			38	23.48	-1.63	21.85	<=30	Pass
			74	23.36	-1.63	21.73	<=30	Pass
		36	0	22.15	-1.63	20.52	<=30	Pass
			18	22.02	-1.63	20.39	<=30	Pass
			39	22.03	-1.63	20.40	<=30	Pass
		75	0	21.98	-1.63	20.35	<=30	Pass
	1732.5	1	0	23.36	-1.63	21.73	<=30	Pass
			38	23.48	-1.63	21.85	<=30	Pass
			74	23.32	-1.63	21.69	<=30	Pass
		36	0	22.19	-1.63	20.56	<=30	Pass
			18	22.15	-1.63	20.52	<=30	Pass
			39	22.25	-1.63	20.62	<=30	Pass
		75	0	21.15	-1.63	19.52	<=30	Pass
	1747.5	1	0	23.34	-1.63	21.71	<=30	Pass
			38	23.20	-1.63	21.57	<=30	Pass
			74	23.21	-1.63	21.58	<=30	Pass
		36	0	22.44	-1.63	20.81	<=30	Pass
			18	22.33	-1.63	20.70	<=30	Pass
			39	22.36	-1.63	20.73	<=30	Pass
		75	0	21.26	-1.63	19.63	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.6 B4_20MHz_EIRP

2.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	24.28	-1.63	22.65	<=30	Pass
			50	24.21	-1.63	22.58	<=30	Pass
			99	24.30	-1.63	22.67	<=30	Pass
		50	0	23.08	-1.63	21.45	<=30	Pass
			25	23.11	-1.63	21.48	<=30	Pass
			50	22.98	-1.63	21.35	<=30	Pass
		100	0	22.11	-1.63	20.48	<=30	Pass
	1732.5	1	0	24.19	-1.63	22.56	<=30	Pass
			50	24.24	-1.63	22.61	<=30	Pass
			99	24.42	-1.63	22.79	<=30	Pass
		50	0	23.06	-1.63	21.43	<=30	Pass
			25	23.23	-1.63	21.60	<=30	Pass
			50	23.19	-1.63	21.56	<=30	Pass
		100	0	22.04	-1.63	20.41	<=30	Pass
	1745	1	0	24.28	-1.63	22.65	<=30	Pass
			50	24.34	-1.63	22.71	<=30	Pass
			99	24.23	-1.63	22.60	<=30	Pass
		50	0	23.27	-1.63	21.64	<=30	Pass
			25	23.22	-1.63	21.59	<=30	Pass
			50	23.28	-1.63	21.65	<=30	Pass
		100	0	22.18	-1.63	20.55	<=30	Pass
16QAM	1720	1	0	23.17	-1.63	21.54	<=30	Pass
			50	23.17	-1.63	21.54	<=30	Pass
			99	23.24	-1.63	21.61	<=30	Pass
		50	0	22.16	-1.63	20.53	<=30	Pass
			25	21.99	-1.63	20.36	<=30	Pass
			50	22.12	-1.63	20.49	<=30	Pass
		100	0	21.49	-1.63	19.86	<=30	Pass
	1732.5	1	0	23.06	-1.63	21.43	<=30	Pass
			50	23.20	-1.63	21.57	<=30	Pass
			99	23.28	-1.63	21.65	<=30	Pass
		50	0	22.07	-1.63	20.44	<=30	Pass
			25	22.20	-1.63	20.57	<=30	Pass
			50	22.23	-1.63	20.60	<=30	Pass
		100	0	21.75	-1.63	20.12	<=30	Pass
	1745	1	0	23.42	-1.63	21.79	<=30	Pass
			50	23.49	-1.63	21.86	<=30	Pass
			99	23.46	-1.63	21.83	<=30	Pass
		50	0	22.22	-1.63	20.59	<=30	Pass
			25	22.20	-1.63	20.57	<=30	Pass
			50	22.23	-1.63	20.60	<=30	Pass
		100	0	21.83	-1.63	20.20	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

3. Effective (Isotropic) Radiated Power Output Data

3.1 B5_1.4MHz_ERP

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.70	-6.50	15.05	<=38.45	Pass
			2	23.84	-6.50	15.19	<=38.45	Pass
			5	23.82	-6.50	15.17	<=38.45	Pass
		3	0	22.80	-6.50	14.15	<=38.45	Pass
			2	22.79	-6.50	14.14	<=38.45	Pass
			3	22.71	-6.50	14.06	<=38.45	Pass
		6	0	22.72	-6.50	14.07	<=38.45	Pass
	836.5	1	0	23.73	-6.50	15.08	<=38.45	Pass
			2	23.85	-6.50	15.20	<=38.45	Pass
			5	23.86	-6.50	15.21	<=38.45	Pass
		3	0	22.83	-6.50	14.18	<=38.45	Pass
			2	22.81	-6.50	14.16	<=38.45	Pass
			3	22.78	-6.50	14.13	<=38.45	Pass
		6	0	22.66	-6.50	14.01	<=38.45	Pass
	848.3	1	0	23.64	-6.50	14.99	<=38.45	Pass
			2	23.69	-6.50	15.04	<=38.45	Pass
			5	23.70	-6.50	15.05	<=38.45	Pass
		3	0	22.80	-6.50	14.15	<=38.45	Pass
			2	22.92	-6.50	14.27	<=38.45	Pass
			3	22.81	-6.50	14.16	<=38.45	Pass
		6	0	22.73	-6.50	14.08	<=38.45	Pass
16QAM	824.7	1	0	22.88	-6.50	14.23	<=38.45	Pass
			2	22.93	-6.50	14.28	<=38.45	Pass
			5	22.91	-6.50	14.26	<=38.45	Pass
		3	0	21.94	-6.50	13.29	<=38.45	Pass
			2	21.94	-6.50	13.29	<=38.45	Pass
			3	21.90	-6.50	13.25	<=38.45	Pass
		6	0	21.76	-6.50	13.11	<=38.45	Pass
	836.5	1	0	22.19	-6.50	13.54	<=38.45	Pass
			2	22.23	-6.50	13.58	<=38.45	Pass
			5	22.27	-6.50	13.62	<=38.45	Pass
		3	0	21.71	-6.50	13.06	<=38.45	Pass
			2	21.64	-6.50	12.99	<=38.45	Pass
			3	21.65	-6.50	13	<=38.45	Pass
		6	0	21.81	-6.50	13.16	<=38.45	Pass
	848.3	1	0	22.59	-6.50	13.94	<=38.45	Pass
			2	22.62	-6.50	13.97	<=38.45	Pass
			5	22.61	-6.50	13.96	<=38.45	Pass
		3	0	21.89	-6.50	13.24	<=38.45	Pass
			2	21.95	-6.50	13.3	<=38.45	Pass
			3	21.87	-6.50	13.22	<=38.45	Pass
		6	0	21.52	-6.50	12.87	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.2 B5_3MHz_ERP

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.63	-6.50	14.98	<=38.45	Pass
			7	23.64	-6.50	14.99	<=38.45	Pass
			14	23.58	-6.50	14.93	<=38.45	Pass
		8	0	22.69	-6.50	14.04	<=38.45	Pass
			4	22.68	-6.50	14.03	<=38.45	Pass
			7	22.64	-6.50	13.99	<=38.45	Pass
		15	0	22.69	-6.50	14.04	<=38.45	Pass
	836.5	1	0	23.78	-6.50	15.13	<=38.45	Pass
			7	23.84	-6.50	15.19	<=38.45	Pass
			14	23.84	-6.50	15.19	<=38.45	Pass
		8	0	22.73	-6.50	14.08	<=38.45	Pass
			4	22.71	-6.50	14.06	<=38.45	Pass
			7	22.77	-6.50	14.12	<=38.45	Pass
		15	0	22.65	-6.50	14.00	<=38.45	Pass
	847.5	1	0	23.79	-6.50	15.14	<=38.45	Pass
			7	23.76	-6.50	15.11	<=38.45	Pass
			14	23.76	-6.50	15.11	<=38.45	Pass
		8	0	22.78	-6.50	14.13	<=38.45	Pass
			4	22.76	-6.50	14.11	<=38.45	Pass
			7	22.85	-6.50	14.20	<=38.45	Pass
		15	0	22.89	-6.50	14.24	<=38.45	Pass
16QAM	825.5	1	0	22.90	-6.50	14.25	<=38.45	Pass
			7	22.88	-6.50	14.23	<=38.45	Pass
			14	22.79	-6.50	14.14	<=38.45	Pass
		8	0	21.73	-6.50	13.08	<=38.45	Pass
			4	21.74	-6.50	13.09	<=38.45	Pass
			7	21.81	-6.50	13.16	<=38.45	Pass
	15	0	21.72	-6.50	13.07	<=38.45	Pass	
	836.5	1	0	22.39	-6.50	13.74	<=38.45	Pass
			7	22.38	-6.50	13.73	<=38.45	Pass
			14	22.42	-6.50	13.77	<=38.45	Pass
		8	0	21.88	-6.50	13.23	<=38.45	Pass
			4	21.93	-6.50	13.28	<=38.45	Pass
			7	21.98	-6.50	13.33	<=38.45	Pass
	15	0	21.82	-6.50	13.17	<=38.45	Pass	
	847.5	1	0	22.32	-6.50	13.67	<=38.45	Pass
			7	22.30	-6.50	13.65	<=38.45	Pass
			14	22.25	-6.50	13.6	<=38.45	Pass
		8	0	21.43	-6.50	12.78	<=38.45	Pass
4			21.42	-6.50	12.77	<=38.45	Pass	
7			21.48	-6.50	12.83	<=38.45	Pass	
15	0	21.40	-6.50	12.75	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.3 B5_5MHz_ERP

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	826.5	1	0	23.60	-6.50	14.95	<=38.45	Pass	
			13	23.49	-6.50	14.84	<=38.45	Pass	
			24	23.50	-6.50	14.85	<=38.45	Pass	
		12	0	22.63	-6.50	13.98	<=38.45	Pass	
			6	22.45	-6.50	13.80	<=38.45	Pass	
			13	22.65	-6.50	14.00	<=38.45	Pass	
		25	0	22.57	-6.50	13.92	<=38.45	Pass	
		836.5	1	0	23.68	-6.50	15.03	<=38.45	Pass
				13	23.68	-6.50	15.03	<=38.45	Pass
	24			23.75	-6.50	15.10	<=38.45	Pass	
	12		0	22.66	-6.50	14.01	<=38.45	Pass	
			6	22.73	-6.50	14.08	<=38.45	Pass	
			13	22.68	-6.50	14.03	<=38.45	Pass	
	25	0	22.73	-6.50	14.08	<=38.45	Pass		
	846.5	1	0	23.66	-6.50	15.01	<=38.45	Pass	
			13	23.66	-6.50	15.01	<=38.45	Pass	
			24	23.67	-6.50	15.02	<=38.45	Pass	
		12	0	22.88	-6.50	14.23	<=38.45	Pass	
			6	22.80	-6.50	14.15	<=38.45	Pass	
			13	22.87	-6.50	14.22	<=38.45	Pass	
		25	0	22.88	-6.50	14.23	<=38.45	Pass	
16QAM	826.5	1	0	21.87	-6.50	13.22	<=38.45	Pass	
			13	21.83	-6.50	13.18	<=38.45	Pass	
			24	21.81	-6.50	13.16	<=38.45	Pass	
		12	0	21.64	-6.50	12.99	<=38.45	Pass	
			6	21.72	-6.50	13.07	<=38.45	Pass	
			13	21.69	-6.50	13.04	<=38.45	Pass	
		25	0	21.53	-6.50	12.88	<=38.45	Pass	
	836.5	1	0	22.80	-6.50	14.15	<=38.45	Pass	
			13	22.82	-6.50	14.17	<=38.45	Pass	
			24	22.90	-6.50	14.25	<=38.45	Pass	
		12	0	21.75	-6.50	13.10	<=38.45	Pass	
			6	21.81	-6.50	13.16	<=38.45	Pass	
			13	21.82	-6.50	13.17	<=38.45	Pass	
	25	0	21.69	-6.50	13.04	<=38.45	Pass		
	846.5	1	0	22.85	-6.50	14.20	<=38.45	Pass	
			13	22.86	-6.50	14.21	<=38.45	Pass	
			24	22.84	-6.50	14.19	<=38.45	Pass	
		12	0	21.87	-6.50	13.22	<=38.45	Pass	
			6	21.91	-6.50	13.26	<=38.45	Pass	
			13	21.90	-6.50	13.25	<=38.45	Pass	
		25	0	21.78	-6.50	13.13	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

3.4 B5_10MHz_ERP

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.75	-6.50	15.10	<=38.45	Pass
			25	23.69	-6.50	15.04	<=38.45	Pass
			49	23.60	-6.50	14.95	<=38.45	Pass
		25	0	22.71	-6.50	14.06	<=38.45	Pass
			13	22.49	-6.50	13.84	<=38.45	Pass
			25	22.74	-6.50	14.09	<=38.45	Pass
		50	0	22.59	-6.50	13.94	<=38.45	Pass
	836.5	1	0	23.75	-6.50	15.10	<=38.45	Pass
			25	23.81	-6.50	15.16	<=38.45	Pass
			49	23.91	-6.50	15.26	<=38.45	Pass
		25	0	22.66	-6.50	14.01	<=38.45	Pass
			13	22.77	-6.50	14.12	<=38.45	Pass
			25	22.70	-6.50	14.05	<=38.45	Pass
		50	0	22.67	-6.50	14.02	<=38.45	Pass
	844	1	0	23.86	-6.50	15.21	<=38.45	Pass
			25	23.93	-6.50	15.28	<=38.45	Pass
			49	23.92	-6.50	15.27	<=38.45	Pass
		25	0	22.81	-6.50	14.16	<=38.45	Pass
			13	22.78	-6.50	14.13	<=38.45	Pass
			25	22.82	-6.50	14.17	<=38.45	Pass
		50	0	22.80	-6.50	14.15	<=38.45	Pass
16QAM	829	1	0	22.81	-6.50	14.16	<=38.45	Pass
			25	22.73	-6.50	14.08	<=38.45	Pass
			49	22.70	-6.50	14.05	<=38.45	Pass
		25	0	21.79	-6.50	13.14	<=38.45	Pass
			13	21.57	-6.50	12.92	<=38.45	Pass
			25	21.81	-6.50	13.16	<=38.45	Pass
		50	0	21.80	-6.50	13.15	<=38.45	Pass
	836.5	1	0	22.81	-6.50	14.16	<=38.45	Pass
			25	22.88	-6.50	14.23	<=38.45	Pass
			49	22.95	-6.50	14.30	<=38.45	Pass
		25	0	21.77	-6.50	13.12	<=38.45	Pass
			13	21.86	-6.50	13.21	<=38.45	Pass
			25	21.85	-6.50	13.20	<=38.45	Pass
		50	0	21.88	-6.50	13.23	<=38.45	Pass
	844	1	0	22.74	-6.50	14.09	<=38.45	Pass
			25	22.76	-6.50	14.11	<=38.45	Pass
			49	22.69	-6.50	14.04	<=38.45	Pass
		25	0	21.92	-6.50	13.27	<=38.45	Pass
			13	21.83	-6.50	13.18	<=38.45	Pass
			25	21.84	-6.50	13.19	<=38.45	Pass
		50	0	21.96	-6.50	13.31	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

4. Effective (Isotropic) Radiated Power Output Data

4.1 B7_5MHz_EIRP

4.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	24.10	-0.88	23.22	<=33.01	Pass
			13	24.50	-0.88	23.62	<=33.01	Pass
			24	23.92	-0.88	23.04	<=33.01	Pass
		12	0	23.11	-0.88	22.23	<=33.01	Pass
			6	23.23	-0.88	22.35	<=33.01	Pass
			13	23.07	-0.88	22.19	<=33.01	Pass
		25	0	23.01	-0.88	22.13	<=33.01	Pass
	2535	1	0	24.29	-0.88	23.41	<=33.01	Pass
			13	24.47	-0.88	23.59	<=33.01	Pass
			24	24.91	-0.88	24.03	<=33.01	Pass
		12	0	23.43	-0.88	22.55	<=33.01	Pass
			6	23.31	-0.88	22.43	<=33.01	Pass
			13	23.28	-0.88	22.40	<=33.01	Pass
		25	0	23.37	-0.88	22.49	<=33.01	Pass
	2567.5	1	0	24.46	-0.88	23.58	<=33.01	Pass
			13	24.53	-0.88	23.65	<=33.01	Pass
			24	24.06	-0.88	23.18	<=33.01	Pass
		12	0	23.16	-0.88	22.28	<=33.01	Pass
			6	23.17	-0.88	22.29	<=33.01	Pass
			13	23.08	-0.88	22.20	<=33.01	Pass
		25	0	23.15	-0.88	22.27	<=33.01	Pass
16QAM	2502.5	1	0	23.50	-0.88	22.62	<=33.01	Pass
			13	23.96	-0.88	23.08	<=33.01	Pass
			24	23.53	-0.88	22.65	<=33.01	Pass
		12	0	22.67	-0.88	21.79	<=33.01	Pass
			6	22.46	-0.88	21.58	<=33.01	Pass
			13	22.58	-0.88	21.70	<=33.01	Pass
	25	0	22.15	-0.88	21.27	<=33.01	Pass	
	2535	1	0	23.82	-0.88	22.94	<=33.01	Pass
			13	23.78	-0.88	22.90	<=33.01	Pass
			24	23.79	-0.88	22.91	<=33.01	Pass
		12	0	22.88	-0.88	22.00	<=33.01	Pass
			6	22.84	-0.88	21.96	<=33.01	Pass
			13	22.79	-0.88	21.91	<=33.01	Pass
	25	0	22.32	-0.88	21.44	<=33.01	Pass	
	2567.5	1	0	23.74	-0.88	22.86	<=33.01	Pass
			13	23.83	-0.88	22.95	<=33.01	Pass
			24	23.43	-0.88	22.55	<=33.01	Pass
		12	0	22.82	-0.88	21.94	<=33.01	Pass
6			22.80	-0.88	21.92	<=33.01	Pass	
13			22.77	-0.88	21.89	<=33.01	Pass	
25	0	22.32	-0.88	21.44	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

4.2 B7_10MHz_EIRP

4.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.82	-0.88	22.94	<=33.01	Pass
			25	24.09	-0.88	23.21	<=33.01	Pass
			49	24.50	-0.88	23.62	<=33.01	Pass
		25	0	23.90	-0.88	23.02	<=33.01	Pass
			13	23.86	-0.88	22.98	<=33.01	Pass
			25	23.90	-0.88	23.02	<=33.01	Pass
		50	0	22.96	-0.88	22.08	<=33.01	Pass
	2535	1	0	24.45	-0.88	23.57	<=33.01	Pass
			25	24.52	-0.88	23.64	<=33.01	Pass
			49	24.45	-0.88	23.57	<=33.01	Pass
		25	0	23.91	-0.88	23.03	<=33.01	Pass
			13	23.93	-0.88	23.05	<=33.01	Pass
			25	23.96	-0.88	23.08	<=33.01	Pass
		50	0	22.99	-0.88	22.11	<=33.01	Pass
	2565	1	0	24.22	-0.88	23.34	<=33.01	Pass
			25	24.05	-0.88	23.17	<=33.01	Pass
			49	23.89	-0.88	23.01	<=33.01	Pass
		25	0	23.84	-0.88	22.96	<=33.01	Pass
			13	23.75	-0.88	22.87	<=33.01	Pass
			25	23.87	-0.88	22.99	<=33.01	Pass
		50	0	22.71	-0.88	21.83	<=33.01	Pass
16QAM	2505	1	0	23.55	-0.88	22.67	<=33.01	Pass
			25	23.91	-0.88	23.03	<=33.01	Pass
			49	23.86	-0.88	22.98	<=33.01	Pass
		25	0	22.75	-0.88	21.87	<=33.01	Pass
			13	22.75	-0.88	21.87	<=33.01	Pass
			25	22.74	-0.88	21.86	<=33.01	Pass
		50	0	22.33	-0.88	21.45	<=33.01	Pass
	2535	1	0	23.80	-0.88	22.92	<=33.01	Pass
			25	23.72	-0.88	22.84	<=33.01	Pass
			49	23.65	-0.88	22.77	<=33.01	Pass
		25	0	22.64	-0.88	21.76	<=33.01	Pass
			13	22.64	-0.88	21.76	<=33.01	Pass
			25	22.58	-0.88	21.70	<=33.01	Pass
		50	0	22.04	-0.88	21.16	<=33.01	Pass
	2565	1	0	23.69	-0.88	22.81	<=33.01	Pass
			25	23.43	-0.88	22.55	<=33.01	Pass
			49	23.43	-0.88	22.55	<=33.01	Pass
		25	0	22.82	-0.88	21.94	<=33.01	Pass
			13	22.59	-0.88	21.71	<=33.01	Pass
			25	22.60	-0.88	21.72	<=33.01	Pass
		50	0	22.54	-0.88	21.66	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

4.3 B7_15MHz_EIRP

4.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2507.5	1	0	24.96	-0.88	24.08	<=33.01	Pass	
			38	24.92	-0.88	24.04	<=33.01	Pass	
			74	24.75	-0.88	23.87	<=33.01	Pass	
		36	0	23.97	-0.88	23.09	<=33.01	Pass	
			18	23.91	-0.88	23.03	<=33.01	Pass	
			39	23.90	-0.88	23.02	<=33.01	Pass	
		75	0	22.92	-0.88	22.04	<=33.01	Pass	
	2535	1	0	24.94	-0.88	24.06	<=33.01	Pass	
			38	24.93	-0.88	24.05	<=33.01	Pass	
			74	24.78	-0.88	23.90	<=33.01	Pass	
		36	0	23.88	-0.88	23.00	<=33.01	Pass	
			18	23.76	-0.88	22.88	<=33.01	Pass	
			39	23.72	-0.88	22.84	<=33.01	Pass	
		75	0	22.89	-0.88	22.01	<=33.01	Pass	
	2562.5	1	0	24.56	-0.88	23.68	<=33.01	Pass	
			38	24.56	-0.88	23.68	<=33.01	Pass	
			74	24.57	-0.88	23.69	<=33.01	Pass	
		36	0	23.69	-0.88	22.81	<=33.01	Pass	
			18	23.72	-0.88	22.84	<=33.01	Pass	
			39	23.60	-0.88	22.72	<=33.01	Pass	
		75	0	22.62	-0.88	21.74	<=33.01	Pass	
	16QAM	2507.5	1	0	23.93	-0.88	23.05	<=33.01	Pass
				38	23.80	-0.88	22.92	<=33.01	Pass
				74	23.69	-0.88	22.81	<=33.01	Pass
36			0	22.55	-0.88	21.67	<=33.01	Pass	
			18	22.55	-0.88	21.67	<=33.01	Pass	
			39	22.45	-0.88	21.57	<=33.01	Pass	
75			0	22.11	-0.88	21.23	<=33.01	Pass	
2535		1	0	23.76	-0.88	22.88	<=33.01	Pass	
			38	23.69	-0.88	22.81	<=33.01	Pass	
			74	23.60	-0.88	22.72	<=33.01	Pass	
		36	0	22.51	-0.88	21.63	<=33.01	Pass	
			18	22.43	-0.88	21.55	<=33.01	Pass	
			39	22.38	-0.88	21.50	<=33.01	Pass	
		75	0	22.40	-0.88	21.52	<=33.01	Pass	
2562.5		1	0	23.92	-0.88	23.04	<=33.01	Pass	
			38	23.88	-0.88	23.00	<=33.01	Pass	
			74	23.80	-0.88	22.92	<=33.01	Pass	
		36	0	22.67	-0.88	21.79	<=33.01	Pass	
			18	22.81	-0.88	21.93	<=33.01	Pass	
			39	22.67	-0.88	21.79	<=33.01	Pass	
		75	0	22.72	-0.88	21.84	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

4.4 B7_20MHz_EIRP

4.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2510	1	0	24.98	-0.88	24.10	<=33.01	Pass	
			50	24.94	-0.88	24.06	<=33.01	Pass	
			99	24.91	-0.88	24.03	<=33.01	Pass	
		50	0	23.92	-0.88	23.04	<=33.01	Pass	
			25	23.97	-0.88	23.09	<=33.01	Pass	
			50	23.92	-0.88	23.04	<=33.01	Pass	
		100	0	22.99	-0.88	22.11	<=33.01	Pass	
	2535	1	0	24.92	-0.88	24.04	<=33.01	Pass	
			50	24.98	-0.88	24.10	<=33.01	Pass	
			99	24.84	-0.88	23.96	<=33.01	Pass	
		50	0	23.96	-0.88	23.08	<=33.01	Pass	
			25	23.93	-0.88	23.05	<=33.01	Pass	
			50	23.81	-0.88	22.93	<=33.01	Pass	
		100	0	22.90	-0.88	22.02	<=33.01	Pass	
	2560	1	0	24.90	-0.88	24.02	<=33.01	Pass	
			50	24.89	-0.88	24.01	<=33.01	Pass	
			99	24.88	-0.88	24.00	<=33.01	Pass	
		50	0	23.58	-0.88	22.70	<=33.01	Pass	
			25	23.67	-0.88	22.79	<=33.01	Pass	
			50	23.51	-0.88	22.63	<=33.01	Pass	
		100	0	22.72	-0.88	21.84	<=33.01	Pass	
	16QAM	2510	1	0	23.92	-0.88	23.04	<=33.01	Pass
				50	23.63	-0.88	22.75	<=33.01	Pass
				99	23.64	-0.88	22.76	<=33.01	Pass
50			0	22.76	-0.88	21.88	<=33.01	Pass	
			25	22.60	-0.88	21.72	<=33.01	Pass	
			50	22.63	-0.88	21.75	<=33.01	Pass	
100			0	22.49	-0.88	21.61	<=33.01	Pass	
2535		1	0	23.90	-0.88	23.02	<=33.01	Pass	
			50	23.81	-0.88	22.93	<=33.01	Pass	
			99	23.61	-0.88	22.73	<=33.01	Pass	
		50	0	22.58	-0.88	21.70	<=33.01	Pass	
			25	22.56	-0.88	21.68	<=33.01	Pass	
			50	22.52	-0.88	21.64	<=33.01	Pass	
		100	0	22.41	-0.88	21.53	<=33.01	Pass	
2560		1	0	23.66	-0.88	22.78	<=33.01	Pass	
			50	23.67	-0.88	22.79	<=33.01	Pass	
			99	23.60	-0.88	22.72	<=33.01	Pass	
		50	0	22.66	-0.88	21.78	<=33.01	Pass	
			25	22.57	-0.88	21.69	<=33.01	Pass	
			50	22.69	-0.88	21.81	<=33.01	Pass	
		100	0	22.78	-0.88	21.90	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

5. Effective (Isotropic) Radiated Power Output Data

5.1 B12_1.4MHz_ERP

5.1.1 Test Result

Band: 12 / Bandwidth: 1.4MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	23.75	-6.93	14.67	<=34.77	Pass
			2	23.81	-6.93	14.73	<=34.77	Pass
			5	23.78	-6.93	14.70	<=34.77	Pass
		3	0	22.84	-6.93	13.76	<=34.77	Pass
			2	22.83	-6.93	13.75	<=34.77	Pass
			3	22.85	-6.93	13.77	<=34.77	Pass
		6	0	22.68	-6.93	13.60	<=34.77	Pass
	707.5	1	0	23.28	-6.93	14.20	<=34.77	Pass
			2	23.40	-6.93	14.32	<=34.77	Pass
			5	23.38	-6.93	14.30	<=34.77	Pass
		3	0	22.76	-6.93	13.68	<=34.77	Pass
			2	22.74	-6.93	13.66	<=34.77	Pass
			3	22.66	-6.93	13.58	<=34.77	Pass
		6	0	22.55	-6.93	13.47	<=34.77	Pass
	715.3	1	0	23.49	-6.93	14.41	<=34.77	Pass
			2	23.66	-6.93	14.58	<=34.77	Pass
			5	23.65	-6.93	14.57	<=34.77	Pass
		3	0	22.64	-6.93	13.56	<=34.77	Pass
			2	22.63	-6.93	13.55	<=34.77	Pass
			3	22.67	-6.93	13.59	<=34.77	Pass
		6	0	22.55	-6.93	13.47	<=34.77	Pass
16QAM	699.7	1	0	22.30	-6.93	13.22	<=34.77	Pass
			2	22.22	-6.93	13.14	<=34.77	Pass
			5	22.24	-6.93	13.16	<=34.77	Pass
		3	0	21.81	-6.93	12.73	<=34.77	Pass
			2	21.85	-6.93	12.77	<=34.77	Pass
			3	21.79	-6.93	12.71	<=34.77	Pass
		6	0	21.77	-6.93	12.69	<=34.77	Pass
	707.5	1	0	22.84	-6.93	13.76	<=34.77	Pass
			2	22.74	-6.93	13.66	<=34.77	Pass
			5	22.81	-6.93	13.73	<=34.77	Pass
		3	0	21.97	-6.93	12.89	<=34.77	Pass
			2	21.98	-6.93	12.90	<=34.77	Pass
			3	21.99	-6.93	12.91	<=34.77	Pass
		6	0	21.69	-6.93	12.61	<=34.77	Pass
	715.3	1	0	22.07	-6.93	12.99	<=34.77	Pass
			2	22.08	-6.93	13.00	<=34.77	Pass
			5	22.14	-6.93	13.06	<=34.77	Pass
		3	0	21.63	-6.93	12.55	<=34.77	Pass
			2	21.63	-6.93	12.55	<=34.77	Pass
			3	21.61	-6.93	12.53	<=34.77	Pass
		6	0	21.56	-6.93	12.48	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

5.2 B12_3MHz_ERP

5.2.1 Test Result

Band: 12 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	700.5	1	0	23.64	-6.93	14.56	<=34.77	Pass
			7	23.60	-6.93	14.52	<=34.77	Pass
			14	23.66	-6.93	14.58	<=34.77	Pass
		8	0	22.77	-6.93	13.69	<=34.77	Pass
			4	22.70	-6.93	13.62	<=34.77	Pass
			7	22.54	-6.93	13.46	<=34.77	Pass
		15	0	22.72	-6.93	13.64	<=34.77	Pass
	707.5	1	0	23.43	-6.93	14.35	<=34.77	Pass
			7	23.39	-6.93	14.31	<=34.77	Pass
			14	23.38	-6.93	14.30	<=34.77	Pass
		8	0	22.47	-6.93	13.39	<=34.77	Pass
			4	22.55	-6.93	13.47	<=34.77	Pass
			7	22.54	-6.93	13.46	<=34.77	Pass
		15	0	22.60	-6.93	13.52	<=34.77	Pass
	714.5	1	0	23.58	-6.93	14.50	<=34.77	Pass
			7	23.56	-6.93	14.48	<=34.77	Pass
			14	23.55	-6.93	14.47	<=34.77	Pass
		8	0	22.47	-6.93	13.39	<=34.77	Pass
			4	22.49	-6.93	13.41	<=34.77	Pass
			7	22.52	-6.93	13.44	<=34.77	Pass
		15	0	22.53	-6.93	13.45	<=34.77	Pass
16QAM	700.5	1	0	22.75	-6.93	13.67	<=34.77	Pass
			7	22.74	-6.93	13.66	<=34.77	Pass
			14	22.53	-6.93	13.45	<=34.77	Pass
		8	0	21.79	-6.93	12.71	<=34.77	Pass
			4	21.80	-6.93	12.72	<=34.77	Pass
			7	21.94	-6.93	12.86	<=34.77	Pass
		15	0	21.70	-6.93	12.62	<=34.77	Pass
	707.5	1	0	22.71	-6.93	13.63	<=34.77	Pass
			7	22.72	-6.93	13.64	<=34.77	Pass
			14	22.66	-6.93	13.58	<=34.77	Pass
		8	0	21.33	-6.93	12.25	<=34.77	Pass
			4	21.55	-6.93	12.47	<=34.77	Pass
			7	21.55	-6.93	12.47	<=34.77	Pass
		15	0	21.52	-6.93	12.44	<=34.77	Pass
	714.5	1	0	22.17	-6.93	13.09	<=34.77	Pass
			7	22.22	-6.93	13.14	<=34.77	Pass
			14	22.27	-6.93	13.19	<=34.77	Pass
		8	0	21.65	-6.93	12.57	<=34.77	Pass
			4	21.65	-6.93	12.57	<=34.77	Pass
			7	21.66	-6.93	12.58	<=34.77	Pass
		15	0	21.55	-6.93	12.47	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

5.3 B12_5MHz_ERP

5.3.1 Test Result

Band: 12 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	701.5	1	0	23.55	-6.93	14.47	<=34.77	Pass
			13	23.58	-6.93	14.50	<=34.77	Pass
			24	23.48	-6.93	14.40	<=34.77	Pass
		12	0	22.65	-6.93	13.57	<=34.77	Pass
			6	22.60	-6.93	13.52	<=34.77	Pass
			13	22.51	-6.93	13.43	<=34.77	Pass
		25	0	22.55	-6.93	13.47	<=34.77	Pass
	707.5	1	0	23.48	-6.93	14.40	<=34.77	Pass
			13	23.41	-6.93	14.33	<=34.77	Pass
			24	23.48	-6.93	14.40	<=34.77	Pass
		12	0	22.57	-6.93	13.49	<=34.77	Pass
			6	22.58	-6.93	13.50	<=34.77	Pass
			13	22.56	-6.93	13.48	<=34.77	Pass
		25	0	22.55	-6.93	13.47	<=34.77	Pass
	713.5	1	0	23.58	-6.93	14.50	<=34.77	Pass
			13	23.43	-6.93	14.35	<=34.77	Pass
			24	23.47	-6.93	14.39	<=34.77	Pass
		12	0	22.48	-6.93	13.40	<=34.77	Pass
			6	22.47	-6.93	13.39	<=34.77	Pass
			13	22.52	-6.93	13.44	<=34.77	Pass
		25	0	22.51	-6.93	13.43	<=34.77	Pass
16QAM	701.5	1	0	21.80	-6.93	12.72	<=34.77	Pass
			13	21.61	-6.93	12.53	<=34.77	Pass
			24	21.69	-6.93	12.61	<=34.77	Pass
		12	0	21.70	-6.93	12.62	<=34.77	Pass
			6	21.75	-6.93	12.67	<=34.77	Pass
			13	21.69	-6.93	12.61	<=34.77	Pass
		25	0	21.88	-6.93	12.80	<=34.77	Pass
	707.5	1	0	22.51	-6.93	13.43	<=34.77	Pass
			13	22.52	-6.93	13.44	<=34.77	Pass
			24	22.44	-6.93	13.36	<=34.77	Pass
		12	0	21.34	-6.93	12.26	<=34.77	Pass
			6	21.45	-6.93	12.37	<=34.77	Pass
			13	21.44	-6.93	12.36	<=34.77	Pass
		25	0	21.56	-6.93	12.48	<=34.77	Pass
	713.5	1	0	22.38	-6.93	13.30	<=34.77	Pass
			13	22.47	-6.93	13.39	<=34.77	Pass
			24	22.58	-6.93	13.50	<=34.77	Pass
		12	0	21.63	-6.93	12.55	<=34.77	Pass
			6	21.56	-6.93	12.48	<=34.77	Pass
			13	21.53	-6.93	12.45	<=34.77	Pass
		25	0	21.65	-6.93	12.57	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

5.4 B12_10MHz_ERP

5.4.1 Test Result

Band: 12 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	23.61	-6.93	14.53	<=34.77	Pass
			25	23.50	-6.93	14.42	<=34.77	Pass
			49	23.43	-6.93	14.35	<=34.77	Pass
		25	0	22.63	-6.93	13.55	<=34.77	Pass
			13	22.57	-6.93	13.49	<=34.77	Pass
			25	22.55	-6.93	13.47	<=34.77	Pass
		50	0	22.60	-6.93	13.52	<=34.77	Pass
	707.5	1	0	23.82	-6.93	14.74	<=34.77	Pass
			25	23.68	-6.93	14.60	<=34.77	Pass
			49	23.74	-6.93	14.66	<=34.77	Pass
		25	0	22.60	-6.93	13.52	<=34.77	Pass
			13	22.60	-6.93	13.52	<=34.77	Pass
			25	22.55	-6.93	13.47	<=34.77	Pass
		50	0	22.63	-6.93	13.55	<=34.77	Pass
	711	1	0	23.44	-6.93	14.36	<=34.77	Pass
			25	23.43	-6.93	14.35	<=34.77	Pass
			49	23.48	-6.93	14.40	<=34.77	Pass
		25	0	22.57	-6.93	13.49	<=34.77	Pass
			13	22.54	-6.93	13.46	<=34.77	Pass
			25	22.53	-6.93	13.45	<=34.77	Pass
		50	0	22.51	-6.93	13.43	<=34.77	Pass
16QAM	704	1	0	22.45	-6.93	13.37	<=34.77	Pass
			25	22.39	-6.93	13.31	<=34.77	Pass
			49	22.30	-6.93	13.22	<=34.77	Pass
		25	0	21.78	-6.93	12.70	<=34.77	Pass
			13	21.78	-6.93	12.70	<=34.77	Pass
			25	21.29	-6.93	12.21	<=34.77	Pass
		50	0	21.27	-6.93	12.19	<=34.77	Pass
	707.5	1	0	22.13	-6.93	13.05	<=34.77	Pass
			25	22.13	-6.93	13.05	<=34.77	Pass
			49	22.00	-6.93	12.92	<=34.77	Pass
		25	0	21.43	-6.93	12.35	<=34.77	Pass
			13	21.59	-6.93	12.51	<=34.77	Pass
			25	21.69	-6.93	12.61	<=34.77	Pass
		50	0	21.56	-6.93	12.48	<=34.77	Pass
	711	1	0	22.56	-6.93	13.48	<=34.77	Pass
			25	22.52	-6.93	13.44	<=34.77	Pass
			49	22.64	-6.93	13.56	<=34.77	Pass
		25	0	21.49	-6.93	12.41	<=34.77	Pass
			13	21.55	-6.93	12.47	<=34.77	Pass
			25	21.61	-6.93	12.53	<=34.77	Pass
		50	0	21.65	-6.93	12.57	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

6. Effective (Isotropic) Radiated Power Output Data

6.1 B13_5MHz_ERP

6.1.1 Test Result

Band: 13 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	779.5	1	0	23.70	-6.43	15.12	<=34.77	Pass		
			13	23.74	-6.43	15.16	<=34.77	Pass		
			24	23.66	-6.43	15.08	<=34.77	Pass		
		12	0	22.82	-6.43	14.24	<=34.77	Pass		
			6	22.76	-6.43	14.18	<=34.77	Pass		
			13	22.67	-6.43	14.09	<=34.77	Pass		
		25	0	22.72	-6.43	14.14	<=34.77	Pass		
		782	1	0	23.74	-6.43	15.16	<=34.77	Pass	
				13	23.70	-6.43	15.12	<=34.77	Pass	
	24			23.59	-6.43	15.01	<=34.77	Pass		
	12		0	22.66	-6.43	14.08	<=34.77	Pass		
			6	22.63	-6.43	14.05	<=34.77	Pass		
			13	22.99	-6.43	14.41	<=34.77	Pass		
	25	0	22.57	-6.43	13.99	<=34.77	Pass			
	784.5	1	0	23.64	-6.43	15.06	<=34.77	Pass		
			13	23.54	-6.43	14.96	<=34.77	Pass		
			24	23.64	-6.43	15.06	<=34.77	Pass		
		12	0	22.75	-6.43	14.17	<=34.77	Pass		
			6	22.59	-6.43	14.01	<=34.77	Pass		
			13	22.53	-6.43	13.95	<=34.77	Pass		
		25	0	22.73	-6.43	14.15	<=34.77	Pass		
		16QAM	779.5	1	0	22.70	-6.43	14.12	<=34.77	Pass
					13	22.71	-6.43	14.13	<=34.77	Pass
	24				22.63	-6.43	14.05	<=34.77	Pass	
12	0			21.79	-6.43	13.21	<=34.77	Pass		
	6			21.79	-6.43	13.21	<=34.77	Pass		
	13			21.78	-6.43	13.20	<=34.77	Pass		
25	0			21.90	-6.43	13.32	<=34.77	Pass		
782	1			0	21.86	-6.43	13.28	<=34.77	Pass	
				13	21.76	-6.43	13.18	<=34.77	Pass	
			24	21.78	-6.43	13.20	<=34.77	Pass		
	12		0	21.78	-6.43	13.20	<=34.77	Pass		
			6	21.80	-6.43	13.22	<=34.77	Pass		
			13	21.76	-6.43	13.18	<=34.77	Pass		
25	0		21.87	-6.43	13.29	<=34.77	Pass			
784.5	1		0	22.72	-6.43	14.14	<=34.77	Pass		
			13	22.82	-6.43	14.24	<=34.77	Pass		
			24	22.64	-6.43	14.06	<=34.77	Pass		
	12		0	21.72	-6.43	13.14	<=34.77	Pass		
			6	21.78	-6.43	13.20	<=34.77	Pass		
			13	21.73	-6.43	13.15	<=34.77	Pass		
	25		0	21.68	-6.43	13.10	<=34.77	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

6.2 B13_10MHz_ERP

6.2.1 Test Result

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	23.63	-6.43	15.05	<=34.77	Pass
			25	23.62	-6.43	15.04	<=34.77	Pass
			49	23.58	-6.43	15.00	<=34.77	Pass
		25	0	22.69	-6.43	14.11	<=34.77	Pass
			13	22.68	-6.43	14.10	<=34.77	Pass
			25	22.64	-6.43	14.06	<=34.77	Pass
		50	0	22.60	-6.43	14.02	<=34.77	Pass
16QAM	782	1	0	22.94	-6.43	14.36	<=34.77	Pass
			25	22.99	-6.43	14.41	<=34.77	Pass
			49	22.79	-6.43	14.21	<=34.77	Pass
		25	0	21.79	-6.43	13.21	<=34.77	Pass
			13	21.78	-6.43	13.20	<=34.77	Pass
			25	21.77	-6.43	13.19	<=34.77	Pass
		50	0	21.71	-6.43	13.13	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

7. Effective (Isotropic) Radiated Power Output Data

7.1 B17_5MHz_ERP

7.1.1 Test Result

Band: 17 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	706.5	1	0	23.66	-6.93	14.58	<=34.77	Pass
			13	23.56	-6.93	14.48	<=34.77	Pass
			24	23.50	-6.93	14.42	<=34.77	Pass
		12	0	22.62	-6.93	13.54	<=34.77	Pass
			6	22.54	-6.93	13.46	<=34.77	Pass
			13	22.63	-6.93	13.55	<=34.77	Pass
		25	0	22.56	-6.93	13.48	<=34.77	Pass
	710	1	0	23.44	-6.93	14.36	<=34.77	Pass
			13	23.39	-6.93	14.31	<=34.77	Pass
			24	23.44	-6.93	14.36	<=34.77	Pass
		12	0	22.48	-6.93	13.40	<=34.77	Pass
			6	22.44	-6.93	13.36	<=34.77	Pass
			13	22.40	-6.93	13.32	<=34.77	Pass
		25	0	22.47	-6.93	13.39	<=34.77	Pass
	713.5	1	0	23.41	-6.93	14.33	<=34.77	Pass
			13	23.38	-6.93	14.30	<=34.77	Pass
			24	23.39	-6.93	14.31	<=34.77	Pass
		12	0	22.54	-6.93	13.46	<=34.77	Pass
			6	22.51	-6.93	13.43	<=34.77	Pass
			13	22.46	-6.93	13.38	<=34.77	Pass
		25	0	22.48	-6.93	13.40	<=34.77	Pass
16QAM	706.5	1	0	22.63	-6.93	13.55	<=34.77	Pass
			13	22.64	-6.93	13.56	<=34.77	Pass
			24	22.66	-6.93	13.58	<=34.77	Pass
		12	0	21.31	-6.93	12.23	<=34.77	Pass
			6	21.29	-6.93	12.21	<=34.77	Pass
			13	21.48	-6.93	12.40	<=34.77	Pass
		25	0	21.38	-6.93	12.30	<=34.77	Pass
	710	1	0	22.54	-6.93	13.46	<=34.77	Pass
			13	22.41	-6.93	13.33	<=34.77	Pass
			24	22.33	-6.93	13.25	<=34.77	Pass
		12	0	21.43	-6.93	12.35	<=34.77	Pass
			6	21.62	-6.93	12.54	<=34.77	Pass
			13	21.66	-6.93	12.58	<=34.77	Pass
		25	0	21.59	-6.93	12.51	<=34.77	Pass
	713.5	1	0	22.38	-6.93	13.30	<=34.77	Pass
			13	22.45	-6.93	13.37	<=34.77	Pass
			24	22.48	-6.93	13.40	<=34.77	Pass
		12	0	21.61	-6.93	12.53	<=34.77	Pass
			6	21.49	-6.93	12.41	<=34.77	Pass
			13	21.51	-6.93	12.43	<=34.77	Pass
		25	0	21.56	-6.93	12.48	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

7.2 B17_10MHz_ERP

7.2.1 Test Result

Band: 17 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	709	1	0	23.50	-6.93	14.42	<=34.77	Pass
			25	23.31	-6.93	14.23	<=34.77	Pass
			49	23.39	-6.93	14.31	<=34.77	Pass
		25	0	22.52	-6.93	13.44	<=34.77	Pass
			13	22.58	-6.93	13.50	<=34.77	Pass
			25	22.37	-6.93	13.29	<=34.77	Pass
		50	0	22.58	-6.93	13.50	<=34.77	Pass
	710	1	0	23.48	-6.93	14.40	<=34.77	Pass
			25	23.42	-6.93	14.34	<=34.77	Pass
			49	23.47	-6.93	14.39	<=34.77	Pass
		25	0	22.60	-6.93	13.52	<=34.77	Pass
			13	22.51	-6.93	13.43	<=34.77	Pass
			25	22.44	-6.93	13.36	<=34.77	Pass
		50	0	22.52	-6.93	13.44	<=34.77	Pass
	711	1	0	23.73	-6.93	14.65	<=34.77	Pass
			25	23.68	-6.93	14.60	<=34.77	Pass
			49	23.77	-6.93	14.69	<=34.77	Pass
		25	0	22.64	-6.93	13.56	<=34.77	Pass
			13	22.44	-6.93	13.36	<=34.77	Pass
			25	22.52	-6.93	13.44	<=34.77	Pass
		50	0	22.58	-6.93	13.50	<=34.77	Pass
16QAM	709	1	0	22.62	-6.93	13.54	<=34.77	Pass
			25	22.54	-6.93	13.46	<=34.77	Pass
			49	22.52	-6.93	13.44	<=34.77	Pass
		25	0	21.34	-6.93	12.26	<=34.77	Pass
			13	21.46	-6.93	12.38	<=34.77	Pass
			25	21.67	-6.93	12.59	<=34.77	Pass
		50	0	21.54	-6.93	12.46	<=34.77	Pass
	710	1	0	22.83	-6.93	13.75	<=34.77	Pass
			25	22.75	-6.93	13.67	<=34.77	Pass
			49	22.75	-6.93	13.67	<=34.77	Pass
		25	0	21.58	-6.93	12.50	<=34.77	Pass
			13	21.68	-6.93	12.60	<=34.77	Pass
			25	21.72	-6.93	12.64	<=34.77	Pass
		50	0	21.68	-6.93	12.60	<=34.77	Pass
	711	1	0	22.23	-6.93	13.15	<=34.77	Pass
			25	22.01	-6.93	12.93	<=34.77	Pass
			49	22.21	-6.93	13.13	<=34.77	Pass
		25	0	21.59	-6.93	12.51	<=34.77	Pass
			13	21.69	-6.93	12.61	<=34.77	Pass
			25	21.63	-6.93	12.55	<=34.77	Pass
		50	0	21.60	-6.93	12.52	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

8. Effective (Isotropic) Radiated Power Output Data

8.1 B66_1.4MHz_EIRP

8.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.82	-1.63	21.19	<=30	Pass
			2	22.87	-1.63	21.24	<=30	Pass
			5	22.88	-1.63	21.25	<=30	Pass
		3	0	21.78	-1.63	20.15	<=30	Pass
			2	21.94	-1.63	20.31	<=30	Pass
			3	21.86	-1.63	20.23	<=30	Pass
		6	0	21.71	-1.63	20.08	<=30	Pass
	1745	1	0	22.56	-1.63	20.93	<=30	Pass
			2	22.71	-1.63	21.08	<=30	Pass
			5	22.73	-1.63	21.1	<=30	Pass
		3	0	21.73	-1.63	20.1	<=30	Pass
			2	21.77	-1.63	20.14	<=30	Pass
			3	21.71	-1.63	20.08	<=30	Pass
		6	0	21.69	-1.63	20.06	<=30	Pass
	1779.3	1	0	22.67	-1.63	21.04	<=30	Pass
			2	22.66	-1.63	21.03	<=30	Pass
			5	22.58	-1.63	20.95	<=30	Pass
		3	0	21.59	-1.63	19.96	<=30	Pass
			2	21.59	-1.63	19.96	<=30	Pass
			3	21.56	-1.63	19.93	<=30	Pass
		6	0	21.43	-1.63	19.8	<=30	Pass
16QAM	1710.7	1	0	21.88	-1.63	20.25	<=30	Pass
			2	21.89	-1.63	20.26	<=30	Pass
			5	21.91	-1.63	20.28	<=30	Pass
		3	0	20.96	-1.63	19.33	<=30	Pass
			2	20.96	-1.63	19.33	<=30	Pass
			3	20.96	-1.63	19.33	<=30	Pass
		6	0	20.72	-1.63	19.09	<=30	Pass
	1745	1	0	21.19	-1.63	19.56	<=30	Pass
			2	21.05	-1.63	19.42	<=30	Pass
			5	21.22	-1.63	19.59	<=30	Pass
		3	0	20.76	-1.63	19.13	<=30	Pass
			2	20.82	-1.63	19.19	<=30	Pass
			3	20.75	-1.63	19.12	<=30	Pass
		6	0	20.56	-1.63	18.93	<=30	Pass
	1779.3	1	0	21.13	-1.63	19.5	<=30	Pass
			2	21.19	-1.63	19.56	<=30	Pass
			5	21.14	-1.63	19.51	<=30	Pass
		3	0	20.52	-1.63	18.89	<=30	Pass
			2	20.50	-1.63	18.87	<=30	Pass
			3	20.48	-1.63	18.85	<=30	Pass
		6	0	20.37	-1.63	18.74	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

8.2 B66_3MHz_EIRP

8.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.74	-1.63	21.11	<=30	Pass
			7	22.75	-1.63	21.12	<=30	Pass
			14	22.70	-1.63	21.07	<=30	Pass
		8	0	21.80	-1.63	20.17	<=30	Pass
			4	21.73	-1.63	20.1	<=30	Pass
			7	21.76	-1.63	20.13	<=30	Pass
		15	0	21.72	-1.63	20.09	<=30	Pass
	1745	1	0	22.56	-1.63	20.93	<=30	Pass
			7	22.61	-1.63	20.98	<=30	Pass
			14	22.57	-1.63	20.94	<=30	Pass
		8	0	21.69	-1.63	20.06	<=30	Pass
			4	21.74	-1.63	20.11	<=30	Pass
			7	21.70	-1.63	20.07	<=30	Pass
		15	0	21.72	-1.63	20.09	<=30	Pass
	1778.5	1	0	22.53	-1.63	20.9	<=30	Pass
			7	22.39	-1.63	20.76	<=30	Pass
			14	22.27	-1.63	20.64	<=30	Pass
		8	0	21.25	-1.63	19.62	<=30	Pass
			4	21.24	-1.63	19.61	<=30	Pass
			7	21.20	-1.63	19.57	<=30	Pass
		15	0	21.21	-1.63	19.58	<=30	Pass
16QAM	1711.5	1	0	21.18	-1.63	19.55	<=30	Pass
			7	21.11	-1.63	19.48	<=30	Pass
			14	21.06	-1.63	19.43	<=30	Pass
		8	0	21.00	-1.63	19.27	<=30	Pass
			4	20.96	-1.63	19.33	<=30	Pass
			7	20.92	-1.63	19.29	<=30	Pass
		15	0	20.85	-1.63	19.22	<=30	Pass
	1745	1	0	21.42	-1.63	19.79	<=30	Pass
			7	21.50	-1.63	19.87	<=30	Pass
			14	21.44	-1.63	19.81	<=30	Pass
		8	0	20.95	-1.63	19.32	<=30	Pass
			4	20.95	-1.63	19.32	<=30	Pass
			7	20.95	-1.63	19.32	<=30	Pass
		15	0	20.85	-1.63	19.22	<=30	Pass
	1778.5	1	0	20.94	-1.63	19.31	<=30	Pass
			7	20.90	-1.63	19.27	<=30	Pass
			14	20.86	-1.63	19.23	<=30	Pass
		8	0	20.77	-1.63	19.14	<=30	Pass
			4	20.76	-1.63	19.13	<=30	Pass
			7	20.73	-1.63	19.1	<=30	Pass
		15	0	20.69	-1.63	19.06	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

8.3 B66_5MHz_EIRP

8.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.76	-1.63	21.13	<=30	Pass
			13	22.68	-1.63	21.05	<=30	Pass
			24	22.76	-1.63	21.13	<=30	Pass
		12	0	21.73	-1.63	20.1	<=30	Pass
			6	21.77	-1.63	20.14	<=30	Pass
			13	21.70	-1.63	20.07	<=30	Pass
		25	0	21.62	-1.63	19.99	<=30	Pass
	1745	1	0	22.78	-1.63	21.15	<=30	Pass
			13	22.86	-1.63	21.23	<=30	Pass
			24	22.85	-1.63	21.22	<=30	Pass
		12	0	21.69	-1.63	20.06	<=30	Pass
			6	21.64	-1.63	20.01	<=30	Pass
			13	21.75	-1.63	20.12	<=30	Pass
		25	0	21.71	-1.63	20.08	<=30	Pass
	1777.5	1	0	22.52	-1.63	20.89	<=30	Pass
			13	22.19	-1.63	20.56	<=30	Pass
			24	21.93	-1.63	20.3	<=30	Pass
		12	0	21.33	-1.63	19.7	<=30	Pass
			6	21.21	-1.63	19.58	<=30	Pass
			13	21.06	-1.63	19.43	<=30	Pass
		25	0	21.10	-1.63	19.47	<=30	Pass
16QAM	1712.5	1	0	21.07	-1.63	19.44	<=30	Pass
			13	21.05	-1.63	19.42	<=30	Pass
			24	21.01	-1.63	19.38	<=30	Pass
		12	0	20.83	-1.63	19.2	<=30	Pass
			6	20.80	-1.63	19.17	<=30	Pass
			13	20.76	-1.63	19.13	<=30	Pass
		25	0	20.86	-1.63	19.23	<=30	Pass
	1745	1	0	21.78	-1.63	20.15	<=30	Pass
			13	21.78	-1.63	20.15	<=30	Pass
			24	21.78	-1.63	20.15	<=30	Pass
		12	0	20.73	-1.63	19.1	<=30	Pass
			6	20.73	-1.63	19.1	<=30	Pass
			13	20.73	-1.63	19.1	<=30	Pass
		25	0	20.73	-1.63	19.1	<=30	Pass
	1777.5	1	0	21.10	-1.63	19.47	<=30	Pass
			13	20.85	-1.63	19.22	<=30	Pass
			24	20.63	-1.63	19	<=30	Pass
		12	0	20.78	-1.63	19.15	<=30	Pass
6			20.71	-1.63	19.08	<=30	Pass	
13			20.53	-1.63	18.9	<=30	Pass	
25		0	20.65	-1.63	19.02	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

8.4 B66_10MHz_EIRP

8.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.68	-1.63	21.05	<=30	Pass
			25	22.66	-1.63	21.03	<=30	Pass
			49	22.72	-1.63	21.09	<=30	Pass
		25	0	21.77	-1.63	20.14	<=30	Pass
			13	21.63	-1.63	20	<=30	Pass
			25	21.66	-1.63	20.03	<=30	Pass
		50	0	21.81	-1.63	20.18	<=30	Pass
	1745	1	0	22.63	-1.63	21	<=30	Pass
			25	22.70	-1.63	21.07	<=30	Pass
			49	22.69	-1.63	21.06	<=30	Pass
		25	0	21.66	-1.63	20.03	<=30	Pass
			13	21.83	-1.63	20.2	<=30	Pass
			25	21.72	-1.63	20.09	<=30	Pass
		50	0	21.76	-1.63	20.13	<=30	Pass
	1775	1	0	22.82	-1.63	21.19	<=30	Pass
			25	22.33	-1.63	20.7	<=30	Pass
			49	21.86	-1.63	20.23	<=30	Pass
		25	0	21.51	-1.63	19.88	<=30	Pass
			13	21.23	-1.63	19.6	<=30	Pass
			25	21.66	-1.63	20.03	<=30	Pass
		50	0	21.68	-1.63	20.05	<=30	Pass
16QAM	1715	1	0	21.96	-1.63	20.33	<=30	Pass
			25	21.94	-1.63	20.31	<=30	Pass
			49	21.90	-1.63	20.27	<=30	Pass
		25	0	20.86	-1.63	19.23	<=30	Pass
			13	20.76	-1.63	19.13	<=30	Pass
			25	20.77	-1.63	19.14	<=30	Pass
		50	0	20.74	-1.63	19.11	<=30	Pass
	1745	1	0	21.20	-1.63	19.57	<=30	Pass
			25	21.27	-1.63	19.64	<=30	Pass
			49	21.24	-1.63	19.61	<=30	Pass
		25	0	20.82	-1.63	19.19	<=30	Pass
			13	20.88	-1.63	19.25	<=30	Pass
			25	20.89	-1.63	19.26	<=30	Pass
		50	0	20.88	-1.63	19.25	<=30	Pass
	1775	1	0	21.64	-1.63	20.01	<=30	Pass
			25	21.65	-1.63	20.02	<=30	Pass
			49	21.60	-1.63	19.97	<=30	Pass
		25	0	20.97	-1.63	19.34	<=30	Pass
			13	20.96	-1.63	19.33	<=30	Pass
			25	20.89	-1.63	19.26	<=30	Pass
		50	0	20.88	-1.63	19.25	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

8.5 B66_15MHz_EIRP

8.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.67	-1.63	21.04	<=30	Pass
			38	22.60	-1.63	20.97	<=30	Pass
			74	22.55	-1.63	20.92	<=30	Pass
		36	0	21.72	-1.63	20.09	<=30	Pass
			18	21.54	-1.63	19.91	<=30	Pass
			39	21.52	-1.63	19.89	<=30	Pass
		75	0	21.66	-1.63	20.03	<=30	Pass
	1745	1	0	22.73	-1.63	21.1	<=30	Pass
			38	22.77	-1.63	21.14	<=30	Pass
			74	22.73	-1.63	21.1	<=30	Pass
		36	0	21.81	-1.63	20.18	<=30	Pass
			18	21.71	-1.63	20.08	<=30	Pass
			39	21.82	-1.63	20.19	<=30	Pass
		75	0	21.71	-1.63	20.08	<=30	Pass
	1772.5	1	0	22.84	-1.63	21.21	<=30	Pass
			38	22.76	-1.63	21.13	<=30	Pass
			74	22.13	-1.63	20.5	<=30	Pass
		36	0	21.74	-1.63	20.11	<=30	Pass
			18	21.68	-1.63	20.05	<=30	Pass
			39	21.62	-1.63	19.99	<=30	Pass
		75	0	21.73	-1.63	20.1	<=30	Pass
16QAM	1717.5	1	0	21.84	-1.63	20.21	<=30	Pass
			38	21.78	-1.63	20.15	<=30	Pass
			74	21.73	-1.63	20.1	<=30	Pass
		36	0	20.75	-1.63	19.12	<=30	Pass
			18	20.71	-1.63	19.08	<=30	Pass
			39	20.77	-1.63	19.14	<=30	Pass
		75	0	20.80	-1.63	19.17	<=30	Pass
	1745	1	0	21.33	-1.63	19.7	<=30	Pass
			38	21.40	-1.63	19.77	<=30	Pass
			74	21.42	-1.63	19.79	<=30	Pass
		36	0	20.79	-1.63	19.16	<=30	Pass
			18	20.84	-1.63	19.21	<=30	Pass
			39	20.82	-1.63	19.19	<=30	Pass
		75	0	20.86	-1.63	19.23	<=30	Pass
	1772.5	1	0	21.11	-1.63	19.48	<=30	Pass
			38	21.02	-1.63	19.39	<=30	Pass
			74	21.61	-1.63	19.98	<=30	Pass
		36	0	20.82	-1.63	19.19	<=30	Pass
			18	20.77	-1.63	19.14	<=30	Pass
			39	20.71	-1.63	19.08	<=30	Pass
		75	0	20.78	-1.63	19.15	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

8.6 B66_20MHz_EIRP

8.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.77	-1.63	21.14	<=30	Pass
			50	22.72	-1.63	21.09	<=30	Pass
			99	22.65	-1.63	21.02	<=30	Pass
		50	0	21.61	-1.63	19.98	<=30	Pass
			25	21.64	-1.63	20.01	<=30	Pass
			50	21.53	-1.63	19.9	<=30	Pass
		100	0	21.67	-1.63	20.04	<=30	Pass
	1745	1	0	22.96	-1.63	21.33	<=30	Pass
			50	22.91	-1.63	21.28	<=30	Pass
			99	22.96	-1.63	21.23	<=30	Pass
		50	0	21.64	-1.63	20.01	<=30	Pass
			25	21.75	-1.63	20.12	<=30	Pass
			50	21.66	-1.63	20.03	<=30	Pass
		100	0	21.81	-1.63	20.18	<=30	Pass
	1770	1	0	22.72	-1.63	21.09	<=30	Pass
			50	22.50	-1.63	20.87	<=30	Pass
			99	21.99	-1.63	20.36	<=30	Pass
		50	0	21.81	-1.63	20.18	<=30	Pass
			25	21.79	-1.63	20.16	<=30	Pass
			50	21.68	-1.63	20.05	<=30	Pass
		100	0	21.73	-1.63	20.1	<=30	Pass
16QAM	1720	1	0	21.33	-1.63	19.7	<=30	Pass
			50	21.23	-1.63	19.6	<=30	Pass
			99	21.22	-1.63	19.59	<=30	Pass
		50	0	20.78	-1.63	19.15	<=30	Pass
			25	20.67	-1.63	19.04	<=30	Pass
			50	20.64	-1.63	19.01	<=30	Pass
		100	0	20.77	-1.63	19.14	<=30	Pass
	1745	1	0	21.35	-1.63	19.72	<=30	Pass
			50	21.29	-1.63	19.66	<=30	Pass
			99	21.38	-1.63	19.75	<=30	Pass
		50	0	20.81	-1.63	19.18	<=30	Pass
			25	20.86	-1.63	19.23	<=30	Pass
			50	20.87	-1.63	19.24	<=30	Pass
		100	0	20.83	-1.63	19.2	<=30	Pass
	1770	1	0	21.91	-1.63	20.28	<=30	Pass
			50	21.89	-1.63	20.26	<=30	Pass
			99	21.64	-1.63	20.01	<=30	Pass
		50	0	20.93	-1.63	19.3	<=30	Pass
			25	20.94	-1.63	19.31	<=30	Pass
			50	20.84	-1.63	19.21	<=30	Pass
		100	0	20.83	-1.63	19.2	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								