



Passive Test For 2.4-WIFI

Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHIS (%)	DHIS (%)	Max (dB)	Min (dB)	irectivity (dBi)	Beamwidth (3dB)	AttH (dB)	AttV (dB)
2400	44.15	-3.55	1.1	-1.05	16.672	27.481	1.1	-13.84	4.66	0	50.54	50.79
2410	51.05	-2.92	1.98	-0.17	19.583	31.47	1.98	-13.78	4.9	0	50.83	50.85
2420	46.24	-3.35	1.86	-0.29	18.322	27.917	1.86	-13.92	5.21	0	51.1	51.29
2430	50.63	-2.96	2.43	0.28	21.049	29.578	2.43	-14.51	5.38	30	50.78	51.04
2440	46.71	-3.31	2.1	-0.05	20.49	26.222	2.1	-16	5.41	15	50.51	50.43
2450	45.51	-3.42	1.86	-0.29	21.008	24.497	1.86	-16.97	5.28	15	50.38	50.42
2460	44.42	-3.52	1.47	-0.68	21.488	22.931	1.47	-18.27	4.99	15	50.92	50.99
2470	39.29	-4.06	0.98	-1.17	19.722	19.567	0.98	-20.31	5.04	15	50.83	50.56
2480	42.68	-3.7	1.85	-0.3	22.093	20.592	1.85	-20.95	5.54	0	50.95	51.09
2490	40.7	-3.9	1.88	-0.27	21.424	19.275	1.88	-19.92	5.78	0	51.03	51.08
2500	47.33	-3.25	2.85	0.7	25.364	21.961	2.85	-17.57	6.09	0	50.53	50.5


2400.00MHz - 2500.00MHz Gain



2400.00MHz - 2500.00MHz Efficiency



3D



Di mensi ons

