




11N20SISO\_Ant1\_5240\_30~1000




11N20SISO\_Ant1\_5240\_1000~40000




11N40SISO\_Ant1\_5190\_30~1000




11N40SISO\_Ant1\_5190\_1000~40000




11N40SISO\_Ant1\_5230\_30~1000




11N40SISO\_Ant1\_5230\_1000~40000




11AC20SISO\_Ant1\_5180\_30~1000




11AC20SISO\_Ant1\_5180\_1000~40000




11AC20SISO\_Ant1\_5200\_30~1000




11AC20SISO\_Ant1\_5200\_1000~40000




11AC20SISO\_Ant1\_5240\_30~1000




11AC20SISO\_Ant1\_5240\_1000~40000




11AC40SISO\_Ant1\_5190\_30~1000




11AC40SISO\_Ant1\_5190\_1000~40000




11AC40SISO\_Ant1\_5230\_30~1000




11AC40SISO\_Ant1\_5230\_1000~4000



11AC80SISO\_Ant1\_5210\_30~1000



11AC80SISO\_Ant1\_5210\_1000~4000



### 8. Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-48.12	2.71	49.82	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-56.12	2.71	41.82	Average	54	Pass
NVNT	a	5180	Ant1	5147.5	-34.35	2.71	63.59	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-49.79	2.71	48.15	Average	54	Pass
NVNT	a	5180	Ant1	5150	-36.34	2.71	61.6	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-49.63	2.71	48.31	Average	54	Pass
NVNT	a	5240	Ant1	5350	-45.64	2.71	52.3	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-54.46	2.71	43.48	Average	54	Pass
NVNT	a	5240	Ant1	5352.24	-41.03	2.71	56.91	Peak	68.2	Pass
NVNT	a	5240	Ant1	5410.8	-53.84	2.71	44.1	Average	54	Pass
NVNT	a	5240	Ant1	5460	-44.76	2.71	53.18	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-55.25	2.71	42.69	Average	54	Pass
NVNT	ac(VHT20)	5180	Ant1	4500	-47.33	2.71	50.61	Peak	68.2	Pass
NVNT	ac(VHT20)	5180	Ant1	4500	-55.96	2.71	41.98	Average	54	Pass
NVNT	ac(VHT20)	5180	Ant1	5148.2	-33.3	2.71	64.64	Peak	68.2	Pass
NVNT	ac(VHT20)	5180	Ant1	5149.6	-47.04	2.71	50.9	Average	54	Pass
NVNT	ac(VHT20)	5180	Ant1	5150	-34.33	2.71	63.61	Peak	68.2	Pass
NVNT	ac(VHT20)	5180	Ant1	5150	-46.71	2.71	51.23	Average	54	Pass
NVNT	ac(VHT20)	5240	Ant1	5350	-44.32	2.71	53.62	Peak	68.2	Pass
NVNT	ac(VHT20)	5240	Ant1	5350	-54.6	2.71	43.34	Average	54	Pass
NVNT	ac(VHT20)	5240	Ant1	5406.48	-42.98	2.71	54.96	Peak	68.2	Pass
NVNT	ac(VHT20)	5240	Ant1	5409.6	-53.88	2.71	44.06	Average	54	Pass
NVNT	ac(VHT20)	5240	Ant1	5460	-46.27	2.71	51.67	Peak	68.2	Pass
NVNT	ac(VHT20)	5240	Ant1	5460	-55.13	2.71	42.81	Average	54	Pass
NVNT	ac(VHT40)	5190	Ant1	4500	-46.75	2.71	51.19	Peak	68.2	Pass
NVNT	ac(VHT40)	5190	Ant1	4500	-55.87	2.71	42.07	Average	54	Pass
NVNT	ac(VHT40)	5190	Ant1	5148.24	-29.93	2.71	68.01	Peak	68.2	Pass
NVNT	ac(VHT40)	5190	Ant1	5148.97	-47.37	2.71	50.57	Average	54	Pass
NVNT	ac(VHT40)	5190	Ant1	5150	-33.4	2.71	64.54	Peak	68.2	Pass
NVNT	ac(VHT40)	5190	Ant1	5150	-47.32	2.71	50.62	Average	54	Pass
NVNT	ac(VHT40)	5230	Ant1	5350	-42.9	2.71	55.04	Peak	68.2	Pass
NVNT	ac(VHT40)	5230	Ant1	5350	-53.8	2.71	44.14	Average	54	Pass
NVNT	ac(VHT40)	5230	Ant1	5361.72	-42.18	2.71	55.76	Peak	68.2	Pass
NVNT	ac(VHT40)	5230	Ant1	5354.16	-53.4	2.71	44.54	Average	54	Pass
NVNT	ac(VHT40)	5230	Ant1	5460	-46.72	2.71	51.22	Peak	68.2	Pass
NVNT	ac(VHT40)	5230	Ant1	5460	-54.94	2.71	43.0	Average	54	Pass
NVNT	ac(VHT80)	5210	Ant1	4500	-46.56	2.71	51.38	Peak	68.2	Pass
NVNT	ac(VHT80)	5210	Ant1	4500	-55.07	2.71	42.87	Average	54	Pass
NVNT	ac(VHT80)	5210	Ant1	5143.06	-32.39	2.71	65.55	Peak	68.2	Pass
NVNT	ac(VHT80)	5210	Ant1	5149.38	-47.2	2.71	50.74	Average	54	Pass
NVNT	ac(VHT80)	5210	Ant1	5150	-33.88	2.71	64.06	Peak	68.2	Pass
NVNT	ac(VHT80)	5210	Ant1	5150	-47.09	2.71	50.85	Average	54	Pass




NVNT	n(HT20)	5180	Ant1	4500	-44.96	2.71	52.98	Peak	68.2	Pass
NVNT	n(HT20)	5180	Ant1	4500	-56.14	2.71	41.8	Average	54	Pass
NVNT	n(HT20)	5180	Ant1	5143.3	-33.94	2.71	64.0	Peak	68.2	Pass
NVNT	n(HT20)	5180	Ant1	5149.6	-49.48	2.71	48.46	Average	54	Pass
NVNT	n(HT20)	5180	Ant1	5150	-30.85	2.71	67.09	Peak	68.2	Pass
NVNT	n(HT20)	5180	Ant1	5150	-49.5	2.71	48.44	Average	54	Pass
NVNT	n(HT20)	5240	Ant1	5350	-45.02	2.71	52.92	Peak	68.2	Pass
NVNT	n(HT20)	5240	Ant1	5350	-54.43	2.71	43.51	Average	54	Pass
NVNT	n(HT20)	5240	Ant1	5375.52	-42.59	2.71	55.35	Peak	68.2	Pass
NVNT	n(HT20)	5240	Ant1	5406.72	-54.04	2.71	43.9	Average	54	Pass
NVNT	n(HT20)	5240	Ant1	5460	-44.96	2.71	52.98	Peak	68.2	Pass
NVNT	n(HT20)	5240	Ant1	5460	-55.14	2.71	42.8	Average	54	Pass
NVNT	n(HT40)	5190	Ant1	4500	-47.47	2.71	50.47	Peak	68.2	Pass
NVNT	n(HT40)	5190	Ant1	4500	-55.82	2.71	42.12	Average	54	Pass
NVNT	n(HT40)	5190	Ant1	5149.7	-32.24	2.71	65.7	Peak	68.2	Pass
NVNT	n(HT40)	5190	Ant1	5149.7	-48.94	2.71	49.0	Average	54	Pass
NVNT	n(HT40)	5190	Ant1	5150	-35.43	2.71	62.51	Peak	68.2	Pass
NVNT	n(HT40)	5190	Ant1	5150	-48.95	2.71	48.99	Average	54	Pass
NVNT	n(HT40)	5230	Ant1	5350	-44.45	2.71	53.49	Peak	68.2	Pass
NVNT	n(HT40)	5230	Ant1	5350	-53.01	2.71	44.93	Average	54	Pass
NVNT	n(HT40)	5230	Ant1	5351.19	-42.13	2.71	55.81	Peak	68.2	Pass
NVNT	n(HT40)	5230	Ant1	5350.11	-53.01	2.71	44.93	Average	54	Pass
NVNT	n(HT40)	5230	Ant1	5460	-46.99	2.71	50.95	Peak	68.2	Pass
NVNT	n(HT40)	5230	Ant1	5460	-54.79	2.71	43.15	Average	54	Pass



Test Graphs



Restrict Band NVNT a 5180MHz Ant1 Peak







Restrict Band NVNT a 5180MHz Ant1 Average






































## 9. Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Limit	Verdict
NVNT	ac(VHT20)	5180	Ant1	5180	5150MHz~5250MHz	Pass
NVNT	ac(VHT20)	5200	Ant1	5200.02		Pass
NVNT	ac(VHT20)	5240	Ant1	5240.02		Pass
NVNT	ac(VHT40)	5190	Ant1	5189.96		Pass
NVNT	ac(VHT40)	5230	Ant1	5230		Pass
NVNT	ac(VHT80)	5210	Ant1	5210		Pass


Note: Only show the worst case NVNT.



Test Graphs



Freq. Stability NVNT ac(VHT20) 5180MHz Ant1



Freq. Stability NVNT ac(VHT20) 5200MHz Ant1







----END OF REPORT----