




RF Test Data for Bluetooth(BDR+EDR) (Conducted Measurements)

General Description of EUT	
Product Name:	Tablet PC
Test Model:	SCORE 710
Sample ID:	20211022-01_1-02#
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	55%
Test Voltage:	DC 3.7 V
Test Engineer:	HEJINGCHANG
Note: For a more detailed features description, please refer to the report TB-FCC185467	


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	6.751	0	6.751	21	Pass
NVNT	1-DH1	2441	Ant1	6.933	0	6.933	21	Pass
NVNT	1-DH1	2480	Ant1	6.984	0	6.984	21	Pass
NVNT	2-DH1	2402	Ant1	5.96	0	5.96	21	Pass
NVNT	2-DH1	2441	Ant1	6.155	0	6.155	21	Pass
NVNT	2-DH1	2480	Ant1	6.202	0	6.202	21	Pass
NVNT	3-DH1	2402	Ant1	5.946	0	5.946	21	Pass
NVNT	3-DH1	2441	Ant1	6.135	0	6.135	21	Pass
NVNT	3-DH1	2480	Ant1	6.214	0	6.214	21	Pass








Power NVNT 2-DH1 2441MHz Ant1





Power NVNT 2-DH1 2480MHz Ant1






-20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH1	2402	Ant1	0.7	0	Pass
NVNT	1-DH1	2441	Ant1	0.73	0	Pass
NVNT	1-DH1	2480	Ant1	0.73	0	Pass
NVNT	2-DH1	2402	Ant1	1.1	0	Pass
NVNT	2-DH1	2441	Ant1	1.11	0	Pass
NVNT	2-DH1	2480	Ant1	1.12	0	Pass
NVNT	3-DH1	2402	Ant1	1.14	0	Pass
NVNT	3-DH1	2441	Ant1	1.13	0	Pass
NVNT	3-DH1	2480	Ant1	1.14	0	Pass




-20dB Bandwidth NVNT 1-DH1 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH1 2402MHz Ant1




-20dB Bandwidth NVNT 2-DH1 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH1 2480MHz Ant1




-20dB Bandwidth NVNT 3-DH1 2402MHz Ant1





-20dB Bandwidth NVNT 3-DH1 2441MHz Ant1











Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	Ant1	2401.975	2402.98	1.005	0.467	Pass
NVNT	1-DH1	Ant1	2440.9	2441.845	0.945	0.487	Pass
NVNT	1-DH1	Ant1	2478.843	2479.905	1.062	0.487	Pass
NVNT	2-DH1	Ant1	2401.894	2402.89	0.996	0.733	Pass
NVNT	2-DH1	Ant1	2440.888	2441.845	0.957	0.74	Pass
NVNT	2-DH1	Ant1	2478.9	2479.845	0.945	0.747	Pass
NVNT	3-DH1	Ant1	2401.846	2402.842	0.996	0.76	Pass
NVNT	3-DH1	Ant1	2440.84	2441.848	1.008	0.753	Pass
NVNT	3-DH1	Ant1	2478.843	2479.842	0.999	0.76	Pass














Number of Hopping Channel



Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH1	Ant1	79	15	Pass
NVNT	2-DH1	Ant1	79	15	Pass
NVNT	3-DH1	Ant1	79	15	Pass









Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	-61.63	-20	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	-61.3	-20	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	-59.22	-20	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	-60.94	-20	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	-58.69	-20	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	-59.48	-20	Pass






















Band Edge(Hopping)



Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	Hopping	-60.3	-20	Pass
NVNT	1-DH1	2480	Ant1	Hopping	-60.16	-20	Pass
NVNT	2-DH1	2402	Ant1	Hopping	-61.08	-20	Pass
NVNT	2-DH1	2480	Ant1	Hopping	-60.69	-20	Pass
NVNT	3-DH1	2402	Ant1	Hopping	-60.62	-20	Pass
NVNT	3-DH1	2480	Ant1	Hopping	-60.53	-20	Pass





















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	-55.29	-20	Pass
NVNT	1-DH1	2441	Ant1	-54.9	-20	Pass
NVNT	1-DH1	2480	Ant1	-54.23	-20	Pass
NVNT	2-DH1	2402	Ant1	-54.87	-20	Pass
NVNT	2-DH1	2441	Ant1	-54.91	-20	Pass
NVNT	2-DH1	2480	Ant1	-54.98	-20	Pass
NVNT	3-DH1	2402	Ant1	-55.21	-20	Pass
NVNT	3-DH1	2441	Ant1	-55.17	-20	Pass
NVNT	3-DH1	2480	Ant1	-55.23	-20	Pass












Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Ref







Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Emission


















Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-44.69	2	52.57	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-56.64	2	40.62	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2345.712	-43.96	2	53.3	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2375.952	-55.98	2	41.28	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-45.29	2	51.97	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-56.14	2	41.12	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-44.11	2	53.15	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-55.35	2	41.91	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2492.056	-42.8	2	54.46	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2488.624	-55.19	2	42.07	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-45.57	2	51.69	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-55.4	2	41.86	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-46.47	2	50.79	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-56.71	2	40.55	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2359.44	-43.01	2	54.25	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2374.8	-55.94	2	41.32	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-46.44	2	50.82	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-56.09	2	41.17	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-46.25	2	51.01	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-55.39	2	41.87	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2496.4	-42.43	2	54.83	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2491.456	-55.23	2	42.03	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-44.44	2	52.82	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-55.42	2	41.84	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-45.92	2	51.34	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-56.56	2	40.7	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2338.32	-42.61	2	54.65	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2380.656	-55.92	2	41.34	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-46.52	2	50.74	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-56.04	2	41.22	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-45.18	2	52.08	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-55.24	2	42.02	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2492.128	-41.8	2	55.46	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2494.888	-55.2	2	42.06	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-45.88	2	51.38	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-55.52	2	41.74	Average	54	Pass





Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Average










Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Average







Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.378	120.96	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.633	261.28	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.882	307.413	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.378	120.96	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.635	261.6	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.88	307.2	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.377	120.64	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.636	261.76	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.887	307.947	31600	400	Pass

