


CUSTOMER: SHENZHEN YONGMAN DIGITAL CO., LTD

SPECIFICATION FOR PHONE APPROVAL

Product Apperance & Dimensions



■ Product Electrical characteristics

(Parameter)	(Value)
(Product name) :	Wireless charging coil module
(Product number) :	AWM-40100
(Ferrite type) :	AWF-40100
(Coil type) :	AWC-A11
(Coil Turns) :	10Ts (10ts x 1Layers)
(Inductance) :	6.8 μ H $\pm$ 10%
(Q Value) :	70 (Min.)
(DC Resistance) :	0.06 Ω (Max.)
(Testing Instrument) :	TH2816B @100kHz、1Vrms；TH2512B At 25℃


We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

Manufacturer: Shenzhen sea Tao technology Co., LTD
Address: West Industrial Park, Hezhou New Village, Hangcheng Street, Baoan District,
Shenzhen, Guangdong, China

CUSTOMER: SHENZHEN YONGMAN DIGITAL CO., LTD

SPECIFICATION FOR HEADSET APPROVAL

Product Apperance & Dimensions



Product Electrical characteristics

(Parameter)	(Value)
(Product name) :	Wireless charging coil module
(Product number) :	AWM-HY40100
(Ferrite type) :	AWF-HY40100
(Coil type) :	AWC-A11
(Coil Turns) :	10Ts (10ts x 1Layers)
(Inductance) :	6.8 μ H $\pm$ 10%
(Q Value) :	70 (Min.)
(DC Resistance) :	0.06 Ω (Max.)
(Testing Instrument) :	TH2816B @100kHz、1Vrms; TH2512B At 25°C


We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

Manufacturer: Shenzhen sea Tao technology Co., LTD
Address: West Industrial Park, Hezhou New Village, Hangcheng Street, Baoan District,
Shenzhen, Guangdong, China

CUSTOMER: SHENZHEN YONGMAN DIGITAL CO., LTD

Watch SPECIFICATION FOR APPROVAL

Product Apperance & Dimensions



Product Electrical characteristics

(Parameter)	(Value)
(Product name) :	Wireless charging coil module
(Product number) :	AWM-HY25100
(Ferrite type) :	AWF-HY25100
(Coil type) :	AWC-A11
(Coil Turns) :	10Ts (10ts x 1Layers)
(Inductance) :	$6.8 \mu\text{H} \pm 10\%$
(Q Value) :	70 (Min.)
(DC Resistance) :	0.06Ω (Max.)
(Testing Instrument) :	TH2816B @100kHz、1Vrms; TH2512B At 25°C

We statement that All measurements were performed radiated and therefore additional antenna gain documentation is not required.

Manufacturer: Shenzhen sea Tao technology Co., LTD
Address: West Industrial Park, Hezhou New Village, Hangcheng Street, Baoan District,
Shenzhen, Guangdong, China