EWL-22149-A Wireless charger

This is a Wireless charger product, compatible with magsafe.

Feature:

- 1.8 pieces strong bipolar magnetizers.
- 2. 360 degree wide-Angle rotation
- 3. 15W fast wireless charging
- 4. 3-point enhanced stability
- 5. Easy & hands-free navigation
- 6. Drive comfortably stong magnetic hold for smooth&safe navigation on the road, charge fast with magsafe enabled wireless charging
- 7. Supports fast charge with 18W or higher USB-A power adapter
- 8. 3ft(1m) built-in cable

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Noted: Changed or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this device. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment an receiver.
- Connect the equipment to an outlet on a circuit difference from that o which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. During the operation of device a distance of 15 cm surrounding the device and 20 cm above the top surface of the device must be respected.