


Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.86	-13	Pass	2986
30	1000	0.1	RMS	903.2	-62.37	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1920	1	RMS	1850.2	23.25	60	Pass	401
1920	3000	1	RMS	2652	-46.54	-13	Pass	1081
3000	12000	1	RMS	11957	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.3	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	1000	0.1	RMS	936.2	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1920	1	RMS	1850.2	22.29	60	Pass	401
1920	3000	1	RMS	2656	-46.54	-13	Pass	1081
3000	12000	1	RMS	11846	-40.48	-13	Pass	9001
12000	20000	1	RMS	19994	-28.23	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.32	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.38	-13	Pass	9701
1000	1840	1	RMS	1831	-50.73	-13	Pass	841
1840	1920	1	RMS	1879.6	22.94	60	Pass	401
1920	3000	1	RMS	2654	-46.57	-13	Pass	1081
3000	12000	1	RMS	11951	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.19	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.22	-13	Pass	2986
30	1000	0.1	RMS	920.8	-62.34	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1879.6	22.42	60	Pass	401
1920	3000	1	RMS	2650	-46.5	-13	Pass	1081
3000	12000	1	RMS	11965	-40.58	-13	Pass	9001
12000	20000	1	RMS	19996	-28.23	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.33	-13	Pass	9701
1000	1840	1	RMS	1839	-50.69	-13	Pass	841
1840	1920	1	RMS	1908.8	23.35	60	Pass	401
1920	3000	1	RMS	2657	-46.61	-13	Pass	1081
3000	12000	1	RMS	11950	-40.61	-13	Pass	9001
12000	20000	1	RMS	19996	-28.19	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.73	-13	Pass	2986
30	1000	0.1	RMS	922.1	-62.38	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1908.8	22.14	60	Pass	401
1920	3000	1	RMS	2650	-46.57	-13	Pass	1081
3000	12000	1	RMS	11919	-40.63	-13	Pass	9001
12000	20000	1	RMS	19997	-28.24	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.31	-13	Pass	841
1840	1920	1	RMS	1850.2	23.09	60	Pass	401
1920	3000	1	RMS	2649	-46.58	-13	Pass	1081
3000	12000	1	RMS	11849	-40.6	-13	Pass	9001
12000	20000	1	RMS	19996	-28.22	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.46	-13	Pass	2986
30	1000	0.1	RMS	947.7	-62.47	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1850.2	21.55	60	Pass	401
1920	3000	1	RMS	2651	-46.57	-13	Pass	1081
3000	12000	1	RMS	11941	-40.63	-13	Pass	9001
12000	20000	1	RMS	20000	-28.23	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	1000	0.1	RMS	929	-62.44	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1878.8	23	60	Pass	401
1920	3000	1	RMS	2650	-46.53	-13	Pass	1081
3000	12000	1	RMS	11959	-40.59	-13	Pass	9001
12000	20000	1	RMS	19999	-28.26	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.25	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.3	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1920	1	RMS	1878.8	22.76	60	Pass	401
1920	3000	1	RMS	2649	-46.53	-13	Pass	1081
3000	12000	1	RMS	11849	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.28	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.37	-13	Pass	9701
1000	1840	1	RMS	1836	-50.66	-13	Pass	841
1840	1920	1	RMS	1907.2	23.04	60	Pass	401
1920	3000	1	RMS	2644	-46.55	-13	Pass	1081
3000	12000	1	RMS	11943	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.2	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.38	-13	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	Pass	841
1840	1920	1	RMS	1907.2	21.8	60	Pass	401
1920	3000	1	RMS	2649	-46.56	-13	Pass	1081
3000	12000	1	RMS	11864	-40.55	-13	Pass	9001
12000	20000	1	RMS	19999	-28.29	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.1	-13	Pass	2986
30	1000	0.1	RMS	922.1	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.4	22.9	60	Pass	401
1920	3000	1	RMS	2999	-46.59	-13	Pass	1081
3000	12000	1	RMS	11956	-40.62	-13	Pass	9001
12000	20000	1	RMS	19997	-28.32	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.41	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1850.4	21.52	60	Pass	401
1920	3000	1	RMS	2643	-46.56	-13	Pass	1081
3000	12000	1	RMS	11855	-40.6	-13	Pass	9001
12000	20000	1	RMS	19996	-28.25	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	1000	0.1	RMS	939.2	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.7	-13	Pass	841
1840	1920	1	RMS	1877.8	22.85	60	Pass	401
1920	3000	1	RMS	2655	-46.56	-13	Pass	1081
3000	12000	1	RMS	11949	-40.6	-13	Pass	9001
12000	20000	1	RMS	19998	-28.16	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	1000	0.1	RMS	917.4	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.72	-13	Pass	841
1840	1920	1	RMS	1877.8	22.1	60	Pass	401
1920	3000	1	RMS	2999	-46.61	-13	Pass	1081
3000	12000	1	RMS	11934	-40.62	-13	Pass	9001
12000	20000	1	RMS	19996	-28.25	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.26	-13	Pass	2986
30	1000	0.1	RMS	903.8	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1920	1	RMS	1905.4	22.9	60	Pass	401
1920	3000	1	RMS	2654	-46.54	-13	Pass	1081
3000	12000	1	RMS	11945	-40.57	-13	Pass	9001
12000	20000	1	RMS	19997	-28.25	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	962.4	-62.42	-13	Pass	9701
1000	1840	1	RMS	1836	-50.74	-13	Pass	841
1840	1920	1	RMS	1905.4	21.51	60	Pass	401
1920	3000	1	RMS	2650	-46.54	-13	Pass	1081
3000	12000	1	RMS	11953	-40.57	-13	Pass	9001
12000	20000	1	RMS	19998	-28.23	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.3	-13	Pass	2986
30	1000	0.1	RMS	912.8	-62.3	-13	Pass	9701
1000	1840	1	RMS	1833	-43.81	-13	Pass	841
1840	1920	1	RMS	1850.6	23.31	60	Pass	401
1920	3000	1	RMS	2643	-46.45	-13	Pass	1081
3000	12000	1	RMS	11942	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.19	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.92	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62.33	-13	Pass	9701
1000	1840	1	RMS	1833	-46.27	-13	Pass	841
1840	1920	1	RMS	1850.6	22.1	60	Pass	401
1920	3000	1	RMS	2649	-46.39	-13	Pass	1081
3000	12000	1	RMS	11839	-40.47	-13	Pass	9001
12000	20000	1	RMS	19998	-28.11	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.24	-13	Pass	9701
1000	1840	1	RMS	1837	-50.57	-13	Pass	841
1840	1920	1	RMS	1875.6	23.21	60	Pass	401
1920	3000	1	RMS	2650	-46.42	-13	Pass	1081
3000	12000	1	RMS	11962	-40.48	-13	Pass	9001
12000	20000	1	RMS	19999	-28.13	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.23	-13	Pass	9701
1000	1840	1	RMS	1837	-50.6	-13	Pass	841
1840	1920	1	RMS	1875.6	22.61	60	Pass	401
1920	3000	1	RMS	2654	-46.41	-13	Pass	1081
3000	12000	1	RMS	11944	-40.49	-13	Pass	9001
12000	20000	1	RMS	20000	-28.14	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.57	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.31	-13	Pass	9701
1000	1840	1	RMS	1837	-50.51	-13	Pass	841
1840	1920	1	RMS	1900.6	23.49	60	Pass	401
1920	3000	1	RMS	2656	-46.47	-13	Pass	1081
3000	12000	1	RMS	11950	-40.38	-13	Pass	9001
12000	20000	1	RMS	19998	-28.16	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.04	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1839	-50.64	-13	Pass	841
1840	1920	1	RMS	1900.6	21.76	60	Pass	401
1920	3000	1	RMS	2649	-46.44	-13	Pass	1081
3000	12000	1	RMS	11940	-40.53	-13	Pass	9001
12000	20000	1	RMS	19996	-28.15	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.44	-13	Pass	2986
30	1000	0.1	RMS	943.3	-62.38	-13	Pass	9701
1000	1840	1	RMS	1838	-47.59	-13	Pass	841
1840	1920	1	RMS	1850.8	23.3	60	Pass	401
1920	3000	1	RMS	2651	-46.48	-13	Pass	1081
3000	12000	1	RMS	11946	-40.46	-13	Pass	9001
12000	20000	1	RMS	19996	-28.18	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.26	-13	Pass	2986
30	1000	0.1	RMS	904.8	-62.32	-13	Pass	9701
1000	1840	1	RMS	1838	-48.75	-13	Pass	841
1840	1920	1	RMS	1850.8	21.99	60	Pass	401
1920	3000	1	RMS	2646	-46.44	-13	Pass	1081
3000	12000	1	RMS	11943	-40.47	-13	Pass	9001
12000	20000	1	RMS	19995	-28.14	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.11	-13	Pass	2986
30	1000	0.1	RMS	945.6	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1873.4	23.01	60	Pass	401
1920	3000	1	RMS	2652	-46.5	-13	Pass	1081
3000	12000	1	RMS	11853	-40.49	-13	Pass	9001
12000	20000	1	RMS	19997	-28.09	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.95	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.38	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1873.4	22.21	60	Pass	401
1920	3000	1	RMS	2659	-46.43	-13	Pass	1081
3000	12000	1	RMS	11948	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.09	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.45	-13	Pass	2986
30	1000	0.1	RMS	892.9	-62.3	-13	Pass	9701
1000	1840	1	RMS	1830	-50.63	-13	Pass	841
1840	1920	1	RMS	1895.8	22.62	60	Pass	401
1920	3000	1	RMS	2644	-46.48	-13	Pass	1081
3000	12000	1	RMS	11963	-40.54	-13	Pass	9001
12000	20000	1	RMS	19998	-28.16	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.71	-13	Pass	2986
30	1000	0.1	RMS	925.5	-62.39	-13	Pass	9701
1000	1840	1	RMS	1838	-50.56	-13	Pass	841
1840	1920	1	RMS	1895.8	21.77	60	Pass	401
1920	3000	1	RMS	2654	-46.46	-13	Pass	1081
3000	12000	1	RMS	11968	-40.49	-13	Pass	9001
12000	20000	1	RMS	20000	-28.15	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.47	-13	Pass	2986
30	1000	0.1	RMS	909.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1833	-48.1	-13	Pass	841
1840	1920	1	RMS	1851	23	60	Pass	401
1920	3000	1	RMS	2656	-46.45	-13	Pass	1081
3000	12000	1	RMS	11944	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.14	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1833	-48.61	-13	Pass	841
1840	1920	1	RMS	1851	22.34	60	Pass	401
1920	3000	1	RMS	2999	-46.48	-13	Pass	1081
3000	12000	1	RMS	11945	-40.49	-13	Pass	9001
12000	20000	1	RMS	19999	-28.16	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.68	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.27	-13	Pass	9701
1000	1840	1	RMS	1835	-47.5	-13	Pass	841
1840	1920	1	RMS	1871	23.08	60	Pass	401
1920	3000	1	RMS	2651	-46.47	-13	Pass	1081
3000	12000	1	RMS	11940	-40.51	-13	Pass	9001
12000	20000	1	RMS	19998	-28.12	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.15	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.35	-13	Pass	9701
1000	1840	1	RMS	1835	-48.71	-13	Pass	841
1840	1920	1	RMS	1871	21.79	60	Pass	401
1920	3000	1	RMS	2998	-46.41	-13	Pass	1081
3000	12000	1	RMS	11956	-40.47	-13	Pass	9001
12000	20000	1	RMS	19997	-28.11	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.83	-13	Pass	2986
30	1000	0.1	RMS	912.1	-62.28	-13	Pass	9701
1000	1840	1	RMS	1836	-50.56	-13	Pass	841
1840	1920	1	RMS	1891	22.79	60	Pass	401
1920	3000	1	RMS	2644	-46.42	-13	Pass	1081
3000	12000	1	RMS	11952	-40.48	-13	Pass	9001
12000	20000	1	RMS	19999	-28.04	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.31	-13	Pass	9701
1000	1840	1	RMS	1839	-50.59	-13	Pass	841
1840	1920	1	RMS	1891	22.1	60	Pass	401
1920	3000	1	RMS	2999	-46.43	-13	Pass	1081
3000	12000	1	RMS	11951	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.12	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1765	1	RMS	1710.238	23.96	60	Pass	401
1765	3000	1	RMS	2657	-46.4	-13	Pass	1236
3000	12000	1	RMS	11938	-40.49	-13	Pass	9001
12000	20000	1	RMS	19998	-28.08	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.81	-13	Pass	2986
30	1000	0.1	RMS	931	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1765	1	RMS	1710.238	22.94	60	Pass	401
1765	3000	1	RMS	2653	-46.45	-13	Pass	1236
3000	12000	1	RMS	11952	-40.45	-13	Pass	9001
12000	20000	1	RMS	19999	-28.15	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.94	-13	Pass	2986
30	1000	0.1	RMS	949.7	-62.32	-13	Pass	9701
1000	1700	1	RMS	1697	-51.15	-13	Pass	701
1700	1765	1	RMS	1732.013	23.61	60	Pass	401
1765	3000	1	RMS	2657	-46.4	-13	Pass	1236
3000	12000	1	RMS	11930	-40.52	-13	Pass	9001
12000	20000	1	RMS	19995	-28.09	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.64	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.3	-13	Pass	9701
1000	1700	1	RMS	1698	-51.22	-13	Pass	701
1700	1765	1	RMS	1732.013	22.89	60	Pass	401
1765	3000	1	RMS	2655	-46.44	-13	Pass	1236
3000	12000	1	RMS	11849	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.22	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.68	-13	Pass	2986
30	1000	0.1	RMS	921	-62.28	-13	Pass	9701
1000	1700	1	RMS	1689	-51.22	-13	Pass	701
1700	1765	1	RMS	1753.788	23.92	60	Pass	401
1765	3000	1	RMS	2650	-46.41	-13	Pass	1236
3000	12000	1	RMS	11850	-40.53	-13	Pass	9001
12000	20000	1	RMS	19998	-28.12	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-13	Pass	2986
30	1000	0.1	RMS	943.4	-62.32	-13	Pass	9701
1000	1700	1	RMS	1643	-51.23	-13	Pass	701
1700	1765	1	RMS	1753.788	22.8	60	Pass	401
1765	3000	1	RMS	2653	-46.39	-13	Pass	1236
3000	12000	1	RMS	11849	-40.43	-13	Pass	9001
12000	20000	1	RMS	19993	-28.2	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2986
30	1000	0.1	RMS	942.4	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.238	23.7	60	Pass	401
1765	3000	1	RMS	2648	-46.47	-13	Pass	1236
3000	12000	1	RMS	11843	-40.51	-13	Pass	9001
12000	20000	1	RMS	20000	-28.15	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.65	-13	Pass	2986
30	1000	0.1	RMS	948.9	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.238	22.73	60	Pass	401
1765	3000	1	RMS	2661	-46.44	-13	Pass	1236
3000	12000	1	RMS	11922	-40.51	-13	Pass	9001
12000	20000	1	RMS	19999	-28.08	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.77	-13	Pass	2986
30	1000	0.1	RMS	901.8	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1731.2	23.83	60	Pass	401
1765	3000	1	RMS	2650	-46.46	-13	Pass	1236
3000	12000	1	RMS	11848	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.22	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.56	-13	Pass	2986
30	1000	0.1	RMS	906.9	-62.2	-13	Pass	9701
1000	1700	1	RMS	1698	-51.16	-13	Pass	701
1700	1765	1	RMS	1731.2	23.29	60	Pass	401
1765	3000	1	RMS	3000	-46.39	-13	Pass	1236
3000	12000	1	RMS	11954	-40.49	-13	Pass	9001
12000	20000	1	RMS	19997	-28	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	1000	0.1	RMS	912.6	-62.37	-13	Pass	9701
1000	1700	1	RMS	1686	-51.22	-13	Pass	701
1700	1765	1	RMS	1752.163	23.7	60	Pass	401
1765	3000	1	RMS	2656	-46.42	-13	Pass	1236
3000	12000	1	RMS	11925	-40.49	-13	Pass	9001
12000	20000	1	RMS	20000	-28.15	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.91	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1765	1	RMS	1752.163	22.92	60	Pass	401
1765	3000	1	RMS	2648	-46.42	-13	Pass	1236
3000	12000	1	RMS	11932	-40.53	-13	Pass	9001
12000	20000	1	RMS	19992	-28.13	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.74	-13	Pass	2986
30	1000	0.1	RMS	898.1	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1765	1	RMS	1710.4	23.67	60	Pass	401
1765	3000	1	RMS	2646	-46.45	-13	Pass	1236
3000	12000	1	RMS	11967	-40.49	-13	Pass	9001
12000	20000	1	RMS	19999	-28.08	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.99	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1765	1	RMS	1710.4	22.34	60	Pass	401
1765	3000	1	RMS	2651	-46.45	-13	Pass	1236
3000	12000	1	RMS	11954	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.13	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.31	-13	Pass	2986
30	1000	0.1	RMS	942.9	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-51.21	-13	Pass	701
1700	1765	1	RMS	1730.388	23.56	60	Pass	401
1765	3000	1	RMS	2646	-46.46	-13	Pass	1236
3000	12000	1	RMS	11948	-40.43	-13	Pass	9001
12000	20000	1	RMS	19998	-28.13	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2986
30	1000	0.1	RMS	910.7	-62.32	-13	Pass	9701
1000	1700	1	RMS	1697	-51.24	-13	Pass	701
1700	1765	1	RMS	1730.388	22.79	60	Pass	401
1765	3000	1	RMS	2657	-46.45	-13	Pass	1236
3000	12000	1	RMS	11948	-40.46	-13	Pass	9001
12000	20000	1	RMS	20000	-28.06	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2986
30	1000	0.1	RMS	936.1	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	Pass	701
1700	1765	1	RMS	1750.375	23.53	60	Pass	401
1765	3000	1	RMS	2650	-46.41	-13	Pass	1236
3000	12000	1	RMS	11930	-40.44	-13	Pass	9001
12000	20000	1	RMS	19994	-28.16	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.08	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.4	-13	Pass	9701
1000	1700	1	RMS	1584	-51.29	-13	Pass	701
1700	1765	1	RMS	1750.375	22.5	60	Pass	401
1765	3000	1	RMS	2658	-46.47	-13	Pass	1236
3000	12000	1	RMS	11933	-40.52	-13	Pass	9001
12000	20000	1	RMS	19999	-28.1	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.12	-13	Pass	9701
1000	1700	1	RMS	1693	-50.59	-13	Pass	701
1700	1765	1	RMS	1710.563	23.93	60	Pass	401
1765	3000	1	RMS	2652	-46.38	-13	Pass	1236
3000	12000	1	RMS	11850	-40.51	-13	Pass	9001
12000	20000	1	RMS	19994	-28.12	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.563	22.67	60	Pass	401
1765	3000	1	RMS	2653	-46.41	-13	Pass	1236
3000	12000	1	RMS	11941	-40.55	-13	Pass	9001
12000	20000	1	RMS	19994	-28.19	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	1000	0.1	RMS	937.7	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1728.113	23.73	60	Pass	401
1765	3000	1	RMS	3000	-46.42	-13	Pass	1236
3000	12000	1	RMS	11943	-40.44	-13	Pass	9001
12000	20000	1	RMS	19999	-28.08	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.76	-13	Pass	2986
30	1000	0.1	RMS	904	-62.37	-13	Pass	9701
1000	1700	1	RMS	1699	-51.18	-13	Pass	701
1700	1765	1	RMS	1728.113	23.04	60	Pass	401
1765	3000	1	RMS	2649	-46.4	-13	Pass	1236
3000	12000	1	RMS	11944	-40.52	-13	Pass	9001
12000	20000	1	RMS	19995	-28.21	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.62	-13	Pass	2986
30	1000	0.1	RMS	929.4	-62.32	-13	Pass	9701
1000	1700	1	RMS	1680	-51.21	-13	Pass	701
1700	1765	1	RMS	1745.663	23.6	60	Pass	401
1765	3000	1	RMS	2652	-46.35	-13	Pass	1236
3000	12000	1	RMS	11861	-40.55	-13	Pass	9001
12000	20000	1	RMS	19998	-28.16	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.26	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.3	-13	Pass	9701
1000	1700	1	RMS	1682	-51.23	-13	Pass	701
1700	1765	1	RMS	1745.5	22.38	60	Pass	401
1765	3000	1	RMS	2653	-46.44	-13	Pass	1236
3000	12000	1	RMS	11952	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.09	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.3	-13	Pass	2986
30	1000	0.1	RMS	933	-62.23	-13	Pass	9701
1000	1700	1	RMS	1698	-47.21	-13	Pass	701
1700	1765	1	RMS	1710.888	23.95	60	Pass	401
1765	3000	1	RMS	2647	-46.45	-13	Pass	1236
3000	12000	1	RMS	11950	-40.41	-13	Pass	9001
12000	20000	1	RMS	20000	-28.15	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.4	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.3	-13	Pass	9701
1000	1700	1	RMS	1698	-48.96	-13	Pass	701
1700	1765	1	RMS	1710.888	22.63	60	Pass	401
1765	3000	1	RMS	2647	-46.41	-13	Pass	1236
3000	12000	1	RMS	11944	-40.41	-13	Pass	9001
12000	20000	1	RMS	19998	-28.24	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.93	-13	Pass	2986
30	1000	0.1	RMS	941.6	-62.3	-13	Pass	9701
1000	1700	1	RMS	1699	-42.22	-13	Pass	701
1700	1765	1	RMS	1725.838	23.65	60	Pass	401
1765	3000	1	RMS	2651	-46.46	-13	Pass	1236
3000	12000	1	RMS	11965	-40.49	-13	Pass	9001
12000	20000	1	RMS	19999	-28.2	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.7	-13	Pass	2986
30	1000	0.1	RMS	912.2	-62.27	-13	Pass	9701
1000	1700	1	RMS	1699	-48.7	-13	Pass	701
1700	1765	1	RMS	1725.838	23.17	60	Pass	401
1765	3000	1	RMS	2654	-46.47	-13	Pass	1236
3000	12000	1	RMS	11854	-40.48	-13	Pass	9001
12000	20000	1	RMS	19998	-28.09	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.31	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.37	-13	Pass	9701
1000	1700	1	RMS	1698	-51.14	-13	Pass	701
1700	1765	1	RMS	1740.788	23.59	60	Pass	401
1765	3000	1	RMS	1767	-31.88	-13	Pass	1236
3000	12000	1	RMS	11934	-40.54	-13	Pass	9001
12000	20000	1	RMS	19996	-28.24	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.86	-13	Pass	2986
30	1000	0.1	RMS	893.1	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1740.788	22.35	60	Pass	401
1765	3000	1	RMS	1768	-34.49	-13	Pass	1236
3000	12000	1	RMS	11973	-40.53	-13	Pass	9001
12000	20000	1	RMS	19998	-28.21	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.49	-13	Pass	2986
30	1000	0.1	RMS	945.4	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-49.06	-13	Pass	701
1700	1765	1	RMS	1711.05	23.48	60	Pass	401
1765	3000	1	RMS	2651	-46.41	-13	Pass	1236
3000	12000	1	RMS	11956	-40.55	-13	Pass	9001
12000	20000	1	RMS	19998	-28.07	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.96	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-49.52	-13	Pass	701
1700	1765	1	RMS	1711.05	22.98	60	Pass	401
1765	3000	1	RMS	2657	-46.45	-13	Pass	1236
3000	12000	1	RMS	11860	-40.48	-13	Pass	9001
12000	20000	1	RMS	19999	-28.12	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.62	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.28	-13	Pass	9701
1000	1700	1	RMS	1699	-51.03	-13	Pass	701
1700	1765	1	RMS	1723.563	23.94	60	Pass	401
1765	3000	1	RMS	2648	-46.41	-13	Pass	1236
3000	12000	1	RMS	11952	-40.5	-13	Pass	9001
12000	20000	1	RMS	19998	-28.18	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.43	-13	Pass	2986
30	1000	0.1	RMS	938.4	-62.31	-13	Pass	9701
1000	1700	1	RMS	1697	-51.18	-13	Pass	701
1700	1765	1	RMS	1723.563	22.78	60	Pass	401
1765	3000	1	RMS	2655	-46.44	-13	Pass	1236
3000	12000	1	RMS	11954	-40.49	-13	Pass	9001
12000	20000	1	RMS	20000	-28.15	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.45	-13	Pass	9701
1000	1700	1	RMS	1700	-48.15	-13	Pass	701
1700	1765	1	RMS	1736.075	23.67	60	Pass	401
1765	3000	1	RMS	1772	-40.2	-13	Pass	1236
3000	12000	1	RMS	11955	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.14	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2986
30	1000	0.1	RMS	922.5	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-48.04	-13	Pass	701
1700	1765	1	RMS	1736.075	23.09	60	Pass	401
1765	3000	1	RMS	1772	-40.4	-13	Pass	1236
3000	12000	1	RMS	11949	-40.49	-13	Pass	9001
12000	20000	1	RMS	19994	-28.22	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.57	-13	Pass	2986
30	814	0.1	RMS	789.7	-62.53	-13	Pass	7841
814	860	0.1	RMS	824.2	19.91	60	Pass	461
860	1000	0.1	RMS	949.7	-62.61	-13	Pass	1401
1000	3000	1	RMS	2658	-46.41	-13	Pass	2001
3000	10000	1	RMS	7735	-42.22	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.46	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.55	-13	Pass	7841
814	860	0.1	RMS	824.3	18.95	60	Pass	461
860	1000	0.1	RMS	907.8	-62.49	-13	Pass	1401
1000	3000	1	RMS	2999	-46.43	-13	Pass	2001
3000	10000	1	RMS	7743	-42.22	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.35	-13	Pass	2986
30	814	0.1	RMS	782.6	-62.53	-13	Pass	7841
814	860	0.1	RMS	836.1	19.48	60	Pass	461
860	1000	0.1	RMS	925.5	-62.6	-13	Pass	1401
1000	3000	1	RMS	2657	-46.41	-13	Pass	2001
3000	10000	1	RMS	7729	-42.26	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.39	-13	Pass	2986
30	814	0.1	RMS	809.7	-62.59	-13	Pass	7841
814	860	0.1	RMS	836.1	18.94	60	Pass	461
860	1000	0.1	RMS	907.3	-62.53	-13	Pass	1401
1000	3000	1	RMS	2658	-46.46	-13	Pass	2001
3000	10000	1	RMS	7731	-42.21	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.95	-13	Pass	2986
30	814	0.1	RMS	809.7	-62.53	-13	Pass	7841
814	860	0.1	RMS	847.9	19.62	60	Pass	461
860	1000	0.1	RMS	934	-62.51	-13	Pass	1401
1000	3000	1	RMS	2652	-46.44	-13	Pass	2001
3000	10000	1	RMS	7737	-42.19	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.49	-13	Pass	2986
30	814	0.1	RMS	810.5	-62.5	-13	Pass	7841
814	860	0.1	RMS	847.8	18.19	60	Pass	461
860	1000	0.1	RMS	926.6	-62.6	-13	Pass	1401
1000	3000	1	RMS	2655	-46.45	-13	Pass	2001
3000	10000	1	RMS	7728	-42.23	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-13	Pass	2986
30	814	0.1	RMS	791.2	-62.43	-13	Pass	7841
814	860	0.1	RMS	824.2	20.05	60	Pass	461
860	1000	0.1	RMS	915.8	-62.55	-13	Pass	1401
1000	3000	1	RMS	2656	-46.44	-13	Pass	2001
3000	10000	1	RMS	7729	-42.24	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.74	-13	Pass	2986
30	814	0.1	RMS	786.6	-62.34	-13	Pass	7841
814	860	0.1	RMS	824.2	18.42	60	Pass	461
860	1000	0.1	RMS	934.1	-62.6	-13	Pass	1401
1000	3000	1	RMS	2648	-46.45	-13	Pass	2001
3000	10000	1	RMS	7735	-42.16	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	814	0.1	RMS	793.3	-62.64	-13	Pass	7841
814	860	0.1	RMS	835.2	19.88	60	Pass	461
860	1000	0.1	RMS	926	-62.57	-13	Pass	1401
1000	3000	1	RMS	2653	-46.46	-13	Pass	2001
3000	10000	1	RMS	7731	-42.17	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.01	-13	Pass	2986
30	814	0.1	RMS	803.6	-62.6	-13	Pass	7841
814	860	0.1	RMS	835.2	19.48	60	Pass	461
860	1000	0.1	RMS	917.4	-62.6	-13	Pass	1401
1000	3000	1	RMS	2648	-46.45	-13	Pass	2001
3000	10000	1	RMS	7735	-42.22	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.8	-13	Pass	2986
30	814	0.1	RMS	802.1	-62.6	-13	Pass	7841
814	860	0.1	RMS	846.2	19.77	60	Pass	461
860	1000	0.1	RMS	920	-62.56	-13	Pass	1401
1000	3000	1	RMS	2645	-46.44	-13	Pass	2001
3000	10000	1	RMS	7737	-42.18	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	814	0.1	RMS	806.4	-62.52	-13	Pass	7841
814	860	0.1	RMS	846.2	18.57	60	Pass	461
860	1000	0.1	RMS	919	-62.56	-13	Pass	1401
1000	3000	1	RMS	2647	-46.47	-13	Pass	2001
3000	10000	1	RMS	7733	-42.24	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.43	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.51	-13	Pass	7841
814	860	0.1	RMS	824.3	19.87	60	Pass	461
860	1000	0.1	RMS	950.7	-62.55	-13	Pass	1401
1000	3000	1	RMS	2654	-46.44	-13	Pass	2001
3000	10000	1	RMS	9553	-42.16	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.02	-13	Pass	2986
30	814	0.1	RMS	787.1	-62.55	-13	Pass	7841
814	860	0.1	RMS	824.3	18.46	60	Pass	461
860	1000	0.1	RMS	917.7	-62.46	-13	Pass	1401
1000	3000	1	RMS	2650	-46.43	-13	Pass	2001
3000	10000	1	RMS	7731	-42.17	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.4	-13	Pass	2986
30	814	0.1	RMS	797.3	-62.54	-13	Pass	7841
814	860	0.1	RMS	834.3	19.64	60	Pass	461
860	1000	0.1	RMS	917.8	-62.61	-13	Pass	1401
1000	3000	1	RMS	2648	-46.45	-13	Pass	2001
3000	10000	1	RMS	7740	-42.23	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	814	0.1	RMS	796.8	-62.57	-13	Pass	7841
814	860	0.1	RMS	834.3	19.11	60	Pass	461
860	1000	0.1	RMS	928.7	-62.55	-13	Pass	1401
1000	3000	1	RMS	2656	-46.47	-13	Pass	2001
3000	10000	1	RMS	7731	-42.18	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.05	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.48	-13	Pass	7841
814	860	0.1	RMS	844.3	19.88	60	Pass	461
860	1000	0.1	RMS	890.8	-62.53	-13	Pass	1401
1000	3000	1	RMS	2649	-46.43	-13	Pass	2001
3000	10000	1	RMS	7735	-42.22	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	814	0.1	RMS	803.1	-62.5	-13	Pass	7841
814	860	0.1	RMS	844.3	18.67	60	Pass	461
860	1000	0.1	RMS	892.4	-62.64	-13	Pass	1401
1000	3000	1	RMS	2657	-46.44	-13	Pass	2001
3000	10000	1	RMS	7740	-42.25	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.91	-13	Pass	2986
30	814	0.1	RMS	808.6	-62.38	-13	Pass	7841
814	860	0.1	RMS	824.6	20.67	60	Pass	461
860	1000	0.1	RMS	948.4	-62.53	-13	Pass	1401
1000	3000	1	RMS	2649	-46.46	-13	Pass	2001
3000	10000	1	RMS	9550	-42.24	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.81	-13	Pass	2986
30	814	0.1	RMS	803.5	-62.62	-13	Pass	7841
814	860	0.1	RMS	824.6	19.21	60	Pass	461
860	1000	0.1	RMS	975.8	-62.7	-13	Pass	1401
1000	3000	1	RMS	2653	-46.56	-13	Pass	2001
3000	10000	1	RMS	9551	-42.34	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2986
30	814	0.1	RMS	805.9	-62.56	-13	Pass	7841
814	860	0.1	RMS	832.1	20.42	60	Pass	461
860	1000	0.1	RMS	925.2	-62.58	-13	Pass	1401
1000	3000	1	RMS	2649	-46.61	-13	Pass	2001
3000	10000	1	RMS	7740	-42.34	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-13	Pass	2986
30	814	0.1	RMS	771.6	-62.67	-13	Pass	7841
814	860	0.1	RMS	832.1	19.82	60	Pass	461
860	1000	0.1	RMS	941.4	-62.63	-13	Pass	1401
1000	3000	1	RMS	2657	-46.64	-13	Pass	2001
3000	10000	1	RMS	7735	-42.32	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.73	-13	Pass	2986
30	814	0.1	RMS	791.1	-62.44	-13	Pass	7841
814	860	0.1	RMS	839.6	20.57	60	Pass	461
860	1000	0.1	RMS	929.7	-62.51	-13	Pass	1401
1000	3000	1	RMS	2656	-46.56	-13	Pass	2001
3000	10000	1	RMS	7729	-42.35	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.31	-13	Pass	2986
30	814	0.1	RMS	787.5	-62.63	-13	Pass	7841
814	860	0.1	RMS	839.6	19.24	60	Pass	461
860	1000	0.1	RMS	945.7	-62.64	-13	Pass	1401
1000	3000	1	RMS	2652	-46.63	-13	Pass	2001
3000	10000	1	RMS	7736	-42.34	-13	Pass	7001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	689	0.1	RMS	512.8	-63.47	-13	Pass	6591
689	726	0.1	RMS	699.268	20.86	60	Pass	401
726	1000	0.1	RMS	934.4	-62.41	-13	Pass	2741
1000	3000	1	RMS	2797	-46.46	-13	Pass	2001
3000	10000	1	RMS	7732	-42.29	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.06	-13	Pass	2986
30	689	0.1	RMS	516.6	-63.55	-13	Pass	6591
689	726	0.1	RMS	699.268	19.71	60	Pass	401
726	1000	0.1	RMS	907.4	-62.41	-13	Pass	2741
1000	3000	1	RMS	2797	-46.59	-13	Pass	2001
3000	10000	1	RMS	7733	-42.38	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.32	-13	Pass	2986
30	689	0.1	RMS	687.2	-63.24	-13	Pass	6591
689	726	0.1	RMS	707.038	20.8	60	Pass	401
726	1000	0.1	RMS	914.3	-62.25	-13	Pass	2741
1000	3000	1	RMS	2648	-46.6	-13	Pass	2001
3000	10000	1	RMS	7742	-42.32	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51	-13	Pass	2986
30	689	0.1	RMS	676.4	-63.5	-13	Pass	6591
689	726	0.1	RMS	707.038	20.31	60	Pass	401
726	1000	0.1	RMS	913.5	-62.4	-13	Pass	2741
1000	3000	1	RMS	2648	-46.59	-13	Pass	2001
3000	10000	1	RMS	9537	-42.35	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.83	-13	Pass	2986
30	689	0.1	RMS	685.3	-63.55	-13	Pass	6591
689	726	0.1	RMS	714.808	20.55	60	Pass	401
726	1000	0.1	RMS	931	-62.38	-13	Pass	2741
1000	3000	1	RMS	1430	-45.08	-13	Pass	2001
3000	10000	1	RMS	7738	-42.29	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.81	-13	Pass	2986
30	689	0.1	RMS	685.8	-63.56	-13	Pass	6591
689	726	0.1	RMS	714.808	19.03	60	Pass	401
726	1000	0.1	RMS	911.4	-62.47	-13	Pass	2741
1000	3000	1	RMS	1430	-46.57	-13	Pass	2001
3000	10000	1	RMS	7730	-42.31	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.41	-13	Pass	2986
30	689	0.1	RMS	677.8	-63.47	-13	Pass	6591
689	726	0.1	RMS	699.268	20.38	60	Pass	401
726	1000	0.1	RMS	926.7	-62.35	-13	Pass	2741
1000	3000	1	RMS	2797	-46.44	-13	Pass	2001
3000	10000	1	RMS	7732	-42.33	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-13	Pass	2986
30	689	0.1	RMS	681.6	-63.54	-13	Pass	6591
689	726	0.1	RMS	699.268	19.05	60	Pass	401
726	1000	0.1	RMS	904.7	-62.44	-13	Pass	2741
1000	3000	1	RMS	2653	-46.59	-13	Pass	2001
3000	10000	1	RMS	9546	-42.33	-13	Pass	7001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.84	-13	Pass	2986
30	689	0.1	RMS	686.9	-63.42	-13	Pass	6591
689	726	0.1	RMS	706.205	20.52	60	Pass	401
726	1000	0.1	RMS	933.8	-62.39	-13	Pass	2741
1000	3000	1	RMS	2650	-46.58	-13	Pass	2001
3000	10000	1	RMS	7752	-42.37	-13	Pass	7001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.13	-13	Pass	2986
30	689	0.1	RMS	676.3	-63.57	-13	Pass	6591
689	726	0.1	RMS	706.205	19.93	60	Pass	401
726	1000	0.1	RMS	963.4	-62.36	-13	Pass	2741
1000	3000	1	RMS	2649	-46.59	-13	Pass	2001
3000	10000	1	RMS	7724	-42.35	-13	Pass	7001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.31	-13	Pass	2986
30	689	0.1	RMS	687.8	-63.48	-13	Pass	6591
689	726	0.1	RMS	713.235	20.81	60	Pass	401
726	1000	0.1	RMS	921.2	-62.39	-13	Pass	2741
1000	3000	1	RMS	1426	-45.44	-13	Pass	2001
3000	10000	1	RMS	7729	-42.31	-13	Pass	7001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-13	Pass	2986
30	689	0.1	RMS	522.7	-63.6	-13	Pass	6591
689	726	0.1	RMS	713.235	19.54	60	Pass	401
726	1000	0.1	RMS	934.7	-62.33	-13	Pass	2741
1000	3000	1	RMS	2648	-46.61	-13	Pass	2001
3000	10000	1	RMS	7729	-42.36	-13	Pass	7001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.58	-13	Pass	2986
30	689	0.1	RMS	656.1	-63.4	-13	Pass	6591
689	726	0.1	RMS	699.36	20.21	60	Pass	401
726	1000	0.1	RMS	875.8	-62.47	-13	Pass	2741
1000	3000	1	RMS	2650	-46.58	-13	Pass	2001
3000	10000	1	RMS	7736	-42.3	-13	Pass	7001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.26	-13	Pass	2986
30	689	0.1	RMS	685.5	-63.67	-13	Pass	6591
689	726	0.1	RMS	699.36	19.15	60	Pass	401
726	1000	0.1	RMS	951.7	-62.5	-13	Pass	2741
1000	3000	1	RMS	2658	-46.62	-13	Pass	2001
3000	10000	1	RMS	7740	-42.38	-13	Pass	7001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.31	-13	Pass	2986
30	689	0.1	RMS	513.4	-63.5	-13	Pass	6591
689	726	0.1	RMS	705.373	20.39	60	Pass	401
726	1000	0.1	RMS	956.8	-62.24	-13	Pass	2741
1000	3000	1	RMS	2648	-46.58	-13	Pass	2001
3000	10000	1	RMS	7731	-42.34	-13	Pass	7001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.93	-13	Pass	2986
30	689	0.1	RMS	505.2	-63.58	-13	Pass	6591
689	726	0.1	RMS	705.373	19.75	60	Pass	401
726	1000	0.1	RMS	926.4	-62.21	-13	Pass	2741
1000	3000	1	RMS	2652	-46.61	-13	Pass	2001
3000	10000	1	RMS	7742	-42.37	-13	Pass	7001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2986
30	689	0.1	RMS	677.6	-63.47	-13	Pass	6591
689	726	0.1	RMS	711.293	20.18	60	Pass	401
726	1000	0.1	RMS	923	-62.32	-13	Pass	2741
1000	3000	1	RMS	1423	-45.42	-13	Pass	2001
3000	10000	1	RMS	9549	-42.32	-13	Pass	7001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-13	Pass	2986
30	689	0.1	RMS	520.5	-63.55	-13	Pass	6591
689	726	0.1	RMS	711.293	19.08	60	Pass	401
726	1000	0.1	RMS	904.1	-62.35	-13	Pass	2741
1000	3000	1	RMS	1423	-46.54	-13	Pass	2001
3000	10000	1	RMS	7725	-42.4	-13	Pass	7001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	689	0.1	RMS	518	-63.54	-13	Pass	6591
689	726	0.1	RMS	699.638	20.06	60	Pass	401
726	1000	0.1	RMS	944.1	-62.38	-13	Pass	2741
1000	3000	1	RMS	2651	-46.58	-13	Pass	2001
3000	10000	1	RMS	7749	-42.36	-13	Pass	7001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.64	-13	Pass	6591
689	726	0.1	RMS	699.545	18.95	60	Pass	401
726	1000	0.1	RMS	889.9	-62.4	-13	Pass	2741
1000	3000	1	RMS	2661	-46.62	-13	Pass	2001
3000	10000	1	RMS	7736	-42.35	-13	Pass	7001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.93	-13	Pass	2986
30	689	0.1	RMS	682	-63.5	-13	Pass	6591
689	726	0.1	RMS	703.06	20.31	60	Pass	401
726	1000	0.1	RMS	905.9	-62.23	-13	Pass	2741
1000	3000	1	RMS	1406	-45.76	-13	Pass	2001
3000	10000	1	RMS	7757	-42.35	-13	Pass	7001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2986
30	689	0.1	RMS	688.7	-63.39	-13	Pass	6591
689	726	0.1	RMS	703.06	19.62	60	Pass	401
726	1000	0.1	RMS	889.2	-62.49	-13	Pass	2741
1000	3000	1	RMS	1406	-46.49	-13	Pass	2001
3000	10000	1	RMS	9543	-42.29	-13	Pass	7001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-13	Pass	2986
30	689	0.1	RMS	491.9	-63.48	-13	Pass	6591
689	726	0.1	RMS	706.575	20.94	60	Pass	401
726	1000	0.1	RMS	906.8	-62.31	-13	Pass	2741
1000	3000	1	RMS	2655	-46.6	-13	Pass	2001
3000	10000	1	RMS	7738	-42.38	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.72	-13	Pass	2986
30	689	0.1	RMS	663.5	-63.54	-13	Pass	6591
689	726	0.1	RMS	706.575	19.53	60	Pass	401
726	1000	0.1	RMS	914.7	-62.37	-13	Pass	2741
1000	3000	1	RMS	2651	-46.62	-13	Pass	2001
3000	10000	1	RMS	7730	-42.35	-13	Pass	7001



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.59	-13	Pass	2986
30	767	0.1	RMS	766.8	-62.86	-13	Pass	7371
767	797	0.1	RMS	777.35	20.68	60	Pass	401
797	1000	0.1	RMS	957.6	-62.3	-13	Pass	2031
1000	3000	1	RMS	2657	-46.57	-13	Pass	2001
3000	10000	1	RMS	7724	-42.33	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	767	0.1	RMS	762.3	-62.91	-13	Pass	7371
767	797	0.1	RMS	777.35	19.67	60	Pass	401
797	1000	0.1	RMS	945	-62.58	-13	Pass	2031
1000	3000	1	RMS	2651	-46.6	-13	Pass	2001
3000	10000	1	RMS	7740	-42.31	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2986
30	767	0.1	RMS	765.7	-62.95	-13	Pass	7371
767	797	0.1	RMS	779.825	20.84	60	Pass	401
797	1000	0.1	RMS	938.6	-62.51	-13	Pass	2031
1000	3000	1	RMS	2650	-46.55	-13	Pass	2001
3000	10000	1	RMS	9546	-42.36	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.88	-13	Pass	2986
30	767	0.1	RMS	761.4	-62.9	-13	Pass	7371
767	797	0.1	RMS	779.825	20.12	60	Pass	401
797	1000	0.1	RMS	912.8	-62.33	-13	Pass	2031
1000	3000	1	RMS	2651	-46.55	-13	Pass	2001
3000	10000	1	RMS	7729	-42.35	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2986
30	767	0.1	RMS	754.8	-62.89	-13	Pass	7371
767	797	0.1	RMS	782.3	20.31	60	Pass	401
797	1000	0.1	RMS	903.4	-62.51	-13	Pass	2031
1000	3000	1	RMS	2649	-46.59	-13	Pass	2001
3000	10000	1	RMS	7731	-42.32	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2986
30	767	0.1	RMS	756.4	-62.85	-13	Pass	7371
767	797	0.1	RMS	782.375	19.29	60	Pass	401
797	1000	0.1	RMS	931.2	-62.5	-13	Pass	2031
1000	3000	1	RMS	2656	-46.6	-13	Pass	2001
3000	10000	1	RMS	7747	-42.38	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.26	-13	Pass	2986
30	767	0.1	RMS	766.3	-62.65	-13	Pass	7371
767	797	0.1	RMS	777.575	20.77	60	Pass	401
797	1000	0.1	RMS	930.5	-62.43	-13	Pass	2031
1000	3000	1	RMS	2652	-46.59	-13	Pass	2001
3000	10000	1	RMS	7724	-42.33	-13	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.73	-13	Pass	2986
30	767	0.1	RMS	757.7	-62.93	-13	Pass	7371
767	797	0.1	RMS	777.575	19.72	60	Pass	401
797	1000	0.1	RMS	923.4	-62.39	-13	Pass	2031
1000	3000	1	RMS	2647	-46.64	-13	Pass	2001
3000	10000	1	RMS	7737	-42.37	-13	Pass	7001



6. LTE_Band14


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2986
30	778	0.1	RMS	777.6	-62.69	-13	Pass	7481
778	808	0.1	RMS	788.35	20.54	60	Pass	401
808	1000	0.1	RMS	988	-62.55	-13	Pass	1921
1000	3000	1	RMS	2650	-46.63	-13	Pass	2001
3000	10000	1	RMS	7731	-42.33	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.79	-13	Pass	2986
30	778	0.1	RMS	777.7	-62.83	-13	Pass	7481
778	808	0.1	RMS	788.35	19.52	60	Pass	401
808	1000	0.1	RMS	926.2	-62.44	-13	Pass	1921
1000	3000	1	RMS	2651	-46.57	-13	Pass	2001
3000	10000	1	RMS	9542	-42.31	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-13	Pass	2986
30	778	0.1	RMS	777.5	-62.75	-13	Pass	7481
778	808	0.1	RMS	790.825	20.7	60	Pass	401
808	1000	0.1	RMS	913.5	-62.4	-13	Pass	1921
1000	3000	1	RMS	2651	-46.56	-13	Pass	2001
3000	10000	1	RMS	7728	-42.33	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.56	-13	Pass	2986
30	778	0.1	RMS	768.1	-62.73	-13	Pass	7481
778	808	0.1	RMS	790.825	19.91	60	Pass	401
808	1000	0.1	RMS	957.9	-62.47	-13	Pass	1921
1000	3000	1	RMS	2649	-46.63	-13	Pass	2001
3000	10000	1	RMS	9543	-42.33	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.56	-13	Pass	2986
30	778	0.1	RMS	777.8	-62.74	-13	Pass	7481
778	808	0.1	RMS	793.3	20.17	60	Pass	401
808	1000	0.1	RMS	887.9	-62.52	-13	Pass	1921
1000	3000	1	RMS	2655	-46.6	-13	Pass	2001
3000	10000	1	RMS	7745	-42.35	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2986
30	778	0.1	RMS	774.5	-62.78	-13	Pass	7481
778	808	0.1	RMS	793.375	19.38	60	Pass	401
808	1000	0.1	RMS	944	-62.61	-13	Pass	1921
1000	3000	1	RMS	2650	-46.57	-13	Pass	2001
3000	10000	1	RMS	7733	-42.39	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.59	-13	Pass	2986
30	778	0.1	RMS	777.2	-62.62	-13	Pass	7481
778	808	0.1	RMS	788.575	20.68	60	Pass	401
808	1000	0.1	RMS	923.5	-62.6	-13	Pass	1921
1000	3000	1	RMS	2654	-46.61	-13	Pass	2001
3000	10000	1	RMS	7736	-42.35	-13	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-13	Pass	2986
30	778	0.1	RMS	777.9	-62.64	-13	Pass	7481
778	808	0.1	RMS	788.575	19.52	60	Pass	401
808	1000	0.1	RMS	979.2	-62.57	-13	Pass	1921
1000	3000	1	RMS	2654	-46.63	-13	Pass	2001
3000	10000	1	RMS	7729	-42.29	-13	Pass	7001



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.49	-13	Pass	2986
30	1000	0.1	RMS	929.8	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	Pass	701
1700	1790	1	RMS	1710.35	23.37	60	Pass	401
1790	3000	1	RMS	2649	-46.52	-13	Pass	1211
3000	12000	1	RMS	11954	-40.57	-13	Pass	9001
12000	20000	1	RMS	19996	-28.31	-13	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.46	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.35	22.43	60	Pass	401
1790	3000	1	RMS	2655	-46.63	-13	Pass	1211
3000	12000	1	RMS	11948	-40.56	-13	Pass	9001
12000	20000	1	RMS	19995	-28.34	-13	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.24	-13	Pass	9701
1000	1700	1	RMS	1699	-51.32	-13	Pass	701
1700	1790	1	RMS	1744.55	23.3	60	Pass	401
1790	3000	1	RMS	2653	-46.56	-13	Pass	1211
3000	12000	1	RMS	11955	-40.6	-13	Pass	9001
12000	20000	1	RMS	20000	-28.19	-13	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	1000	0.1	RMS	930	-62.41	-13	Pass	9701
1000	1700	1	RMS	1699	-51.39	-13	Pass	701
1700	1790	1	RMS	1744.55	22.66	60	Pass	401
1790	3000	1	RMS	2656	-46.58	-13	Pass	1211
3000	12000	1	RMS	11930	-40.58	-13	Pass	9001
12000	20000	1	RMS	19997	-28.31	-13	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.8	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.35	-13	Pass	9701
1000	1700	1	RMS	1677	-51.39	-13	Pass	701
1700	1790	1	RMS	1778.75	23.19	60	Pass	401
1790	3000	1	RMS	2652	-46.58	-13	Pass	1211
3000	12000	1	RMS	11951	-40.57	-13	Pass	9001
12000	20000	1	RMS	19998	-28.28	-13	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.03	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.38	-13	Pass	701
1700	1790	1	RMS	1778.75	22.5	60	Pass	401
1790	3000	1	RMS	2657	-46.55	-13	Pass	1211
3000	12000	1	RMS	11944	-40.53	-13	Pass	9001
12000	20000	1	RMS	19998	-28.27	-13	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.25	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.36	-13	Pass	9701
1000	1700	1	RMS	1699	-51.18	-13	Pass	701
1700	1790	1	RMS	1710.125	23.22	60	Pass	401
1790	3000	1	RMS	2652	-46.53	-13	Pass	1211
3000	12000	1	RMS	11934	-40.61	-13	Pass	9001
12000	20000	1	RMS	20000	-28.28	-13	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.99	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1790	1	RMS	1710.35	21.92	60	Pass	401
1790	3000	1	RMS	2655	-46.61	-13	Pass	1211
3000	12000	1	RMS	11971	-40.62	-13	Pass	9001
12000	20000	1	RMS	19994	-28.26	-13	Pass	8001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.77	-13	Pass	2986
30	1000	0.1	RMS	942.7	-62.28	-13	Pass	9701
1000	1700	1	RMS	1699	-51.38	-13	Pass	701
1700	1790	1	RMS	1743.65	23.46	60	Pass	401
1790	3000	1	RMS	2651	-46.61	-13	Pass	1211
3000	12000	1	RMS	11955	-40.57	-13	Pass	9001
12000	20000	1	RMS	19998	-28.22	-13	Pass	8001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	1000	0.1	RMS	790.3	-62.46	-13	Pass	9701
1000	1700	1	RMS	1699	-51.38	-13	Pass	701
1700	1790	1	RMS	1743.65	23	60	Pass	401
1790	3000	1	RMS	2655	-46.58	-13	Pass	1211
3000	12000	1	RMS	11950	-40.63	-13	Pass	9001
12000	20000	1	RMS	19999	-28.3	-13	Pass	8001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.62	-13	Pass	2986
30	1000	0.1	RMS	902.6	-62.4	-13	Pass	9701
1000	1700	1	RMS	1698	-51.35	-13	Pass	701
1700	1790	1	RMS	1777.175	23.15	60	Pass	401
1790	3000	1	RMS	2650	-46.52	-13	Pass	1211
3000	12000	1	RMS	11930	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.3	-13	Pass	8001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2986
30	1000	0.1	RMS	947.7	-62.37	-13	Pass	9701
1000	1700	1	RMS	1696	-51.38	-13	Pass	701
1700	1790	1	RMS	1777.175	22.05	60	Pass	401
1790	3000	1	RMS	2652	-46.6	-13	Pass	1211
3000	12000	1	RMS	11932	-40.59	-13	Pass	9001
12000	20000	1	RMS	19999	-28.25	-13	Pass	8001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	1000	0.1	RMS	952.3	-62.37	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1710.35	23.27	60	Pass	401
1790	3000	1	RMS	2654	-46.49	-13	Pass	1211
3000	12000	1	RMS	11933	-40.58	-13	Pass	9001
12000	20000	1	RMS	19999	-28.25	-13	Pass	8001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	1000	0.1	RMS	890.4	-62.44	-13	Pass	9701
1000	1700	1	RMS	1700	-51.3	-13	Pass	701
1700	1790	1	RMS	1710.35	21.84	60	Pass	401
1790	3000	1	RMS	2660	-46.61	-13	Pass	1211
3000	12000	1	RMS	11856	-40.5	-13	Pass	9001
12000	20000	1	RMS	20000	-28.21	-13	Pass	8001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.17	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.22	-13	Pass	9701
1000	1700	1	RMS	1699	-51.31	-13	Pass	701
1700	1790	1	RMS	1742.75	23.34	60	Pass	401
1790	3000	1	RMS	2649	-46.56	-13	Pass	1211
3000	12000	1	RMS	11966	-40.62	-13	Pass	9001
12000	20000	1	RMS	19998	-28.27	-13	Pass	8001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.9	-13	Pass	2986
30	1000	0.1	RMS	907.4	-62.28	-13	Pass	9701
1000	1700	1	RMS	1698	-51.37	-13	Pass	701
1700	1790	1	RMS	1742.75	22.6	60	Pass	401
1790	3000	1	RMS	2652	-46.54	-13	Pass	1211
3000	12000	1	RMS	11870	-40.57	-13	Pass	9001
12000	20000	1	RMS	19995	-28.27	-13	Pass	8001




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.25	-13	Pass	9701
1000	1700	1	RMS	1697	-51.39	-13	Pass	701
1700	1790	1	RMS	1775.375	23.33	60	Pass	401
1790	3000	1	RMS	2647	-46.53	-13	Pass	1211
3000	12000	1	RMS	11929	-40.53	-13	Pass	9001
12000	20000	1	RMS	19996	-28.24	-13	Pass	8001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-13	Pass	2986
30	1000	0.1	RMS	948.5	-62.38	-13	Pass	9701
1000	1700	1	RMS	1697	-51.42	-13	Pass	701
1700	1790	1	RMS	1775.375	21.99	60	Pass	401
1790	3000	1	RMS	2656	-46.58	-13	Pass	1211
3000	12000	1	RMS	11943	-40.51	-13	Pass	9001
12000	20000	1	RMS	19997	-28.18	-13	Pass	8001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.7	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.37	-13	Pass	9701
1000	1700	1	RMS	1693	-50.91	-13	Pass	701
1700	1790	1	RMS	1710.575	23.48	60	Pass	401
1790	3000	1	RMS	2649	-46.58	-13	Pass	1211
3000	12000	1	RMS	11957	-40.56	-13	Pass	9001
12000	20000	1	RMS	20000	-28.26	-13	Pass	8001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-13	Pass	2986
30	1000	0.1	RMS	920	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1790	1	RMS	1710.575	22.31	60	Pass	401
1790	3000	1	RMS	2649	-46.53	-13	Pass	1211
3000	12000	1	RMS	11862	-40.59	-13	Pass	9001
12000	20000	1	RMS	19999	-28.3	-13	Pass	8001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-13	Pass	2986
30	1000	0.1	RMS	915	-62.33	-13	Pass	9701
1000	1700	1	RMS	1698	-51.33	-13	Pass	701
1700	1790	1	RMS	1740.5	23.58	60	Pass	401
1790	3000	1	RMS	2649	-46.6	-13	Pass	1211
3000	12000	1	RMS	11969	-40.59	-13	Pass	9001
12000	20000	1	RMS	19997	-28.35	-13	Pass	8001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2986
30	1000	0.1	RMS	902.1	-62.48	-13	Pass	9701
1000	1700	1	RMS	1698	-51.32	-13	Pass	701
1700	1790	1	RMS	1740.5	22.84	60	Pass	401
1790	3000	1	RMS	2647	-46.63	-13	Pass	1211
3000	12000	1	RMS	11860	-40.58	-13	Pass	9001
12000	20000	1	RMS	19998	-28.25	-13	Pass	8001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-13	Pass	2986
30	1000	0.1	RMS	796.4	-62.4	-13	Pass	9701
1000	1700	1	RMS	1613	-51.34	-13	Pass	701
1700	1790	1	RMS	1770.65	23.28	60	Pass	401
1790	3000	1	RMS	2651	-46.57	-13	Pass	1211
3000	12000	1	RMS	11951	-40.57	-13	Pass	9001
12000	20000	1	RMS	19998	-28.34	-13	Pass	8001




7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.57	-13	Pass	2986
30	1000	0.1	RMS	932.2	-62.46	-13	Pass	9701
1000	1700	1	RMS	1697	-51.39	-13	Pass	701
1700	1790	1	RMS	1770.65	22	60	Pass	401
1790	3000	1	RMS	2657	-46.59	-13	Pass	1211
3000	12000	1	RMS	11945	-40.62	-13	Pass	9001
12000	20000	1	RMS	19997	-28.27	-13	Pass	8001




7.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.3	-13	Pass	2986
30	1000	0.1	RMS	938.1	-62.28	-13	Pass	9701
1000	1700	1	RMS	1698	-46.51	-13	Pass	701
1700	1790	1	RMS	1710.8	23.36	60	Pass	401
1790	3000	1	RMS	2655	-46.6	-13	Pass	1211
3000	12000	1	RMS	11960	-40.59	-13	Pass	9001
12000	20000	1	RMS	20000	-28.27	-13	Pass	8001




7.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.69	-13	Pass	2986
30	1000	0.1	RMS	926	-62.35	-13	Pass	9701
1000	1700	1	RMS	1697	-48.49	-13	Pass	701
1700	1790	1	RMS	1710.8	22.24	60	Pass	401
1790	3000	1	RMS	2658	-46.61	-13	Pass	1211
3000	12000	1	RMS	11937	-40.63	-13	Pass	9001
12000	20000	1	RMS	19995	-28.25	-13	Pass	8001




7.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.92	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-51.33	-13	Pass	701
1700	1790	1	RMS	1738.25	23.32	60	Pass	401
1790	3000	1	RMS	2650	-46.55	-13	Pass	1211
3000	12000	1	RMS	11837	-40.54	-13	Pass	9001
12000	20000	1	RMS	19999	-28.21	-13	Pass	8001




7.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.68	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.41	-13	Pass	9701
1000	1700	1	RMS	1699	-51.32	-13	Pass	701
1700	1790	1	RMS	1738.25	23.06	60	Pass	401
1790	3000	1	RMS	2649	-46.52	-13	Pass	1211
3000	12000	1	RMS	11959	-40.64	-13	Pass	9001
12000	20000	1	RMS	19996	-28.31	-13	Pass	8001




7.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.04	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.39	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1790	1	RMS	1765.925	23.13	60	Pass	401
1790	3000	1	RMS	1792	-39.26	-13	Pass	1211
3000	12000	1	RMS	11965	-40.58	-13	Pass	9001
12000	20000	1	RMS	19999	-28.29	-13	Pass	8001




7.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-13	Pass	2986
30	1000	0.1	RMS	918.2	-62.35	-13	Pass	9701
1000	1700	1	RMS	1592	-51.44	-13	Pass	701
1700	1790	1	RMS	1765.925	22.02	60	Pass	401
1790	3000	1	RMS	1792	-41.39	-13	Pass	1211
3000	12000	1	RMS	11908	-40.57	-13	Pass	9001
12000	20000	1	RMS	19996	-28.21	-13	Pass	8001




7.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-48.96	-13	Pass	701
1700	1790	1	RMS	1711.025	23.39	60	Pass	401
1790	3000	1	RMS	2650	-46.59	-13	Pass	1211
3000	12000	1	RMS	11934	-40.58	-13	Pass	9001
12000	20000	1	RMS	19996	-28.25	-13	Pass	8001




7.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	1000	0.1	RMS	938.9	-62.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50	-13	Pass	701
1700	1790	1	RMS	1711.025	22.59	60	Pass	401
1790	3000	1	RMS	2657	-46.63	-13	Pass	1211
3000	12000	1	RMS	11951	-40.61	-13	Pass	9001
12000	20000	1	RMS	19995	-28.25	-13	Pass	8001




7.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.91	-13	Pass	2986
30	1000	0.1	RMS	910.7	-62.41	-13	Pass	9701
1000	1700	1	RMS	1700	-47.66	-13	Pass	701
1700	1790	1	RMS	1736	23.64	60	Pass	401
1790	3000	1	RMS	2651	-46.57	-13	Pass	1211
3000	12000	1	RMS	11887	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.11	-13	Pass	8001




7.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.2	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-46.95	-13	Pass	701
1700	1790	1	RMS	1736	22.1	60	Pass	401
1790	3000	1	RMS	2648	-46.52	-13	Pass	1211
3000	12000	1	RMS	11940	-40.58	-13	Pass	9001
12000	20000	1	RMS	19997	-28.33	-13	Pass	8001




7.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.56	-13	Pass	2986
30	1000	0.1	RMS	944.6	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-51.34	-13	Pass	701
1700	1790	1	RMS	1760.975	23.1	60	Pass	401
1790	3000	1	RMS	2652	-46.58	-13	Pass	1211
3000	12000	1	RMS	11833	-40.6	-13	Pass	9001
12000	20000	1	RMS	19998	-28.24	-13	Pass	8001



7.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.69	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-51.33	-13	Pass	701
1700	1790	1	RMS	1760.975	22.55	60	Pass	401
1790	3000	1	RMS	2653	-46.57	-13	Pass	1211
3000	12000	1	RMS	11946	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.19	-13	Pass	8001



8. LTE_Band71


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	653	0.1	RMS	423.5	-63.79	-13	Pass	6231
653	709	0.1	RMS	663.3	20.13	60	Pass	561
709	1000	0.1	RMS	929.1	-62.29	-13	Pass	2911
1000	3000	1	RMS	2653	-46.57	-13	Pass	2001
3000	10000	1	RMS	7742	-42.36	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.48	-13	Pass	2986
30	653	0.1	RMS	445.8	-63.78	-13	Pass	6231
653	709	0.1	RMS	663.3	18.77	60	Pass	561
709	1000	0.1	RMS	957.3	-62.42	-13	Pass	2911
1000	3000	1	RMS	2653	-46.62	-13	Pass	2001
3000	10000	1	RMS	9545	-42.32	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.91	-13	Pass	2986
30	653	0.1	RMS	506.5	-63.69	-13	Pass	6231
653	709	0.1	RMS	678.3	19.75	60	Pass	561
709	1000	0.1	RMS	922.3	-62.32	-13	Pass	2911
1000	3000	1	RMS	2651	-46.56	-13	Pass	2001
3000	10000	1	RMS	9545	-42.31	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	653	0.1	RMS	464.7	-63.73	-13	Pass	6231
653	709	0.1	RMS	678.3	19.68	60	Pass	561
709	1000	0.1	RMS	946.1	-62.37	-13	Pass	2911
1000	3000	1	RMS	2652	-46.55	-13	Pass	2001
3000	10000	1	RMS	7742	-42.3	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2986
30	653	0.1	RMS	523.2	-63.63	-13	Pass	6231
653	709	0.1	RMS	693.3	19.96	60	Pass	561
709	1000	0.1	RMS	926.9	-62.3	-13	Pass	2911
1000	3000	1	RMS	2651	-46.62	-13	Pass	2001
3000	10000	1	RMS	7746	-42.37	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.49	-13	Pass	2986
30	653	0.1	RMS	514.8	-63.56	-13	Pass	6231
653	709	0.1	RMS	693.3	18.84	60	Pass	561
709	1000	0.1	RMS	942.3	-62.43	-13	Pass	2911
1000	3000	1	RMS	2649	-46.62	-13	Pass	2001
3000	10000	1	RMS	7744	-42.26	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-13	Pass	2986
30	653	0.1	RMS	513.9	-63.7	-13	Pass	6231
653	709	0.1	RMS	663.6	20.67	60	Pass	561
709	1000	0.1	RMS	903.4	-62.46	-13	Pass	2911
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	7734	-42.34	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.99	-13	Pass	2986
30	653	0.1	RMS	644.7	-63.86	-13	Pass	6231
653	709	0.1	RMS	663.6	19.57	60	Pass	561
709	1000	0.1	RMS	915.9	-62.43	-13	Pass	2911
1000	3000	1	RMS	2650	-46.62	-13	Pass	2001
3000	10000	1	RMS	7733	-42.28	-13	Pass	7001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.32	-13	Pass	2986
30	653	0.1	RMS	505.6	-63.69	-13	Pass	6231
653	709	0.1	RMS	676.1	20.58	60	Pass	561
709	1000	0.1	RMS	918.1	-62.36	-13	Pass	2911
1000	3000	1	RMS	2653	-46.57	-13	Pass	2001
3000	10000	1	RMS	9548	-42.32	-13	Pass	7001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.46	-13	Pass	2986
30	653	0.1	RMS	517.9	-63.75	-13	Pass	6231
653	709	0.1	RMS	676.1	20.13	60	Pass	561
709	1000	0.1	RMS	896.4	-62.34	-13	Pass	2911
1000	3000	1	RMS	2644	-46.59	-13	Pass	2001
3000	10000	1	RMS	9543	-42.33	-13	Pass	7001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.19	-13	Pass	2986
30	653	0.1	RMS	520.3	-63.57	-13	Pass	6231
653	709	0.1	RMS	688.6	20.66	60	Pass	561
709	1000	0.1	RMS	924.4	-62.25	-13	Pass	2911
1000	3000	1	RMS	1377	-46.31	-13	Pass	2001
3000	10000	1	RMS	7731	-42.24	-13	Pass	7001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	653	0.1	RMS	513.9	-63.71	-13	Pass	6231
653	709	0.1	RMS	688.6	19.35	60	Pass	561
709	1000	0.1	RMS	869.6	-62.39	-13	Pass	2911
1000	3000	1	RMS	2658	-46.61	-13	Pass	2001
3000	10000	1	RMS	7738	-42.33	-13	Pass	7001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.38	-13	Pass	2986
30	653	0.1	RMS	494.4	-63.72	-13	Pass	6231
653	709	0.1	RMS	663.8	20.2	60	Pass	561
709	1000	0.1	RMS	926.7	-62.13	-13	Pass	2911
1000	3000	1	RMS	2653	-46.54	-13	Pass	2001
3000	10000	1	RMS	7744	-42.35	-13	Pass	7001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.43	-13	Pass	2986
30	653	0.1	RMS	647.1	-63.8	-13	Pass	6231
653	709	0.1	RMS	663.8	18.95	60	Pass	561
709	1000	0.1	RMS	922	-62.34	-13	Pass	2911
1000	3000	1	RMS	2652	-46.62	-13	Pass	2001
3000	10000	1	RMS	7746	-42.23	-13	Pass	7001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.86	-13	Pass	2986
30	653	0.1	RMS	637.3	-63.67	-13	Pass	6231
653	709	0.1	RMS	673.8	20.13	60	Pass	561
709	1000	0.1	RMS	934	-62.45	-13	Pass	2911
1000	3000	1	RMS	2653	-46.6	-13	Pass	2001
3000	10000	1	RMS	7729	-42.34	-13	Pass	7001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-13	Pass	2986
30	653	0.1	RMS	505.8	-63.75	-13	Pass	6231
653	709	0.1	RMS	673.8	19.52	60	Pass	561
709	1000	0.1	RMS	925.6	-62.34	-13	Pass	2911
1000	3000	1	RMS	2651	-46.58	-13	Pass	2001
3000	10000	1	RMS	7735	-42.35	-13	Pass	7001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	653	0.1	RMS	519.1	-63.7	-13	Pass	6231
653	709	0.1	RMS	683.8	19.75	60	Pass	561
709	1000	0.1	RMS	710.5	-51.13	-13	Pass	2911
1000	3000	1	RMS	2655	-46.58	-13	Pass	2001
3000	10000	1	RMS	7739	-42.24	-13	Pass	7001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.43	-13	Pass	2986
30	653	0.1	RMS	649.2	-63.79	-13	Pass	6231
653	709	0.1	RMS	683.8	18.05	60	Pass	561
709	1000	0.1	RMS	710.5	-52.38	-13	Pass	2911
1000	3000	1	RMS	2655	-46.57	-13	Pass	2001
3000	10000	1	RMS	7742	-42.29	-13	Pass	7001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	653	0.1	RMS	497.9	-63.69	-13	Pass	6231
653	709	0.1	RMS	664.1	20.36	60	Pass	561
709	1000	0.1	RMS	915.7	-62.42	-13	Pass	2911
1000	3000	1	RMS	2651	-46.59	-13	Pass	2001
3000	10000	1	RMS	7730	-42.35	-13	Pass	7001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.01	-13	Pass	2986
30	653	0.1	RMS	651.1	-63.78	-13	Pass	6231
653	709	0.1	RMS	664.1	20	60	Pass	561
709	1000	0.1	RMS	951.6	-62.52	-13	Pass	2911
1000	3000	1	RMS	2650	-46.62	-13	Pass	2001
3000	10000	1	RMS	7738	-42.32	-13	Pass	7001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.71	-13	Pass	2986
30	653	0.1	RMS	493.2	-63.64	-13	Pass	6231
653	709	0.1	RMS	674.1	20.65	60	Pass	561
709	1000	0.1	RMS	709.8	-53.22	-13	Pass	2911
1000	3000	1	RMS	2660	-46.58	-13	Pass	2001
3000	10000	1	RMS	7748	-42.27	-13	Pass	7001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2986
30	653	0.1	RMS	491.7	-63.83	-13	Pass	6231
653	709	0.1	RMS	674.1	19.25	60	Pass	561
709	1000	0.1	RMS	709.7	-54.59	-13	Pass	2911
1000	3000	1	RMS	2651	-46.62	-13	Pass	2001
3000	10000	1	RMS	7730	-42.28	-13	Pass	7001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	653	0.1	RMS	511.3	-63.68	-13	Pass	6231
653	709	0.1	RMS	679.1	20.35	60	Pass	561
709	1000	0.1	RMS	714.7	-59.13	-13	Pass	2911
1000	3000	1	RMS	2651	-46.57	-13	Pass	2001
3000	10000	1	RMS	9547	-42.37	-13	Pass	7001



8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	653	0.1	RMS	506.9	-63.8	-13	Pass	6231
653	709	0.1	RMS	679.1	19.51	60	Pass	561
709	1000	0.1	RMS	714.8	-59.96	-13	Pass	2911
1000	3000	1	RMS	2654	-46.62	-13	Pass	2001
3000	10000	1	RMS	7734	-42.34	-13	Pass	7001



--BLANK BELOW--