



DEGAS – TN201SC

Prototype Labels for FCC & ISED

(includes UKCA/CE)

BW-009250-RP

April 2022

Train unit: TN201SC

Includes:

- In Train Product: TN001XC proposed FCC/ISED label
- In Train Product: TN001XC proposed FCC/ISED label (marked-up)
- Outer Train Product: TN201SP proposed FCC/ISED label
- Complete unit Outer box (carton): proposed FCC/ISED label





M/N: TN201SC

P/N: TN001XC-BNAA

FCC ID: 2A4BS-TN201SC-B

FCC CLASS B

Input: 36V DC 3.9 A

Power max: 70W

IC: 28284-TN201SCB

HVIN: TN201SC-B

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

EU Authorised Representative:

Authorised Representative Service
77 Camden Street Lower
Dublin, D02 XE80, Ireland

Manufactured By:

Blu Wireless Technology Ltd
One Temple Way, Bristol
BS2 0BY, UK
www.bluwireless.com/product_portal

USA Authorised Representative:



Blu Wireless Technology Inc
10447 Sorrento Rd, Suite 100, #1047
Pensacola, FL, 32507



Made in China

Cabin Product Unit PMN/HMN: TN201SC, HVIN: TN201SC-B

In-Train Product: TN001XC proposed FCC/ISED label



Product family format is FNn01SC-a

Where:

F is family type: S=System, D=Distribution (trackside), T = Train

N = Node

n = No. of mmWave radios in the system

01 = product family revision

S = radio type (Sivers), X is no radio fitted

C = processor type (Cavium)

a = Sales type

Part number components not affecting compliance

b = material finish

c = customer designator


d = Non-technical sales information

* The product used for testing was a TN201SC-BNAA

Roof Unit PMN/HMN: TN201SC, HVIN: TN201SC-B



Outside of Train Product: TN201SP proposed FCC/ISED label (Train-Top)



Blu Wireless Confidential

Box label PMN/HMN: TN201SC, HVIN: TN201SC-B

Complete Train unit outer box (carton): proposed FCC/ISED label



* The product used for testing was a TN201SC-BNAA