



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH13 2472MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 VERTICAL Project: RSW 1000.000Hz YSW 3000.000Hz SWT auto Mode: 24 Plane: 2 Polar: Full-directivity IMEI: #42112 PowerSetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.24</td> <td>68.58</td> <td>-13.58</td> <td>74.00</td> <td>58.85</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>234</td> <td>86 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2488.24	68.58	-13.58	74.00	58.85	32.33	7.25	37.13	234	86 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 VERTICAL Project: RSW 1000.000Hz YSW 3000.000Hz SWT auto Mode: 24 Plane: 2 Polar: Full-directivity IMEI: #42112 PowerSetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>185.78</td> <td>31.78</td> <td>74.00</td> <td>183.24</td> <td>32.34</td> <td>7.22</td> <td>37.82</td> <td>234</td> <td>86 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	185.78	31.78	74.00	183.24	32.34	7.22	37.82	234	86 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2488.24	68.58	-13.58	74.00	58.85	32.33	7.25	37.13	234	86 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	185.78	31.78	74.00	183.24	32.34	7.22	37.82	234	86 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 VERTICAL Project: RSW 1000.000Hz YSW 0.0100Hz SWT Auto Mode: 24 Plane: 2 Polar: Full-directivity IMEI: #42112 PowerSetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>49.18</td> <td>-4.98</td> <td>54.00</td> <td>46.53</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>234</td> <td>86 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	49.18	-4.98	54.00	46.53	32.34	7.25	37.82	234	86 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 VERTICAL Project: RSW 1000.000Hz YSW 0.0100Hz SWT Auto Mode: 24 Plane: 2 Polar: Full-directivity IMEI: #42112 PowerSetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>95.85</td> <td>41.85</td> <td>54.00</td> <td>93.31</td> <td>32.34</td> <td>7.22</td> <td>37.82</td> <td>234</td> <td>86 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	95.85	41.85	54.00	93.31	32.34	7.22	37.82	234	86 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	49.18	-4.98	54.00	46.53	32.34	7.25	37.82	234	86 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	95.85	41.85	54.00	93.31	32.34	7.22	37.82	234	86 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 1
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz																																																																					
1	Horizontal	Fundamental																																																																				
Peak	<p>Site : 020306-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL EIRP 1000.000MHz YPR 3000.000MHz SWT Auto Project : (FR)261401-01 Mode : 25 Plane : 1 Full-directivity : Full-directivity IMN1 : #12 PowerSetting : 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2367.07</td> <td>48.85</td> <td>-25.15</td> <td>74.00</td> <td>46.14</td> <td>32.32</td> <td>7.87</td> <td>36.58</td> <td>233</td> <td>27 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2367.07	48.85	-25.15	74.00	46.14	32.32	7.87	36.58	233	27 Peak	HORIZONTAL	<p>Site : 020306-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL EIRP 1000.000MHz YPR 3000.000MHz SWT Auto Project : (FR)261401-01 Mode : 25 Plane : 1 Full-directivity : Full-directivity IMN1 : #12 PowerSetting : 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2404.00</td> <td>104.96</td> <td>30.96</td> <td>74.00</td> <td>102.05</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>233</td> <td>27 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	2404.00	104.96	30.96	74.00	102.05	32.39	7.13	36.61	233	27 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2367.07	48.85	-25.15	74.00	46.14	32.32	7.87	36.58	233	27 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 *	2404.00	104.96	30.96	74.00	102.05	32.39	7.13	36.61	233	27 Peak	HORIZONTAL																																																											
Avg.	<p>Site : 020306-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL EIRP 1000.000MHz YPR 1.8000MHz SWT Auto Project : (FR)261401-01 Mode : 25 Plane : 1 Full-directivity : Full-directivity IMN1 : #12 PowerSetting : 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.08</td> <td>39.19</td> <td>-14.81</td> <td>54.00</td> <td>36.36</td> <td>32.31</td> <td>7.87</td> <td>36.55</td> <td>233</td> <td>27 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2377.08	39.19	-14.81	54.00	36.36	32.31	7.87	36.55	233	27 Average	HORIZONTAL	<p>Site : 020306-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL EIRP 1000.000MHz YPR 1.8000MHz SWT Auto Project : (FR)261401-01 Mode : 25 Plane : 1 Full-directivity : Full-directivity IMN1 : #12 PowerSetting : 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2404.00</td> <td>96.81</td> <td>42.81</td> <td>54.00</td> <td>95.10</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>233</td> <td>27 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	2404.00	96.81	42.81	54.00	95.10	32.39	7.13	36.61	233	27 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2377.08	39.19	-14.81	54.00	36.36	32.31	7.87	36.55	233	27 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 *	2404.00	96.81	42.81	54.00	95.10	32.39	7.13	36.61	233	27 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz																																																																															
1	Vertical	Fundamental																																																																														
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 3000.000MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2364.36</td> <td>48.69</td> <td>-25.31</td> <td>74.00</td> <td>45.83</td> <td>32.31</td> <td>7.13</td> <td>36.55</td> <td>224</td> <td>92</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	2364.36	48.69	-25.31	74.00	45.83	32.31	7.13	36.55	224	92	Peak	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 3000.000MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2404.00</td> <td>104.45</td> <td>38.45</td> <td>74.00</td> <td>101.54</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>224</td> <td>92</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 *	2404.00	104.45	38.45	74.00	101.54	32.39	7.13	36.61	224	92	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																								
1	2364.36	48.69	-25.31	74.00	45.83	32.31	7.13	36.55	224	92	Peak	VERTICAL																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																								
1 *	2404.00	104.45	38.45	74.00	101.54	32.39	7.13	36.61	224	92	Peak	VERTICAL																																																																				
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 1.800MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.02</td> <td>39.00</td> <td>-15.00</td> <td>54.00</td> <td>36.17</td> <td>32.31</td> <td>7.07</td> <td>36.55</td> <td>224</td> <td>92</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	2369.02	39.00	-15.00	54.00	36.17	32.31	7.07	36.55	224	92	Average	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 1.800MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2404.00</td> <td>95.58</td> <td>41.58</td> <td>54.00</td> <td>92.59</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>224</td> <td>92</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 *	2404.00	95.58	41.58	54.00	92.59	32.39	7.13	36.61	224	92	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																								
1	2369.02	39.00	-15.00	54.00	36.17	32.31	7.07	36.55	224	92	Average	VERTICAL																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																								
1 *	2404.00	95.58	41.58	54.00	92.59	32.39	7.13	36.61	224	92	Average	VERTICAL																																																																				



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																									
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz																																																									
1	Horizontal	Fundamental																																																								
Peak	<p>Site: SPORTON LAB. No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158, fax: +86-512-57900958, http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2499.22</td> <td>48.14</td> <td>-25.86</td> <td>74.00</td> <td>45.66</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>242 30 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 2499.22	48.14	-25.86	74.00	45.66	32.33	7.28	37.13	242 30 Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158, fax: +86-512-57900958, http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2476.00</td> <td>182.47</td> <td>28.47</td> <td>74.00</td> <td>99.81</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>242 30 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 * 2476.00	182.47	28.47	74.00	99.81	32.36	7.22	36.92	242 30 Peak	HORIZONTAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																			
1 2499.22	48.14	-25.86	74.00	45.66	32.33	7.28	37.13	242 30 Peak	HORIZONTAL																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																			
1 * 2476.00	182.47	28.47	74.00	99.81	32.36	7.22	36.92	242 30 Peak	HORIZONTAL																																																	
Avg.	<p>Site: SPORTON LAB. No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158, fax: +86-512-57900958, http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2493.18</td> <td>38.38</td> <td>-15.62</td> <td>54.00</td> <td>35.90</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>242 30 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 2493.18	38.38	-15.62	54.00	35.90	32.33	7.28	37.13	242 30 Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 109B, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158, fax: +86-512-57900958, http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2476.00</td> <td>94.96</td> <td>40.96</td> <td>54.00</td> <td>92.36</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>242 30 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1 * 2476.00	94.96	40.96	54.00	92.36	32.36	7.22	36.92	242 30 Average	HORIZONTAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																			
1 2493.18	38.38	-15.62	54.00	35.90	32.33	7.28	37.13	242 30 Average	HORIZONTAL																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																			
1 * 2476.00	94.96	40.96	54.00	92.36	32.36	7.22	36.92	242 30 Average	HORIZONTAL																																																	



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz																																																																					
1	Vertical	Fundamental																																																																				
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.40</td> <td>48.30</td> <td>-25.78</td> <td>74.00</td> <td>45.82</td> <td>32.33</td> <td>7.28 37.13</td> <td>230 97 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2496.40	48.30	-25.78	74.00	45.82	32.33	7.28 37.13	230 97 Peak	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>104.47</td> <td>38.47</td> <td>74.00</td> <td>101.81</td> <td>32.36</td> <td>7.22 36.92</td> <td>230 97 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1 *	2476.00	104.47	38.47	74.00	101.81	32.36	7.22 36.92	230 97 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
Freq	Level	Limit	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																															
1	2496.40	48.30	-25.78	74.00	45.82	32.33	7.28 37.13	230 97 Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
Freq	Level	Limit	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																															
1 *	2476.00	104.47	38.47	74.00	101.81	32.36	7.22 36.92	230 97 Peak	VERTICAL																																																													
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.76</td> <td>38.43</td> <td>-15.57</td> <td>54.00</td> <td>35.98</td> <td>32.33</td> <td>7.25 37.13</td> <td>230 97 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2496.76	38.43	-15.57	54.00	35.98	32.33	7.25 37.13	230 97 Average	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>95.86</td> <td>41.86</td> <td>54.00</td> <td>93.20</td> <td>32.36</td> <td>7.22 36.92</td> <td>230 97 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1 *	2476.00	95.86	41.86	54.00	93.20	32.36	7.22 36.92	230 97 Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
Freq	Level	Limit	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																															
1	2496.76	38.43	-15.57	54.00	35.98	32.33	7.25 37.13	230 97 Average	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
Freq	Level	Limit	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																															
1 *	2476.00	95.86	41.86	54.00	93.20	32.36	7.22 36.92	230 97 Average	VERTICAL																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020395-E5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YFW 3000.000MHz SWT Auto Project: (FR)261401-01 Mode: 21 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.11</td> <td>-25.89</td> <td>74.00</td> <td>45.54</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>311</td> <td>329 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	48.11	-25.89	74.00	45.54	32.34	7.25	37.82	311	329 Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020395-E5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YFW 3000.000MHz SWT Auto Project: (FR)261401-01 Mode: 21 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>187.87</td> <td>33.87</td> <td>74.00</td> <td>184.50</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>311</td> <td>329 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	187.87	33.87	74.00	184.50	32.34	7.25	37.82	311	329 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	48.11	-25.89	74.00	45.54	32.34	7.25	37.82	311	329 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	187.87	33.87	74.00	184.50	32.34	7.25	37.82	311	329 Peak	HORIZONTAL																																																							
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020395-E5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YFW 1.800MHz SWT Auto Project: (FR)261401-01 Mode: 21 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.92</td> <td>38.55</td> <td>-15.45</td> <td>54.00</td> <td>35.98</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>311</td> <td>329 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.92	38.55	-15.45	54.00	35.98	32.34	7.25	37.82	311	329 Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020395-E5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YFW 1.800MHz SWT Auto Project: (FR)261401-01 Mode: 21 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>98.16</td> <td>44.16</td> <td>54.00</td> <td>95.59</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>311</td> <td>329 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	98.16	44.16	54.00	95.59	32.34	7.25	37.82	311	329 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.92	38.55	-15.45	54.00	35.98	32.34	7.25	37.82	311	329 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	98.16	44.16	54.00	95.59	32.34	7.25	37.82	311	329 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 5 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL E5M 1000.000Hz Y5W 3000.000Hz SPT Auto Project: (FR)261401-01 Mode: 21 Plane: 2 Full-directivity IMEI: #42 PowerRating: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.12</td> <td>48.28</td> <td>-25.72</td> <td>74.00</td> <td>45.00</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>126</td> <td>295 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2497.12	48.28	-25.72	74.00	45.00	32.33	7.28	37.13	126	295 Peak	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 7 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL E5M 1000.000Hz Y5W 3000.000Hz SPT Auto Project: (FR)261401-01 Mode: 21 Plane: 2 Full-directivity IMEI: #42 PowerRating: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>104.75</td> <td>38.75</td> <td>74.00</td> <td>102.18</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>126</td> <td>295 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1 *	2476.00	104.75	38.75	74.00	102.18	32.34	7.25	37.82	126	295 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2497.12	48.28	-25.72	74.00	45.00	32.33	7.28	37.13	126	295 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1 *	2476.00	104.75	38.75	74.00	102.18	32.34	7.25	37.82	126	295 Peak	VERTICAL																																																							
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 6 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL E5M 1000.000Hz Y5W 1.800Hz SPT Auto Project: (FR)261401-01 Mode: 21 Plane: 2 Full-directivity IMEI: #42 PowerRating: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.94</td> <td>38.42</td> <td>-15.58</td> <td>54.00</td> <td>35.85</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>126</td> <td>295 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2484.94	38.42	-15.58	54.00	35.85	32.34	7.25	37.82	126	295 Average	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 8 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL E5M 1000.000Hz Y5W 1.800Hz SPT Auto Project: (FR)261401-01 Mode: 21 Plane: 2 Full-directivity IMEI: #42 PowerRating: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>96.89</td> <td>42.89</td> <td>54.00</td> <td>93.52</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>126</td> <td>295 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1 *	2476.00	96.89	42.89	54.00	93.52	32.34	7.25	37.82	126	295 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2484.94	38.42	-15.58	54.00	35.85	32.34	7.25	37.82	126	295 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1 *	2476.00	96.89	42.89	54.00	93.52	32.34	7.25	37.82	126	295 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 HORIZONTAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>66.36</td> <td>-7.64</td> <td>74.00</td> <td>63.79</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.62	66.36	-7.64	74.00	63.79	32.34	7.25	37.82	100	3 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 HORIZONTAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2482.00</td> <td>99.81</td> <td>25.81</td> <td>74.00</td> <td>97.24</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2482.00	99.81	25.81	74.00	97.24	32.34	7.25	37.82	100	3 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.62	66.36	-7.64	74.00	63.79	32.34	7.25	37.82	100	3 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2482.00	99.81	25.81	74.00	97.24	32.34	7.25	37.82	100	3 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 HORIZONTAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>58.38</td> <td>-3.78</td> <td>54.00</td> <td>47.73</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	58.38	-3.78	54.00	47.73	32.34	7.25	37.82	100	3 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 HORIZONTAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2488.00</td> <td>98.51</td> <td>36.51</td> <td>54.00</td> <td>87.94</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2488.00	98.51	36.51	54.00	87.94	32.34	7.25	37.82	100	3 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	58.38	-3.78	54.00	47.73	32.34	7.25	37.82	100	3 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2488.00	98.51	36.51	54.00	87.94	32.34	7.25	37.82	100	3 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerRating: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>65.39</td> <td>-8.61</td> <td>74.00</td> <td>62.82</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1	2483.50	65.39	-8.61	74.00	62.82	32.34	7.25	37.82	100	295 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerRating: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>100.65</td> <td>26.65</td> <td>74.00</td> <td>96.00</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1 *	2480.00	100.65	26.65	74.00	96.00	32.34	7.25	37.82	100	295 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																											
1	2483.50	65.39	-8.61	74.00	62.82	32.34	7.25	37.82	100	295 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																											
1 *	2480.00	100.65	26.65	74.00	96.00	32.34	7.25	37.82	100	295 Peak	VERTICAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerRating: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>58.31</td> <td>-3.69</td> <td>54.00</td> <td>47.74</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1	2483.50	58.31	-3.69	54.00	47.74	32.34	7.25	37.82	100	295 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 24 Plane: Z Full-directivity IMEI: #42 PowerRating: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>98.44</td> <td>36.44</td> <td>54.00</td> <td>87.87</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1 *	2480.00	98.44	36.44	54.00	87.87	32.34	7.25	37.82	100	295 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																											
1	2483.50	58.31	-3.69	54.00	47.74	32.34	7.25	37.82	100	295 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																											
1 *	2480.00	98.44	36.44	54.00	87.87	32.34	7.25	37.82	100	295 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 1
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	<p>Site : 02095-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YBW 3000.000MHz SWT Auto Mode : 20 Plane : Z Full-directivity : 1 IRE1 : #42 PowerSetting : 7</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>48.63</td> <td>-25.37</td> <td>74.00</td> <td>45.64</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>227</td> <td>25 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2389.69	48.63	-25.37	74.00	45.64	32.40	7.18	36.51	227	25 Peak HORIZONTAL	<p>Site : 02095-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YBW 3000.000MHz SWT Auto Mode : 20 Plane : Z Full-directivity : 1 IRE1 : #42 PowerSetting : 7</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2406.00</td> <td>104.61</td> <td>38.61</td> <td>74.00</td> <td>181.70</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>227</td> <td>25 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	2406.00	104.61	38.61	74.00	181.70	32.39	7.13	36.61	227	25 Peak HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2389.69	48.63	-25.37	74.00	45.64	32.40	7.18	36.51	227	25 Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 *	2406.00	104.61	38.61	74.00	181.70	32.39	7.13	36.61	227	25 Peak HORIZONTAL																																																										
Avg.	<p>Site : 02095-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YBW 3.000MHz SWT Auto Mode : 20 Plane : Z Full-directivity : 1 IRE1 : #42 PowerSetting : 7</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.53</td> <td>59.94</td> <td>-14.06</td> <td>54.00</td> <td>36.95</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>227</td> <td>25 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2385.53	59.94	-14.06	54.00	36.95	32.40	7.18	36.51	227	25 Average HORIZONTAL	<p>Site : 02095-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YBW 3.000MHz SWT Auto Mode : 20 Plane : Z Full-directivity : 1 IRE1 : #42 PowerSetting : 7</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2404.00</td> <td>95.99</td> <td>41.99</td> <td>54.00</td> <td>95.00</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>227</td> <td>25 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	2404.00	95.99	41.99	54.00	95.00	32.39	7.13	36.61	227	25 Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2385.53	59.94	-14.06	54.00	36.95	32.40	7.18	36.51	227	25 Average HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 *	2404.00	95.99	41.99	54.00	95.00	32.39	7.13	36.61	227	25 Average HORIZONTAL																																																										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RF261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.18</td> <td>48.52</td> <td>-25.48</td> <td>74.00</td> <td>45.81</td> <td>32.22</td> <td>7.87</td> <td>36.58</td> <td>224</td> <td>90 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2412.18	48.52	-25.48	74.00	45.81	32.22	7.87	36.58	224	90 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RF261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>185.82</td> <td>31.82</td> <td>74.00</td> <td>182.91</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>224</td> <td>90 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2404.00	185.82	31.82	74.00	182.91	32.39	7.13	36.61	224	90 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2412.18	48.52	-25.48	74.00	45.81	32.22	7.87	36.58	224	90 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2404.00	185.82	31.82	74.00	182.91	32.39	7.13	36.61	224	90 Peak	VERTICAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RF261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2372.01</td> <td>99.84</td> <td>-14.16</td> <td>54.00</td> <td>37.81</td> <td>32.31</td> <td>7.87</td> <td>36.55</td> <td>224</td> <td>90 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2372.01	99.84	-14.16	54.00	37.81	32.31	7.87	36.55	224	90 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RF261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>96.26</td> <td>42.26</td> <td>54.00</td> <td>93.35</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>224</td> <td>90 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2404.00	96.26	42.26	54.00	93.35	32.39	7.13	36.61	224	90 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2372.01	99.84	-14.16	54.00	37.81	32.31	7.87	36.55	224	90 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2404.00	96.26	42.26	54.00	93.35	32.39	7.13	36.61	224	90 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 HORIZONTAL RFW 1000.000MHz Y0W 3000.000Hz SWT Auto Project: (FR)261401-01 Mode: 29 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.02</td> <td>48.08</td> <td>-25.92</td> <td>74.00</td> <td>45.08</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>271</td> <td>29 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2495.02	48.08	-25.92	74.00	45.08	32.33	7.28	37.13	271	29 Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 HORIZONTAL RFW 1000.000MHz Y0W 3000.000Hz SWT Auto Project: (FR)261401-01 Mode: 29 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2470.00</td> <td>103.98</td> <td>29.00</td> <td>74.00</td> <td>101.24</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>271</td> <td>29 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1 *	2470.00	103.98	29.00	74.00	101.24	32.36	7.22	36.92	271	29 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1	2495.02	48.08	-25.92	74.00	45.08	32.33	7.28	37.13	271	29 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1 *	2470.00	103.98	29.00	74.00	101.24	32.36	7.22	36.92	271	29 Peak	HORIZONTAL																																																							
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 HORIZONTAL RFW 1000.000MHz Y0W 3.300MHz SWT Auto Project: (FR)261401-01 Mode: 29 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2460.64</td> <td>38.87</td> <td>-15.13</td> <td>54.00</td> <td>36.42</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>271</td> <td>29 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	2460.64	38.87	-15.13	54.00	36.42	32.33	7.25	37.13	271	29 Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 HORIZONTAL RFW 1000.000MHz Y0W 3.300MHz SWT Auto Project: (FR)261401-01 Mode: 29 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>95.73</td> <td>41.73</td> <td>54.00</td> <td>93.67</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>271</td> <td>29 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1 *	2468.00	95.73	41.73	54.00	93.67	32.36	7.22	36.92	271	29 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1	2460.64	38.87	-15.13	54.00	36.42	32.33	7.25	37.13	271	29 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1 *	2468.00	95.73	41.73	54.00	93.67	32.36	7.22	36.92	271	29 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	 <p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 5 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Site: 02C905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000, 000MHz YBW 3000, 000MHz SWT auto FR261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.46</td> <td>47.75</td> <td>-26.25</td> <td>74.00</td> <td>45.18</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>232</td> <td>96 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2464.46	47.75	-26.25	74.00	45.18	32.34	7.25	37.82	232	96 Peak	VERTICAL	 <p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 7 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Site: 02C905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000, 000MHz YBW 3000, 000MHz SWT auto FR261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>184.79</td> <td>38.79</td> <td>74.00</td> <td>182.13</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>232</td> <td>96 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2468.00	184.79	38.79	74.00	182.13	32.36	7.22	36.92	232	96 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2464.46	47.75	-26.25	74.00	45.18	32.34	7.25	37.82	232	96 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2468.00	184.79	38.79	74.00	182.13	32.36	7.22	36.92	232	96 Peak	VERTICAL																																																							
Avg.	 <p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 6 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Site: 02C905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000, 000MHz YBW 3.300MHz SWT Auto FR261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2460.82</td> <td>39.85</td> <td>-14.95</td> <td>54.00</td> <td>36.68</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>232</td> <td>96 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2460.82	39.85	-14.95	54.00	36.68	32.33	7.25	37.13	232	96 Average	VERTICAL	 <p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 8 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Site: 02C905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000, 000MHz YBW 3.300MHz SWT Auto FR261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>96.36</td> <td>42.36</td> <td>54.00</td> <td>93.78</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>232</td> <td>96 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	96.36	42.36	54.00	93.78	32.36	7.22	36.92	232	96 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2460.82	39.85	-14.95	54.00	36.68	32.33	7.25	37.13	232	96 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	96.36	42.36	54.00	93.78	32.36	7.22	36.92	232	96 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.30</td> <td>49.42</td> <td>-24.58</td> <td>74.00</td> <td>46.85</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>315</td> <td>2 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.30	49.42	-24.58	74.00	46.85	32.34	7.25	37.02	315	2 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2474.00</td> <td>186.97</td> <td>32.97</td> <td>74.00</td> <td>184.40</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>335</td> <td>2 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2474.00	186.97	32.97	74.00	184.40	32.34	7.25	37.02	335	2 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2485.30	49.42	-24.58	74.00	46.85	32.34	7.25	37.02	315	2 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2474.00	186.97	32.97	74.00	184.40	32.34	7.25	37.02	335	2 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.08</td> <td>48.74</td> <td>-13.26</td> <td>54.00</td> <td>38.17</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>315</td> <td>2 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.08	48.74	-13.26	54.00	38.17	32.34	7.25	37.02	315	2 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2474.00</td> <td>98.82</td> <td>44.82</td> <td>54.00</td> <td>96.25</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>335</td> <td>2 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2474.00	98.82	44.82	54.00	96.25	32.34	7.25	37.02	335	2 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2485.08	48.74	-13.26	54.00	38.17	32.34	7.25	37.02	315	2 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2474.00	98.82	44.82	54.00	96.25	32.34	7.25	37.02	335	2 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: 03C395-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.70</td> <td>49.12</td> <td>-24.88</td> <td>74.00</td> <td>46.55</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2464.70	49.12	-24.88	74.00	46.55	32.34	7.25	37.82	100	293 Peak	VERTICAL	<p>Site: 03C395-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>105.47</td> <td>31.47</td> <td>74.00</td> <td>102.00</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	105.47	31.47	74.00	102.00	32.34	7.25	37.82	100	293 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2464.70	49.12	-24.88	74.00	46.55	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	105.47	31.47	74.00	102.00	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																							
Avg.	<p>Site: 03C395-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.94</td> <td>48.36</td> <td>-13.64</td> <td>54.00</td> <td>37.79</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2464.94	48.36	-13.64	54.00	37.79	32.34	7.25	37.82	100	293 Average	VERTICAL	<p>Site: 03C395-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>97.59</td> <td>43.59</td> <td>54.00</td> <td>95.02</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	97.59	43.59	54.00	95.02	32.34	7.25	37.82	100	293 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2464.94	48.36	-13.64	54.00	37.79	32.34	7.25	37.82	100	293 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	97.59	43.59	54.00	95.02	32.34	7.25	37.82	100	293 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>62.38</td> <td>-11.62</td> <td>74.00</td> <td>59.81</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.56	62.38	-11.62	74.00	59.81	32.34	7.25	37.82	100	3 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>93.56</td> <td>19.56</td> <td>74.00</td> <td>90.99</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	93.56	19.56	74.00	90.99	32.34	7.25	37.82	100	3 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.56	62.38	-11.62	74.00	59.81	32.34	7.25	37.82	100	3 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	93.56	19.56	74.00	90.99	32.34	7.25	37.82	100	3 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>49.96</td> <td>-4.84</td> <td>54.00</td> <td>47.39</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.62	49.96	-4.84	54.00	47.39	32.34	7.25	37.82	100	3 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: #42 PowerSetting: 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2478.00</td> <td>86.18</td> <td>32.18</td> <td>54.00</td> <td>83.53</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>3 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2478.00	86.18	32.18	54.00	83.53	32.34	7.25	37.82	100	3 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.62	49.96	-4.84	54.00	47.39	32.34	7.25	37.82	100	3 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2478.00	86.18	32.18	54.00	83.53	32.34	7.25	37.82	100	3 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 3000.000MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IME1: #42 PowerSetting: #4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>61.99</td> <td>-12.81</td> <td>74.00</td> <td>59.42</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.56	61.99	-12.81	74.00	59.42	32.34	7.25	37.82	100	293 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 3000.000MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IME1: #42 PowerSetting: #4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2478.00</td> <td>95.44</td> <td>21.44</td> <td>74.00</td> <td>92.87</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2478.00	95.44	21.44	74.00	92.87	32.34	7.25	37.82	100	293 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.56	61.99	-12.81	74.00	59.42	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2478.00	95.44	21.44	74.00	92.87	32.34	7.25	37.82	100	293 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 3.300MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IME1: #42 PowerSetting: #4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>58.08</td> <td>-3.48</td> <td>54.00</td> <td>48.83</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	58.08	-3.48	54.00	48.83	32.34	7.25	37.82	100	293 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL RFW 1000.000MHz YFW 3.300MHz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IME1: #42 PowerSetting: #4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2478.00</td> <td>86.14</td> <td>32.14</td> <td>54.00</td> <td>83.57</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>293 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2478.00	86.14	32.14	54.00	83.57	32.34	7.25	37.82	100	293 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	58.08	-3.48	54.00	48.83	32.34	7.25	37.82	100	293 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2478.00	86.14	32.14	54.00	83.57	32.34	7.25	37.82	100	293 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 1
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz																																																																					
1	Horizontal	Fundamental																																																																				
Peak	<p>Site: 020306-E5 Condition: FCC PART 15C In 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000MHz YFM 3000.000MHz SWT Auto Mode: 27 Plane: 1 Full-directivity IMN1: #42 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.63</td> <td>58.57</td> <td>-23.43</td> <td>74.00</td> <td>47.71</td> <td>32.31</td> <td>7.18</td> <td>36.55</td> <td>150</td> <td>181 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2381.63	58.57	-23.43	74.00	47.71	32.31	7.18	36.55	150	181 Peak	HORIZONTAL	<p>Site: 020306-E5 Condition: FCC PART 15C In 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000MHz YFM 3000.000MHz SWT Auto Mode: 27 Plane: 1 Full-directivity IMN1: #42 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>186.12</td> <td>32.12</td> <td>74.00</td> <td>183.21</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>150</td> <td>181 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2404.00	186.12	32.12	74.00	183.21	32.39	7.13	36.61	150	181 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2381.63	58.57	-23.43	74.00	47.71	32.31	7.18	36.55	150	181 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2404.00	186.12	32.12	74.00	183.21	32.39	7.13	36.61	150	181 Peak	HORIZONTAL																																																											
Avg.	<p>Site: 020306-E5 Condition: FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000MHz YFM 5.600MHz SWT Auto Mode: 27 Plane: 1 Full-directivity IMN1: #42 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.83</td> <td>41.70</td> <td>-12.30</td> <td>54.00</td> <td>38.71</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>150</td> <td>181 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2386.83	41.70	-12.30	54.00	38.71	32.40	7.18	36.51	150	181 Average	HORIZONTAL	<p>Site: 020306-E5 Condition: FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000MHz YFM 5.600MHz SWT Auto Mode: 27 Plane: 1 Full-directivity IMN1: #42 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2400.00</td> <td>97.39</td> <td>43.59</td> <td>54.00</td> <td>94.48</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>150</td> <td>181 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2400.00	97.39	43.59	54.00	94.48	32.39	7.13	36.61	150	181 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2386.83	41.70	-12.30	54.00	38.71	32.40	7.18	36.51	150	181 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2400.00	97.39	43.59	54.00	94.48	32.39	7.13	36.61	150	181 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz																																																											
1	Vertical	Fundamental																																																										
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 3000.000MHz SWT auto Model: (FR)261401-01 Mode: 27 Plane: 2 Polar-directivity: Full-directivity IMEI: #442 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2376.95</td> <td>49.44</td> <td>-24.56</td> <td>74.00</td> <td>46.61</td> <td>32.31</td> <td>7.87</td> <td>36.55</td> <td>224</td> <td>87</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2376.95	49.44	-24.56	74.00	46.61	32.31	7.87	36.55	224	87	Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 3000.000MHz SWT auto Model: (FR)261401-01 Mode: 27 Plane: 2 Polar-directivity: Full-directivity IMEI: #442 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2410.00</td> <td>104.81</td> <td>30.81</td> <td>74.00</td> <td>101.10</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>224</td> <td>87</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 *	2410.00	104.81	30.81	74.00	101.10	32.39	7.13	36.61	224	87	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2376.95	49.44	-24.56	74.00	46.61	32.31	7.87	36.55	224	87	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1 *	2410.00	104.81	30.81	74.00	101.10	32.39	7.13	36.61	224	87	Peak	VERTICAL																																																
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 5.600MHz SWT Auto Model: (FR)261401-01 Mode: 27 Plane: 2 Polar-directivity: Full-directivity IMEI: #442 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>41.53</td> <td>-12.47</td> <td>54.00</td> <td>38.54</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>224</td> <td>87</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2388.78	41.53	-12.47	54.00	38.54	32.40	7.18	36.51	224	87	Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 5.600MHz SWT Auto Model: (FR)261401-01 Mode: 27 Plane: 2 Polar-directivity: Full-directivity IMEI: #442 PowerSetting: 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2410.00</td> <td>96.95</td> <td>42.95</td> <td>54.00</td> <td>94.04</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>224</td> <td>87</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 *	2410.00	96.95	42.95	54.00	94.04	32.39	7.13	36.61	224	87	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2388.78	41.53	-12.47	54.00	38.54	32.40	7.18	36.51	224	87	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1 *	2410.00	96.95	42.95	54.00	94.04	32.39	7.13	36.61	224	87	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																											
1	Horizontal	Fundamental																																																																										
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 1 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000, 000Hz YPW 3000, 000Hz DRT Auto Model: (FR)261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.24</td> <td>58.40</td> <td>-21.68</td> <td>74.00</td> <td>47.95</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>170</td> <td>183</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2491.24	58.40	-21.68	74.00	47.95	32.33	7.25	37.13	170	183	Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 3 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000, 000Hz YPW 3000, 000Hz DRT Auto Model: (FR)261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2470.00</td> <td>104.78</td> <td>30.78</td> <td>74.00</td> <td>182.12</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>170</td> <td>183</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 *	2470.00	104.78	30.78	74.00	182.12	32.36	7.22	36.92	170	183	Peak	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																					
1	2491.24	58.40	-21.68	74.00	47.95	32.33	7.25	37.13	170	183	Peak	HORIZONTAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																					
1 *	2470.00	104.78	30.78	74.00	182.12	32.36	7.22	36.92	170	183	Peak	HORIZONTAL																																																																
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 2 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000, 000Hz YPW 5, 600Hz DRT Auto Model: (FR)261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.88</td> <td>43.34</td> <td>-18.66</td> <td>54.00</td> <td>48.77</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>170</td> <td>183</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2484.88	43.34	-18.66	54.00	48.77	32.34	7.25	37.02	170	183	Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 4 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000, 000Hz YPW 5, 600Hz DRT Auto Model: (FR)261401-01 Mode: 20 Plane: Z Polarization: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>96.88</td> <td>42.88</td> <td>54.00</td> <td>94.14</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>170</td> <td>183</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 *	2468.00	96.88	42.88	54.00	94.14	32.36	7.22	36.92	170	183	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																					
1	2484.88	43.34	-18.66	54.00	48.77	32.34	7.25	37.02	170	183	Average	HORIZONTAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																					
1 *	2468.00	96.88	42.88	54.00	94.14	32.36	7.22	36.92	170	183	Average	HORIZONTAL																																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																											
1	Vertical	Fundamental																																																																										
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000, 000Hz Y0W 3000, 000Hz SPT auto Mode: (FR)261401-01 Plane: 20 Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.18</td> <td>48.55</td> <td>-25.45</td> <td>74.00</td> <td>46.87</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>180</td> <td>78</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	1	2494.18	48.55	-25.45	74.00	46.87	32.33	7.28	37.13	180	78	Peak	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000, 000Hz Y0W 3000, 000Hz SPT auto Mode: (FR)261401-01 Plane: 20 Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>104.72</td> <td>38.72</td> <td>74.00</td> <td>102.06</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>180</td> <td>78</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	1 *	2466.00	104.72	38.72	74.00	102.06	32.36	7.22	36.92	180	78	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																																					
1	2494.18	48.55	-25.45	74.00	46.87	32.33	7.28	37.13	180	78	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																																					
1 *	2466.00	104.72	38.72	74.00	102.06	32.36	7.22	36.92	180	78	Peak	VERTICAL																																																																
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000, 000Hz Y0W 5, 600Hz SPT Auto Mode: (FR)261401-01 Plane: 20 Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.18</td> <td>39.25</td> <td>-14.75</td> <td>54.00</td> <td>36.88</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>180</td> <td>78</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	1	2491.18	39.25	-14.75	54.00	36.88	32.33	7.25	37.13	180	78	Average	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000, 000Hz Y0W 5, 600Hz SPT Auto Mode: (FR)261401-01 Plane: 20 Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>96.11</td> <td>42.11</td> <td>54.00</td> <td>93.45</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>180</td> <td>78</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	1 *	2466.00	96.11	42.11	54.00	93.45	32.36	7.22	36.92	180	78	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																																					
1	2491.18	39.25	-14.75	54.00	36.88	32.33	7.25	37.13	180	78	Average	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																																					
1 *	2466.00	96.11	42.11	54.00	93.45	32.36	7.22	36.92	180	78	Average	VERTICAL																																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH12 2467MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 1 117 Level (dBV/m)</p> <p>Site: 02C905-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Power: 1000.000MHz YDF 3000.000MHz DRT Auto Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.00</td> <td>59.33</td> <td>-14.67</td> <td>74.00</td> <td>56.76</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>318</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.00	59.33	-14.67	74.00	56.76	32.34	7.25	37.02	318	0 Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 3 117 Level (dBV/m)</p> <p>Site: 02C905-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Power: 1000.000MHz YDF 3000.000MHz DRT Auto Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>106.98</td> <td>32.08</td> <td>74.00</td> <td>104.44</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>318</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	106.98	32.08	74.00	104.44	32.34	7.22	37.02	318	0 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.00	59.33	-14.67	74.00	56.76	32.34	7.25	37.02	318	0 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	106.98	32.08	74.00	104.44	32.34	7.22	37.02	318	0 Peak	HORIZONTAL																																																							
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 2 117 Level (dBV/m)</p> <p>Site: 02C905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Power: 1000.000MHz YDF 5.600MHz DRT Auto Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>49.79</td> <td>-4.21</td> <td>54.00</td> <td>47.22</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>318</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.62	49.79	-4.21	54.00	47.22	32.34	7.25	37.02	318	0 Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 4 117 Level (dBV/m)</p> <p>Site: 02C905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Power: 1000.000MHz YDF 5.600MHz DRT Auto Project: FR261401-01 Mode: 20 Plane: Z Polar: Full-directivity IMEI: 842 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>98.04</td> <td>44.04</td> <td>54.00</td> <td>95.50</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>318</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	98.04	44.04	54.00	95.50	32.34	7.22	37.02	318	0 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.62	49.79	-4.21	54.00	47.22	32.34	7.25	37.02	318	0 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	98.04	44.04	54.00	95.50	32.34	7.22	37.02	318	0 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH12 2467MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: 845 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>65.78</td> <td>-8.22</td> <td>74.00</td> <td>63.21</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>294 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.62	65.78	-8.22	74.00	63.21	32.34	7.25	37.82	100	294 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: 845 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>185.98</td> <td>31.08</td> <td>74.00</td> <td>185.41</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>294 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	185.98	31.08	74.00	185.41	32.34	7.25	37.82	100	294 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.62	65.78	-8.22	74.00	63.21	32.34	7.25	37.82	100	294 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	185.98	31.08	74.00	185.41	32.34	7.25	37.82	100	294 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: 845 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>58.54</td> <td>-3.46</td> <td>54.00</td> <td>47.97</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>294 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.74	58.54	-3.46	54.00	47.97	32.34	7.25	37.82	100	294 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: 20 Plane: Z Polar-directivity: Full-directivity IMEI: 845 PowerSetting: 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>97.55</td> <td>43.55</td> <td>54.00</td> <td>94.98</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>294 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	97.55	43.55	54.00	94.98	32.34	7.25	37.82	100	294 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.74	58.54	-3.46	54.00	47.97	32.34	7.25	37.82	100	294 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	97.55	43.55	54.00	94.98	32.34	7.25	37.82	100	294 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz																																																																	
1	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>59.00</td> <td>-14.20</td> <td>74.00</td> <td>57.23</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>100</td> <td>2 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	59.00	-14.20	74.00	57.23	32.34	7.25	37.02	100	2 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>90.44</td> <td>16.44</td> <td>74.00</td> <td>67.87</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>100</td> <td>2 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	90.44	16.44	74.00	67.87	32.34	7.25	37.02	100	2 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	59.00	-14.20	74.00	57.23	32.34	7.25	37.02	100	2 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	90.44	16.44	74.00	67.87	32.34	7.25	37.02	100	2 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>47.86</td> <td>-6.14</td> <td>54.00</td> <td>45.29</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>100</td> <td>2 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.56	47.86	-6.14	54.00	45.29	32.34	7.25	37.02	100	2 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: 20 Plane: Z Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>82.57</td> <td>28.57</td> <td>54.00</td> <td>60.00</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>100</td> <td>2 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	82.57	28.57	54.00	60.00	32.34	7.25	37.02	100	2 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.56	47.86	-6.14	54.00	45.29	32.34	7.25	37.02	100	2 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	82.57	28.57	54.00	60.00	32.34	7.25	37.02	100	2 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL E5W 1000.000Hz Y5W 3000.000Hz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>56.89</td> <td>-15.11</td> <td>74.00</td> <td>56.32</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	56.89	-15.11	74.00	56.32	32.34	7.25	37.82	100	295 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL E5W 1000.000Hz Y5W 3000.000Hz SWT auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>92.65</td> <td>16.65</td> <td>74.00</td> <td>90.00</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	92.65	16.65	74.00	90.00	32.34	7.25	37.82	100	295 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	56.89	-15.11	74.00	56.32	32.34	7.25	37.82	100	295 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	92.65	16.65	74.00	90.00	32.34	7.25	37.82	100	295 Peak	VERTICAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL E5W 1000.000Hz Y5W 5.600Hz SWT Auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>58.53</td> <td>-3.47</td> <td>54.00</td> <td>47.96</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	58.53	-3.47	54.00	47.96	32.34	7.25	37.82	100	295 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL E5W 1000.000Hz Y5W 5.600Hz SWT Auto Project: (FR)261401-01 Mode: 20 Plane: Z Full-directivity IME1: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2488.00</td> <td>83.98</td> <td>29.98</td> <td>54.00</td> <td>81.41</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>100</td> <td>295 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2488.00	83.98	29.98	54.00	81.41	32.34	7.25	37.82	100	295 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	58.53	-3.47	54.00	47.96	32.34	7.25	37.82	100	295 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2488.00	83.98	29.98	54.00	81.41	32.34	7.25	37.82	100	295 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 1

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	802.11b CH01 2412MHz																																																																	
1	Horizontal	Vertical																																																																
Peak Avg.	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 12 Plane : Z Full-directivity IM1 : #2 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ResAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>41.68</td> <td>-32.37</td> <td>74.00</td> <td>62.69</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ResAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cn	deg	1	4830.00	41.68	-32.37	74.00	62.69	34.00	10.25	65.26	300	0 Peak	HORIZONTAL	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 12 Plane : Z Full-directivity IM1 : #2 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ResAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.47</td> <td>-33.58</td> <td>74.00</td> <td>61.43</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ResAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cn	deg	1	4830.00	40.47	-33.58	74.00	61.43	34.00	10.25	65.26	100	0 Peak	VERTICAL
	Freq	Level	Limit	ResAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cn	deg																																																									
1	4830.00	41.68	-32.37	74.00	62.69	34.00	10.25	65.26	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ResAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cn	deg																																																									
1	4830.00	40.47	-33.58	74.00	61.43	34.00	10.25	65.26	100	0 Peak	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11b CH06 2437MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site Condition : 03DHG-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>40.09</td> <td>-32.91</td> <td>74.00</td> <td>61.08</td> <td>34.00</td> <td>10.29</td> <td>65.28</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>41.01</td> <td>-32.99</td> <td>74.00</td> <td>59.21</td> <td>35.76</td> <td>12.72</td> <td>66.68</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg	1	4875.00	40.09	-32.91	74.00	61.08	34.00	10.29	65.28	300	0 Peak	HORIZONTAL	2	7305.00	41.01	-32.99	74.00	59.21	35.76	12.72	66.68	300	0 Peak	HORIZONTAL	<p>Site Condition : 03DHG-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>40.25</td> <td>-33.75</td> <td>74.00</td> <td>61.24</td> <td>34.00</td> <td>10.29</td> <td>65.28</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>41.78</td> <td>-32.22</td> <td>74.00</td> <td>59.98</td> <td>35.76</td> <td>12.72</td> <td>66.68</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg	1	4875.00	40.25	-33.75	74.00	61.24	34.00	10.29	65.28	100	0 Peak	VERTICAL	2	7305.00	41.78	-32.22	74.00	59.98	35.76	12.72	66.68	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg																																																																											
1	4875.00	40.09	-32.91	74.00	61.08	34.00	10.29	65.28	300	0 Peak	HORIZONTAL																																																																							
2	7305.00	41.01	-32.99	74.00	59.21	35.76	12.72	66.68	300	0 Peak	HORIZONTAL																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg																																																																											
1	4875.00	40.25	-33.75	74.00	61.24	34.00	10.29	65.28	100	0 Peak	VERTICAL																																																																							
2	7305.00	41.78	-32.22	74.00	59.98	35.76	12.72	66.68	100	0 Peak	VERTICAL																																																																							

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11b CH11 2462MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site Condition : 03DHG-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>42.18</td> <td>-31.83</td> <td>74.00</td> <td>63.14</td> <td>34.00</td> <td>10.24</td> <td>65.39</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>41.55</td> <td>-32.45</td> <td>74.00</td> <td>59.95</td> <td>35.78</td> <td>12.73</td> <td>66.91</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg	1	4920.00	42.18	-31.83	74.00	63.14	34.00	10.24	65.39	300	0 Peak	HORIZONTAL	2	7380.00	41.55	-32.45	74.00	59.95	35.78	12.73	66.91	300	0 Peak	HORIZONTAL	<p>Site Condition : 03DHG-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>42.40</td> <td>-31.40</td> <td>74.00</td> <td>63.64</td> <td>34.00</td> <td>10.24</td> <td>65.39</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>41.20</td> <td>-32.80</td> <td>74.00</td> <td>59.80</td> <td>35.78</td> <td>12.73</td> <td>66.91</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg	1	4920.00	42.40	-31.40	74.00	63.64	34.00	10.24	65.39	100	0 Peak	VERTICAL	2	7380.00	41.20	-32.80	74.00	59.80	35.78	12.73	66.91	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg																																																																											
1	4920.00	42.18	-31.83	74.00	63.14	34.00	10.24	65.39	300	0 Peak	HORIZONTAL																																																																							
2	7380.00	41.55	-32.45	74.00	59.95	35.78	12.73	66.91	300	0 Peak	HORIZONTAL																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg																																																																											
1	4920.00	42.40	-31.40	74.00	63.64	34.00	10.24	65.39	100	0 Peak	VERTICAL																																																																							
2	7380.00	41.20	-32.80	74.00	59.80	35.78	12.73	66.91	100	0 Peak	VERTICAL																																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11b CH12 2467MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Emission: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: (FR)261401-01 Mode: 12 Plane: Z Polarization: Full-directivity MEI: #E2 PowerRating: 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>41.92</td> <td>-32.08</td> <td>74.00</td> <td>62.85</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>41.15</td> <td>-32.05</td> <td>74.00</td> <td>60.46</td> <td>35.78</td> <td>12.73</td> <td>67.02</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg	1	4935.00	41.92	-32.08	74.00	62.85	34.00	10.37	65.30	300	0 Peak	HORIZONTAL	2	7401.00	41.15	-32.05	74.00	60.46	35.78	12.73	67.02	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Emission: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: (FR)261401-01 Mode: 12 Plane: Z Polarization: Full-directivity MEI: #E2 PowerRating: 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>41.78</td> <td>-32.22</td> <td>74.00</td> <td>62.71</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7395.00</td> <td>41.36</td> <td>-32.64</td> <td>74.00</td> <td>59.81</td> <td>35.78</td> <td>12.73</td> <td>66.96</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg	1	4934.00	41.78	-32.22	74.00	62.71	34.00	10.37	65.30	100	0 Peak	VERTICAL	2	7395.00	41.36	-32.64	74.00	59.81	35.78	12.73	66.96	100	0 Peak	VERTICAL
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg																																																																																	
1	4935.00	41.92	-32.08	74.00	62.85	34.00	10.37	65.30	300	0 Peak	HORIZONTAL																																																																															
2	7401.00	41.15	-32.05	74.00	60.46	35.78	12.73	67.02	300	0 Peak	HORIZONTAL																																																																															
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg																																																																																	
1	4934.00	41.78	-32.22	74.00	62.71	34.00	10.37	65.30	100	0 Peak	VERTICAL																																																																															
2	7395.00	41.36	-32.64	74.00	59.81	35.78	12.73	66.96	100	0 Peak	VERTICAL																																																																															

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11b CH13 2472MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Emission: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: (FR)261401-01 Mode: 14 Plane: Z Polarization: Full-directivity MEI: #E2 PowerRating: 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>42.34</td> <td>-31.76</td> <td>74.00</td> <td>63.16</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7410.00</td> <td>42.21</td> <td>-31.79</td> <td>74.00</td> <td>60.69</td> <td>35.78</td> <td>12.74</td> <td>67.02</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg	1	4950.00	42.34	-31.76	74.00	63.16	34.00	10.39	65.31	300	0 Peak	HORIZONTAL	2	7410.00	42.21	-31.79	74.00	60.69	35.78	12.74	67.02	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Emission: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: (FR)261401-01 Mode: 14 Plane: Z Polarization: Full-directivity MEI: #E2 PowerRating: 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>42.35</td> <td>-31.65</td> <td>74.00</td> <td>63.27</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7410.00</td> <td>41.93</td> <td>-32.07</td> <td>74.00</td> <td>60.44</td> <td>35.78</td> <td>12.73</td> <td>67.02</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg	1	4944.00	42.35	-31.65	74.00	63.27	34.00	10.39	65.31	100	0 Peak	VERTICAL	2	7410.00	41.93	-32.07	74.00	60.44	35.78	12.73	67.02	100	0 Peak	VERTICAL
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg																																																																																	
1	4950.00	42.34	-31.76	74.00	63.16	34.00	10.39	65.31	300	0 Peak	HORIZONTAL																																																																															
2	7410.00	42.21	-31.79	74.00	60.69	35.78	12.74	67.02	300	0 Peak	HORIZONTAL																																																																															
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	on	deg																																																																																	
1	4944.00	42.35	-31.65	74.00	63.27	34.00	10.39	65.31	100	0 Peak	VERTICAL																																																																															
2	7410.00	41.93	-32.07	74.00	60.44	35.78	12.73	67.02	100	0 Peak	VERTICAL																																																																															



2.4GHz 2400~2483.5MHz---ANT 1

WIFI 802.11g (Harmonic @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	802.11g CH01 2412MHz																																																																	
1	Horizontal	Vertical																																																																
Peak Avg.	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 15 Plane : Z Full-directivity IRE1 : #2 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.45</td> <td>-33.55</td> <td>74.00</td> <td>61.46</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg		1	4830.00	40.45	-33.55	74.00	61.46	34.00	10.25	65.26	300	0 Peak	HORIZONTAL	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 15 Plane : Z Full-directivity IRE1 : #2 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.97</td> <td>-33.08</td> <td>74.00</td> <td>61.93</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg		1	4830.00	40.97	-33.08	74.00	61.93	34.00	10.25	65.26	100	0 Peak	VERTICAL
	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg																																																										
1	4830.00	40.45	-33.55	74.00	61.46	34.00	10.25	65.26	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg																																																										
1	4830.00	40.97	-33.08	74.00	61.93	34.00	10.25	65.26	100	0 Peak	VERTICAL																																																							
	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 15 Plane : Z Full-directivity IRE1 : #2 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.45</td> <td>-33.55</td> <td>74.00</td> <td>61.46</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg		1	4830.00	40.45	-33.55	74.00	61.46	34.00	10.25	65.26	300	0 Peak	HORIZONTAL	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 15 Plane : Z Full-directivity IRE1 : #2 PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.97</td> <td>-33.08</td> <td>74.00</td> <td>61.93</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg		1	4830.00	40.97	-33.08	74.00	61.93	34.00	10.25	65.26	100	0 Peak	VERTICAL
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg																																																										
1	4830.00	40.45	-33.55	74.00	61.46	34.00	10.25	65.26	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	deg																																																										
1	4830.00	40.97	-33.08	74.00	61.93	34.00	10.25	65.26	100	0 Peak	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																													
ANT	802.11g CH06 2437MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Site Condition : 03OHG-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>-32.85</td> <td>74.00</td> <td>61.14</td> <td>34.00</td> <td>10.29</td> <td>65.28</td> <td>300</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>-31.71</td> <td>74.00</td> <td>60.49</td> <td>35.10</td> <td>12.72</td> <td>66.48</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4875.00	-32.85	74.00	61.14	34.00	10.29	65.28	300	0 Peak	2	7305.00	-31.71	74.00	60.49	35.10	12.72	66.48	300	0 Peak	<p>Site Condition : 03OHG-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>-32.83</td> <td>74.00</td> <td>60.82</td> <td>34.00</td> <td>10.29</td> <td>65.28</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>-31.79</td> <td>74.00</td> <td>60.49</td> <td>35.10</td> <td>12.72</td> <td>66.48</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4875.00	-32.83	74.00	60.82	34.00	10.29	65.28	100	0 Peak	2	7305.00	-31.79	74.00	60.49	35.10	12.72	66.48	100	0 Peak
	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																						
1	4875.00	-32.85	74.00	61.14	34.00	10.29	65.28	300	0 Peak																																																																					
2	7305.00	-31.71	74.00	60.49	35.10	12.72	66.48	300	0 Peak																																																																					
MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																						
1	4875.00	-32.83	74.00	60.82	34.00	10.29	65.28	100	0 Peak																																																																					
2	7305.00	-31.79	74.00	60.49	35.10	12.72	66.48	100	0 Peak																																																																					

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																													
ANT	802.11g CH11 2462MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Site Condition : 03OHG-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>-33.49</td> <td>74.00</td> <td>61.37</td> <td>34.00</td> <td>10.24</td> <td>65.39</td> <td>300</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>-32.39</td> <td>74.00</td> <td>60.10</td> <td>35.78</td> <td>12.73</td> <td>66.91</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4920.00	-33.49	74.00	61.37	34.00	10.24	65.39	300	0 Peak	2	7380.00	-32.39	74.00	60.10	35.78	12.73	66.91	300	0 Peak	<p>Site Condition : 03OHG-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project : FR261401-01 Mode : 17 Plane : Z Polarization : Full-directivity MEI : #E2 PowerRating : 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>-33.83</td> <td>74.00</td> <td>62.13</td> <td>34.00</td> <td>10.24</td> <td>65.39</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>-32.10</td> <td>74.00</td> <td>60.24</td> <td>35.78</td> <td>12.73</td> <td>66.91</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4920.00	-33.83	74.00	62.13	34.00	10.24	65.39	100	0 Peak	2	7380.00	-32.10	74.00	60.24	35.78	12.73	66.91	100	0 Peak
	MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																						
1	4920.00	-33.49	74.00	61.37	34.00	10.24	65.39	300	0 Peak																																																																					
2	7380.00	-32.39	74.00	60.10	35.78	12.73	66.91	300	0 Peak																																																																					
MEI	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																						
1	4920.00	-33.83	74.00	62.13	34.00	10.24	65.39	100	0 Peak																																																																					
2	7380.00	-32.10	74.00	60.24	35.78	12.73	66.91	100	0 Peak																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																																													
ANT	802.11g CH12 2467MHz																																																																																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																																																																																												
Peak Avg.	 <p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FSR 1000 0008U VSR 3000 0008U SRT-Auto Mode: 18 Plane: Z Polarization: Full-directivity ME1: 11.5 PowerSetting: 18W</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>ME2</th> <th>ME3</th> <th>ME4</th> <th>ME5</th> <th>ME6</th> <th>ME7</th> <th>ME8</th> <th>ME9</th> <th>ME10</th> <th>ME11</th> <th>ME12</th> <th>ME13</th> <th>ME14</th> <th>ME15</th> <th>ME16</th> <th>ME17</th> <th>ME18</th> <th>ME19</th> <th>ME20</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> <th colspan="9"></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th colspan="9"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>39.82</td> <td>-34.18</td> <td>74.00</td> <td>60.75</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> <td colspan="9"></td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>42.25</td> <td>-31.75</td> <td>74.00</td> <td>60.76</td> <td>30.78</td> <td>12.73</td> <td>67.02</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> <td colspan="9"></td> </tr> </tbody> </table>	ME1	ME2	ME3	ME4	ME5	ME6	ME7	ME8	ME9	ME10	ME11	ME12	ME13	ME14	ME15	ME16	ME17	ME18	ME19	ME20	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas										MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	on	deg										1	4935.00	39.82	-34.18	74.00	60.75	34.00	10.37	65.30	300	0 Peak	HORIZONTAL										2	7401.00	42.25	-31.75	74.00	60.76	30.78	12.73	67.02	300	0 Peak	HORIZONTAL										 <p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FSR 1000 0008U VSR 3000 0008U SRT-Auto Mode: 18 Plane: Z Polarization: Full-directivity ME1: 11.5 PowerSetting: 18W</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>ME2</th> <th>ME3</th> <th>ME4</th> <th>ME5</th> <th>ME6</th> <th>ME7</th> <th>ME8</th> <th>ME9</th> <th>ME10</th> <th>ME11</th> <th>ME12</th> <th>ME13</th> <th>ME14</th> <th>ME15</th> <th>ME16</th> <th>ME17</th> <th>ME18</th> <th>ME19</th> <th>ME20</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> <th colspan="9"></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th colspan="9"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>39.43</td> <td>-34.37</td> <td>74.00</td> <td>60.56</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> <td colspan="9"></td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>41.26</td> <td>-32.70</td> <td>74.00</td> <td>59.81</td> <td>30.78</td> <td>12.73</td> <td>67.02</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> <td colspan="9"></td> </tr> </tbody> </table>	ME1	ME2	ME3	ME4	ME5	ME6	ME7	ME8	ME9	ME10	ME11	ME12	ME13	ME14	ME15	ME16	ME17	ME18	ME19	ME20	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas										MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	on	deg										1	4935.00	39.43	-34.37	74.00	60.56	34.00	10.37	65.30	100	0 Peak	VERTICAL										2	7401.00	41.26	-32.70	74.00	59.81	30.78	12.73	67.02	100	0 Peak	VERTICAL									
	ME1	ME2	ME3	ME4	ME5	ME6	ME7	ME8	ME9	ME10	ME11	ME12	ME13	ME14	ME15	ME16	ME17	ME18	ME19	ME20																																																																																																																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	on	deg																																																																																																																																																																																																				
1	4935.00	39.82	-34.18	74.00	60.75	34.00	10.37	65.30	300	0 Peak	HORIZONTAL																																																																																																																																																																																																			
2	7401.00	42.25	-31.75	74.00	60.76	30.78	12.73	67.02	300	0 Peak	HORIZONTAL																																																																																																																																																																																																			
ME1	ME2	ME3	ME4	ME5	ME6	ME7	ME8	ME9	ME10	ME11	ME12	ME13	ME14	ME15	ME16	ME17	ME18	ME19	ME20																																																																																																																																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	on	deg																																																																																																																																																																																																				
1	4935.00	39.43	-34.37	74.00	60.56	34.00	10.37	65.30	100	0 Peak	VERTICAL																																																																																																																																																																																																			
2	7401.00	41.26	-32.70	74.00	59.81	30.78	12.73	67.02	100	0 Peak	VERTICAL																																																																																																																																																																																																			



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH13 2472MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Mode: 17 Plane: Z Polarization: Full-directivity METS: 842 PowerRating: 9</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>29.93</td> <td>-34.07</td> <td>74.00</td> <td>60.85</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.35</td> <td>-32.65</td> <td>74.00</td> <td>59.83</td> <td>35.78</td> <td>12.76</td> <td>67.02</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg		1	4950.00	29.93	-34.07	74.00	60.85	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7416.00	41.35	-32.65	74.00	59.83	35.78	12.76	67.02	300	0 Peak HORIZONTAL	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Mode: 17 Plane: Z Polarization: Full-directivity METS: 842 PowerRating: 9</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.37</td> <td>-32.63</td> <td>74.00</td> <td>61.29</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.60</td> <td>-32.40</td> <td>74.00</td> <td>60.08</td> <td>35.78</td> <td>12.76</td> <td>67.02</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg		1	4950.00	40.37	-32.63	74.00	61.29	34.00	10.39	65.31	100	0 Peak VERTICAL	2	7416.00	41.60	-32.40	74.00	60.08	35.78	12.76	67.02	100	0 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg																																																																																	
1	4950.00	29.93	-34.07	74.00	60.85	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7416.00	41.35	-32.65	74.00	59.83	35.78	12.76	67.02	300	0 Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg																																																																																	
1	4950.00	40.37	-32.63	74.00	61.29	34.00	10.39	65.31	100	0 Peak VERTICAL																																																																																
2	7416.00	41.60	-32.40	74.00	60.08	35.78	12.76	67.02	100	0 Peak VERTICAL																																																																																

2.4GHz 2400~2483.5MHz---ANT 1
WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	802.11 ax HE20 Full CH01 2412MHz																																																																	
1	Horizontal	Vertical																																																																
Peak Avg.	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: 03081000:Y08-3000:00000:08T:Auto Mode: FR261401-01 Role: 01 Plane: Z Full-directivity IMEI: #42 PowerSetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.59</td> <td>-33.41</td> <td>74.00</td> <td>61.60</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1	4830.00	40.59	-33.41	74.00	61.60	34.00	10.25	65.26	300	0 Peak	HORIZONTAL	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: 03081000:Y08-3000:00000:08T:Auto Mode: FR261401-01 Role: 25 Plane: Z Full-directivity IMEI: #42 PowerSetting: 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.70</td> <td>-33.30</td> <td>74.00</td> <td>61.71</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg			1	4830.00	40.70	-33.30	74.00	61.71	34.00	10.25	65.26	100	0 Peak	VERTICAL
	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																											
1	4830.00	40.59	-33.41	74.00	61.60	34.00	10.25	65.26	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																											
1	4830.00	40.70	-33.30	74.00	61.71	34.00	10.25	65.26	100	0 Peak	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH06 2437MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL EIRP: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: FR261401-01 Mode: Z Plane: Z Polar: Full-directivity MEI: #42 PowerRating: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>40.14</td> <td>-32.86</td> <td>74.00</td> <td>61.13</td> <td>34.00</td> <td>10.29</td> <td>66.28</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>40.19</td> <td>-33.07</td> <td>74.00</td> <td>59.13</td> <td>35.16</td> <td>12.72</td> <td>66.68</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4875.00	40.14	-32.86	74.00	61.13	34.00	10.29	66.28	300	0 Peak	HORIZONTAL	2	7305.00	40.19	-33.07	74.00	59.13	35.16	12.72	66.68	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL EIRP: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: FR261401-01 Mode: Z Plane: Z Polar: Full-directivity MEI: #42 PowerRating: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>39.75</td> <td>-34.25</td> <td>74.00</td> <td>60.74</td> <td>34.00</td> <td>10.29</td> <td>66.28</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>41.26</td> <td>-32.47</td> <td>74.00</td> <td>59.13</td> <td>35.76</td> <td>12.72</td> <td>66.68</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4875.00	39.75	-34.25	74.00	60.74	34.00	10.29	66.28	100	0 Peak	VERTICAL	2	7305.00	41.26	-32.47	74.00	59.13	35.76	12.72	66.68	100	0 Peak	VERTICAL
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4875.00	40.14	-32.86	74.00	61.13	34.00	10.29	66.28	300	0 Peak	HORIZONTAL																																																																															
2	7305.00	40.19	-33.07	74.00	59.13	35.16	12.72	66.68	300	0 Peak	HORIZONTAL																																																																															
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4875.00	39.75	-34.25	74.00	60.74	34.00	10.29	66.28	100	0 Peak	VERTICAL																																																																															
2	7305.00	41.26	-32.47	74.00	59.13	35.76	12.72	66.68	100	0 Peak	VERTICAL																																																																															

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL EIRP: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: FR261401-01 Mode: Z Plane: Z Polar: Full-directivity MEI: #42 PowerRating: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>39.54</td> <td>-34.46</td> <td>74.00</td> <td>60.50</td> <td>34.00</td> <td>10.24</td> <td>65.39</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>42.99</td> <td>-31.91</td> <td>74.00</td> <td>60.49</td> <td>35.78</td> <td>12.73</td> <td>66.91</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4920.00	39.54	-34.46	74.00	60.50	34.00	10.24	65.39	300	0 Peak	HORIZONTAL	2	7380.00	42.99	-31.91	74.00	60.49	35.78	12.73	66.91	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL EIRP: 1000.000MHz VSW: 3000.000dB SFT: Auto Project: FR261401-01 Mode: Z Plane: Z Polar: Full-directivity MEI: #42 PowerRating: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>39.73</td> <td>-34.28</td> <td>74.00</td> <td>60.68</td> <td>34.00</td> <td>10.24</td> <td>65.39</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>41.11</td> <td>-32.89</td> <td>74.00</td> <td>59.51</td> <td>35.78</td> <td>12.73</td> <td>66.91</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4920.00	39.73	-34.28	74.00	60.68	34.00	10.24	65.39	100	0 Peak	VERTICAL	2	7380.00	41.11	-32.89	74.00	59.51	35.78	12.73	66.91	100	0 Peak	VERTICAL
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4920.00	39.54	-34.46	74.00	60.50	34.00	10.24	65.39	300	0 Peak	HORIZONTAL																																																																															
2	7380.00	42.99	-31.91	74.00	60.49	35.78	12.73	66.91	300	0 Peak	HORIZONTAL																																																																															
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4920.00	39.73	-34.28	74.00	60.68	34.00	10.24	65.39	100	0 Peak	VERTICAL																																																																															
2	7380.00	41.11	-32.89	74.00	59.51	35.78	12.73	66.91	100	0 Peak	VERTICAL																																																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH12 2467MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Project: (FR)261401-01 Mode: 22 Plane: Z Polar: Full-directivity HE1: 842 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>40.25</td> <td>-32.75</td> <td>74.00</td> <td>61.19</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>41.56</td> <td>-32.44</td> <td>74.00</td> <td>60.07</td> <td>30.78</td> <td>12.73</td> <td>67.02</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4935.00	40.25	-32.75	74.00	61.19	34.00	10.37	65.30	300	0 Peak HORIZONTAL	2	7401.00	41.56	-32.44	74.00	60.07	30.78	12.73	67.02	300	0 Peak HORIZONTAL	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Project: (FR)261401-01 Mode: 22 Plane: Z Polar: Full-directivity HE1: 842 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>39.40</td> <td>-34.40</td> <td>74.00</td> <td>60.53</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7395.00</td> <td>42.37</td> <td>-31.63</td> <td>74.00</td> <td>60.82</td> <td>30.78</td> <td>12.73</td> <td>66.96</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4934.00	39.40	-34.40	74.00	60.53	34.00	10.37	65.30	100	0 Peak VERTICAL	2	7395.00	42.37	-31.63	74.00	60.82	30.78	12.73	66.96	100	0 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4935.00	40.25	-32.75	74.00	61.19	34.00	10.37	65.30	300	0 Peak HORIZONTAL																																																																																
2	7401.00	41.56	-32.44	74.00	60.07	30.78	12.73	67.02	300	0 Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4934.00	39.40	-34.40	74.00	60.53	34.00	10.37	65.30	100	0 Peak VERTICAL																																																																																
2	7395.00	42.37	-31.63	74.00	60.82	30.78	12.73	66.96	100	0 Peak VERTICAL																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH13 2472MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site Condition : 032H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : FSR1000.000MHz VSW.3000.000MHz SMT.Auto Mode : 24 Plane : Z Full-directivity HE1 : 12 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.79</td> <td>-32.21</td> <td>74.00</td> <td>61.71</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.59</td> <td>-32.41</td> <td>74.00</td> <td>60.07</td> <td>35.78</td> <td>12.76</td> <td>67.02</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg			1	4950.00	40.79	-32.21	74.00	61.71	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7416.00	41.59	-32.41	74.00	60.07	35.78	12.76	67.02	300	0 Peak HORIZONTAL	<p>Site Condition : 032H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : FSR1000.000MHz VSW.3000.000MHz SMT.Auto Mode : 24 Plane : Z Full-directivity HE1 : 12 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>40.55</td> <td>-32.45</td> <td>74.00</td> <td>61.47</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.59</td> <td>-32.50</td> <td>74.00</td> <td>60.01</td> <td>35.78</td> <td>12.73</td> <td>67.02</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg			1	4944.00	40.55	-32.45	74.00	61.47	34.00	10.39	65.31	100	0 Peak VERTICAL	2	7416.00	41.59	-32.50	74.00	60.01	35.78	12.73	67.02	100	0 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg																																																																																		
1	4950.00	40.79	-32.21	74.00	61.71	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7416.00	41.59	-32.41	74.00	60.07	35.78	12.76	67.02	300	0 Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg																																																																																		
1	4944.00	40.55	-32.45	74.00	61.47	34.00	10.39	65.31	100	0 Peak VERTICAL																																																																																
2	7416.00	41.59	-32.50	74.00	60.01	35.78	12.73	67.02	100	0 Peak VERTICAL																																																																																
	<p>Site Condition : 032H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : FSR1000.000MHz VSW.3000.000MHz SMT.Auto Mode : 24 Plane : Z Full-directivity HE1 : 12 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>40.79</td> <td>-32.21</td> <td>74.00</td> <td>61.71</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.59</td> <td>-32.41</td> <td>74.00</td> <td>60.07</td> <td>35.78</td> <td>12.76</td> <td>67.02</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg			1	4950.00	40.79	-32.21	74.00	61.71	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7416.00	41.59	-32.41	74.00	60.07	35.78	12.76	67.02	300	0 Peak HORIZONTAL	<p>Site Condition : 032H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : FSR1000.000MHz VSW.3000.000MHz SMT.Auto Mode : 24 Plane : Z Full-directivity HE1 : 12 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>40.55</td> <td>-32.45</td> <td>74.00</td> <td>61.47</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.59</td> <td>-32.50</td> <td>74.00</td> <td>60.01</td> <td>35.78</td> <td>12.73</td> <td>67.02</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg			1	4944.00	40.55	-32.45	74.00	61.47	34.00	10.39	65.31	100	0 Peak VERTICAL	2	7416.00	41.59	-32.50	74.00	60.01	35.78	12.73	67.02	100	0 Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg																																																																																		
1	4950.00	40.79	-32.21	74.00	61.71	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7416.00	41.59	-32.41	74.00	60.07	35.78	12.76	67.02	300	0 Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg																																																																																		
1	4944.00	40.55	-32.45	74.00	61.47	34.00	10.39	65.31	100	0 Peak VERTICAL																																																																																
2	7416.00	41.59	-32.50	74.00	60.01	35.78	12.73	67.02	100	0 Peak VERTICAL																																																																																



2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11b CH01 2412MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	<p>Site : 020305-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YPR 3000.000MHz SWT Auto Mode : 27 Plane : Y Full-directivity : Y IMN1 : #12 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>58.11</td> <td>-23.89</td> <td>74.00</td> <td>47.47</td> <td>32.40</td> <td>7.18</td> <td>35.86</td> <td>199</td> <td>135 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2389.95	58.11	-23.89	74.00	47.47	32.40	7.18	35.86	199	135 Peak HORIZONTAL	<p>Site : 020305-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YPR 3000.000MHz SWT Auto Mode : 27 Plane : Y Full-directivity : Y IMN1 : #12 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>185.84</td> <td>31.84</td> <td>74.00</td> <td>182.37</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>199</td> <td>135 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	2412.00	185.84	31.84	74.00	182.37	32.39	7.13	36.85	199	135 Peak HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2389.95	58.11	-23.89	74.00	47.47	32.40	7.18	35.86	199	135 Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 *	2412.00	185.84	31.84	74.00	182.37	32.39	7.13	36.85	199	135 Peak HORIZONTAL																																																										
Avg.	<p>Site : 020305-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YPR 0.01000MHz SWT Auto Mode : 27 Plane : Y Full-directivity : Y IMN1 : #12 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2372.66</td> <td>41.15</td> <td>-12.87</td> <td>54.00</td> <td>38.62</td> <td>32.31</td> <td>7.07</td> <td>35.87</td> <td>199</td> <td>135 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2372.66	41.15	-12.87	54.00	38.62	32.31	7.07	35.87	199	135 Average HORIZONTAL	<p>Site : 020305-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Project : ERM 1000.000MHz YPR 0.01000MHz SWT Auto Mode : 27 Plane : Y Full-directivity : Y IMN1 : #12 PowerSetting : 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>182.49</td> <td>48.49</td> <td>54.00</td> <td>99.82</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>199</td> <td>135 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	2412.00	182.49	48.49	54.00	99.82	32.39	7.13	36.85	199	135 Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2372.66	41.15	-12.87	54.00	38.62	32.31	7.07	35.87	199	135 Average HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 *	2412.00	182.49	48.49	54.00	99.82	32.39	7.13	36.85	199	135 Average HORIZONTAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11b CH01 2412MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz Y0W 3000.000Hz SWT auto Mode: 27 Plane: T Polar: Full-directivity IMEI: 844 PowerRating: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.01</td> <td>49.19</td> <td>-24.81</td> <td>74.00</td> <td>46.65</td> <td>32.31</td> <td>7.18</td> <td>36.87</td> <td>311</td> <td>136 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	2385.01	49.19	-24.81	74.00	46.65	32.31	7.18	36.87	311	136 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz Y0W 3000.000Hz SWT auto Mode: 27 Plane: T Polar: Full-directivity IMEI: 844 PowerRating: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>182.48</td> <td>28.48</td> <td>74.00</td> <td>99.73</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>311</td> <td>136 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1 *	2412.00	182.48	28.48	74.00	99.73	32.39	7.13	36.85	311	136 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																										
1	2385.01	49.19	-24.81	74.00	46.65	32.31	7.18	36.87	311	136 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																										
1 *	2412.00	182.48	28.48	74.00	99.73	32.39	7.13	36.85	311	136 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz Y0W 0.0100Hz SWT Auto Mode: 27 Plane: T Polar: Full-directivity IMEI: 844 PowerRating: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.88</td> <td>39.18</td> <td>-14.98</td> <td>54.00</td> <td>36.56</td> <td>32.31</td> <td>7.18</td> <td>36.87</td> <td>311</td> <td>136 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	2384.88	39.18	-14.98	54.00	36.56	32.31	7.18	36.87	311	136 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz Y0W 0.0100Hz SWT Auto Mode: 27 Plane: T Polar: Full-directivity IMEI: 844 PowerRating: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>99.95</td> <td>45.95</td> <td>54.00</td> <td>97.28</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>311</td> <td>136 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1 *	2412.00	99.95	45.95	54.00	97.28	32.39	7.13	36.85	311	136 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																										
1	2384.88	39.18	-14.98	54.00	36.56	32.31	7.18	36.87	311	136 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																										
1 *	2412.00	99.95	45.95	54.00	97.28	32.39	7.13	36.85	311	136 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																	
ANT	802.11b CH11 2462MHz																																																																																	
2	Horizontal	Fundamental																																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YEM 3000.000Hz SWT Auto Mode: (FR)261401-01 Plane: ZP Polar: Full-directivity IME1: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2465.08</td> <td>58.62</td> <td>-23.38</td> <td>74.00</td> <td>47.85</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>236</td> <td>128</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2465.08	58.62	-23.38	74.00	47.85	32.34	7.25	36.82	236	128	Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YEM 3000.000Hz SWT Auto Mode: (FR)261401-01 Plane: ZP Polar: Full-directivity IME1: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>105.77</td> <td>31.77</td> <td>74.00</td> <td>105.82</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>236</td> <td>128</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2462.00	105.77	31.77	74.00	105.82	32.36	7.22	36.83	236	128	Peak	HORIZONTAL
IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
IME1	Freq	Level	Line	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																										
1	2465.08	58.62	-23.38	74.00	47.85	32.34	7.25	36.82	236	128	Peak	HORIZONTAL																																																																						
IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
IME1	Freq	Level	Line	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																										
1	2462.00	105.77	31.77	74.00	105.82	32.36	7.22	36.83	236	128	Peak	HORIZONTAL																																																																						
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YEM 0.0100Hz SWT Auto Mode: (FR)261401-01 Plane: ZP Polar: Full-directivity IME1: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2466.08</td> <td>59.67</td> <td>-14.33</td> <td>54.00</td> <td>36.90</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>236</td> <td>128</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2466.08	59.67	-14.33	54.00	36.90	32.34	7.25	36.82	236	128	Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YEM 0.0100Hz SWT Auto Mode: (FR)261401-01 Plane: ZP Polar: Full-directivity IME1: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.25</td> <td>49.25</td> <td>54.00</td> <td>100.50</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>236</td> <td>128</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2462.00	103.25	49.25	54.00	100.50	32.36	7.22	36.83	236	128	Average	HORIZONTAL
IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
IME1	Freq	Level	Line	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																										
1	2466.08	59.67	-14.33	54.00	36.90	32.34	7.25	36.82	236	128	Average	HORIZONTAL																																																																						
IME1	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
IME1	Freq	Level	Line	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																										
1	2462.00	103.25	49.25	54.00	100.50	32.36	7.22	36.83	236	128	Average	HORIZONTAL																																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11b CH11 2462MHz																																																											
2	Vertical	Fundamental																																																										
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000Hz Y5W 3000.000Hz SWT auto Model: (FR)261401-01 Plane: ZP Polar: Full-directivity IMEI: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.92</td> <td>48.86</td> <td>-25.14</td> <td>74.00</td> <td>46.86</td> <td>32.33</td> <td>7.28</td> <td>36.81</td> <td>300</td> <td>134</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2495.92	48.86	-25.14	74.00	46.86	32.33	7.28	36.81	300	134	Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000Hz Y5W 3000.000Hz SWT auto Model: (FR)261401-01 Plane: ZP Polar: Full-directivity IMEI: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2462.00</td> <td>102.26</td> <td>28.26</td> <td>74.00</td> <td>99.51</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>300</td> <td>134</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 *	2462.00	102.26	28.26	74.00	99.51	32.36	7.22	36.83	300	134	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2495.92	48.86	-25.14	74.00	46.86	32.33	7.28	36.81	300	134	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1 *	2462.00	102.26	28.26	74.00	99.51	32.36	7.22	36.83	300	134	Peak	VERTICAL																																																
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000Hz Y5W 0.0100Hz SWT Auto Model: (FR)261401-01 Plane: ZP Polar: Full-directivity IMEI: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.96</td> <td>38.26</td> <td>-15.74</td> <td>54.00</td> <td>35.49</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>300</td> <td>134</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2485.96	38.26	-15.74	54.00	35.49	32.34	7.25	36.82	300	134	Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000Hz Y5W 0.0100Hz SWT Auto Model: (FR)261401-01 Plane: ZP Polar: Full-directivity IMEI: R42 PowerSetting: 16.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2462.00</td> <td>99.73</td> <td>45.73</td> <td>54.00</td> <td>96.98</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>300</td> <td>134</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 *	2462.00	99.73	45.73	54.00	96.98	32.36	7.22	36.83	300	134	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2485.96	38.26	-15.74	54.00	35.49	32.34	7.25	36.82	300	134	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1 *	2462.00	99.73	45.73	54.00	96.98	32.36	7.22	36.83	300	134	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11b CH12 2467MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YDF 3000.000Hz SPT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.00</td> <td>51.82</td> <td>-22.18</td> <td>74.00</td> <td>49.85</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>236</td> <td>126 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.00	51.82	-22.18	74.00	49.85	32.34	7.25	36.82	236	126 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YDF 3000.000Hz SPT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>185.39</td> <td>31.39</td> <td>74.00</td> <td>182.64</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>236</td> <td>126 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	185.39	31.39	74.00	182.64	32.36	7.22	36.83	236	126 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.00	51.82	-22.18	74.00	49.85	32.34	7.25	36.82	236	126 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	185.39	31.39	74.00	182.64	32.36	7.22	36.83	236	126 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YDF 0.0100Hz SPT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>43.97</td> <td>-18.83</td> <td>54.00</td> <td>41.28</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>236</td> <td>126 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.74	43.97	-18.83	54.00	41.28	32.34	7.25	36.82	236	126 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: SEM 1000.000Hz YDF 0.0100Hz SPT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>182.06</td> <td>48.00</td> <td>54.00</td> <td>180.15</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>236</td> <td>126 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	182.06	48.00	54.00	180.15	32.36	7.22	36.83	236	126 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.74	43.97	-18.83	54.00	41.28	32.34	7.25	36.82	236	126 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	182.06	48.00	54.00	180.15	32.36	7.22	36.83	236	126 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
ANT	802.11b CH12 2467MHz																																																																											
2	Vertical	Fundamental																																																																										
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Model: (FR)261401-01 Mode: 40 Plane: T Full-directivity: P41 IMEI: 842 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2466.02</td> <td>59.17</td> <td>-23.83</td> <td>74.00</td> <td>47.40</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>300</td> <td>131</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2466.02	59.17	-23.83	74.00	47.40	32.34	7.25	36.82	300	131	Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Model: (FR)261401-01 Mode: 40 Plane: T Full-directivity: P41 IMEI: 842 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>101.63</td> <td>27.63</td> <td>74.00</td> <td>96.86</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>300</td> <td>131</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 *	2466.00	101.63	27.63	74.00	96.86	32.36	7.22	36.83	300	131	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																					
1	2466.02	59.17	-23.83	74.00	47.40	32.34	7.25	36.82	300	131	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																					
1 *	2466.00	101.63	27.63	74.00	96.86	32.36	7.22	36.83	300	131	Peak	VERTICAL																																																																
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.010MHz SWT Auto Model: (FR)261401-01 Mode: 40 Plane: T Full-directivity: P41 IMEI: 842 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>41.23</td> <td>-12.77</td> <td>54.00</td> <td>38.46</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>300</td> <td>131</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1	2483.74	41.23	-12.77	54.00	38.46	32.34	7.25	36.82	300	131	Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.010MHz SWT Auto Model: (FR)261401-01 Mode: 40 Plane: T Full-directivity: P41 IMEI: 842 PowerSetting: 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>99.21</td> <td>45.21</td> <td>54.00</td> <td>96.46</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>300</td> <td>131</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 *	2468.00	99.21	45.21	54.00	96.46	32.36	7.22	36.83	300	131	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																					
1	2483.74	41.23	-12.77	54.00	38.46	32.34	7.25	36.82	300	131	Average	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																					
1 *	2468.00	99.21	45.21	54.00	96.46	32.36	7.22	36.83	300	131	Average	VERTICAL																																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11b CH13 2472MHz																																																																					
2	Horizontal	Fundamental																																																																				
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000Hz YEM 3000.000Hz SWT Auto Mode: 41 Plane: T Polar: Full-directivity IME1: 15.5 PowerSetting: 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.58</td> <td>54.95</td> <td>-19.95</td> <td>74.00</td> <td>52.18</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>213</td> <td>125 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2484.58	54.95	-19.95	74.00	52.18	32.34	7.25	36.82	213	125 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000Hz YEM 3000.000Hz SWT Auto Mode: 41 Plane: T Polar: Full-directivity IME1: 15.5 PowerSetting: 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>104.88</td> <td>38.88</td> <td>74.00</td> <td>102.06</td> <td>32.34</td> <td>7.22</td> <td>36.82</td> <td>213</td> <td>125 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2472.00	104.88	38.88	74.00	102.06	32.34	7.22	36.82	213	125 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2484.58	54.95	-19.95	74.00	52.18	32.34	7.25	36.82	213	125 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 *	2472.00	104.88	38.88	74.00	102.06	32.34	7.22	36.82	213	125 Peak	HORIZONTAL																																																											
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000Hz YEM 0.0100Hz SWT Auto Mode: 41 Plane: T Polar: Full-directivity IME1: 15.5 PowerSetting: 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.82</td> <td>49.90</td> <td>-4.10</td> <td>54.00</td> <td>47.13</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>213</td> <td>125 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2484.82	49.90	-4.10	54.00	47.13	32.34	7.25	36.82	213	125 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: ERM 1000.000Hz YEM 0.0100Hz SWT Auto Mode: 41 Plane: T Polar: Full-directivity IME1: 15.5 PowerSetting: 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>102.29</td> <td>48.29</td> <td>54.00</td> <td>99.55</td> <td>32.34</td> <td>7.22</td> <td>36.82</td> <td>213</td> <td>125 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2472.00	102.29	48.29	54.00	99.55	32.34	7.22	36.82	213	125 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2484.82	49.90	-4.10	54.00	47.13	32.34	7.25	36.82	213	125 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 *	2472.00	102.29	48.29	54.00	99.55	32.34	7.22	36.82	213	125 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11b CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000Hz YSW 3000.000Hz SWT auto Mode: (FR)261401-01 Site: 41 Plane: T Polar: Full-directivity IMEI: 842 PowerRating: IS.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>52.26</td> <td>-21.74</td> <td>74.00</td> <td>49.49</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>300</td> <td>131 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	52.26	-21.74	74.00	49.49	32.34	7.25	36.82	300	131 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000Hz YSW 3000.000Hz SWT auto Mode: (FR)261401-01 Site: 41 Plane: T Polar: Full-directivity IMEI: 842 PowerRating: IS.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>101.87</td> <td>27.07</td> <td>74.00</td> <td>96.33</td> <td>32.34</td> <td>7.22</td> <td>36.82</td> <td>300</td> <td>131 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	101.87	27.07	74.00	96.33	32.34	7.22	36.82	300	131 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	52.26	-21.74	74.00	49.49	32.34	7.25	36.82	300	131 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	101.87	27.07	74.00	96.33	32.34	7.22	36.82	300	131 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000Hz YSW 0.0100Hz SWT Auto Mode: (FR)261401-01 Site: 41 Plane: T Polar: Full-directivity IMEI: 842 PowerRating: IS.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.82</td> <td>44.93</td> <td>-9.87</td> <td>54.00</td> <td>42.16</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>300</td> <td>131 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.82	44.93	-9.87	54.00	42.16	32.34	7.25	36.82	300	131 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000Hz YSW 0.0100Hz SWT Auto Mode: (FR)261401-01 Site: 41 Plane: T Polar: Full-directivity IMEI: 842 PowerRating: IS.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>98.57</td> <td>44.57</td> <td>54.00</td> <td>95.83</td> <td>32.34</td> <td>7.22</td> <td>36.82</td> <td>300</td> <td>131 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	98.57	44.57	54.00	95.83	32.34	7.22	36.82	300	131 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.82	44.93	-9.87	54.00	42.16	32.34	7.25	36.82	300	131 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	98.57	44.57	54.00	95.83	32.34	7.22	36.82	300	131 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11g CH01 2412MHz																																																																					
2	Horizontal	Fundamental																																																																				
Peak	<p>Site : 02090-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz Y5W 3000.000MHz SWT Auto Project : (FR)261401-01 Mode : 42 Plane : T Polar : Full-directivity IRE1 : #12 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.22</td> <td>58.66</td> <td>-23.34</td> <td>74.00</td> <td>48.02</td> <td>32.40</td> <td>7.18</td> <td>36.86</td> <td>198</td> <td>139 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2387.22	58.66	-23.34	74.00	48.02	32.40	7.18	36.86	198	139 Peak	HORIZONTAL	<p>Site : 02090-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz Y5W 3000.000MHz SWT Auto Project : (FR)261401-01 Mode : 42 Plane : T Polar : Full-directivity IRE1 : #12 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2414.00</td> <td>181.71</td> <td>27.71</td> <td>74.00</td> <td>99.04</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>198</td> <td>139 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2414.00	181.71	27.71	74.00	99.04	32.39	7.13	36.85	198	139 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2387.22	58.66	-23.34	74.00	48.02	32.40	7.18	36.86	198	139 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2414.00	181.71	27.71	74.00	99.04	32.39	7.13	36.85	198	139 Peak	HORIZONTAL																																																											
Avg.	<p>Site : 02090-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz Y5W 0.7500MHz SWT Auto Project : (FR)261401-01 Mode : 42 Plane : T Polar : Full-directivity IRE1 : #12 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>49.56</td> <td>-15.44</td> <td>54.00</td> <td>37.92</td> <td>32.40</td> <td>7.18</td> <td>36.86</td> <td>198</td> <td>139 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2388.78	49.56	-15.44	54.00	37.92	32.40	7.18	36.86	198	139 Average	HORIZONTAL	<p>Site : 02090-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz Y5W 0.7500MHz SWT Auto Project : (FR)261401-01 Mode : 42 Plane : T Polar : Full-directivity IRE1 : #12 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.18</td> <td>40.18</td> <td>54.00</td> <td>91.43</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>198</td> <td>139 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2412.00	94.18	40.18	54.00	91.43	32.39	7.13	36.85	198	139 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2388.78	49.56	-15.44	54.00	37.92	32.40	7.18	36.86	198	139 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2412.00	94.18	40.18	54.00	91.43	32.39	7.13	36.85	198	139 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
ANT	802.11g CH01 2412MHz																																																																											
2	Vertical	Fundamental																																																																										
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000MHz YSW 3000.000MHz SWT auto Model: (FR)261401-01 Mode: 42 Plane: T Full-directivity IRE1: 14 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.78</td> <td>48.58</td> <td>-25.42</td> <td>74.00</td> <td>45.94</td> <td>32.40</td> <td>7.18</td> <td>36.86</td> <td>311</td> <td>135</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm	dB	dBm	dB	dB	cm	deg	1	2389.78	48.58	-25.42	74.00	45.94	32.40	7.18	36.86	311	135	Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000MHz YSW 3000.000MHz SWT auto Model: (FR)261401-01 Mode: 42 Plane: T Full-directivity IRE1: 14 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2414.00</td> <td>99.97</td> <td>25.97</td> <td>74.00</td> <td>97.30</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>311</td> <td>135</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm	dB	dBm	dB	dB	cm	deg	1 *	2414.00	99.97	25.97	74.00	97.30	32.39	7.13	36.85	311	135	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm	dB	dBm	dB	dB	cm	deg																																																																					
1	2389.78	48.58	-25.42	74.00	45.94	32.40	7.18	36.86	311	135	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm	dB	dBm	dB	dB	cm	deg																																																																					
1 *	2414.00	99.97	25.97	74.00	97.30	32.39	7.13	36.85	311	135	Peak	VERTICAL																																																																
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000MHz YSW 0.7500MHz SWT auto Model: (FR)261401-01 Mode: 42 Plane: T Full-directivity IRE1: 14 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>39.38</td> <td>-14.78</td> <td>54.00</td> <td>36.66</td> <td>32.40</td> <td>7.18</td> <td>36.86</td> <td>311</td> <td>135</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm	dB	dBm	dB	dB	cm	deg	1	2389.38	39.38	-14.78	54.00	36.66	32.40	7.18	36.86	311	135	Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: SEM 1000.000MHz YSW 0.7500MHz SWT auto Model: (FR)261401-01 Mode: 42 Plane: T Full-directivity IRE1: 14 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2412.00</td> <td>92.43</td> <td>38.43</td> <td>54.00</td> <td>89.76</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>311</td> <td>135</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBm	dB	dBm	dB	dB	cm	deg	1 *	2412.00	92.43	38.43	54.00	89.76	32.39	7.13	36.85	311	135	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm	dB	dBm	dB	dB	cm	deg																																																																					
1	2389.38	39.38	-14.78	54.00	36.66	32.40	7.18	36.86	311	135	Average	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBm	dB	dBm	dB	dB	cm	deg																																																																					
1 *	2412.00	92.43	38.43	54.00	89.76	32.39	7.13	36.85	311	135	Average	VERTICAL																																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH11 2462MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT Auto Mode: FR261401-01 Pole: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>51.48</td> <td>-22.52</td> <td>74.00</td> <td>48.71</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>239</td> <td>128</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	51.48	-22.52	74.00	48.71	32.34	7.25	36.82	239	128	Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT Auto Mode: FR261401-01 Pole: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2464.00</td> <td>184.24</td> <td>38.24</td> <td>74.00</td> <td>181.49</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>239</td> <td>128</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2464.00	184.24	38.24	74.00	181.49	32.36	7.22	36.83	239	128	Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2483.58	51.48	-22.52	74.00	48.71	32.34	7.25	36.82	239	128	Peak	HORIZONTAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 *	2464.00	184.24	38.24	74.00	181.49	32.36	7.22	36.83	239	128	Peak	HORIZONTAL																																																								
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz Y2W 0.750MHz SWT Auto Mode: FR261401-01 Pole: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>42.81</td> <td>-11.99</td> <td>54.00</td> <td>39.24</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>239</td> <td>128</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	42.81	-11.99	54.00	39.24	32.34	7.25	36.82	239	128	Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz Y2W 0.750MHz SWT Auto Mode: FR261401-01 Pole: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2464.00</td> <td>96.44</td> <td>42.44</td> <td>54.00</td> <td>93.69</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>239</td> <td>128</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2464.00	96.44	42.44	54.00	93.69	32.36	7.22	36.83	239	128	Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2483.58	42.81	-11.99	54.00	39.24	32.34	7.25	36.82	239	128	Average	HORIZONTAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 *	2464.00	96.44	42.44	54.00	93.69	32.36	7.22	36.83	239	128	Average	HORIZONTAL																																																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH11 2462MHz																																																											
2	Vertical	Fundamental																																																										
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RFW 1000.000MHz YFW 3000.000MHz SPT auto Model: (FR)261401-01 Mode: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.24</td> <td>49.87</td> <td>-24.13</td> <td>74.00</td> <td>47.10</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>304</td> <td>138</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2485.24	49.87	-24.13	74.00	47.10	32.34	7.25	36.82	304	138	Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RFW 1000.000MHz YFW 3000.000MHz SPT auto Model: (FR)261401-01 Mode: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.00</td> <td>181.24</td> <td>27.24</td> <td>74.00</td> <td>96.49</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>304</td> <td>138</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2464.00	181.24	27.24	74.00	96.49	32.36	7.22	36.83	304	138	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2485.24	49.87	-24.13	74.00	47.10	32.34	7.25	36.82	304	138	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2464.00	181.24	27.24	74.00	96.49	32.36	7.22	36.83	304	138	Peak	VERTICAL																																																
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RFW 1000.000MHz YFW 0.750MHz SPT auto Model: (FR)261401-01 Mode: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>39.98</td> <td>-14.82</td> <td>54.00</td> <td>37.21</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>304</td> <td>138</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2483.50	39.98	-14.82	54.00	37.21	32.34	7.25	36.82	304	138	Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RFW 1000.000MHz YFW 0.750MHz SPT auto Model: (FR)261401-01 Mode: 44 Plane: T Full-directivity: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>93.84</td> <td>39.84</td> <td>54.00</td> <td>91.09</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>304</td> <td>138</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2462.00	93.84	39.84	54.00	91.09	32.36	7.22	36.83	304	138	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2483.50	39.98	-14.82	54.00	37.21	32.34	7.25	36.82	304	138	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2462.00	93.84	39.84	54.00	91.09	32.36	7.22	36.83	304	138	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH12 2467MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000Hz YSW 3000.000Hz SWT Auto Mode: 45 Plane: T Polarization: Full-directivity IMEI: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.34</td> <td>54.75</td> <td>-19.25</td> <td>74.00</td> <td>51.98</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>238</td> <td>137 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2467.34	54.75	-19.25	74.00	51.98	32.34	7.25	36.82	238	137 Peak	HORIZONTAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000Hz YSW 3000.000Hz SWT Auto Mode: 45 Plane: T Polarization: Full-directivity IMEI: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2462.00</td> <td>183.74</td> <td>29.74</td> <td>74.00</td> <td>180.99</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>238</td> <td>137 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 *	2462.00	183.74	29.74	74.00	180.99	32.36	7.22	36.83	238	137 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2467.34	54.75	-19.25	74.00	51.98	32.34	7.25	36.82	238	137 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1 *	2462.00	183.74	29.74	74.00	180.99	32.36	7.22	36.83	238	137 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000Hz YSW 0.7500Hz SWT Auto Mode: 45 Plane: T Polarization: Full-directivity IMEI: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>43.89</td> <td>-16.11</td> <td>54.00</td> <td>41.12</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>238</td> <td>137 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2483.58	43.89	-16.11	54.00	41.12	32.34	7.25	36.82	238	137 Average	HORIZONTAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000Hz YSW 0.7500Hz SWT Auto Mode: 45 Plane: T Polarization: Full-directivity IMEI: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>96.62</td> <td>42.62</td> <td>54.00</td> <td>93.87</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>238</td> <td>137 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 *	2466.00	96.62	42.62	54.00	93.87	32.36	7.22	36.83	238	137 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2483.58	43.89	-16.11	54.00	41.12	32.34	7.25	36.82	238	137 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1 *	2466.00	96.62	42.62	54.00	93.87	32.36	7.22	36.83	238	137 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH12 2467MHz																																																																			
2	Vertical	Fundamental																																																																		
Peak	<p>Site: No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 5 Level (dBV/m)</p> <p>Site: 000305-K5 Condition: FCC PART 15C 3m 3117.5M 00218642 VERTICAL ERM 1000.000Hz YBW 2000.000Hz SWT Auto Project: (FR)261401-01 Mode: 45 Plane: T Full-directivity IWE1: 14 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2466.98</td> <td>-21.38</td> <td>74.00</td> <td>49.93</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>301</td> <td>131 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2466.98	-21.38	74.00	49.93	32.34	7.25	36.82	301	131 Peak	VERTICAL	<p>Site: No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 7 Level (dBV/m)</p> <p>Site: 000305-K5 Condition: FCC PART 15C 3m 3117.5M 00218642 VERTICAL ERM 1000.000Hz YBW 2000.000Hz SWT Auto Project: (FR)261401-01 Mode: 45 Plane: T Full-directivity IWE1: 14 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2470.00</td> <td>180.57</td> <td>26.57</td> <td>74.00</td> <td>97.82</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>301</td> <td>131 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2470.00	180.57	26.57	74.00	97.82	32.36	7.22	36.83	301	131 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2466.98	-21.38	74.00	49.93	32.34	7.25	36.82	301	131 Peak	VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 *	2470.00	180.57	26.57	74.00	97.82	32.36	7.22	36.83	301	131 Peak																																																										
Avg.	<p>Site: No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 6 Level (dBV/m)</p> <p>Site: 000305-K5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 VERTICAL ERM 1000.000Hz YBW 0.7500Hz SWT Auto Project: (FR)261401-01 Mode: 45 Plane: T Full-directivity IWE1: 14 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2465.96</td> <td>41.92</td> <td>-12.08</td> <td>54.00</td> <td>39.15</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>301</td> <td>131 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2465.96	41.92	-12.08	54.00	39.15	32.34	7.25	36.82	301	131 Average	<p>Site: No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 8 Level (dBV/m)</p> <p>Site: 000305-K5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 VERTICAL ERM 1000.000Hz YBW 0.7500Hz SWT Auto Project: (FR)261401-01 Mode: 45 Plane: T Full-directivity IWE1: 14 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>93.14</td> <td>39.14</td> <td>54.00</td> <td>90.39</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>301</td> <td>131 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	2468.00	93.14	39.14	54.00	90.39	32.36	7.22	36.83	301	131 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2465.96	41.92	-12.08	54.00	39.15	32.34	7.25	36.82	301	131 Average																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 *	2468.00	93.14	39.14	54.00	90.39	32.36	7.22	36.83	301	131 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH13 2472MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000MHz YSW 3000.000MHz SWT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>56.90</td> <td>-15.10</td> <td>74.00</td> <td>56.13</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>212</td> <td>136 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.10	56.90	-15.10	74.00	56.13	32.34	7.25	36.82	212	136 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000MHz YSW 3000.000MHz SWT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2474.00</td> <td>102.48</td> <td>28.48</td> <td>74.00</td> <td>99.71</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>232</td> <td>136 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2474.00	102.48	28.48	74.00	99.71	32.34	7.25	36.82	232	136 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.10	56.90	-15.10	74.00	56.13	32.34	7.25	36.82	212	136 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2474.00	102.48	28.48	74.00	99.71	32.34	7.25	36.82	232	136 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000MHz YSW 0.750MHz SWT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>58.89</td> <td>-3.11</td> <td>54.00</td> <td>48.12</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>212</td> <td>136 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.16	58.89	-3.11	54.00	48.12	32.34	7.25	36.82	212	136 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 HORIZONTAL Project: RSW 1000.000MHz YSW 0.750MHz SWT Auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IME1: #42 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>94.96</td> <td>40.96</td> <td>54.00</td> <td>92.24</td> <td>32.34</td> <td>7.22</td> <td>36.82</td> <td>212</td> <td>136 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	94.96	40.96	54.00	92.24	32.34	7.22	36.82	212	136 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.16	58.89	-3.11	54.00	48.12	32.34	7.25	36.82	212	136 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	94.96	40.96	54.00	92.24	32.34	7.22	36.82	212	136 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IMEI: 842 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.22</td> <td>55.85</td> <td>-18.15</td> <td>74.00</td> <td>53.08</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>300</td> <td>130 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.22	55.85	-18.15	74.00	53.08	32.34	7.25	36.82	300	130 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IMEI: 842 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>98.46</td> <td>24.46</td> <td>74.00</td> <td>95.71</td> <td>32.36</td> <td>7.22</td> <td>36.83</td> <td>300</td> <td>138 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2468.00	98.46	24.46	74.00	95.71	32.36	7.22	36.83	300	138 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.22	55.85	-18.15	74.00	53.08	32.34	7.25	36.82	300	130 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2468.00	98.46	24.46	74.00	95.71	32.36	7.22	36.83	300	138 Peak	VERTICAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.750MHz SWT auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IMEI: 842 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>47.12</td> <td>-6.88</td> <td>54.00</td> <td>44.35</td> <td>32.34</td> <td>7.25</td> <td>36.82</td> <td>300</td> <td>130 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.16	47.12	-6.88	54.00	44.35	32.34	7.25	36.82	300	130 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.750MHz SWT auto Mode: (FR)261401-01 Plane: 40 Polar: Full-directivity IMEI: 842 PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>91.21</td> <td>37.21</td> <td>54.00</td> <td>88.47</td> <td>32.34</td> <td>7.22</td> <td>36.82</td> <td>300</td> <td>138 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	91.21	37.21	54.00	88.47	32.34	7.22	36.82	300	138 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.16	47.12	-6.88	54.00	44.35	32.34	7.25	36.82	300	130 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2472.00	91.21	37.21	54.00	88.47	32.34	7.22	36.82	300	138 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 2
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Full CH01 2412MHz																																																																													
2	Horizontal	Fundamental																																																																												
Peak	<p>Site : 032395-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL Economic & Technical Development Zone Jiangsu,China Project : FR261401-01 EIRN 1000.000MHz YPR 3000.000MHz SWT:Auto Mode : 47 Plane : T Full-directivity IMEI : #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>52.39</td> <td>-21.61</td> <td>74.00</td> <td>49.75</td> <td>32.40</td> <td>7.18</td> <td>36.86</td> <td>198</td> <td>139</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2388.52	52.39	-21.61	74.00	49.75	32.40	7.18	36.86	198	139	Peak	HORIZONTAL	<p>Site : 032395-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL Economic & Technical Development Zone Jiangsu,China Project : FR261401-01 EIRN 1000.000MHz YPR 3000.000MHz SWT:Auto Mode : 47 Plane : T Full-directivity IMEI : #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2414.00</td> <td>182.81</td> <td>28.81</td> <td>74.00</td> <td>180.14</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>198</td> <td>139</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2414.00	182.81	28.81	74.00	180.14	32.39	7.13	36.85	198	139	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2388.52	52.39	-21.61	74.00	49.75	32.40	7.18	36.86	198	139	Peak	HORIZONTAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2414.00	182.81	28.81	74.00	180.14	32.39	7.13	36.85	198	139	Peak	HORIZONTAL																																																																		
Avg.	<p>Site : 032395-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Economic & Technical Development Zone Jiangsu,China Project : FR261401-01 EIRN 1000.000MHz YPR 0.0100MHz SWT:Auto Mode : 47 Plane : T Full-directivity IMEI : #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.04</td> <td>49.15</td> <td>-15.87</td> <td>54.00</td> <td>37.49</td> <td>32.40</td> <td>7.18</td> <td>36.86</td> <td>198</td> <td>139</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2389.04	49.15	-15.87	54.00	37.49	32.40	7.18	36.86	198	139	Average	HORIZONTAL	<p>Site : 032395-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL Economic & Technical Development Zone Jiangsu,China Project : FR261401-01 EIRN 1000.000MHz YPR 0.0100MHz SWT:Auto Mode : 47 Plane : T Full-directivity IMEI : #14 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>94.82</td> <td>40.82</td> <td>54.00</td> <td>91.25</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>198</td> <td>139</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2412.00	94.82	40.82	54.00	91.25	32.39	7.13	36.85	198	139	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2389.04	49.15	-15.87	54.00	37.49	32.40	7.18	36.86	198	139	Average	HORIZONTAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2412.00	94.82	40.82	54.00	91.25	32.39	7.13	36.85	198	139	Average	HORIZONTAL																																																																		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Full CH01 2412MHz																																																																					
2	Vertical	Fundamental																																																																				
Peak	<p>No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020305-E5 Condition : FCC PART 15C 3m 3117.5M 00218640 VERTICAL E5M 1000.000MHz Y2W 3000.000MHz SWT Auto Project : FR261401-01 Mode : 47 Plane : T Polarization : Full-directivity IMEI : #42 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2382.67</td> <td>48.00</td> <td>-25.28</td> <td>74.00</td> <td>46.26</td> <td>32.31</td> <td>7.18</td> <td>36.87</td> <td>298</td> <td>138 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2382.67	48.00	-25.28	74.00	46.26	32.31	7.18	36.87	298	138 Peak	VERTICAL	<p>No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020305-E5 Condition : FCC PART 15C 3m 3117.5M 00218640 VERTICAL E5M 1000.000MHz Y2W 3000.000MHz SWT Auto Project : FR261401-01 Mode : 47 Plane : T Polarization : Full-directivity IMEI : #42 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2414.00</td> <td>181.43</td> <td>27.43</td> <td>74.00</td> <td>98.76</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>298</td> <td>138 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2414.00	181.43	27.43	74.00	98.76	32.39	7.13	36.85	298	138 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2382.67	48.00	-25.28	74.00	46.26	32.31	7.18	36.87	298	138 Peak	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2414.00	181.43	27.43	74.00	98.76	32.39	7.13	36.85	298	138 Peak	VERTICAL																																																											
Avg.	<p>No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020305-E5 Condition : FCC PART 15C (AVG) 3m 3117.5M 00218640 VERTICAL E5M 1000.000MHz Y2W 0.0100MHz SWT Auto Project : FR261401-01 Mode : 47 Plane : T Polarization : Full-directivity IMEI : #42 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.17</td> <td>38.31</td> <td>-15.69</td> <td>54.00</td> <td>35.67</td> <td>32.40</td> <td>7.18</td> <td>36.86</td> <td>298</td> <td>138 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2389.17	38.31	-15.69	54.00	35.67	32.40	7.18	36.86	298	138 Average	VERTICAL	<p>No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020305-E5 Condition : FCC PART 15C (AVG) 3m 3117.5M 00218640 VERTICAL E5M 1000.000MHz Y2W 0.0100MHz SWT Auto Project : FR261401-01 Mode : 47 Plane : T Polarization : Full-directivity IMEI : #42 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>91.65</td> <td>37.65</td> <td>54.00</td> <td>88.98</td> <td>32.39</td> <td>7.13</td> <td>36.85</td> <td>298</td> <td>138 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1	2412.00	91.65	37.65	54.00	88.98	32.39	7.13	36.85	298	138 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2389.17	38.31	-15.69	54.00	35.67	32.40	7.18	36.86	298	138 Average	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																														
1	2412.00	91.65	37.65	54.00	88.98	32.39	7.13	36.85	298	138 Average	VERTICAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH11 2462MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000, 000Hz Y5W 3000, 000Hz SWT Auto Mode: (FR)261401-01 Plane: 49 Polar: Full-directivity IME1: 1442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>52.92</td> <td>-21.08</td> <td>74.00</td> <td>59.35</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>240</td> <td>130 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	52.92	-21.08	74.00	59.35	32.34	7.25	37.02	240	130 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000, 000Hz Y5W 3000, 000Hz SWT Auto Mode: (FR)261401-01 Plane: 49 Polar: Full-directivity IME1: 1442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>104.28</td> <td>30.28</td> <td>74.00</td> <td>101.62</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>240</td> <td>130 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	104.28	30.28	74.00	101.62	32.36	7.22	36.92	240	130 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	52.92	-21.08	74.00	59.35	32.34	7.25	37.02	240	130 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	104.28	30.28	74.00	101.62	32.36	7.22	36.92	240	130 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000, 000Hz Y5W 0.010Hz SWT Auto Mode: (FR)261401-01 Plane: 49 Polar: Full-directivity IME1: 1442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.75</td> <td>-13.25</td> <td>54.00</td> <td>38.18</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>240</td> <td>130 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	48.75	-13.25	54.00	38.18	32.34	7.25	37.02	240	130 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000, 000Hz Y5W 0.010Hz SWT Auto Mode: (FR)261401-01 Plane: 49 Polar: Full-directivity IME1: 1442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2462.00</td> <td>95.67</td> <td>41.67</td> <td>54.00</td> <td>93.81</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>240</td> <td>130 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2462.00	95.67	41.67	54.00	93.81	32.36	7.22	36.92	240	130 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	48.75	-13.25	54.00	38.18	32.34	7.25	37.02	240	130 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2462.00	95.67	41.67	54.00	93.81	32.36	7.22	36.92	240	130 Average	HORIZONTAL																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH11 2462MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Mode: FR261401-01 Plane: 49 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.86</td> <td>-25.14</td> <td>74.00</td> <td>46.29</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>349</td> <td>119 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	48.86	-25.14	74.00	46.29	32.34	7.25	37.82	349	119 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Mode: FR261401-01 Plane: 49 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2462.00</td> <td>181.16</td> <td>27.16</td> <td>74.00</td> <td>98.50</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>349</td> <td>119 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2462.00	181.16	27.16	74.00	98.50	32.36	7.22	36.92	349	119 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	48.86	-25.14	74.00	46.29	32.34	7.25	37.82	349	119 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2462.00	181.16	27.16	74.00	98.50	32.36	7.22	36.92	349	119 Peak	VERTICAL																																																							
Avg .	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.010MHz SWT Auto Mode: FR261401-01 Plane: 49 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>37.88</td> <td>-16.12</td> <td>54.00</td> <td>35.31</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>349</td> <td>119 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	37.88	-16.12	54.00	35.31	32.34	7.25	37.82	349	119 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.010MHz SWT Auto Mode: FR261401-01 Plane: 49 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2462.00</td> <td>91.86</td> <td>37.86</td> <td>54.00</td> <td>89.20</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>349</td> <td>119 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2462.00	91.86	37.86	54.00	89.20	32.36	7.22	36.92	349	119 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	37.88	-16.12	54.00	35.31	32.34	7.25	37.82	349	119 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2462.00	91.86	37.86	54.00	89.20	32.36	7.22	36.92	349	119 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH12 2467MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000.000Hz Y5W 3000.000Hz SWT Auto Model: (FR)261401-01 Plane: 50 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.70</td> <td>54.87</td> <td>-19.13</td> <td>74.00</td> <td>52.42</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>238</td> <td>131 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2467.70	54.87	-19.13	74.00	52.42	32.33	7.25	37.13	238	131 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000.000Hz Y5W 3000.000Hz SWT Auto Model: (FR)261401-01 Plane: 50 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>104.68</td> <td>38.68</td> <td>74.00</td> <td>102.02</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>238</td> <td>131 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	104.68	38.68	74.00	102.02	32.36	7.22	36.92	238	131 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2467.70	54.87	-19.13	74.00	52.42	32.33	7.25	37.13	238	131 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	104.68	38.68	74.00	102.02	32.36	7.22	36.92	238	131 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000.000Hz Y5W 0.0100Hz SWT Auto Model: (FR)261401-01 Plane: 50 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>42.42</td> <td>-11.58</td> <td>54.00</td> <td>39.85</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>238</td> <td>131 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	42.42	-11.58	54.00	39.85	32.34	7.25	37.02	238	131 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 HORIZONTAL Project: RSW 1000.000Hz Y5W 0.0100Hz SWT Auto Model: (FR)261401-01 Plane: 50 Polar: Full-directivity IMEI: 8442 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>95.81</td> <td>41.81</td> <td>54.00</td> <td>93.15</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>238</td> <td>131 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	95.81	41.81	54.00	93.15	32.36	7.22	36.92	238	131 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	42.42	-11.58	54.00	39.85	32.34	7.25	37.02	238	131 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	95.81	41.81	54.00	93.15	32.36	7.22	36.92	238	131 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH12 2467MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	 <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Mode: (FR)261401-01 Plane: 50 Polar: Full-directivity IME1: #42 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.94</td> <td>51.08</td> <td>-22.92</td> <td>74.00</td> <td>48.63</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>299</td> <td>118 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2487.94	51.08	-22.92	74.00	48.63	32.33	7.25	37.13	299	118 Peak	VERTICAL	 <p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 3000.000MHz SWT auto Mode: (FR)261401-01 Plane: 50 Polar: Full-directivity IME1: #42 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>181.18</td> <td>27.18</td> <td>74.00</td> <td>98.52</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>299</td> <td>118 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	181.18	27.18	74.00	98.52	32.36	7.22	36.92	299	118 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2487.94	51.08	-22.92	74.00	48.63	32.33	7.25	37.13	299	118 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	181.18	27.18	74.00	98.52	32.36	7.22	36.92	299	118 Peak	VERTICAL																																																							
Avg.	 <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.010MHz SWT Auto Mode: (FR)261401-01 Plane: 50 Polar: Full-directivity IME1: #42 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>48.18</td> <td>-13.82</td> <td>54.00</td> <td>37.61</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>299</td> <td>118 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	48.18	-13.82	54.00	37.61	32.34	7.25	37.02	299	118 Average	VERTICAL	 <p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz Y2W 0.010MHz SWT Auto Mode: (FR)261401-01 Plane: 50 Polar: Full-directivity IME1: #42 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>91.48</td> <td>37.48</td> <td>54.00</td> <td>88.82</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>299</td> <td>118 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2468.00	91.48	37.48	54.00	88.82	32.36	7.22	36.92	299	118 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	48.18	-13.82	54.00	37.61	32.34	7.25	37.02	299	118 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2468.00	91.48	37.48	54.00	88.82	32.36	7.22	36.92	299	118 Average	VERTICAL																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11ax HE20 Full CH13 2472MHz																																																															
2	Horizontal	Fundamental																																																														
Peak	<p>Site: 030305-ES Condition: FCC PART 15C 3m 3117 SW 00218642 HORIZONTAL Project: RRM 1000.000MHz VSW 3000.000dB SWT Auto Model: FR261401-01 Plane: Y Polarization: Full-directivity FEM1: #42 Preconditioning: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>62.98</td> <td>-11.82</td> <td>74.80</td> <td>68.41</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>212</td> <td>131</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg	1	2483.58	62.98	-11.82	74.80	68.41	32.34	7.25	37.82	212	131	Peak	HORIZONTAL	<p>Site: 030305-ES Condition: FCC PART 15C 3m 3117 SW 00218642 HORIZONTAL Project: RRM 1000.000MHz VSW 3000.000dB SWT Auto Model: FR261401-01 Plane: Y Polarization: Full-directivity FEM1: #42 Preconditioning: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>184.75</td> <td>38.75</td> <td>74.00</td> <td>182.18</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>212</td> <td>131</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg	1	2474.00	184.75	38.75	74.00	182.18	32.34	7.25	37.82	212	131	Peak	HORIZONTAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg																																																								
1	2483.58	62.98	-11.82	74.80	68.41	32.34	7.25	37.82	212	131	Peak	HORIZONTAL																																																				
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg																																																								
1	2474.00	184.75	38.75	74.00	182.18	32.34	7.25	37.82	212	131	Peak	HORIZONTAL																																																				
Avg.	<p>Site: 030305-ES Condition: FCC PART 15C (AVG) 3m 3117 SW 00218642 HORIZONTAL Project: RRM 1000.000MHz VSW 0.0100dB SWT Auto Model: FR261401-01 Plane: Y Polarization: Full-directivity FEM1: #42 Preconditioning: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>58.84</td> <td>-3.16</td> <td>54.68</td> <td>48.27</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>212</td> <td>131</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg	1	2483.58	58.84	-3.16	54.68	48.27	32.34	7.25	37.82	212	131	Average	HORIZONTAL	<p>Site: 030305-ES Condition: FCC PART 15C (AVG) 3m 3117 SW 00218642 HORIZONTAL Project: RRM 1000.000MHz VSW 0.0100dB SWT Auto Model: FR261401-01 Plane: Y Polarization: Full-directivity FEM1: #42 Preconditioning: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>95.97</td> <td>41.97</td> <td>54.00</td> <td>93.43</td> <td>32.34</td> <td>7.22</td> <td>37.82</td> <td>212</td> <td>131</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg	1	2472.00	95.97	41.97	54.00	93.43	32.34	7.22	37.82	212	131	Average	HORIZONTAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg																																																								
1	2483.58	58.84	-3.16	54.68	48.27	32.34	7.25	37.82	212	131	Average	HORIZONTAL																																																				
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cn	deg																																																								
1	2472.00	95.97	41.97	54.00	93.43	32.34	7.22	37.82	212	131	Average	HORIZONTAL																																																				



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz YSW 3000.000Hz SWT auto Mode: (FR)261401-01 Plane: 01 Polar: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>57.86</td> <td>-16.14</td> <td>74.00</td> <td>55.29</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>382</td> <td>119 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2484.10	57.86	-16.14	74.00	55.29	32.34	7.25	37.82	382	119 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz YSW 3000.000Hz SWT auto Mode: (FR)261401-01 Plane: 01 Polar: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>100.76</td> <td>26.76</td> <td>74.00</td> <td>96.19</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>382</td> <td>119 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2474.00	100.76	26.76	74.00	96.19	32.34	7.25	37.82	382	119 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2484.10	57.86	-16.14	74.00	55.29	32.34	7.25	37.82	382	119 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2474.00	100.76	26.76	74.00	96.19	32.34	7.25	37.82	382	119 Peak	VERTICAL																																																							
Avg .	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz YSW 0.0100Hz SWT Auto Mode: (FR)261401-01 Plane: 01 Polar: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>47.00</td> <td>-7.00</td> <td>54.00</td> <td>44.43</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>382</td> <td>119 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2483.50	47.00	-7.00	54.00	44.43	32.34	7.25	37.82	382	119 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000Hz YSW 0.0100Hz SWT Auto Mode: (FR)261401-01 Plane: 01 Polar: Full-directivity IMEI: 842 PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>91.85</td> <td>37.85</td> <td>54.00</td> <td>89.31</td> <td>32.34</td> <td>7.22</td> <td>37.82</td> <td>382</td> <td>119 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2472.00	91.85	37.85	54.00	89.31	32.34	7.22	37.82	382	119 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2483.50	47.00	-7.00	54.00	44.43	32.34	7.25	37.82	382	119 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2472.00	91.85	37.85	54.00	89.31	32.34	7.22	37.82	382	119 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 2
 WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																											
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz																											
2	Horizontal	Fundamental																										
<p>Peak</p>	 <p>Site : 03DHG-K3 Condition : FCC PART 15C 3e 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : OFDM Plane : Full-directivity IRE1 : #42 Powerstting : 5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2381.24</th> <th>48.48</th> <th>-25.52</th> <th>74.00</th> <th>45.62</th> <th>32.31</th> <th>7.10</th> <th>36.55</th> <th>187</th> <th>186</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	2381.24	48.48	-25.52	74.00	45.62	32.31	7.10	36.55	187	186	Peak	HORIZONTAL	 <p>Site : 03DHG-K3 Condition : FCC PART 15C 3e 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : OFDM Plane : Full-directivity IRE1 : #42 Powerstting : 5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2404.00</th> <th>101.70</th> <th>27.70</th> <th>74.00</th> <th>98.79</th> <th>32.39</th> <th>7.13</th> <th>36.61</th> <th>187</th> <th>186</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	2404.00	101.70	27.70	74.00	98.79	32.39	7.13	36.61	187	186	Peak	HORIZONTAL
1	2381.24	48.48	-25.52	74.00	45.62	32.31	7.10	36.55	187	186	Peak	HORIZONTAL																
1	2404.00	101.70	27.70	74.00	98.79	32.39	7.13	36.61	187	186	Peak	HORIZONTAL																
<p>Avg.</p>	 <p>Site : 03DHG-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000KHz VBR 1.8000KHz SRT Auto Mode : OFDM Plane : Full-directivity IRE1 : #42 Powerstting : 5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2385.66</th> <th>39.12</th> <th>-14.88</th> <th>54.00</th> <th>36.13</th> <th>32.40</th> <th>7.10</th> <th>36.51</th> <th>187</th> <th>186</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	2385.66	39.12	-14.88	54.00	36.13	32.40	7.10	36.51	187	186	Average	HORIZONTAL	 <p>Site : 03DHG-K3 Condition : FCC PART 15C (AVG) 3e 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000KHz VBR 1.8000KHz SRT Auto Mode : OFDM Plane : Full-directivity IRE1 : #42 Powerstting : 5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2404.00</th> <th>93.05</th> <th>39.05</th> <th>54.00</th> <th>90.14</th> <th>32.39</th> <th>7.13</th> <th>36.61</th> <th>187</th> <th>186</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	2404.00	93.05	39.05	54.00	90.14	32.39	7.13	36.61	187	186	Average	HORIZONTAL
1	2385.66	39.12	-14.88	54.00	36.13	32.40	7.10	36.51	187	186	Average	HORIZONTAL																
1	2404.00	93.05	39.05	54.00	90.14	32.39	7.13	36.61	187	186	Average	HORIZONTAL																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz																																																																			
2	Vertical	Fundamental																																																																		
Peak	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL RSR: 1000.000MHz VBR: 2000.000MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Y IBE: Full-directivity #42 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.48</td> <td>48.49</td> <td>-25.51</td> <td>74.00</td> <td>45.78</td> <td>32.22</td> <td>7.07</td> <td>36.58</td> <td>283</td> <td>151 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2361.48	48.49	-25.51	74.00	45.78	32.22	7.07	36.58	283	151 Peak VERTICAL	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL RSR: 1000.000MHz VBR: 2000.000MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Y IBE: Full-directivity #42 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>101.66</td> <td>27.66</td> <td>74.00</td> <td>98.75</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>283</td> <td>151 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2404.00	101.66	27.66	74.00	98.75	32.39	7.13	36.61	283	151 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2361.48	48.49	-25.51	74.00	45.78	32.22	7.07	36.58	283	151 Peak VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2404.00	101.66	27.66	74.00	98.75	32.39	7.13	36.61	283	151 Peak VERTICAL																																																										
Avg.	<p>Site: 032005-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL RSR: 1000.000MHz VBR: 1.800MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Y IBE: Full-directivity #42 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.70</td> <td>39.19</td> <td>-14.81</td> <td>54.00</td> <td>36.20</td> <td>32.40</td> <td>7.10</td> <td>36.51</td> <td>283</td> <td>151 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2386.70	39.19	-14.81	54.00	36.20	32.40	7.10	36.51	283	151 Average VERTICAL	<p>Site: 032005-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL RSR: 1000.000MHz VBR: 1.800MHz SRT: Auto Project: FR261401-01 Mode: S2 Plane: Y IBE: Full-directivity #42 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>91.19</td> <td>37.19</td> <td>54.00</td> <td>88.78</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>283</td> <td>151 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2404.00	91.19	37.19	54.00	88.78	32.39	7.13	36.61	283	151 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2386.70	39.19	-14.81	54.00	36.20	32.40	7.10	36.51	283	151 Average VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2404.00	91.19	37.19	54.00	88.78	32.39	7.13	36.61	283	151 Average VERTICAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz																																																																					
2	Horizontal	Fundamental																																																																				
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: CW Plane: T Polar: Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.28</td> <td>48.45</td> <td>-25.55</td> <td>74.00</td> <td>45.97</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>226</td> <td>137 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2496.28	48.45	-25.55	74.00	45.97	32.33	7.28	37.13	226	137 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: CW Plane: T Polar: Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>104.15</td> <td>38.15</td> <td>74.00</td> <td>101.49</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>226</td> <td>137 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2476.00	104.15	38.15	74.00	101.49	32.36	7.22	36.92	226	137 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2496.28	48.45	-25.55	74.00	45.97	32.33	7.28	37.13	226	137 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2476.00	104.15	38.15	74.00	101.49	32.36	7.22	36.92	226	137 Peak	HORIZONTAL																																																											
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: CW Plane: T Polar: Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.32</td> <td>38.55</td> <td>-15.45</td> <td>54.00</td> <td>36.18</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>226</td> <td>137 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2489.32	38.55	-15.45	54.00	36.18	32.33	7.25	37.13	226	137 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: CW Plane: T Polar: Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>95.57</td> <td>41.57</td> <td>54.00</td> <td>92.91</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>226</td> <td>137 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2476.00	95.57	41.57	54.00	92.91	32.36	7.22	36.92	226	137 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2489.32	38.55	-15.45	54.00	36.18	32.33	7.25	37.13	226	137 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2476.00	95.57	41.57	54.00	92.91	32.36	7.22	36.92	226	137 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 05 Plane: 00 Full-directivity IMEI: 842 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2475.52</td> <td>48.00</td> <td>-25.48</td> <td>74.00</td> <td>46.15</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>295</td> <td>133 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2475.52	48.00	-25.48	74.00	46.15	32.33	7.25	37.13	295	133 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 05 Plane: 00 Full-directivity IMEI: 842 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>181.28</td> <td>27.28</td> <td>74.00</td> <td>96.42</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>295</td> <td>133 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	181.28	27.28	74.00	96.42	32.36	7.22	36.92	295	133 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2475.52	48.00	-25.48	74.00	46.15	32.33	7.25	37.13	295	133 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	181.28	27.28	74.00	96.42	32.36	7.22	36.92	295	133 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 05 Plane: 00 Full-directivity IMEI: 842 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2469.48</td> <td>38.59</td> <td>-15.41</td> <td>54.00</td> <td>36.11</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>295</td> <td>133 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2469.48	38.59	-15.41	54.00	36.11	32.33	7.28	37.13	295	133 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Project: FR261401-01 Mode: 05 Plane: 00 Full-directivity IMEI: 842 PowerSetting: 5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>92.85</td> <td>38.85</td> <td>54.00</td> <td>96.19</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>295</td> <td>133 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	92.85	38.85	54.00	96.19	32.36	7.22	36.92	295	133 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2469.48	38.59	-15.41	54.00	36.11	32.33	7.28	37.13	295	133 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	92.85	38.85	54.00	96.19	32.36	7.22	36.92	295	133 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																													
2	Horizontal	Fundamental																																																																												
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.08</td> <td>48.30</td> <td>-25.78</td> <td>74.00</td> <td>45.85</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>229</td> <td>137</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2498.08	48.30	-25.78	74.00	45.85	32.33	7.25	37.13	229	137	Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>103.12</td> <td>29.12</td> <td>74.00</td> <td>100.55</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>229</td> <td>137</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2476.00	103.12	29.12	74.00	100.55	32.34	7.25	37.02	229	137	Peak	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2498.08	48.30	-25.78	74.00	45.85	32.33	7.25	37.13	229	137	Peak	HORIZONTAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1 *	2476.00	103.12	29.12	74.00	100.55	32.34	7.25	37.02	229	137	Peak	HORIZONTAL																																																																		
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.06</td> <td>38.64</td> <td>-15.36</td> <td>54.00</td> <td>36.67</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>229</td> <td>137</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2485.06	38.64	-15.36	54.00	36.67	32.34	7.25	37.02	229	137	Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>95.43</td> <td>41.43</td> <td>54.00</td> <td>92.86</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>229</td> <td>137</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2476.00	95.43	41.43	54.00	92.86	32.34	7.25	37.02	229	137	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2485.06	38.64	-15.36	54.00	36.67	32.34	7.25	37.02	229	137	Average	HORIZONTAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1 *	2476.00	95.43	41.43	54.00	92.86	32.34	7.25	37.02	229	137	Average	HORIZONTAL																																																																		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.64</td> <td>48.00</td> <td>-25.92</td> <td>74.00</td> <td>45.00</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>293</td> <td>131 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2496.64	48.00	-25.92	74.00	45.00	32.33	7.28	37.13	293	131 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>101.81</td> <td>27.01</td> <td>74.00</td> <td>96.44</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>293</td> <td>131 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	101.81	27.01	74.00	96.44	32.34	7.25	37.02	293	131 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2496.64	48.00	-25.92	74.00	45.00	32.33	7.28	37.13	293	131 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	101.81	27.01	74.00	96.44	32.34	7.25	37.02	293	131 Peak	VERTICAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>38.52</td> <td>-15.48</td> <td>54.00</td> <td>35.95</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>293</td> <td>131 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	38.52	-15.48	54.00	35.95	32.34	7.25	37.02	293	131 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: FR261401-01 Mode: DP Plane: T Full-directivity IMEI: 842 PowerSetting: S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>92.79</td> <td>38.79</td> <td>54.00</td> <td>96.22</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>293</td> <td>131 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	92.79	38.79	54.00	96.22	32.34	7.25	37.02	293	131 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	38.52	-15.48	54.00	35.95	32.34	7.25	37.02	293	131 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	92.79	38.79	54.00	96.22	32.34	7.25	37.02	293	131 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Project: RSW 1000.000MHz YEW 3000.000MHz SWT Auto Mode: 01 Plane: 01 Polar: Full-directivity IMEI: 8441 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>63.91</td> <td>-18.89</td> <td>74.00</td> <td>61.34</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>130 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	63.91	-18.89	74.00	61.34	32.34	7.25	37.82	202	130 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Project: RSW 1000.000MHz YEW 3000.000MHz SWT Auto Mode: 01 Plane: 01 Polar: Full-directivity IMEI: 8441 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>96.90</td> <td>22.90</td> <td>74.00</td> <td>94.33</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>130 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	96.90	22.90	74.00	94.33	32.34	7.25	37.82	202	130 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	63.91	-18.89	74.00	61.34	32.34	7.25	37.82	202	130 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	96.90	22.90	74.00	94.33	32.34	7.25	37.82	202	130 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Project: RSW 1000.000MHz YEW 1.800MHz SWT Auto Mode: 01 Plane: 01 Polar: Full-directivity IMEI: 8441 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>58.00</td> <td>-3.48</td> <td>54.00</td> <td>48.83</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>130 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	58.00	-3.48	54.00	48.83	32.34	7.25	37.82	202	130 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Project: RSW 1000.000MHz YEW 1.800MHz SWT Auto Mode: 01 Plane: 01 Polar: Full-directivity IMEI: 8441 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>88.30</td> <td>34.30</td> <td>54.00</td> <td>85.73</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>130 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	88.30	34.30	54.00	85.73	32.34	7.25	37.82	202	130 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	58.00	-3.48	54.00	48.83	32.34	7.25	37.82	202	130 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	88.30	34.30	54.00	85.73	32.34	7.25	37.82	202	130 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 3000.000MHz SWT auto Mode: 01 Plane: T Polar-directivity: Full-directivity IMEI: 844 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>59.93</td> <td>-14.87</td> <td>74.00</td> <td>57.36</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>293</td> <td>124 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2483.62	59.93	-14.87	74.00	57.36	32.34	7.25	37.82	293	124 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 3000.000MHz SWT auto Mode: 01 Plane: T Polar-directivity: Full-directivity IMEI: 844 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>92.76</td> <td>16.76</td> <td>74.00</td> <td>90.19</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>293</td> <td>124 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2482.00	92.76	16.76	74.00	90.19	32.34	7.25	37.82	293	124 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2483.62	59.93	-14.87	74.00	57.36	32.34	7.25	37.82	293	124 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2482.00	92.76	16.76	74.00	90.19	32.34	7.25	37.82	293	124 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 1.800MHz SWT Auto Mode: 01 Plane: T Polar-directivity: Full-directivity IMEI: 844 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>45.43</td> <td>-8.57</td> <td>54.00</td> <td>42.86</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>293</td> <td>124 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2483.68	45.43	-8.57	54.00	42.86	32.34	7.25	37.82	293	124 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 1.800MHz SWT Auto Mode: 01 Plane: T Polar-directivity: Full-directivity IMEI: 844 PowerSetting: -2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.00</td> <td>85.11</td> <td>31.11</td> <td>54.00</td> <td>82.54</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>293</td> <td>124 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg		1	2488.00	85.11	31.11	54.00	82.54	32.34	7.25	37.82	293	124 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2483.68	45.43	-8.57	54.00	42.86	32.34	7.25	37.82	293	124 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/m	dB	dBm/m	dBm	dBm	dB	cm	deg																																																										
1	2488.00	85.11	31.11	54.00	82.54	32.34	7.25	37.82	293	124 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz																																																																					
2	Horizontal	Fundamental																																																																				
Peak	<p>Site : 020306-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz YBW 3000.000MHz SWT Auto Project : (FR)261401-01 Mode : S3 Plane : T Full-directivity IMN1 : #42 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>49.08</td> <td>-24.92</td> <td>74.00</td> <td>46.00</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>188</td> <td>144 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2388.78	49.08	-24.92	74.00	46.00	32.40	7.18	36.51	188	144 Peak	HORIZONTAL	<p>Site : 020306-E5 Condition : FCC PART 15C In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz YBW 3000.000MHz SWT Auto Project : (FR)261401-01 Mode : S3 Plane : T Full-directivity IMN1 : #42 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>182.70</td> <td>28.70</td> <td>74.00</td> <td>99.79</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>188</td> <td>144 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2404.00	182.70	28.70	74.00	99.79	32.39	7.13	36.61	188	144 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2388.78	49.08	-24.92	74.00	46.00	32.40	7.18	36.51	188	144 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2404.00	182.70	28.70	74.00	99.79	32.39	7.13	36.61	188	144 Peak	HORIZONTAL																																																											
Avg.	<p>Site : 020306-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz YBW 3.000MHz SWT Auto Project : (FR)261401-01 Mode : S3 Plane : T Full-directivity IMN1 : #42 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.83</td> <td>48.05</td> <td>-15.95</td> <td>54.00</td> <td>37.19</td> <td>32.31</td> <td>7.18</td> <td>36.55</td> <td>188</td> <td>144 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2379.83	48.05	-15.95	54.00	37.19	32.31	7.18	36.55	188	144 Average	HORIZONTAL	<p>Site : 020306-E5 Condition : FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL E5M 1000.000MHz YBW 3.000MHz SWT Auto Project : (FR)261401-01 Mode : S3 Plane : T Full-directivity IMN1 : #42 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2404.00</td> <td>94.06</td> <td>40.00</td> <td>54.00</td> <td>91.15</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>188</td> <td>144 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2404.00	94.06	40.00	54.00	91.15	32.39	7.13	36.61	188	144 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2379.83	48.05	-15.95	54.00	37.19	32.31	7.18	36.55	188	144 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2404.00	94.06	40.00	54.00	91.15	32.39	7.13	36.61	188	144 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 5 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL E5M 1000.000MHz Y5W 3000.000MHz SWT auto Project: (FR)261401-01 Mode: S3 Plane: T Full-directivity IMEI: 842 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.86</td> <td>48.47</td> <td>-25.53</td> <td>74.00</td> <td>45.61</td> <td>32.31</td> <td>7.18</td> <td>36.55</td> <td>180</td> <td>155 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2377.86	48.47	-25.53	74.00	45.61	32.31	7.18	36.55	180	155 Peak	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 7 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL E5M 1000.000MHz Y5W 3000.000MHz SWT auto Project: (FR)261401-01 Mode: S3 Plane: T Full-directivity IMEI: 842 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2404.00</td> <td>180.28</td> <td>26.28</td> <td>74.00</td> <td>97.37</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>100</td> <td>155 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1 *	2404.00	180.28	26.28	74.00	97.37	32.39	7.13	36.61	100	155 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2377.86	48.47	-25.53	74.00	45.61	32.31	7.18	36.55	180	155 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1 *	2404.00	180.28	26.28	74.00	97.37	32.39	7.13	36.61	100	155 Peak	VERTICAL																																																							
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 6 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL E5M 1000.000MHz Y5W 3.300MHz SWT auto Project: (FR)261401-01 Mode: S3 Plane: T Full-directivity IMEI: 842 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.83</td> <td>39.70</td> <td>-14.30</td> <td>54.00</td> <td>36.71</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>180</td> <td>155 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1	2386.83	39.70	-14.30	54.00	36.71	32.40	7.18	36.51	180	155 Average	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 8 Level (dBV/m)</p> <p>Site: 02C395-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL E5M 1000.000MHz Y5W 3.300MHz SWT auto Project: (FR)261401-01 Mode: S3 Plane: T Full-directivity IMEI: 842 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2404.00</td> <td>91.66</td> <td>37.66</td> <td>54.00</td> <td>88.75</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>100</td> <td>155 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1 *	2404.00	91.66	37.66	54.00	88.75	32.39	7.13	36.61	100	155 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1	2386.83	39.70	-14.30	54.00	36.71	32.40	7.18	36.51	180	155 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
1 *	2404.00	91.66	37.66	54.00	88.75	32.39	7.13	36.61	100	155 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site Condition: 02C905-E5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YPW 3000.000MHz SWT Auto Project: (FR)261401-01 Mode: 50 Plane: T Full-directivity IME1: #42 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.44</td> <td>48.52</td> <td>-25.48</td> <td>74.00</td> <td>46.04</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>227</td> <td>137 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2498.44	48.52	-25.48	74.00	46.04	32.33	7.28	37.13	227	137 Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site Condition: 02C905-E5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YPW 3000.000MHz SWT Auto Project: (FR)261401-01 Mode: 50 Plane: T Full-directivity IME1: #42 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>103.67</td> <td>29.67</td> <td>74.00</td> <td>101.01</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>227</td> <td>137 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	103.67	29.67	74.00	101.01	32.36	7.22	36.92	227	137 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2498.44	48.52	-25.48	74.00	46.04	32.33	7.28	37.13	227	137 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	103.67	29.67	74.00	101.01	32.36	7.22	36.92	227	137 Peak	HORIZONTAL																																																							
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site Condition: 02C905-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YPW 3.300MHz SWT Auto Project: (FR)261401-01 Mode: 50 Plane: T Full-directivity IME1: #42 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.86</td> <td>39.71</td> <td>-14.29</td> <td>54.00</td> <td>37.23</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>227</td> <td>137 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2492.86	39.71	-14.29	54.00	37.23	32.33	7.28	37.13	227	137 Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site Condition: 02C905-E5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RFW 1000.000MHz YPW 3.300MHz SWT Auto Project: (FR)261401-01 Mode: 50 Plane: T Full-directivity IME1: #42 PowerSetting: 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>95.95</td> <td>41.95</td> <td>54.00</td> <td>93.29</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>227</td> <td>137 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	95.95	41.95	54.00	93.29	32.36	7.22	36.92	227	137 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2492.86	39.71	-14.29	54.00	37.23	32.33	7.28	37.13	227	137 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2476.00	95.95	41.95	54.00	93.29	32.36	7.22	36.92	227	137 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 50 Plane: T Full-directivity: 0 IMEI: 842 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.30</td> <td>47.98</td> <td>-26.82</td> <td>74.00</td> <td>45.41</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>331</td> <td>133 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.30	47.98	-26.82	74.00	45.41	32.34	7.25	37.82	331	133 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 50 Plane: T Full-directivity: 0 IMEI: 842 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2470.00</td> <td>101.88</td> <td>27.08</td> <td>74.00</td> <td>96.42</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>331</td> <td>133 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2470.00	101.88	27.08	74.00	96.42	32.36	7.22	36.92	331	133 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2485.30	47.98	-26.82	74.00	45.41	32.34	7.25	37.82	331	133 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2470.00	101.88	27.08	74.00	96.42	32.36	7.22	36.92	331	133 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 50 Plane: T Full-directivity: 0 IMEI: 842 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.98</td> <td>39.13</td> <td>-14.87</td> <td>54.00</td> <td>36.65</td> <td>32.33</td> <td>7.28</td> <td>37.13</td> <td>331</td> <td>133 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2495.98	39.13	-14.87	54.00	36.65	32.33	7.28	37.13	331	133 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: FR261401-01 Mode: 50 Plane: T Full-directivity: 0 IMEI: 842 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2468.00</td> <td>93.32</td> <td>39.32</td> <td>54.00</td> <td>96.66</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>331</td> <td>133 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2468.00	93.32	39.32	54.00	96.66	32.36	7.22	36.92	331	133 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2495.98	39.13	-14.87	54.00	36.65	32.33	7.28	37.13	331	133 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2468.00	93.32	39.32	54.00	96.66	32.36	7.22	36.92	331	133 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 002605-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 HORIZONTAL RFW: 1000.000MHz YFW: 3000.000MHz SWT: Auto Project: (FR)261401-01 Mode: DP Plane: T Full-directivity: Y IME1: #42 PowerSetting: T</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>49.77</td> <td>-24.23</td> <td>74.00</td> <td>47.20</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>182</td> <td>128</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	2483.50	49.77	-24.23	74.00	47.20	32.34	7.25	37.02	182	128	Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 002605-E5 Condition: FCC PART 15C 3m 3117.5M 00218640 HORIZONTAL RFW: 1000.000MHz YFW: 3000.000MHz SWT: Auto Project: (FR)261401-01 Mode: DP Plane: T Full-directivity: Y IME1: #42 PowerSetting: T</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>185.26</td> <td>31.26</td> <td>74.00</td> <td>182.69</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>182</td> <td>128</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 *	2476.00	185.26	31.26	74.00	182.69	32.34	7.25	37.02	182	128	Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1	2483.50	49.77	-24.23	74.00	47.20	32.34	7.25	37.02	182	128	Peak	HORIZONTAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1 *	2476.00	185.26	31.26	74.00	182.69	32.34	7.25	37.02	182	128	Peak	HORIZONTAL																																																								
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 002605-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 HORIZONTAL RFW: 1000.000MHz YFW: 3.300MHz SWT: Auto Project: (FR)261401-01 Mode: DP Plane: T Full-directivity: Y IME1: #42 PowerSetting: T</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.88</td> <td>48.40</td> <td>-13.68</td> <td>54.00</td> <td>37.83</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>182</td> <td>128</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	2484.88	48.40	-13.68	54.00	37.83	32.34	7.25	37.02	182	128	Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 002605-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218640 HORIZONTAL RFW: 1000.000MHz YFW: 3.300MHz SWT: Auto Project: (FR)261401-01 Mode: DP Plane: T Full-directivity: Y IME1: #42 PowerSetting: T</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2474.00</td> <td>96.62</td> <td>42.62</td> <td>54.00</td> <td>94.65</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>182</td> <td>128</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 *	2474.00	96.62	42.62	54.00	94.65	32.34	7.25	37.02	182	128	Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1	2484.88	48.40	-13.68	54.00	37.83	32.34	7.25	37.02	182	128	Average	HORIZONTAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1 *	2474.00	96.62	42.62	54.00	94.65	32.34	7.25	37.02	182	128	Average	HORIZONTAL																																																								



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YBW 3000.000MHz SWT auto Mode: (FR)261401-01 Plane: CP Polar: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2465.24</td> <td>48.44</td> <td>-25.56</td> <td>74.00</td> <td>45.87</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>294</td> <td>124 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2465.24	48.44	-25.56	74.00	45.87	32.34	7.25	37.82	294	124 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YBW 3000.000MHz SWT auto Mode: (FR)261401-01 Plane: CP Polar: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>101.43</td> <td>27.43</td> <td>74.00</td> <td>98.86</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>294</td> <td>124 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2476.00	101.43	27.43	74.00	98.86	32.34	7.25	37.82	294	124 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2465.24	48.44	-25.56	74.00	45.87	32.34	7.25	37.82	294	124 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2476.00	101.43	27.43	74.00	98.86	32.34	7.25	37.82	294	124 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YBW 3.300MHz SWT Auto Mode: (FR)261401-01 Plane: CP Polar: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>39.27</td> <td>-14.73</td> <td>54.00</td> <td>36.78</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>294</td> <td>124 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	39.27	-14.73	54.00	36.78	32.34	7.25	37.82	294	124 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RSW 1000.000MHz YBW 3.300MHz SWT Auto Mode: (FR)261401-01 Plane: CP Polar: Full-directivity IMEI: #42 PowerSetting: 1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2476.00</td> <td>92.86</td> <td>38.86</td> <td>54.00</td> <td>98.29</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>294</td> <td>124 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2476.00	92.86	38.86	54.00	98.29	32.34	7.25	37.82	294	124 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.58	39.27	-14.73	54.00	36.78	32.34	7.25	37.82	294	124 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2476.00	92.86	38.86	54.00	98.29	32.34	7.25	37.82	294	124 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Project: ERM 1000.000MHz YEM 3000.000MHz SWT Auto Mode: CC Plane: T Polarization: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>61.82</td> <td>-12.18</td> <td>74.00</td> <td>59.25</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>126 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	61.82	-12.18	74.00	59.25	32.34	7.25	37.82	202	126 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Project: ERM 1000.000MHz YEM 3000.000MHz SWT Auto Mode: CC Plane: T Polarization: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>95.89</td> <td>21.89</td> <td>74.00</td> <td>92.52</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>126 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	95.89	21.89	74.00	92.52	32.34	7.25	37.82	202	126 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	61.82	-12.18	74.00	59.25	32.34	7.25	37.82	202	126 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	95.89	21.89	74.00	92.52	32.34	7.25	37.82	202	126 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Project: ERM 1000.000MHz YEM 3.300MHz SWT Auto Mode: CC Plane: T Polarization: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>58.71</td> <td>-3.29</td> <td>54.00</td> <td>48.14</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>126 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	58.71	-3.29	54.00	48.14	32.34	7.25	37.82	202	126 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Project: ERM 1000.000MHz YEM 3.300MHz SWT Auto Mode: CC Plane: T Polarization: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>85.54</td> <td>31.54</td> <td>54.00</td> <td>82.97</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>202</td> <td>126 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	85.54	31.54	54.00	82.97	32.34	7.25	37.82	202	126 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	58.71	-3.29	54.00	48.14	32.34	7.25	37.82	202	126 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	85.54	31.54	54.00	82.97	32.34	7.25	37.82	202	126 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																	
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Project: RFW 1000.000MHz YDF 3000.000MHz SWT auto Model: (FR)261401-01 Plane: 02 Polar: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>59.12</td> <td>-14.88</td> <td>74.00</td> <td>56.55</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>300</td> <td>127 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.56	59.12	-14.88	74.00	56.55	32.34	7.25	37.82	300	127 Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218642 VERTICAL Project: RFW 1000.000MHz YDF 3000.000MHz SWT auto Model: (FR)261401-01 Plane: 02 Polar: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>91.92</td> <td>17.92</td> <td>74.00</td> <td>89.35</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>300</td> <td>127 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	91.92	17.92	74.00	89.35	32.34	7.25	37.82	300	127 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.56	59.12	-14.88	74.00	56.55	32.34	7.25	37.82	300	127 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	91.92	17.92	74.00	89.35	32.34	7.25	37.82	300	127 Peak	VERTICAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Project: RFW 1000.000MHz YDF 3.300MHz SWT auto Model: (FR)261401-01 Plane: 02 Polar: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>46.70</td> <td>-7.30</td> <td>54.00</td> <td>44.13</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>300</td> <td>127 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.56	46.70	-7.30	54.00	44.13	32.34	7.25	37.82	300	127 Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218642 VERTICAL Project: RFW 1000.000MHz YDF 3.300MHz SWT auto Model: (FR)261401-01 Plane: 02 Polar: Full-directivity IMEI: #42 PowerSetting: -2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>82.50</td> <td>28.50</td> <td>54.00</td> <td>79.93</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>300</td> <td>127 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	82.50	28.50	54.00	79.93	32.34	7.25	37.82	300	127 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.56	46.70	-7.30	54.00	44.13	32.34	7.25	37.82	300	127 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	82.50	28.50	54.00	79.93	32.34	7.25	37.82	300	127 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 2
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz																																																																					
2	Horizontal	Fundamental																																																																				
Peak	<p>Site: 002006-E5 Condition: FCC PART 15C In 3117 CM 00218642 HORIZONTAL E5W 1000.000MHz Y5W 3000.000MHz SWT Auto Project: (FR)261401-01 Mode: S4 Plane: Y Full-directivity IRE1: #12 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.92</td> <td>49.16</td> <td>-24.84</td> <td>74.00</td> <td>46.17</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>185</td> <td>145 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2385.92	49.16	-24.84	74.00	46.17	32.40	7.18	36.51	185	145 Peak	HORIZONTAL	<p>Site: 002006-E5 Condition: FCC PART 15C In 3117 CM 00218642 HORIZONTAL E5W 1000.000MHz Y5W 3000.000MHz SWT Auto Project: (FR)261401-01 Mode: S4 Plane: Y Full-directivity IRE1: #12 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2408.00</td> <td>182.50</td> <td>28.50</td> <td>74.00</td> <td>99.59</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>185</td> <td>145 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2408.00	182.50	28.50	74.00	99.59	32.39	7.13	36.61	185	145 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2385.92	49.16	-24.84	74.00	46.17	32.40	7.18	36.51	185	145 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2408.00	182.50	28.50	74.00	99.59	32.39	7.13	36.61	185	145 Peak	HORIZONTAL																																																											
Avg.	<p>Site: 002006-E5 Condition: FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL E5W 1000.000MHz Y5W 5.600MHz SWT Auto Project: (FR)261401-01 Mode: S4 Plane: Y Full-directivity IRE1: #12 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.27</td> <td>49.96</td> <td>-15.04</td> <td>54.00</td> <td>38.18</td> <td>32.31</td> <td>7.18</td> <td>36.55</td> <td>185</td> <td>145 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2385.27	49.96	-15.04	54.00	38.18	32.31	7.18	36.55	185	145 Average	HORIZONTAL	<p>Site: 002006-E5 Condition: FCC PART 15C (AVG) In 3117 CM 00218642 HORIZONTAL E5W 1000.000MHz Y5W 5.600MHz SWT Auto Project: (FR)261401-01 Mode: S4 Plane: Y Full-directivity IRE1: #12 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2408.00</td> <td>94.16</td> <td>40.16</td> <td>54.00</td> <td>91.25</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>185</td> <td>145 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2408.00	94.16	40.16	54.00	91.25	32.39	7.13	36.61	185	145 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2385.27	49.96	-15.04	54.00	38.18	32.31	7.18	36.55	185	145 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2408.00	94.16	40.16	54.00	91.25	32.39	7.13	36.61	185	145 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz																																																																													
2	Vertical	Fundamental																																																																												
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RFW 1000, 0008Hz Y0W 3000, 0008Hz SPT auto Mode: S4 Plane: T Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.66</td> <td>49.07</td> <td>-24.93</td> <td>74.00</td> <td>46.08</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>180</td> <td>155</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2385.66	49.07	-24.93	74.00	46.08	32.40	7.18	36.51	180	155	Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SM 00218640 VERTICAL Project: RFW 1000, 0008Hz Y0W 3000, 0008Hz SPT auto Mode: S4 Plane: T Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2410.00</td> <td>100.72</td> <td>26.72</td> <td>74.00</td> <td>97.81</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>100</td> <td>155</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2410.00	100.72	26.72	74.00	97.81	32.39	7.13	36.61	100	155	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2385.66	49.07	-24.93	74.00	46.08	32.40	7.18	36.51	180	155	Peak	VERTICAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1 *	2410.00	100.72	26.72	74.00	97.81	32.39	7.13	36.61	100	155	Peak	VERTICAL																																																																		
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RFW 1000, 0008Hz Y0W 5.6008Hz SPT Auto Mode: S4 Plane: T Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.48</td> <td>48.83</td> <td>-13.17</td> <td>54.00</td> <td>37.84</td> <td>32.40</td> <td>7.18</td> <td>36.51</td> <td>180</td> <td>155</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2387.48	48.83	-13.17	54.00	37.84	32.40	7.18	36.51	180	155	Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SM 00218640 VERTICAL Project: RFW 1000, 0008Hz Y0W 5.6008Hz SPT Auto Mode: S4 Plane: T Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2408.00</td> <td>92.11</td> <td>38.11</td> <td>54.00</td> <td>89.20</td> <td>32.39</td> <td>7.13</td> <td>36.61</td> <td>100</td> <td>155</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2408.00	92.11	38.11	54.00	89.20	32.39	7.13	36.61	100	155	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	2387.48	48.83	-13.17	54.00	37.84	32.40	7.18	36.51	180	155	Average	VERTICAL																																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1 *	2408.00	92.11	38.11	54.00	89.20	32.39	7.13	36.61	100	155	Average	VERTICAL																																																																		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 1 117 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Power: 100.000MHz YDF 3000.000MHz SWT Auto Project: FR261401-01 Mode: S7 Plane: T Polar: Full-directivity IME1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.98</td> <td>49.15</td> <td>-24.85</td> <td>74.00</td> <td>46.70</td> <td>32.33</td> <td>7.25</td> <td>37.13</td> <td>219</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2489.98	49.15	-24.85	74.00	46.70	32.33	7.25	37.13	219	181	Peak	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 3 117 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Power: 100.000MHz YDF 3000.000MHz SWT Auto Project: FR261401-01 Mode: S7 Plane: T Polar: Full-directivity IME1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2472.00</td> <td>181.93</td> <td>27.93</td> <td>74.00</td> <td>99.39</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>239</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2472.00	181.93	27.93	74.00	99.39	32.34	7.22	37.02	239	181	Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2489.98	49.15	-24.85	74.00	46.70	32.33	7.25	37.13	219	181	Peak	HORIZONTAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 *	2472.00	181.93	27.93	74.00	99.39	32.34	7.22	37.02	239	181	Peak	HORIZONTAL																																																								
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 2 117 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Power: 100.000MHz YDF 5.600MHz SWT Auto Project: FR261401-01 Mode: S7 Plane: T Polar: Full-directivity IME1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>46.58</td> <td>-7.58</td> <td>54.00</td> <td>43.93</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>219</td> <td>181</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.58	46.58	-7.58	54.00	43.93	32.34	7.25	37.02	219	181	Average	HORIZONTAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Data: 4 117 Level (dBV/m)</p> <p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Power: 100.000MHz YDF 5.600MHz SWT Auto Project: FR261401-01 Mode: S7 Plane: T Polar: Full-directivity IME1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2476.00</td> <td>93.98</td> <td>39.98</td> <td>54.00</td> <td>91.32</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>219</td> <td>181</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2476.00	93.98	39.98	54.00	91.32	32.36	7.22	36.92	219	181	Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2483.58	46.58	-7.58	54.00	43.93	32.34	7.25	37.02	219	181	Average	HORIZONTAL																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 *	2476.00	93.98	39.98	54.00	91.32	32.36	7.22	36.92	219	181	Average	HORIZONTAL																																																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 3000.000MHz SPT auto Mode: (FR)261401-01 Plane: T Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.00</td> <td>50.19</td> <td>-23.81</td> <td>74.00</td> <td>47.62</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>331</td> <td>133 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.00	50.19	-23.81	74.00	47.62	32.34	7.25	37.02	331	133 Peak	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 3000.000MHz SPT auto Mode: (FR)261401-01 Plane: T Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>101.88</td> <td>27.08</td> <td>74.00</td> <td>96.42</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>331</td> <td>133 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	101.88	27.08	74.00	96.42	32.36	7.22	36.92	331	133 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.00	50.19	-23.81	74.00	47.62	32.34	7.25	37.02	331	133 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	101.88	27.08	74.00	96.42	32.36	7.22	36.92	331	133 Peak	VERTICAL																																																							
Avg.	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 5.600MHz SPT Auto Mode: (FR)261401-01 Plane: T Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>39.95</td> <td>-14.05</td> <td>54.00</td> <td>37.38</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>331</td> <td>133 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.10	39.95	-14.05	54.00	37.38	32.34	7.25	37.02	331	133 Average	VERTICAL	<p>Site: 003905-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218640 VERTICAL Project: RSW 1000.000MHz YDF 5.600MHz SPT Auto Mode: (FR)261401-01 Plane: T Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2466.00</td> <td>93.46</td> <td>39.46</td> <td>54.00</td> <td>96.00</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>331</td> <td>133 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2466.00	93.46	39.46	54.00	96.00	32.36	7.22	36.92	331	133 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2484.10	39.95	-14.05	54.00	37.38	32.34	7.25	37.02	331	133 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2466.00	93.46	39.46	54.00	96.00	32.36	7.22	36.92	331	133 Average	VERTICAL																																																							