



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH12 2467MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz YDF 3000.000MHz DFT Auto Mode: (FR)261401-01 Plane: 00 Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2466.56</td> <td>56.89</td> <td>-17.11</td> <td>74.00</td> <td>54.32</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>177</td> <td>133 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2466.56	56.89	-17.11	74.00	54.32	32.34	7.25	37.82	177	133 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz YDF 3000.000MHz DFT Auto Mode: (FR)261401-01 Plane: 00 Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2470.00</td> <td>104.22</td> <td>38.22</td> <td>74.00</td> <td>101.56</td> <td>32.36</td> <td>7.22</td> <td>36.92</td> <td>177</td> <td>133 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2470.00	104.22	38.22	74.00	101.56	32.36	7.22	36.92	177	133 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2466.56	56.89	-17.11	74.00	54.32	32.34	7.25	37.82	177	133 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2470.00	104.22	38.22	74.00	101.56	32.36	7.22	36.92	177	133 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz YDF 5.600MHz DFT Auto Mode: (FR)261401-01 Plane: 00 Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.46</td> <td>47.59</td> <td>-6.41</td> <td>54.00</td> <td>45.82</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>177</td> <td>133 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2464.46	47.59	-6.41	54.00	45.82	32.34	7.25	37.82	177	133 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 CM 00218642 HORIZONTAL Project: RSW 1000.000MHz YDF 5.600MHz DFT Auto Mode: (FR)261401-01 Plane: 00 Full-directivity IRE1: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>96.15</td> <td>42.15</td> <td>54.00</td> <td>93.58</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>177</td> <td>133 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2474.00	96.15	42.15	54.00	93.58	32.34	7.25	37.82	177	133 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2464.46	47.59	-6.41	54.00	45.82	32.34	7.25	37.82	177	133 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2474.00	96.15	42.15	54.00	93.58	32.34	7.25	37.82	177	133 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11ax HE20 Partial 106/54 CH12 2467MHz																																																											
2	Vertical	Fundamental																																																										
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000Hz YDF 3000.000Hz SWT auto Model: (FR)261401-01 Plane: 00 Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2465.00</td> <td>52.72</td> <td>-21.28</td> <td>74.00</td> <td>58.15</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>295</td> <td>122</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1	2465.00	52.72	-21.28	74.00	58.15	32.34	7.25	37.82	295	122	Peak	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000Hz YDF 3000.000Hz SWT auto Model: (FR)261401-01 Plane: 00 Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>100.77</td> <td>26.77</td> <td>74.00</td> <td>96.20</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>295</td> <td>122</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1	2474.00	100.77	26.77	74.00	96.20	32.34	7.25	37.82	295	122	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																						
1	2465.00	52.72	-21.28	74.00	58.15	32.34	7.25	37.82	295	122	Peak	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																						
1	2474.00	100.77	26.77	74.00	96.20	32.34	7.25	37.82	295	122	Peak	VERTICAL																																																
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000Hz YDF 5.6000Hz SWT Auto Model: (FR)261401-01 Plane: 00 Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.45</td> <td>-5.55</td> <td>54.00</td> <td>45.88</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>295</td> <td>122</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1	2483.50	48.45	-5.55	54.00	45.88	32.34	7.25	37.82	295	122	Average	VERTICAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 VERTICAL Project: RSW 1000.000Hz YDF 5.6000Hz SWT Auto Model: (FR)261401-01 Plane: 00 Polar: Full-directivity IMEI: #42 PowerSetting: 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>92.87</td> <td>38.87</td> <td>54.00</td> <td>96.30</td> <td>32.34</td> <td>7.25</td> <td>37.82</td> <td>295</td> <td>122</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	cm	deg		1	2474.00	92.87	38.87	54.00	96.30	32.34	7.25	37.82	295	122	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																						
1	2483.50	48.45	-5.55	54.00	45.88	32.34	7.25	37.82	295	122	Average	VERTICAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																						
1	2474.00	92.87	38.87	54.00	96.30	32.34	7.25	37.82	295	122	Average	VERTICAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Project: FR261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>60.35</td> <td>-13.65</td> <td>74.00</td> <td>57.76</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>201</td> <td>127 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	60.35	-13.65	74.00	57.76	32.34	7.25	37.02	201	127 Peak	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C 3m 3117.5M 00218642 HORIZONTAL Project: FR261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>92.67</td> <td>16.67</td> <td>74.00</td> <td>90.10</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>201</td> <td>127 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	92.67	16.67	74.00	90.10	32.34	7.25	37.02	201	127 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	60.35	-13.65	74.00	57.76	32.34	7.25	37.02	201	127 Peak	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	92.67	16.67	74.00	90.10	32.34	7.25	37.02	201	127 Peak	HORIZONTAL																																																							
Avg.	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Project: FR261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>50.27</td> <td>-3.73</td> <td>54.00</td> <td>47.70</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>201</td> <td>127 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	50.27	-3.73	54.00	47.70	32.34	7.25	37.02	201	127 Average	HORIZONTAL	<p>Site: 020305-E5 Condition: FCC PART 15C (AVG) 3m 3117.5M 00218642 HORIZONTAL Project: FR261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>83.97</td> <td>29.97</td> <td>54.00</td> <td>81.40</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>201</td> <td>127 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2480.00	83.97	29.97	54.00	81.40	32.34	7.25	37.02	201	127 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	50.27	-3.73	54.00	47.70	32.34	7.25	37.02	201	127 Average	HORIZONTAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2480.00	83.97	29.97	54.00	81.40	32.34	7.25	37.02	201	127 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Date: 9 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Frequency (MHz): 2440, 2450, 2460, 2470, 2480, 2490, 2500</p> <p>Site: 03C905-E5 Condition: FCC PART 15C 3e 3117.5M 00218640 VERTICAL E5M 1000.000Hz Y5W 3000.000Hz SWT auto Project: (FR)261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>57.27</td> <td>-16.73</td> <td>74.00</td> <td>54.70</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>290</td> <td>127 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.50	57.27	-16.73	74.00	54.70	32.34	7.25	37.02	290	127 Peak	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Date: 11 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Frequency (MHz): 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020, 2030, 2040, 2050, 2060, 2070, 2080, 2090, 2100, 2110, 2120, 2130, 2140, 2150, 2160, 2170, 2180, 2190, 2200, 2210, 2220, 2230, 2240, 2250, 2260, 2270, 2280, 2290, 2300, 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2390, 2400, 2410, 2420, 2430, 2440, 2450, 2460, 2470, 2480, 2490, 2500</p> <p>Site: 03C905-E5 Condition: FCC PART 15C 3e 3117.5M 00218640 VERTICAL E5M 1000.000Hz Y5W 3000.000Hz SWT auto Project: (FR)261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2482.00</td> <td>89.82</td> <td>15.82</td> <td>74.00</td> <td>67.25</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>290</td> <td>127 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2482.00	89.82	15.82	74.00	67.25	32.34	7.25	37.02	290	127 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.50	57.27	-16.73	74.00	54.70	32.34	7.25	37.02	290	127 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2482.00	89.82	15.82	74.00	67.25	32.34	7.25	37.02	290	127 Peak	VERTICAL																																																							
Avg.	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Date: 10 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Frequency (MHz): 2440, 2450, 2460, 2470, 2480, 2490, 2500</p> <p>Site: 03C905-E5 Condition: FCC PART 15C (AVG) 3e 3117.5M 00218640 VERTICAL E5M 1000.000Hz Y5W 5.600Hz SWT auto Project: (FR)261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>58.59</td> <td>-3.41</td> <td>54.00</td> <td>48.82</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>290</td> <td>127 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.68	58.59	-3.41	54.00	48.82	32.34	7.25	37.02	290	127 Average	VERTICAL	<p>Site: SPORTON LAB. No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China. Tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Date: 12 Level (dBV/m): 117, 105.3, 93.6, 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7</p> <p>Frequency (MHz): 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020, 2030, 2040, 2050, 2060, 2070, 2080, 2090, 2100, 2110, 2120, 2130, 2140, 2150, 2160, 2170, 2180, 2190, 2200, 2210, 2220, 2230, 2240, 2250, 2260, 2270, 2280, 2290, 2300, 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2390, 2400, 2410, 2420, 2430, 2440, 2450, 2460, 2470, 2480, 2490, 2500</p> <p>Site: 03C905-E5 Condition: FCC PART 15C (AVG) 3e 3117.5M 00218640 VERTICAL E5M 1000.000Hz Y5W 5.600Hz SWT auto Project: (FR)261401-01 Mode: 03 Plane: T Full-directivity IME1: #42 PowerSetting: 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2488.00</td> <td>81.30</td> <td>27.30</td> <td>54.00</td> <td>78.73</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>290</td> <td>127 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2488.00	81.30	27.30	54.00	78.73	32.34	7.25	37.02	290	127 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1	2483.68	58.59	-3.41	54.00	48.82	32.34	7.25	37.02	290	127 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																										
1 *	2488.00	81.30	27.30	54.00	78.73	32.34	7.25	37.02	290	127 Average	VERTICAL																																																							



2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	802.11b CH01 2412MHz																																																																	
2	Horizontal	Vertical																																																																
Peak Avg.	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Power: 1000.000000 W 998.3000.000000 dBm Auto Project: FR261401-01 Mode: 27 Plane: Y Antenna: Full-directivity IMEI: #2 PowerSetting: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>44.95</td> <td>-29.05</td> <td>74.00</td> <td>66.08</td> <td>34.00</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg			1	4830.00	44.95	-29.05	74.00	66.08	34.00	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power: 1000.000000 W 998.3000.000000 dBm Auto Project: FR261401-01 Mode: 27 Plane: Y Antenna: Full-directivity IMEI: #2 PowerSetting: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>43.43</td> <td>-30.57</td> <td>74.00</td> <td>64.56</td> <td>34.00</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg			1	4830.00	43.43	-30.57	74.00	64.56	34.00	10.25	65.38	100	0 Peak	VERTICAL
	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																											
1	4830.00	44.95	-29.05	74.00	66.08	34.00	10.25	65.38	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																											
1	4830.00	43.43	-30.57	74.00	64.56	34.00	10.25	65.38	100	0 Peak	VERTICAL																																																							
	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Power: 1000.000000 W 998.3000.000000 dBm Auto Project: FR261401-01 Mode: 27 Plane: Y Antenna: Full-directivity IMEI: #2 PowerSetting: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>44.95</td> <td>-29.05</td> <td>74.00</td> <td>66.08</td> <td>34.00</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg			1	4830.00	44.95	-29.05	74.00	66.08	34.00	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Power: 1000.000000 W 998.3000.000000 dBm Auto Project: FR261401-01 Mode: 27 Plane: Y Antenna: Full-directivity IMEI: #2 PowerSetting: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>43.43</td> <td>-30.57</td> <td>74.00</td> <td>64.56</td> <td>34.00</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg			1	4830.00	43.43	-30.57	74.00	64.56	34.00	10.25	65.38	100	0 Peak	VERTICAL
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																											
1	4830.00	44.95	-29.05	74.00	66.08	34.00	10.25	65.38	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg																																																											
1	4830.00	43.43	-30.57	74.00	64.56	34.00	10.25	65.38	100	0 Peak	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11b CH06 2437MHz																																																																																					
2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 2P Plane: Y MEI: Full-directivity PowerRating: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>45.33</td> <td>-28.67</td> <td>74.00</td> <td>66.46</td> <td>34.00</td> <td>10.29</td> <td>66.42</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>43.92</td> <td>-31.08</td> <td>74.00</td> <td>60.35</td> <td>35.70</td> <td>12.72</td> <td>60.91</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	4875.00	45.33	-28.67	74.00	66.46	34.00	10.29	66.42	300	0	Peak	HORIZONTAL	2	7305.00	43.92	-31.08	74.00	60.35	35.70	12.72	60.91	300	0	Peak	HORIZONTAL	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 2P Plane: Y MEI: Full-directivity PowerRating: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>44.43</td> <td>-29.57</td> <td>74.00</td> <td>65.55</td> <td>34.00</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>43.94</td> <td>-30.06</td> <td>74.00</td> <td>60.47</td> <td>35.70</td> <td>12.72</td> <td>60.91</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	4875.00	44.43	-29.57	74.00	65.55	34.00	10.29	65.42	100	0	Peak	VERTICAL	2	7305.00	43.94	-30.06	74.00	60.47	35.70	12.72	60.91	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																															
1	4875.00	45.33	-28.67	74.00	66.46	34.00	10.29	66.42	300	0	Peak	HORIZONTAL																																																																										
2	7305.00	43.92	-31.08	74.00	60.35	35.70	12.72	60.91	300	0	Peak	HORIZONTAL																																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																															
1	4875.00	44.43	-29.57	74.00	65.55	34.00	10.29	65.42	100	0	Peak	VERTICAL																																																																										
2	7305.00	43.94	-30.06	74.00	60.47	35.70	12.72	60.91	100	0	Peak	VERTICAL																																																																										

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11b CH11 2462MHz																																																																																					
2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 2P Plane: Y MEI: Full-directivity PowerRating: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>46.83</td> <td>-33.17</td> <td>74.00</td> <td>67.94</td> <td>34.00</td> <td>10.24</td> <td>65.45</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>43.67</td> <td>-30.33</td> <td>74.00</td> <td>61.27</td> <td>35.78</td> <td>12.73</td> <td>60.11</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	4920.00	46.83	-33.17	74.00	67.94	34.00	10.24	65.45	300	0	Peak	HORIZONTAL	2	7380.00	43.67	-30.33	74.00	61.27	35.78	12.73	60.11	300	0	Peak	HORIZONTAL	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 2P Plane: Y MEI: Full-directivity PowerRating: 10.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>44.32</td> <td>-27.68</td> <td>74.00</td> <td>67.63</td> <td>34.00</td> <td>10.24</td> <td>65.45</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>44.05</td> <td>-27.95</td> <td>74.00</td> <td>63.05</td> <td>35.78</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	4920.00	44.32	-27.68	74.00	67.63	34.00	10.24	65.45	100	0	Peak	VERTICAL	2	7380.00	44.05	-27.95	74.00	63.05	35.78	12.73	66.11	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																															
1	4920.00	46.83	-33.17	74.00	67.94	34.00	10.24	65.45	300	0	Peak	HORIZONTAL																																																																										
2	7380.00	43.67	-30.33	74.00	61.27	35.78	12.73	60.11	300	0	Peak	HORIZONTAL																																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																															
1	4920.00	44.32	-27.68	74.00	67.63	34.00	10.24	65.45	100	0	Peak	VERTICAL																																																																										
2	7380.00	44.05	-27.95	74.00	63.05	35.78	12.73	66.11	100	0	Peak	VERTICAL																																																																										



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11b CH12 2467MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 49 Plane: Y Polarization: Full-directivity MEI: #42 PowerRating: 10</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>46.29</td> <td>-27.71</td> <td>74.00</td> <td>67.37</td> <td>34.00</td> <td>10.37</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>43.36</td> <td>-30.64</td> <td>74.00</td> <td>61.06</td> <td>35.78</td> <td>12.73</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4935.00	46.29	-27.71	74.00	67.37	34.00	10.37	65.45	300	0 Peak	HORIZONTAL	2	7401.00	43.36	-30.64	74.00	61.06	35.78	12.73	66.21	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 49 Plane: Y Polarization: Full-directivity MEI: #42 PowerRating: 10</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>46.44</td> <td>-27.36</td> <td>74.00</td> <td>67.72</td> <td>34.00</td> <td>10.37</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7395.00</td> <td>44.76</td> <td>-29.04</td> <td>74.00</td> <td>62.41</td> <td>35.78</td> <td>12.73</td> <td>66.16</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4935.00	46.44	-27.36	74.00	67.72	34.00	10.37	65.45	100	0 Peak	VERTICAL	2	7395.00	44.76	-29.04	74.00	62.41	35.78	12.73	66.16	100	0 Peak	VERTICAL
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4935.00	46.29	-27.71	74.00	67.37	34.00	10.37	65.45	300	0 Peak	HORIZONTAL																																																																															
2	7401.00	43.36	-30.64	74.00	61.06	35.78	12.73	66.21	300	0 Peak	HORIZONTAL																																																																															
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4935.00	46.44	-27.36	74.00	67.72	34.00	10.37	65.45	100	0 Peak	VERTICAL																																																																															
2	7395.00	44.76	-29.04	74.00	62.41	35.78	12.73	66.16	100	0 Peak	VERTICAL																																																																															

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11b CH13 2472MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 41 Plane: Y Polarization: Full-directivity MEI: #42 PowerRating: 10.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>46.99</td> <td>-27.01</td> <td>74.00</td> <td>68.06</td> <td>34.00</td> <td>10.39</td> <td>65.46</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7410.00</td> <td>42.48</td> <td>-31.52</td> <td>74.00</td> <td>60.15</td> <td>35.78</td> <td>12.74</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4950.00	46.99	-27.01	74.00	68.06	34.00	10.39	65.46	300	0 Peak	HORIZONTAL	2	7410.00	42.48	-31.52	74.00	60.15	35.78	12.74	66.21	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 41 Plane: Y Polarization: Full-directivity MEI: #42 PowerRating: 10.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>46.60</td> <td>-27.00</td> <td>74.00</td> <td>67.07</td> <td>34.00</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7410.00</td> <td>44.07</td> <td>-29.93</td> <td>74.00</td> <td>61.77</td> <td>35.78</td> <td>12.73</td> <td>66.21</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4950.00	46.60	-27.00	74.00	67.07	34.00	10.39	65.46	100	0 Peak	VERTICAL	2	7410.00	44.07	-29.93	74.00	61.77	35.78	12.73	66.21	100	0 Peak	VERTICAL
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4950.00	46.99	-27.01	74.00	68.06	34.00	10.39	65.46	300	0 Peak	HORIZONTAL																																																																															
2	7410.00	42.48	-31.52	74.00	60.15	35.78	12.74	66.21	300	0 Peak	HORIZONTAL																																																																															
MEI	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																																	
1	4950.00	46.60	-27.00	74.00	67.07	34.00	10.39	65.46	100	0 Peak	VERTICAL																																																																															
2	7410.00	44.07	-29.93	74.00	61.77	35.78	12.73	66.21	100	0 Peak	VERTICAL																																																																															



2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	802.11g CH01 2412MHz																																																																	
2	Horizontal	Vertical																																																																
Peak Avg.	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 47 Plane : Y Full-directivity IMEI : #42 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ResdAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.70</td> <td>-33.30</td> <td>74.00</td> <td>61.83</td> <td>34.00</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ResdAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1	4830.00	40.70	-33.30	74.00	61.83	34.00	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site Condition : 032005-K5 Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : 03B-1000-00000-1000-00000-001-Auto Project : (FR)261401-01 Mode : 47 Plane : Y Full-directivity IMEI : #42 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ResdAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.49</td> <td>-33.51</td> <td>74.00</td> <td>61.62</td> <td>34.00</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ResdAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg	1	4830.00	40.49	-33.51	74.00	61.62	34.00	10.25	65.38	100	0 Peak	VERTICAL
	Freq	Level	Limit	ResdAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																									
1	4830.00	40.70	-33.30	74.00	61.83	34.00	10.25	65.38	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ResdAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cn	deg																																																									
1	4830.00	40.49	-33.51	74.00	61.62	34.00	10.25	65.38	100	0 Peak	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH06 2437MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 44 Plane: Y MEI: Full-directivity PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>48.75</td> <td>00</td> <td>41.55</td> <td>-32.45</td> <td>74.00</td> <td>62.68</td> <td>34.00</td> <td>10.29</td> <td>66.42</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>42.34</td> <td>-31.66</td> <td>74.00</td> <td>99.77</td> <td>35.76</td> <td>12.72</td> <td>60.91</td> <td></td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm	dBm	dBm	dBm	dBm	deg		1	48.75	00	41.55	-32.45	74.00	62.68	34.00	10.29	66.42	300	0	Peak	HORIZONTAL	2	7305.00	42.34	-31.66	74.00	99.77	35.76	12.72	60.91		300	0	Peak	HORIZONTAL	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 44 Plane: Y MEI: Full-directivity PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>48.75</td> <td>00</td> <td>40.57</td> <td>-33.43</td> <td>74.00</td> <td>61.70</td> <td>34.00</td> <td>10.29</td> <td>66.42</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>41.59</td> <td>-32.43</td> <td>74.00</td> <td>99.00</td> <td>35.76</td> <td>12.72</td> <td>60.91</td> <td></td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm	dBm	dBm	dBm	dBm	deg		1	48.75	00	40.57	-33.43	74.00	61.70	34.00	10.29	66.42	100	0	Peak	VERTICAL	2	7305.00	41.59	-32.43	74.00	99.00	35.76	12.72	60.91		100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																			
MHz	dBm	dBm	dBm	dBm	dBm	deg																																																																																				
1	48.75	00	41.55	-32.45	74.00	62.68	34.00	10.29	66.42	300	0	Peak	HORIZONTAL																																																																													
2	7305.00	42.34	-31.66	74.00	99.77	35.76	12.72	60.91		300	0	Peak	HORIZONTAL																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																			
MHz	dBm	dBm	dBm	dBm	dBm	deg																																																																																				
1	48.75	00	40.57	-33.43	74.00	61.70	34.00	10.29	66.42	100	0	Peak	VERTICAL																																																																													
2	7305.00	41.59	-32.43	74.00	99.00	35.76	12.72	60.91		100	0	Peak	VERTICAL																																																																													

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH11 2462MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 44 Plane: Y MEI: Full-directivity PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>49.70</td> <td>00</td> <td>42.38</td> <td>-31.43</td> <td>74.00</td> <td>63.49</td> <td>34.00</td> <td>10.24</td> <td>65.45</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>42.59</td> <td>-31.41</td> <td>74.00</td> <td>60.19</td> <td>35.78</td> <td>12.73</td> <td>60.11</td> <td></td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm	dBm	dBm	dBm	dBm	deg		1	49.70	00	42.38	-31.43	74.00	63.49	34.00	10.24	65.45	300	0	Peak	HORIZONTAL	2	7380.00	42.59	-31.41	74.00	60.19	35.78	12.73	60.11		300	0	Peak	HORIZONTAL	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 44 Plane: Y MEI: Full-directivity PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>49.70</td> <td>00</td> <td>41.23</td> <td>-33.78</td> <td>74.00</td> <td>62.33</td> <td>34.00</td> <td>10.24</td> <td>65.45</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>42.09</td> <td>-31.91</td> <td>74.00</td> <td>59.09</td> <td>35.78</td> <td>12.73</td> <td>66.11</td> <td></td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm	dBm	dBm	dBm	dBm	deg		1	49.70	00	41.23	-33.78	74.00	62.33	34.00	10.24	65.45	100	0	Peak	VERTICAL	2	7380.00	42.09	-31.91	74.00	59.09	35.78	12.73	66.11		100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																			
MHz	dBm	dBm	dBm	dBm	dBm	deg																																																																																				
1	49.70	00	42.38	-31.43	74.00	63.49	34.00	10.24	65.45	300	0	Peak	HORIZONTAL																																																																													
2	7380.00	42.59	-31.41	74.00	60.19	35.78	12.73	60.11		300	0	Peak	HORIZONTAL																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																			
MHz	dBm	dBm	dBm	dBm	dBm	deg																																																																																				
1	49.70	00	41.23	-33.78	74.00	62.33	34.00	10.24	65.45	100	0	Peak	VERTICAL																																																																													
2	7380.00	42.09	-31.91	74.00	59.09	35.78	12.73	66.11		100	0	Peak	VERTICAL																																																																													



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																			
ANT	802.11g CH12 2467MHz																																																																																			
2	Horizontal	Vertical																																																																																		
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FR261401-01 Mode: 40 Plane: Y MEI: Full-directivity PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4935.00</td> <td>40.94</td> <td>-33.06</td> <td>74.00</td> <td>62.02</td> <td>34.00</td> <td>10.37</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>42.52</td> <td>-31.48</td> <td>74.00</td> <td>60.22</td> <td>35.78</td> <td>12.73</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg	1	4935.00	40.94	-33.06	74.00	62.02	34.00	10.37	65.45	300	0 Peak	HORIZONTAL	2	7401.00	42.52	-31.48	74.00	60.22	35.78	12.73	66.21	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FR261401-01 Mode: 40 Plane: Y MEI: Full-directivity PowerRating: 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>40.59</td> <td>-33.41</td> <td>74.00</td> <td>61.67</td> <td>34.00</td> <td>10.37</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7395.00</td> <td>42.71</td> <td>-31.27</td> <td>74.00</td> <td>60.38</td> <td>35.78</td> <td>12.73</td> <td>66.16</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg	1	4934.00	40.59	-33.41	74.00	61.67	34.00	10.37	65.45	100	0 Peak	VERTICAL	2	7395.00	42.71	-31.27	74.00	60.38	35.78	12.73	66.16	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																													
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg																																																																												
1	4935.00	40.94	-33.06	74.00	62.02	34.00	10.37	65.45	300	0 Peak	HORIZONTAL																																																																									
2	7401.00	42.52	-31.48	74.00	60.22	35.78	12.73	66.21	300	0 Peak	HORIZONTAL																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																													
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg																																																																												
1	4934.00	40.59	-33.41	74.00	61.67	34.00	10.37	65.45	100	0 Peak	VERTICAL																																																																									
2	7395.00	42.71	-31.27	74.00	60.38	35.78	12.73	66.16	100	0 Peak	VERTICAL																																																																									

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																			
ANT	802.11g CH13 2472MHz																																																																																			
2	Horizontal	Vertical																																																																																		
Peak Avg.	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FR261401-01 Mode: 40 Plane: Y MEI: Full-directivity PowerRating: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.93</td> <td>-32.07</td> <td>74.00</td> <td>63.00</td> <td>34.00</td> <td>10.39</td> <td>65.46</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.67</td> <td>-31.33</td> <td>74.00</td> <td>60.34</td> <td>35.78</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg	1	4950.00	41.93	-32.07	74.00	63.00	34.00	10.39	65.46	300	0 Peak	HORIZONTAL	2	7416.00	42.67	-31.33	74.00	60.34	35.78	12.76	66.21	300	0 Peak	HORIZONTAL	<p>Site: 030H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FR261401-01 Mode: 40 Plane: Y MEI: Full-directivity PowerRating: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.12</td> <td>-32.88</td> <td>74.00</td> <td>62.19</td> <td>34.00</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.69</td> <td>-31.31</td> <td>74.00</td> <td>60.36</td> <td>35.78</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg	1	4950.00	41.12	-32.88	74.00	62.19	34.00	10.39	65.46	100	0 Peak	VERTICAL	2	7416.00	42.69	-31.31	74.00	60.36	35.78	12.76	66.21	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																													
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg																																																																												
1	4950.00	41.93	-32.07	74.00	63.00	34.00	10.39	65.46	300	0 Peak	HORIZONTAL																																																																									
2	7416.00	42.67	-31.33	74.00	60.34	35.78	12.76	66.21	300	0 Peak	HORIZONTAL																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																													
Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	on	deg																																																																												
1	4950.00	41.12	-32.88	74.00	62.19	34.00	10.39	65.46	100	0 Peak	VERTICAL																																																																									
2	7416.00	42.69	-31.31	74.00	60.36	35.78	12.76	66.21	100	0 Peak	VERTICAL																																																																									



2.4GHz 2400~2483.5MHz---ANT 2
WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																	
ANT	802.11 ax HE20 Full CH01 2412MHz																																																																	
2	Horizontal	Vertical																																																																
Peak Avg.	<p>Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>41.04</td> <td>-32.96</td> <td>74.00</td> <td>62.05</td> <td>34.00</td> <td>10.25</td> <td>65.26</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg		1	4830.00	41.04	-32.96	74.00	62.05	34.00	10.25	65.26	300	0 Peak	HORIZONTAL	<p>Site Condition : 032005-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>RealAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.04</td> <td>-33.96</td> <td>74.00</td> <td>61.17</td> <td>34.00</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg		1	4830.00	40.04	-33.96	74.00	61.17	34.00	10.25	65.38	100	0 Peak	VERTICAL
	Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																										
1	4830.00	41.04	-32.96	74.00	62.05	34.00	10.25	65.26	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	RealAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cn	deg																																																										
1	4830.00	40.04	-33.96	74.00	61.17	34.00	10.25	65.38	100	0 Peak	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11 ax HE20 Full CH06 2437MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 49 Plane: Y MEI: Full-directivity PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>41.17</td> <td>-32.83</td> <td>74.00</td> <td>62.16</td> <td>34.00</td> <td>10.29</td> <td>66.28</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>42.66</td> <td>-31.34</td> <td>74.00</td> <td>60.86</td> <td>35.16</td> <td>12.72</td> <td>66.68</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg	1	4875.00	41.17	-32.83	74.00	62.16	34.00	10.29	66.28	300	0 Peak	HORIZONTAL	2	7305.00	42.66	-31.34	74.00	60.86	35.16	12.72	66.68	300	0 Peak	HORIZONTAL	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 49 Plane: Y MEI: Full-directivity PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>40.20</td> <td>-33.75</td> <td>74.00</td> <td>61.24</td> <td>34.00</td> <td>10.29</td> <td>66.28</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>41.56</td> <td>-32.60</td> <td>74.00</td> <td>59.10</td> <td>35.16</td> <td>12.72</td> <td>66.68</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg	1	4875.00	40.20	-33.75	74.00	61.24	34.00	10.29	66.28	100	0 Peak	VERTICAL	2	7305.00	41.56	-32.60	74.00	59.10	35.16	12.72	66.68	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg																																																																											
1	4875.00	41.17	-32.83	74.00	62.16	34.00	10.29	66.28	300	0 Peak	HORIZONTAL																																																																							
2	7305.00	42.66	-31.34	74.00	60.86	35.16	12.72	66.68	300	0 Peak	HORIZONTAL																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg																																																																											
1	4875.00	40.20	-33.75	74.00	61.24	34.00	10.29	66.28	100	0 Peak	VERTICAL																																																																							
2	7305.00	41.56	-32.60	74.00	59.10	35.16	12.72	66.68	100	0 Peak	VERTICAL																																																																							

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Zone: Jiangsu, China Project: FR261401-01 Mode: 49 Plane: Y MEI: Full-directivity PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4974.00</td> <td>41.88</td> <td>-32.12</td> <td>74.00</td> <td>62.81</td> <td>34.00</td> <td>10.37</td> <td>65.39</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7384.00</td> <td>41.32</td> <td>-32.68</td> <td>74.00</td> <td>59.77</td> <td>35.78</td> <td>12.73</td> <td>66.96</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg	1	4974.00	41.88	-32.12	74.00	62.81	34.00	10.37	65.39	300	0 Peak	HORIZONTAL	2	7384.00	41.32	-32.68	74.00	59.77	35.78	12.73	66.96	300	0 Peak	HORIZONTAL	<p>Site Condition: 030H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL Zone: Jiangsu, China Project: FR261401-01 Mode: 49 Plane: Y MEI: Full-directivity PowerSetting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4974.00</td> <td>41.63</td> <td>-32.47</td> <td>74.00</td> <td>62.64</td> <td>34.00</td> <td>10.37</td> <td>65.39</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7384.00</td> <td>42.32</td> <td>-31.68</td> <td>74.00</td> <td>60.77</td> <td>35.78</td> <td>12.73</td> <td>66.96</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg	1	4974.00	41.63	-32.47	74.00	62.64	34.00	10.37	65.39	100	0 Peak	VERTICAL	2	7384.00	42.32	-31.68	74.00	60.77	35.78	12.73	66.96	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg																																																																											
1	4974.00	41.88	-32.12	74.00	62.81	34.00	10.37	65.39	300	0 Peak	HORIZONTAL																																																																							
2	7384.00	41.32	-32.68	74.00	59.77	35.78	12.73	66.96	300	0 Peak	HORIZONTAL																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																											
Freq	Level	Limit	Level Factor	Loss Factor	dB	dB	on deg																																																																											
1	4974.00	41.63	-32.47	74.00	62.64	34.00	10.37	65.39	100	0 Peak	VERTICAL																																																																							
2	7384.00	42.32	-31.68	74.00	60.77	35.78	12.73	66.96	100	0 Peak	VERTICAL																																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11 ax HE20 Full CH12 2467MHz																																																																																					
2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site Condition : 032H05-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL ESB:1000.000MHz VSW:3000.000MHz SRT:Auto Project : FR261401-01 Mode : CW Plane : Y Full-directivity HE1 : 842 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>42.30</td> <td>-31.70</td> <td>74.00</td> <td>63.23</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7801.00</td> <td>41.60</td> <td>-32.40</td> <td>74.00</td> <td>60.11</td> <td>30.78</td> <td>12.73</td> <td>67.02</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4934.00	42.30	-31.70	74.00	63.23	34.00	10.37	65.30	300	0 Peak	HORIZONTAL	2	7801.00	41.60	-32.40	74.00	60.11	30.78	12.73	67.02	300	0 Peak	HORIZONTAL	<p>Site Condition : 032H05-K5 FCC PART 15C 3m 3117 SN 00218642 VERTICAL ESB:1000.000MHz VSW:3000.000MHz SRT:Auto Project : FR261401-01 Mode : CW Plane : Y Full-directivity HE1 : 842 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>40.70</td> <td>-33.24</td> <td>74.00</td> <td>61.69</td> <td>34.00</td> <td>10.37</td> <td>65.30</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7801.00</td> <td>41.90</td> <td>-32.08</td> <td>74.00</td> <td>60.43</td> <td>30.78</td> <td>12.73</td> <td>67.02</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg	1	4934.00	40.70	-33.24	74.00	61.69	34.00	10.37	65.30	100	0 Peak	VERTICAL	2	7801.00	41.90	-32.08	74.00	60.43	30.78	12.73	67.02	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																														
1	4934.00	42.30	-31.70	74.00	63.23	34.00	10.37	65.30	300	0 Peak	HORIZONTAL																																																																											
2	7801.00	41.60	-32.40	74.00	60.11	30.78	12.73	67.02	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																														
1	4934.00	40.70	-33.24	74.00	61.69	34.00	10.37	65.30	100	0 Peak	VERTICAL																																																																											
2	7801.00	41.90	-32.08	74.00	60.43	30.78	12.73	67.02	100	0 Peak	VERTICAL																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH13 2472MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Mode: 01 Plane: Y Polarization: Full-directivity ME1: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>41.12</td> <td>-32.88</td> <td>74.00</td> <td>62.04</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.46</td> <td>-31.54</td> <td>74.00</td> <td>60.13</td> <td>30.78</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4944.00	41.12	-32.88	74.00	62.04	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7416.00	42.46	-31.54	74.00	60.13	30.78	12.76	66.21	300	0 Peak HORIZONTAL	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Mode: 01 Plane: Y Polarization: Full-directivity ME1: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>40.44</td> <td>-33.56</td> <td>74.00</td> <td>61.71</td> <td>34.00</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.97</td> <td>-32.03</td> <td>74.00</td> <td>60.45</td> <td>30.78</td> <td>12.76</td> <td>67.02</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4944.00	40.44	-33.56	74.00	61.71	34.00	10.39	65.46	100	0 Peak VERTICAL	2	7416.00	41.97	-32.03	74.00	60.45	30.78	12.76	67.02	100	0 Peak VERTICAL
	ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4944.00	41.12	-32.88	74.00	62.04	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7416.00	42.46	-31.54	74.00	60.13	30.78	12.76	66.21	300	0 Peak HORIZONTAL																																																																																
ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4944.00	40.44	-33.56	74.00	61.71	34.00	10.39	65.46	100	0 Peak VERTICAL																																																																																
2	7416.00	41.97	-32.03	74.00	60.45	30.78	12.76	67.02	100	0 Peak VERTICAL																																																																																
	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Mode: 01 Plane: Y Polarization: Full-directivity ME1: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>41.12</td> <td>-32.88</td> <td>74.00</td> <td>62.04</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.46</td> <td>-31.54</td> <td>74.00</td> <td>60.13</td> <td>30.78</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4944.00	41.12	-32.88	74.00	62.04	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7416.00	42.46	-31.54	74.00	60.13	30.78	12.76	66.21	300	0 Peak HORIZONTAL	<p>Site: 032H05-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project: FSR 1000 000000 VSR 3000 000000 SRT-Auto Mode: 01 Plane: Y Polarization: Full-directivity ME1: 842 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>ME1</th> <th>PowerSetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>40.44</td> <td>-33.56</td> <td>74.00</td> <td>61.71</td> <td>34.00</td> <td>10.39</td> <td>65.46</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>41.97</td> <td>-32.03</td> <td>74.00</td> <td>60.45</td> <td>30.78</td> <td>12.76</td> <td>67.02</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4944.00	40.44	-33.56	74.00	61.71	34.00	10.39	65.46	100	0 Peak VERTICAL	2	7416.00	41.97	-32.03	74.00	60.45	30.78	12.76	67.02	100	0 Peak VERTICAL
ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4944.00	41.12	-32.88	74.00	62.04	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7416.00	42.46	-31.54	74.00	60.13	30.78	12.76	66.21	300	0 Peak HORIZONTAL																																																																																
ME1	PowerSetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																		
1	4944.00	40.44	-33.56	74.00	61.71	34.00	10.39	65.46	100	0 Peak VERTICAL																																																																																
2	7416.00	41.97	-32.03	74.00	60.45	30.78	12.76	67.02	100	0 Peak VERTICAL																																																																																



Worse-Mode with Keyboard

2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH13 2472MHz																																																											
2	Horizontal	Fundamental																																																										
Peak	<p>Site Condition: 0320HS-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: RSM 1000.000KHz Y5W 0.010KHz SRT Auto Mode: 05 Plane: Full-directivity IRE1: #42 Powerstting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.98</td> <td>57.21</td> <td>-16.79</td> <td>74.00</td> <td>54.64</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>273</td> <td>188</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2483.98	57.21	-16.79	74.00	54.64	32.34	7.25	37.02	273	188	Peak	HORIZONTAL	<p>Site Condition: 0320HS-K5 Condition: FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project: RSM 1000.000KHz Y5W 0.010KHz SRT Auto Mode: 05 Plane: Full-directivity IRE1: #42 Powerstting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>101.25</td> <td>27.25</td> <td>74.00</td> <td>98.68</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>273</td> <td>188</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2474.00	101.25	27.25	74.00	98.68	32.34	7.25	37.02	273	188	Peak	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2483.98	57.21	-16.79	74.00	54.64	32.34	7.25	37.02	273	188	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2474.00	101.25	27.25	74.00	98.68	32.34	7.25	37.02	273	188	Peak	HORIZONTAL																																																
Avg.	<p>Site Condition: 0320HS-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Project: RSM 1000.000KHz Y5W 0.010KHz SRT Auto Mode: 05 Plane: Full-directivity IRE1: #42 Powerstting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>48.18</td> <td>-5.82</td> <td>54.00</td> <td>45.61</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>273</td> <td>188</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2484.16	48.18	-5.82	54.00	45.61	32.34	7.25	37.02	273	188	Average	HORIZONTAL	<p>Site Condition: 0320HS-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Project: RSM 1000.000KHz Y5W 0.010KHz SRT Auto Mode: 05 Plane: Full-directivity IRE1: #42 Powerstting: 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>93.90</td> <td>39.90</td> <td>54.00</td> <td>91.36</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>273</td> <td>188</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	2472.00	93.90	39.90	54.00	91.36	32.34	7.22	37.02	273	188	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2484.16	48.18	-5.82	54.00	45.61	32.34	7.25	37.02	273	188	Average	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																					
1	2472.00	93.90	39.90	54.00	91.36	32.34	7.22	37.02	273	188	Average	HORIZONTAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11g CH13 2472MHz																																																																	
2	Vertical	Fundamental																																																																
Peak	<p>Site: 032805-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz SMT: Auto Project: FR261401-01 Mode: 65 Plane: Y MEI: Full-directivity PowerSetting: #42</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.22</td> <td>54.59</td> <td>-19.41</td> <td>74.00</td> <td>52.02</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>338</td> <td>221 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	54.59	-19.41	74.00	52.02	32.34	7.25	37.02	338	221 Peak	VERTICAL	<p>Site: 032805-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz SMT: Auto Project: FR261401-01 Mode: 65 Plane: Y MEI: Full-directivity PowerSetting: #42</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>96.18</td> <td>22.18</td> <td>74.00</td> <td>93.64</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>338</td> <td>221 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	96.18	22.18	74.00	93.64	32.34	7.22	37.02	338	221 Peak	VERTICAL
	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2484.22	54.59	-19.41	74.00	52.02	32.34	7.25	37.02	338	221 Peak	VERTICAL																																																							
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2472.00	96.18	22.18	74.00	93.64	32.34	7.22	37.02	338	221 Peak	VERTICAL																																																							
Avg.	<p>Site: 032805-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL RSM: 1000.000kHz VBW: 0.010kHz SMT: Auto Project: FR261401-01 Mode: 65 Plane: Y MEI: Full-directivity PowerSetting: #42</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.22</td> <td>45.48</td> <td>-8.52</td> <td>54.00</td> <td>42.91</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>338</td> <td>221 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	45.48	-8.52	54.00	42.91	32.34	7.25	37.02	338	221 Average	VERTICAL	<p>Site: 032805-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL RSM: 1000.000kHz VBW: 0.010kHz SMT: Auto Project: FR261401-01 Mode: 65 Plane: Y MEI: Full-directivity PowerSetting: #42</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>89.22</td> <td>35.22</td> <td>54.00</td> <td>86.48</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>338</td> <td>221 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	89.22	35.22	54.00	86.48	32.34	7.22	37.02	338	221 Average	VERTICAL
	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2484.22	45.48	-8.52	54.00	42.91	32.34	7.25	37.02	338	221 Average	VERTICAL																																																							
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2472.00	89.22	35.22	54.00	86.48	32.34	7.22	37.02	338	221 Average	VERTICAL																																																							



Worse-Mode wirh Keyboard

2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH13 2472MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : ESR-1000-0008U-V08-3000-0008U-SBT-Auto Mode : 45 Plane : Y Full-directivity IME1 : #42 Powerstting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.93</td> <td>-32.07</td> <td>74.00</td> <td>62.85</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.67</td> <td>-31.33</td> <td>74.00</td> <td>60.34</td> <td>35.78</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg			1	4950.00	41.93	-32.07	74.00	62.85	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7416.00	42.67	-31.33	74.00	60.34	35.78	12.76	66.21	300	0 Peak HORIZONTAL	<p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : ESR-1000-0008U-V08-3000-0008U-SBT-Auto Mode : 45 Plane : Y Full-directivity IME1 : #42 Powerstting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.17</td> <td>-32.88</td> <td>74.00</td> <td>62.84</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.67</td> <td>-31.33</td> <td>74.00</td> <td>60.36</td> <td>35.78</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg			1	4950.00	41.17	-32.88	74.00	62.84	34.00	10.39	65.31	100	0 Peak VERTICAL	2	7416.00	42.67	-31.33	74.00	60.36	35.78	12.76	66.21	100	0 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg																																																																																		
1	4950.00	41.93	-32.07	74.00	62.85	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7416.00	42.67	-31.33	74.00	60.34	35.78	12.76	66.21	300	0 Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg																																																																																		
1	4950.00	41.17	-32.88	74.00	62.84	34.00	10.39	65.31	100	0 Peak VERTICAL																																																																																
2	7416.00	42.67	-31.33	74.00	60.36	35.78	12.76	66.21	100	0 Peak VERTICAL																																																																																
	<p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : ESR-1000-0008U-V08-3000-0008U-SBT-Auto Mode : 45 Plane : Y Full-directivity IME1 : #42 Powerstting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.93</td> <td>-32.07</td> <td>74.00</td> <td>62.85</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.67</td> <td>-31.33</td> <td>74.00</td> <td>60.34</td> <td>35.78</td> <td>12.76</td> <td>66.21</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg			1	4950.00	41.93	-32.07	74.00	62.85	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7416.00	42.67	-31.33	74.00	60.34	35.78	12.76	66.21	300	0 Peak HORIZONTAL	<p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 SN 00218642 VERTICAL Project : ESR-1000-0008U-V08-3000-0008U-SBT-Auto Mode : 45 Plane : Y Full-directivity IME1 : #42 Powerstting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>41.17</td> <td>-32.88</td> <td>74.00</td> <td>62.84</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.67</td> <td>-31.33</td> <td>74.00</td> <td>60.36</td> <td>35.78</td> <td>12.76</td> <td>66.21</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg			1	4950.00	41.17	-32.88	74.00	62.84	34.00	10.39	65.31	100	0 Peak VERTICAL	2	7416.00	42.67	-31.33	74.00	60.36	35.78	12.76	66.21	100	0 Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg																																																																																		
1	4950.00	41.93	-32.07	74.00	62.85	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7416.00	42.67	-31.33	74.00	60.34	35.78	12.76	66.21	300	0 Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBV/m	dB	dBV/m	dB	dB	dB	ca	deg																																																																																		
1	4950.00	41.17	-32.88	74.00	62.84	34.00	10.39	65.31	100	0 Peak VERTICAL																																																																																
2	7416.00	42.67	-31.33	74.00	60.36	35.78	12.76	66.21	100	0 Peak VERTICAL																																																																																



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																											
ANT	802.11g LF																																																																																																																																																											
2	Horizontal	Vertical																																																																																																																																																										
QP / Peak	<p>Site Condition: 032105-ES FCC PART 15C 3e CB6111D SN2188 HORIZONTAL RRE 100.00000V VSW 300.00000z DBT Auto Project: (FR)261401-01 Plane: 4e Full-directivity IME1: #2 Powersetting: 1.7</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>RealAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr><td>1</td><td>49.40</td><td>21.80</td><td>-18.20</td><td>40.00</td><td>38.98</td><td>14.69</td><td>1.05</td><td>32.92</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>2</td><td>88.20</td><td>23.55</td><td>-19.95</td><td>43.50</td><td>40.19</td><td>14.78</td><td>1.62</td><td>32.84</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>3</td><td>153.19</td><td>26.73</td><td>-16.77</td><td>43.30</td><td>41.37</td><td>16.36</td><td>1.87</td><td>32.87</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>4</td><td>232.84</td><td>26.55</td><td>-16.45</td><td>46.00</td><td>37.54</td><td>19.21</td><td>2.61</td><td>32.81</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>5</td><td>689.60</td><td>27.58</td><td>-16.32</td><td>46.00</td><td>31.48</td><td>25.23</td><td>4.02</td><td>33.05</td><td>---</td><td>Peak HORIZONTAL</td></tr> <tr><td>6</td><td>832.19</td><td>35.20</td><td>-10.70</td><td>46.00</td><td>36.94</td><td>26.47</td><td>4.40</td><td>32.51</td><td>---</td><td>Peak HORIZONTAL</td></tr> </tbody> </table>	Line	Freq MHz	Level dBuV/m	Over Limit	RealAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	1	49.40	21.80	-18.20	40.00	38.98	14.69	1.05	32.92	---	Peak HORIZONTAL	2	88.20	23.55	-19.95	43.50	40.19	14.78	1.62	32.84	---	Peak HORIZONTAL	3	153.19	26.73	-16.77	43.30	41.37	16.36	1.87	32.87	---	Peak HORIZONTAL	4	232.84	26.55	-16.45	46.00	37.54	19.21	2.61	32.81	---	Peak HORIZONTAL	5	689.60	27.58	-16.32	46.00	31.48	25.23	4.02	33.05	---	Peak HORIZONTAL	6	832.19	35.20	-10.70	46.00	36.94	26.47	4.40	32.51	---	Peak HORIZONTAL	<p>Site Condition: 032105-ES FCC PART 15C 3e CB6111D SN2188 VERTICAL RRE 100.00000V VSW 300.00000z DBT Auto Project: (FR)261401-01 Plane: 4e Full-directivity IME1: #2 Powersetting: 1.7</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>RealAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>33.77</td><td>-6.28</td><td>40.00</td><td>41.93</td><td>24.97</td><td>0.71</td><td>32.99</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>2</td><td>51.34</td><td>35.23</td><td>-5.07</td><td>40.00</td><td>33.92</td><td>14.15</td><td>1.07</td><td>32.91</td><td>100</td><td>Peak VERTICAL</td></tr> <tr><td>3</td><td>87.23</td><td>30.72</td><td>-9.28</td><td>40.00</td><td>47.56</td><td>14.58</td><td>1.42</td><td>32.84</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>4</td><td>134.76</td><td>29.46</td><td>-15.90</td><td>43.50</td><td>44.56</td><td>16.62</td><td>1.76</td><td>32.84</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>5</td><td>223.91</td><td>21.01</td><td>-24.93</td><td>46.00</td><td>31.35</td><td>19.85</td><td>2.74</td><td>32.87</td><td>---</td><td>Peak VERTICAL</td></tr> <tr><td>6</td><td>559.27</td><td>27.09</td><td>-18.91</td><td>46.00</td><td>31.51</td><td>25.58</td><td>3.64</td><td>33.10</td><td>---</td><td>Peak VERTICAL</td></tr> </tbody> </table>	Line	Freq MHz	Level dBuV/m	Over Limit	RealAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	1	30.97	33.77	-6.28	40.00	41.93	24.97	0.71	32.99	---	Peak VERTICAL	2	51.34	35.23	-5.07	40.00	33.92	14.15	1.07	32.91	100	Peak VERTICAL	3	87.23	30.72	-9.28	40.00	47.56	14.58	1.42	32.84	---	Peak VERTICAL	4	134.76	29.46	-15.90	43.50	44.56	16.62	1.76	32.84	---	Peak VERTICAL	5	223.91	21.01	-24.93	46.00	31.35	19.85	2.74	32.87	---	Peak VERTICAL	6	559.27	27.09	-18.91	46.00	31.51	25.58	3.64	33.10	---	Peak VERTICAL
	Line	Freq MHz	Level dBuV/m	Over Limit	RealAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																																																	
1	49.40	21.80	-18.20	40.00	38.98	14.69	1.05	32.92	---	Peak HORIZONTAL																																																																																																																																																		
2	88.20	23.55	-19.95	43.50	40.19	14.78	1.62	32.84	---	Peak HORIZONTAL																																																																																																																																																		
3	153.19	26.73	-16.77	43.30	41.37	16.36	1.87	32.87	---	Peak HORIZONTAL																																																																																																																																																		
4	232.84	26.55	-16.45	46.00	37.54	19.21	2.61	32.81	---	Peak HORIZONTAL																																																																																																																																																		
5	689.60	27.58	-16.32	46.00	31.48	25.23	4.02	33.05	---	Peak HORIZONTAL																																																																																																																																																		
6	832.19	35.20	-10.70	46.00	36.94	26.47	4.40	32.51	---	Peak HORIZONTAL																																																																																																																																																		
Line	Freq MHz	Level dBuV/m	Over Limit	RealAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																																																		
1	30.97	33.77	-6.28	40.00	41.93	24.97	0.71	32.99	---	Peak VERTICAL																																																																																																																																																		
2	51.34	35.23	-5.07	40.00	33.92	14.15	1.07	32.91	100	Peak VERTICAL																																																																																																																																																		
3	87.23	30.72	-9.28	40.00	47.56	14.58	1.42	32.84	---	Peak VERTICAL																																																																																																																																																		
4	134.76	29.46	-15.90	43.50	44.56	16.62	1.76	32.84	---	Peak VERTICAL																																																																																																																																																		
5	223.91	21.01	-24.93	46.00	31.35	19.85	2.74	32.87	---	Peak VERTICAL																																																																																																																																																		
6	559.27	27.09	-18.91	46.00	31.51	25.58	3.64	33.10	---	Peak VERTICAL																																																																																																																																																		



Co-Location

2.4GH WIFI 802.11g & BLE—2Mbps BLE BLE—2Mbps (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	BLE CH39 2480MHZ																																																											
1	Horizontal	Fundamental																																																										
Peak	<p>Site Condition: 032005-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RBM 1000.000KHz YBW 3000.000KHz SRT Auto Project: (FR)261401-01 Mode: 40 Plane: Y Full-directivity IME1: #42 #51</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2484.10</td> <td>58.87</td> <td>-15.13</td> <td>74.00</td> <td>56.30</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>202</td> <td>135 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg		1 2484.10	58.87	-15.13	74.00	56.30	32.34	7.25	37.02	202	135 Peak	HORIZONTAL	<p>Site Condition: 032005-K5 FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL RBM 1000.000KHz YBW 3000.000KHz SRT Auto Project: (FR)261401-01 Mode: 40 Plane: Y Full-directivity IME1: #42 #51</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>101.36</td> <td>27.36</td> <td>74.00</td> <td>98.79</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>202</td> <td>135 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg		1 * 2480.00	101.36	27.36	74.00	98.79	32.34	7.25	37.02	202	135 Peak	HORIZONTAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																					
1 2484.10	58.87	-15.13	74.00	56.30	32.34	7.25	37.02	202	135 Peak	HORIZONTAL																																																		
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																					
1 * 2480.00	101.36	27.36	74.00	98.79	32.34	7.25	37.02	202	135 Peak	HORIZONTAL																																																		
Avg.	<p>Site Condition: 032005-K5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RBM 1000.000KHz YBW 1.000KHz SRT Auto Project: (FR)261401-01 Mode: 40 Plane: Y Full-directivity IME1: #42 #51</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1 2484.22</td> <td>50.58</td> <td>-3.42</td> <td>54.00</td> <td>48.01</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>202</td> <td>135 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg		1 1 2484.22	50.58	-3.42	54.00	48.01	32.34	7.25	37.02	202	135 Average	HORIZONTAL	<p>Site Condition: 032005-K5 FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL RBM 1000.000KHz YBW 1.000KHz SRT Auto Project: (FR)261401-01 Mode: 40 Plane: Y Full-directivity IME1: #42 #51</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>93.97</td> <td>39.97</td> <td>54.00</td> <td>91.40</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>202</td> <td>135 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg		1 * 2480.00	93.97	39.97	54.00	91.40	32.34	7.25	37.02	202	135 Average	HORIZONTAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																					
1 1 2484.22	50.58	-3.42	54.00	48.01	32.34	7.25	37.02	202	135 Average	HORIZONTAL																																																		
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																					
1 * 2480.00	93.97	39.97	54.00	91.40	32.34	7.25	37.02	202	135 Average	HORIZONTAL																																																		



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	BLE CH39 2480MHZ																																																																					
1	Vertical	Fundamental																																																																				
Peak	<p>Site: 032905-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL Project: RSR-1000-0000Hz VSR-3000-0000Hz SRT-Auto Mode: FR261401-01 Plane: 45 Polarization: Full-directivity IME1: #42 #87</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>49.24</td> <td>-24.76</td> <td>74.00</td> <td>46.67</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>387</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	2484.10	49.24	-24.76	74.00	46.67	32.34	7.25	37.02	387	87 Peak	VERTICAL	<p>Site: 032905-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL Project: RSR-1000-0000Hz VSR-3000-0000Hz SRT-Auto Mode: FR261401-01 Plane: 45 Polarization: Full-directivity IME1: #42 #87</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.54</td> <td>23.54</td> <td>74.00</td> <td>94.97</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>387</td> <td>87 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	2480.00	97.54	23.54	74.00	94.97	32.34	7.25	37.02	387	87 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	2484.10	49.24	-24.76	74.00	46.67	32.34	7.25	37.02	387	87 Peak	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	2480.00	97.54	23.54	74.00	94.97	32.34	7.25	37.02	387	87 Peak	VERTICAL																																																											
Avg.	<p>Site: 032905-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL Project: RSR-1000-0000Hz VSR-1.0000Hz SRT-Auto Mode: FR261401-01 Plane: 45 Polarization: Full-directivity IME1: #42 #87</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>39.84</td> <td>-14.16</td> <td>54.00</td> <td>37.27</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>387</td> <td>87 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	2484.10	39.84	-14.16	54.00	37.27	32.34	7.25	37.02	387	87 Average	VERTICAL	<p>Site: 032905-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL Project: RSR-1000-0000Hz VSR-1.0000Hz SRT-Auto Mode: FR261401-01 Plane: 45 Polarization: Full-directivity IME1: #42 #87</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.32</td> <td>42.32</td> <td>54.00</td> <td>93.75</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>387</td> <td>87 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	2480.00	96.32	42.32	54.00	93.75	32.34	7.25	37.02	387	87 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	2484.10	39.84	-14.16	54.00	37.27	32.34	7.25	37.02	387	87 Average	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																													
1	2480.00	96.32	42.32	54.00	93.75	32.34	7.25	37.02	387	87 Average	VERTICAL																																																											



BLE—2Mbps (Harmonic @ 3m)





BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	BLE CH39 2480MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.5N 00218642 HORIZONTAL Project : RSM 1000.000MHz VSW: 3000.000MHz SMT: Auto Mode : 40 Plane : T Full-directivity : F IMEI : 842</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.32</td> <td>-33.68</td> <td>74.00</td> <td>61.23</td> <td>34.00</td> <td>10.41</td> <td>65.32</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7450.00</td> <td>42.22</td> <td>-31.78</td> <td>74.00</td> <td>60.78</td> <td>35.79</td> <td>12.79</td> <td>61.14</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4965.00	40.32	-33.68	74.00	61.23	34.00	10.41	65.32	300	0 Peak	HORIZONTAL	2	7450.00	42.22	-31.78	74.00	60.78	35.79	12.79	61.14	300	0 Peak	HORIZONTAL	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.5N 00218642 VERTICAL Project : RSM 1000.000MHz VSW: 3000.000MHz SMT: Auto Mode : 40 Plane : T Full-directivity : F IMEI : 842</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.98</td> <td>-33.02</td> <td>74.00</td> <td>61.89</td> <td>34.00</td> <td>10.41</td> <td>65.32</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7450.00</td> <td>41.67</td> <td>-32.33</td> <td>74.00</td> <td>60.23</td> <td>35.79</td> <td>12.79</td> <td>61.14</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4965.00	40.98	-33.02	74.00	61.89	34.00	10.41	65.32	100	0 Peak	VERTICAL	2	7450.00	41.67	-32.33	74.00	60.23	35.79	12.79	61.14	100	0 Peak	VERTICAL
IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4965.00	40.32	-33.68	74.00	61.23	34.00	10.41	65.32	300	0 Peak	HORIZONTAL																																																																																							
2	7450.00	42.22	-31.78	74.00	60.78	35.79	12.79	61.14	300	0 Peak	HORIZONTAL																																																																																							
IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4965.00	40.98	-33.02	74.00	61.89	34.00	10.41	65.32	100	0 Peak	VERTICAL																																																																																							
2	7450.00	41.67	-32.33	74.00	60.23	35.79	12.79	61.14	100	0 Peak	VERTICAL																																																																																							



WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH13 2472MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : FR261401-01 Plane : 40 Full-directivity : F IME1 : R42</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>IME2</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>57.85</td> <td>-16.15</td> <td>74.00</td> <td>55.28</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>229</td> <td>135 Peak</td> </tr> </tbody> </table>	IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2484.10	57.85	-16.15	74.00	55.28	32.34	7.25	37.02	229	135 Peak	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000MHz YBR 3000.000MHz SMT Auto Mode : FR261401-01 Plane : 40 Full-directivity : F IME1 : R42</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>IME2</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>101.67</td> <td>27.67</td> <td>74.00</td> <td>99.10</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>229</td> <td>135 Peak</td> </tr> </tbody> </table>	IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2474.00	101.67	27.67	74.00	99.10	32.34	7.25	37.02	229	135 Peak
IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2484.10	57.85	-16.15	74.00	55.28	32.34	7.25	37.02	229	135 Peak																																																										
IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2474.00	101.67	27.67	74.00	99.10	32.34	7.25	37.02	229	135 Peak																																																										
Avg.	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000MHz YBR 3.750MHz SMT Auto Mode : FR261401-01 Plane : 40 Full-directivity : F IME1 : R42</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>IME2</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.22</td> <td>49.42</td> <td>-4.58</td> <td>54.00</td> <td>46.85</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>229</td> <td>135 Average</td> </tr> </tbody> </table>	IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2484.22	49.42	-4.58	54.00	46.85	32.34	7.25	37.02	229	135 Average	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218642 HORIZONTAL Project : RSM 1000.000MHz YBR 3.750MHz SMT Auto Mode : FR261401-01 Plane : 40 Full-directivity : F IME1 : R42</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>IME2</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>94.14</td> <td>40.14</td> <td>54.00</td> <td>91.60</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>229</td> <td>135 Average</td> </tr> </tbody> </table>	IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2472.00	94.14	40.14	54.00	91.60	32.34	7.22	37.02	229	135 Average
IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2484.22	49.42	-4.58	54.00	46.85	32.34	7.25	37.02	229	135 Average																																																										
IME1	IME2	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2472.00	94.14	40.14	54.00	91.60	32.34	7.22	37.02	229	135 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11g CH13 2472MHz																																																																			
2	Vertical	Fundamental																																																																		
<p>Peak</p>	 <p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL Project: R88-1000-0000Hz VBR-0.000Hz SMT-Auto Mode: 40 Plane: T Full-directivity: Y IMEI: #42</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2484.10</td> <td>54.04</td> <td>-19.96</td> <td>74.00</td> <td>51.47</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>119</td> <td>148 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 2484.10	54.04	-19.96	74.00	51.47	32.34	7.25	37.02	119	148 Peak	VERTICAL	 <p>Site: 032005-K5 Condition: FCC PART 15C 3m 3117 SN 00218643 VERTICAL Project: R88-1000-0000Hz VBR-0.000Hz SMT-Auto Mode: 40 Plane: T Full-directivity: Y IMEI: #42</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2468.00</td> <td>97.34</td> <td>23.34</td> <td>74.00</td> <td>94.68</td> <td>32.34</td> <td>7.22</td> <td>36.92</td> <td>119</td> <td>148 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 2468.00	97.34	23.34	74.00	94.68	32.34	7.22	36.92	119	148 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 * 2484.10	54.04	-19.96	74.00	51.47	32.34	7.25	37.02	119	148 Peak	VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 * 2468.00	97.34	23.34	74.00	94.68	32.34	7.22	36.92	119	148 Peak	VERTICAL																																																										
<p>Avg.</p>	 <p>Site: 032005-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL Project: R88-1000-0000Hz VBR-0.7500Hz SMT-Auto Mode: 40 Plane: T Full-directivity: Y IMEI: #42</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2484.16</td> <td>44.97</td> <td>-9.03</td> <td>54.00</td> <td>42.40</td> <td>32.34</td> <td>7.25</td> <td>37.02</td> <td>119</td> <td>148 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 2484.16	44.97	-9.03	54.00	42.40	32.34	7.25	37.02	119	148 Average	VERTICAL	 <p>Site: 032005-K5 Condition: FCC PART 15C (AVG) 3m 3117 SN 00218643 VERTICAL Project: R88-1000-0000Hz VBR-0.7500Hz SMT-Auto Mode: 40 Plane: T Full-directivity: Y IMEI: #42</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2472.00</td> <td>90.75</td> <td>36.75</td> <td>54.00</td> <td>88.21</td> <td>32.34</td> <td>7.22</td> <td>37.02</td> <td>119</td> <td>148 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 2472.00	90.75	36.75	54.00	88.21	32.34	7.22	37.02	119	148 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 * 2484.16	44.97	-9.03	54.00	42.40	32.34	7.25	37.02	119	148 Average	VERTICAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 * 2472.00	90.75	36.75	54.00	88.21	32.34	7.22	37.02	119	148 Average	VERTICAL																																																										




WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH13 2472MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117 5N 00218642 HORIZONTAL Project : RSM 1000.000MHz VSW: 3000.000MHz SMT: Auto Mode : 40 Plane : T Full-directivity : F IMEI : 842</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>42.86</td> <td>-31.14</td> <td>74.00</td> <td>63.78</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7410.00</td> <td>42.04</td> <td>-31.96</td> <td>74.00</td> <td>60.55</td> <td>35.78</td> <td>12.73</td> <td>65.02</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4950.00	42.86	-31.14	74.00	63.78	34.00	10.39	65.31	300	0 Peak HORIZONTAL	2	7410.00	42.04	-31.96	74.00	60.55	35.78	12.73	65.02	300	0 Peak HORIZONTAL	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117 5N 00218642 VERTICAL Project : RSM 1000.000MHz VSW: 3000.000MHz SMT: Auto Mode : 40 Plane : T Full-directivity : F IMEI : 842</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4950.00</td> <td>42.20</td> <td>-31.80</td> <td>74.00</td> <td>63.12</td> <td>34.00</td> <td>10.39</td> <td>65.31</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>42.09</td> <td>-31.91</td> <td>74.00</td> <td>60.51</td> <td>35.78</td> <td>12.76</td> <td>67.02</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4950.00	42.20	-31.80	74.00	63.12	34.00	10.39	65.31	100	0 Peak VERTICAL	2	7416.00	42.09	-31.91	74.00	60.51	35.78	12.76	67.02	100	0 Peak VERTICAL
IMEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1	4950.00	42.86	-31.14	74.00	63.78	34.00	10.39	65.31	300	0 Peak HORIZONTAL																																																																																
2	7410.00	42.04	-31.96	74.00	60.55	35.78	12.73	65.02	300	0 Peak HORIZONTAL																																																																																
IMEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1	4950.00	42.20	-31.80	74.00	63.12	34.00	10.39	65.31	100	0 Peak VERTICAL																																																																																
2	7416.00	42.09	-31.91	74.00	60.51	35.78	12.76	67.02	100	0 Peak VERTICAL																																																																																

Appendix E. Duty Cycle Plots


Ant	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1	802.11b	100	-	-	10Hz
1	802.11g	97.46	1.391	0.719	0.75KHz
1	802.11ax HE20	99.44	-	-	10Hz
2	802.11b	100	-	-	10Hz
2	802.11g	97.46	1.3913	0.719	0.75KHz
2	802.11ax HE20	99.44	-	-	10Hz
2	802.11ax HE20-RU26	64.52	0.580	1.725	1.8KHz
2	802.11ax HE20-RU52	50.44	0.330	3.026	3.3KHz
2	802.11ax HE20-RU106	52.31	0.197	5.074	5.6KHz

802.11b-Ant 1






802.11b-Ant 2






802.11g-Ant 1




802.11g-Ant 2






802.11ax HE20-Ant 1




802.11ax HE20-Ant 2






802.11ax HE20-RU26-Ant 2



802.11ax HE20-RU52-Ant 2





802.11ax HE20-RU106-Ant 2

