





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Full CH62 5310 - R														
2	Horizontal	Fundamental													
<p><b>Peak</b></p>	 <p>Site : 03280a-K3            Condition : 5G BAND 1-3 @ 3m 3117 SN 00218652- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto            FR261401-01            Mode : 126            Plane : 3            Full-directivity : 441            IMEI : 841            Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5354.30</th> <th>61.94</th> <th>-12.06</th> <th>74.00</th> <th>49.31</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>400</th> <th>285</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5354.30	61.94	-12.06	74.00	49.31	34.65	0.91	31.93	400	285	Peak	HORIZONTAL	<p>Left blank</p>
1	5354.30	61.94	-12.06	74.00	49.31	34.65	0.91	31.93	400	285	Peak	HORIZONTAL			
<p><b>Avg.</b></p>	 <p>Site : 03280a-K3            Condition : 5G BAND 1-3 (AVG) @ 3m 3117 SN 00218652- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:0.0100MHz; SFT:Auto            FR261401-01            Mode : 126            Plane : 3            Full-directivity : 441            IMEI : 841            Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.00</th> <th>45.28</th> <th>-8.72</th> <th>54.00</th> <th>32.65</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>400</th> <th>285</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5350.00	45.28	-8.72	54.00	32.65	34.65	0.91	31.93	400	285	Average	HORIZONTAL	<p>Left blank</p>
1	5350.00	45.28	-8.72	54.00	32.65	34.65	0.91	31.93	400	285	Average	HORIZONTAL			



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE40 Full CH62 5310 - L																																																																						
2	Vertical	Fundamental																																																																					
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 3000, 000MHz; SRT Auto FR261401-01 Mode : 126 Plane : 2 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5106.56</td> <td>53.71</td> <td>-20.29</td> <td>74.00</td> <td>41.63</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>287</td> <td>230 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1 5106.56	53.71	-20.29	74.00	41.63	34.10	9.76	31.78	287	230 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 3000, 000MHz; SRT Auto FR261401-01 Mode : 126 Plane : 2 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5314.00</td> <td>107.79</td> <td>39.49</td> <td>68.30</td> <td>95.25</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>287</td> <td>230 Peak VERTICAL</td> </tr> <tr> <td>2 5314.00</td> <td>100.14</td> <td>-----</td> <td>67.60</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>287</td> <td>230 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1 5314.00	107.79	39.49	68.30	95.25	34.55	9.89	31.90	287	230 Peak VERTICAL	2 5314.00	100.14	-----	67.60	34.55	9.89	31.90	287	230 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																
1 5106.56	53.71	-20.29	74.00	41.63	34.10	9.76	31.78	287	230 Peak VERTICAL																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																
1 5314.00	107.79	39.49	68.30	95.25	34.55	9.89	31.90	287	230 Peak VERTICAL																																																														
2 5314.00	100.14	-----	67.60	34.55	9.89	31.90	287	230 Average VERTICAL																																																															
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 0, 0100MHz; SRT Auto FR261401-01 Mode : 126 Plane : 2 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5118.72</td> <td>42.81</td> <td>-11.19</td> <td>54.00</td> <td>30.74</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>287</td> <td>230 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1 5118.72	42.81	-11.19	54.00	30.74	34.10	9.76	31.79	287	230 Average VERTICAL	<p><b>Left blank</b></p>																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																
1 5118.72	42.81	-11.19	54.00	30.74	34.10	9.76	31.79	287	230 Average VERTICAL																																																														



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																						
ANT	802.11ax HE40 Full CH62 5310 - R																																						
2	Vertical	Fundamental																																					
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT: Auto FR261401-01 Mode : 126 Plane : 3 Full-directivity IMEI : 843 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.30</td> <td>67.11</td> <td>-6.89</td> <td>74.00</td> <td>64.48</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>287</td> <td>230</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	1	5355.30	67.11	-6.89	74.00	64.48	34.65	0.91	31.93	287	230	Peak	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Limit	Level Factor	Loss Factor																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																
1	5355.30	67.11	-6.89	74.00	64.48	34.65	0.91	31.93	287	230	Peak	VERTICAL																											
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL Project : RBW:1000, 000MHz; VBW:0.0100MHz; SFT: Auto FR261401-01 Mode : 126 Plane : 3 Full-directivity IMEI : 843 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.40</td> <td>50.85</td> <td>-3.15</td> <td>54.00</td> <td>38.22</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>287</td> <td>230</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	1	5350.40	50.85	-3.15	54.00	38.22	34.65	0.91	31.93	287	230	Average	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Limit	Level Factor	Loss Factor																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																
1	5350.40	50.85	-3.15	54.00	38.22	34.65	0.91	31.93	287	230	Average	VERTICAL																											






**UNII-2A 5250~5350MHz**  
**WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - L																																																																																								
2	Horizontal	Fundamental																																																																																							
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 122            Plane : X            IME1 : Full-directivity            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>IME1</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.80</td> <td>53.36</td> <td>-20.64</td> <td>74.00</td> <td>41.28</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>345</td> <td>310</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level	Factor	Loss	Factor	Loss	IME1	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	1	5116.80	53.36	-20.64	74.00	41.28	34.10	9.76	31.78	345	310	Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 122            Plane : X            IME1 : Full-directivity            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>IME1</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5254.00</td> <td>95.35</td> <td>-27.05</td> <td>68.30</td> <td>83.06</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>345</td> <td>310</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>88.87</td> <td></td> <td></td> <td>76.58</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>345</td> <td>310</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level	Factor	Loss	Factor	Loss	IME1	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	1	5254.00	95.35	-27.05	68.30	83.06	34.30	9.86	31.87	345	310	Peak	HORIZONTAL	2	5254.00	88.87			76.58	34.30	9.86	31.87	345	310	Average	HORIZONTAL
IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
IME1	Level	Line	Level	Factor	Loss	Factor	Loss																																																																																		
IME1	dBuV/m	dB	dBuV/m	dB	dB	dB	dB																																																																																		
1	5116.80	53.36	-20.64	74.00	41.28	34.10	9.76	31.78	345	310	Peak	HORIZONTAL																																																																													
IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
IME1	Level	Line	Level	Factor	Loss	Factor	Loss																																																																																		
IME1	dBuV/m	dB	dBuV/m	dB	dB	dB	dB																																																																																		
1	5254.00	95.35	-27.05	68.30	83.06	34.30	9.86	31.87	345	310	Peak	HORIZONTAL																																																																													
2	5254.00	88.87			76.58	34.30	9.86	31.87	345	310	Average	HORIZONTAL																																																																													
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 122            Plane : X            IME1 : Full-directivity            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>IME1</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5124.48</td> <td>45.09</td> <td>-8.91</td> <td>54.00</td> <td>33.01</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>345</td> <td>310</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level	Factor	Loss	Factor	Loss	IME1	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	1	5124.48	45.09	-8.91	54.00	33.01	34.10	9.77	31.79	345	310	Average	HORIZONTAL	<b>Left blank</b>																																																		
IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
IME1	Level	Line	Level	Factor	Loss	Factor	Loss																																																																																		
IME1	dBuV/m	dB	dBuV/m	dB	dB	dB	dB																																																																																		
1	5124.48	45.09	-8.91	54.00	33.01	34.10	9.77	31.79	345	310	Average	HORIZONTAL																																																																													





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																						
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - R																																						
2	Horizontal	Fundamental																																					
<p><b>Peak</b></p>	<p>Site : 03200a-K3          Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL          Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto          FR261401-01          Mode : 127          Plane : E          Full-directivity : 441          Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5391.00</td> <td>52.06</td> <td>-21.94</td> <td>74.00</td> <td>39.33</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>345</td> <td>310</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5391.00	52.06	-21.94	74.00	39.33	34.75	9.93	31.95	345	310	Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Limit	Level Factor	Loss Factor																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																
1	5391.00	52.06	-21.94	74.00	39.33	34.75	9.93	31.95	345	310	Peak	HORIZONTAL																											
<p><b>Avg.</b></p>	<p>Site : 03200a-K3          Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL          Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto          FR261401-01          Mode : 127          Plane : E          Full-directivity : 441          Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.00</td> <td>44.93</td> <td>-9.07</td> <td>54.00</td> <td>32.30</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>345</td> <td>310</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5355.00	44.93	-9.07	54.00	32.30	34.65	9.91	31.93	345	310	Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Limit	Level Factor	Loss Factor																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																
1	5355.00	44.93	-9.07	54.00	32.30	34.65	9.91	31.93	345	310	Average	HORIZONTAL																											






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																								
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - L																																								
2	Vertical	Fundamental																																							
<p><b>Peak</b></p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 0000Hz; YBR:3000, 0000Hz; SRT:Auto FR0:261401-01 Mode : 132 Plane : 1 Full-directivity IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5109.44</th> <th>53.46</th> <th>-20.54</th> <th>74.00</th> <th>41.38</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>272</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5109.44	53.46	-20.54	74.00	41.38	34.10	9.76	31.78	272	229	Peak	VERTICAL	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 0000Hz; YBR:3000, 0000Hz; SRT:Auto FR0:261401-01 Mode : 132 Plane : 1 Full-directivity IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5254.00</th> <th>101.74</th> <th>33.44</th> <th>68.30</th> <th>89.45</th> <th>34.30</th> <th>9.86</th> <th>31.87</th> <th>272</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5254.00</th> <th>95.25</th> <th>-----</th> <th>-----</th> <th>82.96</th> <th>34.30</th> <th>9.86</th> <th>31.87</th> <th>272</th> <th>229</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5254.00	101.74	33.44	68.30	89.45	34.30	9.86	31.87	272	229	Peak	VERTICAL	2	5254.00	95.25	-----	-----	82.96	34.30	9.86	31.87	272	229	Average	VERTICAL
1	5109.44	53.46	-20.54	74.00	41.38	34.10	9.76	31.78	272	229	Peak	VERTICAL																													
1	5254.00	101.74	33.44	68.30	89.45	34.30	9.86	31.87	272	229	Peak	VERTICAL																													
2	5254.00	95.25	-----	-----	82.96	34.30	9.86	31.87	272	229	Average	VERTICAL																													
<p><b>Avg.</b></p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 0000Hz; YBR:3, 2000Hz; SRT:Auto FR0:261401-01 Mode : 132 Plane : 1 Full-directivity IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5120.16</th> <th>45.60</th> <th>-8.40</th> <th>54.00</th> <th>33.53</th> <th>34.10</th> <th>9.76</th> <th>31.79</th> <th>272</th> <th>229</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5120.16	45.60	-8.40	54.00	33.53	34.10	9.76	31.79	272	229	Average	VERTICAL	<p><b>Left blank</b></p>																										
1	5120.16	45.60	-8.40	54.00	33.53	34.10	9.76	31.79	272	229	Average	VERTICAL																													



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																											
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - R																											
2	Vertical	Fundamental																										
<p><b>Peak</b></p>	 <p>Site : 03280a-K3            Condition : 5G BAND 1-3 @ 3117 SN 00218652- VERTICAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SRT:Auto            FR261401-01            Mode : 127            Plane : E            Full-directivity : 441            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5366.80</th> <th>52.34</th> <th>-21.66</th> <th>74.00</th> <th>39.65</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>272</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5366.80	52.34	-21.66	74.00	39.65	34.70	9.92	31.93	272	229	Peak	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5366.80	52.34	-21.66	74.00	39.65	34.70	9.92	31.93	272	229	Peak	VERTICAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				
<p><b>Avg.</b></p>	 <p>Site : 03280a-K3            Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL            Project : RBW:1000, 000MHz; VBW:3, 2000MHz; SRT:Auto            FR261401-01            Mode : 127            Plane : E            Full-directivity : 441            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5368.30</th> <th>44.93</th> <th>-9.07</th> <th>54.00</th> <th>32.30</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>272</th> <th>229</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5368.30	44.93	-9.07	54.00	32.30	34.65	9.91	31.93	272	229	Average	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5368.30	44.93	-9.07	54.00	32.30	34.65	9.91	31.93	272	229	Average	VERTICAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - L																																																																																	
2	Horizontal	Fundamental																																																																																
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 133 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5122.88</td> <td>53.37</td> <td>-20.43</td> <td>74.00</td> <td>41.29</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>396</td> <td>306 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg	1	5122.88	53.37	-20.43	74.00	41.29	34.10	9.77	31.79	396	306 Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 133 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5326.00</td> <td>76.51</td> <td>28.21</td> <td>68.30</td> <td>83.98</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>396</td> <td>306 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5326.00</td> <td>90.39</td> <td>-----</td> <td>-----</td> <td>77.86</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>396</td> <td>306 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg	1	5326.00	76.51	28.21	68.30	83.98	34.55	9.89	31.91	396	306 Peak	HORIZONTAL	2	5326.00	90.39	-----	-----	77.86	34.55	9.89	31.91	396	306 Average	HORIZONTAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg																																																																								
1	5122.88	53.37	-20.43	74.00	41.29	34.10	9.77	31.79	396	306 Peak	HORIZONTAL																																																																							
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg																																																																								
1	5326.00	76.51	28.21	68.30	83.98	34.55	9.89	31.91	396	306 Peak	HORIZONTAL																																																																							
2	5326.00	90.39	-----	-----	77.86	34.55	9.89	31.91	396	306 Average	HORIZONTAL																																																																							
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 133 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.04</td> <td>45.31</td> <td>-8.69</td> <td>54.00</td> <td>33.22</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>396</td> <td>306 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg	1	5143.04	45.31	-8.69	54.00	33.22	34.10	9.78	31.79	396	306 Average	HORIZONTAL	<p><b>Left blank</b></p>																																														
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg																																																																								
1	5143.04	45.31	-8.69	54.00	33.22	34.10	9.78	31.79	396	306 Average	HORIZONTAL																																																																							







WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - R														
2	Horizontal	Fundamental													
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto FR261401-01 Mode : 133 Plane : 8 Full-directivity : 441 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5372.30</th> <th>51.97</th> <th>-22.03</th> <th>74.00</th> <th>39.28</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>396</th> <th>306</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5372.30	51.97	-22.03	74.00	39.28	34.70	9.92	31.93	396	306	Peak	HORIZONTAL	<p><b>Left blank</b></p>
1	5372.30	51.97	-22.03	74.00	39.28	34.70	9.92	31.93	396	306	Peak	HORIZONTAL			
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto FR261401-01 Mode : 133 Plane : 8 Full-directivity : 441 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5382.00</th> <th>44.73</th> <th>-9.27</th> <th>54.00</th> <th>32.00</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>396</th> <th>306</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5382.00	44.73	-9.27	54.00	32.00	34.75	9.93	31.95	396	306	Average	HORIZONTAL	<p><b>Left blank</b></p>
1	5382.00	44.73	-9.27	54.00	32.00	34.75	9.93	31.95	396	306	Average	HORIZONTAL			






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																											
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - L																																																																											
2	Vertical	Fundamental																																																																										
<p><b>Peak</b></p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto FR261401-01 Mode : 133 Plane : 2 Full-directivity IMEI : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.36</td> <td>52.33</td> <td>-21.47</td> <td>74.00</td> <td>40.25</td> <td>34.10</td> <td>9.74</td> <td>31.78</td> <td>301</td> <td>230</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	dB	dB	cm	deg			1	5107.36	52.33	-21.47	74.00	40.25	34.10	9.74	31.78	301	230	Peak	VERTICAL	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto FR261401-01 Mode : 133 Plane : 2 Full-directivity IMEI : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.58</td> <td>35.29</td> <td>68.30</td> <td>91.04</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>301</td> <td>230</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>90.33</td> <td>-----</td> <td>83.79</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>301</td> <td>230</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	dB	dB	cm	deg			1	5320.00	103.58	35.29	68.30	91.04	34.55	9.89	31.90	301	230	Peak	VERTICAL	2	5320.00	90.33	-----	83.79	34.55	9.89	31.90	301	230	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
dB	dB	dB	dB	dB	cm	deg																																																																						
1	5107.36	52.33	-21.47	74.00	40.25	34.10	9.74	31.78	301	230	Peak	VERTICAL																																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
dB	dB	dB	dB	dB	cm	deg																																																																						
1	5320.00	103.58	35.29	68.30	91.04	34.55	9.89	31.90	301	230	Peak	VERTICAL																																																																
2	5320.00	90.33	-----	83.79	34.55	9.89	31.90	301	230	Average	VERTICAL																																																																	
<p><b>Avg.</b></p>	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto FR261401-01 Mode : 133 Plane : 2 Full-directivity IMEI : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5103.68</td> <td>45.20</td> <td>-8.80</td> <td>54.00</td> <td>33.14</td> <td>34.10</td> <td>9.74</td> <td>31.78</td> <td>301</td> <td>230</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	dB	dB	cm	deg			1	5103.68	45.20	-8.80	54.00	33.14	34.10	9.74	31.78	301	230	Average	VERTICAL	<p><b>Left blank</b></p>																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
dB	dB	dB	dB	dB	cm	deg																																																																						
1	5103.68	45.20	-8.80	54.00	33.14	34.10	9.74	31.78	301	230	Average	VERTICAL																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - R														
2	Vertical	Fundamental													
<p><b>Peak</b></p>	 <p>Site : 032026-K3          Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000,0000Hz YBR:3000,0000Hz SRT:Auto          Mode : FR2:261401-01          Plane : 133          MEI : Full-directivity          Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5362.40</th> <th>51.92</th> <th>-22.08</th> <th>74.00</th> <th>39.23</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>301</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5362.40	51.92	-22.08	74.00	39.23	34.70	9.92	31.93	301	230	Peak	VERTICAL	<p>Left blank</p>
1	5362.40	51.92	-22.08	74.00	39.23	34.70	9.92	31.93	301	230	Peak	VERTICAL			
<p><b>Avg.</b></p>	 <p>Site : 032026-K3          Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000,0000Hz YBR:3,0000Hz SRT:Auto          Mode : FR2:261401-01          Plane : 133          MEI : Full-directivity          Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5362.20</th> <th>44.91</th> <th>-9.09</th> <th>54.00</th> <th>32.22</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>301</th> <th>230</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5362.20	44.91	-9.09	54.00	32.22	34.70	9.92	31.93	301	230	Average	VERTICAL	<p>Left blank</p>
1	5362.20	44.91	-9.09	54.00	32.22	34.70	9.92	31.93	301	230	Average	VERTICAL			



**UNII-2A 5250~5350MHz**  
**WIFI 802.11ax HE80 Full (Band Edge @ 3m)**




<b>WIFI</b>	<b>UNII-2A 5250~5350MHz Band Edge @ 3m</b>																																																																																	
<b>ANT</b>	<b>802.11ax HE80 Full CH58 5290MHz - L</b>																																																																																	
<b>2</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																
<b>Peak</b>	 <p>Site : 032000-KS          Condition : 5G BAND 1---3 3m 3117 SN 00218602- HORIZONTAL          Project : FR261401-01          Mode : 127          Plane : X          IBEI : Full-directivity          Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>516.16</td> <td>52.63</td> <td>-21.37</td> <td>74.00</td> <td>40.55</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>113</td> <td>284 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	516.16	52.63	-21.37	74.00	40.55	34.10	9.76	31.78	113	284 Peak	HORIZONTAL	 <p>Site : 032000-KS          Condition : 5G BAND 1---3 3m 3117 SN 00218602- HORIZONTAL          Project : FR261401-01          Mode : 127          Plane : X          IBEI : Full-directivity          Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.56</td> <td>27.26</td> <td>68.30</td> <td>83.13</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>113</td> <td>284 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>86.26</td> <td></td> <td></td> <td>73.83</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>113</td> <td>284 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5290.00	95.56	27.26	68.30	83.13	34.43	9.88	31.88	113	284 Peak	HORIZONTAL	2	5290.00	86.26			73.83	34.43	9.88	31.88	113	284 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	516.16	52.63	-21.37	74.00	40.55	34.10	9.76	31.78	113	284 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5290.00	95.56	27.26	68.30	83.13	34.43	9.88	31.88	113	284 Peak	HORIZONTAL																																																																							
2	5290.00	86.26			73.83	34.43	9.88	31.88	113	284 Average	HORIZONTAL																																																																							
<b>Avg.</b>	 <p>Site : 032000-KS          Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL          Project : FR261401-01          Mode : 127          Plane : X          IBEI : Full-directivity          Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.08</td> <td>43.54</td> <td>-10.46</td> <td>54.00</td> <td>31.46</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>113</td> <td>284 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5127.08	43.54	-10.46	54.00	31.46	34.10	9.77	31.79	113	284 Average	HORIZONTAL	<b>Left blank</b>																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5127.08	43.54	-10.46	54.00	31.46	34.10	9.77	31.79	113	284 Average	HORIZONTAL																																																																							

<b>WIFI</b>	<b>UNII-2A 5250~5350MHz Band Edge @ 3m</b>	
-------------	--	--



ANT	802.11ax HE80 Full CH58 5290MHz - R																																		
2	Horizontal	Fundamental																																	
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-K3 Condition : 5G BAND 1-3 3e 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 137 Plane : Full-directivity IMEI : 841 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5353.00</td> <td>53.69</td> <td>-20.31</td> <td>74.00</td> <td>41.06</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>113</td> <td>284 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5353.00	53.69	-20.31	74.00	41.06	34.65	9.91	31.93	113	284 Peak	HORIZONTAL	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1 5353.00	53.69	-20.31	74.00	41.06	34.65	9.91	31.93	113	284 Peak	HORIZONTAL																									
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-K3 Condition : 5G BAND 1-3 (AVG) 3e 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 137 Plane : Full-directivity IMEI : 841 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.30</td> <td>45.20</td> <td>-8.80</td> <td>54.00</td> <td>32.57</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>113</td> <td>284 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5350.30	45.20	-8.80	54.00	32.57	34.65	9.91	31.93	113	284 Average	HORIZONTAL	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1 5350.30	45.20	-8.80	54.00	32.57	34.65	9.91	31.93	113	284 Average	HORIZONTAL																									



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																														
2	Vertical	Fundamental																																																																													
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020406-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 137 Plane : 2 Full-directivity : 4 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5140.80</td> <td>53.96</td> <td>-20.04</td> <td>74.00</td> <td>41.87</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>273</td> <td>234 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 5140.80	53.96	-20.04	74.00	41.87	34.10	9.78	31.79	273	234 Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020406-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 137 Plane : 2 Full-directivity : 4 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5290.00</td> <td>103.83</td> <td>35.53</td> <td>68.30</td> <td>91.40</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>273</td> <td>234 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5290.00</td> <td>94.33</td> <td>-----</td> <td>-----</td> <td>81.90</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>273</td> <td>234 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 * 5290.00	103.83	35.53	68.30	91.40	34.43	9.88	31.88	273	234 Peak	VERTICAL	2 5290.00	94.33	-----	-----	81.90	34.43	9.88	31.88	273	234 Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																							
1 5140.80	53.96	-20.04	74.00	41.87	34.10	9.78	31.79	273	234 Peak	VERTICAL																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																							
1 * 5290.00	103.83	35.53	68.30	91.40	34.43	9.88	31.88	273	234 Peak	VERTICAL																																																																					
2 5290.00	94.33	-----	-----	81.90	34.43	9.88	31.88	273	234 Average	VERTICAL																																																																					
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020406-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBM 1000.000MHz YBR 1.1000MHz SRT Auto FR261401-01 Mode : 137 Plane : 2 Full-directivity : 4 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5143.20</td> <td>43.98</td> <td>-10.02</td> <td>54.00</td> <td>31.89</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>273</td> <td>234 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 5143.20	43.98	-10.02	54.00	31.89	34.10	9.78	31.79	273	234 Average	VERTICAL	<p><b>Left blank</b></p>																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																							
1 5143.20	43.98	-10.02	54.00	31.89	34.10	9.78	31.79	273	234 Average	VERTICAL																																																																					



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																											
ANT	802.11ax HE80 Full CH58 5290MHz - R																											
2	Vertical	Fundamental																										
<p><b>Peak</b></p>	<p>Site : 03280a-K3          Condition : 5G BAND 1-3 @ 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto          Mode : FR261401-01          Plane : E          MEI : Full-directivity          Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.40</th> <th>59.66</th> <th>-14.34</th> <th>74.00</th> <th>47.03</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>273</th> <th>234</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5350.40	59.66	-14.34	74.00	47.03	34.65	9.91	31.93	273	234	Peak	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5350.40	59.66	-14.34	74.00	47.03	34.65	9.91	31.93	273	234	Peak	VERTICAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				
<p><b>Avg.</b></p>	<p>Site : 03280a-K3          Condition : 5G BAND 1-3 (AVG) @ 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000, 000MHz; VBW:1.1000MHz; SFT:Auto          Mode : FR261401-01          Plane : E          MEI : Full-directivity          Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.20</th> <th>50.90</th> <th>-3.10</th> <th>54.00</th> <th>38.27</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>273</th> <th>234</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5350.20	50.90	-3.10	54.00	38.27	34.65	9.91	31.93	273	234	Average	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5350.20	50.90	-3.10	54.00	38.27	34.65	9.91	31.93	273	234	Average	VERTICAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				





**UNII-2A 5250~5350MHz  
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)**

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - L																																																																													
2	Horizontal	Fundamental																																																																												
<b>Peak</b>	<p>Site : 032000-KS Condition : SG BAND T-----3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 141 Plane : X IMEI : full-directivity Powersetting : 9</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5135.20</td> <td>53.35</td> <td>-20.65</td> <td>74.00</td> <td>41.27</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>397</td> <td>305 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5135.20	53.35	-20.65	74.00	41.27	34.10	9.77	31.79	397	305 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : SG BAND T-----3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 141 Plane : X IMEI : full-directivity Powersetting : 9</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5226.00</td> <td>95.51</td> <td>27.21</td> <td>68.30</td> <td>82.08</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>397</td> <td>305 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5226.00</td> <td>86.42</td> <td></td> <td></td> <td>73.89</td> <td>26.50</td> <td>9.89</td> <td>31.91</td> <td>397</td> <td>305 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5226.00	95.51	27.21	68.30	82.08	34.55	9.89	31.91	397	305 Peak	HORIZONTAL	2	5226.00	86.42			73.89	26.50	9.89	31.91	397	305 Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5135.20	53.35	-20.65	74.00	41.27	34.10	9.77	31.79	397	305 Peak	HORIZONTAL																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5226.00	95.51	27.21	68.30	82.08	34.55	9.89	31.91	397	305 Peak	HORIZONTAL																																																																			
2	5226.00	86.42			73.89	26.50	9.89	31.91	397	305 Average	HORIZONTAL																																																																			
<b>Avg.</b>	<p>Site : 032000-KS Condition : SG BAND T-----3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 141 Plane : X IMEI : full-directivity Powersetting : 9</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.72</td> <td>44.27</td> <td>-9.73</td> <td>54.00</td> <td>32.19</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>397</td> <td>305 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5138.72	44.27	-9.73	54.00	32.19	34.10	9.77	31.79	397	305 Average	HORIZONTAL	<b>Left blank</b>																																												
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5138.72	44.27	-9.73	54.00	32.19	34.10	9.77	31.79	397	305 Average	HORIZONTAL																																																																			





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																		
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - R																																		
2	Horizontal	Fundamental																																	
<p><b>Peak</b></p>	 <p>Site : 03200a-K3            Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL            Project : RBW 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 141            MEI : Full-directivity            PowerSetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.80</td> <td>52.04</td> <td>-21.96</td> <td>74.00</td> <td>39.41</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>397</td> <td>305 Peak</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5355.80	52.04	-21.96	74.00	39.41	34.65	0.91	31.93	397	305 Peak	<p>Left blank</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	5355.80	52.04	-21.96	74.00	39.41	34.65	0.91	31.93	397	305 Peak																									
<p><b>Avg.</b></p>	 <p>Site : 03200a-K3            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : RBW 1000.000MHz YBR 3.000MHz SRT Auto            Mode : FR261401-01            Plane : 141            MEI : Full-directivity            PowerSetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.40</td> <td>43.55</td> <td>-10.45</td> <td>54.00</td> <td>30.92</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>397</td> <td>305 Average</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5355.40	43.55	-10.45	54.00	30.92	34.65	0.91	31.93	397	305 Average	<p>Left blank</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	5355.40	43.55	-10.45	54.00	30.92	34.65	0.91	31.93	397	305 Average																									



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - L																																																																																					
2	Vertical	Fundamental																																																																																				
<p><b>Peak</b></p>	<p>Site : 032606-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Mode : (FR)261401-01            Plane : 141            IME1 : Full-directivity            Powersetting : 941</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.56</td> <td>53.67</td> <td>-20.33</td> <td>74.00</td> <td>41.58</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>269</td> <td>232 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Powersetting	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1	5142.56	53.67	-20.33	74.00	41.58	34.10	9.78	31.79	269	232 Peak	VERTICAL	<p>Site : 032606-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Mode : (FR)261401-01            Plane : 141            IME1 : Full-directivity            Powersetting : 941</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5326.00</td> <td>99.95</td> <td>31.65</td> <td>68.30</td> <td>87.43</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>269</td> <td>232 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5326.00</td> <td>92.70</td> <td>-----</td> <td>80.17</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>269</td> <td>232</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Powersetting	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1	5326.00	99.95	31.65	68.30	87.43	34.55	9.89	31.91	269	232 Peak	VERTICAL	2	5326.00	92.70	-----	80.17	34.55	9.89	31.91	269	232	Average	VERTICAL
IME1	Powersetting	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																													
1	5142.56	53.67	-20.33	74.00	41.58	34.10	9.78	31.79	269	232 Peak	VERTICAL																																																																											
IME1	Powersetting	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																													
1	5326.00	99.95	31.65	68.30	87.43	34.55	9.89	31.91	269	232 Peak	VERTICAL																																																																											
2	5326.00	92.70	-----	80.17	34.55	9.89	31.91	269	232	Average	VERTICAL																																																																											
<p><b>Avg.</b></p>	<p>Site : 032606-K3            Condition : SG BAND 1-----3 (WVG) 3m 3117 SN 00218652- VERTICAL            Project : RBW:1000.000kHz VBW:3.000kHz SMT:Auto            Mode : (FR)261401-01            Plane : 141            IME1 : Full-directivity            Powersetting : 941</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.00</td> <td>44.25</td> <td>-9.75</td> <td>54.00</td> <td>32.17</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>269</td> <td>232 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Powersetting	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1	5108.00	44.25	-9.75	54.00	32.17	34.10	9.76	31.78	269	232 Average	VERTICAL	<p><b>Left blank</b></p>																																																
IME1	Powersetting	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																													
1	5108.00	44.25	-9.75	54.00	32.17	34.10	9.76	31.78	269	232 Average	VERTICAL																																																																											



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - R														
2	Vertical	Fundamental													
<p><b>Peak</b></p>	<p>Site : 03200a-K3            Condition : 5G BAND 1-3 @ 3117 SN 00218652- VERTICAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SRT:Auto            Mode : FR261401-01            Plane : E            MEI : Full-directivity            Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5385.70</th> <th>53.46</th> <th>-20.54</th> <th>74.00</th> <th>40.73</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>269</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5385.70	53.46	-20.54	74.00	40.73	34.75	9.93	31.95	269	232	Peak	VERTICAL	<p>Left blank</p>
1	5385.70	53.46	-20.54	74.00	40.73	34.75	9.93	31.95	269	232	Peak	VERTICAL			
<p><b>Avg.</b></p>	<p>Site : 03200a-K3            Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL            Project : RBW:1000, 000MHz; VBW:3, 2000MHz; SRT:Auto            Mode : FR261401-01            Plane : E            MEI : Full-directivity            Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.00</th> <th>44.92</th> <th>-9.08</th> <th>54.00</th> <th>32.29</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>269</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5350.00	44.92	-9.08	54.00	32.29	34.65	9.91	31.93	269	232	Average	VERTICAL	<p>Left blank</p>
1	5350.00	44.92	-9.08	54.00	32.29	34.65	9.91	31.93	269	232	Average	VERTICAL			



UNII-2A - 5250~5350MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																													
ANT	802.11a CH52 5260MHz																																																													
2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 030406-KS            Condition : 5G BAND 1-3 3m 3117 SW 00218652- HORIZONTAL            Project : FR261401-01            Mode : 90            Plane : 2            Full-directivity            INE1            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>44.77</td> <td>-23.53</td> <td>68.30</td> <td>54.44</td> <td>37.71</td> <td>14.24</td> <td>61.62</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	dB	dB	1	10520.00	44.77	-23.53	68.30	54.44	37.71	14.24	61.62	300	0 Peak	HORIZONTAL	<p>Site : 030406-KS            Condition : 5G BAND 1-3 3m 3117 SW 00218652- VERTICAL            Project : FR261401-01            Mode : 90            Plane : 2            Full-directivity            INE1            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10530.00</td> <td>45.37</td> <td>-22.93</td> <td>68.30</td> <td>55.04</td> <td>37.71</td> <td>14.24</td> <td>61.62</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	dB	dB	1	10530.00	45.37	-22.93	68.30	55.04	37.71	14.24	61.62	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor	dB	dB																																																						
1	10520.00	44.77	-23.53	68.30	54.44	37.71	14.24	61.62	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
Freq	Level	Limit	Level	Factor	Loss	Factor	dB	dB																																																						
1	10530.00	45.37	-22.93	68.30	55.04	37.71	14.24	61.62	100	0 Peak	VERTICAL																																																			



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11a CH60 5300MHz	
2	Horizontal	Vertical
Peak Avg.		



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																													
ANT	802.11a CH64 5320MHz																																													
2	Horizontal	Vertical																																												
Peak Avg.	<p>Site : 030806-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218652- HORIZONTAL            Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto            (FR261401-01)            Mode : 92            Plane : 2            Full-directivity : Full-directivity            IMEI : 843            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10641.00</td> <td>44.24</td> <td>-29.76</td> <td>74.00</td> <td>53.79</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	1	10641.00	44.24	-29.76	74.00	53.79	37.78	14.32	61.65	300	0 Peak	HORIZONTAL	<p>Site : 030806-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218653- VERTICAL            Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto            (FR261401-01)            Mode : 92            Plane : 2            Full-directivity : Full-directivity            IMEI : 843            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10641.00</td> <td>44.21</td> <td>-29.79</td> <td>74.00</td> <td>53.76</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	1	10641.00	44.21	-29.79	74.00	53.76	37.78	14.32	61.65	100	0 Peak	VERTICAL
	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																				
1	10641.00	44.24	-29.76	74.00	53.79	37.78	14.32	61.65	300	0 Peak	HORIZONTAL																																			
Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																					
1	10641.00	44.21	-29.79	74.00	53.76	37.78	14.32	61.65	100	0 Peak	VERTICAL																																			



UNII-2A 5250~5350MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

Table with 4 rows and 2 columns. Rows: WIFI (UNII-2A 5250~5350MHz Harmonic @ 3m), ANT (802.11ax HE20 Full CH52 5260MHz), 2 (Horizontal/Vertical), Peak Avg. (Graphs and data tables for Horizontal and Vertical orientations).



WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH64 5320MHz																																																													
2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : FR261401-01 Mode : 101 Plane : 2 Full-directivity : Full-directivity IMEI : 843 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10641.00</td> <td>43.77</td> <td>-30.23</td> <td>74.00</td> <td>53.32</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg	1	10641.00	43.77	-30.23	74.00	53.32	37.78	14.32	61.65	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : FR261401-01 Mode : 101 Plane : 2 Full-directivity : Full-directivity IMEI : 843 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10641.00</td> <td>44.42</td> <td>-29.58</td> <td>74.00</td> <td>53.97</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg	1	10641.00	44.42	-29.58	74.00	53.97	37.78	14.32	61.65	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg																																																						
1	10641.00	43.77	-30.23	74.00	53.32	37.78	14.32	61.65	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg																																																						
1	10641.00	44.42	-29.58	74.00	53.97	37.78	14.32	61.65	100	0 Peak	VERTICAL																																																			





**UNII-2A - 5250~5350MHz**  
**WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																													
ANT	802.11ax HE40 Full CH54 5270																																													
2	Horizontal	Vertical																																												
Peak Avg.	<p>Site: 03090-KS Condition: 5G BAND 1 --- 3 3m 3117 SN 00218602- HORIZONTAL EIRP: 1000.000MHz VSW: 2000.000MHz SBT: Auto Project: FR261401-01 Mode: 120 Plane: X Full-directivity MEI: #41 Powersetting: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>1</th> <th>10542.00</th> <th>44.66</th> <th>-23.64</th> <th>68.30</th> <th>54.31</th> <th>37.72</th> <th>14.25</th> <th>61.62</th> <th>300</th> <th>0 Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	10542.00	44.66	-23.64	68.30	54.31	37.72	14.25	61.62	300	0 Peak	HORIZONTAL	<p>Site: 03090-KS Condition: 5G BAND 1 --- 3 3m 3117 SN 00218602- VERTICAL EIRP: 1000.000MHz VSW: 2000.000MHz SBT: Auto Project: FR261401-01 Mode: 120 Plane: X Full-directivity MEI: #41 Powersetting: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>1</th> <th>10542.00</th> <th>44.62</th> <th>-23.68</th> <th>68.30</th> <th>54.27</th> <th>37.72</th> <th>14.25</th> <th>61.62</th> <th>100</th> <th>0 Peak</th> <th>VERTICAL</th> </tr> </thead></table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	10542.00	44.62	-23.68	68.30	54.27	37.72	14.25	61.62	100	0 Peak	VERTICAL
	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																				
1	10542.00	44.66	-23.64	68.30	54.31	37.72	14.25	61.62	300	0 Peak	HORIZONTAL																																			
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																					
1	10542.00	44.62	-23.68	68.30	54.27	37.72	14.25	61.62	100	0 Peak	VERTICAL																																			
WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																													
ANT	802.11ax HE40 Full CH62 5310																																													
2	Horizontal	Vertical																																												
Peak Avg.	<p>Site: 03090-KS Condition: 5G BAND 1 --- 3 3m 3117 SN 00218602- HORIZONTAL EIRP: 1000.000MHz VSW: 2000.000MHz SBT: Auto Project: FR261401-01 Mode: 120 Plane: X Full-directivity MEI: #41 Powersetting: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>1</th> <th>10619.00</th> <th>43.97</th> <th>-30.03</th> <th>74.00</th> <th>53.53</th> <th>37.77</th> <th>14.31</th> <th>61.64</th> <th>300</th> <th>0 Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	10619.00	43.97	-30.03	74.00	53.53	37.77	14.31	61.64	300	0 Peak	HORIZONTAL	<p>Site: 03090-KS Condition: 5G BAND 1 --- 3 3m 3117 SN 00218602- VERTICAL EIRP: 1000.000MHz VSW: 2000.000MHz SBT: Auto Project: FR261401-01 Mode: 120 Plane: X Full-directivity MEI: #41 Powersetting: 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>1</th> <th>10619.00</th> <th>44.47</th> <th>-29.53</th> <th>74.00</th> <th>54.03</th> <th>37.77</th> <th>14.31</th> <th>61.64</th> <th>100</th> <th>0 Peak</th> <th>VERTICAL</th> </tr> </thead></table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	1	10619.00	44.47	-29.53	74.00	54.03	37.77	14.31	61.64	100	0 Peak	VERTICAL
	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																				
1	10619.00	43.97	-30.03	74.00	53.53	37.77	14.31	61.64	300	0 Peak	HORIZONTAL																																			
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																					
1	10619.00	44.47	-29.53	74.00	54.03	37.77	14.31	61.64	100	0 Peak	VERTICAL																																			



**UNII-2A 5250~5350MHz**  
**WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2A 5250~5350MHz Harmonic @ 3m</b>																																																																			
<b>ANT</b>	<b>802.11ax HE80 Full CH58 5290MHz</b>																																																																			
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																		
<b>Peak Avg.</b>	<p>Site : 032100-KS          Condition : SG BAND 1---3 3m 3117.5N 00218662- HORIZONTAL          Project : FR261401-01          Mode : 127          Plane : X          NEI : full-directivity          Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10575.00</td> <td>44.18</td> <td>-24.12</td> <td>68.30</td> <td>53.80</td> <td>37.74</td> <td>14.27</td> <td>61.63</td> <td>300</td> <td>0</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1 10575.00	44.18	-24.12	68.30	53.80	37.74	14.27	61.63	300	0	Peak HORIZONTAL	<p>Site : 032100-KS          Condition : SG BAND 1---3 3m 3117.5N 00218662- VERTICAL          Project : FR261401-01          Mode : 127          Plane : X          NEI : full-directivity          Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10575.00</td> <td>44.47</td> <td>-23.88</td> <td>68.30</td> <td>54.04</td> <td>37.74</td> <td>14.27</td> <td>61.63</td> <td>100</td> <td>0</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1 10575.00	44.47	-23.88	68.30	54.04	37.74	14.27	61.63	100	0	Peak VERTICAL
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1 10575.00	44.18	-24.12	68.30	53.80	37.74	14.27	61.63	300	0	Peak HORIZONTAL																																																										
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1 10575.00	44.47	-23.88	68.30	54.04	37.74	14.27	61.63	100	0	Peak VERTICAL																																																										



UNII-2A 5250~5350MHz

UNII-2C - 5470~5725MHz




WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11a CH100 5500MHz																																																																																												
2	Horizontal	Fundamental																																																																																											
Peak	<p>Site : 03060-K3 Condition : SG BAND T----3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : F3 Plane : E Full-directivity : Full-directivity IMEI : 861 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.56</td> <td>52.85</td> <td>-21.15</td> <td>74.00</td> <td>40.22</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>397</td> <td>287</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>52.57</td> <td>-15.73</td> <td>68.30</td> <td>39.72</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>397</td> <td>287</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	deg	deg	1	5356.56	52.85	-21.15	74.00	40.22	34.65	9.91	31.93	397	287	Peak	HORIZONTAL	2	5466.16	52.57	-15.73	68.30	39.72	34.80	10.04	31.99	397	287	Peak	HORIZONTAL	<p>Site : 03060-K3 Condition : SG BAND T----3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : F3 Plane : E Full-directivity : Full-directivity IMEI : 861 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.57</td> <td>32.27</td> <td>68.30</td> <td>87.69</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>397</td> <td>287</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>93.83</td> <td>-----</td> <td>80.95</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>397</td> <td>287</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	deg	deg	1	5500.00	100.57	32.27	68.30	87.69	34.80	10.09	32.01	397	287	Peak	HORIZONTAL	2	5500.00	93.83	-----	80.95	34.80	10.09	32.01	397	287	Average	HORIZONTAL
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	deg	deg																																																																																				
1	5356.56	52.85	-21.15	74.00	40.22	34.65	9.91	31.93	397	287	Peak	HORIZONTAL																																																																																	
2	5466.16	52.57	-15.73	68.30	39.72	34.80	10.04	31.99	397	287	Peak	HORIZONTAL																																																																																	
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	deg	deg																																																																																				
1	5500.00	100.57	32.27	68.30	87.69	34.80	10.09	32.01	397	287	Peak	HORIZONTAL																																																																																	
2	5500.00	93.83	-----	80.95	34.80	10.09	32.01	397	287	Average	HORIZONTAL																																																																																		
Avg.	<p>Site : 03060-K3 Condition : SG BAND T----3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : F3 Plane : E Full-directivity : Full-directivity IMEI : 861 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.92</td> <td>43.15</td> <td>-10.85</td> <td>54.00</td> <td>30.31</td> <td>34.80</td> <td>10.02</td> <td>31.98</td> <td>397</td> <td>287</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	deg	deg	1	5447.92	43.15	-10.85	54.00	30.31	34.80	10.02	31.98	397	287	Average	HORIZONTAL	Left blank																																																										
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	deg	deg	deg																																																																																				
1	5447.92	43.15	-10.85	54.00	30.31	34.80	10.02	31.98	397	287	Average	HORIZONTAL																																																																																	



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																					
ANT	802.11a CH100 5500MHz																																																																																																					
2	Vertical	Fundamental																																																																																																				
Peak	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 93 Plane : E Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBμV/m</th> <th>dBμV/m</th> <th>dBμV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.84</td> <td>53.43</td> <td>-20.57</td> <td>74.00</td> <td>40.74</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>283</td> <td>234</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5464.40</td> <td>53.93</td> <td>-14.37</td> <td>68.30</td> <td>41.08</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>283</td> <td>234</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	cm	deg			dBμV/m	dBμV/m	dBμV/m	dB	cm	deg			1	5369.84	53.43	-20.57	74.00	40.74	34.70	9.92	31.93	283	234	Peak	VERTICAL	2	5464.40	53.93	-14.37	68.30	41.08	34.80	10.04	31.99	283	234	Peak	VERTICAL	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 93 Plane : E Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBμV/m</th> <th>dBμV/m</th> <th>dBμV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>108.48</td> <td>40.18</td> <td>68.30</td> <td>95.43</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>283</td> <td>234</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5494.00</td> <td>101.46</td> <td>-----</td> <td>-----</td> <td>88.60</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>283</td> <td>234</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	cm	deg			dBμV/m	dBμV/m	dBμV/m	dB	cm	deg			1	5494.00	108.48	40.18	68.30	95.43	34.80	10.07	32.01	283	234	Peak	VERTICAL	2	5494.00	101.46	-----	-----	88.60	34.80	10.07	32.01	283	234	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Level	Level	Level	Loss	cm	deg																																																																																																	
dBμV/m	dBμV/m	dBμV/m	dB	cm	deg																																																																																																	
1	5369.84	53.43	-20.57	74.00	40.74	34.70	9.92	31.93	283	234	Peak	VERTICAL																																																																																										
2	5464.40	53.93	-14.37	68.30	41.08	34.80	10.04	31.99	283	234	Peak	VERTICAL																																																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Level	Level	Level	Loss	cm	deg																																																																																																	
dBμV/m	dBμV/m	dBμV/m	dB	cm	deg																																																																																																	
1	5494.00	108.48	40.18	68.30	95.43	34.80	10.07	32.01	283	234	Peak	VERTICAL																																																																																										
2	5494.00	101.46	-----	-----	88.60	34.80	10.07	32.01	283	234	Average	VERTICAL																																																																																										
Avg.	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 (WID) 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 93 Plane : E Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBμV/m</th> <th>dBμV/m</th> <th>dBμV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.20</td> <td>43.96</td> <td>-10.04</td> <td>54.00</td> <td>31.13</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>283</td> <td>234</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	cm	deg			dBμV/m	dBμV/m	dBμV/m	dB	cm	deg			1	5453.20	43.96	-10.04	54.00	31.13	34.80	10.02	31.99	283	234	Average	VERTICAL	<p>Left blank</p>																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Level	Level	Level	Loss	cm	deg																																																																																																	
dBμV/m	dBμV/m	dBμV/m	dB	cm	deg																																																																																																	
1	5453.20	43.96	-10.04	54.00	31.13	34.80	10.02	31.99	283	234	Average	VERTICAL																																																																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																				
ANT	802.11a CH116 5580MHz - L																																																				
2	Horizontal	Fundamental																																																			
<p><b>Peak</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 94            IME1 : Full-directivity            Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5434.32</th> <th>52.74</th> <th>-21.26</th> <th>74.00</th> <th>39.93</th> <th>34.80</th> <th>9.99</th> <th>31.98</th> <th>110</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5466.96</th> <th>51.94</th> <th>-16.36</th> <th>68.30</th> <th>39.09</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>110</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5434.32	52.74	-21.26	74.00	39.93	34.80	9.99	31.98	110	283	Peak	HORIZONTAL	2	5466.96	51.94	-16.36	68.30	39.09	34.80	10.04	31.99	110	283	Peak	HORIZONTAL	 <p>Site : 03280a-K3            Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 94            IME1 : Full-directivity            Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5578.00</th> <th>98.91</th> <th>30.41</th> <th>68.30</th> <th>86.11</th> <th>34.67</th> <th>10.20</th> <th>32.07</th> <th>110</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5578.00</th> <th>92.16</th> <th>-----</th> <th>79.36</th> <th>34.67</th> <th>10.20</th> <th>32.07</th> <th>110</th> <th>283</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5578.00	98.91	30.41	68.30	86.11	34.67	10.20	32.07	110	283	Peak	HORIZONTAL	2	5578.00	92.16	-----	79.36	34.67	10.20	32.07	110	283	Average	HORIZONTAL
1	5434.32	52.74	-21.26	74.00	39.93	34.80	9.99	31.98	110	283	Peak	HORIZONTAL																																									
2	5466.96	51.94	-16.36	68.30	39.09	34.80	10.04	31.99	110	283	Peak	HORIZONTAL																																									
1	5578.00	98.91	30.41	68.30	86.11	34.67	10.20	32.07	110	283	Peak	HORIZONTAL																																									
2	5578.00	92.16	-----	79.36	34.67	10.20	32.07	110	283	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1----3 (WID) 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 0.7500MHz SRT Auto            Mode : 94            Plane : 94            IME1 : Full-directivity            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5468.64</th> <th>43.08</th> <th>-10.92</th> <th>54.00</th> <th>30.25</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>110</th> <th>283</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5468.64	43.08	-10.92	54.00	30.25	34.80	10.02	31.99	110	283	Average	HORIZONTAL	<p><b>Left blank</b></p>																																						
1	5468.64	43.08	-10.92	54.00	30.25	34.80	10.02	31.99	110	283	Average	HORIZONTAL																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																					
ANT	802.11a CH116 5580MHz - R																					
2	Horizontal	Fundamental																				
Peak	<p>Site : 03280A-KS        Position : SG BAND 1...3 3m 3117 EN 00218A52- HORIZONTAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FPO 104-001-01        Mode : 24        Plane : E        Filter : Full-directivity        IMEI : 843        Power setting : 13        Over Limit ReadAntenna Cable Preamp A/Pos T/Pos        Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phase</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>53.07</td> <td>-15.23</td> <td>68.30</td> <td>40.17</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>110</td> <td>203</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	53.07	-15.23	68.30	40.17	34.55	10.34	32.01	110	203	Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase															
1	53.07	-15.23	68.30	40.17	34.55	10.34	32.01	110	203	Peak	HORIZONTAL											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11a CH116 5580MHz - L																																																					
2	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL RBM: 1000, 000MHz; YBR: 3000, 000MHz; SRT: Auto Project : FR261401-01 Mode : 94 Plane : 2 IMEI : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5359.92</th> <th>53.90</th> <th>-20.10</th> <th>74.00</th> <th>41.27</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>259</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5468.72</th> <th>52.11</th> <th>-16.19</th> <th>68.30</th> <th>39.26</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>259</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5359.92	53.90	-20.10	74.00	41.27	34.65	9.91	31.93	259	232	Peak	VERTICAL	2	5468.72	52.11	-16.19	68.30	39.26	34.80	10.04	31.99	259	232	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL RBM: 1000, 000MHz; YBR: 3000, 000MHz; SRT: Auto Project : FR261401-01 Mode : 94 Plane : 2 IMEI : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5584.00</th> <th>106.65</th> <th>38.35</th> <th>68.30</th> <th>93.87</th> <th>34.63</th> <th>10.22</th> <th>32.07</th> <th>259</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5584.00</th> <th>100.22</th> <th>-----</th> <th>-----</th> <th>87.44</th> <th>34.63</th> <th>10.22</th> <th>32.07</th> <th>259</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5584.00	106.65	38.35	68.30	93.87	34.63	10.22	32.07	259	232	Peak	VERTICAL	2	5584.00	100.22	-----	-----	87.44	34.63	10.22	32.07	259	232	Average	VERTICAL
1	5359.92	53.90	-20.10	74.00	41.27	34.65	9.91	31.93	259	232	Peak	VERTICAL																																										
2	5468.72	52.11	-16.19	68.30	39.26	34.80	10.04	31.99	259	232	Peak	VERTICAL																																										
1	5584.00	106.65	38.35	68.30	93.87	34.63	10.22	32.07	259	232	Peak	VERTICAL																																										
2	5584.00	100.22	-----	-----	87.44	34.63	10.22	32.07	259	232	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL RBM: 1000, 000MHz; YBR: 0, 7500MHz; SRT: Auto Project : FR261401-01 Mode : 94 Plane : 2 IMEI : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5410.64</th> <th>43.30</th> <th>-10.70</th> <th>54.00</th> <th>30.52</th> <th>34.80</th> <th>9.94</th> <th>31.96</th> <th>259</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5410.64	43.30	-10.70	54.00	30.52	34.80	9.94	31.96	259	232	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5410.64	43.30	-10.70	54.00	30.52	34.80	9.94	31.96	259	232	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11a CH116 5580MHz - R																																																																																												
2	Vertical	Fundamental																																																																																											
Peak	<p>Site : 03090A-KS            Condition : SG_BAND 1----3 3m 3117 SN 00218652- VERTICAL            Project : RSM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : E            IMEI : Full-directivity            Powersetting : #1</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5749.32</td> <td>53.90</td> <td>-14.40</td> <td>68.30</td> <td>41.00</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>259</td> <td>232</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	5749.32	53.90	-14.40	68.30	41.00	34.55	10.34	32.01	259	232	Peak	VERTICAL	Left blank																																																				
1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5749.32	53.90	-14.40	68.30	41.00	34.55	10.34	32.01	259	232	Peak	VERTICAL																																																																																	
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11a CH140 5700MHz																																																																																												
2	Horizontal	Fundamental																																																																																											
Peak	<p>Site : 03090A-KS            Condition : SG_BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : RSM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : E            IMEI : Full-directivity            Powersetting : #1</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5742.60</td> <td>54.27</td> <td>-14.03</td> <td>68.30</td> <td>41.37</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>110</td> <td>281</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	5742.60	54.27	-14.03	68.30	41.37	34.55	10.34	32.01	110	281	Peak	HORIZONTAL	<p>Site : 03090A-KS            Condition : SG_BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : RSM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : E            IMEI : Full-directivity            Powersetting : #1</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>101.93</td> <td>33.63</td> <td>68.30</td> <td>89.17</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>110</td> <td>281</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td></td> <td>5098.00</td> <td>95.71</td> <td>-----</td> <td>82.95</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>110</td> <td>281</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	5698.00	101.93	33.63	68.30	89.17	34.50	10.32	32.06	110	281	Peak	HORIZONTAL	2		5098.00	95.71	-----	82.95	34.50	10.32	32.06	110	281	Average	HORIZONTAL
1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5742.60	54.27	-14.03	68.30	41.37	34.55	10.34	32.01	110	281	Peak	HORIZONTAL																																																																																	
1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5698.00	101.93	33.63	68.30	89.17	34.50	10.32	32.06	110	281	Peak	HORIZONTAL																																																																																	
2		5098.00	95.71	-----	82.95	34.50	10.32	32.06	110	281	Average	HORIZONTAL																																																																																	





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																									
ANT	802.11a CH140 5700MHz																																																									
2	Vertical	Fundamental																																																								
Peak	<p>Site : 020806-KS            Condition : 5G BAND 1-----3 3m 3117 SW 00218662- VERTICAL            Project : RBW:1000.000kHz; YBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 95            Plane : E            Full-directivity            IMEI : 843            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.88</td> <td>54.47</td> <td>-13.83</td> <td>68.30</td> <td>41.63</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>263</td> <td>225 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5729.88	54.47	-13.83	68.30	41.63	34.53	10.35	32.04	263	225 Peak	VERTICAL	<p>Site : 020806-KS            Condition : 5G BAND 1-----3 3m 3117 SW 00218662- VERTICAL            Project : RBW:1000.000kHz; YBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 95            Plane : E            Full-directivity            IMEI : 843            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>108.27</td> <td>39.97</td> <td>68.30</td> <td>95.51</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>263</td> <td>225 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>102.16</td> <td>-----</td> <td>-----</td> <td>89.40</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>263</td> <td>225 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5698.00	108.27	39.97	68.30	95.51	34.50	10.32	32.06	263	225 Peak	VERTICAL	2	5698.00	102.16	-----	-----	89.40	34.50	10.32	32.06	263	225 Average	VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																
1	5729.88	54.47	-13.83	68.30	41.63	34.53	10.35	32.04	263	225 Peak	VERTICAL																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																	
1	5698.00	108.27	39.97	68.30	95.51	34.50	10.32	32.06	263	225 Peak	VERTICAL																																															
2	5698.00	102.16	-----	-----	89.40	34.50	10.32	32.06	263	225 Average	VERTICAL																																															






**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE20 Full (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																				
ANT	802.11ax HE20 Full CH100 5500MHz																																																				
2	Horizontal	Fundamental																																																			
<b>Peak</b>	<p><b>Horizontal</b></p> <p>Site : 032000-KS            Condition : SG_BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 102            Plane : X            IM1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5480.48</th> <th>52.49</th> <th>-21.51</th> <th>74.00</th> <th>39.66</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>319</th> <th>307</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5462.16</th> <th>52.02</th> <th>-16.28</th> <th>68.30</th> <th>39.19</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>319</th> <th>307</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5480.48	52.49	-21.51	74.00	39.66	34.80	10.02	31.99	319	307	Peak	HORIZONTAL	2	5462.16	52.02	-16.28	68.30	39.19	34.80	10.02	31.99	319	307	Peak	HORIZONTAL	<p><b>Fundamental</b></p> <p>Site : 032000-KS            Condition : SG_BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 102            Plane : X            IM1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5500.00</th> <th>101.16</th> <th>32.86</th> <th>48.30</th> <th>88.28</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>319</th> <th>307</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5500.00</th> <th>19.23</th> <th>-----</th> <th>80.35</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>319</th> <th>307</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5500.00	101.16	32.86	48.30	88.28	34.80	10.09	32.01	319	307	Peak	HORIZONTAL	2	5500.00	19.23	-----	80.35	34.80	10.09	32.01	319	307	Average	HORIZONTAL
1	5480.48	52.49	-21.51	74.00	39.66	34.80	10.02	31.99	319	307	Peak	HORIZONTAL																																									
2	5462.16	52.02	-16.28	68.30	39.19	34.80	10.02	31.99	319	307	Peak	HORIZONTAL																																									
1	5500.00	101.16	32.86	48.30	88.28	34.80	10.09	32.01	319	307	Peak	HORIZONTAL																																									
2	5500.00	19.23	-----	80.35	34.80	10.09	32.01	319	307	Average	HORIZONTAL																																										
<b>Avg.</b>	<p><b>Horizontal</b></p> <p>Site : 032000-KS            Condition : SG_BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 102            Plane : X            IM1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5460.00</th> <th>42.35</th> <th>-11.65</th> <th>54.00</th> <th>29.52</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>319</th> <th>307</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5460.00	42.35	-11.65	54.00	29.52	34.80	10.02	31.99	319	307	Average	HORIZONTAL	<b>Left blank</b>																																						
1	5460.00	42.35	-11.65	54.00	29.52	34.80	10.02	31.99	319	307	Average	HORIZONTAL																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Full CH100 5500MHz																																																					
2	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 102            IME1 : Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5368.80</th> <th>53.06</th> <th>-20.94</th> <th>74.00</th> <th>40.43</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>297</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5461.68</th> <th>53.08</th> <th>-15.22</th> <th>68.30</th> <th>40.25</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>297</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5368.80	53.06	-20.94	74.00	40.43	34.65	9.91	31.93	297	229	Peak	VERTICAL	2	5461.68	53.08	-15.22	68.30	40.25	34.80	10.02	31.99	297	229	Peak	VERTICAL	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 102            IME1 : Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5500.00</th> <th>109.23</th> <th>40.93</th> <th>68.30</th> <th>96.35</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>297</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5500.00</th> <th>101.23</th> <th>-----</th> <th>-----</th> <th>88.35</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>297</th> <th>229</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5500.00	109.23	40.93	68.30	96.35	34.80	10.09	32.01	297	229	Peak	VERTICAL	2	5500.00	101.23	-----	-----	88.35	34.80	10.09	32.01	297	229	Average	VERTICAL
1	5368.80	53.06	-20.94	74.00	40.43	34.65	9.91	31.93	297	229	Peak	VERTICAL																																										
2	5461.68	53.08	-15.22	68.30	40.25	34.80	10.02	31.99	297	229	Peak	VERTICAL																																										
1	5500.00	109.23	40.93	68.30	96.35	34.80	10.09	32.01	297	229	Peak	VERTICAL																																										
2	5500.00	101.23	-----	-----	88.35	34.80	10.09	32.01	297	229	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3.0100MHz SRT Auto            Mode : FR261401-01            Plane : 102            IME1 : Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5469.92</th> <th>43.35</th> <th>-10.65</th> <th>54.00</th> <th>30.52</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>297</th> <th>229</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5469.92	43.35	-10.65	54.00	30.52	34.80	10.02	31.99	297	229	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5469.92	43.35	-10.65	54.00	30.52	34.80	10.02	31.99	297	229	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Full CH116 5580MHz - L																																																					
2	Horizontal	Fundamental																																																				
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 103 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5432.88</th> <th>52.34</th> <th>-21.66</th> <th>74.00</th> <th>39.53</th> <th>34.80</th> <th>9.99</th> <th>31.98</th> <th>109</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5463.76</th> <th>52.26</th> <th>-16.04</th> <th>68.30</th> <th>39.41</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>109</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5432.88	52.34	-21.66	74.00	39.53	34.80	9.99	31.98	109	283	Peak	HORIZONTAL	2	5463.76	52.26	-16.04	68.30	39.41	34.80	10.04	31.99	109	283	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 103 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5578.00</th> <th>101.27</th> <th>33.07</th> <th>68.30</th> <th>88.57</th> <th>34.67</th> <th>10.20</th> <th>32.07</th> <th>109</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5578.00</th> <th>91.61</th> <th>-----</th> <th>-----</th> <th>78.81</th> <th>34.67</th> <th>10.20</th> <th>32.07</th> <th>109</th> <th>283</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5578.00	101.27	33.07	68.30	88.57	34.67	10.20	32.07	109	283	Peak	HORIZONTAL	2	5578.00	91.61	-----	-----	78.81	34.67	10.20	32.07	109	283	Average	HORIZONTAL
1	5432.88	52.34	-21.66	74.00	39.53	34.80	9.99	31.98	109	283	Peak	HORIZONTAL																																										
2	5463.76	52.26	-16.04	68.30	39.41	34.80	10.04	31.99	109	283	Peak	HORIZONTAL																																										
1	5578.00	101.27	33.07	68.30	88.57	34.67	10.20	32.07	109	283	Peak	HORIZONTAL																																										
2	5578.00	91.61	-----	-----	78.81	34.67	10.20	32.07	109	283	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 0.0100MHz SRT Auto FR261401-01 Mode : 103 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5460.00</th> <th>42.13</th> <th>-11.87</th> <th>54.00</th> <th>29.30</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>109</th> <th>283</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5460.00	42.13	-11.87	54.00	29.30	34.80	10.02	31.99	109	283	Average	HORIZONTAL	<p><b>Left blank</b></p>																																							
1	5460.00	42.13	-11.87	54.00	29.30	34.80	10.02	31.99	109	283	Average	HORIZONTAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE20 Full CH116 5580MHz - R																						
2	Horizontal	Fundamental																					
Peak	<p>Site : 03280A-KS        Sensition : SG BAND 1---3 3x 3117 EN 00218A52- HORIZONTAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FRO 104-001-01        Mode : 103        Plane : 0        Full-directivity : Full-directivity        IMEI : 843        Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5752.36</td> <td>52.76</td> <td>-15.54</td> <td>68.30</td> <td>39.83</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>100</td> <td>203</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5752.36	52.76	-15.54	68.30	39.83	34.57	10.37	32.01	100	203	Peak	HORIZONTAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5752.36	52.76	-15.54	68.30	39.83	34.57	10.37	32.01	100	203	Peak	HORIZONTAL											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Full CH116 5580MHz - L																																																					
2	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 103 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5413.68</th> <th>52.76</th> <th>-21.24</th> <th>74.00</th> <th>39.95</th> <th>34.80</th> <th>9.97</th> <th>31.96</th> <th>260</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5463.44</th> <th>51.69</th> <th>-16.61</th> <th>68.30</th> <th>38.84</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>260</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5413.68	52.76	-21.24	74.00	39.95	34.80	9.97	31.96	260	231	Peak	VERTICAL	2	5463.44	51.69	-16.61	68.30	38.84	34.80	10.04	31.99	260	231	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 103 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5578.00</th> <th>102.98</th> <th>39.48</th> <th>68.30</th> <th>95.18</th> <th>34.67</th> <th>10.20</th> <th>32.07</th> <th>260</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5578.00</th> <th>99.38</th> <th>-----</th> <th>-----</th> <th>86.58</th> <th>34.67</th> <th>10.20</th> <th>32.07</th> <th>260</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5578.00	102.98	39.48	68.30	95.18	34.67	10.20	32.07	260	231	Peak	VERTICAL	2	5578.00	99.38	-----	-----	86.58	34.67	10.20	32.07	260	231	Average	VERTICAL
1	5413.68	52.76	-21.24	74.00	39.95	34.80	9.97	31.96	260	231	Peak	VERTICAL																																										
2	5463.44	51.69	-16.61	68.30	38.84	34.80	10.04	31.99	260	231	Peak	VERTICAL																																										
1	5578.00	102.98	39.48	68.30	95.18	34.67	10.20	32.07	260	231	Peak	VERTICAL																																										
2	5578.00	99.38	-----	-----	86.58	34.67	10.20	32.07	260	231	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 0.0100MHz SRT Auto FR261401-01 Mode : 103 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5456.08</th> <th>42.56</th> <th>-11.44</th> <th>54.00</th> <th>29.73</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>260</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5456.08	42.56	-11.44	54.00	29.73	34.80	10.02	31.99	260	231	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5456.08	42.56	-11.44	54.00	29.73	34.80	10.02	31.99	260	231	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Full CH116 5580MHz - R																																																																														
2	Vertical	Fundamental																																																																													
Peak	<p>Site : 03090A-KS          Condition : SG_BAND 1----3 3e 3117 SN 00218652- VERTICAL          Project : FR261401-01          Mode : 103          Plane : E          Full-directivity : #1          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>53.67</td> <td>-14.63</td> <td>68.30</td> <td>40.74</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>260</td> <td>231 Peak VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1	5755.00	53.67	-14.63	68.30	40.74	34.57	10.37	32.01	260	231 Peak VERTICAL	Left blank																																												
1	Freq	Level	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																																						
1	5755.00	53.67	-14.63	68.30	40.74	34.57	10.37	32.01	260	231 Peak VERTICAL																																																																					
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Full CH140 5700MHz																																																																														
2	Horizontal	Fundamental																																																																													
Peak	<p>Site : 03090A-KS          Condition : SG_BAND 1----3 3e 3117 SN 00218652- HORIZONTAL          Project : FR261401-01          Mode : 104          Plane : E          Full-directivity : #1          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5722.80</td> <td>54.96</td> <td>-12.34</td> <td>68.30</td> <td>42.12</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>102</td> <td>279 Peak HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1	5722.80	54.96	-12.34	68.30	42.12	34.53	10.35	32.04	102	279 Peak HORIZONTAL	<p>Site : 03090A-KS          Condition : SG_BAND 1----3 3e 3117 SN 00218652- HORIZONTAL          Project : FR261401-01          Mode : 104          Plane : E          Full-directivity : #1          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5704.00</td> <td>103.77</td> <td>35.47</td> <td>68.30</td> <td>90.98</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>102</td> <td>279 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5704.00</td> <td>14.95</td> <td>-----</td> <td>82.16</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>102</td> <td>279</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1	5704.00	103.77	35.47	68.30	90.98	34.52	10.33	32.06	102	279 Peak HORIZONTAL	2	5704.00	14.95	-----	82.16	34.52	10.33	32.06	102	279	Average HORIZONTAL
1	Freq	Level	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																																						
1	5722.80	54.96	-12.34	68.30	42.12	34.53	10.35	32.04	102	279 Peak HORIZONTAL																																																																					
1	Freq	Level	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																																						
1	5704.00	103.77	35.47	68.30	90.98	34.52	10.33	32.06	102	279 Peak HORIZONTAL																																																																					
2	5704.00	14.95	-----	82.16	34.52	10.33	32.06	102	279	Average HORIZONTAL																																																																					



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE20 Full CH140 5700MHz																																																																												
2	Vertical	Fundamental																																																																											
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218662- VERTICAL Project : RBW:1000.000kHz; YBW:3000.000kHz; SMT:Auto FR261401-01 Mode : 104 Plane : 2 Full-directivity : 2 IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.88</td> <td>61.24</td> <td>-7.06</td> <td>68.30</td> <td>48.40</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>294</td> <td>223</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor			1	5725.88	61.24	-7.06	68.30	48.40	34.53	10.35	32.04	294	223	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218662- VERTICAL Project : RBW:1000.000kHz; YBW:3000.000kHz; SMT:Auto FR261401-01 Mode : 104 Plane : 2 Full-directivity : 2 IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>110.21</td> <td>41.91</td> <td>68.30</td> <td>97.45</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>294</td> <td>223</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>102.36</td> <td>-----</td> <td>89.60</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>-----</td> <td>294</td> <td>223</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor			1	5698.00	110.21	41.91	68.30	97.45	34.50	10.32	32.06	294	223	Peak	VERTICAL	2	5698.00	102.36	-----	89.60	34.50	10.32	32.06	-----	294	223	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																							
1	5725.88	61.24	-7.06	68.30	48.40	34.53	10.35	32.04	294	223	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																							
1	5698.00	110.21	41.91	68.30	97.45	34.50	10.32	32.06	294	223	Peak	VERTICAL																																																																	
2	5698.00	102.36	-----	89.60	34.50	10.32	32.06	-----	294	223	Average	VERTICAL																																																																	








**UNII-2C - 5470~5725MHz**  
**WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Partial 26/0 CH100 5500MHz																																																																																								
2	Horizontal	Fundamental																																																																																							
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 109            Plane : X            IME1 : full-directivity            Powersetting : 4.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.20</td> <td>52.77</td> <td>-21.23</td> <td>74.00</td> <td>39.96</td> <td>34.80</td> <td>0.99</td> <td>31.98</td> <td>369</td> <td>300 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>51.48</td> <td>-16.02</td> <td>68.30</td> <td>38.83</td> <td>34.80</td> <td>10.58</td> <td>31.99</td> <td>369</td> <td>300 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	5445.20	52.77	-21.23	74.00	39.96	34.80	0.99	31.98	369	300 Peak	HORIZONTAL	2	5469.68	51.48	-16.02	68.30	38.83	34.80	10.58	31.99	369	300 Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 109            Plane : X            IME1 : full-directivity            Powersetting : 4.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5484.00</td> <td>97.49</td> <td>29.39</td> <td>68.30</td> <td>84.83</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>369</td> <td>300 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5484.00</td> <td>91.42</td> <td>-----</td> <td>78.56</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>369</td> <td>300 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	5484.00	97.49	29.39	68.30	84.83	34.80	10.07	32.01	369	300 Peak	HORIZONTAL	2	5484.00	91.42	-----	78.56	34.80	10.07	32.01	369	300 Average	HORIZONTAL
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
IME1	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																																																
1	5445.20	52.77	-21.23	74.00	39.96	34.80	0.99	31.98	369	300 Peak	HORIZONTAL																																																																														
2	5469.68	51.48	-16.02	68.30	38.83	34.80	10.58	31.99	369	300 Peak	HORIZONTAL																																																																														
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
IME1	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																																																
1	5484.00	97.49	29.39	68.30	84.83	34.80	10.07	32.01	369	300 Peak	HORIZONTAL																																																																														
2	5484.00	91.42	-----	78.56	34.80	10.07	32.01	369	300 Average	HORIZONTAL																																																																															
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 109            Plane : X            IME1 : full-directivity            Powersetting : 4.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>43.09</td> <td>-10.91</td> <td>54.00</td> <td>30.26</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>369</td> <td>300 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg	1	5459.76	43.09	-10.91	54.00	30.26	34.80	10.02	31.99	369	300 Average	HORIZONTAL	<b>Left blank</b>																																																							
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
IME1	Freq	Level	Line	Level	Factor	Loss	Factor	cn	deg																																																																																
1	5459.76	43.09	-10.91	54.00	30.26	34.80	10.02	31.99	369	300 Average	HORIZONTAL																																																																														



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																			
ANT	802.11ax HE20 Partial 26/0 CH100 5500MHz																																																			
2	Vertical	Fundamental																																																		
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 03260a-K3 Condition: SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project: RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto FR261401-01 Mode: 109 Plane: 2 Full-directivity IMEI: #41 Powersetting: 4.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5410.16</th> <th>52.07</th> <th>-21.93</th> <th>74.00</th> <th>39.29</th> <th>34.80</th> <th>9.94</th> <th>31.96</th> <th>281</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5464.24</th> <th>51.86</th> <th>-16.44</th> <th>68.30</th> <th>39.01</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>281</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5410.16	52.07	-21.93	74.00	39.29	34.80	9.94	31.96	281	231	Peak	VERTICAL	2	5464.24	51.86	-16.44	68.30	39.01	34.80	10.04	31.99	281	231	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 03260a-K3 Condition: SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project: RBW: 1000.000kHz VBW: 3000.000kHz SMT: Auto FR261401-01 Mode: 109 Plane: 2 Full-directivity IMEI: #41 Powersetting: 4.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5494.00</th> <th>105.17</th> <th>36.82</th> <th>68.30</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>281</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5494.00</th> <th>99.12</th> <th>-----</th> <th>86.26</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>281</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5494.00	105.17	36.82	68.30	34.80	10.07	32.01	281	231	Peak	VERTICAL	2	5494.00	99.12	-----	86.26	34.80	10.07	32.01	281	231	Average	VERTICAL
1	5410.16	52.07	-21.93	74.00	39.29	34.80	9.94	31.96	281	231	Peak	VERTICAL																																								
2	5464.24	51.86	-16.44	68.30	39.01	34.80	10.04	31.99	281	231	Peak	VERTICAL																																								
1	5494.00	105.17	36.82	68.30	34.80	10.07	32.01	281	231	Peak	VERTICAL																																									
2	5494.00	99.12	-----	86.26	34.80	10.07	32.01	281	231	Average	VERTICAL																																									
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 03260a-K3 Condition: SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project: RBW: 1000.000kHz VBW: 1.800kHz SMT: Auto FR261401-01 Mode: 109 Plane: 2 Full-directivity IMEI: #41 Powersetting: 4.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5423.76</th> <th>43.31</th> <th>-10.69</th> <th>54.00</th> <th>30.50</th> <th>34.80</th> <th>9.97</th> <th>31.96</th> <th>281</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5423.76	43.31	-10.69	54.00	30.50	34.80	9.97	31.96	281	231	Average	VERTICAL	<p><b>Left blank</b></p>																																					
1	5423.76	43.31	-10.69	54.00	30.50	34.80	9.97	31.96	281	231	Average	VERTICAL																																								



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 26/8 CH140 5700MHz																																																																																
2	Horizontal	Fundamental																																																																															
Peak	<p>Site : 032606-KS          Condition : SG_BAND 1 ---3 3m 3117 SN 00218652- HORIZONTAL          Project : FR261401-01          Mode : 110          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 4.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5738.36</td> <td>52.66</td> <td>-15.64</td> <td>68.30</td> <td>39.76</td> <td>34.55</td> <td>10.34</td> <td>32.04</td> <td>361</td> <td>117 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5738.36	52.66	-15.64	68.30	39.76	34.55	10.34	32.04	361	117 Peak	HORIZONTAL	<p>Site : 032606-KS          Condition : SG_BAND 1 ---3 3m 3117 SN 00218652- HORIZONTAL          Project : FR261401-01          Mode : 110          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 4.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5710.00</td> <td>99.30</td> <td>31.00</td> <td>68.30</td> <td>66.49</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>361</td> <td>117 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>90.81</td> <td>-----</td> <td>78.00</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>361</td> <td>117 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5710.00	99.30	31.00	68.30	66.49	34.52	10.33	32.04	361	117 Peak	HORIZONTAL	2	5710.00	90.81	-----	78.00	34.52	10.33	32.04	361	117 Average	HORIZONTAL
IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																									
1	5738.36	52.66	-15.64	68.30	39.76	34.55	10.34	32.04	361	117 Peak	HORIZONTAL																																																																						
IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																									
1	5710.00	99.30	31.00	68.30	66.49	34.52	10.33	32.04	361	117 Peak	HORIZONTAL																																																																						
2	5710.00	90.81	-----	78.00	34.52	10.33	32.04	361	117 Average	HORIZONTAL																																																																							
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 26/8 CH140 5700MHz																																																																																
2	Vertical	Fundamental																																																																															
Peak	<p>Site : 032606-KS          Condition : SG_BAND 1 ---3 3m 3117 SN 00218652- VERTICAL          Project : FR261401-01          Mode : 110          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 4.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5760.28</td> <td>52.97</td> <td>-15.33</td> <td>68.30</td> <td>40.02</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>280</td> <td>216 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5760.28	52.97	-15.33	68.30	40.02	34.57	10.37	31.99	280	216 Peak	VERTICAL	<p>Site : 032606-KS          Condition : SG_BAND 1 ---3 3m 3117 SN 00218652- VERTICAL          Project : FR261401-01          Mode : 110          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 4.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5710.00</td> <td>104.96</td> <td>38.66</td> <td>68.30</td> <td>94.15</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>280</td> <td>216 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>100.35</td> <td>-----</td> <td>87.54</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>280</td> <td>216 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5710.00	104.96	38.66	68.30	94.15	34.52	10.33	32.04	280	216 Peak	VERTICAL	2	5710.00	100.35	-----	87.54	34.52	10.33	32.04	280	216 Average	VERTICAL
IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																									
1	5760.28	52.97	-15.33	68.30	40.02	34.57	10.37	31.99	280	216 Peak	VERTICAL																																																																						
IRE1	Powersetting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																									
1	5710.00	104.96	38.66	68.30	94.15	34.52	10.33	32.04	280	216 Peak	VERTICAL																																																																						
2	5710.00	100.35	-----	87.54	34.52	10.33	32.04	280	216 Average	VERTICAL																																																																							



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE20 Partial 52/37 CH100 5500MHz																																																																																									
2	Horizontal	Fundamental																																																																																								
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 115            Plane : X            IME1 : full-directivity            Powersetting : 841            7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5443.92</td> <td>52.42</td> <td>-21.58</td> <td>74.00</td> <td>39.61</td> <td>34.80</td> <td>0.99</td> <td>31.98</td> <td>394</td> <td>305 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5468.72</td> <td>50.19</td> <td>-17.31</td> <td>68.30</td> <td>38.14</td> <td>34.80</td> <td>10.54</td> <td>31.99</td> <td>394</td> <td>305 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			5443.92	52.42	-21.58	74.00	39.61	34.80	0.99	31.98	394	305 Peak	HORIZONTAL	5468.72	50.19	-17.31	68.30	38.14	34.80	10.54	31.99	394	305 Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 115            Plane : X            IME1 : full-directivity            Powersetting : 841            7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5484.00</td> <td>98.54</td> <td>30.26</td> <td>68.30</td> <td>85.70</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>394</td> <td>305 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5484.00</td> <td>92.01</td> <td></td> <td></td> <td>79.15</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>394</td> <td>305 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			5484.00	98.54	30.26	68.30	85.70	34.80	10.07	32.01	394	305 Peak	HORIZONTAL	5484.00	92.01			79.15	34.80	10.07	32.01	394	305 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
5443.92	52.42	-21.58	74.00	39.61	34.80	0.99	31.98	394	305 Peak	HORIZONTAL																																																																																
5468.72	50.19	-17.31	68.30	38.14	34.80	10.54	31.99	394	305 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
5484.00	98.54	30.26	68.30	85.70	34.80	10.07	32.01	394	305 Peak	HORIZONTAL																																																																																
5484.00	92.01			79.15	34.80	10.07	32.01	394	305 Average	HORIZONTAL																																																																																
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 115            Plane : X            IME1 : full-directivity            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5438.80</td> <td>43.71</td> <td>-10.29</td> <td>54.00</td> <td>30.90</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>394</td> <td>305 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			5438.80	43.71	-10.29	54.00	30.90	34.80	9.99	31.98	394	305 Average	HORIZONTAL	<b>Left blank</b>																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
5438.80	43.71	-10.29	54.00	30.90	34.80	9.99	31.98	394	305 Average	HORIZONTAL																																																																																



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Partial 52/37 CH100 5500MHZ																																																					
2	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz, YBR 3000, 0000Hz, SRT Auto Mode : (FR)261401-01 Plane : 115 Full-directivity : 1 IMEI : 841 Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5495.52</th> <th>51.95</th> <th>-22.05</th> <th>74.00</th> <th>39.11</th> <th>34.80</th> <th>10.02</th> <th>31.98</th> <th>282</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5499.68</th> <th>51.00</th> <th>-17.30</th> <th>68.30</th> <th>38.15</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>282</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5495.52	51.95	-22.05	74.00	39.11	34.80	10.02	31.98	282	230	Peak	VERTICAL	2	5499.68	51.00	-17.30	68.30	38.15	34.80	10.04	31.99	282	230	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz, YBR 3000, 0000Hz, SRT Auto Mode : (FR)261401-01 Plane : 115 Full-directivity : 1 IMEI : 841 Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5494.00</th> <th>104.52</th> <th>38.22</th> <th>68.30</th> <th>93.66</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>282</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5494.00</th> <th>99.50</th> <th>-----</th> <th>-----</th> <th>86.04</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>282</th> <th>230</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5494.00	104.52	38.22	68.30	93.66	34.80	10.07	32.01	282	230	Peak	VERTICAL	2	5494.00	99.50	-----	-----	86.04	34.80	10.07	32.01	282	230	Average	VERTICAL
1	5495.52	51.95	-22.05	74.00	39.11	34.80	10.02	31.98	282	230	Peak	VERTICAL																																										
2	5499.68	51.00	-17.30	68.30	38.15	34.80	10.04	31.99	282	230	Peak	VERTICAL																																										
1	5494.00	104.52	38.22	68.30	93.66	34.80	10.07	32.01	282	230	Peak	VERTICAL																																										
2	5494.00	99.50	-----	-----	86.04	34.80	10.07	32.01	282	230	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz, YBR 3, 3000Hz, SRT Auto Mode : 115 Plane : 115 Full-directivity : 1 IMEI : 841 Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5454.00</th> <th>43.95</th> <th>-10.05</th> <th>54.00</th> <th>31.12</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>282</th> <th>230</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5454.00	43.95	-10.05	54.00	31.12	34.80	10.02	31.99	282	230	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5454.00	43.95	-10.05	54.00	31.12	34.80	10.02	31.99	282	230	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Partial 52/40 CH140 5700MHz																																																																																								
2	Horizontal	Fundamental																																																																																							
Peak	<p>Site : 03200A-KS          Condition : SG_BAND1_1---3 3m 3117 SN 00218652- HORIZONTAL          Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>7.5</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.24</td> <td>53.98</td> <td>-14.22</td> <td>68.30</td> <td>41.08</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>347</td> <td>130</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg	1	5745.24	53.98	-14.22	68.30	41.08	34.55	10.34	32.01	347	130	Peak	HORIZONTAL	<p>Site : 03200A-KS          Condition : SG_BAND1_1---3 3m 3117 SN 00218652- HORIZONTAL          Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>7.5</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5710.00</td> <td>98.08</td> <td>29.79</td> <td>68.30</td> <td>85.27</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>347</td> <td>130</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>92.28</td> <td>-----</td> <td>-----</td> <td>79.47</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>347</td> <td>130</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg	1	5710.00	98.08	29.79	68.30	85.27	34.52	10.33	32.04	347	130	Peak	HORIZONTAL	2	5710.00	92.28	-----	-----	79.47	34.52	10.33	32.04	347	130	Average	HORIZONTAL
IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg																																																																														
1	5745.24	53.98	-14.22	68.30	41.08	34.55	10.34	32.01	347	130	Peak	HORIZONTAL																																																																													
IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg																																																																														
1	5710.00	98.08	29.79	68.30	85.27	34.52	10.33	32.04	347	130	Peak	HORIZONTAL																																																																													
2	5710.00	92.28	-----	-----	79.47	34.52	10.33	32.04	347	130	Average	HORIZONTAL																																																																													
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Partial 52/40 CH140 5700MHz																																																																																								
2	Vertical	Fundamental																																																																																							
Peak.	<p>Site : 03200A-KS          Condition : SG_BAND1_1---3 3m 3117 SN 00218652- VERTICAL          Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>7.5</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5753.08</td> <td>53.19</td> <td>-15.11</td> <td>68.30</td> <td>40.26</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>290</td> <td>221</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg	1	5753.08	53.19	-15.11	68.30	40.26	34.57	10.37	32.01	290	221	Peak	VERTICAL	<p>Site : 03200A-KS          Condition : SG_BAND1_1---3 3m 3117 SN 00218652- VERTICAL          Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity : Full-directivity          IRE1 : #15          Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>IRE1</th> <th>Powersetting</th> <th>7.5</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5710.00</td> <td>109.31</td> <td>41.01</td> <td>68.30</td> <td>94.50</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>290</td> <td>221</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>101.46</td> <td>-----</td> <td>-----</td> <td>88.46</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>290</td> <td>221</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg	1	5710.00	109.31	41.01	68.30	94.50	34.52	10.33	32.04	290	221	Peak	VERTICAL	2	5710.00	101.46	-----	-----	88.46	34.52	10.33	32.04	290	221	Average	VERTICAL
IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg																																																																														
1	5753.08	53.19	-15.11	68.30	40.26	34.57	10.37	32.01	290	221	Peak	VERTICAL																																																																													
IRE1	Powersetting	7.5	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	deg	deg																																																																														
1	5710.00	109.31	41.01	68.30	94.50	34.52	10.33	32.04	290	221	Peak	VERTICAL																																																																													
2	5710.00	101.46	-----	-----	88.46	34.52	10.33	32.04	290	221	Average	VERTICAL																																																																													



**UNII-2C 5470~5725MHz  
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz																																																																																												
2	Horizontal	Fundamental																																																																																											
<b>Peak</b>	<p>Site : 032006-KS Condition : 5G BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 121 Plane : X IMEI : Full-directivity Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5420.24</td> <td>52.22</td> <td>-21.78</td> <td>74.00</td> <td>39.41</td> <td>34.80</td> <td>0.92</td> <td>31.96</td> <td>392</td> <td>304</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5460.32</td> <td>51.46</td> <td>-16.86</td> <td>68.30</td> <td>38.01</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>392</td> <td>304</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	dB	dB	deg		1	5420.24	52.22	-21.78	74.00	39.41	34.80	0.92	31.96	392	304	Peak	HORIZONTAL	2	5460.32	51.46	-16.86	68.30	38.01	34.80	10.04	31.99	392	304	Peak	HORIZONTAL	<p>Site : 032006-KS Condition : 5G BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 121 Plane : X IMEI : Full-directivity Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>98.99</td> <td>30.69</td> <td>68.30</td> <td>86.11</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>392</td> <td>304</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>92.94</td> <td>-----</td> <td>80.00</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>392</td> <td>304</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	dB	dB	deg		1	5500.00	98.99	30.69	68.30	86.11	34.80	10.09	32.01	392	304	Peak	HORIZONTAL	2	5500.00	92.94	-----	80.00	34.80	10.09	32.01	392	304	Average	HORIZONTAL
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																				
Freq	Level	Line	Level	Factor	Loss	dB	dB	deg																																																																																					
1	5420.24	52.22	-21.78	74.00	39.41	34.80	0.92	31.96	392	304	Peak	HORIZONTAL																																																																																	
2	5460.32	51.46	-16.86	68.30	38.01	34.80	10.04	31.99	392	304	Peak	HORIZONTAL																																																																																	
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																				
Freq	Level	Line	Level	Factor	Loss	dB	dB	deg																																																																																					
1	5500.00	98.99	30.69	68.30	86.11	34.80	10.09	32.01	392	304	Peak	HORIZONTAL																																																																																	
2	5500.00	92.94	-----	80.00	34.80	10.09	32.01	392	304	Average	HORIZONTAL																																																																																		
<b>Avg.</b>	<p>Site : 032006-KS Condition : 5G BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 121 Plane : X IMEI : Full-directivity Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.44</td> <td>44.47</td> <td>-9.53</td> <td>54.00</td> <td>31.64</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>392</td> <td>304</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	dB	dB	deg		1	5455.44	44.47	-9.53	54.00	31.64	34.80	10.02	31.99	392	304	Average	HORIZONTAL	<b>Left blank</b>																																																										
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																				
Freq	Level	Line	Level	Factor	Loss	dB	dB	deg																																																																																					
1	5455.44	44.47	-9.53	54.00	31.64	34.80	10.02	31.99	392	304	Average	HORIZONTAL																																																																																	



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz																																																																																									
2	Vertical	Fundamental																																																																																								
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 121 Plane : 2 Full-directivity : 4 IME1 : 441 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5380.24</td> <td>52.79</td> <td>-21.21</td> <td>74.00</td> <td>40.06</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>284</td> <td>232 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5499.36</td> <td>51.65</td> <td>-16.65</td> <td>68.30</td> <td>38.80</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>284</td> <td>232 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5380.24	52.79	-21.21	74.00	40.06	34.75	9.93	31.95	284	232 Peak	VERTICAL	2	5499.36	51.65	-16.65	68.30	38.80	34.80	10.04	31.99	284	232 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 121 Plane : 2 Full-directivity : 4 IME1 : 441 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>107.13</td> <td>38.83</td> <td>68.30</td> <td>94.27</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>284</td> <td>232 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5494.00</td> <td>99.52</td> <td>-----</td> <td>86.66</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>284</td> <td>232 Average</td> <td></td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5494.00	107.13	38.83	68.30	94.27	34.80	10.07	32.01	284	232 Peak	VERTICAL	2	5494.00	99.52	-----	86.66	34.80	10.07	32.01	284	232 Average		VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																			
1	5380.24	52.79	-21.21	74.00	40.06	34.75	9.93	31.95	284	232 Peak	VERTICAL																																																																															
2	5499.36	51.65	-16.65	68.30	38.80	34.80	10.04	31.99	284	232 Peak	VERTICAL																																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																			
1	5494.00	107.13	38.83	68.30	94.27	34.80	10.07	32.01	284	232 Peak	VERTICAL																																																																															
2	5494.00	99.52	-----	86.66	34.80	10.07	32.01	284	232 Average		VERTICAL																																																																															
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 4.2000MHz SRT Auto FR261401-01 Mode : 121 Plane : 2 Full-directivity : 4 IME1 : 441 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5499.76</td> <td>44.85</td> <td>-9.15</td> <td>54.00</td> <td>32.02</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>284</td> <td>232 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5499.76	44.85	-9.15	54.00	32.02	34.80	10.02	31.99	284	232 Average	VERTICAL	<p><b>Left blank</b></p>																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																			
1	5499.76	44.85	-9.15	54.00	32.02	34.80	10.02	31.99	284	232 Average	VERTICAL																																																																															





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																												
ANT	802.11ax HE20 Partial 106/54 CH140 5700MHz																																																												
2	Horizontal	Fundamental																																																											
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218652- HORIZONTAL Project : RBW:1000.000kHz; VBW:3000.000kHz; SFT:Auto FR2:261401-01 Mode : 122 Plane : 2 Full-directivity : 2 IME1 : 841 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5751.32</td> <td>52.38</td> <td>-15.92</td> <td>68.30</td> <td>39.48</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>321</td> <td>122</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	5751.32	52.38	-15.92	68.30	39.48	34.55	10.34	32.01	321	122	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218652- HORIZONTAL Project : RBW:1000.000kHz; VBW:3000.000kHz; SFT:Auto FR2:261401-01 Mode : 122 Plane : 2 Full-directivity : 2 IME1 : 841 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5704.00</td> <td>99.48</td> <td>31.18</td> <td>68.30</td> <td>86.69</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>321</td> <td>122</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5704.00</td> <td>92.85</td> <td>-----</td> <td>80.06</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>321</td> <td>122</td> <td>-----</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	5704.00	99.48	31.18	68.30	86.69	34.52	10.33	32.06	321	122	Peak	HORIZONTAL	2	5704.00	92.85	-----	80.06	34.52	10.33	32.06	321	122	-----	Average	HORIZONTAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
1	5751.32	52.38	-15.92	68.30	39.48	34.55	10.34	32.01	321	122	Peak	HORIZONTAL																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
1	5704.00	99.48	31.18	68.30	86.69	34.52	10.33	32.06	321	122	Peak	HORIZONTAL																																																	
2	5704.00	92.85	-----	80.06	34.52	10.33	32.06	321	122	-----	Average	HORIZONTAL																																																	




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																									
ANT	802.11ax HE20 Partial 106/54 CH140 5700MHz																																																									
2	Vertical	Fundamental																																																								
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020804-KS Condition : SG BAND 1-----3 3m 3117 SW 00218652- VERTICAL Project : RBW:1000, 000kHz; VBW:3000, 000kHz; SMT:Auto Project : FR261401-01 Mode : 122 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>req</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5735.80</td> <td>53.19</td> <td>-15.11</td> <td>68.30</td> <td>40.29</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>296</td> <td>223 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas	1	5735.80	53.19	-15.11	68.30	40.29	34.55	10.34	32.01	296	223 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020804-KS Condition : SG BAND 1-----3 3m 3117 SW 00218653- VERTICAL Project : RBW:1000, 000kHz; VBW:3000, 000kHz; SMT:Auto Project : FR261401-01 Mode : 122 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ca</th> <th>req</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5710.00</td> <td>108.89</td> <td>40.59</td> <td>68.30</td> <td>96.08</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>296</td> <td>223 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>101.36</td> <td>-----</td> <td>-----</td> <td>88.55</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>296</td> <td>223 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas	1	5710.00	108.89	40.59	68.30	96.08	34.52	10.33	32.04	296	223 Peak	VERTICAL	2	5710.00	101.36	-----	-----	88.55	34.52	10.33	32.04	296	223 Average	VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas																																																
1	5735.80	53.19	-15.11	68.30	40.29	34.55	10.34	32.01	296	223 Peak	VERTICAL																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	ca	req	Remark	Pol/Phas																																																	
1	5710.00	108.89	40.59	68.30	96.08	34.52	10.33	32.04	296	223 Peak	VERTICAL																																															
2	5710.00	101.36	-----	-----	88.55	34.52	10.33	32.04	296	223 Average	VERTICAL																																															



**UNII-2C 5470~5725MHz  
WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																					
2	Horizontal	Fundamental																																																				
<b>Peak</b>	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 127 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5455.76</th> <th>55.19</th> <th>-18.81</th> <th>74.00</th> <th>42.36</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>340</th> <th>344</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5460.16</th> <th>58.18</th> <th>-10.12</th> <th>68.30</th> <th>45.31</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>340</th> <th>344</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5455.76	55.19	-18.81	74.00	42.36	34.80	10.02	31.99	340	344	Peak	HORIZONTAL	2	5460.16	58.18	-10.12	68.30	45.31	34.80	10.04	31.99	340	344	Peak	HORIZONTAL	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 127 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5506.00</th> <th>100.33</th> <th>32.03</th> <th>69.30</th> <th>87.46</th> <th>34.80</th> <th>10.09</th> <th>32.02</th> <th>340</th> <th>344</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5506.00</th> <th>91.77</th> <th>-----</th> <th>-----</th> <th>78.90</th> <th>34.80</th> <th>10.09</th> <th>32.02</th> <th>340</th> <th>344</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5506.00	100.33	32.03	69.30	87.46	34.80	10.09	32.02	340	344	Peak	HORIZONTAL	2	5506.00	91.77	-----	-----	78.90	34.80	10.09	32.02	340	344	Average	HORIZONTAL
1	5455.76	55.19	-18.81	74.00	42.36	34.80	10.02	31.99	340	344	Peak	HORIZONTAL																																										
2	5460.16	58.18	-10.12	68.30	45.31	34.80	10.04	31.99	340	344	Peak	HORIZONTAL																																										
1	5506.00	100.33	32.03	69.30	87.46	34.80	10.09	32.02	340	344	Peak	HORIZONTAL																																										
2	5506.00	91.77	-----	-----	78.90	34.80	10.09	32.02	340	344	Average	HORIZONTAL																																										
<b>Avg.</b>	<p>Site : 032000-KS Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 127 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5460.00</th> <th>44.53</th> <th>-9.47</th> <th>54.00</th> <th>31.70</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>340</th> <th>344</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5460.00	44.53	-9.47	54.00	31.70	34.80	10.02	31.99	340	344	Average	HORIZONTAL	<b>Left blank</b>																																							
1	5460.00	44.53	-9.47	54.00	31.70	34.80	10.02	31.99	340	344	Average	HORIZONTAL																																										




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ax HE40 Full CH102 5510MHz - R																							
2	Horizontal	Fundamental																						
Peak	 <p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Date: 10            Site : 03260A-KS            Condition : 5G-BAND 1---3 3m 3117 EN 00218A52- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto            FREQ:104.001-01            Mode : 127            Plane : E            Filter : Full+directivity            IMEI : 843            Power setting : 13            Over Limit : 13            ReadAntenna : 13            Cable Preamp : 13            A/Pos : 340            T/Pos : 344            Remark : Peak            Pol/Phas : HORIZONTAL         </small> </p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5732.12</td> <td>53.95</td> <td>-14.25</td> <td>68.30</td> <td>41.08</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>340</td> <td>344</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	1	5732.12	53.95	-14.25	68.30	41.08	34.53	10.35	32.01	340	344	Peak	HORIZONTAL	Left blank
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																
1	5732.12	53.95	-14.25	68.30	41.08	34.53	10.35	32.01	340	344	Peak	HORIZONTAL												






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																					
2	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL RBM: 1000, 0000Hz; YBR: 3000, 0000Hz; SRT: Auto Project : FR261401-01 Mode : 127 Plane : 2 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5457.52</th> <th>62.54</th> <th>-11.46</th> <th>74.00</th> <th>49.71</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>281</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5469.68</th> <th>62.75</th> <th>-5.55</th> <th>68.30</th> <th>49.90</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>281</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5457.52	62.54	-11.46	74.00	49.71	34.80	10.02	31.99	281	230	Peak	VERTICAL	2	5469.68	62.75	-5.55	68.30	49.90	34.80	10.04	31.99	281	230	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL RBM: 1000, 0000Hz; YBR: 3000, 0000Hz; SRT: Auto Project : FR261401-01 Mode : 127 Plane : 2 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5506.00</th> <th>109.41</th> <th>41.11</th> <th>68.30</th> <th>96.54</th> <th>34.80</th> <th>10.09</th> <th>32.02</th> <th>281</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5506.00</th> <th>99.21</th> <th>-----</th> <th>-----</th> <th>86.34</th> <th>34.80</th> <th>10.09</th> <th>32.02</th> <th>281</th> <th>230</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5506.00	109.41	41.11	68.30	96.54	34.80	10.09	32.02	281	230	Peak	VERTICAL	2	5506.00	99.21	-----	-----	86.34	34.80	10.09	32.02	281	230	Average	VERTICAL
1	5457.52	62.54	-11.46	74.00	49.71	34.80	10.02	31.99	281	230	Peak	VERTICAL																																										
2	5469.68	62.75	-5.55	68.30	49.90	34.80	10.04	31.99	281	230	Peak	VERTICAL																																										
1	5506.00	109.41	41.11	68.30	96.54	34.80	10.09	32.02	281	230	Peak	VERTICAL																																										
2	5506.00	99.21	-----	-----	86.34	34.80	10.09	32.02	281	230	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL RBM: 1000, 0000Hz; YBR: 0, 01000Hz; SRT: Auto Project : FR261401-01 Mode : 127 Plane : 2 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5460.00</th> <th>46.79</th> <th>-7.21</th> <th>54.00</th> <th>33.96</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>281</th> <th>230</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5460.00	46.79	-7.21	54.00	33.96	34.80	10.02	31.99	281	230	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5460.00	46.79	-7.21	54.00	33.96	34.80	10.02	31.99	281	230	Average	VERTICAL																																										




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Full CH102 5510MHz - R																						
2	Vertical	Fundamental																					
Peak	 <p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Date: 14            Level (dBm/10m)         </small> </p> <p> <small>           Site : 032604-KS            Position : 5G BAND 1---3 3e 3117 EN 00218A62- VERTICAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SMT:Auto            File : FR261401-01            Mode : 127            Plane : E            Filter : Full-directivity            IMEI : 843            Power setting : 13         </small> </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5730.60</td> <td>54.36</td> <td>-13.94</td> <td>68.30</td> <td>41.49</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>281</td> <td>230</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5730.60	54.36	-13.94	68.30	41.49	34.53	10.35	32.01	281	230	Peak	VERTICAL	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5730.60	54.36	-13.94	68.30	41.49	34.53	10.35	32.01	281	230	Peak	VERTICAL											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																					
2	Horizontal	Fundamental																																																				
<p><b>Peak</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR2 261401-01            Plane : 128            Full-directivity : 1            IME1 : 441            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5394.64</th> <th>52.48</th> <th>-21.52</th> <th>74.00</th> <th>39.69</th> <th>34.80</th> <th>9.94</th> <th>31.95</th> <th>386</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5461.84</th> <th>52.03</th> <th>-16.27</th> <th>68.30</th> <th>39.20</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>386</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5394.64	52.48	-21.52	74.00	39.69	34.80	9.94	31.95	386	283	Peak	HORIZONTAL	2	5461.84	52.03	-16.27	68.30	39.20	34.80	10.02	31.99	386	283	Peak	HORIZONTAL	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR2 261401-01            Plane : 128            Full-directivity : 1            IME1 : 441            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5554.00</th> <th>98.51</th> <th>30.21</th> <th>68.30</th> <th>85.69</th> <th>34.70</th> <th>10.17</th> <th>32.05</th> <th>386</th> <th>283</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5554.00</th> <th>90.09</th> <th>-----</th> <th>-----</th> <th>77.27</th> <th>34.70</th> <th>10.17</th> <th>32.05</th> <th>386</th> <th>283</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5554.00	98.51	30.21	68.30	85.69	34.70	10.17	32.05	386	283	Peak	HORIZONTAL	2	5554.00	90.09	-----	-----	77.27	34.70	10.17	32.05	386	283	Average	HORIZONTAL
1	5394.64	52.48	-21.52	74.00	39.69	34.80	9.94	31.95	386	283	Peak	HORIZONTAL																																										
2	5461.84	52.03	-16.27	68.30	39.20	34.80	10.02	31.99	386	283	Peak	HORIZONTAL																																										
1	5554.00	98.51	30.21	68.30	85.69	34.70	10.17	32.05	386	283	Peak	HORIZONTAL																																										
2	5554.00	90.09	-----	-----	77.27	34.70	10.17	32.05	386	283	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 0.0100MHz SRT Auto            Mode : FR2 261401-01            Plane : 128            Full-directivity : 1            IME1 : 441            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5459.44</th> <th>42.29</th> <th>-11.71</th> <th>54.00</th> <th>29.46</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>386</th> <th>283</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5459.44	42.29	-11.71	54.00	29.46	34.80	10.02	31.99	386	283	Average	HORIZONTAL	<p><b>Left blank</b></p>																																							
1	5459.44	42.29	-11.71	54.00	29.46	34.80	10.02	31.99	386	283	Average	HORIZONTAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Full CH110 5550MHz - R																						
2	Horizontal	Fundamental																					
Peak	 <p>Site : 03280A-KS        Position : 5G-BAND 1---3 3m 3117 EN 00218A52- HORIZONTAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FTD 104-001-01        Mode : 128        Plane : 0        Full-directivity : Full-directivity        IMEI : 843        Power setting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5744.28</td> <td>53.77</td> <td>-14.53</td> <td>68.30</td> <td>40.87</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>386</td> <td>203</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5744.28	53.77	-14.53	68.30	40.87	34.55	10.34	32.01	386	203	Peak	HORIZONTAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5744.28	53.77	-14.53	68.30	40.87	34.55	10.34	32.01	386	203	Peak	HORIZONTAL											





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																					
2	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 128            IME1 : Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5459.28</th> <th>54.90</th> <th>-19.10</th> <th>74.00</th> <th>42.07</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>296</th> <th>233</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5460.00</th> <th>54.22</th> <th>-14.08</th> <th>68.30</th> <th>41.29</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>296</th> <th>233</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5459.28	54.90	-19.10	74.00	42.07	34.80	10.02	31.99	296	233	Peak	VERTICAL	2	5460.00	54.22	-14.08	68.30	41.29	34.80	10.02	31.99	296	233	Peak	VERTICAL	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 128            IME1 : Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5548.00</th> <th>107.11</th> <th>38.81</th> <th>68.30</th> <th>94.28</th> <th>34.70</th> <th>10.17</th> <th>32.04</th> <th>296</th> <th>233</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5548.00</th> <th>98.13</th> <th>-----</th> <th>-----</th> <th>85.30</th> <th>34.70</th> <th>10.17</th> <th>32.04</th> <th>296</th> <th>233</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5548.00	107.11	38.81	68.30	94.28	34.70	10.17	32.04	296	233	Peak	VERTICAL	2	5548.00	98.13	-----	-----	85.30	34.70	10.17	32.04	296	233	Average	VERTICAL
1	5459.28	54.90	-19.10	74.00	42.07	34.80	10.02	31.99	296	233	Peak	VERTICAL																																										
2	5460.00	54.22	-14.08	68.30	41.29	34.80	10.02	31.99	296	233	Peak	VERTICAL																																										
1	5548.00	107.11	38.81	68.30	94.28	34.70	10.17	32.04	296	233	Peak	VERTICAL																																										
2	5548.00	98.13	-----	-----	85.30	34.70	10.17	32.04	296	233	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 0.0100MHz SRT Auto            Mode : FR261401-01            Plane : 128            IME1 : Full-directivity            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5459.92</th> <th>43.72</th> <th>-10.28</th> <th>54.00</th> <th>30.89</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>296</th> <th>233</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5459.92	43.72	-10.28	54.00	30.89	34.80	10.02	31.99	296	233	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5459.92	43.72	-10.28	54.00	30.89	34.80	10.02	31.99	296	233	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE40 Full CH110 5550MHz - R																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 030904-KS          Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL          Project : FR261401-01          Mode : 129          Plane : E          Full-directivity : #1          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5739.16</td> <td>53.51</td> <td>-14.49</td> <td>68.30</td> <td>40.71</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>296</td> <td>233 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5739.16	53.51	-14.49	68.30	40.71	34.55	10.34	32.01	296	233 Peak	VERTICAL	Left blank																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1	5739.16	53.51	-14.49	68.30	40.71	34.55	10.34	32.01	296	233 Peak	VERTICAL																																																															
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 030904-KS          Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL          Project : FR261401-01          Mode : 129          Plane : E          Full-directivity : #1          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.88</td> <td>56.71</td> <td>-11.59</td> <td>68.30</td> <td>43.87</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>104</td> <td>281 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5725.88	56.71	-11.59	68.30	43.87	34.53	10.35	32.04	104	281 Peak	HORIZONTAL	<p>Site : 030904-KS          Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL          Project : FR261401-01          Mode : 129          Plane : E          Full-directivity : #1          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>100.34</td> <td>32.04</td> <td>68.30</td> <td>87.58</td> <td>34.52</td> <td>10.30</td> <td>32.06</td> <td>104</td> <td>281 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5680.00</td> <td>92.64</td> <td>-----</td> <td>79.88</td> <td>34.52</td> <td>10.30</td> <td>32.06</td> <td>104</td> <td>281</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5680.00	100.34	32.04	68.30	87.58	34.52	10.30	32.06	104	281 Peak	HORIZONTAL	2	5680.00	92.64	-----	79.88	34.52	10.30	32.06	104	281	Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1	5725.88	56.71	-11.59	68.30	43.87	34.53	10.35	32.04	104	281 Peak	HORIZONTAL																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1	5680.00	100.34	32.04	68.30	87.58	34.52	10.30	32.06	104	281 Peak	HORIZONTAL																																																															
2	5680.00	92.64	-----	79.88	34.52	10.30	32.06	104	281	Average	HORIZONTAL																																																															




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																												
2	Vertical	Fundamental																																																																											
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218662- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto FR261401-01 Mode : 129 Plane : 1 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1</td> <td>5727.32</td> <td>62.47</td> <td>-5.83</td> <td>68.30</td> <td>49.63</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>281</td> <td>225</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		1 1	5727.32	62.47	-5.83	68.30	49.63	34.53	10.35	32.04	281	225	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218662- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto FR261401-01 Mode : 129 Plane : 1 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5668.00</td> <td>107.75</td> <td>39.45</td> <td>68.30</td> <td>95.01</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>281</td> <td>225</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5668.00</td> <td>99.53</td> <td>-----</td> <td>86.79</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td></td> <td>281</td> <td>225</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		1 *	5668.00	107.75	39.45	68.30	95.01	34.52	10.30	32.08	281	225	Peak	VERTICAL	2	5668.00	99.53	-----	86.79	34.52	10.30	32.08		281	225	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																						
1 1	5727.32	62.47	-5.83	68.30	49.63	34.53	10.35	32.04	281	225	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																						
1 *	5668.00	107.75	39.45	68.30	95.01	34.52	10.30	32.08	281	225	Peak	VERTICAL																																																																	
2	5668.00	99.53	-----	86.79	34.52	10.30	32.08		281	225	Average	VERTICAL																																																																	



**UNII-2C 5470~5725MHz  
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - L																																																																																								
2	Horizontal	Fundamental																																																																																							
<b>Peak</b>	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 134 Plane : X IMEI : full-directivity Powersetting : #41 Power : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5398.16</td> <td>52.03</td> <td>-21.97</td> <td>74.00</td> <td>39.24</td> <td>34.80</td> <td>0.94</td> <td>31.95</td> <td>394</td> <td>303</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5460.08</td> <td>52.11</td> <td>-16.19</td> <td>68.30</td> <td>39.38</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>394</td> <td>303</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5398.16	52.03	-21.97	74.00	39.24	34.80	0.94	31.95	394	303	Peak HORIZONTAL	5460.08	52.11	-16.19	68.30	39.38	34.80	10.02	31.99	394	303	Peak HORIZONTAL	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 134 Plane : X IMEI : full-directivity Powersetting : #41 Power : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5484.00</td> <td>95.64</td> <td>27.34</td> <td>68.30</td> <td>82.78</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>394</td> <td>303</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5494.00</td> <td>88.58</td> <td></td> <td>75.72</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>394</td> <td>303</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5484.00	95.64	27.34	68.30	82.78	34.80	10.07	32.01	394	303	Peak HORIZONTAL	5494.00	88.58		75.72	34.80	10.07	32.01	394	303	Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
5398.16	52.03	-21.97	74.00	39.24	34.80	0.94	31.95	394	303	Peak HORIZONTAL																																																																															
5460.08	52.11	-16.19	68.30	39.38	34.80	10.02	31.99	394	303	Peak HORIZONTAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
5484.00	95.64	27.34	68.30	82.78	34.80	10.07	32.01	394	303	Peak HORIZONTAL																																																																															
5494.00	88.58		75.72	34.80	10.07	32.01	394	303	Average HORIZONTAL																																																																																
<b>Avg.</b>	<p>Site : 032000-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 134 Plane : X IMEI : full-directivity Powersetting : #41 Power : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5452.40</td> <td>45.08</td> <td>-8.92</td> <td>54.00</td> <td>32.25</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>394</td> <td>303</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5452.40	45.08	-8.92	54.00	32.25	34.80	10.02	31.99	394	303	Average HORIZONTAL	<b>Left blank</b>																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
5452.40	45.08	-8.92	54.00	32.25	34.80	10.02	31.99	394	303	Average HORIZONTAL																																																																															



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																			
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - R																			
2	Horizontal	Fundamental																		
Peak	 <p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Site : 0390A-KS            Position : 5G-BAND 1---3 In 3117 EN 00218A52- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto            FREQ:551401-01            Mode : 15A            Plane : E            Full-directivity : Full-directivity            IMEI : 861            Powersetting : 10            Over Limit : 10            ReadAntenna : 0            Cable Preamp : 0            A/Pos : 394            T/Pos : 066            Remark : 303 Peak            Pol/Phas : HORIZONTAL         </small> </p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5733.32</td> <td>53.18</td> <td>-15.12</td> <td>68.30</td> <td>40.31</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	1	5733.32	53.18	-15.12	68.30	40.31	34.53	10.35	32.01	Left blank
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas												
1	5733.32	53.18	-15.12	68.30	40.31	34.53	10.35	32.01												






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - L																																																																																												
2	Vertical	Fundamental																																																																																											
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 3000, 000MHz; SRT: Auto FR0261401-01 Mode : 134 Plane : X Full-directivity IMEI : #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5368.24</td> <td>52.66</td> <td>-21.34</td> <td>74.00</td> <td>39.97</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>281</td> <td>229 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5462.64</td> <td>53.03</td> <td>-15.27</td> <td>68.30</td> <td>40.18</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>281</td> <td>229 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5368.24	52.66	-21.34	74.00	39.97	34.70	9.92	31.93	281	229 Peak	VERTICAL	2	5462.64	53.03	-15.27	68.30	40.18	34.80	10.04	31.99	281	229 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 3000, 000MHz; SRT: Auto FR0261401-01 Mode : 134 Plane : X Full-directivity IMEI : #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>104.09</td> <td>35.79</td> <td>68.30</td> <td>91.23</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>281</td> <td>229 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5494.00</td> <td>96.74</td> <td>-----</td> <td>83.88</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>281</td> <td>229 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5494.00	104.09	35.79	68.30	91.23	34.80	10.07	32.01	281	229 Peak	VERTICAL	2	5494.00	96.74	-----	83.88	34.80	10.07	32.01	281	229 Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5368.24	52.66	-21.34	74.00	39.97	34.70	9.92	31.93	281	229 Peak	VERTICAL																																																																																		
2	5462.64	53.03	-15.27	68.30	40.18	34.80	10.04	31.99	281	229 Peak	VERTICAL																																																																																		
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5494.00	104.09	35.79	68.30	91.23	34.80	10.07	32.01	281	229 Peak	VERTICAL																																																																																		
2	5494.00	96.74	-----	83.88	34.80	10.07	32.01	281	229 Average	VERTICAL																																																																																			
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 3, 2000MHz; SRT: Auto FR0261401-01 Mode : 134 Plane : X Full-directivity IMEI : #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5421.20</td> <td>45.18</td> <td>-8.82</td> <td>54.00</td> <td>32.37</td> <td>34.80</td> <td>9.97</td> <td>31.96</td> <td>281</td> <td>229 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5421.20	45.18	-8.82	54.00	32.37	34.80	9.97	31.96	281	229 Average	VERTICAL	<p><b>Left blank</b></p>																																																									
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5421.20	45.18	-8.82	54.00	32.37	34.80	9.97	31.96	281	229 Average	VERTICAL																																																																																		




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - R																						
2	Vertical	Fundamental																					
Peak	<p>         No. 1098, Pengzi North Road, Kunshan          Economic &amp; Technological Development          Zone, Jiangsu China          Tel: +86-512-57900158          Fax: +86-512-57900958          http://www.sporton.com.cn       </p> <p>         Data: 4          Level (dBm) vs Frequency (MHz)       </p> <p>         Site : 0390A-KS          Condition : 5G-BAND 1---3 In 3117 EN 00218A52- VERTICAL          Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SMT:Auto          Model : FSD104-01-01          Mode : 1A          Plane : E          Full-directivity : Full-directivity          IMEI : 861          Power setting : 10       </p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5759.16</td> <td>52.82</td> <td>-15.48</td> <td>68.30</td> <td>39.87</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>281</td> <td>229</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5759.16	52.82	-15.48	68.30	39.87	34.57	10.37	31.99	281	229	Peak	VERTICAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5759.16	52.82	-15.48	68.30	39.87	34.57	10.37	31.99	281	229	Peak	VERTICAL											






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - L																																																																																																	
2	Horizontal	Fundamental																																																																																																
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR261401-01 Mode : 135 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5402.80</td> <td>52.86</td> <td>-21.14</td> <td>74.00</td> <td>40.08</td> <td>34.80</td> <td>9.94</td> <td>31.96</td> <td>384</td> <td>313</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5466.32</td> <td>51.73</td> <td>-16.57</td> <td>68.30</td> <td>38.88</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>384</td> <td>313</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1 5402.80	52.86	-21.14	74.00	40.08	34.80	9.94	31.96	384	313	Peak	HORIZONTAL	2 5466.32	51.73	-16.57	68.30	38.88	34.80	10.04	31.99	384	313	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR261401-01 Mode : 135 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5486.00</td> <td>95.75</td> <td>77.45</td> <td>68.30</td> <td>82.99</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>384</td> <td>313</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5686.00</td> <td>90.05</td> <td>-----</td> <td>-----</td> <td>77.29</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>384</td> <td>313</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1 5486.00	95.75	77.45	68.30	82.99	34.50	10.32	32.06	384	313	Peak	HORIZONTAL	2 5686.00	90.05	-----	-----	77.29	34.50	10.32	32.06	384	313	Average	HORIZONTAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																									
1 5402.80	52.86	-21.14	74.00	40.08	34.80	9.94	31.96	384	313	Peak	HORIZONTAL																																																																																							
2 5466.32	51.73	-16.57	68.30	38.88	34.80	10.04	31.99	384	313	Peak	HORIZONTAL																																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																									
1 5486.00	95.75	77.45	68.30	82.99	34.50	10.32	32.06	384	313	Peak	HORIZONTAL																																																																																							
2 5686.00	90.05	-----	-----	77.29	34.50	10.32	32.06	384	313	Average	HORIZONTAL																																																																																							
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000,000kHz; VBW:3,200kHz; SFT:Auto FR261401-01 Mode : 135 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5389.52</td> <td>44.76</td> <td>-9.24</td> <td>54.00</td> <td>32.03</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>384</td> <td>313</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1 5389.52	44.76	-9.24	54.00	32.03	34.75	9.93	31.95	384	313	Average	HORIZONTAL	<p><b>Left blank</b></p>																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																									
1 5389.52	44.76	-9.24	54.00	32.03	34.75	9.93	31.95	384	313	Average	HORIZONTAL																																																																																							






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - R																						
2	Horizontal	Fundamental																					
Peak	 <p>Site : 03280A-KS        Position : 5G-BAND 1---3 In 3117 EN 00218A52- HORIZONTAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FFD 104-001-01        Mode : 135        Plane : E        Full-directivity : Full-directivity        IMEI : 843        Power setting : 10</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5763.56</td> <td>53.76</td> <td>-14.54</td> <td>68.30</td> <td>40.81</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>384</td> <td>313</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5763.56	53.76	-14.54	68.30	40.81	34.57	10.37	31.99	384	313	Peak	HORIZONTAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5763.56	53.76	-14.54	68.30	40.81	34.57	10.37	31.99	384	313	Peak	HORIZONTAL											






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - L																																																																																									
2	Vertical	Fundamental																																																																																								
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT:Auto FR0261401-01 Mode : 135 Plane : 2 Full-directivity IME1 : 441 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5450.80</td> <td>53.15</td> <td>-20.85</td> <td>74.00</td> <td>40.32</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>297</td> <td>220</td> <td>Peak VERTICAL</td> </tr> <tr> <td>2 5461.04</td> <td>51.18</td> <td>-17.12</td> <td>68.30</td> <td>38.35</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>297</td> <td>220</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg	1 5450.80	53.15	-20.85	74.00	40.32	34.80	10.02	31.99	297	220	Peak VERTICAL	2 5461.04	51.18	-17.12	68.30	38.35	34.80	10.02	31.99	297	220	Peak VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT:Auto FR0261401-01 Mode : 135 Plane : 2 Full-directivity IME1 : 441 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5486.00</td> <td>103.81</td> <td>35.51</td> <td>68.30</td> <td>91.05</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>297</td> <td>220</td> <td>Peak VERTICAL</td> </tr> <tr> <td>2 5686.00</td> <td>97.01</td> <td>-----</td> <td>84.25</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>297</td> <td>220</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg	1 * 5486.00	103.81	35.51	68.30	91.05	34.50	10.32	32.06	297	220	Peak VERTICAL	2 5686.00	97.01	-----	84.25	34.50	10.32	32.06	297	220	Average	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg																																																																																
1 5450.80	53.15	-20.85	74.00	40.32	34.80	10.02	31.99	297	220	Peak VERTICAL																																																																																
2 5461.04	51.18	-17.12	68.30	38.35	34.80	10.02	31.99	297	220	Peak VERTICAL																																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg																																																																																
1 * 5486.00	103.81	35.51	68.30	91.05	34.50	10.32	32.06	297	220	Peak VERTICAL																																																																																
2 5686.00	97.01	-----	84.25	34.50	10.32	32.06	297	220	Average	VERTICAL																																																																																
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3.2000MHz SRT:Auto FR0261401-01 Mode : 135 Plane : 2 Full-directivity IME1 : 441 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5393.84</td> <td>44.72</td> <td>-9.28</td> <td>54.00</td> <td>31.99</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>297</td> <td>220</td> <td>Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg	1 5393.84	44.72	-9.28	54.00	31.99	34.75	9.93	31.95	297	220	Average VERTICAL	<p><b>Left blank</b></p>																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg	cm	deg																																																																																
1 5393.84	44.72	-9.28	54.00	31.99	34.75	9.93	31.95	297	220	Average VERTICAL																																																																																




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - R																						
2	Vertical	Fundamental																					
Peak	 <p>Site : 03280A-KS        Condition : SG-BAND 1---3 In 3117 EN 00218A62- VERTICAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FFD 104-001-01        Mode : 135        Plane : E        Full-directivity : Full-directivity        IMEI : 861        Power setting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5759.96</td> <td>53.92</td> <td>-14.28</td> <td>68.30</td> <td>40.97</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>297</td> <td>220</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5759.96	53.92	-14.28	68.30	40.97	34.57	10.37	31.99	297	220	Peak	VERTICAL	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5759.96	53.92	-14.28	68.30	40.97	34.57	10.37	31.99	297	220	Peak	VERTICAL											



**UNII-2C 5470~5725MHz  
WIFI 802.11ax HE80 Full (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																													
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																																													
2	Horizontal	Fundamental																																																																																												
<b>Peak</b>	 <p><b>Peak</b></p> <p>Site : 032006-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 128 Plane : X IMEI : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.64</td> <td>53.69</td> <td>-20.31</td> <td>74.00</td> <td>40.86</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>371</td> <td>308 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5468.24</td> <td>54.55</td> <td>-13.70</td> <td>68.30</td> <td>41.70</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>371</td> <td>308 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1	5454.64	53.69	-20.31	74.00	40.86	34.80	10.02	31.99	371	308 Peak	HORIZONTAL	2	5468.24	54.55	-13.70	68.30	41.70	34.80	10.04	31.99	371	308 Peak	HORIZONTAL	 <p><b>Fundamental</b></p> <p>Site : 032006-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 128 Plane : X IMEI : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5536.00</td> <td>95.96</td> <td>-27.66</td> <td>68.30</td> <td>82.12</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>371</td> <td>308 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5536.00</td> <td>87.15</td> <td></td> <td></td> <td>74.31</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>371</td> <td>308 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1	5536.00	95.96	-27.66	68.30	82.12	34.73	10.15	32.04	371	308 Peak	HORIZONTAL	2	5536.00	87.15			74.31	34.73	10.15	32.04	371	308 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																						
1	5454.64	53.69	-20.31	74.00	40.86	34.80	10.02	31.99	371	308 Peak	HORIZONTAL																																																																																			
2	5468.24	54.55	-13.70	68.30	41.70	34.80	10.04	31.99	371	308 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																						
1	5536.00	95.96	-27.66	68.30	82.12	34.73	10.15	32.04	371	308 Peak	HORIZONTAL																																																																																			
2	5536.00	87.15			74.31	34.73	10.15	32.04	371	308 Average	HORIZONTAL																																																																																			
<b>Avg.</b>	 <p><b>Avg.</b></p> <p>Site : 032006-KS Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 128 Plane : X IMEI : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>44.70</td> <td>+9.30</td> <td>54.00</td> <td>31.87</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>371</td> <td>308 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1	5458.16	44.70	+9.30	54.00	31.87	34.80	10.02	31.99	371	308 Average	HORIZONTAL	<b>Left blank</b>																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																						
1	5458.16	44.70	+9.30	54.00	31.87	34.80	10.02	31.99	371	308 Average	HORIZONTAL																																																																																			




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE80 Full CH106 5530MHz - R																						
2	Horizontal	Fundamental																					
Peak	 <p>Site : 03280A-KS        Position : SE BAND 1---3 In 3117 EN 00218A62- HORIZONTAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FSD 104-001-01        Mode : ISB        Plane : E        Full-directivity : Full-directivity        IMEI : 843        Power setting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5758.44</td> <td>53.12</td> <td>-15.18</td> <td>68.30</td> <td>40.17</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>371</td> <td>308</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5758.44	53.12	-15.18	68.30	40.17	34.57	10.37	31.99	371	308	Peak	HORIZONTAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5758.44	53.12	-15.18	68.30	40.17	34.57	10.37	31.99	371	308	Peak	HORIZONTAL											






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																																																	
2	Vertical	Fundamental																																																																																																
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto Mode : FR261401-01 Plane : 138 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5448.72</td> <td>59.06</td> <td>-14.94</td> <td>74.00</td> <td>46.22</td> <td>34.80</td> <td>10.02</td> <td>31.98</td> <td>300</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5469.04</td> <td>59.80</td> <td>-8.50</td> <td>68.30</td> <td>46.95</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>300</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	deg	MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg	1 5448.72	59.06	-14.94	74.00	46.22	34.80	10.02	31.98	300	233	Peak	VERTICAL	2 5469.04	59.80	-8.50	68.30	46.95	34.80	10.04	31.99	300	233	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto Mode : FR261401-01 Plane : 138 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5536.00</td> <td>102.38</td> <td>34.08</td> <td>68.30</td> <td>89.54</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>300</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5536.00</td> <td>94.36</td> <td>-----</td> <td>-----</td> <td>81.52</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>300</td> <td>233</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	deg	MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg	1 * 5536.00	102.38	34.08	68.30	89.54	34.73	10.15	32.04	300	233	Peak	VERTICAL	2 5536.00	94.36	-----	-----	81.52	34.73	10.15	32.04	300	233	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor	deg																																																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg																																																																																											
1 5448.72	59.06	-14.94	74.00	46.22	34.80	10.02	31.98	300	233	Peak	VERTICAL																																																																																							
2 5469.04	59.80	-8.50	68.30	46.95	34.80	10.04	31.99	300	233	Peak	VERTICAL																																																																																							
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor	deg																																																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg																																																																																											
1 * 5536.00	102.38	34.08	68.30	89.54	34.73	10.15	32.04	300	233	Peak	VERTICAL																																																																																							
2 5536.00	94.36	-----	-----	81.52	34.73	10.15	32.04	300	233	Average	VERTICAL																																																																																							
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:1,100MHz; SRT:Auto Mode : FR261401-01 Plane : 138 Full-directivity : 1 IMEI : 841 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5457.20</td> <td>49.68</td> <td>-4.32</td> <td>54.00</td> <td>36.85</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>300</td> <td>233</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	deg	MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg	1 5457.20	49.68	-4.32	54.00	36.85	34.80	10.02	31.99	300	233	Average	VERTICAL	<p><b>Left blank</b></p>																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor	deg																																																																																											
MHz	dBV/m	dB	dBV/m	dB	dB	dB	deg																																																																																											
1 5457.20	49.68	-4.32	54.00	36.85	34.80	10.02	31.99	300	233	Average	VERTICAL																																																																																							



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																								
ANT	802.11ax HE80 Full CH106 5530MHz - R																								
2	Vertical	Fundamental																							
Peak	 <p>Site : 03280A-KS        Position : 5G BAND 1---3 3m 3117 EN 00218A62- VERTICAL        Project : RBW 1000.000MHz YBR 3000.000MHz SRT Auto        Model : FSD 104-041-01        Mode : ISB        Plane : E        Full-directivity : Full-directivity        IMEI : 843        Power setting : 13</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5747.56</td> <td>53.49</td> <td>-14.81</td> <td>68.30</td> <td>40.59</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>300</td> <td>233 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5747.56	53.49	-14.81	68.30	40.59	34.55	10.34	32.01	300	233 Peak	VERTICAL	Left blank
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas															
1	5747.56	53.49	-14.81	68.30	40.59	34.55	10.34	32.01	300	233 Peak	VERTICAL														



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																				
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																				
2	Horizontal	Fundamental																																																			
<p><b>Peak</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 139            IME1 : Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5468.00</th> <th>52.59</th> <th>-21.41</th> <th>74.00</th> <th>39.76</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>107</th> <th>281</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5468.24</th> <th>52.44</th> <th>-15.86</th> <th>68.30</th> <th>39.59</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>107</th> <th>281</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5468.00	52.59	-21.41	74.00	39.76	34.80	10.02	31.99	107	281	Peak	HORIZONTAL	2	5468.24	52.44	-15.86	68.30	39.59	34.80	10.04	31.99	107	281	Peak	HORIZONTAL	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 139            IME1 : Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5614.00</th> <th>76.21</th> <th>28.01</th> <th>68.30</th> <th>83.54</th> <th>34.60</th> <th>10.25</th> <th>32.08</th> <th>107</th> <th>281</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5614.00</th> <th>87.74</th> <th>-----</th> <th>74.97</th> <th>34.60</th> <th>10.25</th> <th>32.08</th> <th>107</th> <th>281</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5614.00	76.21	28.01	68.30	83.54	34.60	10.25	32.08	107	281	Peak	HORIZONTAL	2	5614.00	87.74	-----	74.97	34.60	10.25	32.08	107	281	Average	HORIZONTAL
1	5468.00	52.59	-21.41	74.00	39.76	34.80	10.02	31.99	107	281	Peak	HORIZONTAL																																									
2	5468.24	52.44	-15.86	68.30	39.59	34.80	10.04	31.99	107	281	Peak	HORIZONTAL																																									
1	5614.00	76.21	28.01	68.30	83.54	34.60	10.25	32.08	107	281	Peak	HORIZONTAL																																									
2	5614.00	87.74	-----	74.97	34.60	10.25	32.08	107	281	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 1.1000MHz SRT Auto            Mode : FR261401-01            Plane : 139            IME1 : Full-directivity            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5469.92</th> <th>43.48</th> <th>-10.52</th> <th>54.00</th> <th>30.65</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>107</th> <th>281</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5469.92	43.48	-10.52	54.00	30.65	34.80	10.02	31.99	107	281	Average	HORIZONTAL	<p><b>Left blank</b></p>																																						
1	5469.92	43.48	-10.52	54.00	30.65	34.80	10.02	31.99	107	281	Average	HORIZONTAL																																									






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE80 Full CH122 5610MHz - R																						
2	Horizontal	Fundamental																					
Peak	<p>Site : 03280A-KS        Position : SG-BAND 1---3 3m 3117 EN 00218A62- HORIZONTAL        Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto        Model : FSD104-01-01        Mode : 139        Plane : E        Full-directivity : Full-directivity        IMEI : 843        Power setting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pul/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.40</td> <td>55.32</td> <td>-12.98</td> <td>68.30</td> <td>42.42</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>107</td> <td>281</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pul/Phase	1	5746.40	55.32	-12.98	68.30	42.42	34.55	10.34	32.01	107	281	Peak	HORIZONTAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pul/Phase																
1	5746.40	55.32	-12.98	68.30	42.42	34.55	10.34	32.01	107	281	Peak	HORIZONTAL											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																																																																	
2	Vertical	Fundamental																																																																																																
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 139 Plane : 2 Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5468.80</td> <td>55.89</td> <td>-18.11</td> <td>74.00</td> <td>43.06</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>287</td> <td>229</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5464.40</td> <td>58.02</td> <td>-10.28</td> <td>68.30</td> <td>45.17</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>287</td> <td>229</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg			1 5468.80	55.89	-18.11	74.00	43.06	34.80	10.02	31.99	287	229	Peak	VERTICAL	2 5464.40	58.02	-10.28	68.30	45.17	34.80	10.04	31.99	287	229	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 139 Plane : 2 Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5590.00</td> <td>102.53</td> <td>34.23</td> <td>68.30</td> <td>89.75</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>287</td> <td>229</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5590.00</td> <td>94.56</td> <td>-----</td> <td>-----</td> <td>81.78</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>287</td> <td>229</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg			1 5590.00	102.53	34.23	68.30	89.75	34.63	10.22	32.07	287	229	Peak	VERTICAL	2 5590.00	94.56	-----	-----	81.78	34.63	10.22	32.07	287	229	Average	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																																																									
1 5468.80	55.89	-18.11	74.00	43.06	34.80	10.02	31.99	287	229	Peak	VERTICAL																																																																																							
2 5464.40	58.02	-10.28	68.30	45.17	34.80	10.04	31.99	287	229	Peak	VERTICAL																																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																																																									
1 5590.00	102.53	34.23	68.30	89.75	34.63	10.22	32.07	287	229	Peak	VERTICAL																																																																																							
2 5590.00	94.56	-----	-----	81.78	34.63	10.22	32.07	287	229	Average	VERTICAL																																																																																							
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:1,1000MHz; SRT:Auto FR261401-01 Mode : 139 Plane : 2 Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5469.44</td> <td>46.33</td> <td>-7.67</td> <td>54.00</td> <td>33.50</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>287</td> <td>229</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg			1 5469.44	46.33	-7.67	54.00	33.50	34.80	10.02	31.99	287	229	Average	VERTICAL	<p><b>Left blank</b></p>																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																																																									
1 5469.44	46.33	-7.67	54.00	33.50	34.80	10.02	31.99	287	229	Average	VERTICAL																																																																																							



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ax HE80 Full CH122 5610MHz - R																							
2	Vertical	Fundamental																						
Peak	 <p>Site : 03280A-KS        Position : SG-BAND 1---3 3m 3117 EN 00218A62- VERTICAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FTD 104-001-01        Plane : E        IMEI : Full-directivity        Power setting : 43</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5734.84</td> <td>58.91</td> <td>-9.39</td> <td>68.30</td> <td>46.01</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>287</td> <td>229 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5734.84	58.91	-9.39	68.30	46.01	34.55	10.34	32.01	287	229 Peak	VERTICAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas															
1	5734.84	58.91	-9.39	68.30	46.01	34.55	10.34	32.01	287	229 Peak	VERTICAL													



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE80 Partial 484(Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																													
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - L																																																																																													
2	Horizontal	Fundamental																																																																																												
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 142            Plane : X            IMI : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.20</td> <td>57.53</td> <td>-21.47</td> <td>74.00</td> <td>39.84</td> <td>34.70</td> <td>0.92</td> <td>31.93</td> <td>395</td> <td>300 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5466.32</td> <td>51.30</td> <td>-17.00</td> <td>68.30</td> <td>38.40</td> <td>34.80</td> <td>10.58</td> <td>31.99</td> <td>395</td> <td>300 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5365.20	57.53	-21.47	74.00	39.84	34.70	0.92	31.93	395	300 Peak	HORIZONTAL	2	5466.32	51.30	-17.00	68.30	38.40	34.80	10.58	31.99	395	300 Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 142            Plane : X            IMI : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5484.00</td> <td>95.71</td> <td>77.41</td> <td>68.30</td> <td>82.85</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>395</td> <td>300 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5484.00</td> <td>86.00</td> <td></td> <td></td> <td>73.19</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>395</td> <td>300 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5484.00	95.71	77.41	68.30	82.85	34.80	10.07	32.01	395	300 Peak	HORIZONTAL	2	5484.00	86.00			73.19	34.80	10.07	32.01	395	300 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5365.20	57.53	-21.47	74.00	39.84	34.70	0.92	31.93	395	300 Peak	HORIZONTAL																																																																																			
2	5466.32	51.30	-17.00	68.30	38.40	34.80	10.58	31.99	395	300 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5484.00	95.71	77.41	68.30	82.85	34.80	10.07	32.01	395	300 Peak	HORIZONTAL																																																																																			
2	5484.00	86.00			73.19	34.80	10.07	32.01	395	300 Average	HORIZONTAL																																																																																			
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 142            Plane : X            IMI : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.96</td> <td>43.92</td> <td>-10.08</td> <td>54.00</td> <td>31.11</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>395</td> <td>300 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5442.96	43.92	-10.08	54.00	31.11	34.80	9.99	31.98	395	300 Average	HORIZONTAL	<b>Left blank</b>																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5442.96	43.92	-10.08	54.00	31.11	34.80	9.99	31.98	395	300 Average	HORIZONTAL																																																																																			



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - R																						
2	Horizontal	Fundamental																					
Peak	<p>Site : 03280A-KS  Sensitivity : 55 dBm/100 ---3 In 3117 EN 00218A52- HORIZONTAL  Project : RBW 1000, 000Hz YBR 3000, 000Hz SRT Auto  FR261401-01  Bode : 142  Plane : E  Full-directivity  IMEI : 861  Power setting : 10  Over Limit : 10</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pul/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5757.32</td> <td>53.14</td> <td>-15.16</td> <td>68.30</td> <td>40.19</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>395</td> <td>300</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pul/Phase	1	5757.32	53.14	-15.16	68.30	40.19	34.57	10.37	31.99	395	300	Peak	HORIZONTAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pul/Phase																
1	5757.32	53.14	-15.16	68.30	40.19	34.57	10.37	31.99	395	300	Peak	HORIZONTAL											






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - L																																																					
2	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL RBM: 1000, 000MHz; YBR: 3000, 000MHz; SRT: Auto Project : (FR)261401-01 Mode : 142 Plane : 2 Full-directivity : Full-directivity IMEI : 861 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5471.68</th> <th>53.07</th> <th>-20.93</th> <th>74.00</th> <th>40.26</th> <th>34.80</th> <th>9.97</th> <th>31.96</th> <th>280</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5467.28</th> <th>54.15</th> <th>-14.15</th> <th>68.30</th> <th>41.30</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>280</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5471.68	53.07	-20.93	74.00	40.26	34.80	9.97	31.96	280	230	Peak	VERTICAL	2	5467.28	54.15	-14.15	68.30	41.30	34.80	10.04	31.99	280	230	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL RBM: 1000, 000MHz; YBR: 3000, 000MHz; SRT: Auto Project : (FR)261401-01 Mode : 142 Plane : 2 Full-directivity : Full-directivity IMEI : 861 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5500.00</th> <th>101.18</th> <th>32.88</th> <th>68.30</th> <th>88.30</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>280</th> <th>230</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5500.00</th> <th>92.74</th> <th>-----</th> <th>-----</th> <th>79.86</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>280</th> <th>230</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5500.00	101.18	32.88	68.30	88.30	34.80	10.09	32.01	280	230	Peak	VERTICAL	2	5500.00	92.74	-----	-----	79.86	34.80	10.09	32.01	280	230	Average	VERTICAL
1	5471.68	53.07	-20.93	74.00	40.26	34.80	9.97	31.96	280	230	Peak	VERTICAL																																										
2	5467.28	54.15	-14.15	68.30	41.30	34.80	10.04	31.99	280	230	Peak	VERTICAL																																										
1	5500.00	101.18	32.88	68.30	88.30	34.80	10.09	32.01	280	230	Peak	VERTICAL																																										
2	5500.00	92.74	-----	-----	79.86	34.80	10.09	32.01	280	230	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL RBM: 1000, 000MHz; YBR: 3, 3000MHz; SRT: Auto Project : (FR)261401-01 Mode : 142 Plane : 2 Full-directivity : Full-directivity IMEI : 861 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5458.80</th> <th>44.57</th> <th>-9.43</th> <th>54.00</th> <th>31.74</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>280</th> <th>230</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5458.80	44.57	-9.43	54.00	31.74	34.80	10.02	31.99	280	230	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5458.80	44.57	-9.43	54.00	31.74	34.80	10.02	31.99	280	230	Average	VERTICAL																																										



<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																			
<b>ANT</b>	<b>802.11ax HE80 Partial 484/65 CH106 5530MHz - R</b>																			
<b>2</b>	<b>Vertical</b>	<b>Fundamental</b>																		
<b>Peak</b>	<p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Site : 032604-KS            Condition : 5G-BAND 1---3 3m 3117 EN 00218A62- VERTICAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SMT:Auto            File : FTD1041401-01            Mode : 142            Plane : E            Full-directivity : Full-directivity            IMEI : 861            Power setting : 10            Over Limit : 10            ReadAntenna : 10            Cable Preamp : 0            A/Pos : 1/Pos : 280            T/Pos : 062            Remark : Peak            Pol/Phas : VERTICAL         </small> </p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.12</td> <td>52.98</td> <td>-15.22</td> <td>68.30</td> <td>40.08</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	1	5746.12	52.98	-15.22	68.30	40.08	34.55	10.34	32.01	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas												
1	5746.12	52.98	-15.22	68.30	40.08	34.55	10.34	32.01												



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - L																																																					
2	Horizontal	Fundamental																																																				
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000kHz; VBW:3000, 000kHz; SFT:Auto Mode : (FR)261401-01 Plane : 143 Plane : 1 Full-directivity : Full-directivity IME1 : ME1 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5467.84</th> <th>51.99</th> <th>-22.01</th> <th>74.00</th> <th>39.16</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>388</th> <th>319</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5463.92</th> <th>51.36</th> <th>-16.94</th> <th>68.30</th> <th>38.51</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>388</th> <th>319</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5467.84	51.99	-22.01	74.00	39.16	34.80	10.02	31.99	388	319	Peak	HORIZONTAL	2	5463.92	51.36	-16.94	68.30	38.51	34.80	10.04	31.99	388	319	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000kHz; VBW:3000, 000kHz; SFT:Auto Mode : (FR)261401-01 Plane : 143 Plane : 1 Full-directivity : Full-directivity IME1 : ME1 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5444.00</th> <th>93.66</th> <th>24.76</th> <th>68.30</th> <th>80.32</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>388</th> <th>319</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5444.00</th> <th>85.46</th> <th>-----</th> <th>-----</th> <th>72.72</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>388</th> <th>319</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5444.00	93.66	24.76	68.30	80.32	34.56	10.28	32.10	388	319	Peak	HORIZONTAL	2	5444.00	85.46	-----	-----	72.72	34.56	10.28	32.10	388	319	Average	HORIZONTAL
1	5467.84	51.99	-22.01	74.00	39.16	34.80	10.02	31.99	388	319	Peak	HORIZONTAL																																										
2	5463.92	51.36	-16.94	68.30	38.51	34.80	10.04	31.99	388	319	Peak	HORIZONTAL																																										
1	5444.00	93.66	24.76	68.30	80.32	34.56	10.28	32.10	388	319	Peak	HORIZONTAL																																										
2	5444.00	85.46	-----	-----	72.72	34.56	10.28	32.10	388	319	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000kHz; VBW:3, 3000kHz; SFT:Auto Mode : 143 Plane : 1 Full-directivity : Full-directivity IME1 : ME1 Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5432.24</th> <th>43.70</th> <th>-10.30</th> <th>54.00</th> <th>30.89</th> <th>34.80</th> <th>9.99</th> <th>31.98</th> <th>388</th> <th>319</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5432.24	43.70	-10.30	54.00	30.89	34.80	9.99	31.98	388	319	Average	HORIZONTAL	<p><b>Left blank</b></p>																																							
1	5432.24	43.70	-10.30	54.00	30.89	34.80	9.99	31.98	388	319	Average	HORIZONTAL																																										





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - R																							
2	Horizontal	Fundamental																						
Peak	<p>Site : 03280A-KS        Position : SG BAND 1---3 In 3117 EN 00218A62- HORIZONTAL        Project : RBW 1000, 000MHz; VBW 3000, 000MHz; SFT: Auto        FREQ 561401-01        Mode : 143        Plane : E        Full-directivity : Full-directivity        IMEI : 841        Power setting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phase</th> </tr> </thead> <tbody> <tr> <td>5760.76</td> <td>52.72</td> <td>-15.58</td> <td>68.30</td> <td>39.77</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>388</td> <td>319 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phase	5760.76	52.72	-15.58	68.30	39.77	34.57	10.37	31.99	388	319 Peak	HORIZONTAL	Left blank
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phase														
5760.76	52.72	-15.58	68.30	39.77	34.57	10.37	31.99	388	319 Peak	HORIZONTAL														



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - L																																																																																	
2	Vertical	Fundamental																																																																																
<p><b>Peak</b></p>	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 143            Full-directivity : 1            IME1 : 1            Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5450.32</td> <td>52.30</td> <td>-21.70</td> <td>74.00</td> <td>39.47</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>268</td> <td>223 Peak VERTICAL</td> </tr> <tr> <td>2 5461.68</td> <td>52.29</td> <td>-16.01</td> <td>68.30</td> <td>39.46</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>268</td> <td>223 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5450.32	52.30	-21.70	74.00	39.47	34.80	10.02	31.99	268	223 Peak VERTICAL	2 5461.68	52.29	-16.01	68.30	39.46	34.80	10.02	31.99	268	223 Peak VERTICAL	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 143            Full-directivity : 1            IME1 : 1            Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5638.00</td> <td>100.91</td> <td>32.61</td> <td>68.30</td> <td>88.17</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>268</td> <td>223 Peak VERTICAL</td> </tr> <tr> <td>2 5638.00</td> <td>92.35</td> <td>-----</td> <td>-----</td> <td>79.61</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>268</td> <td>223 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5638.00	100.91	32.61	68.30	88.17	34.56	10.28	32.10	268	223 Peak VERTICAL	2 5638.00	92.35	-----	-----	79.61	34.56	10.28	32.10	268	223 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
1 5450.32	52.30	-21.70	74.00	39.47	34.80	10.02	31.99	268	223 Peak VERTICAL																																																																									
2 5461.68	52.29	-16.01	68.30	39.46	34.80	10.02	31.99	268	223 Peak VERTICAL																																																																									
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
1 5638.00	100.91	32.61	68.30	88.17	34.56	10.28	32.10	268	223 Peak VERTICAL																																																																									
2 5638.00	92.35	-----	-----	79.61	34.56	10.28	32.10	268	223 Average VERTICAL																																																																									
<p><b>Avg.</b></p>	<p>Site : 03280a-K3            Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3.3000MHz SRT Auto            Mode : 143            Plane : 143            Full-directivity : 1            IME1 : 1            Powersetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5391.12</td> <td>43.83</td> <td>-10.17</td> <td>54.00</td> <td>31.10</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>268</td> <td>223 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5391.12	43.83	-10.17	54.00	31.10	34.75	9.93	31.95	268	223 Average VERTICAL	<p><b>Left blank</b></p>																																																		
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																											
1 5391.12	43.83	-10.17	54.00	31.10	34.75	9.93	31.95	268	223 Average VERTICAL																																																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																					
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - R																					
2	Vertical	Fundamental																				
Peak	<p>         No. 1098, Pengzi North Road, Kunshan          Economic &amp; Technological Development          Zone, Jiangsu China          Tel: +86-512-57900158          Fax: +86-512-57900958          http://www.sporton.com.cn       </p> <p>         Data: 4          Site : 032604-KS          Condition : SG BAND 1---3 In 3117 EN 00218A62- VERTICAL          Project : RBW 1000, 0000Hz; VBW 3000, 0000Hz; SRT: Auto          FREQ 561401-01          Mode : 143          Plane : E          Full-directivity : Full-directivity          IMEI : 841          Power setting : 10.5          Over Limit : 10.5          ReadAntenna : 0.0          Cable Preamp : 0.0          A/Pos : 0.0          T/Pos : 0.0          Remark : 223 Peak          Pol/Phas : VERTICAL       </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5757.08</td> <td>52.56</td> <td>-15.75</td> <td>68.30</td> <td>39.60</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>268</td> <td>223 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	1	5757.08	52.56	-15.75	68.30	39.60	34.57	10.37	31.99	268	223 Peak	VERTICAL	Left blank
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas															
1	5757.08	52.56	-15.75	68.30	39.60	34.57	10.37	31.99	268	223 Peak	VERTICAL											



UNII-2C - 5470~5725MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																					
ANT	802.11a CH100 5500MHz																																																																					
2	Horizontal	Vertical																																																																				
Peak Avg.	<p>Site : 030406-K3 Condition : 5G BAND 1---3 3m 3117.5M 00218602- HORIZONTAL Project : RSM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : E3 Plane : X Full-directivity IMEI : #41 Power setting : #13</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Power setting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11004.00</td> <td>45.57</td> <td>-28.43</td> <td>74.00</td> <td>54.73</td> <td>38.00</td> <td>14.56</td> <td>63.72</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg	1	11004.00	45.57	-28.43	74.00	54.73	38.00	14.56	63.72	300	0 Peak	HORIZONTAL	<p>Site : 030406-K3 Condition : 5G BAND 1---3 3m 3117.5M 00218602- VERTICAL Project : RSM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : E3 Plane : X Full-directivity IMEI : #41 Power setting : #13</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Power setting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11004.00</td> <td>45.68</td> <td>-28.32</td> <td>74.00</td> <td>54.84</td> <td>38.00</td> <td>14.56</td> <td>61.72</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg	1	11004.00	45.68	-28.32	74.00	54.84	38.00	14.56	61.72	100	0 Peak	VERTICAL
	IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg																																																												
1	11004.00	45.57	-28.43	74.00	54.73	38.00	14.56	63.72	300	0 Peak	HORIZONTAL																																																											
IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg																																																												
1	11004.00	45.68	-28.32	74.00	54.84	38.00	14.56	61.72	100	0 Peak	VERTICAL																																																											
WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																					
ANT	802.11a CH116 5580MHz																																																																					
2	Horizontal	Vertical																																																																				
Peak Avg.	<p>Site : 030406-K3 Condition : 5G BAND 1---3 3m 3117.5M 00218602- HORIZONTAL Project : RSM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : E4 Plane : X Full-directivity IMEI : #41 Power setting : #13</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Power setting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11158.00</td> <td>45.49</td> <td>-28.51</td> <td>74.00</td> <td>54.36</td> <td>38.10</td> <td>14.68</td> <td>61.65</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg	1	11158.00	45.49	-28.51	74.00	54.36	38.10	14.68	61.65	300	0 Peak	HORIZONTAL	<p>Site : 030406-K3 Condition : 5G BAND 1---3 3m 3117.5M 00218602- VERTICAL Project : RSM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : E4 Plane : X Full-directivity IMEI : #41 Power setting : #13</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Power setting</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11158.00</td> <td>45.59</td> <td>-28.41</td> <td>74.00</td> <td>54.46</td> <td>38.10</td> <td>14.68</td> <td>61.65</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg	1	11158.00	45.59	-28.41	74.00	54.46	38.10	14.68	61.65	100	0 Peak	VERTICAL
	IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg																																																												
1	11158.00	45.49	-28.51	74.00	54.36	38.10	14.68	61.65	300	0 Peak	HORIZONTAL																																																											
IMEI	Power setting	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	cm	deg																																																												
1	11158.00	45.59	-28.41	74.00	54.46	38.10	14.68	61.65	100	0 Peak	VERTICAL																																																											



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11a CH140 5700MHz	
2	Horizontal	Vertical
Peak Avg.		



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE20 Full CH100 5500MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		
<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE20 Full CH116 5580MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																									
ANT	802.11ax HE20 Full CH140 5700MHz																																									
2	Horizontal	Vertical																																								
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : FR261401-01 Mode : 104 Plane : 2 Full-directivity : 2 IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>46.63</td> <td>-27.97</td> <td>74.00</td> <td>54.49</td> <td>38.24</td> <td>14.85</td> <td>61.55</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	11400.00	46.63	-27.97	74.00	54.49	38.24	14.85	61.55	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : FR261401-01 Mode : 104 Plane : 2 Full-directivity : 2 IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>46.46</td> <td>-27.54</td> <td>74.00</td> <td>54.92</td> <td>38.24</td> <td>14.85</td> <td>61.55</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	11400.00	46.46	-27.54	74.00	54.92	38.24	14.85	61.55	0 Peak	VERTICAL
	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																
11400.00	46.63	-27.97	74.00	54.49	38.24	14.85	61.55	0 Peak	HORIZONTAL																																	
Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
11400.00	46.46	-27.54	74.00	54.92	38.24	14.85	61.55	0 Peak	VERTICAL																																	



**UNII-2C - 5470~5725MHz**  
**WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE40 Full CH102 5510MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		
<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE40 Full CH110 5550MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		





WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																									
ANT	802.11ax HE40 Full CH134 5670MHz																																									
2	Horizontal	Vertical																																								
Peak Avg.	<p>Site : 020406-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218652- HORIZONTAL            Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 129            Plane : 1            Full-directivity            IMEI : 843            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11345.00</td> <td>46.68</td> <td>-22.92</td> <td>74.00</td> <td>54.63</td> <td>38.21</td> <td>14.81</td> <td>61.57</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	11345.00	46.68	-22.92	74.00	54.63	38.21	14.81	61.57	0 Peak	HORIZONTAL	<p>Site : 020406-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218653- VERTICAL            Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 129            Plane : 1            Full-directivity            IMEI : 843            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11345.00</td> <td>46.98</td> <td>-28.02</td> <td>74.00</td> <td>54.53</td> <td>38.21</td> <td>14.81</td> <td>61.57</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	11345.00	46.98	-28.02	74.00	54.53	38.21	14.81	61.57	0 Peak	VERTICAL
	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																
11345.00	46.68	-22.92	74.00	54.63	38.21	14.81	61.57	0 Peak	HORIZONTAL																																	
Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
11345.00	46.98	-28.02	74.00	54.53	38.21	14.81	61.57	0 Peak	VERTICAL																																	



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE80 Full CH106 5530MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>	<p>Site Condition : 03QHD-K3          SG BAND : 3 3m 3117.0M 00218602- HORIZONTAL          RSM : 1000.000MHz VSW : 3000.000dB SRT : Auto          Project : FR261401-01          Mode : 139          Plane : 2          Full-directivity : 2          INE1 : Full-directivity          Powersetting : #41          Over Limit ReadAntenna Cable Preamp A/Pos T/Pos          Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas          MHz dBuV/m dB dBuV/m dBuV dBm dB dB on deg          1 11059.00 45.96 -28.04 74.00 55.00 38.04 14.61 61.69 300 0 Peak HORIZONTAL</p>	<p>Site Condition : 03QHD-K3          SG BAND : 3 3m 3117.0M 00218602- VERTICAL          RSM : 1000.000MHz VSW : 3000.000dB SRT : Auto          Project : FR261401-01          Mode : 139          Plane : 2          Full-directivity : 2          INE1 : Full-directivity          Powersetting : #41          Over Limit ReadAntenna Cable Preamp A/Pos T/Pos          Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas          MHz dBuV/m dB dBuV/m dBuV dBm dB dB on deg          1 11059.00 45.00 -29.00 74.00 54.04 38.04 14.61 61.69 100 0 Peak VERTICAL</p>
<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE80 Full CH122 5610MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>	<p>Site Condition : 03QHD-K3          SG BAND : 3 3m 3117.0M 00218602- HORIZONTAL          RSM : 1000.000MHz VSW : 3000.000dB SRT : Auto          Project : FR261401-01          Mode : 139          Plane : 2          Full-directivity : 2          INE1 : Full-directivity          Powersetting : #41          Over Limit ReadAntenna Cable Preamp A/Pos T/Pos          Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas          MHz dBuV/m dB dBuV/m dBuV dBm dB dB on deg          1 11224.00 45.67 -28.43 74.00 54.35 38.13 14.72 61.63 300 0 Peak HORIZONTAL</p>	<p>Site Condition : 03QHD-K3          SG BAND : 3 3m 3117.0M 00218602- VERTICAL          RSM : 1000.000MHz VSW : 3000.000dB SRT : Auto          Project : FR261401-01          Mode : 139          Plane : 2          Full-directivity : 2          INE1 : Full-directivity          Powersetting : #41          Over Limit ReadAntenna Cable Preamp A/Pos T/Pos          Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas          MHz dBuV/m dB dBuV/m dBuV dBm dB dB on deg          1 11224.00 45.10 -28.90 74.00 53.88 38.13 14.72 61.63 100 0 Peak VERTICAL</p>



UNII-2C 5470~5725MHz

UNII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																													
ANT	802.11a CH144 5720MHz - L																																																																													
2	Horizontal	Vertical																																																																												
Peak	<p>Site : 030406-KS            Condition : 5G BAND 1---3 3m 3117 SW 00218652- HORIZONTAL            Project : RSM 1000.000MHz YSM 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 169            Full-directivity : 2            IREI : 841            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00</td> <td>100.85</td> <td>32.45</td> <td>68.30</td> <td>68.01</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>400</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5722.00</td> <td>93.31</td> <td>-----</td> <td>80.47</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>400</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1 * 5722.00	100.85	32.45	68.30	68.01	34.53	10.35	32.04	400	0 Peak	HORIZONTAL	2	5722.00	93.31	-----	80.47	34.53	10.35	32.04	400	0 Average	HORIZONTAL	<p>Site : 030406-KS            Condition : 5G BAND 1---3 3m 3117 SW 00218652- VERTICAL            Project : RSM 1000.000MHz YSM 3000.000MHz SRT Auto            Mode : FR261401-01            Plane : 169            Full-directivity : 2            IREI : 841            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00</td> <td>108.29</td> <td>39.99</td> <td>68.30</td> <td>95.45</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5722.00</td> <td>100.18</td> <td>-----</td> <td>87.34</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1 * 5722.00	108.29	39.99	68.30	95.45	34.53	10.35	32.04	100	0 Peak	VERTICAL	2	5722.00	100.18	-----	87.34	34.53	10.35	32.04	100	0 Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
1 * 5722.00	100.85	32.45	68.30	68.01	34.53	10.35	32.04	400	0 Peak	HORIZONTAL																																																																				
2	5722.00	93.31	-----	80.47	34.53	10.35	32.04	400	0 Average	HORIZONTAL																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
1 * 5722.00	108.29	39.99	68.30	95.45	34.53	10.35	32.04	100	0 Peak	VERTICAL																																																																				
2	5722.00	100.18	-----	87.34	34.53	10.35	32.04	100	0 Average	VERTICAL																																																																				



**UNII-2C – Straddle Channel  
WIFI 802.11ax HE20 Full (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Full CH144 5720MHz - L																																																																																	
2	Horizontal	Vertical																																																																																
<b>Peak</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : 5G BAND 1-3 @ 3m 3117.5M 00218662- HORIZONTAL Project : FR261401-01 Mode : 170 Plane : X Antenna : full-directivity Polarization : RHV Power setting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5716.00</td> <td>103.54</td> <td>35.24</td> <td>68.30</td> <td>90.73</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>400</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5716.00</td> <td>95.55</td> <td></td> <td>82.74</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>400</td> <td>0 Average HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg	1 * 5716.00	103.54	35.24	68.30	90.73	34.52	10.33	33.04	400	0 Peak HORIZONTAL	2	5716.00	95.55		82.74	34.52	10.33	33.04	400	0 Average HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : 5G BAND 1-3 @ 3m 3117.5M 00218662- VERTICAL Project : FR261401-01 Mode : 170 Plane : X Antenna : full-directivity Polarization : RHV Power setting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00</td> <td>110.20</td> <td>41.90</td> <td>68.30</td> <td>97.36</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5722.00</td> <td>102.46</td> <td></td> <td>89.62</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Average VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg	1 * 5722.00	110.20	41.90	68.30	97.36	34.53	10.35	32.04	100	0 Peak VERTICAL	2	5722.00	102.46		89.62	34.53	10.35	32.04	100	0 Average VERTICAL
	MEQ	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg																																																																									
1 * 5716.00	103.54	35.24	68.30	90.73	34.52	10.33	33.04	400	0 Peak HORIZONTAL																																																																									
2	5716.00	95.55		82.74	34.52	10.33	33.04	400	0 Average HORIZONTAL																																																																									
MEQ	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	on	deg																																																																									
1 * 5722.00	110.20	41.90	68.30	97.36	34.53	10.35	32.04	100	0 Peak VERTICAL																																																																									
2	5722.00	102.46		89.62	34.53	10.35	32.04	100	0 Average VERTICAL																																																																									



**UNII-2C - Straddle Channel**  
**WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

<b>WIFI</b>	<b>UNII-2C Straddle Channel Band Edge @ 3m</b>																																																																																									
<b>ANT</b>	<b>802.11ax HE40 Full CH142 5710MHz - L</b>																																																																																									
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																								
<b>Peak</b>	<p>Site : 032006-KS          Condition : SG_BAND 1-----3 3m 3117.5N 00218662- HORIZONTAL          Project : FR261401-01          Mode : 171          Plane : X          NEI : full-directivity          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEZ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5710.00</td> <td>99.35</td> <td>31.01</td> <td>68.30</td> <td>86.50</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>400</td> <td>0</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>91.26</td> <td></td> <td>78.40</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>400</td> <td>0</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	MEZ	Level	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg	1 * 5710.00	99.35	31.01	68.30	86.50	34.52	10.33	32.04	400	0	Peak HORIZONTAL	2	5710.00	91.26		78.40	34.52	10.33	32.04	400	0	Average HORIZONTAL	<p>Site : 032006-KS          Condition : SG_BAND 1-----3 3m 3117.5N 00218662- VERTICAL          Project : FR261401-01          Mode : 171          Plane : X          NEI : full-directivity          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEZ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>RadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5710.00</td> <td>107.68</td> <td>39.38</td> <td>68.30</td> <td>94.87</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>0</td> <td>Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>78.06</td> <td></td> <td>80.85</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>0</td> <td>Average VERTICAL</td> </tr> </tbody> </table>	MEZ	Level	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg	1 * 5710.00	107.68	39.38	68.30	94.87	34.52	10.33	32.04	100	0	Peak VERTICAL	2	5710.00	78.06		80.85	34.52	10.33	32.04	100	0	Average VERTICAL
MEZ	Level	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg																																																																																
1 * 5710.00	99.35	31.01	68.30	86.50	34.52	10.33	32.04	400	0	Peak HORIZONTAL																																																																																
2	5710.00	91.26		78.40	34.52	10.33	32.04	400	0	Average HORIZONTAL																																																																																
MEZ	Level	Over	Limit	RadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cn	deg																																																																																
1 * 5710.00	107.68	39.38	68.30	94.87	34.52	10.33	32.04	100	0	Peak VERTICAL																																																																																
2	5710.00	78.06		80.85	34.52	10.33	32.04	100	0	Average VERTICAL																																																																																



**UNII-2C – Straddle Channel**  
**WIFI 802.11ax HE80 Full (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																									
ANT	802.11ax CH138 5690MHz - L																																																																																									
2	Horizontal	Vertical																																																																																								
<b>Peak</b>	<p>Site : 032100-KS            Condition : SG_BAND 1-----3 3m 3117.5N 00218662- HORIZONTAL            Project : FR261401-01            Mode : 177            Plane : X            NEI : full-directivity            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5680.00</td> <td>96.03</td> <td>27.73</td> <td>68.30</td> <td>83.27</td> <td>34.52</td> <td>10.30</td> <td>32.06</td> <td>400</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>88.19</td> <td></td> <td>75.43</td> <td>34.52</td> <td>10.30</td> <td>32.06</td> <td>400</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 5680.00	96.03	27.73	68.30	83.27	34.52	10.30	32.06	400	0 Peak	HORIZONTAL	2	5690.00	88.19		75.43	34.52	10.30	32.06	400	0 Average	HORIZONTAL	<p>Site : 032100-KS            Condition : SG_BAND 1-----3 3m 3117.5N 00218662- VERTICAL            Project : FR261401-01            Mode : 177            Plane : X            NEI : full-directivity            Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5692.00</td> <td>104.35</td> <td>36.05</td> <td>68.30</td> <td>91.59</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5692.00</td> <td>76.41</td> <td></td> <td>83.65</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>100</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 5692.00	104.35	36.05	68.30	91.59	34.50	10.32	32.06	100	0 Peak	VERTICAL	2	5692.00	76.41		83.65	34.50	10.32	32.06	100	0 Average	VERTICAL
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 * 5680.00	96.03	27.73	68.30	83.27	34.52	10.30	32.06	400	0 Peak	HORIZONTAL																																																																																
2	5690.00	88.19		75.43	34.52	10.30	32.06	400	0 Average	HORIZONTAL																																																																																
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 * 5692.00	104.35	36.05	68.30	91.59	34.50	10.32	32.06	100	0 Peak	VERTICAL																																																																																
2	5692.00	76.41		83.65	34.50	10.32	32.06	100	0 Average	VERTICAL																																																																																



UNII-2C - Straddle Channel  
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																													
ANT	802.11a CH144 5720MHz																																																													
2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SW 00318652- HORIZONTAL Project : RSM 1000.000MHz YSM 3000.000MHz SRT Auto FR261401-01 Mode : 169 Plane : 2 Full-directivity : 2 Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11444.00</td> <td>46.59</td> <td>-27.41</td> <td>74.00</td> <td>55.00</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	1	11444.00	46.59	-27.41	74.00	55.00	38.26	14.87	61.54	300	0 Peak	HORIZONTAL	<p>Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SW 00318652- VERTICAL Project : RSM 1000.000MHz YSM 3000.000MHz SRT Auto FR261401-01 Mode : 169 Plane : 2 Full-directivity : 2 Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11444.00</td> <td>46.10</td> <td>-27.90</td> <td>74.00</td> <td>54.51</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	1	11444.00	46.10	-27.90	74.00	54.51	38.26	14.87	61.54	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																						
1	11444.00	46.59	-27.41	74.00	55.00	38.26	14.87	61.54	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																						
1	11444.00	46.10	-27.90	74.00	54.51	38.26	14.87	61.54	100	0 Peak	VERTICAL																																																			



UNII-2C – Straddle Channel  
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH144 5720MHz																																																																			
2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032100-KS Condition : SG BAND 1-----3 3m 3117.5N 00218602- HORIZONTAL Project : FR261401-01 Mode : 170 Plane : X NEI : full-directivity Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>11444.00</td> <td>45.97</td> <td>-28.03</td> <td>74.00</td> <td>54.38</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>300</td> <td>0</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		11444.00	45.97	-28.03	74.00	54.38	38.26	14.87	61.54	300	0	Peak HORIZONTAL	<p>Site : 032100-KS Condition : SG BAND 1-----3 3m 3117.5N 00218602- VERTICAL Project : FR261401-01 Mode : 170 Plane : X NEI : full-directivity Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>11444.00</td> <td>45.99</td> <td>-28.11</td> <td>74.00</td> <td>54.30</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>100</td> <td>0</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		11444.00	45.99	-28.11	74.00	54.30	38.26	14.87	61.54	100	0	Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
11444.00	45.97	-28.03	74.00	54.38	38.26	14.87	61.54	300	0	Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
11444.00	45.99	-28.11	74.00	54.30	38.26	14.87	61.54	100	0	Peak VERTICAL																																																										





**UNII-2C - Straddle Channel**  
**WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2C Straddle Channel Harmonic @ 3m</b>																																																																			
<b>ANT</b>	<b>802.11ax HE40 Full CH142 5710MHz</b>																																																																			
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																		
<b>Peak Avg.</b>	<p>Site : 032100-KS          Condition : SG BAND 1---3 3m 3117.5N 00218602- HORIZONTAL          Project : FR261401-01          Mode : 171          Plane : X          NEI : full-directivity          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>11422.00</th> <th>45.69</th> <th>-28.31</th> <th>74.00</th> <th>54.12</th> <th>38.25</th> <th>14.86</th> <th>61.54</th> <th>300</th> <th>0 Peak</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	11422.00	45.69	-28.31	74.00	54.12	38.25	14.86	61.54	300	0 Peak											HORIZONTAL	<p>Site : 032100-KS          Condition : SG BAND 1---3 3m 3117.5N 00218602- VERTICAL          Project : FR261401-01          Mode : 171          Plane : X          NEI : full-directivity          Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>11422.00</th> <th>45.73</th> <th>-28.27</th> <th>74.00</th> <th>54.16</th> <th>38.25</th> <th>14.86</th> <th>61.54</th> <th>100</th> <th>0 Peak</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	11422.00	45.73	-28.27	74.00	54.16	38.25	14.86	61.54	100	0 Peak											VERTICAL
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
1	11422.00	45.69	-28.31	74.00	54.12	38.25	14.86	61.54	300	0 Peak																																																										
										HORIZONTAL																																																										
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
1	11422.00	45.73	-28.27	74.00	54.16	38.25	14.86	61.54	100	0 Peak																																																										
										VERTICAL																																																										



UNII-2C – Straddle Channel  
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH138 5690MHz																																																																			
2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032100-KS Condition : SG BAND 1-----3 3m 3117.5N 00218602- HORIZONTAL Project : ESR-1000.000MHz VBR-3000.000MHz DBT-Auto Mode : ISM Plane : X NEI : full-directivity Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11378.00</td> <td>45.98</td> <td>-28.02</td> <td>74.00</td> <td>54.50</td> <td>38.22</td> <td>14.82</td> <td>61.56</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11378.00	45.98	-28.02	74.00	54.50	38.22	14.82	61.56	300	0 Peak HORIZONTAL	<p>Site : 032100-KS Condition : SG BAND 1-----3 3m 3117.5N 00218602- VERTICAL Project : ESR-1000.000MHz VBR-3000.000MHz DBT-Auto Mode : ISM Plane : X NEI : full-directivity Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11378.00</td> <td>45.52</td> <td>-28.48</td> <td>74.00</td> <td>54.04</td> <td>38.22</td> <td>14.82</td> <td>61.56</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11378.00	45.52	-28.48	74.00	54.04	38.22	14.82	61.56	100	0 Peak VERTICAL
	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11378.00	45.98	-28.02	74.00	54.50	38.22	14.82	61.56	300	0 Peak HORIZONTAL																																																										
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11378.00	45.52	-28.48	74.00	54.04	38.22	14.82	61.56	100	0 Peak VERTICAL																																																										



**Worse-Mode with Keyboard**  
**UNII-2A 5250~5350MHz**  
**WIFI 802.11ax HE80 Full (Band Edge @ 3m)**

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																													
2	Horizontal	Fundamental																																																																												
<b>Peak</b>	<div style="text-align: right; font-size: small;">           No. 1098, Pengji North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn         </div> <div style="font-size: x-small;">           Site : 030806-KS            Condition : SG BAND 1----3 In 3117.5M 00318652- HORIZONTAL            Project : RRM 1000.000000 VBR 3000.000000 SRT Auto            Mode : (FR)261401-01            Plane : 2            Full-directivity&amp;Keyboard            IPEI : 861            Powersetting : 11.5  <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5113.92</td> <td>-54.05</td> <td>-19.95</td> <td>74.00</td> <td>41.97</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>344</td> <td>298 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </div>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg	deg	deg	1 5113.92	-54.05	-19.95	74.00	41.97	34.10	9.76	31.79	344	298 Peak	HORIZONTAL	<div style="text-align: right; font-size: small;">           No. 1098, Pengji North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn         </div> <div style="font-size: x-small;">           Site : 030806-KS            Condition : SG BAND 1----3 In 3117.5M 00318652- HORIZONTAL            Project : RRM 1000.000000 VBR 3000.000000 SRT Auto            Mode : (FR)261401-01            Plane : 2            Full-directivity&amp;Keyboard            IPEI : 861            Powersetting : 11.5  <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5284.00</td> <td>100.43</td> <td>32.13</td> <td>68.30</td> <td>88.00</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>344</td> <td>298 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5284.00</td> <td>92.07</td> <td>-----</td> <td>79.04</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>344</td> <td>298 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </div>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg	deg	deg	1 * 5284.00	100.43	32.13	68.30	88.00	34.43	9.88	31.88	344	298 Peak	HORIZONTAL	2 5284.00	92.07	-----	79.04	34.43	9.88	31.88	344	298 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg	deg	deg																																																																				
1 5113.92	-54.05	-19.95	74.00	41.97	34.10	9.76	31.79	344	298 Peak	HORIZONTAL																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg	deg	deg																																																																				
1 * 5284.00	100.43	32.13	68.30	88.00	34.43	9.88	31.88	344	298 Peak	HORIZONTAL																																																																				
2 5284.00	92.07	-----	79.04	34.43	9.88	31.88	344	298 Average	HORIZONTAL																																																																					
<b>Avg.</b>	<div style="text-align: right; font-size: small;">           No. 1098, Pengji North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn         </div> <div style="font-size: x-small;">           Site : 030806-KS            Condition : SG BAND 1----3 (AVG) In 3117.5M 00318652- HORIZONTAL            Project : RRM 1000.000000 VBR 1.100000 SRT Auto            Mode : (FR)261401-01            Plane : 2            Full-directivity&amp;Keyboard            IPEI : 861            Powersetting : 11.5  <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5120.16</td> <td>43.75</td> <td>-10.25</td> <td>54.00</td> <td>31.68</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>344</td> <td>298 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </div>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg	deg	deg	1 5120.16	43.75	-10.25	54.00	31.68	34.10	9.76	31.79	344	298 Average	HORIZONTAL	<b>Left blank</b>																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg	deg	deg																																																																				
1 5120.16	43.75	-10.25	54.00	31.68	34.10	9.76	31.79	344	298 Average	HORIZONTAL																																																																				





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11ax HE80 Full CH58 5290MHz - R																																
2	Horizontal	Fundamental																															
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : SG BAND 1----3 3m 3117 SN 00218602- HORIZONTAL Project : RRM-1000-000004-V08-3000-0000KHz-SRT-Auto FR261401-01 Mode : 2 Plane : 2 Full-directivity&amp;Keyboard IMEI : 86 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>56.06</td> <td>-12.94</td> <td>74.00</td> <td>43.43</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>344</td> <td>298</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	5350.00	56.06	-12.94	74.00	43.43	34.65	0.91	31.93	344	298	Peak	HORIZONTAL	<p><b>Left blank</b></p>
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																									
1	5350.00	56.06	-12.94	74.00	43.43	34.65	0.91	31.93	344	298	Peak	HORIZONTAL																					
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032805-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : RRM-1000-000004-V08-3000-0000KHz-SRT-Auto FR261401-01 Mode : 2 Plane : 2 Full-directivity&amp;Keyboard IMEI : 86 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>48.09</td> <td>-5.91</td> <td>54.00</td> <td>35.46</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>344</td> <td>298</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	5350.20	48.09	-5.91	54.00	35.46	34.65	0.91	31.93	344	298	Average	HORIZONTAL	<p><b>Left blank</b></p>
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																									
1	5350.20	48.09	-5.91	54.00	35.46	34.65	0.91	31.93	344	298	Average	HORIZONTAL																					



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																									
2	Vertical	Fundamental																																																																								
Peak	<p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : (FR)261401-01 Plane : 2 Full-directivity&amp;Keyboard IMEI : 86 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5135.84</td> <td>53.27</td> <td>-20.73</td> <td>74.00</td> <td>41.19</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>268</td> <td>312</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5135.84	53.27	-20.73	74.00	41.19	34.10	9.77	31.79	268	312	Peak	VERTICAL	<p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : (FR)261401-01 Plane : 2 Full-directivity&amp;Keyboard IMEI : 86 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5284.00</td> <td>92.46</td> <td>29.16</td> <td>68.30</td> <td>85.03</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>268</td> <td>312</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5284.00</td> <td>89.15</td> <td>-----</td> <td>76.72</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>268</td> <td>312</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5284.00	92.46	29.16	68.30	85.03	34.43	9.88	31.88	268	312	Peak	VERTICAL	2	5284.00	89.15	-----	76.72	34.43	9.88	31.88	268	312	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																		
1	5135.84	53.27	-20.73	74.00	41.19	34.10	9.77	31.79	268	312	Peak	VERTICAL																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																		
1	5284.00	92.46	29.16	68.30	85.03	34.43	9.88	31.88	268	312	Peak	VERTICAL																																																														
2	5284.00	89.15	-----	76.72	34.43	9.88	31.88	268	312	Average	VERTICAL																																																															
Avg.	<p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218602- VERTICAL Project : RBW:1000,000kHz VBR:1,000kHz SRT:Auto Mode : (FR)261401-01 Plane : 2 Full-directivity&amp;Keyboard IMEI : 86 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5119.68</td> <td>43.71</td> <td>-10.29</td> <td>54.00</td> <td>31.64</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>268</td> <td>312</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	1	5119.68	43.71	-10.29	54.00	31.64	34.10	9.76	31.79	268	312	Average	VERTICAL	Left blank																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																		
1	5119.68	43.71	-10.29	54.00	31.64	34.10	9.76	31.79	268	312	Average	VERTICAL																																																														



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																					
ANT	802.11ax HE80 Full CH58 5290MHz - R																																					
2	Vertical	Fundamental																																				
<p><b>Peak</b></p>	 <p>Site : 0320G-KS            Condition : SG BAND 1----3 3m 3117 SN 00218602- VERTICAL            Project : RRM-1000-000004 VSR-3000-000004 SRT-Auto            (FR)261401-01            Mode : 2            Plane : 2            Full-directivity&amp;keyboard            MEI : 11.5            Powersetting : 45</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5312.30</td> <td>55.01</td> <td>-18.99</td> <td>74.00</td> <td>42.38</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>268</td> <td>312 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1	5312.30	55.01	-18.99	74.00	42.38	34.65	9.91	31.93	268	312 Peak	VERTICAL	<p>Left blank</p>
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																													
1	5312.30	55.01	-18.99	74.00	42.38	34.65	9.91	31.93	268	312 Peak	VERTICAL																											
<p><b>Avg.</b></p>	 <p>Site : 0320G-KS            Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218602- VERTICAL            Project : RRM-1000-000004 VSR-1-100004 SRT-Auto            (FR)261401-01            Mode : 2            Plane : 2            Full-directivity&amp;keyboard            MEI : 45            Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>45.70</td> <td>-8.30</td> <td>54.00</td> <td>33.07</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>268</td> <td>312 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1	5350.00	45.70	-8.30	54.00	33.07	34.65	9.91	31.93	268	312 Average	VERTICAL	<p>Left blank</p>
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																													
1	5350.00	45.70	-8.30	54.00	33.07	34.65	9.91	31.93	268	312 Average	VERTICAL																											



**UNII-2A 5250~5350MHz**  
**WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH58 5290MHz																																																																			
2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030004-KS            Condition : SG BAND 1---3 3m 3117 SN 00218662- HORIZONTAL            Project : R08-1000-000004-V08-3000-000004-081-Auto            Mode : 2            Plane : 2            Full-directivity&amp;Keyboard            MEI : 44            Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10575.00</td> <td>44.39</td> <td>-23.91</td> <td>68.30</td> <td>54.01</td> <td>37.74</td> <td>14.27</td> <td>61.63</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	10575.00	44.39	-23.91	68.30	54.01	37.74	14.27	61.63	300	0 Peak HORIZONTAL	<p>Site : 030004-KS            Condition : SG BAND 1---3 3m 3117 SN 00218662- VERTICAL            Project : R08-1000-000004-V08-3000-000004-081-Auto            Mode : 2            Plane : 2            Full-directivity&amp;Keyboard            MEI : 44            Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10575.00</td> <td>44.54</td> <td>-23.76</td> <td>68.30</td> <td>54.16</td> <td>37.74</td> <td>14.27</td> <td>61.63</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	10575.00	44.54	-23.76	68.30	54.16	37.74	14.27	61.63	100	0 Peak VERTICAL
	MEI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	10575.00	44.39	-23.91	68.30	54.01	37.74	14.27	61.63	300	0 Peak HORIZONTAL																																																										
MEI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	10575.00	44.54	-23.76	68.30	54.16	37.74	14.27	61.63	100	0 Peak VERTICAL																																																										



Emission below 1GHz  
5GHz WIFI 802.11ax HE80 Full (LF)

WIFI	5GHz WIFI																																																																																																																																																																									
ANT	802.11ax HE80 Full LF																																																																																																																																																																									
2	Horizontal	Vertical																																																																																																																																																																								
QP / Peak	<p>Site : 03C402-KS Condition : 5G BAND 1-3 3m LF 6111D SM44483 HORIZONTAL : 80W/300.000KHz VSW:300.000KHz SWT:Auto Project : 261401-01 Mode :</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>50.37</th> <th>24.17</th> <th>-15.83</th> <th>40.00</th> <th>41.77</th> <th>14.59</th> <th>0.73</th> <th>32.91</th> <th>---</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>122.15</td> <td>23.66</td> <td>-19.84</td> <td>43.50</td> <td>37.37</td> <td>17.07</td> <td>1.47</td> <td>32.85</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>192.96</td> <td>23.58</td> <td>-19.92</td> <td>43.50</td> <td>39.57</td> <td>14.97</td> <td>1.89</td> <td>33.84</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>273.47</td> <td>28.06</td> <td>-17.94</td> <td>46.00</td> <td>39.50</td> <td>19.11</td> <td>2.23</td> <td>33.78</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>562.53</td> <td>25.50</td> <td>-20.29</td> <td>45.00</td> <td>29.31</td> <td>26.39</td> <td>3.26</td> <td>33.10</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>806.97</td> <td>29.46</td> <td>-16.54</td> <td>40.00</td> <td>29.91</td> <td>28.40</td> <td>3.84</td> <td>32.69</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	50.37	24.17	-15.83	40.00	41.77	14.59	0.73	32.91	---	Peak	HORIZONTAL	2	122.15	23.66	-19.84	43.50	37.37	17.07	1.47	32.85	---	Peak	HORIZONTAL	3	192.96	23.58	-19.92	43.50	39.57	14.97	1.89	33.84	---	Peak	HORIZONTAL	4	273.47	28.06	-17.94	46.00	39.50	19.11	2.23	33.78	---	Peak	HORIZONTAL	5	562.53	25.50	-20.29	45.00	29.31	26.39	3.26	33.10	---	Peak	HORIZONTAL	6	806.97	29.46	-16.54	40.00	29.91	28.40	3.84	32.69	---	Peak	HORIZONTAL	<p>Site : 03C402-KS Condition : 5G BAND 1-3 3m LF 6111D SM44483 VERTICAL : 80W/300.000KHz VSW:300.000KHz SWT:Auto Project : 261401-01 Mode :</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>51.34</th> <th>35.00</th> <th>-5.00</th> <th>40.00</th> <th>53.00</th> <th>14.18</th> <th>0.73</th> <th>32.91</th> <th>100</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>156.10</td> <td>22.89</td> <td>-20.01</td> <td>43.50</td> <td>37.77</td> <td>16.88</td> <td>1.47</td> <td>32.83</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>200.19</td> <td>19.75</td> <td>-23.22</td> <td>46.00</td> <td>31.74</td> <td>18.05</td> <td>2.13</td> <td>32.77</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>448.07</td> <td>21.85</td> <td>-24.15</td> <td>46.00</td> <td>29.04</td> <td>23.01</td> <td>2.85</td> <td>33.05</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>616.85</td> <td>26.21</td> <td>-15.49</td> <td>46.00</td> <td>30.15</td> <td>25.02</td> <td>3.56</td> <td>33.03</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>797.27</td> <td>28.58</td> <td>-17.42</td> <td>46.00</td> <td>29.30</td> <td>28.21</td> <td>3.81</td> <td>32.74</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	51.34	35.00	-5.00	40.00	53.00	14.18	0.73	32.91	100	Peak	VERTICAL	2	156.10	22.89	-20.01	43.50	37.77	16.88	1.47	32.83	---	Peak	VERTICAL	3	200.19	19.75	-23.22	46.00	31.74	18.05	2.13	32.77	---	Peak	VERTICAL	4	448.07	21.85	-24.15	46.00	29.04	23.01	2.85	33.05	---	Peak	VERTICAL	5	616.85	26.21	-15.49	46.00	30.15	25.02	3.56	33.03	---	Peak	VERTICAL	6	797.27	28.58	-17.42	46.00	29.30	28.21	3.81	32.74	---	Peak	VERTICAL
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																														
1	50.37	24.17	-15.83	40.00	41.77	14.59	0.73	32.91	---	Peak	HORIZONTAL																																																																																																																																																															
2	122.15	23.66	-19.84	43.50	37.37	17.07	1.47	32.85	---	Peak	HORIZONTAL																																																																																																																																																															
3	192.96	23.58	-19.92	43.50	39.57	14.97	1.89	33.84	---	Peak	HORIZONTAL																																																																																																																																																															
4	273.47	28.06	-17.94	46.00	39.50	19.11	2.23	33.78	---	Peak	HORIZONTAL																																																																																																																																																															
5	562.53	25.50	-20.29	45.00	29.31	26.39	3.26	33.10	---	Peak	HORIZONTAL																																																																																																																																																															
6	806.97	29.46	-16.54	40.00	29.91	28.40	3.84	32.69	---	Peak	HORIZONTAL																																																																																																																																																															
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																															
1	51.34	35.00	-5.00	40.00	53.00	14.18	0.73	32.91	100	Peak	VERTICAL																																																																																																																																																															
2	156.10	22.89	-20.01	43.50	37.77	16.88	1.47	32.83	---	Peak	VERTICAL																																																																																																																																																															
3	200.19	19.75	-23.22	46.00	31.74	18.05	2.13	32.77	---	Peak	VERTICAL																																																																																																																																																															
4	448.07	21.85	-24.15	46.00	29.04	23.01	2.85	33.05	---	Peak	VERTICAL																																																																																																																																																															
5	616.85	26.21	-15.49	46.00	30.15	25.02	3.56	33.03	---	Peak	VERTICAL																																																																																																																																																															
6	797.27	28.58	-17.42	46.00	29.30	28.21	3.81	32.74	---	Peak	VERTICAL																																																																																																																																																															