






UNII-3 - 5725~5850MHz
WIFI 802.11a (Band Edge @ 3m)

Table with 4 main rows: WIFI, ANT, 1, Peak. Columns: UNII-3 5725~5850MHz Band Edge @ 3m, 802.11a CH149 5745MHz, Horizontal, Fundamental, Vertical, Fundamental. Each cell contains a graph and a data table.



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11a CH157 5785MHz																																																																															
1	Horizontal	Fundamental																																																																														
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : 5G BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity MEI : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5616.80</th> <th>52.91</th> <th>-15.39</th> <th>68.30</th> <th>40.15</th> <th>34.58</th> <th>10.26</th> <th>32.08</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>2</th> <th>5685.00</th> <th>54.01</th> <th>-40.07</th> <th>94.68</th> <th>41.85</th> <th>34.50</th> <th>10.33</th> <th>33.06</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>3</th> <th>5712.00</th> <th>53.37</th> <th>-50.39</th> <th>108.66</th> <th>40.40</th> <th>34.52</th> <th>10.33</th> <th>33.04</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>4</th> <th>5721.60</th> <th>52.65</th> <th>-61.90</th> <th>114.55</th> <th>39.81</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead></table>	1	5616.80	52.91	-15.39	68.30	40.15	34.58	10.26	32.08	100	54	Peak	HORIZONT	2	5685.00	54.01	-40.07	94.68	41.85	34.50	10.33	33.06	100	54	Peak	HORIZONT	3	5712.00	53.37	-50.39	108.66	40.40	34.52	10.33	33.04	100	54	Peak	HORIZONT	4	5721.60	52.65	-61.90	114.55	39.81	34.53	10.35	32.04	100	54	Peak	HORIZONT	<p>Site : 032806-KS Condition : 5G BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity MEI : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5782.00</th> <th>104.18</th> <th>-18.12</th> <th>122.30</th> <th>91.18</th> <th>34.58</th> <th>10.39</th> <th>31.97</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>2</th> <th>5782.00</th> <th>94.19</th> <th>-----</th> <th>-----</th> <th>81.19</th> <th>34.58</th> <th>10.39</th> <th>31.97</th> <th>100</th> <th>54</th> <th>Average</th> <th>HORIZONT</th> </tr> </thead></table>	1	5782.00	104.18	-18.12	122.30	91.18	34.58	10.39	31.97	100	54	Peak	HORIZONT	2	5782.00	94.19	-----	-----	81.19	34.58	10.39	31.97	100	54	Average	HORIZONT
1	5616.80	52.91	-15.39	68.30	40.15	34.58	10.26	32.08	100	54	Peak	HORIZONT																																																																				
2	5685.00	54.01	-40.07	94.68	41.85	34.50	10.33	33.06	100	54	Peak	HORIZONT																																																																				
3	5712.00	53.37	-50.39	108.66	40.40	34.52	10.33	33.04	100	54	Peak	HORIZONT																																																																				
4	5721.60	52.65	-61.90	114.55	39.81	34.53	10.35	32.04	100	54	Peak	HORIZONT																																																																				
1	5782.00	104.18	-18.12	122.30	91.18	34.58	10.39	31.97	100	54	Peak	HORIZONT																																																																				
2	5782.00	94.19	-----	-----	81.19	34.58	10.39	31.97	100	54	Average	HORIZONT																																																																				
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : 5G BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity MEI : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5882.00</th> <th>52.75</th> <th>-64.99</th> <th>117.74</th> <th>39.44</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>2</th> <th>5894.80</th> <th>53.63</th> <th>-66.78</th> <th>110.40</th> <th>40.22</th> <th>34.81</th> <th>10.45</th> <th>31.92</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>3</th> <th>5875.20</th> <th>54.37</th> <th>-47.96</th> <th>102.18</th> <th>40.77</th> <th>34.83</th> <th>10.47</th> <th>31.95</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>4</th> <th>5746.30</th> <th>53.85</th> <th>-74.46</th> <th>68.30</th> <th>40.13</th> <th>35.50</th> <th>10.53</th> <th>33.01</th> <th>100</th> <th>54</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead></table>	1	5882.00	52.75	-64.99	117.74	39.44	34.80	10.44	31.93	100	54	Peak	HORIZONT	2	5894.80	53.63	-66.78	110.40	40.22	34.81	10.45	31.92	100	54	Peak	HORIZONT	3	5875.20	54.37	-47.96	102.18	40.77	34.83	10.47	31.95	100	54	Peak	HORIZONT	4	5746.30	53.85	-74.46	68.30	40.13	35.50	10.53	33.01	100	54	Peak	HORIZONT	<p><b>Left blank</b></p>																										
1	5882.00	52.75	-64.99	117.74	39.44	34.80	10.44	31.93	100	54	Peak	HORIZONT																																																																				
2	5894.80	53.63	-66.78	110.40	40.22	34.81	10.45	31.92	100	54	Peak	HORIZONT																																																																				
3	5875.20	54.37	-47.96	102.18	40.77	34.83	10.47	31.95	100	54	Peak	HORIZONT																																																																				
4	5746.30	53.85	-74.46	68.30	40.13	35.50	10.53	33.01	100	54	Peak	HORIZONT																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11a CH157 5785MHz																																																																															
1	Vertical	Fundamental																																																																														
<p><b>Peak</b></p>	 <p>Site : 03290A-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5602.00</th> <th>52.90</th> <th>-15.40</th> <th>68.30</th> <th>40.12</th> <th>34.60</th> <th>10.25</th> <th>32.07</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5688.40</th> <th>52.93</th> <th>-43.81</th> <th>96.74</th> <th>40.17</th> <th>34.50</th> <th>10.33</th> <th>33.06</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5701.60</th> <th>53.34</th> <th>-42.45</th> <th>100.75</th> <th>40.50</th> <th>34.52</th> <th>10.33</th> <th>33.06</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5724.40</th> <th>51.45</th> <th>-49.48</th> <th>120.93</th> <th>38.61</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5602.00	52.90	-15.40	68.30	40.12	34.60	10.25	32.07	325	184	Peak	VERTICAL	2	5688.40	52.93	-43.81	96.74	40.17	34.50	10.33	33.06	325	184	Peak	VERTICAL	3	5701.60	53.34	-42.45	100.75	40.50	34.52	10.33	33.06	325	184	Peak	VERTICAL	4	5724.40	51.45	-49.48	120.93	38.61	34.53	10.35	32.04	325	184	Peak	VERTICAL	 <p>Site : 03290A-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5788.00</th> <th>103.28</th> <th>-19.02</th> <th>122.30</th> <th>90.25</th> <th>34.60</th> <th>10.40</th> <th>31.97</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5788.00</th> <th>93.99</th> <th>-----</th> <th>-----</th> <th>80.96</th> <th>34.60</th> <th>10.40</th> <th>31.97</th> <th>325</th> <th>184</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead></table>	1	5788.00	103.28	-19.02	122.30	90.25	34.60	10.40	31.97	325	184	Peak	VERTICAL	2	5788.00	93.99	-----	-----	80.96	34.60	10.40	31.97	325	184	Average	VERTICAL
1	5602.00	52.90	-15.40	68.30	40.12	34.60	10.25	32.07	325	184	Peak	VERTICAL																																																																				
2	5688.40	52.93	-43.81	96.74	40.17	34.50	10.33	33.06	325	184	Peak	VERTICAL																																																																				
3	5701.60	53.34	-42.45	100.75	40.50	34.52	10.33	33.06	325	184	Peak	VERTICAL																																																																				
4	5724.40	51.45	-49.48	120.93	38.61	34.53	10.35	32.04	325	184	Peak	VERTICAL																																																																				
1	5788.00	103.28	-19.02	122.30	90.25	34.60	10.40	31.97	325	184	Peak	VERTICAL																																																																				
2	5788.00	93.99	-----	-----	80.96	34.60	10.40	31.97	325	184	Average	VERTICAL																																																																				
<p><b>Peak</b></p>	 <p>Site : 03290A-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5884.00</th> <th>53.89</th> <th>-49.29</th> <th>113.18</th> <th>40.49</th> <th>34.87</th> <th>10.46</th> <th>31.93</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5897.20</th> <th>54.53</th> <th>-52.89</th> <th>121.48</th> <th>41.20</th> <th>34.87</th> <th>10.46</th> <th>31.95</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5903.20</th> <th>53.78</th> <th>-50.81</th> <th>84.39</th> <th>40.25</th> <th>35.00</th> <th>10.48</th> <th>31.97</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5961.20</th> <th>53.87</th> <th>-14.48</th> <th>68.30</th> <th>40.03</th> <th>35.07</th> <th>10.55</th> <th>32.03</th> <th>325</th> <th>184</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5884.00	53.89	-49.29	113.18	40.49	34.87	10.46	31.93	325	184	Peak	VERTICAL	2	5897.20	54.53	-52.89	121.48	41.20	34.87	10.46	31.95	325	184	Peak	VERTICAL	3	5903.20	53.78	-50.81	84.39	40.25	35.00	10.48	31.97	325	184	Peak	VERTICAL	4	5961.20	53.87	-14.48	68.30	40.03	35.07	10.55	32.03	325	184	Peak	VERTICAL	<p><b>Left blank</b></p>																										
1	5884.00	53.89	-49.29	113.18	40.49	34.87	10.46	31.93	325	184	Peak	VERTICAL																																																																				
2	5897.20	54.53	-52.89	121.48	41.20	34.87	10.46	31.95	325	184	Peak	VERTICAL																																																																				
3	5903.20	53.78	-50.81	84.39	40.25	35.00	10.48	31.97	325	184	Peak	VERTICAL																																																																				
4	5961.20	53.87	-14.48	68.30	40.03	35.07	10.55	32.03	325	184	Peak	VERTICAL																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																									
ANT	802.11a CH165 5825MHz																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : 54 dBm/100 MHz 3117 SN 00218652- HORIZONTAL Project : RBW:1000, D00MHz, VBW:3000, 000MHz, SMT:Auto FR261401-01 Mode : 64 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 9</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.00</td> <td>52.48</td> <td>-65.26</td> <td>117.74</td> <td>39.17</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>101</td> <td>54 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5844.80</td> <td>53.93</td> <td>-64.27</td> <td>108.15</td> <td>40.55</td> <td>34.67</td> <td>10.46</td> <td>31.95</td> <td>101</td> <td>54 Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5922.80</td> <td>54.18</td> <td>-65.74</td> <td>65.92</td> <td>40.52</td> <td>35.13</td> <td>10.53</td> <td>33.99</td> <td>101</td> <td>54 Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5976.80</td> <td>54.44</td> <td>-63.86</td> <td>68.30</td> <td>40.58</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>101</td> <td>54 Peak HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5852.00	52.48	-65.26	117.74	39.17	34.80	10.44	31.93	101	54 Peak HORIZONTAL	2	5844.80	53.93	-64.27	108.15	40.55	34.67	10.46	31.95	101	54 Peak HORIZONTAL	3	5922.80	54.18	-65.74	65.92	40.52	35.13	10.53	33.99	101	54 Peak HORIZONTAL	4	5976.80	54.44	-63.86	68.30	40.58	35.33	10.56	32.03	101	54 Peak HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : 54 dBm/100 MHz 3117 SN 00218652- HORIZONTAL Project : RBW:1000, D00MHz, VBW:3000, 000MHz, SMT:Auto FR261401-01 Mode : 64 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 9</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5818.00</td> <td>103.66</td> <td>-18.64</td> <td>122.30</td> <td>90.53</td> <td>34.67</td> <td>10.41</td> <td>31.95</td> <td>101</td> <td>54 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5818.00</td> <td>94.66</td> <td>-----</td> <td>-----</td> <td>81.53</td> <td>34.67</td> <td>10.41</td> <td>31.95</td> <td>101</td> <td>54 Average HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5818.00	103.66	-18.64	122.30	90.53	34.67	10.41	31.95	101	54 Peak HORIZONTAL	2	5818.00	94.66	-----	-----	81.53	34.67	10.41	31.95	101	54 Average HORIZONTAL
	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
1	5852.00	52.48	-65.26	117.74	39.17	34.80	10.44	31.93	101	54 Peak HORIZONTAL																																																																																
2	5844.80	53.93	-64.27	108.15	40.55	34.67	10.46	31.95	101	54 Peak HORIZONTAL																																																																																
3	5922.80	54.18	-65.74	65.92	40.52	35.13	10.53	33.99	101	54 Peak HORIZONTAL																																																																																
4	5976.80	54.44	-63.86	68.30	40.58	35.33	10.56	32.03	101	54 Peak HORIZONTAL																																																																																
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
1	5818.00	103.66	-18.64	122.30	90.53	34.67	10.41	31.95	101	54 Peak HORIZONTAL																																																																																
2	5818.00	94.66	-----	-----	81.53	34.67	10.41	31.95	101	54 Average HORIZONTAL																																																																																



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																			
ANT	802.11a CH165 5825MHz																																																																																			
1	Vertical	Fundamental																																																																																		
Peak	<p>Site : 030806-KS            Condition : SG BAND4 by 3117 SN 00218A52- VERTICAL            Project : RBM 1000.000MHz; YBM 3000.000MHz; SMT Auto            Mode : FR261401-01            Plane : E            IMEI : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5850.40</td> <td>53.49</td> <td>-47.90</td> <td>121.39</td> <td>40.18</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>304</td> <td>188 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5867.20</td> <td>53.75</td> <td>-52.73</td> <td>107.48</td> <td>40.37</td> <td>34.67</td> <td>10.46</td> <td>31.95</td> <td>304</td> <td>188 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5900.40</td> <td>54.30</td> <td>-52.74</td> <td>86.46</td> <td>40.78</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>304</td> <td>188 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5974.80</td> <td>54.04</td> <td>-14.28</td> <td>68.30</td> <td>40.18</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>304</td> <td>188 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	5850.40	53.49	-47.90	121.39	40.18	34.80	10.44	31.93	304	188 Peak	VERTICAL	5867.20	53.75	-52.73	107.48	40.37	34.67	10.46	31.95	304	188 Peak	VERTICAL	5900.40	54.30	-52.74	86.46	40.78	35.00	10.49	31.97	304	188 Peak	VERTICAL	5974.80	54.04	-14.28	68.30	40.18	35.33	10.56	32.03	304	188 Peak	VERTICAL	<p>Site : 030806-KS            Condition : SG BAND4 by 3117 SN 00218A52- VERTICAL            Project : RBM 1000.000MHz; YBM 3000.000MHz; SMT Auto            Mode : FR261401-01            Plane : E            IMEI : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5824.00</td> <td>102.26</td> <td>-20.04</td> <td>122.30</td> <td>89.05</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>304</td> <td>188 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5824.00</td> <td>94.28</td> <td>-----</td> <td>-----</td> <td>81.07</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>304</td> <td>188 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	5824.00	102.26	-20.04	122.30	89.05	34.73	10.43	31.95	304	188 Peak	VERTICAL	5824.00	94.28	-----	-----	81.07	34.73	10.43	31.95	304	188 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																																																													
5850.40	53.49	-47.90	121.39	40.18	34.80	10.44	31.93	304	188 Peak	VERTICAL																																																																										
5867.20	53.75	-52.73	107.48	40.37	34.67	10.46	31.95	304	188 Peak	VERTICAL																																																																										
5900.40	54.30	-52.74	86.46	40.78	35.00	10.49	31.97	304	188 Peak	VERTICAL																																																																										
5974.80	54.04	-14.28	68.30	40.18	35.33	10.56	32.03	304	188 Peak	VERTICAL																																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																																																													
5824.00	102.26	-20.04	122.30	89.05	34.73	10.43	31.95	304	188 Peak	VERTICAL																																																																										
5824.00	94.28	-----	-----	81.07	34.73	10.43	31.95	304	188 Average	VERTICAL																																																																										



UNII-3 5725~5850MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

Table with 4 main rows: (1) WIFI: UNII-3 5725~5850MHz Band Edge @ 3m, ANT: 802.11ax HE20 Full CH149 5745MHz, 1 Horizontal Fundamental, Peak (2) WIFI: UNII-3 5725~5850MHz Band Edge @ 3m, ANT: 802.11ax HE20 Full CH149 5745MHz, 1 Vertical Fundamental, Peak



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE20 Full CH157 5785MHz																																																																																																															
1	Horizontal	Fundamental																																																																																																														
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : 5G BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5616.80</td> <td>52.91</td> <td>-15.39</td> <td>68.30</td> <td>40.15</td> <td>34.58</td> <td>10.26</td> <td>32.08</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> <tr> <td>2</td> <td>5685.00</td> <td>54.01</td> <td>-40.07</td> <td>94.08</td> <td>41.85</td> <td>34.50</td> <td>10.33</td> <td>32.06</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> <tr> <td>3</td> <td>5712.00</td> <td>53.27</td> <td>-55.39</td> <td>108.66</td> <td>40.40</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>52.65</td> <td>-61.90</td> <td>114.55</td> <td>39.81</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1	5616.80	52.91	-15.39	68.30	40.15	34.58	10.26	32.08	100	54 Peak HORIZONT	2	5685.00	54.01	-40.07	94.08	41.85	34.50	10.33	32.06	100	54 Peak HORIZONT	3	5712.00	53.27	-55.39	108.66	40.40	34.52	10.33	32.04	100	54 Peak HORIZONT	4	5721.60	52.65	-61.90	114.55	39.81	34.53	10.35	32.04	100	54 Peak HORIZONT	<p>Site : 032806-KS Condition : 5G BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5782.00</td> <td>104.18</td> <td>-18.12</td> <td>122.30</td> <td>91.18</td> <td>34.58</td> <td>10.39</td> <td>31.97</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> <tr> <td>2</td> <td>5782.00</td> <td>94.19</td> <td>-</td> <td>-</td> <td>81.19</td> <td>34.58</td> <td>10.39</td> <td>31.97</td> <td>100</td> <td>54 Average HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1	5782.00	104.18	-18.12	122.30	91.18	34.58	10.39	31.97	100	54 Peak HORIZONT	2	5782.00	94.19	-	-	81.19	34.58	10.39	31.97	100	54 Average HORIZONT
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5616.80	52.91	-15.39	68.30	40.15	34.58	10.26	32.08	100	54 Peak HORIZONT																																																																																																						
2	5685.00	54.01	-40.07	94.08	41.85	34.50	10.33	32.06	100	54 Peak HORIZONT																																																																																																						
3	5712.00	53.27	-55.39	108.66	40.40	34.52	10.33	32.04	100	54 Peak HORIZONT																																																																																																						
4	5721.60	52.65	-61.90	114.55	39.81	34.53	10.35	32.04	100	54 Peak HORIZONT																																																																																																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5782.00	104.18	-18.12	122.30	91.18	34.58	10.39	31.97	100	54 Peak HORIZONT																																																																																																						
2	5782.00	94.19	-	-	81.19	34.58	10.39	31.97	100	54 Average HORIZONT																																																																																																						
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : 5G BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Project : FR261401-01 Mode : 60 Plane : 2 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.00</td> <td>52.75</td> <td>-64.99</td> <td>117.74</td> <td>39.44</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> <tr> <td>2</td> <td>5896.80</td> <td>53.52</td> <td>-66.78</td> <td>119.49</td> <td>40.22</td> <td>34.81</td> <td>10.45</td> <td>31.92</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> <tr> <td>3</td> <td>5879.20</td> <td>54.23</td> <td>-47.95</td> <td>102.18</td> <td>40.77</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> <tr> <td>4</td> <td>5746.20</td> <td>53.85</td> <td>-14.46</td> <td>68.30</td> <td>40.13</td> <td>35.20</td> <td>10.53</td> <td>32.01</td> <td>100</td> <td>54 Peak HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1	5882.00	52.75	-64.99	117.74	39.44	34.80	10.44	31.93	100	54 Peak HORIZONT	2	5896.80	53.52	-66.78	119.49	40.22	34.81	10.45	31.92	100	54 Peak HORIZONT	3	5879.20	54.23	-47.95	102.18	40.77	34.93	10.47	31.95	100	54 Peak HORIZONT	4	5746.20	53.85	-14.46	68.30	40.13	35.20	10.53	32.01	100	54 Peak HORIZONT	<p><b>Left blank</b></p>																																												
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5882.00	52.75	-64.99	117.74	39.44	34.80	10.44	31.93	100	54 Peak HORIZONT																																																																																																						
2	5896.80	53.52	-66.78	119.49	40.22	34.81	10.45	31.92	100	54 Peak HORIZONT																																																																																																						
3	5879.20	54.23	-47.95	102.18	40.77	34.93	10.47	31.95	100	54 Peak HORIZONT																																																																																																						
4	5746.20	53.85	-14.46	68.30	40.13	35.20	10.53	32.01	100	54 Peak HORIZONT																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																															
ANT	802.11ax HE20 Full CH157 5785MHz																																																																																																																															
1	Vertical	Fundamental																																																																																																																														
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032906-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Project : RRM 1000 0000Hz; VSW 3000; 0000Hz; SMT Auto FR261401-01 Mode : 60 Plane : 2 Full-directivity JME1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.00</td> <td>52.90</td> <td>-15.40</td> <td>68.30</td> <td>40.12</td> <td>34.60</td> <td>10.25</td> <td>32.07</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5688.40</td> <td>52.93</td> <td>-42.81</td> <td>96.74</td> <td>40.17</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>53.34</td> <td>-42.45</td> <td>105.79</td> <td>40.55</td> <td>34.52</td> <td>10.33</td> <td>33.06</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5724.40</td> <td>51.45</td> <td>-49.48</td> <td>120.93</td> <td>38.61</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	1	5602.00	52.90	-15.40	68.30	40.12	34.60	10.25	32.07	325	184	Peak	VERTICAL	2	5688.40	52.93	-42.81	96.74	40.17	34.50	10.33	33.06	325	184	Peak	VERTICAL	3	5701.60	53.34	-42.45	105.79	40.55	34.52	10.33	33.06	325	184	Peak	VERTICAL	4	5724.40	51.45	-49.48	120.93	38.61	34.53	10.35	33.04	325	184	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032906-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Project : RRM 1000 0000Hz; VSW 3000; 0000Hz; SMT Auto FR261401-01 Mode : 60 Plane : 2 Full-directivity JME1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5788.00</td> <td>103.28</td> <td>-19.02</td> <td>122.30</td> <td>90.25</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>93.99</td> <td>-----</td> <td>-----</td> <td>80.96</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>325</td> <td>184</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	1	5788.00	103.28	-19.02	122.30	90.25	34.60	10.40	31.97	325	184	Peak	VERTICAL	2	5788.00	93.99	-----	-----	80.96	34.60	10.40	31.97	325	184	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB																																																																																																																									
1	5602.00	52.90	-15.40	68.30	40.12	34.60	10.25	32.07	325	184	Peak	VERTICAL																																																																																																																				
2	5688.40	52.93	-42.81	96.74	40.17	34.50	10.33	33.06	325	184	Peak	VERTICAL																																																																																																																				
3	5701.60	53.34	-42.45	105.79	40.55	34.52	10.33	33.06	325	184	Peak	VERTICAL																																																																																																																				
4	5724.40	51.45	-49.48	120.93	38.61	34.53	10.35	33.04	325	184	Peak	VERTICAL																																																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB																																																																																																																									
1	5788.00	103.28	-19.02	122.30	90.25	34.60	10.40	31.97	325	184	Peak	VERTICAL																																																																																																																				
2	5788.00	93.99	-----	-----	80.96	34.60	10.40	31.97	325	184	Average	VERTICAL																																																																																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032906-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Project : RRM 1000 0000Hz; VSW 3000; 0000Hz; SMT Auto FR261401-01 Mode : 60 Plane : 2 Full-directivity JME1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.00</td> <td>53.89</td> <td>-49.29</td> <td>113.18</td> <td>40.49</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5887.20</td> <td>54.53</td> <td>-52.89</td> <td>107.48</td> <td>41.20</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5903.20</td> <td>53.78</td> <td>-56.81</td> <td>84.39</td> <td>40.25</td> <td>35.00</td> <td>10.48</td> <td>31.97</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5961.20</td> <td>53.87</td> <td>-14.48</td> <td>68.30</td> <td>40.03</td> <td>35.07</td> <td>10.55</td> <td>32.03</td> <td>325</td> <td>184</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	1	5884.00	53.89	-49.29	113.18	40.49	34.87	10.46	31.93	325	184	Peak	VERTICAL	2	5887.20	54.53	-52.89	107.48	41.20	34.87	10.46	31.95	325	184	Peak	VERTICAL	3	5903.20	53.78	-56.81	84.39	40.25	35.00	10.48	31.97	325	184	Peak	VERTICAL	4	5961.20	53.87	-14.48	68.30	40.03	35.07	10.55	32.03	325	184	Peak	VERTICAL	<p><b>Left blank</b></p>																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB																																																																																																																									
1	5884.00	53.89	-49.29	113.18	40.49	34.87	10.46	31.93	325	184	Peak	VERTICAL																																																																																																																				
2	5887.20	54.53	-52.89	107.48	41.20	34.87	10.46	31.95	325	184	Peak	VERTICAL																																																																																																																				
3	5903.20	53.78	-56.81	84.39	40.25	35.00	10.48	31.97	325	184	Peak	VERTICAL																																																																																																																				
4	5961.20	53.87	-14.48	68.30	40.03	35.07	10.55	32.03	325	184	Peak	VERTICAL																																																																																																																				





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Full CH165 5825MHz																																																																																	
1	Horizontal	Fundamental																																																																																
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K5 Condition : 58 BAND4 Ch 3117 SN 00218A52- HORIZ20MTL Project : FR261401-01 Mode : e7 Plane : z Full-directivity : Full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5854.00</td> <td>52.42</td> <td>-40.76</td> <td>113.18</td> <td>39.02</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>54 Peak</td> <td>HORIZ20MT</td> </tr> <tr> <td>5889.20</td> <td>54.69</td> <td>-55.03</td> <td>109.72</td> <td>41.31</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>54 Peak</td> <td>HORIZ20MT</td> </tr> <tr> <td>5905.20</td> <td>54.10</td> <td>-58.21</td> <td>82.91</td> <td>41.09</td> <td>35.07</td> <td>10.51</td> <td>31.97</td> <td>54 Peak</td> <td>HORIZ20MT</td> </tr> <tr> <td>5925.20</td> <td>54.82</td> <td>-13.48</td> <td>68.30</td> <td>41.16</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>54 Peak</td> <td>HORIZ20MT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	5854.00	52.42	-40.76	113.18	39.02	34.87	10.46	31.93	54 Peak	HORIZ20MT	5889.20	54.69	-55.03	109.72	41.31	34.87	10.46	31.95	54 Peak	HORIZ20MT	5905.20	54.10	-58.21	82.91	41.09	35.07	10.51	31.97	54 Peak	HORIZ20MT	5925.20	54.82	-13.48	68.30	41.16	35.13	10.52	31.99	54 Peak	HORIZ20MT	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K5 Condition : 58 BAND4 Ch 3117 SN 00218A52- HORIZ20MTL Project : FR261401-01 Mode : e7 Plane : z Full-directivity : Full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5824.00</td> <td>101.74</td> <td>-20.56</td> <td>122.30</td> <td>88.53</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>54 Peak</td> <td>HORIZ20MT</td> </tr> <tr> <td>5824.00</td> <td>93.53</td> <td>-----</td> <td>80.32</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>100</td> <td>54 Average</td> <td>HORIZ20MT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	5824.00	101.74	-20.56	122.30	88.53	34.73	10.43	31.95	54 Peak	HORIZ20MT	5824.00	93.53	-----	80.32	34.73	10.43	31.95	100	54 Average	HORIZ20MT
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
5854.00	52.42	-40.76	113.18	39.02	34.87	10.46	31.93	54 Peak	HORIZ20MT																																																																									
5889.20	54.69	-55.03	109.72	41.31	34.87	10.46	31.95	54 Peak	HORIZ20MT																																																																									
5905.20	54.10	-58.21	82.91	41.09	35.07	10.51	31.97	54 Peak	HORIZ20MT																																																																									
5925.20	54.82	-13.48	68.30	41.16	35.13	10.52	31.99	54 Peak	HORIZ20MT																																																																									
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
5824.00	101.74	-20.56	122.30	88.53	34.73	10.43	31.95	54 Peak	HORIZ20MT																																																																									
5824.00	93.53	-----	80.32	34.73	10.43	31.95	100	54 Average	HORIZ20MT																																																																									



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																							
ANT	802.11ax HE20 Full CH165 5825MHz																																																																																							
1	Vertical	Fundamental																																																																																						
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technological Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : SG BAND4 by 3117 SN 00218A62- VERTICAL Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto Model : (FR261401-01) Plane : E Polarization : Full-directivity PowerSetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5863.40</td> <td>53.25</td> <td>-68.84</td> <td>114.09</td> <td>39.85</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>259</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5889.60</td> <td>53.31</td> <td>-66.30</td> <td>109.61</td> <td>39.93</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>259</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5922.80</td> <td>54.05</td> <td>-65.87</td> <td>69.92</td> <td>40.39</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>259</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5956.40</td> <td>54.27</td> <td>-64.03</td> <td>68.30</td> <td>40.46</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>259</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	5863.40	53.25	-68.84	114.09	39.85	34.87	10.46	31.93	259	218 Peak	VERTICAL	5889.60	53.31	-66.30	109.61	39.93	34.87	10.46	31.95	259	218 Peak	VERTICAL	5922.80	54.05	-65.87	69.92	40.39	35.13	10.52	31.99	259	218 Peak	VERTICAL	5956.40	54.27	-64.03	68.30	40.46	35.27	10.55	32.01	259	218 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technological Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-KS Condition : SG BAND4 by 3117 SN 00218A62- VERTICAL Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto Model : (FR261401-01) Plane : E Polarization : Full-directivity PowerSetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>5824.00</td> <td>100.73</td> <td>-21.57</td> <td>122.30</td> <td>87.52</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>259</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5824.00</td> <td>93.32</td> <td>-----</td> <td>-----</td> <td>80.11</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>259</td> <td>218 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	5824.00	100.73	-21.57	122.30	87.52	34.73	10.43	31.95	259	218 Peak	VERTICAL	5824.00	93.32	-----	-----	80.11	34.73	10.43	31.95	259	218 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
5863.40	53.25	-68.84	114.09	39.85	34.87	10.46	31.93	259	218 Peak	VERTICAL																																																																														
5889.60	53.31	-66.30	109.61	39.93	34.87	10.46	31.95	259	218 Peak	VERTICAL																																																																														
5922.80	54.05	-65.87	69.92	40.39	35.13	10.52	31.99	259	218 Peak	VERTICAL																																																																														
5956.40	54.27	-64.03	68.30	40.46	35.27	10.55	32.01	259	218 Peak	VERTICAL																																																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
5824.00	100.73	-21.57	122.30	87.52	34.73	10.43	31.95	259	218 Peak	VERTICAL																																																																														
5824.00	93.32	-----	-----	80.11	34.73	10.43	31.95	259	218 Average	VERTICAL																																																																														



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																														
ANT	802.11ax HE20 Partial 26/0 CH149 5745MHz																																																																																																																														
1	Horizontal	Fundamental																																																																																																																													
Peak	<p>Site : 032000-KS            Condition : 5G BAND4 3m 3117 SN 00218652- HORIZ2ONTAL            RSM:1000.000kHz VSW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 71            Plane : X            MEI : Full-directivity            Powersetting : 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5604.40</td> <td>51.94</td> <td>-16.36</td> <td>68.30</td> <td>39.17</td> <td>34.60</td> <td>10.25</td> <td>33.08</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZ2ONT</td> </tr> <tr> <td>2</td> <td>5693.00</td> <td>52.52</td> <td>-17.96</td> <td>105.08</td> <td>39.86</td> <td>34.50</td> <td>10.33</td> <td>32.06</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZ2ONT</td> </tr> <tr> <td>3</td> <td>5708.40</td> <td>52.28</td> <td>-18.27</td> <td>107.65</td> <td>39.47</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZ2ONT</td> </tr> <tr> <td>4</td> <td>5721.20</td> <td>51.03</td> <td>-18.61</td> <td>112.64</td> <td>38.19</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZ2ONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	5604.40	51.94	-16.36	68.30	39.17	34.60	10.25	33.08	100	176	Peak	HORIZ2ONT	2	5693.00	52.52	-17.96	105.08	39.86	34.50	10.33	32.06	100	176	Peak	HORIZ2ONT	3	5708.40	52.28	-18.27	107.65	39.47	34.52	10.33	32.04	100	176	Peak	HORIZ2ONT	4	5721.20	51.03	-18.61	112.64	38.19	34.53	10.35	32.04	100	176	Peak	HORIZ2ONT	<p>Site : 032000-KS            Condition : 5G BAND4 3m 3117 SN 00218652- HORIZ2ONTAL            RSM:1000.000kHz VSW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 71            Plane : X            MEI : Full-directivity            Powersetting : 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5734.00</td> <td>99.41</td> <td>-22.69</td> <td>122.30</td> <td>86.74</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>100</td> <td>176</td> <td>Peak</td> <td>HORIZ2ONT</td> </tr> <tr> <td>2</td> <td>5734.00</td> <td>95.36</td> <td>-----</td> <td>82.49</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>100</td> <td>176</td> <td>Average</td> <td>HORIZ2ONT</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	5734.00	99.41	-22.69	122.30	86.74	34.53	10.35	32.01	100	176	Peak	HORIZ2ONT	2	5734.00	95.36	-----	82.49	34.53	10.35	32.01	100	176	Average	HORIZ2ONT
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																																																																								
1	5604.40	51.94	-16.36	68.30	39.17	34.60	10.25	33.08	100	176	Peak	HORIZ2ONT																																																																																																																			
2	5693.00	52.52	-17.96	105.08	39.86	34.50	10.33	32.06	100	176	Peak	HORIZ2ONT																																																																																																																			
3	5708.40	52.28	-18.27	107.65	39.47	34.52	10.33	32.04	100	176	Peak	HORIZ2ONT																																																																																																																			
4	5721.20	51.03	-18.61	112.64	38.19	34.53	10.35	32.04	100	176	Peak	HORIZ2ONT																																																																																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																								
Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																																																																								
1	5734.00	99.41	-22.69	122.30	86.74	34.53	10.35	32.01	100	176	Peak	HORIZ2ONT																																																																																																																			
2	5734.00	95.36	-----	82.49	34.53	10.35	32.01	100	176	Average	HORIZ2ONT																																																																																																																				
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																														
ANT	802.11ax HE20 Partial 26/0 CH149 5745MHz																																																																																																																														
1	Vertical	Fundamental																																																																																																																													
Peak	<p>Site : 032000-KS            Condition : 5G BAND4 3m 3117 SN 00218652- VERTICAL            RSM:1000.000kHz VSW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 71            Plane : Z            MEI : Full-directivity            Powersetting : 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5612.00</td> <td>53.10</td> <td>-15.20</td> <td>68.30</td> <td>40.33</td> <td>34.60</td> <td>10.25</td> <td>33.08</td> <td>285</td> <td>39</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5660.00</td> <td>52.34</td> <td>-23.49</td> <td>75.73</td> <td>39.49</td> <td>34.54</td> <td>10.29</td> <td>33.08</td> <td>285</td> <td>39</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5712.80</td> <td>52.32</td> <td>-18.97</td> <td>108.89</td> <td>39.51</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>285</td> <td>39</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5723.60</td> <td>50.78</td> <td>-18.33</td> <td>119.11</td> <td>37.94</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>285</td> <td>39</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	5612.00	53.10	-15.20	68.30	40.33	34.60	10.25	33.08	285	39	Peak	VERTICAL	2	5660.00	52.34	-23.49	75.73	39.49	34.54	10.29	33.08	285	39	Peak	VERTICAL	3	5712.80	52.32	-18.97	108.89	39.51	34.52	10.33	32.04	285	39	Peak	VERTICAL	4	5723.60	50.78	-18.33	119.11	37.94	34.53	10.35	32.04	285	39	Peak	VERTICAL	<p>Site : 032000-KS            Condition : 5G BAND4 3m 3117 SN 00218652- VERTICAL            RSM:1000.000kHz VSW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 71            Plane : Z            MEI : Full-directivity            Powersetting : 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.00</td> <td>99.99</td> <td>-22.31</td> <td>122.30</td> <td>87.69</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>285</td> <td>39</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5740.00</td> <td>93.93</td> <td>-----</td> <td>81.03</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>285</td> <td>39</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg	1	5740.00	99.99	-22.31	122.30	87.69	34.55	10.36	32.01	285	39	Peak	VERTICAL	2	5740.00	93.93	-----	81.03	34.55	10.36	32.01	285	39	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																																																																								
1	5612.00	53.10	-15.20	68.30	40.33	34.60	10.25	33.08	285	39	Peak	VERTICAL																																																																																																																			
2	5660.00	52.34	-23.49	75.73	39.49	34.54	10.29	33.08	285	39	Peak	VERTICAL																																																																																																																			
3	5712.80	52.32	-18.97	108.89	39.51	34.52	10.33	32.04	285	39	Peak	VERTICAL																																																																																																																			
4	5723.60	50.78	-18.33	119.11	37.94	34.53	10.35	32.04	285	39	Peak	VERTICAL																																																																																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																								
Freq	Level	Line	Level Factor	Loss Factor	dB	on	deg																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	on	deg																																																																																																																								
1	5740.00	99.99	-22.31	122.30	87.69	34.55	10.36	32.01	285	39	Peak	VERTICAL																																																																																																																			
2	5740.00	93.93	-----	81.03	34.55	10.36	32.01	285	39	Average	VERTICAL																																																																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE20 Partial 26/8 CH165 5825MHz																																																																															
1	Horizontal	Fundamental																																																																														
Peak	<p>Site : 03090-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2ONTAL            Economic &amp; Technical Development Zone, Jiangsu China            tel: +86-512-57900158            fax: +86-512-57900958            http://www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>1</th> <th>5850.80</th> <th>52.41</th> <th>-68.07</th> <th>120.48</th> <th>39.10</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>105</th> <th>232</th> <th>Peak</th> <th>HORIZ2ONT</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5848.80</td> <td>52.58</td> <th>-64.45</th> <th>107.03</th> <th>39.20</th> <th>34.87</th> <th>10.46</th> <th>31.95</th> <th>105</th> <th>232</th> <th>Peak</th> <th>HORIZ2ONT</th> </tr> <tr> <td>3</td> <td>5850.40</td> <td>53.50 <th>-68.28</th> <th>121.29</th> <th>39.60</th> <th>34.93</th> <th>10.43</th> <th>31.95</th> <th>105</th> <th>232</th> <th>Peak</th> <th>HORIZ2ONT</th> </td></tr> <tr> <td>4</td> <td>5969.60</td> <td>53.85</td> <th>-14.45</th> <th>68.30</th> <th>40.06</th> <th>35.27</th> <th>10.55</th> <th>32.03</th> <th>105</th> <th>232</th> <th>Peak</th> <th>HORIZ2ONT</th> </tr> </tbody> </table>	1	5850.80	52.41	-68.07	120.48	39.10	34.80	10.44	31.93	105	232	Peak	HORIZ2ONT	2	5848.80	52.58	-64.45	107.03	39.20	34.87	10.46	31.95	105	232	Peak	HORIZ2ONT	3	5850.40	53.50 <th>-68.28</th> <th>121.29</th> <th>39.60</th> <th>34.93</th> <th>10.43</th> <th>31.95</th> <th>105</th> <th>232</th> <th>Peak</th> <th>HORIZ2ONT</th>	-68.28	121.29	39.60	34.93	10.43	31.95	105	232	Peak	HORIZ2ONT	4	5969.60	53.85	-14.45	68.30	40.06	35.27	10.55	32.03	105	232	Peak	HORIZ2ONT	<p>Site : 03090-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2ONTAL            Economic &amp; Technical Development Zone, Jiangsu China            tel: +86-512-57900158            fax: +86-512-57900958            http://www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>1</th> <th>5836.00</th> <th>101.20</th> <th>-20.40</th> <th>122.30</th> <th>88.47</th> <th>34.73</th> <th>10.43</th> <th>31.93</th> <th>105</th> <th>232</th> <th>Peak</th> <th>HORIZ2ONT</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5836.00</td> <th>94.21</th> <th>-----</th> <th>-----</th> <th>82.98</th> <th>34.73</th> <th>10.43</th> <th>31.93</th> <th>105</th> <th>232</th> <th>Average</th> <th>HORIZ2ONT</th> </tr> </tbody> </table>	1	5836.00	101.20	-20.40	122.30	88.47	34.73	10.43	31.93	105	232	Peak	HORIZ2ONT	2	5836.00	94.21	-----	-----	82.98	34.73	10.43	31.93	105	232	Average	HORIZ2ONT
	1	5850.80	52.41	-68.07	120.48	39.10	34.80	10.44	31.93	105	232	Peak	HORIZ2ONT																																																																			
2	5848.80	52.58	-64.45	107.03	39.20	34.87	10.46	31.95	105	232	Peak	HORIZ2ONT																																																																				
3	5850.40	53.50 <th>-68.28</th> <th>121.29</th> <th>39.60</th> <th>34.93</th> <th>10.43</th> <th>31.95</th> <th>105</th> <th>232</th> <th>Peak</th> <th>HORIZ2ONT</th>	-68.28	121.29	39.60	34.93	10.43	31.95	105	232	Peak	HORIZ2ONT																																																																				
4	5969.60	53.85	-14.45	68.30	40.06	35.27	10.55	32.03	105	232	Peak	HORIZ2ONT																																																																				
1	5836.00	101.20	-20.40	122.30	88.47	34.73	10.43	31.93	105	232	Peak	HORIZ2ONT																																																																				
2	5836.00	94.21	-----	-----	82.98	34.73	10.43	31.93	105	232	Average	HORIZ2ONT																																																																				
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE20 Partial 26/8 CH165 5825MHz																																																																															
1	Vertical	Fundamental																																																																														
Peak	<p>Site : 03090-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Economic &amp; Technical Development Zone, Jiangsu China            tel: +86-512-57900158            fax: +86-512-57900958            http://www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>1</th> <th>5851.20</th> <th>51.74</th> <th>-67.87</th> <th>119.56</th> <th>38.43</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>273</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5849.00</td> <th>53.43</th> <th>-63.83</th> <th>127.26</th> <th>40.80</th> <th>34.87</th> <th>10.46</th> <th>31.95</th> <th>273</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <td>3</td> <td>5913.20</td> <th>53.25</th> <th>-23.75</th> <th>77.00</th> <th>39.66</th> <th>35.07</th> <th>10.51</th> <th>31.99</th> <th>273</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <td>4</td> <td>5923.20</td> <th>54.60</th> <th>-13.70</th> <th>66.30</th> <th>40.94</th> <th>35.13</th> <th>10.52</th> <th>31.99</th> <th>273</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> </tbody> </table>	1	5851.20	51.74	-67.87	119.56	38.43	34.80	10.44	31.93	273	37	Peak	VERTICAL	2	5849.00	53.43	-63.83	127.26	40.80	34.87	10.46	31.95	273	37	Peak	VERTICAL	3	5913.20	53.25	-23.75	77.00	39.66	35.07	10.51	31.99	273	37	Peak	VERTICAL	4	5923.20	54.60	-13.70	66.30	40.94	35.13	10.52	31.99	273	37	Peak	VERTICAL	<p>Site : 03090-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Economic &amp; Technical Development Zone, Jiangsu China            tel: +86-512-57900158            fax: +86-512-57900958            http://www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>1</th> <th>5836.00</th> <th>101.17</th> <th>-21.13</th> <th>122.30</th> <th>87.94</th> <th>34.73</th> <th>10.43</th> <th>31.93</th> <th>273</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5836.00</td> <th>93.28</th> <th>-----</th> <th>-----</th> <th>80.09</th> <th>34.73</th> <th>10.43</th> <th>31.93</th> <th>273</th> <th>37</th> <th>Average</th> <th>VERTICAL</th> </tr> </tbody> </table>	1	5836.00	101.17	-21.13	122.30	87.94	34.73	10.43	31.93	273	37	Peak	VERTICAL	2	5836.00	93.28	-----	-----	80.09	34.73	10.43	31.93	273	37	Average	VERTICAL
	1	5851.20	51.74	-67.87	119.56	38.43	34.80	10.44	31.93	273	37	Peak	VERTICAL																																																																			
2	5849.00	53.43	-63.83	127.26	40.80	34.87	10.46	31.95	273	37	Peak	VERTICAL																																																																				
3	5913.20	53.25	-23.75	77.00	39.66	35.07	10.51	31.99	273	37	Peak	VERTICAL																																																																				
4	5923.20	54.60	-13.70	66.30	40.94	35.13	10.52	31.99	273	37	Peak	VERTICAL																																																																				
1	5836.00	101.17	-21.13	122.30	87.94	34.73	10.43	31.93	273	37	Peak	VERTICAL																																																																				
2	5836.00	93.28	-----	-----	80.09	34.73	10.43	31.93	273	37	Average	VERTICAL																																																																				



UNII-3 5725~5850MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

Table with 4 main sections: 1) Horizontal Fundamental, 2) Vertical Fundamental, 3) Horizontal Peak, 4) Vertical Peak. Each section contains a graph of Level (dBuV/m) vs Frequency (MHz) and a table of test results with columns for Freq, Level, Limit, Line, ReadAntenna, Cable Preamp, A/Pos, T/Pos, Remark, and Pol/Phas.



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																								
ANT	802.11ax HE20 Partial 52/40 CH165 5825MHz																																																																																																								
1	Horizontal	Fundamental																																																																																																							
Peak	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR261401-01 Plane : E Plane : Full-directivity IMEI : #41 Powersetting : 3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>5825.00</th> <th>51.46</th> <th>-68.10</th> <th>119.56</th> <th>38.15</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>106</th> <th>231</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>2</th> <th>5865.00</th> <th>52.90</th> <th>-64.97</th> <th>107.93</th> <th>39.58</th> <th>34.87</th> <th>10.46</th> <th>31.95</th> <th>106</th> <th>231</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>3</th> <th>5878.00</th> <th>53.42</th> <th>-65.28</th> <th>102.77</th> <th>39.97</th> <th>34.73</th> <th>10.43</th> <th>31.95</th> <th>106</th> <th>231</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>4</th> <th>5996.00</th> <th>53.61</th> <th>-14.69</th> <th>68.30</th> <th>39.68</th> <th>35.40</th> <th>10.58</th> <th>32.05</th> <th>106</th> <th>231</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5825.00	51.46	-68.10	119.56	38.15	34.80	10.44	31.93	106	231	Peak	HORIZONT	2	5865.00	52.90	-64.97	107.93	39.58	34.87	10.46	31.95	106	231	Peak	HORIZONT	3	5878.00	53.42	-65.28	102.77	39.97	34.73	10.43	31.95	106	231	Peak	HORIZONT	4	5996.00	53.61	-14.69	68.30	39.68	35.40	10.58	32.05	106	231	Peak	HORIZONT	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR261401-01 Plane : E Plane : Full-directivity IMEI : #41 Powersetting : 3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>5836.00</th> <th>102.66</th> <th>-19.44</th> <th>122.30</th> <th>89.43</th> <th>34.73</th> <th>10.43</th> <th>31.93</th> <th>106</th> <th>231</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <th>2</th> <th>5836.00</th> <th>95.38</th> <th>-----</th> <th>82.15</th> <th>34.73</th> <th>10.43</th> <th>31.93</th> <th>106</th> <th>231</th> <th>Average</th> <th>HORIZONT</th> </tr> </thead> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5836.00	102.66	-19.44	122.30	89.43	34.73	10.43	31.93	106	231	Peak	HORIZONT	2	5836.00	95.38	-----	82.15	34.73	10.43	31.93	106	231	Average	HORIZONT
	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																												
1	5825.00	51.46	-68.10	119.56	38.15	34.80	10.44	31.93	106	231	Peak	HORIZONT																																																																																													
2	5865.00	52.90	-64.97	107.93	39.58	34.87	10.46	31.95	106	231	Peak	HORIZONT																																																																																													
3	5878.00	53.42	-65.28	102.77	39.97	34.73	10.43	31.95	106	231	Peak	HORIZONT																																																																																													
4	5996.00	53.61	-14.69	68.30	39.68	35.40	10.58	32.05	106	231	Peak	HORIZONT																																																																																													
Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																													
1	5836.00	102.66	-19.44	122.30	89.43	34.73	10.43	31.93	106	231	Peak	HORIZONT																																																																																													
2	5836.00	95.38	-----	82.15	34.73	10.43	31.93	106	231	Average	HORIZONT																																																																																														
IFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																								
ANT	802.11ax HE20 Partial 52/40 CH165 5825MHz																																																																																																								
1	Vertical	Fundamental																																																																																																							
Peak	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR261401-01 Plane : E Plane : Full-directivity IMEI : #41 Powersetting : 3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>5825.00</th> <th>52.03</th> <th>-65.71</th> <th>117.74</th> <th>38.72</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>275</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5862.00</th> <th>53.53</th> <th>-65.41</th> <th>108.94</th> <th>40.10</th> <th>34.81</th> <th>10.46</th> <th>31.95</th> <th>275</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5924.00</th> <th>53.35</th> <th>-15.29</th> <th>68.74</th> <th>39.69</th> <th>35.13</th> <th>10.52</th> <th>31.99</th> <th>275</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5996.00</th> <th>54.10</th> <th>-14.20</th> <th>68.30</th> <th>40.31</th> <th>35.27</th> <th>10.50</th> <th>32.03</th> <th>275</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5825.00	52.03	-65.71	117.74	38.72	34.80	10.44	31.93	275	37	Peak	VERTICAL	2	5862.00	53.53	-65.41	108.94	40.10	34.81	10.46	31.95	275	37	Peak	VERTICAL	3	5924.00	53.35	-15.29	68.74	39.69	35.13	10.52	31.99	275	37	Peak	VERTICAL	4	5996.00	54.10	-14.20	68.30	40.31	35.27	10.50	32.03	275	37	Peak	VERTICAL	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SMT Auto Mode : FR261401-01 Plane : E Plane : Full-directivity IMEI : #41 Powersetting : 3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>5830.00</th> <th>99.47</th> <th>-22.63</th> <th>122.30</th> <th>86.46</th> <th>34.73</th> <th>10.43</th> <th>31.95</th> <th>275</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5830.00</th> <th>93.29</th> <th>-----</th> <th>80.08</th> <th>34.73</th> <th>10.43</th> <th>31.95</th> <th>275</th> <th>37</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	5830.00	99.47	-22.63	122.30	86.46	34.73	10.43	31.95	275	37	Peak	VERTICAL	2	5830.00	93.29	-----	80.08	34.73	10.43	31.95	275	37	Average	VERTICAL
	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																												
1	5825.00	52.03	-65.71	117.74	38.72	34.80	10.44	31.93	275	37	Peak	VERTICAL																																																																																													
2	5862.00	53.53	-65.41	108.94	40.10	34.81	10.46	31.95	275	37	Peak	VERTICAL																																																																																													
3	5924.00	53.35	-15.29	68.74	39.69	35.13	10.52	31.99	275	37	Peak	VERTICAL																																																																																													
4	5996.00	54.10	-14.20	68.30	40.31	35.27	10.50	32.03	275	37	Peak	VERTICAL																																																																																													
Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																													
1	5830.00	99.47	-22.63	122.30	86.46	34.73	10.43	31.95	275	37	Peak	VERTICAL																																																																																													
2	5830.00	93.29	-----	80.08	34.73	10.43	31.95	275	37	Average	VERTICAL																																																																																														



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																							
ANT	802.11ax HE20 Partial 106/53 CH149 5745MHz																																																																																																																							
1	Horizontal	Fundamental																																																																																																																						
Peak	<p>Site : 03D04-KS Condition : SG BAND4 3m 3117 SN 00218602- HORIZONTA Project : FR261401-01 Mode : 75 Plane : 2 Full-directivity : 2 IMEI : Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.00</td> <td>52.78</td> <td>-45.50</td> <td>48.28</td> <td>48.04</td> <td>34.58</td> <td>10.26</td> <td>32.10</td> <td>100</td> <td>181</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5682.80</td> <td>52.30</td> <td>-40.25</td> <td>52.05</td> <td>34.52</td> <td>10.20</td> <td>32.06</td> <td></td> <td>100</td> <td>181</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>5716.60</td> <td>52.40</td> <td>-44.27</td> <td>109.67</td> <td>40.59</td> <td>34.52</td> <td>10.23</td> <td>32.04</td> <td>100</td> <td>181</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>4</td> <td>5724.80</td> <td>51.79</td> <td>-70.05</td> <td>121.84</td> <td>38.95</td> <td>34.53</td> <td>10.25</td> <td>32.04</td> <td>100</td> <td>181</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg			1	5630.00	52.78	-45.50	48.28	48.04	34.58	10.26	32.10	100	181	Peak	HORIZONT	2	5682.80	52.30	-40.25	52.05	34.52	10.20	32.06		100	181	Peak	HORIZONT	3	5716.60	52.40	-44.27	109.67	40.59	34.52	10.23	32.04	100	181	Peak	HORIZONT	4	5724.80	51.79	-70.05	121.84	38.95	34.53	10.25	32.04	100	181	Peak	HORIZONT	<p>Site : 03D04-KS Condition : SG BAND4 3m 3117 SN 00218602- HORIZONTA Project : FR261401-01 Mode : 75 Plane : 2 Full-directivity : 2 IMEI : Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.00</td> <td>102.29</td> <td>-19.91</td> <td>122.20</td> <td>89.69</td> <td>34.55</td> <td>10.26</td> <td>32.01</td> <td>100</td> <td>181</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5740.00</td> <td>94.02</td> <td></td> <td></td> <td>83.12</td> <td>34.55</td> <td>10.26</td> <td>32.01</td> <td>100</td> <td>181</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg			1	5740.00	102.29	-19.91	122.20	89.69	34.55	10.26	32.01	100	181	Peak	HORIZONT	2	5740.00	94.02			83.12	34.55	10.26	32.01	100	181	Average	HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg																																																																																																																	
1	5630.00	52.78	-45.50	48.28	48.04	34.58	10.26	32.10	100	181	Peak	HORIZONT																																																																																																												
2	5682.80	52.30	-40.25	52.05	34.52	10.20	32.06		100	181	Peak	HORIZONT																																																																																																												
3	5716.60	52.40	-44.27	109.67	40.59	34.52	10.23	32.04	100	181	Peak	HORIZONT																																																																																																												
4	5724.80	51.79	-70.05	121.84	38.95	34.53	10.25	32.04	100	181	Peak	HORIZONT																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg																																																																																																																	
1	5740.00	102.29	-19.91	122.20	89.69	34.55	10.26	32.01	100	181	Peak	HORIZONT																																																																																																												
2	5740.00	94.02			83.12	34.55	10.26	32.01	100	181	Average	HORIZONT																																																																																																												
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																							
ANT	802.11ax HE20 Partial 106/53 CH149 5745MHz																																																																																																																							
1	Vertical	Fundamental																																																																																																																						
Peak	<p>Site : 03D04-KS Condition : SG BAND4 3m 3117 SN 00218602- VERTICAL Project : FR261401-01 Mode : 75 Plane : 2 Full-directivity : 2 IMEI : Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5699.40</td> <td>52.36</td> <td>-45.94</td> <td>48.20</td> <td>39.59</td> <td>34.40</td> <td>10.25</td> <td>32.08</td> <td>284</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5696.40</td> <td>52.23</td> <td>-50.43</td> <td>102.65</td> <td>39.46</td> <td>34.50</td> <td>10.22</td> <td>32.06</td> <td>284</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>52.27</td> <td>-58.40</td> <td>119.90</td> <td>39.43</td> <td>34.53</td> <td>10.28</td> <td>32.04</td> <td>284</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>52.39</td> <td>-59.42</td> <td>111.81</td> <td>39.55</td> <td>34.53</td> <td>10.25</td> <td>32.04</td> <td>284</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg			1	5699.40	52.36	-45.94	48.20	39.59	34.40	10.25	32.08	284	38	Peak	VERTICAL	2	5696.40	52.23	-50.43	102.65	39.46	34.50	10.22	32.06	284	38	Peak	VERTICAL	3	5720.00	52.27	-58.40	119.90	39.43	34.53	10.28	32.04	284	38	Peak	VERTICAL	4	5720.40	52.39	-59.42	111.81	39.55	34.53	10.25	32.04	284	38	Peak	VERTICAL	<p>Site : 03D04-KS Condition : SG BAND4 3m 3117 SN 00218602- VERTICAL Project : FR261401-01 Mode : 75 Plane : 2 Full-directivity : 2 IMEI : Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.00</td> <td>101.45</td> <td>-20.85</td> <td>122.30</td> <td>88.65</td> <td>34.55</td> <td>10.26</td> <td>32.01</td> <td>284</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5740.00</td> <td>94.10</td> <td></td> <td></td> <td>81.26</td> <td>34.55</td> <td>10.26</td> <td>32.01</td> <td>284</td> <td>38</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg			1	5740.00	101.45	-20.85	122.30	88.65	34.55	10.26	32.01	284	38	Peak	VERTICAL	2	5740.00	94.10			81.26	34.55	10.26	32.01	284	38	Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg																																																																																																																	
1	5699.40	52.36	-45.94	48.20	39.59	34.40	10.25	32.08	284	38	Peak	VERTICAL																																																																																																												
2	5696.40	52.23	-50.43	102.65	39.46	34.50	10.22	32.06	284	38	Peak	VERTICAL																																																																																																												
3	5720.00	52.27	-58.40	119.90	39.43	34.53	10.28	32.04	284	38	Peak	VERTICAL																																																																																																												
4	5720.40	52.39	-59.42	111.81	39.55	34.53	10.25	32.04	284	38	Peak	VERTICAL																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	cm	deg																																																																																																																	
1	5740.00	101.45	-20.85	122.30	88.65	34.55	10.26	32.01	284	38	Peak	VERTICAL																																																																																																												
2	5740.00	94.10			81.26	34.55	10.26	32.01	284	38	Average	VERTICAL																																																																																																												



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																									
ANT	802.11ax HE20 Partial 106/54 CH165 5825MHz																																																																																																																									
1	Horizontal	Fundamental																																																																																																																								
Peak	<p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- HORIZ20WAL        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.40</td> <td>52.74</td> <td>-68.45</td> <td>121.39</td> <td>39.43</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>106</td> <td>233</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>55.75</td> <td>-50.55</td> <td>105.80</td> <td>42.30</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>106</td> <td>233</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5908.00</td> <td>53.16</td> <td>-71.28</td> <td>85.84</td> <td>39.40</td> <td>35.07</td> <td>10.51</td> <td>31.97</td> <td>106</td> <td>233</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5958.40</td> <td>54.16</td> <td>-14.14</td> <td>68.30</td> <td>40.35</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>106</td> <td>233</td> <td>Peak</td> </tr> </tbody> </table>	MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg			1	5850.40	52.74	-68.45	121.39	39.43	34.80	10.44	31.93	106	233	Peak	2	5873.20	55.75	-50.55	105.80	42.30	34.93	10.47	31.95	106	233	Peak	3	5908.00	53.16	-71.28	85.84	39.40	35.07	10.51	31.97	106	233	Peak	4	5958.40	54.16	-14.14	68.30	40.35	35.27	10.55	32.01	106	233	Peak	<p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- HORIZ20WAL        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5836.00</td> <td>105.24</td> <td>-17.04</td> <td>122.30</td> <td>92.01</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>106</td> <td>233</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5836.00</td> <td>94.26</td> <td></td> <td></td> <td>83.03</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>106</td> <td>233</td> <td>Average</td> </tr> </tbody> </table>	MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg			1	5836.00	105.24	-17.04	122.30	92.01	34.73	10.43	31.93	106	233	Peak	2	5836.00	94.26			83.03	34.73	10.43	31.93	106	233	Average
MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg																																																																																																																	
1	5850.40	52.74	-68.45	121.39	39.43	34.80	10.44	31.93	106	233	Peak																																																																																																															
2	5873.20	55.75	-50.55	105.80	42.30	34.93	10.47	31.95	106	233	Peak																																																																																																															
3	5908.00	53.16	-71.28	85.84	39.40	35.07	10.51	31.97	106	233	Peak																																																																																																															
4	5958.40	54.16	-14.14	68.30	40.35	35.27	10.55	32.01	106	233	Peak																																																																																																															
MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg																																																																																																																	
1	5836.00	105.24	-17.04	122.30	92.01	34.73	10.43	31.93	106	233	Peak																																																																																																															
2	5836.00	94.26			83.03	34.73	10.43	31.93	106	233	Average																																																																																																															
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																									
ANT	802.11ax HE20 Partial 106/54 CH165 5825MHz																																																																																																																									
1	Vertical	Fundamental																																																																																																																								
Peak	<p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.00</td> <td>52.77</td> <td>-69.53</td> <td>122.30</td> <td>39.46</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>277</td> <td>38</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5868.40</td> <td>52.81</td> <td>-54.38</td> <td>102.15</td> <td>39.43</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>277</td> <td>38</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5925.80</td> <td>53.58</td> <td>-14.34</td> <td>66.92</td> <td>39.92</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>277</td> <td>38</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5976.00</td> <td>53.18</td> <td>-18.52</td> <td>68.30</td> <td>40.12</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>277</td> <td>38</td> <td>Peak</td> </tr> </tbody> </table>	MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg			1	5850.00	52.77	-69.53	122.30	39.46	34.80	10.44	31.93	277	38	Peak	2	5868.40	52.81	-54.38	102.15	39.43	34.87	10.46	31.95	277	38	Peak	3	5925.80	53.58	-14.34	66.92	39.92	35.13	10.52	31.99	277	38	Peak	4	5976.00	53.18	-18.52	68.30	40.12	35.13	10.52	31.99	277	38	Peak	<p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Powersetting</th> <th>0</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/Vm</th> <th>dB</th> <th>dBm/Vm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5836.00</td> <td>100.40</td> <td>-21.84</td> <td>122.30</td> <td>87.33</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>277</td> <td>38</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5836.00</td> <td>94.27</td> <td></td> <td></td> <td>81.14</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>277</td> <td>38</td> <td>Average</td> </tr> </tbody> </table>	MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg			1	5836.00	100.40	-21.84	122.30	87.33	34.73	10.43	31.93	277	38	Peak	2	5836.00	94.27			81.14	34.73	10.43	31.93	277	38	Average
MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg																																																																																																																	
1	5850.00	52.77	-69.53	122.30	39.46	34.80	10.44	31.93	277	38	Peak																																																																																																															
2	5868.40	52.81	-54.38	102.15	39.43	34.87	10.46	31.95	277	38	Peak																																																																																																															
3	5925.80	53.58	-14.34	66.92	39.92	35.13	10.52	31.99	277	38	Peak																																																																																																															
4	5976.00	53.18	-18.52	68.30	40.12	35.13	10.52	31.99	277	38	Peak																																																																																																															
MEI	Powersetting	0	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																															
MHz	dBm/Vm	dB	dBm/Vm	dB	dB	dB	dB	cm	deg																																																																																																																	
1	5836.00	100.40	-21.84	122.30	87.33	34.73	10.43	31.93	277	38	Peak																																																																																																															
2	5836.00	94.27			81.14	34.73	10.43	31.93	277	38	Average																																																																																																															








**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																														
ANT	802.11ax HE40 Full CH151 5755MHz																																																																																																														
1	Horizontal	Fundamental																																																																																																													
<b>Peak</b>	<p>Site : 032100-KS Condition : 5G BAND4 3m 3117 SN 00218652- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : dB Plane : X IMEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5603.20</td> <td>52.91</td> <td>-15.39</td> <td>68.30</td> <td>40.14</td> <td>34.40</td> <td>10.26</td> <td>33.08</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5674.40</td> <td>52.70</td> <td>-13.78</td> <td>66.40</td> <td>39.90</td> <td>34.52</td> <td>10.35</td> <td>33.08</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5712.80</td> <td>53.36</td> <td>-10.53</td> <td>108.89</td> <td>40.55</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5724.80</td> <td>54.78</td> <td>-11.06</td> <td>121.84</td> <td>41.94</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5603.20	52.91	-15.39	68.30	40.14	34.40	10.26	33.08	100	52 Peak HORIZONTAL	2	5674.40	52.70	-13.78	66.40	39.90	34.52	10.35	33.08	100	52 Peak HORIZONTAL	3	5712.80	53.36	-10.53	108.89	40.55	34.52	10.33	33.04	100	52 Peak HORIZONTAL	4	5724.80	54.78	-11.06	121.84	41.94	34.53	10.35	33.04	100	52 Peak HORIZONTAL	<p>Site : 032100-KS Condition : 5G BAND4 3m 3117 SN 00218652- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : dB Plane : X IMEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5752.00</td> <td>101.74</td> <td>-30.54</td> <td>122.30</td> <td>88.81</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5752.00</td> <td>19.78</td> <td></td> <td>78.85</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>100</td> <td>52 Average HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5752.00	101.74	-30.54	122.30	88.81	34.57	10.37	32.01	100	52 Peak HORIZONTAL	2	5752.00	19.78		78.85	34.57	10.37	32.01	100	52 Average HORIZONTAL
Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																							
1	5603.20	52.91	-15.39	68.30	40.14	34.40	10.26	33.08	100	52 Peak HORIZONTAL																																																																																																					
2	5674.40	52.70	-13.78	66.40	39.90	34.52	10.35	33.08	100	52 Peak HORIZONTAL																																																																																																					
3	5712.80	53.36	-10.53	108.89	40.55	34.52	10.33	33.04	100	52 Peak HORIZONTAL																																																																																																					
4	5724.80	54.78	-11.06	121.84	41.94	34.53	10.35	33.04	100	52 Peak HORIZONTAL																																																																																																					
Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																							
1	5752.00	101.74	-30.54	122.30	88.81	34.57	10.37	32.01	100	52 Peak HORIZONTAL																																																																																																					
2	5752.00	19.78		78.85	34.57	10.37	32.01	100	52 Average HORIZONTAL																																																																																																						
<b>Peak</b>	<p>Site : 032100-KS Condition : 5G BAND4 3m 3117 SN 00218652- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : dB Plane : X IMEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.40</td> <td>52.17</td> <td>-19.22</td> <td>121.39</td> <td>38.86</td> <td>34.40</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5860.80</td> <td>52.09</td> <td>-16.59</td> <td>100.27</td> <td>39.21</td> <td>34.40</td> <td>10.40</td> <td>31.95</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5880.80</td> <td>52.57</td> <td>-12.75</td> <td>100.99</td> <td>40.72</td> <td>34.53</td> <td>10.40</td> <td>31.95</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5766.80</td> <td>54.85</td> <td>-12.75</td> <td>68.30</td> <td>40.76</td> <td>35.27</td> <td>10.55</td> <td>32.03</td> <td>100</td> <td>52 Peak HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5850.40	52.17	-19.22	121.39	38.86	34.40	10.44	31.93	100	52 Peak HORIZONTAL	2	5860.80	52.09	-16.59	100.27	39.21	34.40	10.40	31.95	100	52 Peak HORIZONTAL	3	5880.80	52.57	-12.75	100.99	40.72	34.53	10.40	31.95	100	52 Peak HORIZONTAL	4	5766.80	54.85	-12.75	68.30	40.76	35.27	10.55	32.03	100	52 Peak HORIZONTAL	<b>Left blank</b>																																											
Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																							
1	5850.40	52.17	-19.22	121.39	38.86	34.40	10.44	31.93	100	52 Peak HORIZONTAL																																																																																																					
2	5860.80	52.09	-16.59	100.27	39.21	34.40	10.40	31.95	100	52 Peak HORIZONTAL																																																																																																					
3	5880.80	52.57	-12.75	100.99	40.72	34.53	10.40	31.95	100	52 Peak HORIZONTAL																																																																																																					
4	5766.80	54.85	-12.75	68.30	40.76	35.27	10.55	32.03	100	52 Peak HORIZONTAL																																																																																																					



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE40 Full CH151 5755MHz																																																																															
1	Vertical	Fundamental																																																																														
<p><b>Peak</b></p>	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 RBM: 1000, 0000Hz; VBM: 3000, 0000Hz; SMT: Auto Mode : dB Plane : E Full-directivity : Full-directivity IE1 : IE1 Powersetting : B.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5600.00</th> <th>53.53</th> <th>-14.78</th> <th>68.30</th> <th>40.74</th> <th>34.60</th> <th>10.25</th> <th>32.07</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5688.40</th> <th>54.22</th> <th>-20.32</th> <th>74.54</th> <th>41.47</th> <th>34.54</th> <th>10.29</th> <th>33.08</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5719.60</th> <th>53.07</th> <th>-37.22</th> <th>110.79</th> <th>40.23</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5724.00</th> <th>53.79</th> <th>-46.23</th> <th>120.02</th> <th>40.95</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5600.00	53.53	-14.78	68.30	40.74	34.60	10.25	32.07	279	222	Peak	VERTICAL	2	5688.40	54.22	-20.32	74.54	41.47	34.54	10.29	33.08	279	222	Peak	VERTICAL	3	5719.60	53.07	-37.22	110.79	40.23	34.53	10.35	32.04	279	222	Peak	VERTICAL	4	5724.00	53.79	-46.23	120.02	40.95	34.53	10.35	32.04	279	222	Peak	VERTICAL	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 RBM: 1000, 0000Hz; VBM: 3000, 0000Hz; SMT: Auto Mode : dB Plane : E Full-directivity : Full-directivity IE1 : IE1 Powersetting : B.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5758.00</th> <th>100.19</th> <th>-22.11</th> <th>122.30</th> <th>87.24</th> <th>34.57</th> <th>10.37</th> <th>31.99</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5758.00</th> <th>92.47</th> <th>-----</th> <th>-----</th> <th>79.52</th> <th>34.57</th> <th>10.37</th> <th>31.99</th> <th>279</th> <th>222</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead></table>	1	5758.00	100.19	-22.11	122.30	87.24	34.57	10.37	31.99	279	222	Peak	VERTICAL	2	5758.00	92.47	-----	-----	79.52	34.57	10.37	31.99	279	222	Average	VERTICAL
1	5600.00	53.53	-14.78	68.30	40.74	34.60	10.25	32.07	279	222	Peak	VERTICAL																																																																				
2	5688.40	54.22	-20.32	74.54	41.47	34.54	10.29	33.08	279	222	Peak	VERTICAL																																																																				
3	5719.60	53.07	-37.22	110.79	40.23	34.53	10.35	32.04	279	222	Peak	VERTICAL																																																																				
4	5724.00	53.79	-46.23	120.02	40.95	34.53	10.35	32.04	279	222	Peak	VERTICAL																																																																				
1	5758.00	100.19	-22.11	122.30	87.24	34.57	10.37	31.99	279	222	Peak	VERTICAL																																																																				
2	5758.00	92.47	-----	-----	79.52	34.57	10.37	31.99	279	222	Average	VERTICAL																																																																				
<p><b>Peak</b></p>	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 RBM: 1000, 0000Hz; VBM: 3000, 0000Hz; SMT: Auto Mode : dB Plane : E Full-directivity : Full-directivity IE1 : IE1 Powersetting : B.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5881.20</th> <th>52.86</th> <th>-46.20</th> <th>119.56</th> <th>39.55</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5895.20</th> <th>52.61</th> <th>-38.23</th> <th>110.84</th> <th>39.21</th> <th>34.87</th> <th>10.46</th> <th>31.92</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5912.40</th> <th>54.41</th> <th>-33.18</th> <th>77.59</th> <th>40.82</th> <th>35.07</th> <th>10.51</th> <th>31.99</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5976.80</th> <th>53.45</th> <th>-16.06</th> <th>68.30</th> <th>39.86</th> <th>35.07</th> <th>10.55</th> <th>32.03</th> <th>279</th> <th>222</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5881.20	52.86	-46.20	119.56	39.55	34.80	10.44	31.93	279	222	Peak	VERTICAL	2	5895.20	52.61	-38.23	110.84	39.21	34.87	10.46	31.92	279	222	Peak	VERTICAL	3	5912.40	54.41	-33.18	77.59	40.82	35.07	10.51	31.99	279	222	Peak	VERTICAL	4	5976.80	53.45	-16.06	68.30	39.86	35.07	10.55	32.03	279	222	Peak	VERTICAL	<p><b>Left blank</b></p>																										
1	5881.20	52.86	-46.20	119.56	39.55	34.80	10.44	31.93	279	222	Peak	VERTICAL																																																																				
2	5895.20	52.61	-38.23	110.84	39.21	34.87	10.46	31.92	279	222	Peak	VERTICAL																																																																				
3	5912.40	54.41	-33.18	77.59	40.82	35.07	10.51	31.99	279	222	Peak	VERTICAL																																																																				
4	5976.80	53.45	-16.06	68.30	39.86	35.07	10.55	32.03	279	222	Peak	VERTICAL																																																																				










**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																					
ANT	802.11ax HE40 Partial 242/61 CH151 5755MHz																																																																																																					
1	Horizontal	Fundamental																																																																																																				
<b>Peak</b>	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Project : FR261401-01            Mode : 27            Plane : X            IBEI : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5646.40</td> <td>52.22</td> <td>-16.08</td> <td>68.30</td> <td>39.48</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> <tr> <td>2 5666.40</td> <td>52.50</td> <td>-17.01</td> <td>69.47</td> <td>40.55</td> <td>34.54</td> <td>10.29</td> <td>32.08</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> <tr> <td>3 5703.00</td> <td>53.94</td> <td>-12.37</td> <td>106.31</td> <td>41.15</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> <tr> <td>4 5722.00</td> <td>56.56</td> <td>-6.40</td> <td>115.40</td> <td>38.02</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 5646.40	52.22	-16.08	68.30	39.48	34.56	10.28	32.10	108	177 Peak HORIZONT	2 5666.40	52.50	-17.01	69.47	40.55	34.54	10.29	32.08	108	177 Peak HORIZONT	3 5703.00	53.94	-12.37	106.31	41.15	34.52	10.33	32.06	108	177 Peak HORIZONT	4 5722.00	56.56	-6.40	115.40	38.02	34.53	10.35	32.04	108	177 Peak HORIZONT	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Project : FR261401-01            Mode : 27            Plane : X            IBEI : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5740.00</td> <td>100.02</td> <td>-27.27</td> <td>122.30</td> <td>87.13</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> <tr> <td>2 5740.00</td> <td>193.14</td> <td></td> <td></td> <td>80.24</td> <td>34.50</td> <td>10.36</td> <td>32.01</td> <td>108</td> <td>177 Average HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 5740.00	100.02	-27.27	122.30	87.13	34.55	10.36	32.01	108	177 Peak HORIZONT	2 5740.00	193.14			80.24	34.50	10.36	32.01	108	177 Average HORIZONT
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																														
1 5646.40	52.22	-16.08	68.30	39.48	34.56	10.28	32.10	108	177 Peak HORIZONT																																																																																													
2 5666.40	52.50	-17.01	69.47	40.55	34.54	10.29	32.08	108	177 Peak HORIZONT																																																																																													
3 5703.00	53.94	-12.37	106.31	41.15	34.52	10.33	32.06	108	177 Peak HORIZONT																																																																																													
4 5722.00	56.56	-6.40	115.40	38.02	34.53	10.35	32.04	108	177 Peak HORIZONT																																																																																													
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																														
1 5740.00	100.02	-27.27	122.30	87.13	34.55	10.36	32.01	108	177 Peak HORIZONT																																																																																													
2 5740.00	193.14			80.24	34.50	10.36	32.01	108	177 Average HORIZONT																																																																																													
<b>Peak</b>	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Project : FR261401-01            Mode : 27            Plane : X            IBEI : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5854.80</td> <td>51.11</td> <td>-10.25</td> <td>111.36</td> <td>37.71</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> <tr> <td>2 5866.80</td> <td>52.11</td> <td>-10.40</td> <td>107.99</td> <td>38.73</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> <tr> <td>3 5896.80</td> <td>53.31</td> <td>-10.21</td> <td>89.13</td> <td>40.39</td> <td>35.50</td> <td>10.49</td> <td>31.97</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> <tr> <td>4 5970.40</td> <td>53.24</td> <td>-15.06</td> <td>68.30</td> <td>39.45</td> <td>35.27</td> <td>10.55</td> <td>32.03</td> <td>108</td> <td>177 Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 5854.80	51.11	-10.25	111.36	37.71	34.87	10.46	31.93	108	177 Peak HORIZONT	2 5866.80	52.11	-10.40	107.99	38.73	34.87	10.46	31.95	108	177 Peak HORIZONT	3 5896.80	53.31	-10.21	89.13	40.39	35.50	10.49	31.97	108	177 Peak HORIZONT	4 5970.40	53.24	-15.06	68.30	39.45	35.27	10.55	32.03	108	177 Peak HORIZONT	<b>Left blank</b>																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																														
1 5854.80	51.11	-10.25	111.36	37.71	34.87	10.46	31.93	108	177 Peak HORIZONT																																																																																													
2 5866.80	52.11	-10.40	107.99	38.73	34.87	10.46	31.95	108	177 Peak HORIZONT																																																																																													
3 5896.80	53.31	-10.21	89.13	40.39	35.50	10.49	31.97	108	177 Peak HORIZONT																																																																																													
4 5970.40	53.24	-15.06	68.30	39.45	35.27	10.55	32.03	108	177 Peak HORIZONT																																																																																													






WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE40 Partial 242/61 CH151 5755MHz																																																																															
1	Vertical	Fundamental																																																																														
<p><b>Peak</b></p>	<p>Site : 032806-KS            Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL            Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto            Mode : 77            Plane : 1            Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5640.00</th> <th>51.70</th> <th>-16.40</th> <th>68.30</th> <th>38.96</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>282</th> <th>40</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5682.80</td> <td>51.83</td> <th>-40.78</th> <td>92.61</td> <td>39.07</td> <td>34.52</td> <td>10.30</td> <td>33.06</td> <td>282</td> <td>40 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <td>3</td> <td>5709.60</td> <td>52.09</td> <th>-45.90</th> <td>101.99</td> <td>39.28</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>282</td> <td>40 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <td>4</td> <td>5721.20</td> <td>50.92</td> <th>-62.72</th> <td>113.64</td> <td>38.08</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>282</td> <td>40 <td>Peak</td> <td>VERTICAL</td> </td></tr> </tbody> </table>	1	5640.00	51.70	-16.40	68.30	38.96	34.56	10.28	32.10	282	40	Peak	VERTICAL	2	5682.80	51.83	-40.78	92.61	39.07	34.52	10.30	33.06	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	3	5709.60	52.09	-45.90	101.99	39.28	34.52	10.33	33.04	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	4	5721.20	50.92	-62.72	113.64	38.08	34.53	10.35	33.04	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	<p>Site : 032806-KS            Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL            Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto            Mode : 77            Plane : 1            Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5746.00</th> <th>92.59</th> <th>-24.71</th> <th>122.30</th> <th>84.69</th> <th>34.55</th> <th>10.36</th> <th>32.01</th> <th>282</th> <th>40</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5746.00 <th>90.37</th> <th>-----</th> <th>-----</th> <td>77.47</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>282</td> <td>40 <td>Average</td> <td>VERTICAL</td> </td></td></tr> </tbody> </table>	1	5746.00	92.59	-24.71	122.30	84.69	34.55	10.36	32.01	282	40	Peak	VERTICAL	2	5746.00 <th>90.37</th> <th>-----</th> <th>-----</th> <td>77.47</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>282</td> <td>40 <td>Average</td> <td>VERTICAL</td> </td>	90.37	-----	-----	77.47	34.55	10.36	32.01	282	40 <td>Average</td> <td>VERTICAL</td>	Average	VERTICAL
1	5640.00	51.70	-16.40	68.30	38.96	34.56	10.28	32.10	282	40	Peak	VERTICAL																																																																				
2	5682.80	51.83	-40.78	92.61	39.07	34.52	10.30	33.06	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
3	5709.60	52.09	-45.90	101.99	39.28	34.52	10.33	33.04	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
4	5721.20	50.92	-62.72	113.64	38.08	34.53	10.35	33.04	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
1	5746.00	92.59	-24.71	122.30	84.69	34.55	10.36	32.01	282	40	Peak	VERTICAL																																																																				
2	5746.00 <th>90.37</th> <th>-----</th> <th>-----</th> <td>77.47</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>282</td> <td>40 <td>Average</td> <td>VERTICAL</td> </td>	90.37	-----	-----	77.47	34.55	10.36	32.01	282	40 <td>Average</td> <td>VERTICAL</td>	Average	VERTICAL																																																																				
<p><b>Peak</b></p>	<p>Site : 032806-KS            Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL            Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto            Mode : 77            Plane : 1            Full-directivity            Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5880.80</th> <th>52.08</th> <th>-48.40</th> <th>120.48</th> <th>38.77</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>282</th> <th>40</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5908.80</td> <th>52.10</th> <th>-51.20</th> <td>120.83</td> <td>38.92</td> <td>34.81</td> <td>10.46</td> <td>31.95</td> <td>282</td> <td>40 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <td>3</td> <td>5901.60</td> <th>53.52</th> <th>-52.06</th> <td>88.58</td> <td>40.00</td> <td>35.00</td> <td>10.48</td> <td>31.97</td> <td>282</td> <td>40 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <td>4</td> <td>5962.40</td> <th>53.84</th> <th>-16.46</th> <td>68.30</td> <td>40.05</td> <td>35.07</td> <td>10.55</td> <td>32.03</td> <td>282</td> <td>40 <td>Peak</td> <td>VERTICAL</td> </td></tr> </tbody> </table>	1	5880.80	52.08	-48.40	120.48	38.77	34.80	10.44	31.93	282	40	Peak	VERTICAL	2	5908.80	52.10	-51.20	120.83	38.92	34.81	10.46	31.95	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	3	5901.60	53.52	-52.06	88.58	40.00	35.00	10.48	31.97	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	4	5962.40	53.84	-16.46	68.30	40.05	35.07	10.55	32.03	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	<p><b>Left blank</b></p>																										
1	5880.80	52.08	-48.40	120.48	38.77	34.80	10.44	31.93	282	40	Peak	VERTICAL																																																																				
2	5908.80	52.10	-51.20	120.83	38.92	34.81	10.46	31.95	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
3	5901.60	53.52	-52.06	88.58	40.00	35.00	10.48	31.97	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
4	5962.40	53.84	-16.46	68.30	40.05	35.07	10.55	32.03	282	40 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE40 Partial 242/62 CH159 5795MHz																																																																															
1	Horizontal	Fundamental																																																																														
<p><b>Peak</b></p>	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 RBM: 1000, 0000Hz; VBM: 3000, 0000Hz; SMT: Auto Mode : 7B Plane : 2 Full-directivity : 2 Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5634.40</th> <th>51.93</th> <th>-16.37</th> <th>68.30</th> <th>39.19</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>101</th> <th>234</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5654.40</td> <td>51.79</td> <td>-19.78</td> <td>71.57</td> <td>39.04</td> <td>34.54</td> <td>10.29</td> <td>33.08</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td></tr> <tr> <td>3</td> <td>5704.40</td> <td>52.50</td> <td>-64.48</td> <td>106.53</td> <td>39.20</td> <td>34.52</td> <td>10.33</td> <td>33.06</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td></tr> <tr> <td>4</td> <td>5723.60</td> <td>52.43</td> <td>-66.68</td> <td>119.11</td> <td>39.59</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td></tr> </tbody> </table>	1	5634.40	51.93	-16.37	68.30	39.19	34.56	10.28	32.10	101	234	Peak	HORIZONT	2	5654.40	51.79	-19.78	71.57	39.04	34.54	10.29	33.08	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	3	5704.40	52.50	-64.48	106.53	39.20	34.52	10.33	33.06	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	4	5723.60	52.43	-66.68	119.11	39.59	34.53	10.35	33.04	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 RBM: 1000, 0000Hz; VBM: 3000, 0000Hz; SMT: Auto Mode : 7B Plane : 2 Full-directivity : 2 Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5806.00</th> <th>99.31</th> <th>-22.99</th> <th>122.30</th> <th>86.20</th> <th>34.67</th> <th>10.41</th> <th>31.97</th> <th>101</th> <th>234</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5806.00 <th>92.98</th> <th>-----</th> <th>-----</th> <th>79.87</th> <th>34.67</th> <th>10.41</th> <th>31.97</th> <th>101</th> <th>234</th> <th>Average</th> <th>HORIZONT</th> </td></tr> </tbody> </table>	1	5806.00	99.31	-22.99	122.30	86.20	34.67	10.41	31.97	101	234	Peak	HORIZONT	2	5806.00 <th>92.98</th> <th>-----</th> <th>-----</th> <th>79.87</th> <th>34.67</th> <th>10.41</th> <th>31.97</th> <th>101</th> <th>234</th> <th>Average</th> <th>HORIZONT</th>	92.98	-----	-----	79.87	34.67	10.41	31.97	101	234	Average	HORIZONT
1	5634.40	51.93	-16.37	68.30	39.19	34.56	10.28	32.10	101	234	Peak	HORIZONT																																																																				
2	5654.40	51.79	-19.78	71.57	39.04	34.54	10.29	33.08	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
3	5704.40	52.50	-64.48	106.53	39.20	34.52	10.33	33.06	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
4	5723.60	52.43	-66.68	119.11	39.59	34.53	10.35	33.04	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
1	5806.00	99.31	-22.99	122.30	86.20	34.67	10.41	31.97	101	234	Peak	HORIZONT																																																																				
2	5806.00 <th>92.98</th> <th>-----</th> <th>-----</th> <th>79.87</th> <th>34.67</th> <th>10.41</th> <th>31.97</th> <th>101</th> <th>234</th> <th>Average</th> <th>HORIZONT</th>	92.98	-----	-----	79.87	34.67	10.41	31.97	101	234	Average	HORIZONT																																																																				
<p><b>Peak</b></p>	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SW 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 RBM: 1000, 0000Hz; VBM: 3000, 0000Hz; SMT: Auto Mode : 7B Plane : 2 Full-directivity : 2 Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5882.40</th> <th>52.18</th> <th>-64.60</th> <th>116.83</th> <th>38.87</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>101</th> <th>234</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead> <tbody> <tr> <td>2 <td>5895.20</td> <td>52.44</td> <td>-50.60</td> <td>108.04</td> <td>39.06</td> <td>34.71</td> <td>10.46</td> <td>31.92</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td></td></tr> <tr> <td>3 <td>5923.80</td> <td>53.58</td> <td>-16.34</td> <td>68.92</td> <td>39.92</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td></td></tr> <tr> <td>4 <td>5926.80</td> <td>53.14</td> <td>-15.16</td> <td>65.30</td> <td>39.48</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td></td></tr> </tbody> </table>	1	5882.40	52.18	-64.60	116.83	38.87	34.80	10.44	31.93	101	234	Peak	HORIZONT	2 <td>5895.20</td> <td>52.44</td> <td>-50.60</td> <td>108.04</td> <td>39.06</td> <td>34.71</td> <td>10.46</td> <td>31.92</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td>	5895.20	52.44	-50.60	108.04	39.06	34.71	10.46	31.92	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	3 <td>5923.80</td> <td>53.58</td> <td>-16.34</td> <td>68.92</td> <td>39.92</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td>	5923.80	53.58	-16.34	68.92	39.92	35.13	10.52	31.99	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	4 <td>5926.80</td> <td>53.14</td> <td>-15.16</td> <td>65.30</td> <td>39.48</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td>	5926.80	53.14	-15.16	65.30	39.48	35.13	10.52	31.99	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	<p><b>Left blank</b></p>																										
1	5882.40	52.18	-64.60	116.83	38.87	34.80	10.44	31.93	101	234	Peak	HORIZONT																																																																				
2 <td>5895.20</td> <td>52.44</td> <td>-50.60</td> <td>108.04</td> <td>39.06</td> <td>34.71</td> <td>10.46</td> <td>31.92</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td>	5895.20	52.44	-50.60	108.04	39.06	34.71	10.46	31.92	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
3 <td>5923.80</td> <td>53.58</td> <td>-16.34</td> <td>68.92</td> <td>39.92</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td>	5923.80	53.58	-16.34	68.92	39.92	35.13	10.52	31.99	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
4 <td>5926.80</td> <td>53.14</td> <td>-15.16</td> <td>65.30</td> <td>39.48</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>101 <td>234 <td>Peak <th>HORIZONT</th> </td></td></td>	5926.80	53.14	-15.16	65.30	39.48	35.13	10.52	31.99	101 <td>234 <td>Peak <th>HORIZONT</th> </td></td>	234 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE40 Partial 242/62 CH159 5795MHz																																																																															
1	Vertical	Fundamental																																																																														
<p><b>Peak</b></p>	 <p>Site : 032906-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 7B Plane : 2 Full-directivity : 1 Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5600.40</th> <th>52.02</th> <th>-16.28</th> <th>68.30</th> <th>39.24</th> <th>34.60</th> <th>10.25</th> <th>32.07</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5668.40</th> <th>52.15</th> <th>-29.80</th> <th>81.95</th> <th>39.41</th> <th>34.52</th> <th>10.30</th> <th>33.08</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5709.20</th> <th>52.12</th> <th>-30.15</th> <th>102.88</th> <th>39.92</th> <th>34.52</th> <th>10.33</th> <th>33.04</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5722.40</th> <th>51.40</th> <th>-44.97</th> <th>116.37</th> <th>38.56</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5600.40	52.02	-16.28	68.30	39.24	34.60	10.25	32.07	292	38	Peak	VERTICAL	2	5668.40	52.15	-29.80	81.95	39.41	34.52	10.30	33.08	292	38	Peak	VERTICAL	3	5709.20	52.12	-30.15	102.88	39.92	34.52	10.33	33.04	292	38	Peak	VERTICAL	4	5722.40	51.40	-44.97	116.37	38.56	34.53	10.35	32.04	292	38	Peak	VERTICAL	 <p>Site : 032906-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 7B Plane : 2 Full-directivity : 1 Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5800.00</th> <th>97.74</th> <th>-24.56</th> <th>122.30</th> <th>84.71</th> <th>34.60</th> <th>10.40</th> <th>31.97</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5800.00</th> <th>90.91</th> <th>-----</th> <th>-----</th> <th>77.88</th> <th>34.60</th> <th>10.40</th> <th>31.97</th> <th>292</th> <th>38</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead></table>	1	5800.00	97.74	-24.56	122.30	84.71	34.60	10.40	31.97	292	38	Peak	VERTICAL	2	5800.00	90.91	-----	-----	77.88	34.60	10.40	31.97	292	38	Average	VERTICAL
1	5600.40	52.02	-16.28	68.30	39.24	34.60	10.25	32.07	292	38	Peak	VERTICAL																																																																				
2	5668.40	52.15	-29.80	81.95	39.41	34.52	10.30	33.08	292	38	Peak	VERTICAL																																																																				
3	5709.20	52.12	-30.15	102.88	39.92	34.52	10.33	33.04	292	38	Peak	VERTICAL																																																																				
4	5722.40	51.40	-44.97	116.37	38.56	34.53	10.35	32.04	292	38	Peak	VERTICAL																																																																				
1	5800.00	97.74	-24.56	122.30	84.71	34.60	10.40	31.97	292	38	Peak	VERTICAL																																																																				
2	5800.00	90.91	-----	-----	77.88	34.60	10.40	31.97	292	38	Average	VERTICAL																																																																				
<p><b>Peak</b></p>	 <p>Site : 032906-KS Condition : SG BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 7B Plane : 2 Full-directivity : 1 Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5815.60</th> <th>52.09</th> <th>-46.56</th> <th>118.05</th> <th>38.78</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5870.80</th> <th>52.18</th> <th>-44.19</th> <th>106.47</th> <th>38.83</th> <th>34.73</th> <th>10.43</th> <th>31.95</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5906.80</th> <th>54.43</th> <th>-38.78</th> <th>83.71</th> <th>40.58</th> <th>35.07</th> <th>10.51</th> <th>31.97</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5958.00</th> <th>53.89</th> <th>-35.21</th> <th>68.30</th> <th>39.38</th> <th>35.07</th> <th>10.55</th> <th>30.01</th> <th>292</th> <th>38</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5815.60	52.09	-46.56	118.05	38.78	34.80	10.44	31.93	292	38	Peak	VERTICAL	2	5870.80	52.18	-44.19	106.47	38.83	34.73	10.43	31.95	292	38	Peak	VERTICAL	3	5906.80	54.43	-38.78	83.71	40.58	35.07	10.51	31.97	292	38	Peak	VERTICAL	4	5958.00	53.89	-35.21	68.30	39.38	35.07	10.55	30.01	292	38	Peak	VERTICAL	<p><b>Left blank</b></p>																										
1	5815.60	52.09	-46.56	118.05	38.78	34.80	10.44	31.93	292	38	Peak	VERTICAL																																																																				
2	5870.80	52.18	-44.19	106.47	38.83	34.73	10.43	31.95	292	38	Peak	VERTICAL																																																																				
3	5906.80	54.43	-38.78	83.71	40.58	35.07	10.51	31.97	292	38	Peak	VERTICAL																																																																				
4	5958.00	53.89	-35.21	68.30	39.38	35.07	10.55	30.01	292	38	Peak	VERTICAL																																																																				





UNII-3 5725~5850MHz  
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE80 Full CH155 5775MHz																																																																																																															
1	Horizontal	Fundamental																																																																																																														
Peak	<p>Site : 032100-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 70 Plane : X IMEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5628.00</td> <td>52.73</td> <td>-15.57</td> <td>68.30</td> <td>39.97</td> <td>34.58</td> <td>10.24</td> <td>33.08</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> <tr> <td>5692.40</td> <td>55.80</td> <td>-12.90</td> <td>95.70</td> <td>43.04</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> <tr> <td>5716.80</td> <td>57.31</td> <td>-12.70</td> <td>110.01</td> <td>44.50</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> <tr> <td>5722.40</td> <td>58.50</td> <td>-11.50</td> <td>116.37</td> <td>45.46</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5628.00	52.73	-15.57	68.30	39.97	34.58	10.24	33.08	100	50	Peak	5692.40	55.80	-12.90	95.70	43.04	34.50	10.33	33.06	100	50	Peak	5716.80	57.31	-12.70	110.01	44.50	34.52	10.33	33.04	100	50	Peak	5722.40	58.50	-11.50	116.37	45.46	34.53	10.35	32.04	100	50	Peak	<p>Site : 032100-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 70 Plane : X IMEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5776.00</td> <td>99.02</td> <td>-23.29</td> <td>122.30</td> <td>86.04</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> <tr> <td>5776.00</td> <td>89.28</td> <td></td> <td></td> <td>16.30</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>100</td> <td>50</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5776.00	99.02	-23.29	122.30	86.04	34.58	10.39	31.99	100	50	Peak	5776.00	89.28			16.30	34.58	10.39	31.99	100	50	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5628.00	52.73	-15.57	68.30	39.97	34.58	10.24	33.08	100	50	Peak																																																																																																						
5692.40	55.80	-12.90	95.70	43.04	34.50	10.33	33.06	100	50	Peak																																																																																																						
5716.80	57.31	-12.70	110.01	44.50	34.52	10.33	33.04	100	50	Peak																																																																																																						
5722.40	58.50	-11.50	116.37	45.46	34.53	10.35	32.04	100	50	Peak																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5776.00	99.02	-23.29	122.30	86.04	34.58	10.39	31.99	100	50	Peak																																																																																																						
5776.00	89.28			16.30	34.58	10.39	31.99	100	50	Average																																																																																																						
Peak	<p>Site : 032100-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 70 Plane : X IMEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5851.00</td> <td>56.16</td> <td>-42.49</td> <td>118.65</td> <td>42.85</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> <tr> <td>5860.80</td> <td>56.05</td> <td>-43.22</td> <td>109.27</td> <td>42.67</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> <tr> <td>5889.60</td> <td>54.75</td> <td>-45.24</td> <td>94.46</td> <td>40.73</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> <tr> <td>5993.20</td> <td>53.76</td> <td>-44.54</td> <td>88.30</td> <td>39.83</td> <td>35.40</td> <td>10.58</td> <td>32.00</td> <td>100</td> <td>50</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5851.00	56.16	-42.49	118.65	42.85	34.80	10.44	31.93	100	50	Peak	5860.80	56.05	-43.22	109.27	42.67	34.87	10.46	31.95	100	50	Peak	5889.60	54.75	-45.24	94.46	40.73	35.00	10.49	31.97	100	50	Peak	5993.20	53.76	-44.54	88.30	39.83	35.40	10.58	32.00	100	50	Peak	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5851.00	56.16	-42.49	118.65	42.85	34.80	10.44	31.93	100	50	Peak																																																																																																						
5860.80	56.05	-43.22	109.27	42.67	34.87	10.46	31.95	100	50	Peak																																																																																																						
5889.60	54.75	-45.24	94.46	40.73	35.00	10.49	31.97	100	50	Peak																																																																																																						
5993.20	53.76	-44.54	88.30	39.83	35.40	10.58	32.00	100	50	Peak																																																																																																						








**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE80 Partial 484/65 CH155 5775MHz																																																																																																															
1	Horizontal	Fundamental																																																																																																														
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 27            Plane : X            IPE1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5630.00</td> <td>52.81</td> <td>-15.49</td> <td>68.30</td> <td>40.07</td> <td>34.58</td> <td>10.24</td> <td>33.10</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5689.20</td> <td>53.83</td> <td>-14.51</td> <td>97.34</td> <td>41.07</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5712.80</td> <td>53.53</td> <td>-14.81</td> <td>108.89</td> <td>40.72</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5722.40</td> <td>51.99</td> <td>-16.31</td> <td>116.37</td> <td>39.15</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5630.00	52.81	-15.49	68.30	40.07	34.58	10.24	33.10	100	180	Peak HORIZONT	5689.20	53.83	-14.51	97.34	41.07	34.50	10.33	33.06	100	180	Peak HORIZONT	5712.80	53.53	-14.81	108.89	40.72	34.52	10.33	33.04	100	180	Peak HORIZONT	5722.40	51.99	-16.31	116.37	39.15	34.53	10.35	32.04	100	180	Peak HORIZONT	<p>Site : 032000-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 27            Plane : X            IPE1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5740.00</td> <td>97.05</td> <td>-25.25</td> <td>122.30</td> <td>84.15</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5740.00</td> <td>89.78</td> <td></td> <td></td> <td>76.88</td> <td>34.50</td> <td>10.36</td> <td>32.01</td> <td>100</td> <td>180</td> <td>Average HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5740.00	97.05	-25.25	122.30	84.15	34.55	10.36	32.01	100	180	Peak HORIZONT	5740.00	89.78			76.88	34.50	10.36	32.01	100	180	Average HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5630.00	52.81	-15.49	68.30	40.07	34.58	10.24	33.10	100	180	Peak HORIZONT																																																																																																						
5689.20	53.83	-14.51	97.34	41.07	34.50	10.33	33.06	100	180	Peak HORIZONT																																																																																																						
5712.80	53.53	-14.81	108.89	40.72	34.52	10.33	33.04	100	180	Peak HORIZONT																																																																																																						
5722.40	51.99	-16.31	116.37	39.15	34.53	10.35	32.04	100	180	Peak HORIZONT																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5740.00	97.05	-25.25	122.30	84.15	34.55	10.36	32.01	100	180	Peak HORIZONT																																																																																																						
5740.00	89.78			76.88	34.50	10.36	32.01	100	180	Average HORIZONT																																																																																																						
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 27            Plane : X            IPE1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5854.00</td> <td>51.87</td> <td>-16.13</td> <td>113.18</td> <td>38.47</td> <td>34.87</td> <td>10.44</td> <td>31.93</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5871.00</td> <td>54.00</td> <td>-14.00</td> <td>150.25</td> <td>40.55</td> <td>34.93</td> <td>10.43</td> <td>31.95</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5892.00</td> <td>53.53</td> <td>-14.47</td> <td>92.48</td> <td>40.11</td> <td>35.50</td> <td>10.49</td> <td>31.97</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5973.20</td> <td>53.97</td> <td>-14.33</td> <td>68.30</td> <td>40.11</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>100</td> <td>180</td> <td>Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5854.00	51.87	-16.13	113.18	38.47	34.87	10.44	31.93	100	180	Peak HORIZONT	5871.00	54.00	-14.00	150.25	40.55	34.93	10.43	31.95	100	180	Peak HORIZONT	5892.00	53.53	-14.47	92.48	40.11	35.50	10.49	31.97	100	180	Peak HORIZONT	5973.20	53.97	-14.33	68.30	40.11	35.33	10.56	32.03	100	180	Peak HORIZONT	<b>Left blank</b>																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5854.00	51.87	-16.13	113.18	38.47	34.87	10.44	31.93	100	180	Peak HORIZONT																																																																																																						
5871.00	54.00	-14.00	150.25	40.55	34.93	10.43	31.95	100	180	Peak HORIZONT																																																																																																						
5892.00	53.53	-14.47	92.48	40.11	35.50	10.49	31.97	100	180	Peak HORIZONT																																																																																																						
5973.20	53.97	-14.33	68.30	40.11	35.33	10.56	32.03	100	180	Peak HORIZONT																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE80 Partial 484/65 CH155 5775MHz																																																																															
1	Vertical	Fundamental																																																																														
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : RRM 1000, 000MHz, VSW: 3000, 000MHz, SMT: Auto FR261401-01 Mode : 79 Plane : 8 Full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5604.00</th> <th>51.77</th> <th>-16.53</th> <th>68.30</th> <th>39.00</th> <th>34.60</th> <th>10.25</th> <th>32.08</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5693.00</th> <th>53.65</th> <th>-46.93</th> <th>100.58</th> <th>40.89</th> <th>34.50</th> <th>10.33</th> <th>33.06</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5715.20</th> <th>52.52</th> <th>-57.28</th> <th>109.56</th> <th>39.51</th> <th>34.52</th> <th>10.33</th> <th>33.04</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5724.40</th> <th>51.99</th> <th>-68.94</th> <th>120.93</th> <th>39.15</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5604.00	51.77	-16.53	68.30	39.00	34.60	10.25	32.08	283	37	Peak	VERTICAL	2	5693.00	53.65	-46.93	100.58	40.89	34.50	10.33	33.06	283	37	Peak	VERTICAL	3	5715.20	52.52	-57.28	109.56	39.51	34.52	10.33	33.04	283	37	Peak	VERTICAL	4	5724.40	51.99	-68.94	120.93	39.15	34.53	10.35	32.04	283	37	Peak	VERTICAL	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : RRM 1000, 000MHz, VSW: 3000, 000MHz, SMT: Auto FR261401-01 Mode : 79 Plane : 8 Full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5746.00</th> <th>76.30</th> <th>-26.00</th> <th>122.30</th> <th>83.40</th> <th>34.55</th> <th>10.36</th> <th>32.01</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5746.00</th> <th>87.70</th> <th>-----</th> <th>-----</th> <th>74.80</th> <th>34.55</th> <th>10.36</th> <th>32.01</th> <th>283</th> <th>37</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead></table>	1	5746.00	76.30	-26.00	122.30	83.40	34.55	10.36	32.01	283	37	Peak	VERTICAL	2	5746.00	87.70	-----	-----	74.80	34.55	10.36	32.01	283	37	Average	VERTICAL
1	5604.00	51.77	-16.53	68.30	39.00	34.60	10.25	32.08	283	37	Peak	VERTICAL																																																																				
2	5693.00	53.65	-46.93	100.58	40.89	34.50	10.33	33.06	283	37	Peak	VERTICAL																																																																				
3	5715.20	52.52	-57.28	109.56	39.51	34.52	10.33	33.04	283	37	Peak	VERTICAL																																																																				
4	5724.40	51.99	-68.94	120.93	39.15	34.53	10.35	32.04	283	37	Peak	VERTICAL																																																																				
1	5746.00	76.30	-26.00	122.30	83.40	34.55	10.36	32.01	283	37	Peak	VERTICAL																																																																				
2	5746.00	87.70	-----	-----	74.80	34.55	10.36	32.01	283	37	Average	VERTICAL																																																																				
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : RRM 1000, 000MHz, VSW: 3000, 000MHz, SMT: Auto FR261401-01 Mode : 79 Plane : 8 Full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5882.40</th> <th>50.64</th> <th>-66.19</th> <th>116.83</th> <th>37.33</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5895.20</th> <th>53.17</th> <th>-56.28</th> <th>109.72</th> <th>39.79</th> <th>34.87</th> <th>10.44</th> <th>31.95</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5912.40</th> <th>53.01</th> <th>-54.88</th> <th>77.59</th> <th>39.42</th> <th>35.07</th> <th>10.81</th> <th>31.99</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5926.00</th> <th>53.10</th> <th>-15.26</th> <th>68.30</th> <th>39.17</th> <th>35.40</th> <th>10.58</th> <th>32.05</th> <th>283</th> <th>37</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5882.40	50.64	-66.19	116.83	37.33	34.80	10.44	31.93	283	37	Peak	VERTICAL	2	5895.20	53.17	-56.28	109.72	39.79	34.87	10.44	31.95	283	37	Peak	VERTICAL	3	5912.40	53.01	-54.88	77.59	39.42	35.07	10.81	31.99	283	37	Peak	VERTICAL	4	5926.00	53.10	-15.26	68.30	39.17	35.40	10.58	32.05	283	37	Peak	VERTICAL	<p><b>Left blank</b></p>																										
1	5882.40	50.64	-66.19	116.83	37.33	34.80	10.44	31.93	283	37	Peak	VERTICAL																																																																				
2	5895.20	53.17	-56.28	109.72	39.79	34.87	10.44	31.95	283	37	Peak	VERTICAL																																																																				
3	5912.40	53.01	-54.88	77.59	39.42	35.07	10.81	31.99	283	37	Peak	VERTICAL																																																																				
4	5926.00	53.10	-15.26	68.30	39.17	35.40	10.58	32.05	283	37	Peak	VERTICAL																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE80 Partial 484/66 CH155 5775MHz																																																																																																															
1	Horizontal	Fundamental																																																																																																														
<p><b>Peak</b></p>	 <p>Site : 03280A-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2WTA Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto FRF:261401-01 Mode : 80 Plane : E Full-directivity MEI : 841 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5615.20</td> <td>52.19</td> <td>-16.11</td> <td>68.30</td> <td>39.42</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> <tr> <td>2</td> <td>5664.40</td> <td>52.61</td> <td>-20.39</td> <td>78.99</td> <td>39.86</td> <td>34.54</td> <td>10.29</td> <td>32.08</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> <tr> <td>3</td> <td>5707.20</td> <td>51.56</td> <td>-20.71</td> <td>102.22</td> <td>38.74</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> <tr> <td>4</td> <td>5724.00</td> <td>51.79</td> <td>-20.23</td> <td>120.02</td> <td>38.95</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5615.20	52.19	-16.11	68.30	39.42	34.60	10.25	32.08	100	236 Peak HORIZ2WT	2	5664.40	52.61	-20.39	78.99	39.86	34.54	10.29	32.08	100	236 Peak HORIZ2WT	3	5707.20	51.56	-20.71	102.22	38.74	34.52	10.33	32.04	100	236 Peak HORIZ2WT	4	5724.00	51.79	-20.23	120.02	38.95	34.53	10.35	32.04	100	236 Peak HORIZ2WT	 <p>Site : 03280A-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2WTA Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto FRF:261401-01 Mode : 80 Plane : E Full-directivity MEI : 841 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5812.00</td> <td>92.08</td> <td>-25.22</td> <td>122.30</td> <td>83.95</td> <td>34.67</td> <td>10.41</td> <td>31.95</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> <tr> <td>2</td> <td>5812.00</td> <td>89.48</td> <td>-----</td> <td>-----</td> <td>76.35</td> <td>34.67</td> <td>10.41</td> <td>31.95</td> <td>100</td> <td>236 Average HORIZ2WT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5812.00	92.08	-25.22	122.30	83.95	34.67	10.41	31.95	100	236 Peak HORIZ2WT	2	5812.00	89.48	-----	-----	76.35	34.67	10.41	31.95	100	236 Average HORIZ2WT
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																								
1	5615.20	52.19	-16.11	68.30	39.42	34.60	10.25	32.08	100	236 Peak HORIZ2WT																																																																																																						
2	5664.40	52.61	-20.39	78.99	39.86	34.54	10.29	32.08	100	236 Peak HORIZ2WT																																																																																																						
3	5707.20	51.56	-20.71	102.22	38.74	34.52	10.33	32.04	100	236 Peak HORIZ2WT																																																																																																						
4	5724.00	51.79	-20.23	120.02	38.95	34.53	10.35	32.04	100	236 Peak HORIZ2WT																																																																																																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																								
1	5812.00	92.08	-25.22	122.30	83.95	34.67	10.41	31.95	100	236 Peak HORIZ2WT																																																																																																						
2	5812.00	89.48	-----	-----	76.35	34.67	10.41	31.95	100	236 Average HORIZ2WT																																																																																																						
<p><b>Peak</b></p>	 <p>Site : 03280A-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2WTA Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto FRF:261401-01 Mode : 80 Plane : E Full-directivity MEI : 841 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.40</td> <td>51.61</td> <td>-20.46</td> <td>112.27</td> <td>38.21</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> <tr> <td>2</td> <td>5903.20</td> <td>52.49</td> <td>-20.11</td> <td>108.60</td> <td>39.11</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> <tr> <td>3</td> <td>5904.00</td> <td>52.94</td> <td>-20.84</td> <td>83.80</td> <td>39.44</td> <td>35.00</td> <td>10.48</td> <td>31.97</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> <tr> <td>4</td> <td>5950.40</td> <td>53.56</td> <td>-19.34</td> <td>68.30</td> <td>39.34</td> <td>35.00</td> <td>10.53</td> <td>32.01</td> <td>100</td> <td>236 Peak HORIZ2WT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5884.40	51.61	-20.46	112.27	38.21	34.87	10.46	31.93	100	236 Peak HORIZ2WT	2	5903.20	52.49	-20.11	108.60	39.11	34.87	10.46	31.95	100	236 Peak HORIZ2WT	3	5904.00	52.94	-20.84	83.80	39.44	35.00	10.48	31.97	100	236 Peak HORIZ2WT	4	5950.40	53.56	-19.34	68.30	39.34	35.00	10.53	32.01	100	236 Peak HORIZ2WT	<p><b>Left blank</b></p>																																												
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																								
1	5884.40	51.61	-20.46	112.27	38.21	34.87	10.46	31.93	100	236 Peak HORIZ2WT																																																																																																						
2	5903.20	52.49	-20.11	108.60	39.11	34.87	10.46	31.95	100	236 Peak HORIZ2WT																																																																																																						
3	5904.00	52.94	-20.84	83.80	39.44	35.00	10.48	31.97	100	236 Peak HORIZ2WT																																																																																																						
4	5950.40	53.56	-19.34	68.30	39.34	35.00	10.53	32.01	100	236 Peak HORIZ2WT																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE80 Partial 484/66 CH155 5775MHz																																																																																																															
1	Vertical	Fundamental																																																																																																														
<p><b>Peak</b></p>	<p>Site : 032804-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Emission : RBW 1000.000kHz VBW 3000.000kHz SMT Auto            Project : (FR)261401-01            Mode : 80            Plane : E            Full-directivity : Full-directivity            MEI : 841            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.80</td> <td>52.46</td> <td>-15.84</td> <td>68.30</td> <td>39.72</td> <td>34.58</td> <td>10.26</td> <td>32.10</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5688.80</td> <td>52.73</td> <td>-43.31</td> <td>97.04</td> <td>39.97</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> <tr> <td>3</td> <td>5717.20</td> <td>52.69</td> <td>-57.20</td> <td>110.12</td> <td>39.78</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> <tr> <td>4</td> <td>5771.20</td> <td>52.01</td> <td>-61.63</td> <td>113.64</td> <td>39.17</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1	5630.80	52.46	-15.84	68.30	39.72	34.58	10.26	32.10	279	30 Peak VERTICAL	2	5688.80	52.73	-43.31	97.04	39.97	34.50	10.33	33.06	279	30 Peak VERTICAL	3	5717.20	52.69	-57.20	110.12	39.78	34.52	10.33	33.04	279	30 Peak VERTICAL	4	5771.20	52.01	-61.63	113.64	39.17	34.53	10.35	33.04	279	30 Peak VERTICAL	<p>Site : 032804-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Emission : RBW 1000.000kHz VBW 3000.000kHz SMT Auto            Project : (FR)261401-01            Mode : 80            Plane : E            Full-directivity : Full-directivity            MEI : 841            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5788.00</td> <td>95.45</td> <td>-26.85</td> <td>122.30</td> <td>82.42</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>86.99</td> <td>-----</td> <td>73.96</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>279</td> <td>30 Average VERTICAL</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1	5788.00	95.45	-26.85	122.30	82.42	34.60	10.40	31.97	279	30 Peak VERTICAL	2	5788.00	86.99	-----	73.96	34.60	10.40	31.97	279	30 Average VERTICAL	
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5630.80	52.46	-15.84	68.30	39.72	34.58	10.26	32.10	279	30 Peak VERTICAL																																																																																																						
2	5688.80	52.73	-43.31	97.04	39.97	34.50	10.33	33.06	279	30 Peak VERTICAL																																																																																																						
3	5717.20	52.69	-57.20	110.12	39.78	34.52	10.33	33.04	279	30 Peak VERTICAL																																																																																																						
4	5771.20	52.01	-61.63	113.64	39.17	34.53	10.35	33.04	279	30 Peak VERTICAL																																																																																																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5788.00	95.45	-26.85	122.30	82.42	34.60	10.40	31.97	279	30 Peak VERTICAL																																																																																																						
2	5788.00	86.99	-----	73.96	34.60	10.40	31.97	279	30 Average VERTICAL																																																																																																							
<p><b>Peak</b></p>	<p>Site : 032804-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Emission : RBW 1000.000kHz VBW 3000.000kHz SMT Auto            Project : (FR)261401-01            Mode : 80            Plane : E            Full-directivity : Full-directivity            MEI : 841            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.40</td> <td>52.87</td> <td>-63.96</td> <td>116.83</td> <td>39.56</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5890.20</td> <td>52.84</td> <td>-50.29</td> <td>108.04</td> <td>39.46</td> <td>34.71</td> <td>10.46</td> <td>31.92</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>53.30</td> <td>-14.13</td> <td>69.33</td> <td>39.84</td> <td>35.13</td> <td>10.53</td> <td>31.99</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> <tr> <td>4</td> <td>5948.00</td> <td>53.50</td> <td>-14.74</td> <td>68.30</td> <td>39.84</td> <td>35.30</td> <td>10.53</td> <td>30.01</td> <td>279</td> <td>30 Peak VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1	5882.40	52.87	-63.96	116.83	39.56	34.80	10.44	31.93	279	30 Peak VERTICAL	2	5890.20	52.84	-50.29	108.04	39.46	34.71	10.46	31.92	279	30 Peak VERTICAL	3	5923.60	53.30	-14.13	69.33	39.84	35.13	10.53	31.99	279	30 Peak VERTICAL	4	5948.00	53.50	-14.74	68.30	39.84	35.30	10.53	30.01	279	30 Peak VERTICAL	<p><b>Left blank</b></p>																																												
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5882.40	52.87	-63.96	116.83	39.56	34.80	10.44	31.93	279	30 Peak VERTICAL																																																																																																						
2	5890.20	52.84	-50.29	108.04	39.46	34.71	10.46	31.92	279	30 Peak VERTICAL																																																																																																						
3	5923.60	53.30	-14.13	69.33	39.84	35.13	10.53	31.99	279	30 Peak VERTICAL																																																																																																						
4	5948.00	53.50	-14.74	68.30	39.84	35.30	10.53	30.01	279	30 Peak VERTICAL																																																																																																						



UNII-3 - 5725~5850MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																											
ANT	802.11a CH149 5745MHz																											
1	Horizontal	Vertical																										
Peak Avg.	<p>Site : 03DH0-K3            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL            Emission : RSM 1000.000MHz VBR 3000.000MHz SMT Auto            Project : FR261401-01            Mode : 60            Plane : E            Full-directivity : Full-directivity            IRE1 : #41            Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>11488.00</th> <th>45.46</th> <th>-28.54</th> <th>74.00</th> <th>53.78</th> <th>38.29</th> <th>14.91</th> <th>61.52</th> <th>300</th> <th>0</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	11488.00	45.46	-28.54	74.00	53.78	38.29	14.91	61.52	300	0	Peak	HORIZONTAL	<p>Site : 03DH0-K3            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Emission : RSM 1000.000MHz VBR 3000.000MHz SMT Auto            Project : FR261401-01            Mode : 60            Plane : E            Full-directivity : Full-directivity            IRE1 : #41            Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>11488.00</th> <th>43.85</th> <th>-30.15</th> <th>74.00</th> <th>52.17</th> <th>38.29</th> <th>14.91</th> <th>61.52</th> <th>100</th> <th>0</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	11488.00	43.85	-30.15	74.00	52.17	38.29	14.91	61.52	100	0	Peak	VERTICAL
	1	11488.00	45.46	-28.54	74.00	53.78	38.29	14.91	61.52	300	0	Peak	HORIZONTAL															
1	11488.00	43.85	-30.15	74.00	52.17	38.29	14.91	61.52	100	0	Peak	VERTICAL																
Peak Avg.	<p>Site : 03DH0-K3            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL            Emission : RSM 1000.000MHz VBR 3000.000MHz SMT Auto            Project : FR261401-01            Mode : 60            Plane : E            Full-directivity : Full-directivity            IRE1 : #41            Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>11565.00</th> <th>46.72</th> <th>-27.28</th> <th>74.00</th> <th>54.91</th> <th>38.35</th> <th>14.96</th> <th>61.50</th> <th>300</th> <th>0</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	11565.00	46.72	-27.28	74.00	54.91	38.35	14.96	61.50	300	0	Peak	HORIZONTAL	<p>Site : 03DH0-K3            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Emission : RSM 1000.000MHz VBR 3000.000MHz SMT Auto            Project : FR261401-01            Mode : 60            Plane : E            Full-directivity : Full-directivity            IRE1 : #41            Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>11565.00</th> <th>45.88</th> <th>-28.12</th> <th>74.00</th> <th>54.07</th> <th>38.35</th> <th>14.96</th> <th>61.50</th> <th>100</th> <th>0</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	11565.00	45.88	-28.12	74.00	54.07	38.35	14.96	61.50	100	0	Peak	VERTICAL
	1	11565.00	46.72	-27.28	74.00	54.91	38.35	14.96	61.50	300	0	Peak	HORIZONTAL															
1	11565.00	45.88	-28.12	74.00	54.07	38.35	14.96	61.50	100	0	Peak	VERTICAL																



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																									
ANT	802.11a CH165 5825MHz																																									
1	Horizontal	Vertical																																								
Peak Avg.	<p>Site : 020806-KS            Condition : 5G BAND4 by 3117 SN 00219A52- HORIZONTAL            Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto            PRF:101401-01            Mode : 64            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Powersetting : 9</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11653.00</td> <td>45.50</td> <td>-28.50</td> <td>74.00</td> <td>53.48</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	11653.00	45.50	-28.50	74.00	53.48	38.46	15.03	61.47	0 Peak	HORIZONTAL	<p>Site : 020806-KS            Condition : 5G BAND4 by 3117 SN 00219A52- VERTICAL            Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto            PRF:101401-01            Mode : 64            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Powersetting : 9</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11653.00</td> <td>45.27</td> <td>-28.63</td> <td>74.00</td> <td>53.35</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	11653.00	45.27	-28.63	74.00	53.35	38.46	15.03	61.47	0 Peak	VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																
11653.00	45.50	-28.50	74.00	53.48	38.46	15.03	61.47	0 Peak	HORIZONTAL																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
11653.00	45.27	-28.63	74.00	53.35	38.46	15.03	61.47	0 Peak	VERTICAL																																	





**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-3 5725~5850MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE20 Full CH149 5745MHz</b>	
<b>1</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		
<b>WIFI</b>	<b>UNII-3 5725~5850MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE20 Full CH157 5785MHz</b>	
<b>1</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																	
ANT	802.11ax HE20 Full CH165 5825MHz																																																	
1	Horizontal	Vertical																																																
<p><b>Peak</b></p> <p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND4 by 3117 SN 00219A5C- HORIZONTAL Project : FR261401-01 Mode : 67 Plane : 2 Full-directivity : Full-directivity IMEI : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11653.00</td> <td>46.02</td> <td>-27.98</td> <td>74.00</td> <td>94.00</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	11653.00	46.02	-27.98	74.00	94.00	38.46	15.03	61.47	300	0	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND4 by 3117 SN 00219A5C- VERTICAL Project : FR261401-01 Mode : 67 Plane : 2 Full-directivity : Full-directivity IMEI : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11653.00</td> <td>44.59</td> <td>-29.41</td> <td>74.00</td> <td>92.57</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	11653.00	44.59	-29.41	74.00	92.57	38.46	15.03	61.47	100	0	Peak	VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																						
11653.00	46.02	-27.98	74.00	94.00	38.46	15.03	61.47	300	0	Peak	HORIZONTAL																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																							
11653.00	44.59	-29.41	74.00	92.57	38.46	15.03	61.47	100	0	Peak	VERTICAL																																							



UNII-3 5725~5850MHz  
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH151 5755MHz																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 030906-KS Condition : 5G BAND4 3m 3117 SW 00218602- HORIZ2NTAL Economic &amp; Technical Development Zone, Jiangsu, China Project : FR261401-01 RSM 1000.000MHz VSW 3000.000MHz SRT Auto Mode : 6P Plane : 2 Full-directivity IMEI : #41 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.38</td> <td>-28.62</td> <td>74.00</td> <td>53.67</td> <td>38.30</td> <td>14.92</td> <td>65.51</td> <td>300</td> <td>0 Peak HORIZ2NT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1 11510.00	45.38	-28.62	74.00	53.67	38.30	14.92	65.51	300	0 Peak HORIZ2NT	<p>Site : 030906-KS Condition : 5G BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu, China Project : FR261401-01 RSM 1000.000MHz VSW 3000.000MHz SRT Auto Mode : 6P Plane : 2 Full-directivity IMEI : #41 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.67</td> <td>-29.33</td> <td>74.00</td> <td>52.96</td> <td>38.30</td> <td>14.92</td> <td>61.51</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1 11510.00	44.67	-29.33	74.00	52.96	38.30	14.92	61.51	100	0 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																						
1 11510.00	45.38	-28.62	74.00	53.67	38.30	14.92	65.51	300	0 Peak HORIZ2NT																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																						
1 11510.00	44.67	-29.33	74.00	52.96	38.30	14.92	61.51	100	0 Peak VERTICAL																																																					
WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																													
ANT	802.11ax HE40 Full CH159 5795MHz																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 030906-KS Condition : 5G BAND4 3m 3117 SW 00218602- HORIZ2NTAL Economic &amp; Technical Development Zone, Jiangsu, China Project : FR261401-01 RSM 1000.000MHz VSW 3000.000MHz SRT Auto Mode : 6P Plane : 2 Full-directivity IMEI : #41 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11587.00</td> <td>45.49</td> <td>-28.51</td> <td>74.00</td> <td>53.41</td> <td>38.39</td> <td>14.98</td> <td>63.49</td> <td>300</td> <td>0 Peak HORIZ2NT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1 11587.00	45.49	-28.51	74.00	53.41	38.39	14.98	63.49	300	0 Peak HORIZ2NT	<p>Site : 030906-KS Condition : 5G BAND4 3m 3117 SW 00218602- VERTICAL Economic &amp; Technical Development Zone, Jiangsu, China Project : FR261401-01 RSM 1000.000MHz VSW 3000.000MHz SRT Auto Mode : 6P Plane : 2 Full-directivity IMEI : #41 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11587.00</td> <td>44.26</td> <td>-29.74</td> <td>74.00</td> <td>52.38</td> <td>38.39</td> <td>14.98</td> <td>61.49</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg		1 11587.00	44.26	-29.74	74.00	52.38	38.39	14.98	61.49	100	0 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																						
1 11587.00	45.49	-28.51	74.00	53.41	38.39	14.98	63.49	300	0 Peak HORIZ2NT																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	deg	deg																																																						
1 11587.00	44.26	-29.74	74.00	52.38	38.39	14.98	61.49	100	0 Peak VERTICAL																																																					



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE80 Full (Harmonic @ 3m)**




WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH155 5775MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL            Project : ESR-1000-0008Hz-NR-3000-0008Hz-DET-Auto            Mode : FR261401-01            Plane : XY            NEI : Full-directivity            Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11554.00</td> <td>45.65</td> <td>-28.35</td> <td>74.00</td> <td>53.84</td> <td>38.35</td> <td>14.96</td> <td>61.50</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11554.00	45.65	-28.35	74.00	53.84	38.35	14.96	61.50	300	0 Peak HORIZONTAL	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Project : ESR-1000-0008Hz-NR-3000-0008Hz-DET-Auto            Mode : FR261401-01            Plane : XZ            NEI : full-directivity            Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11554.00</td> <td>43.92</td> <td>-30.08</td> <td>74.00</td> <td>52.11</td> <td>38.35</td> <td>14.96</td> <td>61.50</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11554.00	43.92	-30.08	74.00	52.11	38.35	14.96	61.50	100	0 Peak VERTICAL
	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11554.00	45.65	-28.35	74.00	53.84	38.35	14.96	61.50	300	0 Peak HORIZONTAL																																																										
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11554.00	43.92	-30.08	74.00	52.11	38.35	14.96	61.50	100	0 Peak VERTICAL																																																										






**UNII-3 - 5725~5850MHz**  
**WIFI 802.11a (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																														
ANT	802.11a CH149 5745MHz																																																																														
2	Horizontal	Fundamental																																																																													
<b>Peak</b>	<p>Site : 020900-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000.000MHz VBR 3000.000MHz SRT:Auto Mode : IAB Plane : X Full-directivity IMEI : #41 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5639.20</th> <th>51.88</th> <th>-16.42</th> <th>68.30</th> <th>39.14</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>101</th> <th>280</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5648.80</th> <th>52.57</th> <th>-19.28</th> <th>82.25</th> <th>39.93</th> <th>34.52</th> <th>10.38</th> <th>32.08</th> <th>101</th> <th>280</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>3</th> <th>5715.80</th> <th>52.99</th> <th>-56.68</th> <th>109.67</th> <th>40.18</th> <th>34.52</th> <th>10.33</th> <th>32.04</th> <th>101</th> <th>280</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>4</th> <th>5722.80</th> <th>51.65</th> <th>-65.83</th> <th>117.28</th> <th>38.81</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>101</th> <th>280</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5639.20	51.88	-16.42	68.30	39.14	34.56	10.28	32.10	101	280	Peak	HORIZONTAL	2	5648.80	52.57	-19.28	82.25	39.93	34.52	10.38	32.08	101	280	Peak	HORIZONTAL	3	5715.80	52.99	-56.68	109.67	40.18	34.52	10.33	32.04	101	280	Peak	HORIZONTAL	4	5722.80	51.65	-65.83	117.28	38.81	34.53	10.35	32.04	101	280	Peak	HORIZONTAL	<p>Site : 020900-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL Project : RSM 1000.000MHz VBR 3000.000MHz SRT:Auto Mode : IAB Plane : X Full-directivity IMEI : #41 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5746.00</th> <th>102.96</th> <th>-19.34</th> <th>122.30</th> <th>90.06</th> <th>34.55</th> <th>10.36</th> <th>32.01</th> <th>101</th> <th>280</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5746.00</th> <th>95.80</th> <th>-----</th> <th>82.90</th> <th>34.55</th> <th>10.36</th> <th>32.01</th> <th>101</th> <th>280</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5746.00	102.96	-19.34	122.30	90.06	34.55	10.36	32.01	101	280	Peak	HORIZONTAL	2	5746.00	95.80	-----	82.90	34.55	10.36	32.01	101	280	Average	HORIZONTAL
1	5639.20	51.88	-16.42	68.30	39.14	34.56	10.28	32.10	101	280	Peak	HORIZONTAL																																																																			
2	5648.80	52.57	-19.28	82.25	39.93	34.52	10.38	32.08	101	280	Peak	HORIZONTAL																																																																			
3	5715.80	52.99	-56.68	109.67	40.18	34.52	10.33	32.04	101	280	Peak	HORIZONTAL																																																																			
4	5722.80	51.65	-65.83	117.28	38.81	34.53	10.35	32.04	101	280	Peak	HORIZONTAL																																																																			
1	5746.00	102.96	-19.34	122.30	90.06	34.55	10.36	32.01	101	280	Peak	HORIZONTAL																																																																			
2	5746.00	95.80	-----	82.90	34.55	10.36	32.01	101	280	Average	HORIZONTAL																																																																				
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																														
ANT	802.11a CH149 5745MHz																																																																														
2	Vertical	Fundamental																																																																													
<b>Peak</b>	<p>Site : 020900-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SRT:Auto Mode : IAB Plane : X Full-directivity IMEI : #41 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5638.00</th> <th>52.77</th> <th>-16.03</th> <th>68.30</th> <th>39.53</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>276</th> <th>221</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5652.80</th> <th>52.78</th> <th>-17.40</th> <th>70.38</th> <th>40.85</th> <th>34.54</th> <th>10.28</th> <th>32.10</th> <th>276</th> <th>221</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>3</th> <th>5716.00</th> <th>53.78</th> <th>-66.00</th> <th>109.78</th> <th>40.97</th> <th>34.52</th> <th>10.33</th> <th>32.04</th> <th>276</th> <th>221</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>4</th> <th>5722.80</th> <th>54.18</th> <th>-63.10</th> <th>117.28</th> <th>41.34</th> <th>34.53</th> <th>10.30</th> <th>32.04</th> <th>276</th> <th>221</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead></table>	1	5638.00	52.77	-16.03	68.30	39.53	34.56	10.28	32.10	276	221	Peak	VERTICAL	2	5652.80	52.78	-17.40	70.38	40.85	34.54	10.28	32.10	276	221	Peak	VERTICAL	3	5716.00	53.78	-66.00	109.78	40.97	34.52	10.33	32.04	276	221	Peak	VERTICAL	4	5722.80	54.18	-63.10	117.28	41.34	34.53	10.30	32.04	276	221	Peak	VERTICAL	<p>Site : 020900-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000MHz VBR 3000.000MHz SRT:Auto Mode : IAB Plane : X Full-directivity IMEI : #41 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5746.00</th> <th>109.15</th> <th>-13.15</th> <th>122.30</th> <th>96.25</th> <th>34.55</th> <th>10.36</th> <th>32.01</th> <th>276</th> <th>221</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5746.00</th> <th>102.58</th> <th>-----</th> <th>89.48</th> <th>34.55</th> <th>10.36</th> <th>32.01</th> <th>276</th> <th>221</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead></table>	1	5746.00	109.15	-13.15	122.30	96.25	34.55	10.36	32.01	276	221	Peak	VERTICAL	2	5746.00	102.58	-----	89.48	34.55	10.36	32.01	276	221	Average	VERTICAL
1	5638.00	52.77	-16.03	68.30	39.53	34.56	10.28	32.10	276	221	Peak	VERTICAL																																																																			
2	5652.80	52.78	-17.40	70.38	40.85	34.54	10.28	32.10	276	221	Peak	VERTICAL																																																																			
3	5716.00	53.78	-66.00	109.78	40.97	34.52	10.33	32.04	276	221	Peak	VERTICAL																																																																			
4	5722.80	54.18	-63.10	117.28	41.34	34.53	10.30	32.04	276	221	Peak	VERTICAL																																																																			
1	5746.00	109.15	-13.15	122.30	96.25	34.55	10.36	32.01	276	221	Peak	VERTICAL																																																																			
2	5746.00	102.58	-----	89.48	34.55	10.36	32.01	276	221	Average	VERTICAL																																																																				







WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11a CH157 5785MHz																																																																															
2	Horizontal	Fundamental																																																																														
<p><b>Peak</b></p>	 <p>Site : 03290a-KS Condition : SG BAND4 3m 3117 SW 00218652- HORIZ2NTAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>1</th> <th>5613.20</th> <th>53.59</th> <th>-14.71</th> <th>68.30</th> <th>40.82</th> <th>34.60</th> <th>10.25</th> <th>32.08</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> <tr> <th>2</th> <th>5698.00</th> <th>51.91</th> <th>-51.97</th> <th>103.83</th> <th>39.15</th> <th>34.50</th> <th>10.33</th> <th>33.06</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> <tr> <th>3</th> <th>5702.80</th> <th>53.00</th> <th>-53.09</th> <th>106.09</th> <th>40.21</th> <th>34.52</th> <th>10.33</th> <th>33.06</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> <tr> <th>4</th> <th>5724.80</th> <th>50.84</th> <th>-71.00</th> <th>121.84</th> <th>38.00</th> <th>34.53</th> <th>10.35</th> <th>32.04</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> </thead></table>	1	5613.20	53.59	-14.71	68.30	40.82	34.60	10.25	32.08	103	279	Peak	HORIZ2NT	2	5698.00	51.91	-51.97	103.83	39.15	34.50	10.33	33.06	103	279	Peak	HORIZ2NT	3	5702.80	53.00	-53.09	106.09	40.21	34.52	10.33	33.06	103	279	Peak	HORIZ2NT	4	5724.80	50.84	-71.00	121.84	38.00	34.53	10.35	32.04	103	279	Peak	HORIZ2NT	 <p>Site : 03290a-KS Condition : SG BAND4 3m 3117 SW 00218652- HORIZ2NTAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>1</th> <th>5782.00</th> <th>101.91</th> <th>-20.39</th> <th>122.30</th> <th>88.91</th> <th>34.58</th> <th>10.39</th> <th>31.97</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> <tr> <th>2</th> <th>5782.00</th> <th>95.70</th> <th>-----</th> <th>-----</th> <th>82.70</th> <th>34.58</th> <th>10.39</th> <th>31.97</th> <th>103</th> <th>279</th> <th>Average</th> <th>HORIZ2NT</th> </tr> </thead></table>	1	5782.00	101.91	-20.39	122.30	88.91	34.58	10.39	31.97	103	279	Peak	HORIZ2NT	2	5782.00	95.70	-----	-----	82.70	34.58	10.39	31.97	103	279	Average	HORIZ2NT
1	5613.20	53.59	-14.71	68.30	40.82	34.60	10.25	32.08	103	279	Peak	HORIZ2NT																																																																				
2	5698.00	51.91	-51.97	103.83	39.15	34.50	10.33	33.06	103	279	Peak	HORIZ2NT																																																																				
3	5702.80	53.00	-53.09	106.09	40.21	34.52	10.33	33.06	103	279	Peak	HORIZ2NT																																																																				
4	5724.80	50.84	-71.00	121.84	38.00	34.53	10.35	32.04	103	279	Peak	HORIZ2NT																																																																				
1	5782.00	101.91	-20.39	122.30	88.91	34.58	10.39	31.97	103	279	Peak	HORIZ2NT																																																																				
2	5782.00	95.70	-----	-----	82.70	34.58	10.39	31.97	103	279	Average	HORIZ2NT																																																																				
<p><b>Peak</b></p>	 <p>Site : 03290a-KS Condition : SG BAND4 3m 3117 SW 00218652- HORIZ2NTAL Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <table border="1"> <thead> <tr> <th>1</th> <th>5853.20</th> <th>51.02</th> <th>-63.98</th> <th>115.00</th> <th>37.71</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> <tr> <th>2</th> <th>5857.00</th> <th>53.00</th> <th>-53.00</th> <th>102.37</th> <th>40.17</th> <th>34.87</th> <th>10.46</th> <th>31.95</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> <tr> <th>3</th> <th>5900.80</th> <th>53.30</th> <th>-53.39</th> <th>86.17</th> <th>39.48</th> <th>35.00</th> <th>10.48</th> <th>31.97</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> <tr> <th>4</th> <th>5930.80</th> <th>54.10</th> <th>-14.10</th> <th>68.30</th> <th>40.69</th> <th>35.13</th> <th>10.52</th> <th>31.99</th> <th>103</th> <th>279</th> <th>Peak</th> <th>HORIZ2NT</th> </tr> </thead></table>	1	5853.20	51.02	-63.98	115.00	37.71	34.80	10.44	31.93	103	279	Peak	HORIZ2NT	2	5857.00	53.00	-53.00	102.37	40.17	34.87	10.46	31.95	103	279	Peak	HORIZ2NT	3	5900.80	53.30	-53.39	86.17	39.48	35.00	10.48	31.97	103	279	Peak	HORIZ2NT	4	5930.80	54.10	-14.10	68.30	40.69	35.13	10.52	31.99	103	279	Peak	HORIZ2NT	<p><b>Left blank</b></p>																										
1	5853.20	51.02	-63.98	115.00	37.71	34.80	10.44	31.93	103	279	Peak	HORIZ2NT																																																																				
2	5857.00	53.00	-53.00	102.37	40.17	34.87	10.46	31.95	103	279	Peak	HORIZ2NT																																																																				
3	5900.80	53.30	-53.39	86.17	39.48	35.00	10.48	31.97	103	279	Peak	HORIZ2NT																																																																				
4	5930.80	54.10	-14.10	68.30	40.69	35.13	10.52	31.99	103	279	Peak	HORIZ2NT																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11a CH157 5785MHz																																																																																																															
2	Vertical	Fundamental																																																																																																														
<p><b>Peak</b></p>	 <p>Site : 032906-KS Condition : SG BAND3 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 149 Plane : 2 Full-directivity : 1 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5641.60</td> <td>53.42</td> <td>-14.88</td> <td>68.30</td> <td>40.68</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5699.20</td> <td>52.77</td> <td>-51.94</td> <td>104.71</td> <td>40.01</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5716.80</td> <td>53.60</td> <td>-66.41</td> <td>110.01</td> <td>40.79</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5723.60</td> <td>52.86</td> <td>-66.25</td> <td>119.11</td> <td>40.02</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5641.60	53.42	-14.88	68.30	40.68	34.56	10.28	32.10	222 Peak	VERTICAL	2	5699.20	52.77	-51.94	104.71	40.01	34.50	10.33	33.06	222 Peak	VERTICAL	3	5716.80	53.60	-66.41	110.01	40.79	34.52	10.33	33.04	222 Peak	VERTICAL	4	5723.60	52.86	-66.25	119.11	40.02	34.53	10.35	33.04	222 Peak	VERTICAL	 <p>Site : 032906-KS Condition : SG BAND3 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 149 Plane : 2 Full-directivity : 1 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5788.00</td> <td>109.69</td> <td>-12.41</td> <td>122.30</td> <td>96.66</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>101.55</td> <td>-----</td> <td>-----</td> <td>88.52</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>222 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5788.00	109.69	-12.41	122.30	96.66	34.60	10.40	31.97	222 Peak	VERTICAL	2	5788.00	101.55	-----	-----	88.52	34.60	10.40	31.97	222 Average	VERTICAL
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5641.60	53.42	-14.88	68.30	40.68	34.56	10.28	32.10	222 Peak	VERTICAL																																																																																																						
2	5699.20	52.77	-51.94	104.71	40.01	34.50	10.33	33.06	222 Peak	VERTICAL																																																																																																						
3	5716.80	53.60	-66.41	110.01	40.79	34.52	10.33	33.04	222 Peak	VERTICAL																																																																																																						
4	5723.60	52.86	-66.25	119.11	40.02	34.53	10.35	33.04	222 Peak	VERTICAL																																																																																																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5788.00	109.69	-12.41	122.30	96.66	34.60	10.40	31.97	222 Peak	VERTICAL																																																																																																						
2	5788.00	101.55	-----	-----	88.52	34.60	10.40	31.97	222 Average	VERTICAL																																																																																																						
<p><b>Peak</b></p>	 <p>Site : 032906-KS Condition : SG BAND3 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 149 Plane : 2 Full-directivity : 1 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>53.91</td> <td>-60.28</td> <td>114.09</td> <td>40.41</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>53.71</td> <td>-51.26</td> <td>105.47</td> <td>40.26</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5873.60</td> <td>52.34</td> <td>-55.98</td> <td>76.71</td> <td>39.17</td> <td>35.07</td> <td>10.54</td> <td>31.99</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5899.20</td> <td>54.78</td> <td>-13.53</td> <td>68.30</td> <td>40.94</td> <td>35.03</td> <td>10.56</td> <td>32.05</td> <td>222 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100m	dBm/100m	dBm/100m	dB	dB	cm	deg			1	5853.60	53.91	-60.28	114.09	40.41	34.87	10.46	31.93	222 Peak	VERTICAL	2	5874.40	53.71	-51.26	105.47	40.26	34.73	10.43	31.95	222 Peak	VERTICAL	3	5873.60	52.34	-55.98	76.71	39.17	35.07	10.54	31.99	222 Peak	VERTICAL	4	5899.20	54.78	-13.53	68.30	40.94	35.03	10.56	32.05	222 Peak	VERTICAL	<p><b>Left blank</b></p>																																												
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBm/100m	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																								
1	5853.60	53.91	-60.28	114.09	40.41	34.87	10.46	31.93	222 Peak	VERTICAL																																																																																																						
2	5874.40	53.71	-51.26	105.47	40.26	34.73	10.43	31.95	222 Peak	VERTICAL																																																																																																						
3	5873.60	52.34	-55.98	76.71	39.17	35.07	10.54	31.99	222 Peak	VERTICAL																																																																																																						
4	5899.20	54.78	-13.53	68.30	40.94	35.03	10.56	32.05	222 Peak	VERTICAL																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																								
ANT	802.11a CH165 5825MHz																																																																																																								
2	Horizontal	Fundamental																																																																																																							
Peak	 <p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2WTA        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <p>MEI Powersetting : 81</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.40</td> <td>52.06</td> <td>-44.77</td> <td>116.83</td> <td>38.75</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>400</td> <td>281</td> <td>Peak</td> <td>HORIZ2WT</td> </tr> <tr> <td>2</td> <td>5864.40</td> <td>52.26</td> <td>-55.45</td> <td>107.71</td> <td>39.88</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>400</td> <td>281</td> <td>Peak</td> <td>HORIZ2WT</td> </tr> <tr> <td>3</td> <td>5898.80</td> <td>52.37</td> <td>-54.48</td> <td>87.60</td> <td>37.45</td> <td>35.50</td> <td>10.49</td> <td>31.97</td> <td>400</td> <td>281</td> <td>Peak</td> <td>HORIZ2WT</td> </tr> <tr> <td>4</td> <td>5936.00</td> <td>54.08</td> <td>-14.22</td> <td>68.30</td> <td>40.44</td> <td>35.13</td> <td>10.52</td> <td>32.01</td> <td>400</td> <td>281</td> <td>Peak</td> <td>HORIZ2WT</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas	1	5852.40	52.06	-44.77	116.83	38.75	34.80	10.44	31.93	400	281	Peak	HORIZ2WT	2	5864.40	52.26	-55.45	107.71	39.88	34.87	10.46	31.95	400	281	Peak	HORIZ2WT	3	5898.80	52.37	-54.48	87.60	37.45	35.50	10.49	31.97	400	281	Peak	HORIZ2WT	4	5936.00	54.08	-14.22	68.30	40.44	35.13	10.52	32.01	400	281	Peak	HORIZ2WT	 <p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2WTA        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <p>MEI Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>99.93</td> <td>-22.37</td> <td>122.30</td> <td>86.72</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>400</td> <td>281</td> <td>Peak</td> <td>HORIZ2WT</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>93.71</td> <td>-----</td> <td>80.50</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>400</td> <td>281</td> <td>Average</td> <td>HORIZ2WT</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas	1	5824.00	99.93	-22.37	122.30	86.72	34.73	10.43	31.95	400	281	Peak	HORIZ2WT	2	5824.00	93.71	-----	80.50	34.73	10.43	31.95	400	281	Average	HORIZ2WT
MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas																																																																																													
1	5852.40	52.06	-44.77	116.83	38.75	34.80	10.44	31.93	400	281	Peak	HORIZ2WT																																																																																													
2	5864.40	52.26	-55.45	107.71	39.88	34.87	10.46	31.95	400	281	Peak	HORIZ2WT																																																																																													
3	5898.80	52.37	-54.48	87.60	37.45	35.50	10.49	31.97	400	281	Peak	HORIZ2WT																																																																																													
4	5936.00	54.08	-14.22	68.30	40.44	35.13	10.52	32.01	400	281	Peak	HORIZ2WT																																																																																													
MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas																																																																																													
1	5824.00	99.93	-22.37	122.30	86.72	34.73	10.43	31.95	400	281	Peak	HORIZ2WT																																																																																													
2	5824.00	93.71	-----	80.50	34.73	10.43	31.95	400	281	Average	HORIZ2WT																																																																																														
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																								
ANT	802.11a CH165 5825MHz																																																																																																								
2	Vertical	Fundamental																																																																																																							
Peak	 <p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <p>MEI Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>53.58</td> <td>-57.78</td> <td>111.36</td> <td>40.18</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>262</td> <td>224</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5872.00</td> <td>53.20</td> <td>-52.48</td> <td>100.49</td> <td>39.75</td> <td>34.73</td> <td>10.47</td> <td>31.95</td> <td>262</td> <td>224</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5889.20</td> <td>53.28</td> <td>-41.48</td> <td>94.76</td> <td>39.76</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>262</td> <td>224</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5927.60</td> <td>54.26</td> <td>-14.30</td> <td>68.30</td> <td>40.62</td> <td>35.13</td> <td>10.52</td> <td>32.01</td> <td>262</td> <td>224</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas	1	5854.80	53.58	-57.78	111.36	40.18	34.87	10.46	31.93	262	224	Peak	VERTICAL	2	5872.00	53.20	-52.48	100.49	39.75	34.73	10.47	31.95	262	224	Peak	VERTICAL	3	5889.20	53.28	-41.48	94.76	39.76	35.00	10.49	31.97	262	224	Peak	VERTICAL	4	5927.60	54.26	-14.30	68.30	40.62	35.13	10.52	32.01	262	224	Peak	VERTICAL	 <p>Site : 032806-KS        Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL        Economic &amp; Technical Development Zone, Jiangsu China        tel : +86-512-57900158        fax : +86-512-57900958        http : www.sporton.com.cn</p> <p>MEI Powersetting : 13</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>108.29</td> <td>-14.01</td> <td>122.30</td> <td>95.08</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>262</td> <td>224</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>102.17</td> <td>-----</td> <td>88.95</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>262</td> <td>224</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas	1	5824.00	108.29	-14.01	122.30	95.08	34.73	10.43	31.95	262	224	Peak	VERTICAL	2	5824.00	102.17	-----	88.95	34.73	10.43	31.95	262	224	Average	VERTICAL
MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas																																																																																													
1	5854.80	53.58	-57.78	111.36	40.18	34.87	10.46	31.93	262	224	Peak	VERTICAL																																																																																													
2	5872.00	53.20	-52.48	100.49	39.75	34.73	10.47	31.95	262	224	Peak	VERTICAL																																																																																													
3	5889.20	53.28	-41.48	94.76	39.76	35.00	10.49	31.97	262	224	Peak	VERTICAL																																																																																													
4	5927.60	54.26	-14.30	68.30	40.62	35.13	10.52	32.01	262	224	Peak	VERTICAL																																																																																													
MEI	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	dB	cn	deg	Remark	Pol/Phas																																																																																													
1	5824.00	108.29	-14.01	122.30	95.08	34.73	10.43	31.95	262	224	Peak	VERTICAL																																																																																													
2	5824.00	102.17	-----	88.95	34.73	10.43	31.95	262	224	Average	VERTICAL																																																																																														









**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE20 Full (Band Edge @ 3m)**

<b>WIFI</b>	<b>UNII-3 5725~5850MHz Band Edge @ 3m</b>																																																																																																																																		
<b>ANT</b>	<b>802.11ax HE20 Full CH149 5745MHz</b>																																																																																																																																		
<b>2</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																																																	
<b>Peak</b>	<p>Site: 032000-KS Condition: SG BAND4 3m 3117 SN 00218652- HORIZONTAL Project: RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode: (FR)261401-01 Plane: X Polarization: Full-directivity IMEI: 841 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>PowerSetting</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648</td> <td>00</td> <td>52.38</td> <td>-15.92</td> <td>68.30</td> <td>39.64</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>102</td> <td>279</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5689</td> <td>80</td> <td>52.76</td> <td>-16.08</td> <td>97.04</td> <td>40.20</td> <td>34.50</td> <td>12.32</td> <td>32.06</td> <td>102</td> <td>279</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5718</td> <td>80</td> <td>55.26</td> <td>-10.20</td> <td>110.56</td> <td>42.42</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>102</td> <td>279</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5722</td> <td>40</td> <td>53.46</td> <td>-10.71</td> <td>116.37</td> <td>40.81</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>102</td> <td>279</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg		1	5648	00	52.38	-15.92	68.30	39.64	34.56	10.28	32.10	102	279	Peak HORIZONTAL	2	5689	80	52.76	-16.08	97.04	40.20	34.50	12.32	32.06	102	279	Peak HORIZONTAL	3	5718	80	55.26	-10.20	110.56	42.42	34.53	10.35	32.04	102	279	Peak HORIZONTAL	4	5722	40	53.46	-10.71	116.37	40.81	34.53	10.35	32.04	102	279	Peak HORIZONTAL	<p>Site: 032000-KS Condition: SG BAND4 3m 3117 SN 00218652- HORIZONTAL Project: RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode: (FR)261401-01 Plane: X Polarization: Full-directivity IMEI: 841 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>PowerSetting</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746</td> <td>00</td> <td>102.89</td> <td>-19.41</td> <td>122.30</td> <td>89.99</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>102</td> <td>279</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5746</td> <td>00</td> <td>106.06</td> <td>-----</td> <td>82.75</td> <td>34.50</td> <td>10.36</td> <td>32.01</td> <td>102</td> <td>279</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg		1	5746	00	102.89	-19.41	122.30	89.99	34.55	10.36	32.01	102	279	Peak HORIZONTAL	2	5746	00	106.06	-----	82.75	34.50	10.36	32.01	102	279	Average HORIZONTAL
IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg																																																																																																																								
1	5648	00	52.38	-15.92	68.30	39.64	34.56	10.28	32.10	102	279	Peak HORIZONTAL																																																																																																																							
2	5689	80	52.76	-16.08	97.04	40.20	34.50	12.32	32.06	102	279	Peak HORIZONTAL																																																																																																																							
3	5718	80	55.26	-10.20	110.56	42.42	34.53	10.35	32.04	102	279	Peak HORIZONTAL																																																																																																																							
4	5722	40	53.46	-10.71	116.37	40.81	34.53	10.35	32.04	102	279	Peak HORIZONTAL																																																																																																																							
IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg																																																																																																																								
1	5746	00	102.89	-19.41	122.30	89.99	34.55	10.36	32.01	102	279	Peak HORIZONTAL																																																																																																																							
2	5746	00	106.06	-----	82.75	34.50	10.36	32.01	102	279	Average HORIZONTAL																																																																																																																								
<b>WIFI</b>	<b>UNII-3 5725~5850MHz Band Edge @ 3m</b>																																																																																																																																		
<b>ANT</b>	<b>802.11ax HE20 Full CH149 5745MHz</b>																																																																																																																																		
<b>2</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																																	
<b>Peak</b>	<p>Site: 032000-KS Condition: SG BAND4 3m 3117 SN 00218652- VERTICAL Project: RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode: (FR)261401-01 Plane: Z Polarization: Full-directivity IMEI: 841 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>PowerSetting</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608</td> <td>00</td> <td>52.61</td> <td>-15.69</td> <td>68.30</td> <td>39.84</td> <td>34.40</td> <td>10.25</td> <td>32.08</td> <td>283</td> <td>223</td> <td>Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5674</td> <td>00</td> <td>53.41</td> <td>-12.09</td> <td>86.10</td> <td>40.67</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>283</td> <td>223</td> <td>Peak VERTICAL</td> </tr> <tr> <td>3</td> <td>5717</td> <td>60</td> <td>60.69</td> <td>-10.54</td> <td>110.23</td> <td>47.85</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>283</td> <td>223</td> <td>Peak VERTICAL</td> </tr> <tr> <td>4</td> <td>5722</td> <td>40</td> <td>60.56</td> <td>-10.81</td> <td>116.37</td> <td>47.72</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>283</td> <td>223</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg		1	5608	00	52.61	-15.69	68.30	39.84	34.40	10.25	32.08	283	223	Peak VERTICAL	2	5674	00	53.41	-12.09	86.10	40.67	34.52	10.30	32.08	283	223	Peak VERTICAL	3	5717	60	60.69	-10.54	110.23	47.85	34.53	10.35	32.04	283	223	Peak VERTICAL	4	5722	40	60.56	-10.81	116.37	47.72	34.53	10.35	32.04	283	223	Peak VERTICAL	<p>Site: 032000-KS Condition: SG BAND4 3m 3117 SN 00218652- VERTICAL Project: RSM 1000.000MHz VSW:3000.000MHz SMT:Auto Mode: (FR)261401-01 Plane: Z Polarization: Full-directivity IMEI: 841 PowerSetting: 14</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>PowerSetting</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746</td> <td>00</td> <td>110.01</td> <td>-12.29</td> <td>122.30</td> <td>97.11</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>283</td> <td>223</td> <td>Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5746</td> <td>00</td> <td>102.45</td> <td>-----</td> <td>89.50</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>283</td> <td>223</td> <td>Average VERTICAL</td> </tr> </tbody> </table>	IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg		1	5746	00	110.01	-12.29	122.30	97.11	34.55	10.36	32.01	283	223	Peak VERTICAL	2	5746	00	102.45	-----	89.50	34.55	10.36	32.01	283	223	Average VERTICAL
IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg																																																																																																																								
1	5608	00	52.61	-15.69	68.30	39.84	34.40	10.25	32.08	283	223	Peak VERTICAL																																																																																																																							
2	5674	00	53.41	-12.09	86.10	40.67	34.52	10.30	32.08	283	223	Peak VERTICAL																																																																																																																							
3	5717	60	60.69	-10.54	110.23	47.85	34.53	10.35	32.04	283	223	Peak VERTICAL																																																																																																																							
4	5722	40	60.56	-10.81	116.37	47.72	34.53	10.35	32.04	283	223	Peak VERTICAL																																																																																																																							
IMEI	PowerSetting	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
MHz	dBm	dB	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	deg	deg																																																																																																																								
1	5746	00	110.01	-12.29	122.30	97.11	34.55	10.36	32.01	283	223	Peak VERTICAL																																																																																																																							
2	5746	00	102.45	-----	89.50	34.55	10.36	32.01	283	223	Average VERTICAL																																																																																																																								







WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE20 Full CH165 5825MHz																																																																																																															
2	Horizontal	Fundamental																																																																																																														
Peak	 <p>Site : 032806-K3          Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2WTA          Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity :          IRE1 : #41          Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.40</td> <td>56.06</td> <td>-46.33</td> <td>121.39</td> <td>42.75</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>400</td> <td>280 Peak</td> </tr> <tr> <td>2</td> <td>5871.60</td> <td>53.25</td> <td>-53.00</td> <td>106.25</td> <td>39.80</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>400</td> <td>280 Peak</td> </tr> <tr> <td>3</td> <td>5878.40</td> <td>53.52</td> <td>-52.25</td> <td>102.77</td> <td>40.07</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>400</td> <td>280 Peak</td> </tr> <tr> <td>4</td> <td>5994.80</td> <td>54.08</td> <td>-14.22</td> <td>68.30</td> <td>40.15</td> <td>35.40</td> <td>10.58</td> <td>32.05</td> <td>400</td> <td>280 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg		1	5850.40	56.06	-46.33	121.39	42.75	34.80	10.44	31.93	400	280 Peak	2	5871.60	53.25	-53.00	106.25	39.80	34.93	10.47	31.95	400	280 Peak	3	5878.40	53.52	-52.25	102.77	40.07	34.93	10.47	31.95	400	280 Peak	4	5994.80	54.08	-14.22	68.30	40.15	35.40	10.58	32.05	400	280 Peak	 <p>Site : 032806-K3          Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2WTA          Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity :          IRE1 : #41          Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>102.46</td> <td>-19.84</td> <td>122.30</td> <td>89.25</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>400</td> <td>280 Peak</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>93.41</td> <td>-----</td> <td>-----</td> <td>80.20</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>400</td> <td>280 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg		1	5824.00	102.46	-19.84	122.30	89.25	34.73	10.43	31.95	400	280 Peak	2	5824.00	93.41	-----	-----	80.20	34.73	10.43	31.95	400	280 Average
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg																																																																																																							
1	5850.40	56.06	-46.33	121.39	42.75	34.80	10.44	31.93	400	280 Peak																																																																																																						
2	5871.60	53.25	-53.00	106.25	39.80	34.93	10.47	31.95	400	280 Peak																																																																																																						
3	5878.40	53.52	-52.25	102.77	40.07	34.93	10.47	31.95	400	280 Peak																																																																																																						
4	5994.80	54.08	-14.22	68.30	40.15	35.40	10.58	32.05	400	280 Peak																																																																																																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg																																																																																																							
1	5824.00	102.46	-19.84	122.30	89.25	34.73	10.43	31.95	400	280 Peak																																																																																																						
2	5824.00	93.41	-----	-----	80.20	34.73	10.43	31.95	400	280 Average																																																																																																						
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE20 Full CH165 5825MHz																																																																																																															
2	Vertical	Fundamental																																																																																																														
Peak	 <p>Site : 032806-K3          Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL          Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity :          IRE1 : #41          Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.00</td> <td>59.34</td> <td>-58.40</td> <td>117.74</td> <td>46.03</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>258</td> <td>223 Peak</td> </tr> <tr> <td>2</td> <td>5857.20</td> <td>58.14</td> <td>-52.74</td> <td>110.28</td> <td>44.74</td> <td>34.81</td> <td>10.46</td> <td>31.93</td> <td>258</td> <td>223 Peak</td> </tr> <tr> <td>3</td> <td>5884.40</td> <td>53.37</td> <td>-43.47</td> <td>96.84</td> <td>39.94</td> <td>34.93</td> <td>10.47</td> <td>31.97</td> <td>258</td> <td>223 Peak</td> </tr> <tr> <td>4</td> <td>5946.80</td> <td>55.39</td> <td>-12.97</td> <td>68.30</td> <td>41.07</td> <td>35.30</td> <td>10.50</td> <td>32.01</td> <td>258</td> <td>223 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg		1	5850.00	59.34	-58.40	117.74	46.03	34.80	10.44	31.93	258	223 Peak	2	5857.20	58.14	-52.74	110.28	44.74	34.81	10.46	31.93	258	223 Peak	3	5884.40	53.37	-43.47	96.84	39.94	34.93	10.47	31.97	258	223 Peak	4	5946.80	55.39	-12.97	68.30	41.07	35.30	10.50	32.01	258	223 Peak	 <p>Site : 032806-K3          Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL          Project : RBW 1000.000kHz VBW 3000.000kHz SMT Auto          Mode : (FR)261401-01          Plane : X          Full-directivity :          IRE1 : #41          Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5830.00</td> <td>109.86</td> <td>-12.44</td> <td>122.30</td> <td>96.65</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>258</td> <td>223 Peak</td> </tr> <tr> <td>2</td> <td>5830.00</td> <td>102.10</td> <td>-----</td> <td>-----</td> <td>88.89</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>258</td> <td>223 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg		1	5830.00	109.86	-12.44	122.30	96.65	34.73	10.43	31.95	258	223 Peak	2	5830.00	102.10	-----	-----	88.89	34.73	10.43	31.95	258	223 Average
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg																																																																																																							
1	5850.00	59.34	-58.40	117.74	46.03	34.80	10.44	31.93	258	223 Peak																																																																																																						
2	5857.20	58.14	-52.74	110.28	44.74	34.81	10.46	31.93	258	223 Peak																																																																																																						
3	5884.40	53.37	-43.47	96.84	39.94	34.93	10.47	31.97	258	223 Peak																																																																																																						
4	5946.80	55.39	-12.97	68.30	41.07	35.30	10.50	32.01	258	223 Peak																																																																																																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
	MHz	dBμV/m	dB	dBμV/m	dB	dB	dB	deg	deg																																																																																																							
1	5830.00	109.86	-12.44	122.30	96.65	34.73	10.43	31.95	258	223 Peak																																																																																																						
2	5830.00	102.10	-----	-----	88.89	34.73	10.43	31.95	258	223 Average																																																																																																						



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

<b>WIFI</b>	<b>UNII-3 5725~5850MHz Band Edge @ 3m</b>																											
<b>ANT</b>	<b>802.11ax HE20 Partial 26/0 CH149 5745MHz</b>																											
<b>2</b>	<b>Horizontal</b>	<b>Fundamental</b>																										
<b>Peak</b>	<p>Site : 03CH04-KS          Condition : SG BAND4 3m 3117 SN 00218602- HORIZONTAL          EIRP : 1000.0000W NEM 3000.0000W SRT Auto          Project : FR261401-01          Mode : 157          Plane : X          Full-directivity          NEI : #41          Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>5630.00</td> <td>52.65</td> <td>-15.04</td> <td>68.30</td> </tr> <tr> <td>5685.00</td> <td>52.01</td> <td>-42.01</td> <td>94.68</td> </tr> <tr> <td>5739.00</td> <td>51.58</td> <td>-46.44</td> <td>101.99</td> </tr> <tr> <td>5793.00</td> <td>51.63</td> <td>-46.57</td> <td>118.20</td> </tr> </tbody> </table>	1	2	3	4	5630.00	52.65	-15.04	68.30	5685.00	52.01	-42.01	94.68	5739.00	51.58	-46.44	101.99	5793.00	51.63	-46.57	118.20	<p>Site : 03CH04-KS          Condition : SG BAND4 3m 3117 SN 00218602- HORIZONTAL          EIRP : 1000.0000W NEM 3000.0000W SRT Auto          Project : FR261401-01          Mode : 157          Plane : X          Full-directivity          NEI : #41          Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>5734.00</td> <td>97.73</td> </tr> <tr> <td>5734.00</td> <td>89.77</td> </tr> </tbody> </table>	1	2	5734.00	97.73	5734.00	89.77
1	2	3	4																									
5630.00	52.65	-15.04	68.30																									
5685.00	52.01	-42.01	94.68																									
5739.00	51.58	-46.44	101.99																									
5793.00	51.63	-46.57	118.20																									
1	2																											
5734.00	97.73																											
5734.00	89.77																											
<b>WIFI</b>	<b>UNII-3 5725~5850MHz Band Edge @ 3m</b>																											
<b>ANT</b>	<b>802.11ax HE20 Partial 26/0 CH149 5745MHz</b>																											
<b>2</b>	<b>Vertical</b>	<b>Fundamental</b>																										
<b>Peak</b>	<p>Site : 03CH04-KS          Condition : SG BAND4 3m 3117 SN 00218602- VERTICAL          EIRP : 1000.0000W NEM 3000.0000W SRT Auto          Project : FR261401-01          Mode : 157          Plane : X          Full-directivity          NEI : #41          Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>5632.00</td> <td>52.76</td> <td>-15.24</td> <td>68.30</td> </tr> <tr> <td>5690.00</td> <td>52.85</td> <td>-12.98</td> <td>75.73</td> </tr> <tr> <td>5716.00</td> <td>57.57</td> <td>-57.10</td> <td>109.67</td> </tr> <tr> <td>5790.00</td> <td>51.44</td> <td>-46.90</td> <td>112.04</td> </tr> </tbody> </table>	1	2	3	4	5632.00	52.76	-15.24	68.30	5690.00	52.85	-12.98	75.73	5716.00	57.57	-57.10	109.67	5790.00	51.44	-46.90	112.04	<p>Site : 03CH04-KS          Condition : SG BAND4 3m 3117 SN 00218602- VERTICAL          EIRP : 1000.0000W NEM 3000.0000W SRT Auto          Project : FR261401-01          Mode : 157          Plane : X          Full-directivity          NEI : #41          Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>5734.00</td> <td>100.50</td> </tr> <tr> <td>5734.00</td> <td>100.44</td> </tr> </tbody> </table>	1	2	5734.00	100.50	5734.00	100.44
1	2	3	4																									
5632.00	52.76	-15.24	68.30																									
5690.00	52.85	-12.98	75.73																									
5716.00	57.57	-57.10	109.67																									
5790.00	51.44	-46.90	112.04																									
1	2																											
5734.00	100.50																											
5734.00	100.44																											









UNII-3 5725~5850MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

Table with 4 main sections: 1) UNII-3 5725~5850MHz Band Edge @ 3m, ANT 802.11ax HE20 Partial 52/37 CH149 5745MHz, 2 Horizontal Fundamental; 2) UNII-3 5725~5850MHz Band Edge @ 3m, ANT 802.11ax HE20 Partial 52/37 CH149 5745MHz, 2 Vertical Fundamental. Each section contains a spectrum plot, a table of peak data, and site information.



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																															
ANT	802.11ax HE20 Partial 52/40 CH165 5825MHz																																																																																															
2	Horizontal	Fundamental																																																																																														
Peak	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZ20TAL Economic &amp; Technical Development Zone, Jiangsu China Project : (FR)261401-01 RBM:1000.000MHz; VBM:3000.000MHz; SMT:Auto Mode : 160 Plane : X Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.60</td> <td>51.79</td> <td>-66.86</td> <td>118.65</td> <td>38.48</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>381</td> <td>127 Peak</td> <td>HORIZ20T</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>52.19</td> <td>-52.39</td> <td>105.58</td> <td>38.74</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>381</td> <td>127 Peak</td> <td>HORIZ20T</td> </tr> <tr> <td>3</td> <td>5896.80</td> <td>53.64</td> <td>-56.97</td> <td>95.61</td> <td>40.12</td> <td>35.60</td> <td>10.49</td> <td>31.97</td> <td>381</td> <td>127 Peak</td> <td>HORIZ20T</td> </tr> <tr> <td>4</td> <td>5988.80</td> <td>53.99</td> <td>-14.31</td> <td>68.30</td> <td>40.15</td> <td>35.33</td> <td>10.56</td> <td>32.05</td> <td>381</td> <td>127 Peak</td> <td>HORIZ20T</td> </tr> </tbody> </table>	MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas	1	5851.60	51.79	-66.86	118.65	38.48	34.80	10.44	31.93	381	127 Peak	HORIZ20T	2	5874.00	52.19	-52.39	105.58	38.74	34.93	10.47	31.95	381	127 Peak	HORIZ20T	3	5896.80	53.64	-56.97	95.61	40.12	35.60	10.49	31.97	381	127 Peak	HORIZ20T	4	5988.80	53.99	-14.31	68.30	40.15	35.33	10.56	32.05	381	127 Peak	HORIZ20T	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZ20TAL Economic &amp; Technical Development Zone, Jiangsu China Project : (FR)261401-01 RBM:1000.000MHz; VBM:3000.000MHz; SMT:Auto Mode : 160 Plane : X Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5836.00</td> <td>98.41</td> <td>-23.49</td> <td>122.30</td> <td>85.38</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>381</td> <td>127 Peak</td> <td>HORIZ20T</td> </tr> <tr> <td>2</td> <td>5836.00</td> <td>91.14</td> <td>-----</td> <td>-----</td> <td>77.91</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>381</td> <td>127 Average</td> <td>HORIZ20T</td> </tr> </tbody> </table>	MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas	1	5836.00	98.41	-23.49	122.30	85.38	34.73	10.43	31.93	381	127 Peak	HORIZ20T	2	5836.00	91.14	-----	-----	77.91	34.73	10.43	31.93	381	127 Average	HORIZ20T
MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas																																																																																						
1	5851.60	51.79	-66.86	118.65	38.48	34.80	10.44	31.93	381	127 Peak	HORIZ20T																																																																																					
2	5874.00	52.19	-52.39	105.58	38.74	34.93	10.47	31.95	381	127 Peak	HORIZ20T																																																																																					
3	5896.80	53.64	-56.97	95.61	40.12	35.60	10.49	31.97	381	127 Peak	HORIZ20T																																																																																					
4	5988.80	53.99	-14.31	68.30	40.15	35.33	10.56	32.05	381	127 Peak	HORIZ20T																																																																																					
MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas																																																																																						
1	5836.00	98.41	-23.49	122.30	85.38	34.73	10.43	31.93	381	127 Peak	HORIZ20T																																																																																					
2	5836.00	91.14	-----	-----	77.91	34.73	10.43	31.93	381	127 Average	HORIZ20T																																																																																					
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																															
ANT	802.11ax HE20 Partial 52/40 CH165 5825MHz																																																																																															
2	Vertical	Fundamental																																																																																														
Peak	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : (FR)261401-01 RBM:1000.000MHz; VBM:3000.000MHz; SMT:Auto Mode : 160 Plane : X Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.20</td> <td>51.82</td> <td>-63.18</td> <td>115.00</td> <td>38.51</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>294</td> <td>216 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5876.00</td> <td>53.43</td> <td>-52.18</td> <td>105.59</td> <td>40.00</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>294</td> <td>216 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5876.00</td> <td>53.46</td> <td>-51.10</td> <td>104.56</td> <td>40.01</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>294</td> <td>216 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5988.00</td> <td>54.13</td> <td>-14.11</td> <td>68.30</td> <td>40.49</td> <td>35.13</td> <td>10.52</td> <td>32.01</td> <td>294</td> <td>216 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas	1	5853.20	51.82	-63.18	115.00	38.51	34.80	10.44	31.93	294	216 Peak	VERTICAL	2	5876.00	53.43	-52.18	105.59	40.00	34.87	10.46	31.95	294	216 Peak	VERTICAL	3	5876.00	53.46	-51.10	104.56	40.01	34.93	10.47	31.95	294	216 Peak	VERTICAL	4	5988.00	54.13	-14.11	68.30	40.49	35.13	10.52	32.01	294	216 Peak	VERTICAL	 <p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : (FR)261401-01 RBM:1000.000MHz; VBM:3000.000MHz; SMT:Auto Mode : 160 Plane : X Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5836.00</td> <td>108.17</td> <td>-14.13</td> <td>122.30</td> <td>84.84</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>294</td> <td>216 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5836.00</td> <td>99.20</td> <td>-----</td> <td>-----</td> <td>80.00</td> <td>34.73</td> <td>10.43</td> <td>31.93</td> <td>294</td> <td>216 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas	1	5836.00	108.17	-14.13	122.30	84.84	34.73	10.43	31.93	294	216 Peak	VERTICAL	2	5836.00	99.20	-----	-----	80.00	34.73	10.43	31.93	294	216 Average	VERTICAL
MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas																																																																																						
1	5853.20	51.82	-63.18	115.00	38.51	34.80	10.44	31.93	294	216 Peak	VERTICAL																																																																																					
2	5876.00	53.43	-52.18	105.59	40.00	34.87	10.46	31.95	294	216 Peak	VERTICAL																																																																																					
3	5876.00	53.46	-51.10	104.56	40.01	34.93	10.47	31.95	294	216 Peak	VERTICAL																																																																																					
4	5988.00	54.13	-14.11	68.30	40.49	35.13	10.52	32.01	294	216 Peak	VERTICAL																																																																																					
MEQ	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cn	deg	Remark	Pol/Phas																																																																																						
1	5836.00	108.17	-14.13	122.30	84.84	34.73	10.43	31.93	294	216 Peak	VERTICAL																																																																																					
2	5836.00	99.20	-----	-----	80.00	34.73	10.43	31.93	294	216 Average	VERTICAL																																																																																					





**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																																			
ANT	802.11ax HE20 Partial 106/53 CH149 5745MHz																																																																																																																																			
2	Horizontal	Fundamental																																																																																																																																		
<b>Peak</b>	<p>Site Condition : 03QHD-K3            Site : SG BAND4 3m 3117 SW 00218602- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu, China            Project : FR261401-01            Mode : 16T            Plane : 2            Full-directivity : 2            NEI : 461            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/m</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.20</td> <td>52.31</td> <td>-16.09</td> <td>68.30</td> <td>39.45</td> <td>34.58</td> <td>10.26</td> <td>32.08</td> <td>107</td> <td>276</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5661.00</td> <td>51.73</td> <td>-20.18</td> <td>78.91</td> <td>38.98</td> <td>34.54</td> <td>10.29</td> <td>32.08</td> <td>107</td> <td>276</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>5706.00</td> <td>51.14</td> <td>-25.24</td> <td>108.98</td> <td>38.92</td> <td>34.53</td> <td>10.33</td> <td>32.04</td> <td>107</td> <td>276</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>51.17</td> <td>-20.64</td> <td>111.81</td> <td>38.33</td> <td>34.53</td> <td>10.55</td> <td>32.04</td> <td>107</td> <td>276</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg			1	5647.20	52.31	-16.09	68.30	39.45	34.58	10.26	32.08	107	276	Peak	HORIZONT	2	5661.00	51.73	-20.18	78.91	38.98	34.54	10.29	32.08	107	276	Peak	HORIZONT	3	5706.00	51.14	-25.24	108.98	38.92	34.53	10.33	32.04	107	276	Peak	HORIZONT	4	5720.40	51.17	-20.64	111.81	38.33	34.53	10.55	32.04	107	276	Peak	HORIZONT	<p>Site Condition : 03QHD-K3            Site : SG BAND4 3m 3117 SW 00218602- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu, China            Project : FR261401-01            Mode : 16T            Plane : 2            Full-directivity : 2            NEI : 461            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/m</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.00</td> <td>98.95</td> <td>-22.95</td> <td>122.30</td> <td>86.05</td> <td>84.55</td> <td>10.36</td> <td>32.01</td> <td>107</td> <td>276</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5740.00</td> <td>92.61</td> <td>-</td> <td>-</td> <td>79.71</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>107</td> <td>276</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg			1	5740.00	98.95	-22.95	122.30	86.05	84.55	10.36	32.01	107	276	Peak	HORIZONT	2	5740.00	92.61	-	-	79.71	34.55	10.36	32.01	107	276	Average	HORIZONT
Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																								
	MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																																																																										
1	5647.20	52.31	-16.09	68.30	39.45	34.58	10.26	32.08	107	276	Peak	HORIZONT																																																																																																																								
2	5661.00	51.73	-20.18	78.91	38.98	34.54	10.29	32.08	107	276	Peak	HORIZONT																																																																																																																								
3	5706.00	51.14	-25.24	108.98	38.92	34.53	10.33	32.04	107	276	Peak	HORIZONT																																																																																																																								
4	5720.40	51.17	-20.64	111.81	38.33	34.53	10.55	32.04	107	276	Peak	HORIZONT																																																																																																																								
Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																								
	MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																																																																										
1	5740.00	98.95	-22.95	122.30	86.05	84.55	10.36	32.01	107	276	Peak	HORIZONT																																																																																																																								
2	5740.00	92.61	-	-	79.71	34.55	10.36	32.01	107	276	Average	HORIZONT																																																																																																																								
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																																			
ANT	802.11ax HE20 Partial 106/53 CH149 5745MHz																																																																																																																																			
2	Vertical	Fundamental																																																																																																																																		
<b>Peak</b>	<p>Site Condition : 03QHD-K3            Site : SG BAND4 3m 3117 SW 00218602- VERTICA            Economic &amp; Technical Development Zone, Jiangsu, China            Project : FR261401-01            Mode : 16T            Plane : 2            Full-directivity : 2            NEI : 461            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/m</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.00</td> <td>52.32</td> <td>-15.98</td> <td>68.30</td> <td>39.56</td> <td>34.58</td> <td>10.26</td> <td>32.08</td> <td>301</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5684.80</td> <td>52.28</td> <td>-11.81</td> <td>94.09</td> <td>39.52</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>301</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5712.40</td> <td>52.01</td> <td>-16.78</td> <td>108.77</td> <td>39.20</td> <td>34.53</td> <td>10.32</td> <td>32.04</td> <td>301</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5722.20</td> <td>51.35</td> <td>-26.85</td> <td>118.20</td> <td>38.51</td> <td>34.53</td> <td>10.55</td> <td>32.04</td> <td>301</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg			1	5628.00	52.32	-15.98	68.30	39.56	34.58	10.26	32.08	301	218	Peak	VERTICAL	2	5684.80	52.28	-11.81	94.09	39.52	34.50	10.32	32.06	301	218	Peak	VERTICAL	3	5712.40	52.01	-16.78	108.77	39.20	34.53	10.32	32.04	301	218	Peak	VERTICAL	4	5722.20	51.35	-26.85	118.20	38.51	34.53	10.55	32.04	301	218	Peak	VERTICAL	<p>Site Condition : 03QHD-K3            Site : SG BAND4 3m 3117 SW 00218602- VERTICA            Economic &amp; Technical Development Zone, Jiangsu, China            Project : FR261401-01            Mode : 16T            Plane : 2            Full-directivity : 2            NEI : 461            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/m</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5740.00</td> <td>106.38</td> <td>-15.92</td> <td>122.30</td> <td>93.48</td> <td>84.55</td> <td>10.36</td> <td>32.01</td> <td>301</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5740.00</td> <td>100.88</td> <td>-</td> <td>-</td> <td>87.98</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>301</td> <td>218</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg			1	5740.00	106.38	-15.92	122.30	93.48	84.55	10.36	32.01	301	218	Peak	VERTICAL	2	5740.00	100.88	-	-	87.98	34.55	10.36	32.01	301	218	Average	VERTICAL
Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																								
	MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																																																																										
1	5628.00	52.32	-15.98	68.30	39.56	34.58	10.26	32.08	301	218	Peak	VERTICAL																																																																																																																								
2	5684.80	52.28	-11.81	94.09	39.52	34.50	10.32	32.06	301	218	Peak	VERTICAL																																																																																																																								
3	5712.40	52.01	-16.78	108.77	39.20	34.53	10.32	32.04	301	218	Peak	VERTICAL																																																																																																																								
4	5722.20	51.35	-26.85	118.20	38.51	34.53	10.55	32.04	301	218	Peak	VERTICAL																																																																																																																								
Peak	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																								
	MHz	dBm/m	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																																																																										
1	5740.00	106.38	-15.92	122.30	93.48	84.55	10.36	32.01	301	218	Peak	VERTICAL																																																																																																																								
2	5740.00	100.88	-	-	87.98	34.55	10.36	32.01	301	218	Average	VERTICAL																																																																																																																								



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																											
ANT	802.11ax HE20 Partial 106/54 CH165 5825MHz																											
2	Horizontal	Fundamental																										
Peak	<p>Site : 032806-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2ONTAL            Emission : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 167            Plane : X            Full-directivity : Full-directivity            IMEI : #41            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>5854.00</td> <td>51.68</td> <td>-51.50</td> <td>113.18</td> </tr> <tr> <td>5860.80</td> <td>52.90</td> <td>-56.37</td> <td>109.27</td> </tr> <tr> <td>5900.80</td> <td>53.11</td> <td>-53.08</td> <td>86.17</td> </tr> <tr> <td>5993.60</td> <td>53.54</td> <td>-14.78</td> <td>68.30</td> </tr> </tbody> </table>	1	2	3	4	5854.00	51.68	-51.50	113.18	5860.80	52.90	-56.37	109.27	5900.80	53.11	-53.08	86.17	5993.60	53.54	-14.78	68.30	<p>Site : 032806-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZ2ONTAL            Emission : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 167            Plane : X            Full-directivity : Full-directivity            IMEI : #41            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>5830.00</td> <td>100.17</td> </tr> <tr> <td>5830.00</td> <td>92.11</td> </tr> </tbody> </table>	1	2	5830.00	100.17	5830.00	92.11
	1	2	3	4																								
5854.00	51.68	-51.50	113.18																									
5860.80	52.90	-56.37	109.27																									
5900.80	53.11	-53.08	86.17																									
5993.60	53.54	-14.78	68.30																									
1	2																											
5830.00	100.17																											
5830.00	92.11																											
WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																											
ANT	802.11ax HE20 Partial 106/54 CH165 5825MHz																											
2	Vertical	Fundamental																										
Peak	<p>Site : 032806-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Emission : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 167            Plane : X            Full-directivity : Full-directivity            IMEI : #41            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>5852.80</td> <td>52.34</td> <td>-63.58</td> <td>115.92</td> </tr> <tr> <td>5868.00</td> <td>53.89</td> <td>-53.38</td> <td>107.76</td> </tr> <tr> <td>5881.60</td> <td>52.94</td> <td>-47.46</td> <td>100.40</td> </tr> <tr> <td>5998.80</td> <td>52.94</td> <td>-16.36</td> <td>68.30</td> </tr> </tbody> </table>	1	2	3	4	5852.80	52.34	-63.58	115.92	5868.00	53.89	-53.38	107.76	5881.60	52.94	-47.46	100.40	5998.80	52.94	-16.36	68.30	<p>Site : 032806-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Emission : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Project : (FR)261401-01            Mode : 167            Plane : X            Full-directivity : Full-directivity            IMEI : #41            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>5830.00</td> <td>107.38</td> </tr> <tr> <td>5830.00</td> <td>100.25</td> </tr> </tbody> </table>	1	2	5830.00	107.38	5830.00	100.25
	1	2	3	4																								
5852.80	52.34	-63.58	115.92																									
5868.00	53.89	-53.38	107.76																									
5881.60	52.94	-47.46	100.40																									
5998.80	52.94	-16.36	68.30																									
1	2																											
5830.00	107.38																											
5830.00	100.25																											



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE40 Full CH151 5755MHz																																																																																																															
2	Horizontal	Fundamental																																																																																																														
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 154            Plane : X            IMI : full-directivity            Powersetting : #41            #15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5642.00</td> <td>53.13</td> <td>-15.17</td> <td>68.30</td> <td>40.39</td> <td>34.56</td> <td>10.28</td> <td>33.10</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5699.80</td> <td>54.57</td> <td>-10.80</td> <td>104.42</td> <td>41.86</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5716.00</td> <td>63.54</td> <td>-46.34</td> <td>109.78</td> <td>50.73</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5724.80</td> <td>64.54</td> <td>-47.36</td> <td>121.84</td> <td>51.70</td> <td>34.53</td> <td>10.30</td> <td>32.64</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5642.00	53.13	-15.17	68.30	40.39	34.56	10.28	33.10	105	280	Peak HORIZONTAL	5699.80	54.57	-10.80	104.42	41.86	34.50	10.33	33.06	105	280	Peak HORIZONTAL	5716.00	63.54	-46.34	109.78	50.73	34.52	10.33	33.04	105	280	Peak HORIZONTAL	5724.80	64.54	-47.36	121.84	51.70	34.53	10.30	32.64	105	280	Peak HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 154            Plane : X            IMI : full-directivity            Powersetting : #41            #15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5752.00</td> <td>101.08</td> <td>-21.22</td> <td>122.30</td> <td>88.15</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5752.00</td> <td>104.06</td> <td></td> <td></td> <td>81.13</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>105</td> <td>280</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5752.00	101.08	-21.22	122.30	88.15	34.57	10.37	32.01	105	280	Peak HORIZONTAL	5752.00	104.06			81.13	34.57	10.37	32.01	105	280	Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5642.00	53.13	-15.17	68.30	40.39	34.56	10.28	33.10	105	280	Peak HORIZONTAL																																																																																																						
5699.80	54.57	-10.80	104.42	41.86	34.50	10.33	33.06	105	280	Peak HORIZONTAL																																																																																																						
5716.00	63.54	-46.34	109.78	50.73	34.52	10.33	33.04	105	280	Peak HORIZONTAL																																																																																																						
5724.80	64.54	-47.36	121.84	51.70	34.53	10.30	32.64	105	280	Peak HORIZONTAL																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5752.00	101.08	-21.22	122.30	88.15	34.57	10.37	32.01	105	280	Peak HORIZONTAL																																																																																																						
5752.00	104.06			81.13	34.57	10.37	32.01	105	280	Average HORIZONTAL																																																																																																						
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 154            Plane : X            IMI : full-directivity            Powersetting : #41            #15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5854.00</td> <td>52.52</td> <td>-40.66</td> <td>113.18</td> <td>39.12</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5867.20</td> <td>53.04</td> <td>-46.44</td> <td>107.48</td> <td>39.66</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5919.40</td> <td>53.94</td> <td>-49.33</td> <td>73.17</td> <td>40.25</td> <td>35.07</td> <td>10.53</td> <td>31.99</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5922.40</td> <td>54.11</td> <td>-44.19</td> <td>68.30</td> <td>40.45</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>105</td> <td>280</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		5854.00	52.52	-40.66	113.18	39.12	34.87	10.46	31.93	105	280	Peak HORIZONTAL	5867.20	53.04	-46.44	107.48	39.66	34.87	10.46	31.95	105	280	Peak HORIZONTAL	5919.40	53.94	-49.33	73.17	40.25	35.07	10.53	31.99	105	280	Peak HORIZONTAL	5922.40	54.11	-44.19	68.30	40.45	35.13	10.52	31.99	105	280	Peak HORIZONTAL	<b>Left blank</b>																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
5854.00	52.52	-40.66	113.18	39.12	34.87	10.46	31.93	105	280	Peak HORIZONTAL																																																																																																						
5867.20	53.04	-46.44	107.48	39.66	34.87	10.46	31.95	105	280	Peak HORIZONTAL																																																																																																						
5919.40	53.94	-49.33	73.17	40.25	35.07	10.53	31.99	105	280	Peak HORIZONTAL																																																																																																						
5922.40	54.11	-44.19	68.30	40.45	35.13	10.52	31.99	105	280	Peak HORIZONTAL																																																																																																						



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Full CH151 5755MHz																																																																														
2	Vertical	Fundamental																																																																													
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200A-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL RBM: 1000.000MHz; VBM: 3000.000MHz; SMT: Auto Project : (FR)261401-01 Mode : 154 Plane : 2 Full-directivity : 2 JME1 : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5624.00</th> <th>54.29</th> <th>-14.01</th> <th>68.30</th> <th>41.53</th> <th>34.58</th> <th>10.26</th> <th>32.08</th> <th>271</th> <th>225</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5694.00</td> <td>60.99</td> <td>-41.38</td> <td>102.35</td> <td>48.23</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>271</td> <td>225 <td>Peak <td>VERTICAL</td> </td></td></tr> <tr> <td>3</td> <td>5718.40</td> <td>72.56</td> <td>-38.28</td> <td>115.42</td> <td>59.22</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>271</td> <td>225 <td>Peak <td>VERTICAL</td> </td></td></tr> <tr> <td>4</td> <td>5722.80</td> <td>76.01</td> <td>-41.27</td> <td>117.28</td> <td>63.17</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>271</td> <td>225 <td>Peak <td>VERTICAL</td> </td></td></tr> </tbody> </table>	1	5624.00	54.29	-14.01	68.30	41.53	34.58	10.26	32.08	271	225	Peak	VERTICAL	2	5694.00	60.99	-41.38	102.35	48.23	34.50	10.33	33.06	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	3	5718.40	72.56	-38.28	115.42	59.22	34.53	10.35	33.04	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	4	5722.80	76.01	-41.27	117.28	63.17	34.53	10.35	33.04	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200A-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL RBM: 1000.000MHz; VBM: 3000.000MHz; SMT: Auto Project : (FR)261401-01 Mode : 154 Plane : 2 Full-directivity : 2 JME1 : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5758.00</th> <th>108.99</th> <th>-13.31</th> <th>122.30</th> <th>96.04</th> <th>34.57</th> <th>10.37</th> <th>31.99</th> <th>271</th> <th>225</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <th>5758.00</th> <th>100.97</th> <th>-----</th> <th>88.02</th> <th>34.57</th> <th>10.37</th> <th>31.99</th> <th>271</th> <th>225</th> <th>Average</th> <th>VERTICAL</th> </tr> </tbody> </table>	1	5758.00	108.99	-13.31	122.30	96.04	34.57	10.37	31.99	271	225	Peak	VERTICAL	2	5758.00	100.97	-----	88.02	34.57	10.37	31.99	271	225	Average	VERTICAL
1	5624.00	54.29	-14.01	68.30	41.53	34.58	10.26	32.08	271	225	Peak	VERTICAL																																																																			
2	5694.00	60.99	-41.38	102.35	48.23	34.50	10.33	33.06	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																			
3	5718.40	72.56	-38.28	115.42	59.22	34.53	10.35	33.04	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																			
4	5722.80	76.01	-41.27	117.28	63.17	34.53	10.35	33.04	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																			
1	5758.00	108.99	-13.31	122.30	96.04	34.57	10.37	31.99	271	225	Peak	VERTICAL																																																																			
2	5758.00	100.97	-----	88.02	34.57	10.37	31.99	271	225	Average	VERTICAL																																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200A-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL RBM: 1000.000MHz; VBM: 3000.000MHz; SMT: Auto Project : (FR)261401-01 Mode : 154 Plane : 2 Full-directivity : 2 JME1 : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5880.00</th> <th>52.37</th> <th>-49.93</th> <th>122.30</th> <th>39.06</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>271</th> <th>225</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5884.00</td> <td>54.17</td> <td>-54.21</td> <td>108.38</td> <td>42.79</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>271</td> <td>225 <td>Peak <td>VERTICAL</td> </td></td></tr> <tr> <td>3</td> <td>5904.80</td> <td>53.25</td> <td>-58.98</td> <td>83.21</td> <td>39.44</td> <td>35.07</td> <td>10.51</td> <td>31.97</td> <td>271</td> <td>225 <td>Peak <td>VERTICAL</td> </td></td></tr> <tr> <td>4</td> <td>5955.60</td> <td>53.18</td> <td>-15.15</td> <td>68.30</td> <td>39.37</td> <td>35.07</td> <td>10.55</td> <td>32.01</td> <td>271</td> <td>225 <td>Peak <td>VERTICAL</td> </td></td></tr> </tbody> </table>	1	5880.00	52.37	-49.93	122.30	39.06	34.80	10.44	31.93	271	225	Peak	VERTICAL	2	5884.00	54.17	-54.21	108.38	42.79	34.87	10.46	31.95	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	3	5904.80	53.25	-58.98	83.21	39.44	35.07	10.51	31.97	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	4	5955.60	53.18	-15.15	68.30	39.37	35.07	10.55	32.01	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	<p><b>Left blank</b></p>																									
1	5880.00	52.37	-49.93	122.30	39.06	34.80	10.44	31.93	271	225	Peak	VERTICAL																																																																			
2	5884.00	54.17	-54.21	108.38	42.79	34.87	10.46	31.95	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																			
3	5904.80	53.25	-58.98	83.21	39.44	35.07	10.51	31.97	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																			
4	5955.60	53.18	-15.15	68.30	39.37	35.07	10.55	32.01	271	225 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																			





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																									
ANT	802.11ax HE40 Full CH159 5795MHz																																																																																																									
2	Vertical	Fundamental																																																																																																								
<p><b>Peak</b></p>	<p>Site : 03200a-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 155 Plane : 3 Full-directivity JMEI Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5609.20</td> <td>52.77</td> <td>-15.53</td> <td>68.30</td> <td>40.00</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5885.00</td> <td>53.35</td> <td>-41.33</td> <td>94.68</td> <td>40.59</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3 5718.00</td> <td>57.41</td> <td>-52.73</td> <td>115.34</td> <td>44.77</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4 5722.80</td> <td>57.17</td> <td>-60.11</td> <td>117.28</td> <td>44.33</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1 5609.20	52.77	-15.53	68.30	40.00	34.60	10.25	32.08	272	222	Peak	VERTICAL	2 5885.00	53.35	-41.33	94.68	40.59	34.50	10.33	33.06	272	222	Peak	VERTICAL	3 5718.00	57.41	-52.73	115.34	44.77	34.53	10.35	32.04	272	222	Peak	VERTICAL	4 5722.80	57.17	-60.11	117.28	44.33	34.53	10.35	32.04	272	222	Peak	VERTICAL	<p>Site : 03200a-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 155 Plane : 3 Full-directivity JMEI Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5800.00</td> <td>108.86</td> <td>-13.44</td> <td>122.30</td> <td>95.83</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5800.00</td> <td>100.97</td> <td>-----</td> <td>-----</td> <td>87.94</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>272</td> <td>222</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1 5800.00	108.86	-13.44	122.30	95.83	34.60	10.40	31.97	272	222	Peak	VERTICAL	2 5800.00	100.97	-----	-----	87.94	34.60	10.40	31.97	272	222	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																																																																			
1 5609.20	52.77	-15.53	68.30	40.00	34.60	10.25	32.08	272	222	Peak	VERTICAL																																																																																															
2 5885.00	53.35	-41.33	94.68	40.59	34.50	10.33	33.06	272	222	Peak	VERTICAL																																																																																															
3 5718.00	57.41	-52.73	115.34	44.77	34.53	10.35	32.04	272	222	Peak	VERTICAL																																																																																															
4 5722.80	57.17	-60.11	117.28	44.33	34.53	10.35	32.04	272	222	Peak	VERTICAL																																																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																																																																			
1 5800.00	108.86	-13.44	122.30	95.83	34.60	10.40	31.97	272	222	Peak	VERTICAL																																																																																															
2 5800.00	100.97	-----	-----	87.94	34.60	10.40	31.97	272	222	Average	VERTICAL																																																																																															
<p><b>Peak</b></p>	<p>Site : 03200a-KS Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 155 Plane : 3 Full-directivity JMEI Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5884.40</td> <td>61.01</td> <td>-51.29</td> <td>112.27</td> <td>47.61</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5850.80</td> <td>55.97</td> <td>-50.43</td> <td>110.40</td> <td>46.57</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3 5875.60</td> <td>55.48</td> <td>-48.37</td> <td>104.85</td> <td>42.03</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4 5927.30</td> <td>53.97</td> <td>-44.31</td> <td>98.30</td> <td>40.31</td> <td>35.13</td> <td>10.50</td> <td>31.99</td> <td>272</td> <td>222</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1 5884.40	61.01	-51.29	112.27	47.61	34.87	10.46	31.93	272	222	Peak	VERTICAL	2 5850.80	55.97	-50.43	110.40	46.57	34.87	10.46	31.93	272	222	Peak	VERTICAL	3 5875.60	55.48	-48.37	104.85	42.03	34.93	10.47	31.95	272	222	Peak	VERTICAL	4 5927.30	53.97	-44.31	98.30	40.31	35.13	10.50	31.99	272	222	Peak	VERTICAL	<p><b>Left blank</b></p>																																								
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																																																																			
1 5884.40	61.01	-51.29	112.27	47.61	34.87	10.46	31.93	272	222	Peak	VERTICAL																																																																																															
2 5850.80	55.97	-50.43	110.40	46.57	34.87	10.46	31.93	272	222	Peak	VERTICAL																																																																																															
3 5875.60	55.48	-48.37	104.85	42.03	34.93	10.47	31.95	272	222	Peak	VERTICAL																																																																																															
4 5927.30	53.97	-44.31	98.30	40.31	35.13	10.50	31.99	272	222	Peak	VERTICAL																																																																																															



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE40 Partial 242/61 CH151 5755MHz																																																																																																															
2	Horizontal	Fundamental																																																																																																														
Peak	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : (FR)261401-01            Mode : 163            Plane : X            IME1 : full-directivity            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5671.20</td> <td>52.51</td> <td>-15.79</td> <td>68.30</td> <td>39.75</td> <td>34.58</td> <td>10.24</td> <td>33.08</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5691.20</td> <td>52.56</td> <td>-16.33</td> <td>69.19</td> <td>40.13</td> <td>34.54</td> <td>10.29</td> <td>33.10</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5719.60</td> <td>51.66</td> <td>-99.13</td> <td>110.79</td> <td>38.87</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5720.40</td> <td>56.91</td> <td>-66.76</td> <td>111.81</td> <td>38.07</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		5671.20	52.51	-15.79	68.30	39.75	34.58	10.24	33.08	392	116	Peak HORIZONT	5691.20	52.56	-16.33	69.19	40.13	34.54	10.29	33.10	392	116	Peak HORIZONT	5719.60	51.66	-99.13	110.79	38.87	34.53	10.35	32.04	392	116	Peak HORIZONT	5720.40	56.91	-66.76	111.81	38.07	34.53	10.35	32.04	392	116	Peak HORIZONT	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : (FR)261401-01            Mode : 163            Plane : X            IME1 : full-directivity            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5740.00</td> <td>94.50</td> <td>-77.80</td> <td>122.30</td> <td>81.60</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5740.00</td> <td>87.97</td> <td></td> <td></td> <td>75.07</td> <td>34.50</td> <td>10.36</td> <td>32.01</td> <td>392</td> <td>116</td> <td>Average HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		5740.00	94.50	-77.80	122.30	81.60	34.55	10.36	32.01	392	116	Peak HORIZONT	5740.00	87.97			75.07	34.50	10.36	32.01	392	116	Average HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																																																							
5671.20	52.51	-15.79	68.30	39.75	34.58	10.24	33.08	392	116	Peak HORIZONT																																																																																																						
5691.20	52.56	-16.33	69.19	40.13	34.54	10.29	33.10	392	116	Peak HORIZONT																																																																																																						
5719.60	51.66	-99.13	110.79	38.87	34.53	10.35	32.04	392	116	Peak HORIZONT																																																																																																						
5720.40	56.91	-66.76	111.81	38.07	34.53	10.35	32.04	392	116	Peak HORIZONT																																																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																																																							
5740.00	94.50	-77.80	122.30	81.60	34.55	10.36	32.01	392	116	Peak HORIZONT																																																																																																						
5740.00	87.97			75.07	34.50	10.36	32.01	392	116	Average HORIZONT																																																																																																						
Peak	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : (FR)261401-01            Mode : 163            Plane : X            IME1 : full-directivity            Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5851.60</td> <td>52.03</td> <td>-66.62</td> <td>118.65</td> <td>38.72</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5868.80</td> <td>52.59</td> <td>-19.47</td> <td>122.03</td> <td>39.18</td> <td>34.87</td> <td>10.40</td> <td>31.95</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5922.00</td> <td>52.50</td> <td>-16.34</td> <td>75.51</td> <td>39.21</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> <tr> <td>5922.80</td> <td>52.80</td> <td>-15.50</td> <td>68.30</td> <td>39.14</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>392</td> <td>116</td> <td>Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		5851.60	52.03	-66.62	118.65	38.72	34.80	10.44	31.93	392	116	Peak HORIZONT	5868.80	52.59	-19.47	122.03	39.18	34.87	10.40	31.95	392	116	Peak HORIZONT	5922.00	52.50	-16.34	75.51	39.21	35.13	10.52	31.99	392	116	Peak HORIZONT	5922.80	52.80	-15.50	68.30	39.14	35.13	10.52	31.99	392	116	Peak HORIZONT	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																																																							
5851.60	52.03	-66.62	118.65	38.72	34.80	10.44	31.93	392	116	Peak HORIZONT																																																																																																						
5868.80	52.59	-19.47	122.03	39.18	34.87	10.40	31.95	392	116	Peak HORIZONT																																																																																																						
5922.00	52.50	-16.34	75.51	39.21	35.13	10.52	31.99	392	116	Peak HORIZONT																																																																																																						
5922.80	52.80	-15.50	68.30	39.14	35.13	10.52	31.99	392	116	Peak HORIZONT																																																																																																						






WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																							
ANT	802.11ax HE40 Partial 242/61 CH151 5755MHz																																																																																																																							
2	Vertical	Fundamental																																																																																																																						
<p><b>Peak</b></p>	<p>Site : 03000-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 163 Plane : X Full-directivity : Full-directivity IMEI : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.00</td> <td>52.57</td> <td>-15.73</td> <td>68.30</td> <td>39.83</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>306</td> <td>221</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5680.40</td> <td>51.85</td> <td>-46.37</td> <td>98.22</td> <td>39.09</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>306</td> <td>221</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5703.60</td> <td>52.51</td> <td>-64.38</td> <td>106.31</td> <td>39.22</td> <td>34.52</td> <td>10.33</td> <td>33.06</td> <td>306</td> <td>221</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5750.40</td> <td>52.50</td> <td>-59.31</td> <td>111.81</td> <td>39.66</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>306</td> <td>221</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5644.00	52.57	-15.73	68.30	39.83	34.56	10.28	32.10	306	221	Peak	VERTICAL	2	5680.40	51.85	-46.37	98.22	39.09	34.50	10.33	33.06	306	221	Peak	VERTICAL	3	5703.60	52.51	-64.38	106.31	39.22	34.52	10.33	33.06	306	221	Peak	VERTICAL	4	5750.40	52.50	-59.31	111.81	39.66	34.53	10.35	32.04	306	221	Peak	VERTICAL	<p>Site : 03000-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 163 Plane : X Full-directivity : Full-directivity IMEI : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.00</td> <td>104.51</td> <td>-17.79</td> <td>122.30</td> <td>91.61</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>306</td> <td>221</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5746.00</td> <td>96.91</td> <td>-----</td> <td>-----</td> <td>84.01</td> <td>34.50</td> <td>10.36</td> <td>32.01</td> <td>306</td> <td>221</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5746.00	104.51	-17.79	122.30	91.61	34.55	10.36	32.01	306	221	Peak	VERTICAL	2	5746.00	96.91	-----	-----	84.01	34.50	10.36	32.01	306	221	Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																																																	
1	5644.00	52.57	-15.73	68.30	39.83	34.56	10.28	32.10	306	221	Peak	VERTICAL																																																																																																												
2	5680.40	51.85	-46.37	98.22	39.09	34.50	10.33	33.06	306	221	Peak	VERTICAL																																																																																																												
3	5703.60	52.51	-64.38	106.31	39.22	34.52	10.33	33.06	306	221	Peak	VERTICAL																																																																																																												
4	5750.40	52.50	-59.31	111.81	39.66	34.53	10.35	32.04	306	221	Peak	VERTICAL																																																																																																												
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																																																	
1	5746.00	104.51	-17.79	122.30	91.61	34.55	10.36	32.01	306	221	Peak	VERTICAL																																																																																																												
2	5746.00	96.91	-----	-----	84.01	34.50	10.36	32.01	306	221	Average	VERTICAL																																																																																																												
<p><b>Peak</b></p>	<p>Site : 03000-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 163 Plane : X Full-directivity : Full-directivity IMEI : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5881.60</td> <td>52.03</td> <td>-66.42</td> <td>118.05</td> <td>38.72</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>392</td> <td>116</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5868.80</td> <td>52.56</td> <td>-64.42</td> <td>122.03</td> <td>39.18</td> <td>34.71</td> <td>10.46</td> <td>31.92</td> <td>392</td> <td>116</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>5923.00</td> <td>52.57</td> <td>-12.64</td> <td>78.51</td> <td>39.21</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>392</td> <td>116</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>5922.80</td> <td>52.80</td> <td>-15.56</td> <td>68.30</td> <td>39.14</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>392</td> <td>116</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5881.60	52.03	-66.42	118.05	38.72	34.80	10.44	31.93	392	116	Peak	HORIZONTAL	2	5868.80	52.56	-64.42	122.03	39.18	34.71	10.46	31.92	392	116	Peak	HORIZONTAL	3	5923.00	52.57	-12.64	78.51	39.21	35.13	10.52	31.99	392	116	Peak	HORIZONTAL	4	5922.80	52.80	-15.56	68.30	39.14	35.13	10.52	31.99	392	116	Peak	HORIZONTAL	<p><b>Left blank</b></p>																																														
Freq	Level	Limit	Line	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																																																	
1	5881.60	52.03	-66.42	118.05	38.72	34.80	10.44	31.93	392	116	Peak	HORIZONTAL																																																																																																												
2	5868.80	52.56	-64.42	122.03	39.18	34.71	10.46	31.92	392	116	Peak	HORIZONTAL																																																																																																												
3	5923.00	52.57	-12.64	78.51	39.21	35.13	10.52	31.99	392	116	Peak	HORIZONTAL																																																																																																												
4	5922.80	52.80	-15.56	68.30	39.14	35.13	10.52	31.99	392	116	Peak	HORIZONTAL																																																																																																												





WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																																																																																																																																																																																	
ANT	802.11ax HE40 Partial 242/62 CH159 5795MHz																																																																																																																																																																																																																																																																																	
2	Horizontal	Fundamental																																																																																																																																																																																																																																																																																
<p><b>Peak</b></p>	<p>Site : 032806-KS          Condition : SG BAND4 3m 3117 SW 00218652- HORIZONTA          Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto          Mode : 164          Plane : 2          Full-directivity : 2          Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> <th>11</th> <th>12</th> <th>13</th> <th>14</th> <th>15</th> <th>16</th> <th>17</th> <th>18</th> <th>19</th> <th>20</th> <th>21</th> <th>22</th> <th>23</th> <th>24</th> <th>25</th> <th>26</th> <th>27</th> <th>28</th> <th>29</th> <th>30</th> <th>31</th> <th>32</th> <th>33</th> <th>34</th> <th>35</th> <th>36</th> <th>37</th> <th>38</th> <th>39</th> <th>40</th> <th>41</th> <th>42</th> <th>43</th> <th>44</th> <th>45</th> <th>46</th> <th>47</th> <th>48</th> <th>49</th> <th>50</th> <th>51</th> <th>52</th> <th>53</th> <th>54</th> <th>55</th> <th>56</th> <th>57</th> <th>58</th> <th>59</th> <th>60</th> <th>61</th> <th>62</th> <th>63</th> <th>64</th> <th>65</th> <th>66</th> <th>67</th> <th>68</th> <th>69</th> <th>70</th> <th>71</th> <th>72</th> <th>73</th> <th>74</th> <th>75</th> <th>76</th> <th>77</th> <th>78</th> <th>79</th> <th>80</th> <th>81</th> <th>82</th> <th>83</th> <th>84</th> <th>85</th> <th>86</th> <th>87</th> <th>88</th> <th>89</th> <th>90</th> <th>91</th> <th>92</th> <th>93</th> <th>94</th> <th>95</th> <th>96</th> <th>97</th> <th>98</th> <th>99</th> <th>100</th> </tr> </thead> <tbody> <tr> <td>5647.40</td> <td>51.46</td> <td>-16.84</td> <td>68.30</td> <td>38.72</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5656.00</td> <td>52.64</td> <td>-20.12</td> <td>72.76</td> <td>39.89</td> <td>34.54</td> <td>10.29</td> <td>32.08</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5712.00</td> <td>51.88</td> <td>-20.78</td> <td>108.66</td> <td>39.07</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5720.40</td> <td>51.03</td> <td>-20.78</td> <td>111.81</td> <td>38.19</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	5647.40	51.46	-16.84	68.30	38.72	34.56	10.28	32.10	389	127	Peak	HORIZONT	5656.00	52.64	-20.12	72.76	39.89	34.54	10.29	32.08	389	127	Peak	HORIZONT	5712.00	51.88	-20.78	108.66	39.07	34.52	10.33	32.04	389	127	Peak	HORIZONT	5720.40	51.03	-20.78	111.81	38.19	34.53	10.35	32.04	389	127	Peak	HORIZONT	<p>Site : 032806-KS          Condition : SG BAND4 3m 3117 SW 00218652- HORIZONTA          Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto          Mode : 164          Plane : 2          Full-directivity : 2          Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> <th>11</th> <th>12</th> <th>13</th> <th>14</th> <th>15</th> <th>16</th> <th>17</th> <th>18</th> <th>19</th> <th>20</th> <th>21</th> <th>22</th> <th>23</th> <th>24</th> <th>25</th> <th>26</th> <th>27</th> <th>28</th> <th>29</th> <th>30</th> <th>31</th> <th>32</th> <th>33</th> <th>34</th> <th>35</th> <th>36</th> <th>37</th> <th>38</th> <th>39</th> <th>40</th> <th>41</th> <th>42</th> <th>43</th> <th>44</th> <th>45</th> <th>46</th> <th>47</th> <th>48</th> <th>49</th> <th>50</th> <th>51</th> <th>52</th> <th>53</th> <th>54</th> <th>55</th> <th>56</th> <th>57</th> <th>58</th> <th>59</th> <th>60</th> <th>61</th> <th>62</th> <th>63</th> <th>64</th> <th>65</th> <th>66</th> <th>67</th> <th>68</th> <th>69</th> <th>70</th> <th>71</th> <th>72</th> <th>73</th> <th>74</th> <th>75</th> <th>76</th> <th>77</th> <th>78</th> <th>79</th> <th>80</th> <th>81</th> <th>82</th> <th>83</th> <th>84</th> <th>85</th> <th>86</th> <th>87</th> <th>88</th> <th>89</th> <th>90</th> <th>91</th> <th>92</th> <th>93</th> <th>94</th> <th>95</th> <th>96</th> <th>97</th> <th>98</th> <th>99</th> <th>100</th> </tr> </thead> <tbody> <tr> <td>5812.00</td> <td>92.28</td> <td>-25.02</td> <td>122.30</td> <td>84.15</td> <td>34.67</td> <td>10.41</td> <td>31.95</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5812.00</td> <td>88.82</td> <td>-----</td> <td>-----</td> <td>75.69</td> <td>34.67</td> <td>10.41</td> <td>31.95</td> <td>389</td> <td>127</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	5812.00	92.28	-25.02	122.30	84.15	34.67	10.41	31.95	389	127	Peak	HORIZONT	5812.00	88.82	-----	-----	75.69	34.67	10.41	31.95	389	127	Average	HORIZONT
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																															
5647.40	51.46	-16.84	68.30	38.72	34.56	10.28	32.10	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
5656.00	52.64	-20.12	72.76	39.89	34.54	10.29	32.08	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
5712.00	51.88	-20.78	108.66	39.07	34.52	10.33	32.04	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
5720.40	51.03	-20.78	111.81	38.19	34.53	10.35	32.04	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																															
5812.00	92.28	-25.02	122.30	84.15	34.67	10.41	31.95	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
5812.00	88.82	-----	-----	75.69	34.67	10.41	31.95	389	127	Average	HORIZONT																																																																																																																																																																																																																																																																							
<p><b>Peak</b></p>	<p>Site : 032806-KS          Condition : SG BAND4 3m 3117 SW 00218652- HORIZONTA          Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto          Mode : 164          Plane : 2          Full-directivity : 2          Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> <th>11</th> <th>12</th> <th>13</th> <th>14</th> <th>15</th> <th>16</th> <th>17</th> <th>18</th> <th>19</th> <th>20</th> <th>21</th> <th>22</th> <th>23</th> <th>24</th> <th>25</th> <th>26</th> <th>27</th> <th>28</th> <th>29</th> <th>30</th> <th>31</th> <th>32</th> <th>33</th> <th>34</th> <th>35</th> <th>36</th> <th>37</th> <th>38</th> <th>39</th> <th>40</th> <th>41</th> <th>42</th> <th>43</th> <th>44</th> <th>45</th> <th>46</th> <th>47</th> <th>48</th> <th>49</th> <th>50</th> <th>51</th> <th>52</th> <th>53</th> <th>54</th> <th>55</th> <th>56</th> <th>57</th> <th>58</th> <th>59</th> <th>60</th> <th>61</th> <th>62</th> <th>63</th> <th>64</th> <th>65</th> <th>66</th> <th>67</th> <th>68</th> <th>69</th> <th>70</th> <th>71</th> <th>72</th> <th>73</th> <th>74</th> <th>75</th> <th>76</th> <th>77</th> <th>78</th> <th>79</th> <th>80</th> <th>81</th> <th>82</th> <th>83</th> <th>84</th> <th>85</th> <th>86</th> <th>87</th> <th>88</th> <th>89</th> <th>90</th> <th>91</th> <th>92</th> <th>93</th> <th>94</th> <th>95</th> <th>96</th> <th>97</th> <th>98</th> <th>99</th> <th>100</th> </tr> </thead> <tbody> <tr> <td>5812.00</td> <td>53.58</td> <td>-20.24</td> <td>115.92</td> <td>40.27</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5814.00</td> <td>51.10</td> <td>-20.82</td> <td>105.58</td> <td>38.21</td> <td>34.73</td> <td>10.43</td> <td>31.95</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5820.40</td> <td>52.10</td> <td>-18.89</td> <td>71.69</td> <td>39.11</td> <td>35.07</td> <td>10.81</td> <td>31.99</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5851.00</td> <td>53.18</td> <td>-18.12</td> <td>68.30</td> <td>39.46</td> <td>35.00</td> <td>10.53</td> <td>32.01</td> <td>389</td> <td>127</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	5812.00	53.58	-20.24	115.92	40.27	34.80	10.44	31.93	389	127	Peak	HORIZONT	5814.00	51.10	-20.82	105.58	38.21	34.73	10.43	31.95	389	127	Peak	HORIZONT	5820.40	52.10	-18.89	71.69	39.11	35.07	10.81	31.99	389	127	Peak	HORIZONT	5851.00	53.18	-18.12	68.30	39.46	35.00	10.53	32.01	389	127	Peak	HORIZONT	<p><b>Left blank</b></p>																																																																																																																												
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																															
5812.00	53.58	-20.24	115.92	40.27	34.80	10.44	31.93	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
5814.00	51.10	-20.82	105.58	38.21	34.73	10.43	31.95	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
5820.40	52.10	-18.89	71.69	39.11	35.07	10.81	31.99	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							
5851.00	53.18	-18.12	68.30	39.46	35.00	10.53	32.01	389	127	Peak	HORIZONT																																																																																																																																																																																																																																																																							



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																															
ANT	802.11ax HE40 Partial 242/62 CH159 5795MHz																																																																																																																															
2	Vertical	Fundamental																																																																																																																														
<p><b>Peak</b></p>	 <p>Site : 03290a-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 164 Plane : 2 Full-directivity JMEI Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.80</td> <td>52.22</td> <td>-16.08</td> <td>68.30</td> <td>39.45</td> <td>34.60</td> <td>10.25</td> <td>32.08</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5885.00</td> <td>51.69</td> <td>-42.99</td> <td>94.68</td> <td>38.93</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5727.20</td> <td>51.90</td> <td>-50.45</td> <td>101.22</td> <td>37.09</td> <td>34.52</td> <td>10.33</td> <td>33.04</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5722.40</td> <td>50.73</td> <td>-50.64</td> <td>116.37</td> <td>37.89</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg	1	5610.80	52.22	-16.08	68.30	39.45	34.60	10.25	32.08	270	218	Peak	VERTICAL	2	5885.00	51.69	-42.99	94.68	38.93	34.50	10.33	33.06	270	218	Peak	VERTICAL	3	5727.20	51.90	-50.45	101.22	37.09	34.52	10.33	33.04	270	218	Peak	VERTICAL	4	5722.40	50.73	-50.64	116.37	37.89	34.53	10.35	33.04	270	218	Peak	VERTICAL	 <p>Site : 03290a-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 164 Plane : 2 Full-directivity JMEI Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5800.00</td> <td>103.54</td> <td>-18.76</td> <td>122.30</td> <td>90.51</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5800.00</td> <td>96.45</td> <td>-----</td> <td>-----</td> <td>83.42</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>270</td> <td>218</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg	1	5800.00	103.54	-18.76	122.30	90.51	34.60	10.40	31.97	270	218	Peak	VERTICAL	2	5800.00	96.45	-----	-----	83.42	34.60	10.40	31.97	270	218	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Level Factor	Loss Factor																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																																									
1	5610.80	52.22	-16.08	68.30	39.45	34.60	10.25	32.08	270	218	Peak	VERTICAL																																																																																																																				
2	5885.00	51.69	-42.99	94.68	38.93	34.50	10.33	33.06	270	218	Peak	VERTICAL																																																																																																																				
3	5727.20	51.90	-50.45	101.22	37.09	34.52	10.33	33.04	270	218	Peak	VERTICAL																																																																																																																				
4	5722.40	50.73	-50.64	116.37	37.89	34.53	10.35	33.04	270	218	Peak	VERTICAL																																																																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Level Factor	Loss Factor																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																																									
1	5800.00	103.54	-18.76	122.30	90.51	34.60	10.40	31.97	270	218	Peak	VERTICAL																																																																																																																				
2	5800.00	96.45	-----	-----	83.42	34.60	10.40	31.97	270	218	Average	VERTICAL																																																																																																																				
<p><b>Peak</b></p>	 <p>Site : 03290a-KS Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 164 Plane : 2 Full-directivity JMEI Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.00</td> <td>51.22</td> <td>-61.80</td> <td>113.18</td> <td>37.92</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5885.80</td> <td>52.05</td> <td>-57.78</td> <td>109.83</td> <td>38.67</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5876.80</td> <td>52.80</td> <td>-61.16</td> <td>103.96</td> <td>39.35</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5790.40</td> <td>53.50</td> <td>-16.86</td> <td>68.30</td> <td>39.71</td> <td>35.37</td> <td>10.55</td> <td>32.03</td> <td>270</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg	1	5884.00	51.22	-61.80	113.18	37.92	34.87	10.46	31.93	270	218	Peak	VERTICAL	2	5885.80	52.05	-57.78	109.83	38.67	34.87	10.46	31.95	270	218	Peak	VERTICAL	3	5876.80	52.80	-61.16	103.96	39.35	34.93	10.47	31.95	270	218	Peak	VERTICAL	4	5790.40	53.50	-16.86	68.30	39.71	35.37	10.55	32.03	270	218	Peak	VERTICAL	<p><b>Left blank</b></p>																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Freq	Level	Limit	Level Factor	Loss Factor																																																																																																																												
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																																																																									
1	5884.00	51.22	-61.80	113.18	37.92	34.87	10.46	31.93	270	218	Peak	VERTICAL																																																																																																																				
2	5885.80	52.05	-57.78	109.83	38.67	34.87	10.46	31.95	270	218	Peak	VERTICAL																																																																																																																				
3	5876.80	52.80	-61.16	103.96	39.35	34.93	10.47	31.95	270	218	Peak	VERTICAL																																																																																																																				
4	5790.40	53.50	-16.86	68.30	39.71	35.37	10.55	32.03	270	218	Peak	VERTICAL																																																																																																																				



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE80 Full (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																																									
ANT	802.11ax HE80 Full CH155 5775MHz																																																																																																																									
2	Horizontal	Fundamental																																																																																																																								
<b>Peak</b>	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 156            Plane : X            IMI : full-directivity            Powersetting : #41            #15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.40</td> <td>53.25</td> <td>-15.05</td> <td>68.30</td> <td>40.51</td> <td>34.56</td> <td>10.28</td> <td>33.10</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5697.00</td> <td>59.53</td> <td>-14.00</td> <td>103.53</td> <td>46.77</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>5719.20</td> <td>64.13</td> <td>-10.50</td> <td>110.68</td> <td>51.29</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>4</td> <td>5723.60</td> <td>66.47</td> <td>-10.16</td> <td>110.11</td> <td>53.63</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5644.40	53.25	-15.05	68.30	40.51	34.56	10.28	33.10	396	306 Peak	HORIZONT	2	5697.00	59.53	-14.00	103.53	46.77	34.50	10.33	33.06	396	306 Peak	HORIZONT	3	5719.20	64.13	-10.50	110.68	51.29	34.53	10.35	32.04	396	306 Peak	HORIZONT	4	5723.60	66.47	-10.16	110.11	53.63	34.53	10.35	32.04	396	306 Peak	HORIZONT	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 156            Plane : X            IMI : full-directivity            Powersetting : #41            #15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5770.00</td> <td>99.40</td> <td>-27.70</td> <td>127.30</td> <td>86.62</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5770.00</td> <td>100.80</td> <td>-</td> <td>-</td> <td>77.91</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>396</td> <td>306 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5770.00	99.40	-27.70	127.30	86.62	34.58	10.39	31.99	396	306 Peak	HORIZONT	2	5770.00	100.80	-	-	77.91	34.58	10.39	31.99	396	306 Average	HORIZONT
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																	
1	5644.40	53.25	-15.05	68.30	40.51	34.56	10.28	33.10	396	306 Peak	HORIZONT																																																																																																															
2	5697.00	59.53	-14.00	103.53	46.77	34.50	10.33	33.06	396	306 Peak	HORIZONT																																																																																																															
3	5719.20	64.13	-10.50	110.68	51.29	34.53	10.35	32.04	396	306 Peak	HORIZONT																																																																																																															
4	5723.60	66.47	-10.16	110.11	53.63	34.53	10.35	32.04	396	306 Peak	HORIZONT																																																																																																															
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																	
1	5770.00	99.40	-27.70	127.30	86.62	34.58	10.39	31.99	396	306 Peak	HORIZONT																																																																																																															
2	5770.00	100.80	-	-	77.91	34.58	10.39	31.99	396	306 Average	HORIZONT																																																																																																															
<b>Peak</b>	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 156            Plane : X            IMI : full-directivity            Powersetting : #41            #15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.40</td> <td>59.99</td> <td>-41.40</td> <td>121.39</td> <td>46.68</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5889.20</td> <td>61.10</td> <td>-46.62</td> <td>109.72</td> <td>47.72</td> <td>34.87</td> <td>10.40</td> <td>31.95</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>3</td> <td>5884.00</td> <td>54.22</td> <td>-44.48</td> <td>99.62</td> <td>40.79</td> <td>34.53</td> <td>10.35</td> <td>33.97</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>4</td> <td>5929.20</td> <td>53.15</td> <td>-15.15</td> <td>68.30</td> <td>39.43</td> <td>35.20</td> <td>10.53</td> <td>32.01</td> <td>396</td> <td>306 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5850.40	59.99	-41.40	121.39	46.68	34.80	10.44	31.93	396	306 Peak	HORIZONT	2	5889.20	61.10	-46.62	109.72	47.72	34.87	10.40	31.95	396	306 Peak	HORIZONT	3	5884.00	54.22	-44.48	99.62	40.79	34.53	10.35	33.97	396	306 Peak	HORIZONT	4	5929.20	53.15	-15.15	68.30	39.43	35.20	10.53	32.01	396	306 Peak	HORIZONT	<b>Left blank</b>																																																
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																	
1	5850.40	59.99	-41.40	121.39	46.68	34.80	10.44	31.93	396	306 Peak	HORIZONT																																																																																																															
2	5889.20	61.10	-46.62	109.72	47.72	34.87	10.40	31.95	396	306 Peak	HORIZONT																																																																																																															
3	5884.00	54.22	-44.48	99.62	40.79	34.53	10.35	33.97	396	306 Peak	HORIZONT																																																																																																															
4	5929.20	53.15	-15.15	68.30	39.43	35.20	10.53	32.01	396	306 Peak	HORIZONT																																																																																																															



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE80 Full CH155 5775MHz																																																																															
2	Vertical	Fundamental																																																																														
<p><b>Peak</b></p>	<p>Site : 03290a-K3 Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 156 Plane : 2 Full-directivity : 2 JME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5647.20</th> <th>56.28</th> <th>-12.02</th> <th>68.30</th> <th>43.64</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>308</th> <th>224</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5696.40</td> <td>68.79</td> <td>-32.86</td> <td>102.65</td> <td>56.03</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>308</td> <td>224 <td>Peak <td>VERTICAL</td> </td></td></tr> <tr> <td>3</td> <td>5717.60</td> <td>73.15</td> <td>-37.08</td> <td>110.23</td> <td>60.31</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>308</td> <td>224 <td>Peak <td>VERTICAL</td> </td></td></tr> <tr> <td>4</td> <td>5721.60</td> <td>77.05</td> <td>-37.50</td> <td>114.55</td> <td>64.21</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>308</td> <td>224 <td>Peak <td>VERTICAL</td> </td></td></tr> </tbody> </table>	1	5647.20	56.28	-12.02	68.30	43.64	34.56	10.28	32.10	308	224	Peak	VERTICAL	2	5696.40	68.79	-32.86	102.65	56.03	34.50	10.33	33.06	308	224 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	3	5717.60	73.15	-37.08	110.23	60.31	34.53	10.35	32.04	308	224 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	4	5721.60	77.05	-37.50	114.55	64.21	34.53	10.35	32.04	308	224 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL	<p>Site : 03290a-K3 Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 156 Plane : 2 Full-directivity : 2 JME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5776.00</th> <th>105.26</th> <td>-17.04</td> <td>122.30</td> <td>92.28</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>308</td> <td>224 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <th>2</th> <td>5776.00</td> <td>97.65</td> <td>-</td> <td>-</td> <td>84.67</td> <td>34.58</td> <td>10.39</td> <td>31.99</td> <td>308</td> <td>224 <td>Average</td> <td>VERTICAL</td> </td></tr> </thead> </table>	1	5776.00	105.26	-17.04	122.30	92.28	34.58	10.39	31.99	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	2	5776.00	97.65	-	-	84.67	34.58	10.39	31.99	308	224 <td>Average</td> <td>VERTICAL</td>	Average	VERTICAL
1	5647.20	56.28	-12.02	68.30	43.64	34.56	10.28	32.10	308	224	Peak	VERTICAL																																																																				
2	5696.40	68.79	-32.86	102.65	56.03	34.50	10.33	33.06	308	224 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																				
3	5717.60	73.15	-37.08	110.23	60.31	34.53	10.35	32.04	308	224 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																				
4	5721.60	77.05	-37.50	114.55	64.21	34.53	10.35	32.04	308	224 <td>Peak <td>VERTICAL</td> </td>	Peak <td>VERTICAL</td>	VERTICAL																																																																				
1	5776.00	105.26	-17.04	122.30	92.28	34.58	10.39	31.99	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
2	5776.00	97.65	-	-	84.67	34.58	10.39	31.99	308	224 <td>Average</td> <td>VERTICAL</td>	Average	VERTICAL																																																																				
<p><b>Peak</b></p>	<p>Site : 03290a-K3 Condition : SG BAND4 3m 3117 SW 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 156 Plane : 2 Full-directivity : 2 JME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5880.80</th> <th>69.17</th> <td>-51.31</td> <td>120.48</td> <td>55.86</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>308</td> <td>224 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <th>2</th> <td>5896.00</td> <td>68.78</td> <td>-61.84</td> <td>110.62</td> <td>55.28</td> <td>34.71</td> <td>10.46</td> <td>31.92</td> <td>308</td> <td>224 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <th>3</th> <td>5877.20</td> <td>60.30</td> <td>-64.47</td> <td>103.67</td> <td>46.75</td> <td>34.63</td> <td>10.43</td> <td>31.95</td> <td>308</td> <td>224 <td>Peak</td> <td>VERTICAL</td> </td></tr> <tr> <th>4</th> <td>5928.20</td> <td>54.30</td> <td>-44.41</td> <td>65.30</td> <td>40.60</td> <td>35.13</td> <td>10.50</td> <td>31.99</td> <td>308</td> <td>224 <td>Peak</td> <td>VERTICAL</td> </td></tr> </thead> </table>	1	5880.80	69.17	-51.31	120.48	55.86	34.80	10.44	31.93	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	2	5896.00	68.78	-61.84	110.62	55.28	34.71	10.46	31.92	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	3	5877.20	60.30	-64.47	103.67	46.75	34.63	10.43	31.95	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	4	5928.20	54.30	-44.41	65.30	40.60	35.13	10.50	31.99	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL	<p><b>Left blank</b></p>																										
1	5880.80	69.17	-51.31	120.48	55.86	34.80	10.44	31.93	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
2	5896.00	68.78	-61.84	110.62	55.28	34.71	10.46	31.92	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
3	5877.20	60.30	-64.47	103.67	46.75	34.63	10.43	31.95	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				
4	5928.20	54.30	-44.41	65.30	40.60	35.13	10.50	31.99	308	224 <td>Peak</td> <td>VERTICAL</td>	Peak	VERTICAL																																																																				



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)**

WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																									
ANT	802.11ax HE80 Partial 484/65 CH155 5775MHz																																																																																																									
2	Horizontal	Fundamental																																																																																																								
Peak	<p>Site : 03200-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 16Q            Plane : X            IPEI : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>5615.60</td> <td>51.76</td> <td>-16.54</td> <td>68.30</td> <td>39.00</td> <td>34.58</td> <td>10.24</td> <td>33.08</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5681.60</td> <td>52.48</td> <td>-19.28</td> <td>91.72</td> <td>39.72</td> <td>34.52</td> <td>10.30</td> <td>33.06</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5719.50</td> <td>54.34</td> <td>-16.42</td> <td>110.76</td> <td>41.50</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5720.40</td> <td>54.34</td> <td>-17.42</td> <td>111.81</td> <td>41.50</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg	5615.60	51.76	-16.54	68.30	39.00	34.58	10.24	33.08	116	278	Peak	HORIZONT	5681.60	52.48	-19.28	91.72	39.72	34.52	10.30	33.06	116	278	Peak	HORIZONT	5719.50	54.34	-16.42	110.76	41.50	34.53	10.35	32.04	116	278	Peak	HORIZONT	5720.40	54.34	-17.42	111.81	41.50	34.53	10.35	32.04	116	278	Peak	HORIZONT	<p>Site : 03200-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 16Q            Plane : X            IPEI : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>5758.00</td> <td>92.81</td> <td>-19.47</td> <td>122.30</td> <td>79.88</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5768.00</td> <td>84.54</td> <td></td> <td></td> <td>71.09</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>116</td> <td>278</td> <td>Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg	5758.00	92.81	-19.47	122.30	79.88	34.57	10.37	31.99	116	278	Peak	HORIZONT	5768.00	84.54			71.09	34.57	10.37	31.99	116	278	Average	HORIZONT
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg																																																																																																			
5615.60	51.76	-16.54	68.30	39.00	34.58	10.24	33.08	116	278	Peak	HORIZONT																																																																																															
5681.60	52.48	-19.28	91.72	39.72	34.52	10.30	33.06	116	278	Peak	HORIZONT																																																																																															
5719.50	54.34	-16.42	110.76	41.50	34.53	10.35	32.04	116	278	Peak	HORIZONT																																																																																															
5720.40	54.34	-17.42	111.81	41.50	34.53	10.35	32.04	116	278	Peak	HORIZONT																																																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg																																																																																																			
5758.00	92.81	-19.47	122.30	79.88	34.57	10.37	31.99	116	278	Peak	HORIZONT																																																																																															
5768.00	84.54			71.09	34.57	10.37	31.99	116	278	Average	HORIZONT																																																																																															
Peak	<p>Site : 03200-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 16Q            Plane : X            IPEI : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on deg</th> </tr> </thead> <tbody> <tr> <td>5850.80</td> <td>50.95</td> <td>-19.53</td> <td>120.48</td> <td>37.64</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5862.80</td> <td>53.10</td> <td>-16.55</td> <td>108.71</td> <td>39.78</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5899.60</td> <td>52.52</td> <td>-14.14</td> <td>87.66</td> <td>39.40</td> <td>35.00</td> <td>10.49</td> <td>33.97</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> <tr> <td>5982.00</td> <td>53.08</td> <td>-15.22</td> <td>68.30</td> <td>39.72</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>116</td> <td>278</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg	5850.80	50.95	-19.53	120.48	37.64	34.80	10.44	31.93	116	278	Peak	HORIZONT	5862.80	53.10	-16.55	108.71	39.78	34.87	10.46	31.95	116	278	Peak	HORIZONT	5899.60	52.52	-14.14	87.66	39.40	35.00	10.49	33.97	116	278	Peak	HORIZONT	5982.00	53.08	-15.22	68.30	39.72	35.33	10.56	32.03	116	278	Peak	HORIZONT	Left blank																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on deg																																																																																																			
5850.80	50.95	-19.53	120.48	37.64	34.80	10.44	31.93	116	278	Peak	HORIZONT																																																																																															
5862.80	53.10	-16.55	108.71	39.78	34.87	10.46	31.95	116	278	Peak	HORIZONT																																																																																															
5899.60	52.52	-14.14	87.66	39.40	35.00	10.49	33.97	116	278	Peak	HORIZONT																																																																																															
5982.00	53.08	-15.22	68.30	39.72	35.33	10.56	32.03	116	278	Peak	HORIZONT																																																																																															



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																														
ANT	802.11ax HE80 Partial 484/65 CH155 5775MHz																																																																																																														
2	Vertical	Fundamental																																																																																																													
Peak	<p>Site : 03290a-K3 Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 165 Plane : 2 Full-directivity : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.40</td> <td>51.66</td> <td>-16.44</td> <td>68.30</td> <td>38.88</td> <td>34.60</td> <td>10.25</td> <td>32.07</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5653.20</td> <td>53.52</td> <td>-17.18</td> <td>70.68</td> <td>40.79</td> <td>34.54</td> <td>10.29</td> <td>32.10</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5718.80</td> <td>58.50</td> <td>-20.25</td> <td>110.56</td> <td>42.21</td> <td>34.52</td> <td>10.35</td> <td>32.04</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5724.00</td> <td>58.65</td> <td>-21.37</td> <td>120.02</td> <td>45.81</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			1	5602.40	51.66	-16.44	68.30	38.88	34.60	10.25	32.07	305	219	Peak	VERTICAL	2	5653.20	53.52	-17.18	70.68	40.79	34.54	10.29	32.10	305	219	Peak	VERTICAL	3	5718.80	58.50	-20.25	110.56	42.21	34.52	10.35	32.04	305	219	Peak	VERTICAL	4	5724.00	58.65	-21.37	120.02	45.81	34.53	10.35	32.04	305	219	Peak	VERTICAL	<p>Site : 03290a-K3 Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 165 Plane : 2 Full-directivity : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5746.00</td> <td>100.69</td> <td>-21.61</td> <td>122.30</td> <td>87.79</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5746.00</td> <td>93.51</td> <td>-----</td> <td>80.61</td> <td>34.55</td> <td>10.36</td> <td>32.01</td> <td>305</td> <td>219</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			1	5746.00	100.69	-21.61	122.30	87.79	34.55	10.36	32.01	305	219	Peak	VERTICAL	2	5746.00	93.51	-----	80.61	34.55	10.36	32.01	305	219	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Level	Line	Level Factor	Loss Factor	cm	deg																																																																																																										
1	5602.40	51.66	-16.44	68.30	38.88	34.60	10.25	32.07	305	219	Peak	VERTICAL																																																																																																			
2	5653.20	53.52	-17.18	70.68	40.79	34.54	10.29	32.10	305	219	Peak	VERTICAL																																																																																																			
3	5718.80	58.50	-20.25	110.56	42.21	34.52	10.35	32.04	305	219	Peak	VERTICAL																																																																																																			
4	5724.00	58.65	-21.37	120.02	45.81	34.53	10.35	32.04	305	219	Peak	VERTICAL																																																																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Level	Line	Level Factor	Loss Factor	cm	deg																																																																																																										
1	5746.00	100.69	-21.61	122.30	87.79	34.55	10.36	32.01	305	219	Peak	VERTICAL																																																																																																			
2	5746.00	93.51	-----	80.61	34.55	10.36	32.01	305	219	Average	VERTICAL																																																																																																				
Peak	<p>Site : 03290a-K3 Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 165 Plane : 2 Full-directivity : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5884.80</td> <td>52.78</td> <td>-28.58</td> <td>111.36</td> <td>39.38</td> <td>34.87</td> <td>10.46</td> <td>31.93</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5897.20</td> <td>53.19</td> <td>-28.29</td> <td>102.48</td> <td>39.81</td> <td>34.87</td> <td>10.46</td> <td>31.92</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>5914.00</td> <td>53.52</td> <td>-28.78</td> <td>76.41</td> <td>39.03</td> <td>35.03</td> <td>10.51</td> <td>31.99</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>5919.00</td> <td>53.00</td> <td>-15.38</td> <td>68.30</td> <td>39.14</td> <td>35.03</td> <td>10.54</td> <td>32.03</td> <td>305</td> <td>219</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor	cm	deg			1	5884.80	52.78	-28.58	111.36	39.38	34.87	10.46	31.93	305	219	Peak	VERTICAL	2	5897.20	53.19	-28.29	102.48	39.81	34.87	10.46	31.92	305	219	Peak	VERTICAL	3	5914.00	53.52	-28.78	76.41	39.03	35.03	10.51	31.99	305	219	Peak	VERTICAL	4	5919.00	53.00	-15.38	68.30	39.14	35.03	10.54	32.03	305	219	Peak	VERTICAL	Left blank																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
Level	Line	Level Factor	Loss Factor	cm	deg																																																																																																										
1	5884.80	52.78	-28.58	111.36	39.38	34.87	10.46	31.93	305	219	Peak	VERTICAL																																																																																																			
2	5897.20	53.19	-28.29	102.48	39.81	34.87	10.46	31.92	305	219	Peak	VERTICAL																																																																																																			
3	5914.00	53.52	-28.78	76.41	39.03	35.03	10.51	31.99	305	219	Peak	VERTICAL																																																																																																			
4	5919.00	53.00	-15.38	68.30	39.14	35.03	10.54	32.03	305	219	Peak	VERTICAL																																																																																																			



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																															
ANT	802.11ax HE80 Partial 484/66 CH155 5775MHz																																																																															
2	Horizontal	Fundamental																																																																														
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Model : 166 Plane : 2 Full-directivity Power setting : 941</p> <table border="1"> <thead> <tr> <th>1</th> <th>5624.00</th> <th>51.60</th> <th>-16.70</th> <th>68.30</th> <th>38.84</th> <th>34.58</th> <th>10.26</th> <th>32.08</th> <th>107</th> <th>161</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5688.40</td> <td>51.90</td> <td>-52.27</td> <td>104.12</td> <td>39.14</td> <td>34.50</td> <td>10.33</td> <td>33.06</td> <td>107 <td>161 <td>Peak <th>HORIZONT</th> </td></td></td></tr> <tr> <td>3</td> <td>5703.60</td> <td>51.44</td> <td>-54.11</td> <td>100.79</td> <td>38.80</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>107 <td>161 <td>Peak <th>HORIZONT</th> </td></td></td></tr> <tr> <td>4</td> <td>5770.40</td> <td>52.92</td> <td>-58.89</td> <td>111.81</td> <td>40.08</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>107 <td>161 <td>Peak <th>HORIZONT</th> </td></td></td></tr> </tbody> </table>	1	5624.00	51.60	-16.70	68.30	38.84	34.58	10.26	32.08	107	161	Peak	HORIZONT	2	5688.40	51.90	-52.27	104.12	39.14	34.50	10.33	33.06	107 <td>161 <td>Peak <th>HORIZONT</th> </td></td>	161 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	3	5703.60	51.44	-54.11	100.79	38.80	34.52	10.33	32.06	107 <td>161 <td>Peak <th>HORIZONT</th> </td></td>	161 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	4	5770.40	52.92	-58.89	111.81	40.08	34.53	10.35	32.04	107 <td>161 <td>Peak <th>HORIZONT</th> </td></td>	161 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Model : 166 Plane : 2 Full-directivity Power setting : 941</p> <table border="1"> <thead> <tr> <th>1</th> <th>5776.00</th> <th>91.13</th> <th>-31.17</th> <th>122.30</th> <th>78.15</th> <th>34.58</th> <th>10.39</th> <th>31.99</th> <th>107</th> <th>161</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <td>2</td> <td>5776.00 <th>83.66</th> <th>-----</th> <th>-----</th> <th>70.70</th> <th>34.58</th> <th>10.39</th> <th>31.99</th> <th>107</th> <th>161</th> <th>Average</th> <th>HORIZONT</th> </td></tr> </thead> </table>	1	5776.00	91.13	-31.17	122.30	78.15	34.58	10.39	31.99	107	161	Peak	HORIZONT	2	5776.00 <th>83.66</th> <th>-----</th> <th>-----</th> <th>70.70</th> <th>34.58</th> <th>10.39</th> <th>31.99</th> <th>107</th> <th>161</th> <th>Average</th> <th>HORIZONT</th>	83.66	-----	-----	70.70	34.58	10.39	31.99	107	161	Average	HORIZONT
1	5624.00	51.60	-16.70	68.30	38.84	34.58	10.26	32.08	107	161	Peak	HORIZONT																																																																				
2	5688.40	51.90	-52.27	104.12	39.14	34.50	10.33	33.06	107 <td>161 <td>Peak <th>HORIZONT</th> </td></td>	161 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
3	5703.60	51.44	-54.11	100.79	38.80	34.52	10.33	32.06	107 <td>161 <td>Peak <th>HORIZONT</th> </td></td>	161 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
4	5770.40	52.92	-58.89	111.81	40.08	34.53	10.35	32.04	107 <td>161 <td>Peak <th>HORIZONT</th> </td></td>	161 <td>Peak <th>HORIZONT</th> </td>	Peak <th>HORIZONT</th>	HORIZONT																																																																				
1	5776.00	91.13	-31.17	122.30	78.15	34.58	10.39	31.99	107	161	Peak	HORIZONT																																																																				
2	5776.00 <th>83.66</th> <th>-----</th> <th>-----</th> <th>70.70</th> <th>34.58</th> <th>10.39</th> <th>31.99</th> <th>107</th> <th>161</th> <th>Average</th> <th>HORIZONT</th>	83.66	-----	-----	70.70	34.58	10.39	31.99	107	161	Average	HORIZONT																																																																				
<p><b>Peak</b></p>	<p>Site : 032806-KS Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTA Economic &amp; Technical Development Zone, Jiangsu China Project : FR261401-01 Model : 166 Plane : 2 Full-directivity Power setting : 941</p> <table border="1"> <thead> <tr> <th>1</th> <th>5881.60</th> <th>52.68</th> <th>-45.97</th> <th>118.05</th> <th>39.37</th> <th>34.80</th> <th>10.44</th> <th>31.93</th> <th>107</th> <th>161</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <td>2</td> <th>5897.20</th> <th>52.72</th> <th>-51.58</th> <th>110.28</th> <th>39.32</th> <th>34.87</th> <th>10.48</th> <th>31.92</th> <th>107</th> <th>161</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <td>3</td> <th>5896.40</th> <th>53.68</th> <th>-58.79</th> <th>89.43</th> <th>39.16</th> <th>35.00</th> <th>10.48</th> <th>31.97</th> <th>107</th> <th>161</th> <th>Peak</th> <th>HORIZONT</th> </tr> <tr> <td>4</td> <th>5926.60</th> <th>53.40</th> <th>-14.76</th> <th>68.30</th> <th>39.74</th> <th>35.03</th> <th>10.52</th> <th>31.99</th> <th>107</th> <th>161</th> <th>Peak</th> <th>HORIZONT</th> </tr> </thead> </table>	1	5881.60	52.68	-45.97	118.05	39.37	34.80	10.44	31.93	107	161	Peak	HORIZONT	2	5897.20	52.72	-51.58	110.28	39.32	34.87	10.48	31.92	107	161	Peak	HORIZONT	3	5896.40	53.68	-58.79	89.43	39.16	35.00	10.48	31.97	107	161	Peak	HORIZONT	4	5926.60	53.40	-14.76	68.30	39.74	35.03	10.52	31.99	107	161	Peak	HORIZONT	<p><b>Left blank</b></p>																										
1	5881.60	52.68	-45.97	118.05	39.37	34.80	10.44	31.93	107	161	Peak	HORIZONT																																																																				
2	5897.20	52.72	-51.58	110.28	39.32	34.87	10.48	31.92	107	161	Peak	HORIZONT																																																																				
3	5896.40	53.68	-58.79	89.43	39.16	35.00	10.48	31.97	107	161	Peak	HORIZONT																																																																				
4	5926.60	53.40	-14.76	68.30	39.74	35.03	10.52	31.99	107	161	Peak	HORIZONT																																																																				



WIFI	UNII-3 5725~5850MHz Band Edge @ 3m																																																																																																															
ANT	802.11ax HE80 Partial 484/66 CH155 5775MHz																																																																																																															
2	Vertical	Fundamental																																																																																																														
<p><b>Peak</b></p>	<p>Site : 032806-KS            Condition : SG BAND3 3m 3117 SN 00218652- VERTICAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 166            Plane : 2            Full-directivity : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5641.20</td> <td>52.41</td> <td>-15.89</td> <td>68.30</td> <td>39.67</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5662.00</td> <td>51.85</td> <td>-20.36</td> <td>77.21</td> <td>39.10</td> <td>34.54</td> <td>10.29</td> <td>33.08</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3 5718.00</td> <td>52.30</td> <td>-28.04</td> <td>110.34</td> <td>39.46</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4 5771.60</td> <td>52.31</td> <td>-62.24</td> <td>114.55</td> <td>39.47</td> <td>34.53</td> <td>10.35</td> <td>33.04</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	cm	deg			1 5641.20	52.41	-15.89	68.30	39.67	34.56	10.28	32.10	283	218 Peak	VERTICAL	2 5662.00	51.85	-20.36	77.21	39.10	34.54	10.29	33.08	283	218 Peak	VERTICAL	3 5718.00	52.30	-28.04	110.34	39.46	34.53	10.35	33.04	283	218 Peak	VERTICAL	4 5771.60	52.31	-62.24	114.55	39.47	34.53	10.35	33.04	283	218 Peak	VERTICAL	<p>Site : 032806-KS            Condition : SG BAND3 3m 3117 SN 00218652- VERTICAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 166            Plane : 2            Full-directivity : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5788.00</td> <td>100.71</td> <td>-21.59</td> <td>122.30</td> <td>87.68</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5788.00</td> <td>92.57</td> <td>-----</td> <td>-----</td> <td>79.54</td> <td>34.60</td> <td>10.40</td> <td>31.97</td> <td>283</td> <td>218 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	cm	deg			1 5788.00	100.71	-21.59	122.30	87.68	34.60	10.40	31.97	283	218 Peak	VERTICAL	2 5788.00	92.57	-----	-----	79.54	34.60	10.40	31.97	283	218 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	cm	deg																																																																																																								
1 5641.20	52.41	-15.89	68.30	39.67	34.56	10.28	32.10	283	218 Peak	VERTICAL																																																																																																						
2 5662.00	51.85	-20.36	77.21	39.10	34.54	10.29	33.08	283	218 Peak	VERTICAL																																																																																																						
3 5718.00	52.30	-28.04	110.34	39.46	34.53	10.35	33.04	283	218 Peak	VERTICAL																																																																																																						
4 5771.60	52.31	-62.24	114.55	39.47	34.53	10.35	33.04	283	218 Peak	VERTICAL																																																																																																						
Freq	Level	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	cm	deg																																																																																																								
1 5788.00	100.71	-21.59	122.30	87.68	34.60	10.40	31.97	283	218 Peak	VERTICAL																																																																																																						
2 5788.00	92.57	-----	-----	79.54	34.60	10.40	31.97	283	218 Average	VERTICAL																																																																																																						
<p><b>Peak</b></p>	<p>Site : 032806-KS            Condition : SG BAND3 3m 3117 SN 00218652- VERTICAL            Economic &amp; Technical Development Zone, Jiangsu China            Project : FR261401-01            Mode : 166            Plane : 2            Full-directivity : Full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5882.00</td> <td>52.92</td> <td>-64.92</td> <td>117.74</td> <td>39.51</td> <td>34.80</td> <td>10.44</td> <td>31.93</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5904.80</td> <td>52.89</td> <td>-60.28</td> <td>109.27</td> <td>39.51</td> <td>34.87</td> <td>10.44</td> <td>31.95</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3 5904.00</td> <td>53.58</td> <td>-60.79</td> <td>85.80</td> <td>40.04</td> <td>35.00</td> <td>10.48</td> <td>31.97</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4 5926.00</td> <td>53.56</td> <td>-74.74</td> <td>68.30</td> <td>39.90</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>283</td> <td>218 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	cm	deg			1 5882.00	52.92	-64.92	117.74	39.51	34.80	10.44	31.93	283	218 Peak	VERTICAL	2 5904.80	52.89	-60.28	109.27	39.51	34.87	10.44	31.95	283	218 Peak	VERTICAL	3 5904.00	53.58	-60.79	85.80	40.04	35.00	10.48	31.97	283	218 Peak	VERTICAL	4 5926.00	53.56	-74.74	68.30	39.90	35.13	10.52	31.99	283	218 Peak	VERTICAL	<p><b>Left blank</b></p>																																												
Freq	Level	Limit	Line	Level Factor	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	cm	deg																																																																																																								
1 5882.00	52.92	-64.92	117.74	39.51	34.80	10.44	31.93	283	218 Peak	VERTICAL																																																																																																						
2 5904.80	52.89	-60.28	109.27	39.51	34.87	10.44	31.95	283	218 Peak	VERTICAL																																																																																																						
3 5904.00	53.58	-60.79	85.80	40.04	35.00	10.48	31.97	283	218 Peak	VERTICAL																																																																																																						
4 5926.00	53.56	-74.74	68.30	39.90	35.13	10.52	31.99	283	218 Peak	VERTICAL																																																																																																						





UNII-3 - 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 4 main rows: (1) WIFI: UNII-3 5725~5850MHz Harmonic @ 3m; (2) ANT: 802.11a CH149 5745MHz; (3) 2: Horizontal/Vertical; (4) Peak Avg. (containing two graphs and data tables for Horizontal and Vertical orientations).



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																													
ANT	802.11a CH165 5825MHz																																																													
2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND4 Ch 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 150 Plane : 2 Full-directivity : Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11663.00</td> <td>46.38</td> <td>-27.62</td> <td>74.00</td> <td>94.36</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg	1	11663.00	46.38	-27.62	74.00	94.36	38.46	15.03	61.47	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND4 Ch 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 150 Plane : 2 Full-directivity : Full-directivity IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11663.00</td> <td>44.60</td> <td>-29.40</td> <td>74.00</td> <td>92.58</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg	1	11663.00	44.60	-29.40	74.00	92.58	38.46	15.03	61.47	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg																																																						
1	11663.00	46.38	-27.62	74.00	94.36	38.46	15.03	61.47	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	deg																																																						
1	11663.00	44.60	-29.40	74.00	92.58	38.46	15.03	61.47	100	0 Peak	VERTICAL																																																			



**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-3 5725~5850MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE20 Full CH149 5745MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		
<b>WIFI</b>	<b>UNII-3 5725~5850MHz Harmonic @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE20 Full CH157 5785MHz</b>	
<b>2</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>Peak Avg.</b>		



WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																									
ANT	802.11ax HE20 Full CH165 5825MHz																																									
2	Horizontal	Vertical																																								
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND4 by 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 153 Plane : 2 Full-directivity : 2 IMEI : 844 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pul/Phas</th> </tr> </thead> <tbody> <tr> <td>11653.00</td> <td>46.19</td> <td>-27.81</td> <td>74.00</td> <td>54.17</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pul/Phas	11653.00	46.19	-27.81	74.00	54.17	38.46	15.03	61.47	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND4 by 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 153 Plane : 2 Full-directivity : 2 IMEI : 844 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pul/Phas</th> </tr> </thead> <tbody> <tr> <td>11653.00</td> <td>45.21</td> <td>-28.69</td> <td>74.00</td> <td>53.29</td> <td>38.46</td> <td>15.03</td> <td>61.47</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pul/Phas	11653.00	45.21	-28.69	74.00	53.29	38.46	15.03	61.47	0 Peak	VERTICAL
Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pul/Phas																																	
11653.00	46.19	-27.81	74.00	54.17	38.46	15.03	61.47	0 Peak	HORIZONTAL																																	
Frq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pul/Phas																																	
11653.00	45.21	-28.69	74.00	53.29	38.46	15.03	61.47	0 Peak	VERTICAL																																	





**UNII-3 5725~5850MHz**  
**WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

WIFI	UNII-3 5725~5850MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH155 5775MHz																																																																			
2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : 156            Plane : X            NEI : full-directivity            Powersetting : 15</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11554.00</td> <td>45.29</td> <td>-28.71</td> <td>74.00</td> <td>53.48</td> <td>38.35</td> <td>14.96</td> <td>61.50</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11554.00	45.29	-28.71	74.00	53.48	38.35	14.96	61.50	300	0 Peak HORIZONTAL	<p>Site : 032100-KS            Condition : SG BAND4 3m 3117 SN 00218652- VERTICAL            Project : FR261401-01            Mode : 156            Plane : X            NEI : full-directivity            Powersetting : 15</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11554.00</td> <td>45.26</td> <td>-28.74</td> <td>74.00</td> <td>53.45</td> <td>38.35</td> <td>14.96</td> <td>61.50</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1	11554.00	45.26	-28.74	74.00	53.45	38.35	14.96	61.50	100	0 Peak VERTICAL
	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11554.00	45.29	-28.71	74.00	53.48	38.35	14.96	61.50	300	0 Peak HORIZONTAL																																																										
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1	11554.00	45.26	-28.74	74.00	53.45	38.35	14.96	61.50	100	0 Peak VERTICAL																																																										



Emission below 1GHz

5GHz 802.11ax HE80 Full (LF)

WIFI	5GHz WIFI																																																																																																																																																																									
ANT	802.11ax HE80 Full LF																																																																																																																																																																									
2	Horizontal	Vertical																																																																																																																																																																								
QP / Peak	<p>Site : 030003-KS Condition : 5G BAND4 3m LF 01110 5M44483 HORIZONTAL Project : 888100-000004 V08-300-000004 SBT-Auto Mode : 261401-01</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>86.26</th> <th>23.87</th> <th>-16.13</th> <th>40.00</th> <th>41.14</th> <th>14.39</th> <th>1.17</th> <th>33.83</th> <th>---</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>122.16</td> <td>23.36</td> <td>-16.14</td> <td>40.00</td> <td>37.07</td> <td>17.47</td> <td>1.45</td> <td>32.86</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>191.89</td> <td>24.09</td> <td>-19.41</td> <td>43.00</td> <td>40.10</td> <td>14.96</td> <td>1.87</td> <td>32.84</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>372.50</td> <td>26.09</td> <td>-19.91</td> <td>46.00</td> <td>37.49</td> <td>18.16</td> <td>2.23</td> <td>32.78</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>609.09</td> <td>26.65</td> <td>-19.34</td> <td>46.00</td> <td>30.40</td> <td>25.98</td> <td>3.34</td> <td>33.06</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>741.98</td> <td>29.33</td> <td>-16.77</td> <td>46.00</td> <td>30.33</td> <td>28.06</td> <td>3.48</td> <td>32.84</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	86.26	23.87	-16.13	40.00	41.14	14.39	1.17	33.83	---	Peak	HORIZONTAL	2	122.16	23.36	-16.14	40.00	37.07	17.47	1.45	32.86	---	Peak	HORIZONTAL	3	191.89	24.09	-19.41	43.00	40.10	14.96	1.87	32.84	---	Peak	HORIZONTAL	4	372.50	26.09	-19.91	46.00	37.49	18.16	2.23	32.78	---	Peak	HORIZONTAL	5	609.09	26.65	-19.34	46.00	30.40	25.98	3.34	33.06	---	Peak	HORIZONTAL	6	741.98	29.33	-16.77	46.00	30.33	28.06	3.48	32.84	---	Peak	HORIZONTAL	<p>Site : 030003-KS Condition : 5G BAND4 3m LF 01110 5M44483 VERTICAL Project : 888100-000004 V08-300-000004 SBT-Auto Mode : 261401-01</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>49.40</th> <th>35.57</th> <th>-4.43</th> <th>40.00</th> <th>52.71</th> <th>15.07</th> <th>0.71</th> <th>32.92</th> <th>100</th> <th>0 Peak</th> <th>VERTICAL</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>132.83</td> <td>37.39</td> <td>-14.11</td> <td>43.50</td> <td>40.93</td> <td>17.77</td> <td>1.53</td> <td>32.84</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>284.14</td> <td>19.43</td> <td>-26.37</td> <td>46.00</td> <td>31.21</td> <td>18.94</td> <td>2.27</td> <td>32.79</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>391.61</td> <td>19.75</td> <td>-24.72</td> <td>46.00</td> <td>30.43</td> <td>21.03</td> <td>2.47</td> <td>32.85</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>602.30</td> <td>28.64</td> <td>-17.36</td> <td>46.00</td> <td>33.41</td> <td>25.98</td> <td>3.32</td> <td>33.07</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>790.19</td> <td>29.30</td> <td>-16.70</td> <td>46.00</td> <td>30.64</td> <td>28.24</td> <td>3.78</td> <td>32.76</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	49.40	35.57	-4.43	40.00	52.71	15.07	0.71	32.92	100	0 Peak	VERTICAL	2	132.83	37.39	-14.11	43.50	40.93	17.77	1.53	32.84	---	Peak	VERTICAL	3	284.14	19.43	-26.37	46.00	31.21	18.94	2.27	32.79	---	Peak	VERTICAL	4	391.61	19.75	-24.72	46.00	30.43	21.03	2.47	32.85	---	Peak	VERTICAL	5	602.30	28.64	-17.36	46.00	33.41	25.98	3.32	33.07	---	Peak	VERTICAL	6	790.19	29.30	-16.70	46.00	30.64	28.24	3.78	32.76	---	Peak	VERTICAL
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																														
1	86.26	23.87	-16.13	40.00	41.14	14.39	1.17	33.83	---	Peak	HORIZONTAL																																																																																																																																																															
2	122.16	23.36	-16.14	40.00	37.07	17.47	1.45	32.86	---	Peak	HORIZONTAL																																																																																																																																																															
3	191.89	24.09	-19.41	43.00	40.10	14.96	1.87	32.84	---	Peak	HORIZONTAL																																																																																																																																																															
4	372.50	26.09	-19.91	46.00	37.49	18.16	2.23	32.78	---	Peak	HORIZONTAL																																																																																																																																																															
5	609.09	26.65	-19.34	46.00	30.40	25.98	3.34	33.06	---	Peak	HORIZONTAL																																																																																																																																																															
6	741.98	29.33	-16.77	46.00	30.33	28.06	3.48	32.84	---	Peak	HORIZONTAL																																																																																																																																																															
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																															
1	49.40	35.57	-4.43	40.00	52.71	15.07	0.71	32.92	100	0 Peak	VERTICAL																																																																																																																																																															
2	132.83	37.39	-14.11	43.50	40.93	17.77	1.53	32.84	---	Peak	VERTICAL																																																																																																																																																															
3	284.14	19.43	-26.37	46.00	31.21	18.94	2.27	32.79	---	Peak	VERTICAL																																																																																																																																																															
4	391.61	19.75	-24.72	46.00	30.43	21.03	2.47	32.85	---	Peak	VERTICAL																																																																																																																																																															
5	602.30	28.64	-17.36	46.00	33.41	25.98	3.32	33.07	---	Peak	VERTICAL																																																																																																																																																															
6	790.19	29.30	-16.70	46.00	30.64	28.24	3.78	32.76	---	Peak	VERTICAL																																																																																																																																																															







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	BLE CH39 2480MHZ																																																																			
1	Vertical	Fundamental																																																																		
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-K3 Condition : FCC PART 15C 3m 3117 SN 00218602- VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto FR261401-01 Mode : 1 Plane : 2 Full-directivity : 2 IME1 : 441</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>56.57</td> <td>-17.43</td> <td>74.00</td> <td>50.05</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>372</td> <td>304</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Line	Level	Factor	Loss	Factor	cm	deg		1	2483.62	56.57	-17.43	74.00	50.05	32.43	6.73	32.64	372	304	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-K3 Condition : FCC PART 15C 3m 3117 SN 00218602- VERTICAL Project : RSM 1000.000MHz VSW:3000.000MHz SMT:Auto FR261401-01 Mode : 1 Plane : 2 Full-directivity : 2 IME1 : 441</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.91</td> <td>23.91</td> <td>74.00</td> <td>91.39</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>372</td> <td>304</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Line	Level	Factor	Loss	Factor	cm	deg		1	2480.00	97.91	23.91	74.00	91.39	32.43	6.73	32.64	372	304	Peak	VERTICAL
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
Line	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																												
1	2483.62	56.57	-17.43	74.00	50.05	32.43	6.73	32.64	372	304	Peak	VERTICAL																																																								
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
Line	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																												
1	2480.00	97.91	23.91	74.00	91.39	32.43	6.73	32.64	372	304	Peak	VERTICAL																																																								
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218602- VERTICAL Project : RSM 1000.000MHz VSW:1.000MHz SMT:Auto FR261401-01 Mode : 1 Plane : 2 Full-directivity : 2 IME1 : 441</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>48.18</td> <td>-5.82</td> <td>54.00</td> <td>41.66</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>372</td> <td>304</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Line	Level	Factor	Loss	Factor	cm	deg		1	2483.50	48.18	-5.82	54.00	41.66	32.43	6.73	32.64	372	304	Average	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032004-K3 Condition : FCC PART 15C (AVG) 3m 3117 SN 00218602- VERTICAL Project : RSM 1000.000MHz VSW:1.000MHz SMT:Auto FR261401-01 Mode : 1 Plane : 2 Full-directivity : 2 IME1 : 441</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.49</td> <td>43.49</td> <td>54.00</td> <td>90.97</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>372</td> <td>304</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Line	Level	Factor	Loss	Factor	cm	deg		1	2480.00	97.49	43.49	54.00	90.97	32.43	6.73	32.64	372	304	Average	VERTICAL
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
Line	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																												
1	2483.50	48.18	-5.82	54.00	41.66	32.43	6.73	32.64	372	304	Average	VERTICAL																																																								
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
Line	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																												
1	2480.00	97.49	43.49	54.00	90.97	32.43	6.73	32.64	372	304	Average	VERTICAL																																																								



2.4GHz 2400~2483.5MHz  
BLE—2Mbps (Harmonic @ 3m)



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	BLE CH39 2480MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak	<p>Site : 032000-KS Condition : FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000MHz 1000.000000 000000c 0BT-Auto Project : (FR)261401-01 Mode : 1 Plane : X Full-directivity : 1 IMEI : 841</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.76</td> <td>-33.24</td> <td>74.00</td> <td>58.76</td> <td>34.10</td> <td>9.41</td> <td>61.71</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.83</td> <td>-31.17</td> <td>74.00</td> <td>57.42</td> <td>35.70</td> <td>11.78</td> <td>62.07</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1	4965.00	40.76	-33.24	74.00	58.76	34.10	9.41	61.71	300	0 Peak	HORIZONTAL	2	7440.00	42.83	-31.17	74.00	57.42	35.70	11.78	62.07	300	0 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL EIRP : 1000.000MHz 1000.000000 000000c 0BT-Auto Project : (FR)261401-01 Mode : 1 Plane : X Full-directivity : 1 IMEI : 841</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.07</td> <td>-33.93</td> <td>74.00</td> <td>58.07</td> <td>34.10</td> <td>9.41</td> <td>61.71</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.24</td> <td>-29.76</td> <td>74.00</td> <td>58.83</td> <td>35.70</td> <td>11.78</td> <td>62.07</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	1	4965.00	40.07	-33.93	74.00	58.07	34.10	9.41	61.71	100	0 Peak	VERTICAL	2	7440.00	44.24	-29.76	74.00	58.83	35.70	11.78	62.07	100	0 Peak	VERTICAL
	IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																														
1	4965.00	40.76	-33.24	74.00	58.76	34.10	9.41	61.71	300	0 Peak	HORIZONTAL																																																																											
2	7440.00	42.83	-31.17	74.00	57.42	35.70	11.78	62.07	300	0 Peak	HORIZONTAL																																																																											
IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
1	Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																														
1	4965.00	40.07	-33.93	74.00	58.07	34.10	9.41	61.71	100	0 Peak	VERTICAL																																																																											
2	7440.00	44.24	-29.76	74.00	58.83	35.70	11.78	62.07	100	0 Peak	VERTICAL																																																																											



UNII-2A - 5250~5350MHz  
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																																													
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																																																													
2	Horizontal	Fundamental																																																																																																												
Peak	<p>Site: 030906-KS Condition: SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 3000.0000MHz SMT Auto Mode: (FR) 261401-01 Plane: 127 Polar: 2 Full-directivity MEI: 841 Powersetting: 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.28</td> <td>52.33</td> <td>-21.67</td> <td>74.00</td> <td>40.25</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>385</td> <td>307</td> <td>Peak</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5117.28	52.33	-21.67	74.00	40.25	34.10	9.76	31.78	385	307	Peak												HORIZONTAL	<p>Site: 030906-KS Condition: SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 3000.0000MHz SMT Auto Mode: (FR) 261401-01 Plane: 127 Polar: 2 Full-directivity MEI: 841 Powersetting: 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5284.00</td> <td>84.75</td> <td>26.45</td> <td>68.30</td> <td>82.32</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>385</td> <td>307</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5284.00</td> <td>86.04</td> <td></td> <td></td> <td>72.01</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>385</td> <td>307</td> <td>Average</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5284.00	84.75	26.45	68.30	82.32	34.43	9.88	31.88	385	307	Peak	2	5284.00	86.04			72.01	34.43	9.88	31.88	385	307	Average												HORIZONTAL
MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5117.28	52.33	-21.67	74.00	40.25	34.10	9.76	31.78	385	307	Peak																																																																																																			
											HORIZONTAL																																																																																																			
MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5284.00	84.75	26.45	68.30	82.32	34.43	9.88	31.88	385	307	Peak																																																																																																			
2	5284.00	86.04			72.01	34.43	9.88	31.88	385	307	Average																																																																																																			
											HORIZONTAL																																																																																																			
Avg.	<p>Site: 030906-KS Condition: SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.0000MHz VBR 1.1000MHz SMT Auto Mode: (FR) 261401-01 Plane: 127 Polar: 2 Full-directivity MEI: 841 Powersetting: 11.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.84</td> <td>43.21</td> <td>-10.79</td> <td>54.00</td> <td>31.13</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>385</td> <td>307</td> <td>Average</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5131.84	43.21	-10.79	54.00	31.13	34.10	9.77	31.79	385	307	Average												HORIZONTAL	Left blank																																																												
MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5131.84	43.21	-10.79	54.00	31.13	34.10	9.77	31.79	385	307	Average																																																																																																			
											HORIZONTAL																																																																																																			





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																					
ANT	802.11ax HE80 Full CH58 5290MHz - R																																					
2	Horizontal	Fundamental																																				
<p><b>Peak</b></p>	 <p>Site : 032805-KS            Condition : SG BAND 1----3 3m 3117 SN 00218602- HORIZONTAL            Project : RRM-1000-000004-V08-3000-000004-SRT-Auto            Mode : (FR)261401-01            Plane : X            IMEI : Full-directivity            Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5390.60</td> <td>52.77</td> <td>-21.23</td> <td>74.00</td> <td>40.04</td> <td>34.75</td> <td>0.93</td> <td>31.95</td> <td>385</td> <td>307</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1 5390.60	52.77	-21.23	74.00	40.04	34.75	0.93	31.95	385	307	Peak	HORIZONTAL	<p>Left blank</p>
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																													
1 5390.60	52.77	-21.23	74.00	40.04	34.75	0.93	31.95	385	307	Peak	HORIZONTAL																											
<p><b>Avg.</b></p>	 <p>Site : 032805-KS            Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : RRM-1000-000004-V08-1-100004-SRT-Auto            Mode : (FR)261401-01            Plane : X            IMEI : Full-directivity            Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.20</td> <td>44.03</td> <td>-9.97</td> <td>54.00</td> <td>31.40</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>385</td> <td>307</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg			1 5350.20	44.03	-9.97	54.00	31.40	34.65	0.91	31.93	385	307	Average	HORIZONTAL	<p>Left blank</p>
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																											
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																													
1 5350.20	44.03	-9.97	54.00	31.40	34.65	0.91	31.93	385	307	Average	HORIZONTAL																											



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																		
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																		
2	Vertical	Fundamental																																																																	
Peak	<p>Site : 030906-KS            Condition : SG BAND 1----3 3m 3117 SN 00218602- VERTICAL            Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto            Mode : FFS:261401-01            Plane : X            IMEI : Full-directivity            Powersetting : 85</p> <table border="1"> <thead> <tr> <th>1</th> <th>5135.04</th> <th>53.98</th> <th>-20.02</th> <th>74.00</th> <th>41.90</th> <th>34.10</th> <th>9.77</th> <th>31.79</th> <th>290</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> </table>	1	5135.04	53.98	-20.02	74.00	41.90	34.10	9.77	31.79	290	229	Peak	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg			<p>Site : 030906-KS            Condition : SG BAND 1----3 3m 3117 SN 00218602- VERTICAL            Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto            Mode : FFS:261401-01            Plane : X            IMEI : Full-directivity            Powersetting : 85</p> <table border="1"> <thead> <tr> <th>1</th> <th>5284.00</th> <th>101.82</th> <th>33.52</th> <th>68.30</th> <th>89.39</th> <th>34.43</th> <th>9.88</th> <th>31.88</th> <th>290</th> <th>229</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5284.00</th> <th>93.24</th> <th>-----</th> <th>-----</th> <th>80.81</th> <th>34.43</th> <th>9.88</th> <th>31.88</th> <th>290</th> <th>229</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> </table>	1	5284.00	101.82	33.52	68.30	89.39	34.43	9.88	31.88	290	229	Peak	VERTICAL	2	5284.00	93.24	-----	-----	80.81	34.43	9.88	31.88	290	229	Average	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg		
1	5135.04	53.98	-20.02	74.00	41.90	34.10	9.77	31.79	290	229	Peak	VERTICAL																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									
1	5284.00	101.82	33.52	68.30	89.39	34.43	9.88	31.88	290	229	Peak	VERTICAL																																																							
2	5284.00	93.24	-----	-----	80.81	34.43	9.88	31.88	290	229	Average	VERTICAL																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									
Avg.	<p>Site : 030906-KS            Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218602- VERTICAL            Project : RBW:1000,000kHz VBR:1,000kHz SRT:Auto            Mode : FFS:261401-01            Plane : X            IMEI : Full-directivity            Powersetting : 85</p> <table border="1"> <thead> <tr> <th>1</th> <th>5150.00</th> <th>43.46</th> <th>-10.54</th> <th>54.00</th> <th>31.39</th> <th>34.10</th> <th>9.78</th> <th>31.81</th> <th>290</th> <th>229</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> </table>	1	5150.00	43.46	-10.54	54.00	31.39	34.10	9.78	31.81	290	229	Average	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg			Left blank																																							
1	5150.00	43.46	-10.54	54.00	31.39	34.10	9.78	31.81	290	229	Average	VERTICAL																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																								
ANT	802.11ax HE80 Full CH58 5290MHz - R																																								
2	Vertical	Fundamental																																							
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 0320G5-KS Condition : 5G BAND 1----3 3m 3117 SN 00218602- VERTICAL Project : RRM-1000, 0000Hz, VSW: 3000, 0000Hz, SRT: Auto FR261401-01 Mode : 137 Plane : X Full-directivity IMEI : Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.40</td> <td>58.77</td> <td>-15.23</td> <td>74.00</td> <td>46.14</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>290</td> <td>229</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5350.40	58.77	-15.23	74.00	46.14	34.65	0.91	31.93	290	229	Peak	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																		
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																		
1	5350.40	58.77	-15.23	74.00	46.14	34.65	0.91	31.93	290	229	Peak	VERTICAL																													
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 0320G5-KS Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218602- VERTICAL Project : RRM-1000, 0000Hz, VSW: 1, 1000Hz, SRT: Auto FR261401-01 Mode : 137 Plane : X Full-directivity IMEI : Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.40</td> <td>49.27</td> <td>-4.73</td> <td>54.00</td> <td>36.64</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>290</td> <td>229</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5350.40	49.27	-4.73	54.00	36.64	34.65	0.91	31.93	290	229	Average	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																		
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																		
1	5350.40	49.27	-4.73	54.00	36.64	34.65	0.91	31.93	290	229	Average	VERTICAL																													



UNII-2A - 5250~5350MHz  
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-2A 5250~5350MHz Harmonic @ 3m																																																	
ANT	802.11ax HE80 Full CH58 5290MHz																																																	
2	Horizontal	Vertical																																																
Peak Avg.	<p>Site : 032100-KS Condition : SG BAND 1 --- 3 3m 3117 SN 00218662- HORIZONTAL Project : ESR-1000-00000-VER-3000-00000-081-Auto Model : (FR)261401-01 Mode : 1 Plane : X Full-directivity IMEI : 841</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>44.87</td> <td>-23.43</td> <td>68.30</td> <td>50.34</td> <td>37.93</td> <td>18.23</td> <td>61.63</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	10580.00	44.87	-23.43	68.30	50.34	37.93	18.23	61.63	300	0 Peak	HORIZONTAL	<p>Site : 032100-KS Condition : SG BAND 1 --- 3 3m 3117 SN 00218662- VERTICAL Project : ESR-1000-00000-VER-3000-00000-081-Auto Model : (FR)261401-01 Mode : 1 Plane : X Full-directivity IMEI : 841</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>44.81</td> <td>-23.49</td> <td>68.30</td> <td>50.28</td> <td>37.93</td> <td>18.23</td> <td>61.63</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	10580.00	44.81	-23.49	68.30	50.28	37.93	18.23	61.63	100	0 Peak	VERTICAL
IMEI	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																							
1	10580.00	44.87	-23.43	68.30	50.34	37.93	18.23	61.63	300	0 Peak	HORIZONTAL																																							
IMEI	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																							
1	10580.00	44.81	-23.49	68.30	50.28	37.93	18.23	61.63	100	0 Peak	VERTICAL																																							



### Appendix E. Duty Cycle Plots

Ant	Band	Duty Cycle(%)	T(ms)	1/T(KHz)	VBW Setting
1	802.11a	97.46	1.391	0.7188	0.75KHz
1	802.11ax HE20	99.44	-	-	10Hz
1	802.11ax HE40	98.19	-	-	10Hz
1	802.11ax HE80	96.38	0.964	1.038	1.1KHZ
1	802.11ax HE20-RU_26	65.11	0.584	1.712	1.8KHZ
1	802.11ax HE20-RU_52	50.11	0.326	3.067	3.3KHZ
1	802.11ax HE20-RU_106	51.75	0.193	5.188	6.2KHZ
1	802.11ax HE40-RU_242	27.16	0.128	7.841	8.2KHz
1	802.11ax HE80-RU_484	51.61	0.371	2.695	3.3KHZ
2	802.11a	98.27	-	-	10Hz
2	802.11ax HE20	99.18	-	-	10Hz
2	802.11ax HE40	98.19	-	-	10Hz
2	802.11ax HE80	48.11	0.961	1.041	1.1KHZ
2	802.11ax HE20-RU_26	65.15	0.580	1.725	1.8KHZ
2	802.11ax HE20-RU_52	50.11	0.326	3.067	3.3KHZ
2	802.11ax HE20-RU_106	53.36	0.196	5.111	6.2KHZ
2	802.11ax HE40-RU_242	27.16	0.128	7.841	8.2KHz
2	802.11ax HE80-RU_484	51.84	0.368	2.717	3.3KHZ