






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Partial 106/53 CH52 5260MHz																																																																													
1	Vertical	Fundamental																																																																												
Peak	<p>Site : 032806-K3            Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL            Project : FR261401            Mode : 33            Plane : 1            Full-directivity            IMEI : 841            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.52</td> <td>52.41</td> <td>-21.59</td> <td>74.00</td> <td>40.33</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>310</td> <td>45 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1	5116.52	52.41	-21.59	74.00	40.33	34.10	9.76	31.78	310	45 Peak	VERTICAL	<p>Site : 032806-K3            Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL            Project : FR261401            Mode : 33            Plane : 1            Full-directivity            IMEI : 841            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5254.00</td> <td>100.75</td> <td>32.45</td> <td>68.30</td> <td>88.46</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>310</td> <td>45 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>93.65</td> <td>-----</td> <td>-----</td> <td>81.36</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>310</td> <td>45 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1	5254.00	100.75	32.45	68.30	88.46	34.30	9.86	31.87	310	45 Peak	VERTICAL	2	5254.00	93.65	-----	-----	81.36	34.30	9.86	31.87	310	45 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																																							
1	5116.52	52.41	-21.59	74.00	40.33	34.10	9.76	31.78	310	45 Peak	VERTICAL																																																																			
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																																							
1	5254.00	100.75	32.45	68.30	88.46	34.30	9.86	31.87	310	45 Peak	VERTICAL																																																																			
2	5254.00	93.65	-----	-----	81.36	34.30	9.86	31.87	310	45 Average	VERTICAL																																																																			
Avg.	<p>Site : 032806-K3            Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL            Project : FR261401            Mode : 33            Plane : 1            Full-directivity            IMEI : 841            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.80</td> <td>44.95</td> <td>+9.05</td> <td>54.00</td> <td>32.87</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>310</td> <td>45 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1	5116.80	44.95	+9.05	54.00	32.87	34.10	9.76	31.78	310	45 Average	VERTICAL	Left blank																																												
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																																							
1	5116.80	44.95	+9.05	54.00	32.87	34.10	9.76	31.78	310	45 Average	VERTICAL																																																																			



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																																																														
1	Horizontal	Fundamental																																																																													
<p><b>Peak</b></p>	 <p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401 Mode : 34 Plane : 1 MEI : Full-directivity Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5398.20</td> <td>52.86</td> <td>-21.14</td> <td>74.00</td> <td>40.07</td> <td>34.80</td> <td>9.94</td> <td>31.95</td> <td>100</td> <td>99 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	cm	deg	1 5398.20	52.86	-21.14	74.00	40.07	34.80	9.94	31.95	100	99 Peak	HORIZONT	 <p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401 Mode : 34 Plane : 1 MEI : Full-directivity Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5326.00</td> <td>103.56</td> <td>35.26</td> <td>68.30</td> <td>91.03</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>100</td> <td>99 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2 5326.00</td> <td>97.44</td> <td>-----</td> <td>-----</td> <td>84.91</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>100</td> <td>99 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	cm	deg	1 * 5326.00	103.56	35.26	68.30	91.03	34.55	9.89	31.91	100	99 Peak	HORIZONT	2 5326.00	97.44	-----	-----	84.91	34.55	9.89	31.91	100	99 Average	HORIZONT
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	cm	deg																																																																					
1 5398.20	52.86	-21.14	74.00	40.07	34.80	9.94	31.95	100	99 Peak	HORIZONT																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	cm	deg																																																																					
1 * 5326.00	103.56	35.26	68.30	91.03	34.55	9.89	31.91	100	99 Peak	HORIZONT																																																																					
2 5326.00	97.44	-----	-----	84.91	34.55	9.89	31.91	100	99 Average	HORIZONT																																																																					
<p><b>Avg.</b></p>	 <p>Site : 03200a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : FR261401 Mode : 34 Plane : 1 MEI : Full-directivity Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.80</td> <td>44.84</td> <td>+9.16</td> <td>54.00</td> <td>32.21</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>100</td> <td>99 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	cm	deg	1 5351.80	44.84	+9.16	54.00	32.21	34.65	9.91	31.93	100	99 Average	HORIZONT	<p><b>Left blank</b></p>																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	cm	deg																																																																					
1 5351.80	44.84	+9.16	54.00	32.21	34.65	9.91	31.93	100	99 Average	HORIZONT																																																																					





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																																																							
1	Vertical	Fundamental																																																																						
<p><b>Peak</b></p>	<p>Site : 03260a-K3            Condition : 5G BAND 1-3 @ 3m 3117 SN 00218652- VERTICAL            Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto            Mode : FR2:261401            Plane : E            Full-directivity            IME1 : #41            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5356.40</td> <td>52.94</td> <td>-21.06</td> <td>74.00</td> <td>40.31</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>303</td> <td>45 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5356.40	52.94	-21.06	74.00	40.31	34.65	9.91	31.93	303	45 Peak VERTICAL	<p>Site : 03260a-K3            Condition : 5G BAND 1-3 @ 3m 3117 SN 00218653- VERTICAL            Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto            Mode : FR2:261401            Plane : E            Full-directivity            IME1 : #41            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5326.00</td> <td>99.24</td> <td>30.94</td> <td>68.30</td> <td>66.71</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>303</td> <td>45 Peak VERTICAL</td> </tr> <tr> <td>2 5326.00</td> <td>93.19</td> <td>-----</td> <td>-----</td> <td>80.66</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>303</td> <td>45 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5326.00	99.24	30.94	68.30	66.71	34.55	9.89	31.91	303	45 Peak VERTICAL	2 5326.00	93.19	-----	-----	80.66	34.55	9.89	31.91	303	45 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5356.40	52.94	-21.06	74.00	40.31	34.65	9.91	31.93	303	45 Peak VERTICAL																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 * 5326.00	99.24	30.94	68.30	66.71	34.55	9.89	31.91	303	45 Peak VERTICAL																																																															
2 5326.00	93.19	-----	-----	80.66	34.55	9.89	31.91	303	45 Average VERTICAL																																																															
<p><b>Avg.</b></p>	<p>Site : 03260a-K3            Condition : 5G BAND 1-3 (AVG) @ 3m 3117 SN 00218652- VERTICAL            Project : RBW:1000,000kHz; VBW:6,2000kHz; SFT:Auto            Mode : FR2:261401            Plane : E            Full-directivity            IME1 : #41            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5393.30</td> <td>44.28</td> <td>-9.72</td> <td>54.00</td> <td>31.55</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>303</td> <td>45 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5393.30	44.28	-9.72	54.00	31.55	34.75	9.93	31.95	303	45 Average VERTICAL	<p><b>Left blank</b></p>																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5393.30	44.28	-9.72	54.00	31.55	34.75	9.93	31.95	303	45 Average VERTICAL																																																															






UNII-2A5250~5350MHz  
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE40 Full CH54 5270 - L																																																																																
1	Horizontal	Fundamental																																																																															
Peak	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 2F Plane : X IMEI : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.44</td> <td>52.64</td> <td>-21.36</td> <td>74.00</td> <td>40.58</td> <td>34.10</td> <td>9.74</td> <td>31.78</td> <td>112</td> <td>97 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	5101.44	52.64	-21.36	74.00	40.58	34.10	9.74	31.78	112	97 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 2F Plane : X IMEI : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5272.00</td> <td>103.34</td> <td>35.04</td> <td>68.30</td> <td>90.98</td> <td>34.37</td> <td>9.87</td> <td>31.88</td> <td>112</td> <td>97 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5272.00</td> <td>14.49</td> <td></td> <td>82.13</td> <td>24.37</td> <td>9.87</td> <td>31.88</td> <td>112</td> <td>97 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	5272.00	103.34	35.04	68.30	90.98	34.37	9.87	31.88	112	97 Peak	HORIZONTAL	2	5272.00	14.49		82.13	24.37	9.87	31.88	112	97 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																									
1	5101.44	52.64	-21.36	74.00	40.58	34.10	9.74	31.78	112	97 Peak	HORIZONTAL																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																									
1	5272.00	103.34	35.04	68.30	90.98	34.37	9.87	31.88	112	97 Peak	HORIZONTAL																																																																						
2	5272.00	14.49		82.13	24.37	9.87	31.88	112	97 Average	HORIZONTAL																																																																							
Avg.	<p>Site : 032000-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 2F Plane : X IMEI : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5120.16</td> <td>42.62</td> <td>-11.38</td> <td>54.00</td> <td>30.55</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>112</td> <td>97 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	5120.16	42.62	-11.38	54.00	30.55	34.10	9.76	31.79	112	97 Average	HORIZONTAL	Left blank																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																									
1	5120.16	42.62	-11.38	54.00	30.55	34.10	9.76	31.79	112	97 Average	HORIZONTAL																																																																						





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Full CH54 5270 - R														
1	Horizontal	Fundamental													
<p><b>Peak</b></p>	 <p>Site : 03200a-K3          Condition : SG BAND 1-3 @ 3m 3117 SN 00218652- HORIZONTAL          Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto          FR261401-01          Mode : 2P          Plane : E          Full-directivity          ME1 : H41          Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5376.40</th> <th>53.70</th> <th>-20.30</th> <th>74.00</th> <th>41.03</th> <th>34.70</th> <th>9.92</th> <th>31.95</th> <th>112</th> <th>97</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5376.40	53.70	-20.30	74.00	41.03	34.70	9.92	31.95	112	97	Peak	HORIZONTAL	<p>Left blank</p>
1	5376.40	53.70	-20.30	74.00	41.03	34.70	9.92	31.95	112	97	Peak	HORIZONTAL			
<p><b>Avg.</b></p>	 <p>Site : 03200a-K3          Condition : SG BAND 1-3 (AVG) @ 3m 3117 SN 00218652- HORIZONTAL          Project : RBW:1000, 000MHz; VBW:0.0100MHz; SFT:Auto          FR261401-01          Mode : 2P          Plane : E          Full-directivity          ME1 : H41          Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.00</th> <th>42.46</th> <th>-11.54</th> <th>54.00</th> <th>29.83</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>112</th> <th>97</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5350.00	42.46	-11.54	54.00	29.83	34.65	9.91	31.93	112	97	Average	HORIZONTAL	<p>Left blank</p>
1	5350.00	42.46	-11.54	54.00	29.83	34.65	9.91	31.93	112	97	Average	HORIZONTAL			






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																								
ANT	802.11ax HE40 Full CH54 5270 - L																																								
1	Vertical	Fundamental																																							
Peak	 <p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 2P Plane : E IMEI : Full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5125.44</th> <th>52.94</th> <th>-21.06</th> <th>74.00</th> <th>40.86</th> <th>34.10</th> <th>9.77</th> <th>31.79</th> <th>295</th> <th>47</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5125.44	52.94	-21.06	74.00	40.86	34.10	9.77	31.79	295	47	Peak	VERTICAL	 <p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 2P Plane : E IMEI : Full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5272.00</th> <th>98.58</th> <th>30.29</th> <th>68.30</th> <th>86.22</th> <th>34.37</th> <th>9.87</th> <th>31.88</th> <th>295</th> <th>47</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5272.00</th> <th>89.97</th> <th>-----</th> <th>-----</th> <th>77.61</th> <th>34.37</th> <th>9.87</th> <th>31.88</th> <th>295</th> <th>47</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5272.00	98.58	30.29	68.30	86.22	34.37	9.87	31.88	295	47	Peak	VERTICAL	2	5272.00	89.97	-----	-----	77.61	34.37	9.87	31.88	295	47	Average	VERTICAL
1	5125.44	52.94	-21.06	74.00	40.86	34.10	9.77	31.79	295	47	Peak	VERTICAL																													
1	5272.00	98.58	30.29	68.30	86.22	34.37	9.87	31.88	295	47	Peak	VERTICAL																													
2	5272.00	89.97	-----	-----	77.61	34.37	9.87	31.88	295	47	Average	VERTICAL																													
Avg.	 <p>Site : 032806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 2P Plane : E IMEI : Full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5123.20</th> <th>42.54</th> <th>-11.46</th> <th>54.00</th> <th>30.46</th> <th>34.10</th> <th>9.77</th> <th>31.79</th> <th>295</th> <th>47</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5123.20	42.54	-11.46	54.00	30.46	34.10	9.77	31.79	295	47	Average	VERTICAL	Left blank																										
1	5123.20	42.54	-11.46	54.00	30.46	34.10	9.77	31.79	295	47	Average	VERTICAL																													





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																			
ANT	802.11ax HE40 Full CH54 5270 - R																																			
1	Vertical	Fundamental																																		
<p><b>Peak</b></p>	 <p>Site : 032026-K3          Condition : 5G BAND 1-3 @ 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SRT:Auto          FR261401-01          Mode : 2P          Plane : E          Full-directivity          ME1 : 441          Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.40</td> <td>51.88</td> <td>-22.12</td> <td>74.00</td> <td>39.25</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>295</td> <td>47 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5350.40	51.88	-22.12	74.00	39.25	34.65	0.91	31.93	295	47 Peak	VERTICAL	<p>Left blank</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																												
1	5350.40	51.88	-22.12	74.00	39.25	34.65	0.91	31.93	295	47 Peak	VERTICAL																									
<p><b>Avg.</b></p>	 <p>Site : 032026-K3          Condition : 5G BAND 1-3 (AVG) @ 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000, 000MHz; VBW:0.0100MHz; SRT:Auto          FR261401-01          Mode : 2P          Plane : E          Full-directivity          ME1 : 441          Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.10</td> <td>42.14</td> <td>-11.86</td> <td>54.00</td> <td>29.41</td> <td>34.75</td> <td>0.93</td> <td>31.95</td> <td>295</td> <td>47 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5392.10	42.14	-11.86	54.00	29.41	34.75	0.93	31.95	295	47 Average	VERTICAL	<p>Left blank</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																												
1	5392.10	42.14	-11.86	54.00	29.41	34.75	0.93	31.95	295	47 Average	VERTICAL																									






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Full CH62 5310 - L																																																																														
1	Horizontal	Fundamental																																																																													
<p><b>Peak</b></p>	 <p>Site : 032806-K3            Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            (FR261401-01)            Mode : 40            Plane : E            IME1 : Full-directivity            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5117.60</td> <td>53.53</td> <td>-20.47</td> <td>74.00</td> <td>41.45</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>110</td> <td>100</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	cm	deg	1 5117.60	53.53	-20.47	74.00	41.45	34.10	9.76	31.78	110	100	Peak	 <p>Site : 032806-K3            Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            (FR261401-01)            Mode : 40            Plane : E            IME1 : Full-directivity            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5308.00</td> <td>102.83</td> <td>34.53</td> <td>68.30</td> <td>90.34</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>110</td> <td>100</td> <td>Peak</td> </tr> <tr> <td>2 5308.00</td> <td>94.48</td> <td>-----</td> <td>-----</td> <td>81.99</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>110</td> <td>100</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	cm	deg	1 * 5308.00	102.83	34.53	68.30	90.34	34.50	9.89	31.90	110	100	Peak	2 5308.00	94.48	-----	-----	81.99	34.50	9.89	31.90	110	100	Average
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	cm	deg																																																																					
1 5117.60	53.53	-20.47	74.00	41.45	34.10	9.76	31.78	110	100	Peak																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	cm	deg																																																																					
1 * 5308.00	102.83	34.53	68.30	90.34	34.50	9.89	31.90	110	100	Peak																																																																					
2 5308.00	94.48	-----	-----	81.99	34.50	9.89	31.90	110	100	Average																																																																					
<p><b>Avg.</b></p>	 <p>Site : 032806-K3            Condition : SG BAND 1----3 (WFO) 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000MHz YBR 0.01000MHz SRT Auto            (FR261401-01)            Mode : 40            Plane : E            IME1 : Full-directivity            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5121.76</td> <td>42.61</td> <td>-11.39</td> <td>54.00</td> <td>30.54</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>110</td> <td>100</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	cm	deg	1 5121.76	42.61	-11.39	54.00	30.54	34.10	9.76	31.79	110	100	Average	<p><b>Left blank</b></p>																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	cm	deg																																																																					
1 5121.76	42.61	-11.39	54.00	30.54	34.10	9.76	31.79	110	100	Average																																																																					







WIFI	UNII-2A5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Full CH62 5310 - R														
1	Horizontal	Fundamental													
<p><b>Peak</b></p>	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000000 YBR 3000.000000 SRT Auto FR261401-01 Mode : 40 Plane : E Full-directivity : 441 PowerSetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5380.70</th> <th>52.79</th> <th>-21.21</th> <th>74.00</th> <th>40.06</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>110</th> <th>100</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5380.70	52.79	-21.21	74.00	40.06	34.75	9.93	31.95	110	100	Peak	HORIZONTAL	<p>Left blank</p>
1	5380.70	52.79	-21.21	74.00	40.06	34.75	9.93	31.95	110	100	Peak	HORIZONTAL			
<p><b>Avg.</b></p>	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.000000 YBR 0.010000 SRT Auto FR261401-01 Mode : 40 Plane : E Full-directivity : 441 PowerSetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.40</th> <th>43.28</th> <th>-10.72</th> <th>54.00</th> <th>30.65</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>110</th> <th>100</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5350.40	43.28	-10.72	54.00	30.65	34.65	9.91	31.93	110	100	Average	HORIZONTAL	<p>Left blank</p>
1	5350.40	43.28	-10.72	54.00	30.65	34.65	9.91	31.93	110	100	Average	HORIZONTAL			






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE40 Full CH62 5310 - L																																																																							
1	Vertical	Fundamental																																																																						
Peak	 <p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR0261401-01 Mode : 40 Plane : E IMEI : Full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5118.24</td> <td>52.88</td> <td>-21.12</td> <td>74.00</td> <td>40.80</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>294</td> <td>45 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5118.24	52.88	-21.12	74.00	40.80	34.10	9.76	31.78	294	45 Peak VERTICAL	 <p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR0261401-01 Mode : 40 Plane : E IMEI : Full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5308.00</td> <td>98.25</td> <td>30.05</td> <td>68.30</td> <td>85.86</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>294</td> <td>45 Peak VERTICAL</td> </tr> <tr> <td>2 5308.00</td> <td>90.02</td> <td>-----</td> <td>-----</td> <td>77.53</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>294</td> <td>45 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5308.00	98.25	30.05	68.30	85.86	34.50	9.89	31.90	294	45 Peak VERTICAL	2 5308.00	90.02	-----	-----	77.53	34.50	9.89	31.90	294	45 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5118.24	52.88	-21.12	74.00	40.80	34.10	9.76	31.78	294	45 Peak VERTICAL																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 * 5308.00	98.25	30.05	68.30	85.86	34.50	9.89	31.90	294	45 Peak VERTICAL																																																															
2 5308.00	90.02	-----	-----	77.53	34.50	9.89	31.90	294	45 Average VERTICAL																																																															
Avg.	 <p>Site : 032806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3.0100MHz SRT Auto FR0261401-01 Mode : 40 Plane : E IMEI : Full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5120.32</td> <td>42.46</td> <td>-11.54</td> <td>54.00</td> <td>30.39</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>294</td> <td>45 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5120.32	42.46	-11.54	54.00	30.39	34.10	9.76	31.79	294	45 Average VERTICAL	Left blank																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5120.32	42.46	-11.54	54.00	30.39	34.10	9.76	31.79	294	45 Average VERTICAL																																																															





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																								
ANT	802.11ax HE40 Full CH62 5310 - R																								
1	Vertical	Fundamental																							
<p><b>Peak</b></p>	 <p>Site : 03200a-K3            Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL            Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto            FR261401-01            Mode : 40            Plane : E            Full-directivity            IMEI : 843            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5361.90</th> <th>52.11</th> <th>-21.89</th> <th>74.00</th> <th>39.42</th> <th>34.70</th> <th>0.92</th> <th>31.93</th> <th>294</th> <th>45</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5361.90	52.11	-21.89	74.00	39.42	34.70	0.92	31.93	294	45	Peak	VERTICAL	MHz	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	<p>Left blank</p>
1	5361.90	52.11	-21.89	74.00	39.42	34.70	0.92	31.93	294	45	Peak	VERTICAL													
MHz	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																
<p><b>Avg.</b></p>	 <p>Site : 03200a-K3            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL            Project : RBW 1000, 0000Hz YBR 0, 01000Hz SRT Auto            FR261401-01            Mode : 40            Plane : E            Full-directivity            IMEI : 843            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.20</th> <th>42.29</th> <th>-11.71</th> <th>54.00</th> <th>29.66</th> <th>34.66</th> <th>0.91</th> <th>31.93</th> <th>294</th> <th>45</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5350.20	42.29	-11.71	54.00	29.66	34.66	0.91	31.93	294	45	Average	VERTICAL	MHz	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	<p>Left blank</p>
1	5350.20	42.29	-11.71	54.00	29.66	34.66	0.91	31.93	294	45	Average	VERTICAL													
MHz	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																



**UNII-2A5250~5350MHz  
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - L																																																																														
1	Horizontal	Fundamental																																																																													
<b>Peak</b>	 <p>Site : 032904-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 40 Plane : X Polarization : Full-directivity Power setting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.64</td> <td>53.26</td> <td>-20.74</td> <td>74.00</td> <td>41.19</td> <td>34.10</td> <td>100</td> <td>00</td> <td>93</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	5144.64	53.26	-20.74	74.00	41.19	34.10	100	00	93	Peak HORIZONTAL	 <p>Site : 032904-KS Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 40 Plane : X Polarization : Full-directivity Power setting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5266.00</td> <td>99.22</td> <td>30.92</td> <td>68.30</td> <td>86.85</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>100</td> <td>93 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5266.00</td> <td>92.08</td> <td></td> <td>79.71</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>100</td> <td>93</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	5266.00	99.22	30.92	68.30	86.85	34.37	9.87	31.87	100	93 Peak HORIZONTAL	2	5266.00	92.08		79.71	34.37	9.87	31.87	100	93	Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																						
1	5144.64	53.26	-20.74	74.00	41.19	34.10	100	00	93	Peak HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																						
1	5266.00	99.22	30.92	68.30	86.85	34.37	9.87	31.87	100	93 Peak HORIZONTAL																																																																					
2	5266.00	92.08		79.71	34.37	9.87	31.87	100	93	Average HORIZONTAL																																																																					
<b>Avg.</b>	 <p>Site : 032904-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 40 Plane : X Polarization : Full-directivity Power setting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.12</td> <td>45.29</td> <td>-8.71</td> <td>54.00</td> <td>33.21</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>100</td> <td>93 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	5137.12	45.29	-8.71	54.00	33.21	34.10	9.77	31.79	100	93 Average HORIZONTAL	<b>Left blank</b>																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																						
1	5137.12	45.29	-8.71	54.00	33.21	34.10	9.77	31.79	100	93 Average HORIZONTAL																																																																					



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																				
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - R																																				
1	Horizontal	Fundamental																																			
<p><b>Peak</b></p>	 <p>Site : 032026-K3          Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL          Project : RBW:1000, 000MHz, VBW:3000, 000MHz, SFT:Auto          FR261401-01          Mode : 4G          Plane : E          Full-directivity : Full-directivity          IMEI : 841          Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5381.00</td> <td>53.09</td> <td>-20.91</td> <td>74.00</td> <td>40.36</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>100</td> <td>93 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 5381.00	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	100	93 Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																														
Freq	Level	Limit	Level Factor	Loss Factor																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																														
1 5381.00	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	100	93 Peak	HORIZONTAL																											
<p><b>Avg.</b></p>	 <p>Site : 032026-K3          Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL          Project : RBW:1000, 000MHz, VBW:3000, 000MHz, SFT:Auto          FR261401-01          Mode : 4G          Plane : E          Full-directivity : Full-directivity          IMEI : 841          Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5396.90</td> <td>44.73</td> <td>-9.27</td> <td>54.00</td> <td>31.94</td> <td>34.80</td> <td>9.94</td> <td>31.95</td> <td>100</td> <td>93 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 5396.90	44.73	-9.27	54.00	31.94	34.80	9.94	31.95	100	93 Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																														
Freq	Level	Limit	Level Factor	Loss Factor																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																														
1 5396.90	44.73	-9.27	54.00	31.94	34.80	9.94	31.95	100	93 Average	HORIZONTAL																											






WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																		
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - L																																																																		
1	Vertical	Fundamental																																																																	
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 40 Plane : 2 Full-directivity : 2 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5114.72</th> <th>53.23</th> <th>-20.77</th> <th>74.00</th> <th>41.15</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>300</th> <th>43</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>deg</th> <th>dB</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5114.72	53.23	-20.77	74.00	41.15	34.10	9.76	31.78	300	43	Peak	VERTICAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	deg	dB	Pol/Phas	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 40 Plane : 2 Full-directivity : 2 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5266.00</th> <th>74.26</th> <th>26.06</th> <th>68.30</th> <th>81.99</th> <th>34.37</th> <th>9.87</th> <th>31.87</th> <th>300</th> <th>43</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5266.00</th> <th>87.57</th> <th>-----</th> <th>-----</th> <th>75.20</th> <th>34.37</th> <th>9.87</th> <th>31.87</th> <th>300</th> <th>43</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>deg</th> <th>dB</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5266.00	74.26	26.06	68.30	81.99	34.37	9.87	31.87	300	43	Peak	VERTICAL	2	5266.00	87.57	-----	-----	75.20	34.37	9.87	31.87	300	43	Average	VERTICAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	deg	dB	Pol/Phas
1	5114.72	53.23	-20.77	74.00	41.15	34.10	9.76	31.78	300	43	Peak	VERTICAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	deg	dB	Pol/Phas																																																							
1	5266.00	74.26	26.06	68.30	81.99	34.37	9.87	31.87	300	43	Peak	VERTICAL																																																							
2	5266.00	87.57	-----	-----	75.20	34.37	9.87	31.87	300	43	Average	VERTICAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	deg	dB	Pol/Phas																																																							
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 40 Plane : 2 Full-directivity : 2 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5108.48</th> <th>45.13</th> <th>-8.87</th> <th>54.00</th> <th>33.05</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>300</th> <th>43</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>deg</th> <th>dB</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5108.48	45.13	-8.87	54.00	33.05	34.10	9.76	31.78	300	43	Average	VERTICAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	deg	dB	Pol/Phas	<p><b>Left blank</b></p>																																							
1	5108.48	45.13	-8.87	54.00	33.05	34.10	9.76	31.78	300	43	Average	VERTICAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	deg	dB	Pol/Phas																																																							



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																														
ANT	802.11ax HE40 Partial 242/61 CH54 5270 - R																														
1	Vertical	Fundamental																													
<p><b>Peak</b></p>	<p>Site : 032026-K3          Condition : 5G BAND 1-3 3e 3117 SN 00218652- VERTICAL          Project : RBW:1000,000kHz VBW:3000,000kHz SFT:Auto          FR261401-01          Mode : 40          Plane : E          Full-directivity : 441          Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.80</td> <td>51.96</td> <td>-22.04</td> <td>74.00</td> <td>39.29</td> <td>34.70</td> <td>0.92</td> <td>31.95</td> <td>300</td> <td>43</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5377.80	51.96	-22.04	74.00	39.29	34.70	0.92	31.95	300	43	Peak	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5377.80	51.96	-22.04	74.00	39.29	34.70	0.92	31.95	300	43	Peak	VERTICAL																			
<p><b>Avg.</b></p>	<p>Site : 032026-K3          Condition : 5G BAND 1-3 (AVG) 3e 3117 SN 00218652- VERTICAL          Project : RBW:1000,000kHz VBW:3,000kHz SFT:Auto          FR261401-01          Mode : 40          Plane : E          Full-directivity : 441          Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.20</td> <td>44.73</td> <td>-9.27</td> <td>54.00</td> <td>32.06</td> <td>34.70</td> <td>0.92</td> <td>31.95</td> <td>300</td> <td>43</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5377.20	44.73	-9.27	54.00	32.06	34.70	0.92	31.95	300	43	Average	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5377.20	44.73	-9.27	54.00	32.06	34.70	0.92	31.95	300	43	Average	VERTICAL																			



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - L																																																																										
1	Horizontal	Fundamental																																																																									
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 47 Plane : 2 Full-directivity : 1 IME1 : 641 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5125.76</td> <td>52.51</td> <td>-21.49</td> <td>74.00</td> <td>40.43</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>100</td> <td>100 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	cm	deg	1 5125.76	52.51	-21.49	74.00	40.43	34.10	9.77	31.79	100	100 Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 47 Plane : 2 Full-directivity : 1 IME1 : 641 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5320.00</td> <td>100.32</td> <td>32.02</td> <td>68.30</td> <td>87.78</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>100</td> <td>100 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5320.00</td> <td>92.57</td> <td>-----</td> <td>-----</td> <td>80.03</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>100</td> <td>100 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	cm	deg	1 * 5320.00	100.32	32.02	68.30	87.78	34.55	9.89	31.90	100	100 Peak	HORIZONTAL	2 5320.00	92.57	-----	-----	80.03	34.55	9.89	31.90	100	100 Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	cm	deg																																																																		
1 5125.76	52.51	-21.49	74.00	40.43	34.10	9.77	31.79	100	100 Peak	HORIZONTAL																																																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	cm	deg																																																																		
1 * 5320.00	100.32	32.02	68.30	87.78	34.55	9.89	31.90	100	100 Peak	HORIZONTAL																																																																	
2 5320.00	92.57	-----	-----	80.03	34.55	9.89	31.90	100	100 Average	HORIZONTAL																																																																	
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3, 2000MHz; SRT:Auto FR261401-01 Mode : 47 Plane : 2 Full-directivity : 1 IME1 : 641 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5137.92</td> <td>45.45</td> <td>-8.55</td> <td>54.00</td> <td>33.37</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>100</td> <td>100 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	cm	deg	1 5137.92	45.45	-8.55	54.00	33.37	34.10	9.77	31.79	100	100 Average	HORIZONTAL	<p><b>Left blank</b></p>																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	cm	deg																																																																		
1 5137.92	45.45	-8.55	54.00	33.37	34.10	9.77	31.79	100	100 Average	HORIZONTAL																																																																	





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																														
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - R																														
1	Horizontal	Fundamental																													
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 47 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.70</td> <td>51.49</td> <td>-22.51</td> <td>74.00</td> <td>38.76</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>100</td> <td>100</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5383.70	51.49	-22.51	74.00	38.76	34.75	9.93	31.95	100	100	Peak	HORIZONTAL	<p><b>Left blank</b></p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5383.70	51.49	-22.51	74.00	38.76	34.75	9.93	31.95	100	100	Peak	HORIZONTAL																			
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 47 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.80</td> <td>45.07</td> <td>-8.93</td> <td>54.00</td> <td>32.38</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>100</td> <td>100</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5360.80	45.07	-8.93	54.00	32.38	34.70	9.92	31.93	100	100	Average	HORIZONTAL	<p><b>Left blank</b></p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5360.80	45.07	-8.93	54.00	32.38	34.70	9.92	31.93	100	100	Average	HORIZONTAL																			



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - L																																																																							
1	Vertical	Fundamental																																																																						
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR0261401-01 Mode : 47 Plane : 2 Full-directivity IME1 : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.84</td> <td>52.70</td> <td>-21.30</td> <td>74.00</td> <td>40.62</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>305</td> <td>42 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg	cm	deg	1 5310.84	52.70	-21.30	74.00	40.62	34.10	9.77	31.79	305	42 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR0261401-01 Mode : 47 Plane : 2 Full-directivity IME1 : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5320.00</td> <td>76.43</td> <td>28.33</td> <td>68.30</td> <td>84.09</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>305</td> <td>42 Peak VERTICAL</td> </tr> <tr> <td>2 5320.00</td> <td>87.90</td> <td>-----</td> <td>-----</td> <td>75.36</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>305</td> <td>42 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg	cm	deg	1 * 5320.00	76.43	28.33	68.30	84.09	34.55	9.89	31.90	305	42 Peak VERTICAL	2 5320.00	87.90	-----	-----	75.36	34.55	9.89	31.90	305	42 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg	cm	deg																																																															
1 5310.84	52.70	-21.30	74.00	40.62	34.10	9.77	31.79	305	42 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg	cm	deg																																																															
1 * 5320.00	76.43	28.33	68.30	84.09	34.55	9.89	31.90	305	42 Peak VERTICAL																																																															
2 5320.00	87.90	-----	-----	75.36	34.55	9.89	31.90	305	42 Average VERTICAL																																																															
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K3 Condition : 5G BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3, 2000MHz; SRT:Auto FR0261401-01 Mode : 47 Plane : 2 Full-directivity IME1 : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5310.24</td> <td>45.37</td> <td>-8.63</td> <td>54.00</td> <td>33.29</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>305</td> <td>42 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg	cm	deg	1 5310.24	45.37	-8.63	54.00	33.29	34.10	9.76	31.78	305	42 Average VERTICAL	Left blank																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg	cm	deg																																																															
1 5310.24	45.37	-8.63	54.00	33.29	34.10	9.76	31.78	305	42 Average VERTICAL																																																															





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Partial 242/62 CH62 5310 - R														
1	Vertical	Fundamental													
<p><b>Peak</b></p>	<p>Site : 03280a-K3            Condition : 5G BAND 1-3 @ 3117 SN 00218652- VERTICAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SRT:Auto            FR261401-01            Mode : 47            Plane : E            Full-directivity            IM1 : 441            Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5384.80</th> <th>53.33</th> <th>-20.47</th> <th>74.00</th> <th>40.40</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>305</th> <th>43</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5384.80	53.33	-20.47	74.00	40.40	34.75	9.93	31.95	305	43	Peak	VERTICAL	<p>Left blank</p>
1	5384.80	53.33	-20.47	74.00	40.40	34.75	9.93	31.95	305	43	Peak	VERTICAL			
<p><b>Avg.</b></p>	<p>Site : 03280a-K3            Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL            Project : RBW:1000, 000MHz; VBW:3, 2000MHz; SRT:Auto            FR261401-01            Mode : 47            Plane : E            Full-directivity            IM1 : 441            Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5361.90</th> <th>44.81</th> <th>-9.19</th> <th>54.00</th> <th>32.12</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>305</th> <th>42</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5361.90	44.81	-9.19	54.00	32.12	34.70	9.92	31.93	305	42	Average	VERTICAL	<p>Left blank</p>
1	5361.90	44.81	-9.19	54.00	32.12	34.70	9.92	31.93	305	42	Average	VERTICAL			



UNII-2A5250~5350MHz  
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE80 Full CH58 5290MHz - L																																																																																
1	Horizontal	Fundamental																																																																															
Peak	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : S1 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.76</td> <td>52.70</td> <td>-21.30</td> <td>74.00</td> <td>40.63</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>111</td> <td>99 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5145.76	52.70	-21.30	74.00	40.63	34.10	9.78	31.81	111	99 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : S1 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5284.00</td> <td>100.47</td> <td>32.17</td> <td>68.30</td> <td>88.04</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>111</td> <td>99 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5284.00</td> <td>91.14</td> <td></td> <td>70.71</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>111</td> <td>99 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5284.00	100.47	32.17	68.30	88.04	34.43	9.88	31.88	111	99 Peak	HORIZONTAL	2	5284.00	91.14		70.71	34.43	9.88	31.88	111	99 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5145.76	52.70	-21.30	74.00	40.63	34.10	9.78	31.81	111	99 Peak	HORIZONTAL																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5284.00	100.47	32.17	68.30	88.04	34.43	9.88	31.88	111	99 Peak	HORIZONTAL																																																																						
2	5284.00	91.14		70.71	34.43	9.88	31.88	111	99 Average	HORIZONTAL																																																																							
Avg.	<p>Site : 032000-KS Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : S1 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.24</td> <td>43.69</td> <td>-10.31</td> <td>54.00</td> <td>31.61</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>111</td> <td>99 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5126.24	43.69	-10.31	54.00	31.61	34.10	9.77	31.79	111	99 Average	HORIZONTAL	Left blank																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5126.24	43.69	-10.31	54.00	31.61	34.10	9.77	31.79	111	99 Average	HORIZONTAL																																																																						





WIFI	UNII-2A5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE80 Full CH58 5290MHz - R														
1	Horizontal	Fundamental													
<p><b>Peak</b></p>	 <p>Site : 03200a-K3            Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL            Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto            FR261401-01            Mode : S1            Plane : E            MEI : Full-directivity            : H41            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5351.50</th> <th>54.25</th> <th>-19.75</th> <th>74.00</th> <th>41.62</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>111</th> <th>99</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5351.50	54.25	-19.75	74.00	41.62	34.65	0.91	31.93	111	99	Peak	HORIZONTAL	<p>Left blank</p>
1	5351.50	54.25	-19.75	74.00	41.62	34.65	0.91	31.93	111	99	Peak	HORIZONTAL			
<p><b>Avg.</b></p>	 <p>Site : 03200a-K3            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : RBW 1000, 0000Hz YBR 1, 1000Hz SRT Auto            FR261401-01            Mode : S1            Plane : E            MEI : Full-directivity            : H41            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.10</th> <th>47.66</th> <th>-6.34</th> <th>54.00</th> <th>35.03</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>111</th> <th>99</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5350.10	47.66	-6.34	54.00	35.03	34.65	0.91	31.93	111	99	Average	HORIZONTAL	<p>Left blank</p>
1	5350.10	47.66	-6.34	54.00	35.03	34.65	0.91	31.93	111	99	Average	HORIZONTAL			



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																								
ANT	802.11ax HE80 Full CH58 5290MHz - L																																								
1	Vertical	Fundamental																																							
<p><b>Peak</b></p>	<p>Site : 032806-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            (FR261401-01)            Mode : S1            Plane : E            IME1 : Full-directivity            : 841            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5106.88</th> <th>52.61</th> <th>-21.29</th> <th>74.00</th> <th>40.53</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>275</th> <th>46</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5106.88	52.61	-21.29	74.00	40.53	34.10	9.76	31.78	275	46	Peak	VERTICAL	<p>Site : 032806-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            (FR261401-01)            Mode : S1            Plane : E            IME1 : Full-directivity            : 841            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5290.00</th> <th>95.16</th> <th>26.86</th> <th>68.30</th> <th>82.73</th> <th>34.43</th> <th>9.88</th> <th>31.88</th> <th>275</th> <th>46</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5290.00</th> <th>86.81</th> <th>-----</th> <th>-----</th> <th>74.38</th> <th>34.43</th> <th>9.88</th> <th>31.88</th> <th>275</th> <th>40</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5290.00	95.16	26.86	68.30	82.73	34.43	9.88	31.88	275	46	Peak	VERTICAL	2	5290.00	86.81	-----	-----	74.38	34.43	9.88	31.88	275	40	Average	VERTICAL
1	5106.88	52.61	-21.29	74.00	40.53	34.10	9.76	31.78	275	46	Peak	VERTICAL																													
1	5290.00	95.16	26.86	68.30	82.73	34.43	9.88	31.88	275	46	Peak	VERTICAL																													
2	5290.00	86.81	-----	-----	74.38	34.43	9.88	31.88	275	40	Average	VERTICAL																													
<p><b>Avg.</b></p>	<p>Site : 032806-K3            Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 1.1000MHz SRT Auto            (FR261401-01)            Mode : S1            Plane : E            IME1 : Full-directivity            : 841            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>1</th> <th>5113.28</th> <th>43.96</th> <th>-10.04</th> <th>54.00</th> <th>31.88</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>275</th> <th>46</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5113.28	43.96	-10.04	54.00	31.88	34.10	9.76	31.78	275	46	Average	VERTICAL	<p><b>Left blank</b></p>																										
1	5113.28	43.96	-10.04	54.00	31.88	34.10	9.76	31.78	275	46	Average	VERTICAL																													



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																	
ANT	802.11ax HE80 Full CH58 5290MHz - R																																	
1	Vertical	Fundamental																																
<p><b>Peak</b></p>	 <p>Site : 03200a-K3          Condition : 5G BAND 1-3 @ 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000, 0000Hz YBR:3000, 0000Hz SRT:Auto          FR261401-01          Mode : S1          Plane : E          MEI : Full-directivity          Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.70</td> <td>53.08</td> <td>-20.92</td> <td>74.00</td> <td>40.45</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>275</td> <td>46 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5350.70	53.08	-20.92	74.00	40.45	34.65	0.91	31.93	275	46 Peak	VERTICAL	<p>Left blank</p>
1	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5350.70	53.08	-20.92	74.00	40.45	34.65	0.91	31.93	275	46 Peak	VERTICAL																							
<p><b>Avg.</b></p>	 <p>Site : 03200a-K3          Condition : 5G BAND 1-3 (AVG) @ 3m 3117 SN 00218652- VERTICAL          Project : RBW:1000, 0000Hz YBR:1.1000Hz SRT:Auto          FR261401-01          Mode : S1          Plane : E          MEI : Full-directivity          Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.50</td> <td>44.76</td> <td>-9.24</td> <td>54.00</td> <td>32.13</td> <td>34.65</td> <td>0.91</td> <td>31.93</td> <td>275</td> <td>46 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5350.50	44.76	-9.24	54.00	32.13	34.65	0.91	31.93	275	46 Average	VERTICAL	<p>Left blank</p>
1	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																										
1	5350.50	44.76	-9.24	54.00	32.13	34.65	0.91	31.93	275	46 Average	VERTICAL																							



**UNII-2A5250~5350MHz**  
**WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)**




WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																																						
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - L																																																																																						
1	Horizontal	Fundamental																																																																																					
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND T-----3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 07            Plane : X            IME1 : full-directivity            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.92</td> <td>52.93</td> <td>-21.07</td> <td>74.00</td> <td>40.85</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>100</td> <td>100</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5133.92	52.93	-21.07	74.00	40.85	34.10	9.77	31.79	100	100	Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND T-----3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 07            Plane : X            IME1 : full-directivity            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.84</td> <td>30.54</td> <td>68.30</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>100</td> <td>100</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>90.16</td> <td>-----</td> <td>77.62</td> <td>36.50</td> <td>9.89</td> <td>31.90</td> <td>100</td> <td>100</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5320.00	98.84	30.54	68.30	34.55	9.89	31.90	100	100	Peak	HORIZONTAL	2	5320.00	90.16	-----	77.62	36.50	9.89	31.90	100	100	Average	HORIZONTAL
IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																
1	5133.92	52.93	-21.07	74.00	40.85	34.10	9.77	31.79	100	100	Peak	HORIZONTAL																																																																											
IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																
1	5320.00	98.84	30.54	68.30	34.55	9.89	31.90	100	100	Peak	HORIZONTAL																																																																												
2	5320.00	90.16	-----	77.62	36.50	9.89	31.90	100	100	Average	HORIZONTAL																																																																												
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND T-----3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 07            Plane : X            IME1 : full-directivity            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.44</td> <td>44.15</td> <td>-9.85</td> <td>54.00</td> <td>32.07</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>100</td> <td>100</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5133.44	44.15	-9.85	54.00	32.07	34.10	9.77	31.79	100	100	Average	HORIZONTAL	<b>Left blank</b>																																																
IME1	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																
1	5133.44	44.15	-9.85	54.00	32.07	34.10	9.77	31.79	100	100	Average	HORIZONTAL																																																																											







WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																		
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - R																																		
1	Horizontal	Fundamental																																	
<p><b>Peak</b></p>	<p>Site : 03200a-K3            Condition : 5G BAND 1-3 @ 3m 3117 SN 00218652- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto            FR261401-01            Mode : S7            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.30</td> <td>53.01</td> <td>-20.99</td> <td>74.00</td> <td>40.32</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>100</td> <td>Peak</td> </tr> </tbody> </table>	1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5361.30	53.01	-20.99	74.00	40.32	34.70	9.92	31.93	100	Peak	<p>Left blank</p>
1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	5361.30	53.01	-20.99	74.00	40.32	34.70	9.92	31.93	100	Peak																									
<p><b>Avg.</b></p>	<p>Site : 03200a-K3            Condition : 5G BAND 1-3 (AVG) @ 3m 3117 SN 00218652- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:3, 3000MHz; SFT:Auto            FR261401-01            Mode : S7            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.00</td> <td>43.83</td> <td>-10.17</td> <td>54.00</td> <td>31.10</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>100</td> <td>Average</td> </tr> </tbody> </table>	1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5383.00	43.83	-10.17	54.00	31.10	34.75	9.93	31.95	100	Average	<p>Left blank</p>
1	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	5383.00	43.83	-10.17	54.00	31.10	34.75	9.93	31.95	100	Average																									



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - L																																																																							
1	Vertical	Fundamental																																																																						
<p><b>Peak</b></p>	 <p>Site : 03260a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            (FR)261401-01            Mode : 57            Plane : 3            Full-directivity :            IMEI :            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5134.40</td> <td>53.56</td> <td>-20.95</td> <td>74.00</td> <td>40.97</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>292</td> <td>42 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5134.40	53.56	-20.95	74.00	40.97	34.10	9.77	31.79	292	42 Peak VERTICAL	 <p>Site : 03260a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto            (FR)261401-01            Mode : 57            Plane : 3            Full-directivity :            IMEI :            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5326.00</td> <td>84.51</td> <td>26.21</td> <td>68.30</td> <td>81.98</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>292</td> <td>42 Peak VERTICAL</td> </tr> <tr> <td>2 5326.00</td> <td>86.80</td> <td>-----</td> <td>-----</td> <td>74.27</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>292</td> <td>42 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5326.00	84.51	26.21	68.30	81.98	34.55	9.89	31.91	292	42 Peak VERTICAL	2 5326.00	86.80	-----	-----	74.27	34.55	9.89	31.91	292	42 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5134.40	53.56	-20.95	74.00	40.97	34.10	9.77	31.79	292	42 Peak VERTICAL																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 * 5326.00	84.51	26.21	68.30	81.98	34.55	9.89	31.91	292	42 Peak VERTICAL																																																															
2 5326.00	86.80	-----	-----	74.27	34.55	9.89	31.91	292	42 Average VERTICAL																																																															
<p><b>Avg.</b></p>	 <p>Site : 03260a-K3            Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL            Project : RRM 1000.000MHz YBR 3.3000MHz SRT Auto            (FR)261401-01            Mode : 57            Plane : 3            Full-directivity :            IMEI :            Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5114.72</td> <td>44.44</td> <td>+9.54</td> <td>54.00</td> <td>32.36</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>292</td> <td>42 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5114.72	44.44	+9.54	54.00	32.36	34.10	9.76	31.78	292	42 Average VERTICAL	<p><b>Left blank</b></p>																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5114.72	44.44	+9.54	54.00	32.36	34.10	9.76	31.78	292	42 Average VERTICAL																																																															



WIFI	UNII-2A5250~5350MHz Band Edge @ 3m																												
ANT	802.11ax HE80 Partial 484/66 CH58 5290MHz - R																												
1	Vertical	Fundamental																											
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117.50 00218652- VERTICAL Project : RBW:1000, 0000Hz YBR:3000, 0000Hz SRT:Auto FR261401-01 Mode : 57 Plane : E Full-directivity IMEI : 841 Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5317.50</td> <td>52.45</td> <td>-21.55</td> <td>74.00</td> <td>39.72</td> <td>34.75</td> <td>0.93 31.95 292</td> <td>43 Peak VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm deg		1	5317.50	52.45	-21.55	74.00	39.72	34.75	0.93 31.95 292	43 Peak VERTICAL	<p>Left blank</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																					
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm deg																						
1	5317.50	52.45	-21.55	74.00	39.72	34.75	0.93 31.95 292	43 Peak VERTICAL																					
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117.50 00218652- VERTICAL Project : RBW:1000, 0000Hz YBR:3, 3000Hz SRT:Auto FR261401-01 Mode : 57 Plane : E Full-directivity IMEI : 841 Powersetting : 7.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5317.90</td> <td>43.66</td> <td>-10.34</td> <td>54.00</td> <td>31.03</td> <td>34.65</td> <td>0.91 31.93 292</td> <td>42 Average VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm deg		1	5317.90	43.66	-10.34	54.00	31.03	34.65	0.91 31.93 292	42 Average VERTICAL	<p>Left blank</p>
1	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																					
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm deg																						
1	5317.90	43.66	-10.34	54.00	31.03	34.65	0.91 31.93 292	42 Average VERTICAL																					



UNII-2A- 5250~5350MHz  
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																									
ANT	802.11a CH52 5260MHz																																																									
1	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Project : (FR)261401-01 Mode : 4 Plane : X IMEI : Full-directivity #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10250.00</td> <td>45.53</td> <td>-22.77</td> <td>68.30</td> <td>55.20</td> <td>37.71</td> <td>14.24</td> <td>61.62</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 10250.00	45.53	-22.77	68.30	55.20	37.71	14.24	61.62	300	0 Peak HORIZONTAL	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Project : (FR)261401-01 Mode : 4 Plane : X IMEI : Full-directivity #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10250.00</td> <td>45.00</td> <td>-23.30</td> <td>68.30</td> <td>54.67</td> <td>37.71</td> <td>14.24</td> <td>61.62</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 10250.00	45.00	-23.30	68.30	54.67	37.71	14.24	61.62	100	0 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																		
1 10250.00	45.53	-22.77	68.30	55.20	37.71	14.24	61.62	300	0 Peak HORIZONTAL																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																		
1 10250.00	45.00	-23.30	68.30	54.67	37.71	14.24	61.62	100	0 Peak VERTICAL																																																	
WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																									
ANT	802.11a CH60 5300MHz																																																									
1	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Project : (FR)261401-01 Mode : 5 Plane : X IMEI : Full-directivity #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10000.01</td> <td>44.95</td> <td>-29.05</td> <td>74.00</td> <td>54.54</td> <td>37.76</td> <td>14.29</td> <td>61.64</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 10000.01	44.95	-29.05	74.00	54.54	37.76	14.29	61.64	300	0 Peak HORIZONTAL	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Project : (FR)261401-01 Mode : 5 Plane : X IMEI : Full-directivity #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10000.01</td> <td>44.27</td> <td>-29.73</td> <td>74.00</td> <td>53.86</td> <td>37.76</td> <td>14.29</td> <td>61.64</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 10000.01	44.27	-29.73	74.00	53.86	37.76	14.29	61.64	100	0 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																		
1 10000.01	44.95	-29.05	74.00	54.54	37.76	14.29	61.64	300	0 Peak HORIZONTAL																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																		
1 10000.01	44.27	-29.73	74.00	53.86	37.76	14.29	61.64	100	0 Peak VERTICAL																																																	



WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11a CH64 5320MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : G Plane : X Full-directivity IMEI : #441 PowerSetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10641.00</td> <td>45.31</td> <td>-28.69</td> <td>74.00</td> <td>54.86</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	45.31	-28.69	74.00	54.86	37.78	14.32	61.65	300	0 Peak	HORIZONTAL	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : G Plane : X Full-directivity IMEI : #441 PowerSetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10641.00</td> <td>44.51</td> <td>-29.49</td> <td>74.00</td> <td>54.06</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10641.00	44.51	-29.49	74.00	54.06	37.78	14.32	61.65	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10641.00	45.31	-28.69	74.00	54.86	37.78	14.32	61.65	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10641.00	44.51	-29.49	74.00	54.06	37.78	14.32	61.65	100	0 Peak	VERTICAL																																																										



UNII-2A5250~5350MHz  
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH52 5260MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site Condition : 03QHD-K3            Condition : SG BAND 1---3 3m 3117 SW 00218602- HORIZONTAL            Emission : RBW 1000.0000KHz VBW 3000.0000KHz SRT Auto            Project : FR261401-01            Mode : 13            Plane : 13            Full-directivity            IMEI : #41            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>44.99</td> <td>-23.31</td> <td>68.30</td> <td>54.66</td> <td>37.71</td> <td>14.24</td> <td>61.62</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10520.00	44.99	-23.31	68.30	54.66	37.71	14.24	61.62	300	0 Peak	HORIZONTAL	<p>Site Condition : 03QHD-K3            Condition : SG BAND 1---3 3m 3117 SW 00218602- VERTICAL            Emission : RBW 1000.0000KHz VBW 3000.0000KHz SRT Auto            Project : FR261401-01            Mode : 13            Plane : 13            Full-directivity            IMEI : #41            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>48.45</td> <td>-21.85</td> <td>68.30</td> <td>56.12</td> <td>37.71</td> <td>14.24</td> <td>61.62</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10520.00	48.45	-21.85	68.30	56.12	37.71	14.24	61.62	100	0 Peak	VERTICAL
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 10520.00	44.99	-23.31	68.30	54.66	37.71	14.24	61.62	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 10520.00	48.45	-21.85	68.30	56.12	37.71	14.24	61.62	100	0 Peak	VERTICAL																																																										
Peak Avg.	<p>Site Condition : 03QHD-K3            Condition : SG BAND 1---3 3m 3117 SW 00218602- HORIZONTAL            Emission : RBW 1000.0000KHz VBW 3000.0000KHz SRT Auto            Project : FR261401-01            Mode : 14            Plane : 14            Full-directivity            IMEI : #41            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10600.01</td> <td>44.54</td> <td>-29.46</td> <td>74.00</td> <td>54.13</td> <td>37.76</td> <td>14.29</td> <td>61.64</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10600.01	44.54	-29.46	74.00	54.13	37.76	14.29	61.64	300	0 Peak	HORIZONTAL	<p>Site Condition : 03QHD-K3            Condition : SG BAND 1---3 3m 3117 SW 00218602- VERTICAL            Emission : RBW 1000.0000KHz VBW 3000.0000KHz SRT Auto            Project : FR261401-01            Mode : 14            Plane : 14            Full-directivity            IMEI : #41            Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10600.01</td> <td>45.77</td> <td>-28.23</td> <td>74.00</td> <td>55.36</td> <td>37.76</td> <td>14.29</td> <td>61.64</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 10600.01	45.77	-28.23	74.00	55.36	37.76	14.29	61.64	100	0 Peak	VERTICAL
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 10600.01	44.54	-29.46	74.00	54.13	37.76	14.29	61.64	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 10600.01	45.77	-28.23	74.00	55.36	37.76	14.29	61.64	100	0 Peak	VERTICAL																																																										



WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																									
ANT	802.11ax HE20 Full CH64 5320MHz																																									
1	Horizontal	Vertical																																								
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR261401-01 Mode : IS Plane : E Full-directivity : Full-directivity IMEI : 843 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>10641.00</td> <td>45.25</td> <td>-28.75</td> <td>74.00</td> <td>54.80</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	10641.00	45.25	-28.75	74.00	54.80	37.78	14.32	61.65	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR261401-01 Mode : IS Plane : E Full-directivity : Full-directivity IMEI : 843 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>10641.00</td> <td>43.83</td> <td>-30.17</td> <td>74.00</td> <td>53.38</td> <td>37.78</td> <td>14.32</td> <td>61.65</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	10641.00	43.83	-30.17	74.00	53.38	37.78	14.32	61.65	0 Peak	VERTICAL
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																
10641.00	45.25	-28.75	74.00	54.80	37.78	14.32	61.65	0 Peak	HORIZONTAL																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
10641.00	43.83	-30.17	74.00	53.38	37.78	14.32	61.65	0 Peak	VERTICAL																																	



**UNII-2A- 5250~5350MHz**  
**WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																																			
ANT	802.11ax HE40 Full CH54 5270																																																																																			
1	Horizontal	Vertical																																																																																		
Peak Avg.	<p>Site : 03QHD-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000000 WSR 2000.000000 SBT Auto Project : FR261401-01 Mode : 2F Plane : 2 Full-directivity : 2 IMEI : #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10542.00</td> <td>44.19</td> <td>-24.11</td> <td>68.30</td> <td>53.84</td> <td>37.72</td> <td>14.25</td> <td>61.62</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas			MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	10542.00	44.19	-24.11	68.30	53.84	37.72	14.25	61.62	300	0	Peak	HORIZONT	<p>Site : 03QHD-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL EIRP : 1000.000000 WSR 2000.000000 SBT Auto Project : FR261401-01 Mode : 2F Plane : 2 Full-directivity : 2 IMEI : #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10542.00</td> <td>44.36</td> <td>-23.94</td> <td>68.30</td> <td>54.01</td> <td>37.72</td> <td>14.25</td> <td>61.62</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas			MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	10542.00	44.36	-23.94	68.30	54.01	37.72	14.25	61.62	100	0	Peak	VERTICAL
	IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas																																																																						
		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
1	10542.00	44.19	-24.11	68.30	53.84	37.72	14.25	61.62	300	0	Peak	HORIZONT																																																																								
IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas																																																																							
		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
1	10542.00	44.36	-23.94	68.30	54.01	37.72	14.25	61.62	100	0	Peak	VERTICAL																																																																								
WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																																			
ANT	802.11ax HE40 Full CH62 5310																																																																																			
1	Horizontal	Vertical																																																																																		
Peak Avg.	<p>Site : 03QHD-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL EIRP : 1000.000000 WSR 2000.000000 SBT Auto Project : FR261401-01 Mode : 2F Plane : 2 Full-directivity : 2 IMEI : #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10619.00</td> <td>44.69</td> <td>-29.31</td> <td>74.00</td> <td>54.25</td> <td>37.77</td> <td>14.31</td> <td>61.64</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas			MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	10619.00	44.69	-29.31	74.00	54.25	37.77	14.31	61.64	300	0	Peak	HORIZONT	<p>Site : 03QHD-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL EIRP : 1000.000000 WSR 2000.000000 SBT Auto Project : FR261401-01 Mode : 2F Plane : 2 Full-directivity : 2 IMEI : #41 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10619.00</td> <td>45.47</td> <td>-28.53</td> <td>74.00</td> <td>55.03</td> <td>37.77</td> <td>14.31</td> <td>61.64</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas			MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	10619.00	45.47	-28.53	74.00	55.03	37.77	14.31	61.64	100	0	Peak	VERTICAL
	IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas																																																																						
		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
1	10619.00	44.69	-29.31	74.00	54.25	37.77	14.31	61.64	300	0	Peak	HORIZONT																																																																								
IMEI	Powersetting	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Poi/Phas																																																																							
		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																									
1	10619.00	45.47	-28.53	74.00	55.03	37.77	14.31	61.64	100	0	Peak	VERTICAL																																																																								





UNII-2A5250~5350MHz  
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-2A5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH58 5290MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032100-KS Condition : SG BAND 1---3 3m 3117.5N 00218662- HORIZONTAL Project : FR261401-01 Mode : 27 Plane : X NEI : full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Premo</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10575.00</td> <td>44.90</td> <td>-23.40</td> <td>68.30</td> <td>54.52</td> <td>37.74</td> <td>14.27</td> <td>61.63</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1 10575.00	44.90	-23.40	68.30	54.52	37.74	14.27	61.63	300	0 Peak	HORIZONTAL	<p>Site : 032100-KS Condition : SG BAND 1---3 3m 3117.5N 00218662- VERTICAL Project : FR261401-01 Mode : 27 Plane : X NEI : full-directivity Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Premo</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 10575.00</td> <td>44.46</td> <td>-23.84</td> <td>68.30</td> <td>54.08</td> <td>37.74</td> <td>14.27</td> <td>61.63</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg		1 10575.00	44.46	-23.84	68.30	54.08	37.74	14.27	61.63	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1 10575.00	44.90	-23.40	68.30	54.52	37.74	14.27	61.63	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																											
1 10575.00	44.46	-23.84	68.30	54.08	37.74	14.27	61.63	100	0 Peak	VERTICAL																																																										



UNII-2A5250~5350MHz

UNII-2C - 5470~5725MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																													
ANT	802.11a CH100 5500MHz																																																																																													
1	Horizontal	Fundamental																																																																																												
Peak	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5424.40</td> <td>52.87</td> <td>-21.13</td> <td>74.00</td> <td>40.08</td> <td>34.80</td> <td>9.97</td> <td>31.98</td> <td>106</td> <td>184 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5444.24</td> <td>53.47</td> <td>-14.63</td> <td>68.30</td> <td>40.62</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>106</td> <td>194 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg			1	5424.40	52.87	-21.13	74.00	40.08	34.80	9.97	31.98	106	184 Peak	HORIZONTAL	2	5444.24	53.47	-14.63	68.30	40.62	34.80	10.04	31.99	106	194 Peak	HORIZONTAL	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.41</td> <td>40.11</td> <td>68.30</td> <td>95.93</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>106</td> <td>184 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>151.72</td> <td>---</td> <td>---</td> <td>68.34</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>106</td> <td>194 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg			1	5500.00	108.41	40.11	68.30	95.93	34.80	10.09	32.01	106	184 Peak	HORIZONTAL	2	5500.00	151.72	---	---	68.34	34.80	10.09	32.01	106	194 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																																						
1	5424.40	52.87	-21.13	74.00	40.08	34.80	9.97	31.98	106	184 Peak	HORIZONTAL																																																																																			
2	5444.24	53.47	-14.63	68.30	40.62	34.80	10.04	31.99	106	194 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																																						
1	5500.00	108.41	40.11	68.30	95.93	34.80	10.09	32.01	106	184 Peak	HORIZONTAL																																																																																			
2	5500.00	151.72	---	---	68.34	34.80	10.09	32.01	106	194 Average	HORIZONTAL																																																																																			
Avg.	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/m</th> <th>dB</th> <th>dBm/m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.08</td> <td>43.88</td> <td>-10.12</td> <td>54.00</td> <td>31.05</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>106</td> <td>184 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg			1	5455.08	43.88	-10.12	54.00	31.05	34.80	10.02	31.99	106	184 Average	HORIZONTAL	Left blank																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
MHz	dBm/m	dB	dBm/m	dBm	dB	dB	cm	deg																																																																																						
1	5455.08	43.88	-10.12	54.00	31.05	34.80	10.02	31.99	106	184 Average	HORIZONTAL																																																																																			




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11a CH100 5500MHz																																																																																												
1	Vertical	Fundamental																																																																																											
Peak	<p>Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5485.00</td> <td>53.03</td> <td>-20.97</td> <td>74.00</td> <td>40.20</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>320</td> <td>9 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5488.40</td> <td>52.51</td> <td>-15.09</td> <td>68.30</td> <td>39.76</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>320</td> <td>9 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5485.00	53.03	-20.97	74.00	40.20	34.80	10.02	31.99	320	9 Peak	VERTICAL	2	5488.40	52.51	-15.09	68.30	39.76	34.80	10.04	31.99	320	9 Peak	VERTICAL	<p>Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.11</td> <td>38.81</td> <td>68.30</td> <td>94.23</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>320</td> <td>9 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>100.43</td> <td>-----</td> <td>87.55</td> <td>34.80</td> <td>10.09</td> <td>32.01</td> <td>320</td> <td>9 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5500.00	107.11	38.81	68.30	94.23	34.80	10.09	32.01	320	9 Peak	VERTICAL	2	5500.00	100.43	-----	87.55	34.80	10.09	32.01	320	9 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5485.00	53.03	-20.97	74.00	40.20	34.80	10.02	31.99	320	9 Peak	VERTICAL																																																																																		
2	5488.40	52.51	-15.09	68.30	39.76	34.80	10.04	31.99	320	9 Peak	VERTICAL																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5500.00	107.11	38.81	68.30	94.23	34.80	10.09	32.01	320	9 Peak	VERTICAL																																																																																		
2	5500.00	100.43	-----	87.55	34.80	10.09	32.01	320	9 Average	VERTICAL																																																																																			
Avg.	<p>Site : 03CH06-K5 Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 7 Plane : X Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5488.04</td> <td>43.59</td> <td>-10.41</td> <td>54.00</td> <td>30.76</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>320</td> <td>9 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5488.04	43.59	-10.41	54.00	30.76	34.80	10.02	31.99	320	9 Average	VERTICAL	Left blank																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5488.04	43.59	-10.41	54.00	30.76	34.80	10.02	31.99	320	9 Average	VERTICAL																																																																																		



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11a CH116 5580MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #441 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5470.88</td> <td>53.99</td> <td>-20.01</td> <td>74.00</td> <td>41.18</td> <td>34.80</td> <td>9.97</td> <td>31.96</td> <td>100</td> <td>180 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5460.88</td> <td>53.35</td> <td>-15.04</td> <td>68.30</td> <td>40.41</td> <td>34.80</td> <td>10.04</td> <td>33.99</td> <td>100</td> <td>180 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5470.88	53.99	-20.01	74.00	41.18	34.80	9.97	31.96	100	180 Peak	HORIZONTAL	5460.88	53.35	-15.04	68.30	40.41	34.80	10.04	33.99	100	180 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #441 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5584.00</td> <td>104.57</td> <td>36.27</td> <td>68.30</td> <td>91.79</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>100</td> <td>180 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5584.00</td> <td>97.65</td> <td></td> <td></td> <td>84.87</td> <td>34.63</td> <td>10.22</td> <td>32.07</td> <td>100</td> <td>180 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5584.00	104.57	36.27	68.30	91.79	34.63	10.22	32.07	100	180 Peak	HORIZONTAL	5584.00	97.65			84.87	34.63	10.22	32.07	100	180 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
5470.88	53.99	-20.01	74.00	41.18	34.80	9.97	31.96	100	180 Peak	HORIZONTAL																																																																																
5460.88	53.35	-15.04	68.30	40.41	34.80	10.04	33.99	100	180 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
5584.00	104.57	36.27	68.30	91.79	34.63	10.22	32.07	100	180 Peak	HORIZONTAL																																																																																
5584.00	97.65			84.87	34.63	10.22	32.07	100	180 Average	HORIZONTAL																																																																																
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #441 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5474.72</td> <td>43.39</td> <td>-10.61</td> <td>54.00</td> <td>30.60</td> <td>34.80</td> <td>9.97</td> <td>31.98</td> <td>100</td> <td>180 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			5474.72	43.39	-10.61	54.00	30.60	34.80	9.97	31.98	100	180 Average	HORIZONTAL	Left blank																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
5474.72	43.39	-10.61	54.00	30.60	34.80	9.97	31.98	100	180 Average	HORIZONTAL																																																																																






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11a CH116 5580MHz - R																																		
1	Horizontal	Fundamental																																	
Peak	 <p>No. 1098, Fengzi North Road, Kunshan Economic &amp; Technological Development Zone, Jiangsu China Tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : SG BAND 1---3 3m 317 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : XZ Full-directivity IMEI : 8441 PowerSetting : 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Bandwidth</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5764.84</td> <td>53.77</td> <td>-14.53</td> <td>68.30</td> <td>40.82</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>100</td> <td>100 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Bandwidth	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg			1 5764.84	53.77	-14.53	68.30	40.82	34.57	10.37	31.99	100	100 Peak	HORIZONTAL	Left blank
Freq	Level	Over	Limit	Bandwidth	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	on	deg																											
1 5764.84	53.77	-14.53	68.30	40.82	34.57	10.37	31.99	100	100 Peak	HORIZONTAL																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11a CH116 5580MHz - L																																																																																												
1	Vertical	Fundamental																																																																																											
Peak	<p>Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.76</td> <td>53.32</td> <td>-20.68</td> <td>74.00</td> <td>40.49</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>369</td> <td>11 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5464.40</td> <td>51.54</td> <td>-16.66</td> <td>68.30</td> <td>38.79</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>369</td> <td>11 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5455.76	53.32	-20.68	74.00	40.49	34.80	10.02	31.99	369	11 Peak	VERTICAL	2	5464.40	51.54	-16.66	68.30	38.79	34.80	10.04	31.99	369	11 Peak	VERTICAL	<p>Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5578.00</td> <td>103.25</td> <td>34.96</td> <td>68.30</td> <td>90.45</td> <td>34.67</td> <td>10.20</td> <td>32.07</td> <td>369</td> <td>11 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5578.00</td> <td>95.77</td> <td></td> <td>82.97</td> <td>34.67</td> <td>10.20</td> <td>32.07</td> <td>369</td> <td>11 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5578.00	103.25	34.96	68.30	90.45	34.67	10.20	32.07	369	11 Peak	VERTICAL	2	5578.00	95.77		82.97	34.67	10.20	32.07	369	11 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5455.76	53.32	-20.68	74.00	40.49	34.80	10.02	31.99	369	11 Peak	VERTICAL																																																																																		
2	5464.40	51.54	-16.66	68.30	38.79	34.80	10.04	31.99	369	11 Peak	VERTICAL																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5578.00	103.25	34.96	68.30	90.45	34.67	10.20	32.07	369	11 Peak	VERTICAL																																																																																		
2	5578.00	95.77		82.97	34.67	10.20	32.07	369	11 Average	VERTICAL																																																																																			
Avg.	<p>Site : 03CH06-KS Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity : Full-directivity IMEI : #41 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.28</td> <td>43.36</td> <td>-10.64</td> <td>54.00</td> <td>30.53</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>369</td> <td>11 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	5451.28	43.36	-10.64	54.00	30.53	34.80	10.02	31.99	369	11 Average	VERTICAL	Left blank																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																					
1	5451.28	43.36	-10.64	54.00	30.53	34.80	10.02	31.99	369	11 Average	VERTICAL																																																																																		



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																													
ANT	802.11a CH116 5580MHz - R																																																																													
1	Vertical	Fundamental																																																																												
Peak	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technological Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity IMEI : #41 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5753.88</td> <td>54.11</td> <td>-14.19</td> <td>68.30</td> <td>41.18</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>369</td> <td>11 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg		1	5753.88	54.11	-14.19	68.30	41.18	34.57	10.37	32.01	369	11 Peak	VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																						
1	5753.88	54.11	-14.19	68.30	41.18	34.57	10.37	32.01	369	11 Peak	VERTICAL																																																																			
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																													
ANT	802.11a CH140 5700MHz																																																																													
1	Horizontal	Fundamental																																																																												
Peak	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technological Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity IMEI : #41 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5704.29</td> <td>54.22</td> <td>-14.08</td> <td>68.30</td> <td>41.27</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg		1	5704.29	54.22	-14.08	68.30	41.27	34.57	10.37	31.99	100	183 Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technological Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : S Plane : X Full-directivity IMEI : #41 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>on</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>108.09</td> <td>37.79</td> <td>68.30</td> <td>95.33</td> <td>34.56</td> <td>10.32</td> <td>32.06</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>101.00</td> <td>---</td> <td>88.84</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>---</td> <td>100</td> <td>183 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg		1	5698.00	108.09	37.79	68.30	95.33	34.56	10.32	32.06	100	183 Peak	HORIZONTAL	2	5698.00	101.00	---	88.84	34.50	10.32	32.06	---	100	183 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																						
1	5704.29	54.22	-14.08	68.30	41.27	34.57	10.37	31.99	100	183 Peak	HORIZONTAL																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	on	deg																																																																						
1	5698.00	108.09	37.79	68.30	95.33	34.56	10.32	32.06	100	183 Peak	HORIZONTAL																																																																			
2	5698.00	101.00	---	88.84	34.50	10.32	32.06	---	100	183 Average	HORIZONTAL																																																																			



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11a CH140 5700MHz																																																																																
1	Vertical	Fundamental																																																																															
Peak	<p>Site : 03CH06-K5            Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL            Project : (FR)261401-01            Mode : V            Plane : X            Full-directivity            IMEI : 8641            PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/10m</th> <th>dB</th> <th>dBm/10m</th> <th>dBm/10m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5738.28</td> <td>53.66</td> <td>-14.64</td> <td>68.30</td> <td>40.76</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>287</td> <td>38 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg			1	5738.28	53.66	-14.64	68.30	40.76	34.55	10.34	32.01	287	38 Peak	VERTICAL	<p>Site : 03CH06-K5            Condition : 5G BAND 1---3 3m 3117 SN 00218652- VERTICAL            Project : (FR)261401-01            Mode : V            Plane : X            Full-directivity            IMEI : 8641            PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/10m</th> <th>dB</th> <th>dBm/10m</th> <th>dBm/10m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>106.58</td> <td>38.28</td> <td>68.30</td> <td>93.82</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>287</td> <td>38 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>99.21</td> <td>-----</td> <td>86.42</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>287</td> <td>38 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg			1	5698.00	106.58	38.28	68.30	93.82	34.50	10.32	32.06	287	38 Peak	VERTICAL	2	5698.00	99.21	-----	86.42	34.50	10.32	32.06	287	38 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg																																																																									
1	5738.28	53.66	-14.64	68.30	40.76	34.55	10.34	32.01	287	38 Peak	VERTICAL																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg																																																																									
1	5698.00	106.58	38.28	68.30	93.82	34.50	10.32	32.06	287	38 Peak	VERTICAL																																																																						
2	5698.00	99.21	-----	86.42	34.50	10.32	32.06	287	38 Average	VERTICAL																																																																							








**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE20 Full (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Full CH100 5500MHz																																																					
1	Horizontal	Fundamental																																																				
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 10            Plane : X            IM1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5399.76</th> <th>53.40</th> <th>-20.40</th> <th>74.00</th> <th>40.67</th> <th>34.80</th> <th>0.94</th> <th>31.96</th> <th>107</th> <th>184</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5466.96</th> <th>53.36</th> <th>-16.96</th> <th>68.30</th> <th>40.51</th> <th>34.80</th> <th>10.58</th> <th>31.99</th> <th>107</th> <th>184</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5399.76	53.40	-20.40	74.00	40.67	34.80	0.94	31.96	107	184	Peak	HORIZONTAL	2	5466.96	53.36	-16.96	68.30	40.51	34.80	10.58	31.99	107	184	Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 10            Plane : X            IM1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5500.00</th> <th>163.42</th> <th>35.12</th> <th>68.30</th> <th>90.54</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>107</th> <th>184</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5500.00</th> <th>164.38</th> <th>-----</th> <th>-----</th> <th>81.10</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>107</th> <th>184</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5500.00	163.42	35.12	68.30	90.54	34.80	10.09	32.01	107	184	Peak	HORIZONTAL	2	5500.00	164.38	-----	-----	81.10	34.80	10.09	32.01	107	184	Average	HORIZONTAL
1	5399.76	53.40	-20.40	74.00	40.67	34.80	0.94	31.96	107	184	Peak	HORIZONTAL																																										
2	5466.96	53.36	-16.96	68.30	40.51	34.80	10.58	31.99	107	184	Peak	HORIZONTAL																																										
1	5500.00	163.42	35.12	68.30	90.54	34.80	10.09	32.01	107	184	Peak	HORIZONTAL																																										
2	5500.00	164.38	-----	-----	81.10	34.80	10.09	32.01	107	184	Average	HORIZONTAL																																										
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : 10            Plane : X            IM1 : full-directivity            Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5459.92</th> <th>42.61</th> <th>-11.39</th> <th>54.00</th> <th>29.78</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>107</th> <th>184</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5459.92	42.61	-11.39	54.00	29.78	34.80	10.02	31.99	107	184	Average	HORIZONTAL	<b>Left blank</b>																																							
1	5459.92	42.61	-11.39	54.00	29.78	34.80	10.02	31.99	107	184	Average	HORIZONTAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Full CH100 5500MHz																																																					
1	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR0261401-01 Mode : 16 Plane : 2 Full-directivity IME1 : 841 Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5403.28</th> <th>52.72</th> <th>-21.28</th> <th>74.00</th> <th>39.94</th> <th>34.80</th> <th>9.94</th> <th>31.96</th> <th>358</th> <th>10</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5466.16</th> <th>51.59</th> <th>-16.71</th> <th>68.30</th> <th>38.74</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>358</th> <th>10</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5403.28	52.72	-21.28	74.00	39.94	34.80	9.94	31.96	358	10	Peak	VERTICAL	2	5466.16	51.59	-16.71	68.30	38.74	34.80	10.04	31.99	358	10	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR0261401-01 Mode : 16 Plane : 2 Full-directivity IME1 : 841 Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5500.00</th> <th>101.63</th> <th>33.33</th> <th>68.30</th> <th>88.75</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>358</th> <th>10</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5500.00</th> <th>93.34</th> <th>-----</th> <th>-----</th> <th>80.46</th> <th>34.80</th> <th>10.09</th> <th>32.01</th> <th>358</th> <th>10</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5500.00	101.63	33.33	68.30	88.75	34.80	10.09	32.01	358	10	Peak	VERTICAL	2	5500.00	93.34	-----	-----	80.46	34.80	10.09	32.01	358	10	Average	VERTICAL
1	5403.28	52.72	-21.28	74.00	39.94	34.80	9.94	31.96	358	10	Peak	VERTICAL																																										
2	5466.16	51.59	-16.71	68.30	38.74	34.80	10.04	31.99	358	10	Peak	VERTICAL																																										
1	5500.00	101.63	33.33	68.30	88.75	34.80	10.09	32.01	358	10	Peak	VERTICAL																																										
2	5500.00	93.34	-----	-----	80.46	34.80	10.09	32.01	358	10	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:0, 0100MHz; SRT:Auto FR0261401-01 Mode : 16 Plane : 2 Full-directivity IME1 : 841 Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5459.76</th> <th>42.47</th> <th>-11.53</th> <th>54.00</th> <th>29.64</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>358</th> <th>10</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5459.76	42.47	-11.53	54.00	29.64	34.80	10.02	31.99	358	10	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5459.76	42.47	-11.53	54.00	29.64	34.80	10.02	31.99	358	10	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Full CH116 5580MHz - L																																																					
1	Horizontal	Fundamental																																																				
<p><b>Peak</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM-1000, 000MHz, YBR-3000, 000MHz, SRT-Auto            Mode : FR261401-01            Plane : 16            Full-directivity : 2            Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5450.48</th> <th>53.09</th> <th>-20.91</th> <th>74.00</th> <th>40.26</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>100</th> <th>181</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5466.32</th> <th>51.64</th> <th>-16.66</th> <th>68.30</th> <th>38.79</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>100</th> <th>181</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5450.48	53.09	-20.91	74.00	40.26	34.80	10.02	31.99	100	181	Peak	HORIZONTAL	2	5466.32	51.64	-16.66	68.30	38.79	34.80	10.04	31.99	100	181	Peak	HORIZONTAL	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL            Project : RRM-1000, 000MHz, YBR-3000, 000MHz, SRT-Auto            Mode : FR261401-01            Plane : 16            Full-directivity : 2            Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5584.00</th> <th>104.21</th> <th>35.91</th> <th>68.30</th> <th>91.43</th> <th>34.63</th> <th>10.22</th> <th>32.07</th> <th>100</th> <th>181</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5584.00</th> <th>95.82</th> <th>-----</th> <th>-----</th> <th>83.04</th> <th>34.63</th> <th>10.22</th> <th>32.07</th> <th>100</th> <th>181</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5584.00	104.21	35.91	68.30	91.43	34.63	10.22	32.07	100	181	Peak	HORIZONTAL	2	5584.00	95.82	-----	-----	83.04	34.63	10.22	32.07	100	181	Average	HORIZONTAL
1	5450.48	53.09	-20.91	74.00	40.26	34.80	10.02	31.99	100	181	Peak	HORIZONTAL																																										
2	5466.32	51.64	-16.66	68.30	38.79	34.80	10.04	31.99	100	181	Peak	HORIZONTAL																																										
1	5584.00	104.21	35.91	68.30	91.43	34.63	10.22	32.07	100	181	Peak	HORIZONTAL																																										
2	5584.00	95.82	-----	-----	83.04	34.63	10.22	32.07	100	181	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>Site : 03280a-K3            Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- HORIZONTAL            Project : RRM-1000, 000MHz, YBR-3000, 000MHz, SRT-Auto            Mode : FR261401-01            Plane : 16            Full-directivity : 2            Powersetting : 841</p> <table border="1"> <thead> <tr> <th>1</th> <th>5459.28</th> <th>42.62</th> <th>-11.38</th> <th>54.00</th> <th>29.79</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>100</th> <th>181</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5459.28	42.62	-11.38	54.00	29.79	34.80	10.02	31.99	100	181	Average	HORIZONTAL	<p><b>Left blank</b></p>																																							
1	5459.28	42.62	-11.38	54.00	29.79	34.80	10.02	31.99	100	181	Average	HORIZONTAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE20 Full CH116 5580MHz - R																						
1	Horizontal	Fundamental																					
Peak	<p>Site : 03280A-KS        Position : SG-BAND 1---3 3m 3117 EN 00218A62- HORIZONTAL        Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto        Model : FPO104-01-01        Mode : 15        Plane : E        Full-directivity : Full-directivity        IMEI : 841        Power setting : 5</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5751.08</td> <td>54.21</td> <td>-14.09</td> <td>68.30</td> <td>41.31</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>100</td> <td>181</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5751.08	54.21	-14.09	68.30	41.31	34.55	10.34	32.01	100	181	Peak	HORIZONTAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5751.08	54.21	-14.09	68.30	41.31	34.55	10.34	32.01	100	181	Peak	HORIZONTAL											





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE20 Full CH116 5580MHz - R																																																																								
1	Vertical	Fundamental																																																																							
Peak	<p>Site : 030904-KS            Condition : SG_BAND 1----3 3m 3117 SN 00218652- VERTICAL            Project : FR261401-01            Mode : E            Plane : X            Full-directivity : Full-directivity            IMEI : #41            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5747.96</td> <td>53.40</td> <td>-14.90</td> <td>68.30</td> <td>40.50</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>349</td> <td>12 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg		1	5747.96	53.40	-14.90	68.30	40.50	34.55	10.34	32.01	349	12 Peak	VERTICAL	Left blank																																									
IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																																		
1	5747.96	53.40	-14.90	68.30	40.50	34.55	10.34	32.01	349	12 Peak	VERTICAL																																																														
WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE20 Full CH140 5700MHz																																																																								
1	Horizontal	Fundamental																																																																							
Peak	<p>Site : 030904-KS            Condition : SG_BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : E            Plane : X            Full-directivity : Full-directivity            IMEI : #41            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.92</td> <td>53.69</td> <td>-14.61</td> <td>68.30</td> <td>40.85</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>102</td> <td>180 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg		1	5728.92	53.69	-14.61	68.30	40.85	34.53	10.35	32.04	102	180 Peak	HORIZONTAL	<p>Site : 030904-KS            Condition : SG_BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : E            Plane : X            Full-directivity : Full-directivity            IMEI : #41            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>102.60</td> <td>34.30</td> <td>68.30</td> <td>89.84</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>102</td> <td>180 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>14.69</td> <td>-----</td> <td>82.13</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>102</td> <td>180 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg		1	5698.00	102.60	34.30	68.30	89.84	34.50	10.32	32.06	102	180 Peak	HORIZONTAL	2	5698.00	14.69	-----	82.13	34.50	10.32	32.06	102	180 Average	HORIZONTAL
IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																																		
1	5728.92	53.69	-14.61	68.30	40.85	34.53	10.35	32.04	102	180 Peak	HORIZONTAL																																																														
IMEI	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	deg	deg																																																																		
1	5698.00	102.60	34.30	68.30	89.84	34.50	10.32	32.06	102	180 Peak	HORIZONTAL																																																														
2	5698.00	14.69	-----	82.13	34.50	10.32	32.06	102	180 Average	HORIZONTAL																																																															



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																		
ANT	802.11ax HE20 Full CH140 5700MHz																																																		
1	Vertical	Fundamental																																																	
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218652- VERTICAL Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto FR261401-01 Mode : IS Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 5707.88</td> <td>53.48</td> <td>-14.82</td> <td>68.30</td> <td>40.53</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>267</td> <td>42 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1 5707.88	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	267	42 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SW 00218652- VERTICAL Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto FR261401-01 Mode : IS Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1 5698.00</td> <td>101.23</td> <td>32.93</td> <td>68.30</td> <td>88.47</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>267</td> <td>42 Peak VERTICAL</td> </tr> <tr> <td>2 5698.00</td> <td>93.33</td> <td>-----</td> <td>80.57</td> <td>34.50</td> <td>10.32</td> <td>32.06</td> <td>267</td> <td>42 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1 5698.00	101.23	32.93	68.30	88.47	34.50	10.32	32.06	267	42 Peak VERTICAL	2 5698.00	93.33	-----	80.57	34.50	10.32	32.06	267	42 Average VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																									
1 5707.88	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	267	42 Peak VERTICAL																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																										
1 5698.00	101.23	32.93	68.30	88.47	34.50	10.32	32.06	267	42 Peak VERTICAL																																										
2 5698.00	93.33	-----	80.57	34.50	10.32	32.06	267	42 Average VERTICAL																																											



**UNII-2C - 5470~5725MHz**  
**WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																												
ANT	802.11ax HE20 Partial 26/0 CH100 5500MHz																																																																																												
1	Horizontal	Fundamental																																																																																											
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 22            Plane : X            IM1 : full-directivity            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5484.32</td> <td>53.00</td> <td>-21.00</td> <td>74.00</td> <td>40.17</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>100</td> <td>179 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5483.92</td> <td>51.48</td> <td>-16.82</td> <td>68.30</td> <td>38.43</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>100</td> <td>179 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5484.32	53.00	-21.00	74.00	40.17	34.80	10.02	31.99	100	179 Peak	HORIZONTAL	2	5483.92	51.48	-16.82	68.30	38.43	34.80	10.04	31.99	100	179 Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 22            Plane : X            IM1 : full-directivity            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5484.00</td> <td>100.37</td> <td>32.07</td> <td>68.30</td> <td>87.01</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>100</td> <td>179 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5484.00</td> <td>95.00</td> <td>-----</td> <td>82.14</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>100</td> <td>179 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5484.00	100.37	32.07	68.30	87.01	34.80	10.07	32.01	100	179 Peak	HORIZONTAL	2	5484.00	95.00	-----	82.14	34.80	10.07	32.01	100	179 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5484.32	53.00	-21.00	74.00	40.17	34.80	10.02	31.99	100	179 Peak	HORIZONTAL																																																																																		
2	5483.92	51.48	-16.82	68.30	38.43	34.80	10.04	31.99	100	179 Peak	HORIZONTAL																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5484.00	100.37	32.07	68.30	87.01	34.80	10.07	32.01	100	179 Peak	HORIZONTAL																																																																																		
2	5484.00	95.00	-----	82.14	34.80	10.07	32.01	100	179 Average	HORIZONTAL																																																																																			
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 22            Plane : X            IM1 : full-directivity            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5473.36</td> <td>43.15</td> <td>-10.85</td> <td>54.00</td> <td>30.34</td> <td>34.80</td> <td>9.97</td> <td>31.96</td> <td>100</td> <td>179 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5473.36	43.15	-10.85	54.00	30.34	34.80	9.97	31.96	100	179 Average	HORIZONTAL	<b>Left blank</b>																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5473.36	43.15	-10.85	54.00	30.34	34.80	9.97	31.96	100	179 Average	HORIZONTAL																																																																																		








WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																	
ANT	802.11ax HE20 Partial 26/0 CH100 5500MHz																																																	
1	Vertical	Fundamental																																																
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 23 Plane : 2 IMEI : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5374.96</th> <th>52.58</th> <th>-21.42</th> <th>74.00</th> <th>39.91</th> <th>34.70</th> <th>9.92</th> <th>31.95</th> <th>379</th> <th>7 Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5464.40</th> <th>51.01</th> <th>-17.29</th> <th>68.30</th> <th>38.16</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>379</th> <th>7 Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5374.96	52.58	-21.42	74.00	39.91	34.70	9.92	31.95	379	7 Peak	VERTICAL	2	5464.40	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	379	7 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 23 Plane : 2 IMEI : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5494.00</th> <th>100.82</th> <th>32.62</th> <th>68.30</th> <th>87.96</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>379</th> <th>7 Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5494.00</th> <th>93.55</th> <th>-----</th> <th>-----</th> <th>80.69</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>379</th> <th>7 Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5494.00	100.82	32.62	68.30	87.96	34.80	10.07	32.01	379	7 Peak	VERTICAL	2	5494.00	93.55	-----	-----	80.69	34.80	10.07	32.01	379	7 Average	VERTICAL
1	5374.96	52.58	-21.42	74.00	39.91	34.70	9.92	31.95	379	7 Peak	VERTICAL																																							
2	5464.40	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	379	7 Peak	VERTICAL																																							
1	5494.00	100.82	32.62	68.30	87.96	34.80	10.07	32.01	379	7 Peak	VERTICAL																																							
2	5494.00	93.55	-----	-----	80.69	34.80	10.07	32.01	379	7 Average	VERTICAL																																							
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 23 Plane : 2 IMEI : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5425.52</th> <th>43.03</th> <th>-10.97</th> <th>54.00</th> <th>30.24</th> <th>34.80</th> <th>9.97</th> <th>31.98</th> <th>379</th> <th>7 Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5425.52	43.03	-10.97	54.00	30.24	34.80	9.97	31.98	379	7 Average	VERTICAL	<p><b>Left blank</b></p>																																				
1	5425.52	43.03	-10.97	54.00	30.24	34.80	9.97	31.98	379	7 Average	VERTICAL																																							



WIFI	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																																																																																								
ANT	<b>802.11ax HE20 Partial 26/8 CH140 5700MHz</b>																																																																																								
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																							
<b>Peak</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032040-KS Condition : SG_BAND1----3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401 Mode : 24 Plane : X Full-directivity : #41 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.56</td> <td>52.79</td> <td>-15.91</td> <td>68.30</td> <td>39.95</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>180 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dB	dBm	dB	dB	dB	cm	deg			1	5725.56	52.79	-15.91	68.30	39.95	34.53	10.35	32.04	100	180 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032040-KS Condition : SG_BAND1----3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401 Mode : 24 Plane : X Full-directivity : #41 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>*</td> <td>5710.00</td> <td>103.27</td> <td>34.97</td> <td>68.30</td> <td>90.46</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>180 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td></td> <td>5710.00</td> <td>95.30</td> <td>-----</td> <td>62.49</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>180 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBm	dB	dBm	dB	dB	dB	cm	deg			1	*	5710.00	103.27	34.97	68.30	90.46	34.52	10.33	32.04	100	180 Peak	HORIZONTAL	2		5710.00	95.30	-----	62.49	34.52	10.33	32.04	100	180 Average	HORIZONTAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
	MHz	dBm	dB	dBm	dB	dB	dB	cm	deg																																																																																
1	5725.56	52.79	-15.91	68.30	39.95	34.53	10.35	32.04	100	180 Peak	HORIZONTAL																																																																														
1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
		MHz	dBm	dB	dBm	dB	dB	dB	cm	deg																																																																															
1	*	5710.00	103.27	34.97	68.30	90.46	34.52	10.33	32.04	100	180 Peak	HORIZONTAL																																																																													
2		5710.00	95.30	-----	62.49	34.52	10.33	32.04	100	180 Average	HORIZONTAL																																																																														
WIFI	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																																																																																								
ANT	<b>802.11ax HE20 Partial 26/8 CH140 5700MHz</b>																																																																																								
<b>1</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																							
<b>Peak</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032040-KS Condition : SG_BAND1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 24 Plane : X Full-directivity : #41 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5730.12</td> <td>52.93</td> <td>-15.37</td> <td>68.30</td> <td>40.09</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>300</td> <td>40 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dB	dBm	dB	dB	dB	cm	deg			1	5730.12	52.93	-15.37	68.30	40.09	34.53	10.35	32.04	300	40 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032040-KS Condition : SG_BAND1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 24 Plane : X Full-directivity : #41 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>*</td> <td>5710.00</td> <td>100.21</td> <td>31.91</td> <td>68.30</td> <td>87.40</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>300</td> <td>40 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td></td> <td>5710.00</td> <td>93.09</td> <td>-----</td> <td>60.39</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>300</td> <td>40 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBm	dB	dBm	dB	dB	dB	cm	deg			1	*	5710.00	100.21	31.91	68.30	87.40	34.52	10.33	32.04	300	40 Peak	VERTICAL	2		5710.00	93.09	-----	60.39	34.52	10.33	32.04	300	40 Average	VERTICAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
	MHz	dBm	dB	dBm	dB	dB	dB	cm	deg																																																																																
1	5730.12	52.93	-15.37	68.30	40.09	34.53	10.35	32.04	300	40 Peak	VERTICAL																																																																														
1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
		MHz	dBm	dB	dBm	dB	dB	dB	cm	deg																																																																															
1	*	5710.00	100.21	31.91	68.30	87.40	34.52	10.33	32.04	300	40 Peak	VERTICAL																																																																													
2		5710.00	93.09	-----	60.39	34.52	10.33	32.04	300	40 Average	VERTICAL																																																																														



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																																	
ANT	802.11ax HE20 Partial 52/37 CH100 5500MHz																																																																																																																	
1	Horizontal	Fundamental																																																																																																																
<b>Peak</b>	 <p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 2F            Plane : X            IME1 : full-directivity            Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>IME1</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5400.72</td> <td>51.95</td> <td>-22.05</td> <td>74.00</td> <td>39.17</td> <td>34.80</td> <td>0.94</td> <td>31.96</td> <td>100</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5402.00</td> <td>52.11</td> <td>-16.19</td> <td>68.30</td> <td>39.38</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>100</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss	IME1	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	5400.72	51.95	-22.05	74.00	39.17	34.80	0.94	31.96	100	182	Peak	HORIZONTAL	2	5402.00	52.11	-16.19	68.30	39.38	34.80	10.02	31.99	100	182	Peak	HORIZONTAL	 <p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 2F            Plane : X            IME1 : full-directivity            Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>IME1</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5484.00</td> <td>102.44</td> <td>34.14</td> <td>68.30</td> <td>89.68</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>100</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5486.00</td> <td>106.26</td> <td>-----</td> <td>-----</td> <td>82.40</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>100</td> <td>182</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss	IME1	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	5484.00	102.44	34.14	68.30	89.68	34.80	10.07	32.01	100	182	Peak	HORIZONTAL	2	5486.00	106.26	-----	-----	82.40	34.80	10.07	32.01	100	182	Average	HORIZONTAL
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
IME1	Level	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss																																																																																																									
IME1	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																									
1	5400.72	51.95	-22.05	74.00	39.17	34.80	0.94	31.96	100	182	Peak	HORIZONTAL																																																																																																						
2	5402.00	52.11	-16.19	68.30	39.38	34.80	10.02	31.99	100	182	Peak	HORIZONTAL																																																																																																						
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
IME1	Level	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss																																																																																																									
IME1	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																									
1	5484.00	102.44	34.14	68.30	89.68	34.80	10.07	32.01	100	182	Peak	HORIZONTAL																																																																																																						
2	5486.00	106.26	-----	-----	82.40	34.80	10.07	32.01	100	182	Average	HORIZONTAL																																																																																																						
<b>Avg.</b>	 <p>Site : 032000-KS            Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 2F            Plane : X            IME1 : full-directivity            Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> </tr> <tr> <th>IME1</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.44</td> <td>43.91</td> <td>-10.09</td> <td>54.00</td> <td>31.10</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>100</td> <td>182</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss	IME1	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	5431.44	43.91	-10.09	54.00	31.10	34.80	9.99	31.98	100	182	Average	HORIZONTAL	<b>Left blank</b>																																																																					
IME1	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																									
IME1	Level	Line	Level	Factor	Loss	Factor	Loss	Factor	Loss																																																																																																									
IME1	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																									
1	5431.44	43.91	-10.09	54.00	31.10	34.80	9.99	31.98	100	182	Average	HORIZONTAL																																																																																																						






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Partial 52/37 CH100 5500MHz																																																																																								
1	Vertical	Fundamental																																																																																							
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 29 Plane : 2 IMEI : Full-directivity Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5474.08</td> <td>52.24</td> <td>-21.76</td> <td>74.00</td> <td>39.43</td> <td>34.80</td> <td>9.97</td> <td>31.96</td> <td>358</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5467.12</td> <td>51.01</td> <td>-17.29</td> <td>68.30</td> <td>38.16</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>358</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1 5474.08	52.24	-21.76	74.00	39.43	34.80	9.97	31.96	358	0 Peak	VERTICAL	2 5467.12	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	358	0 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 29 Plane : 2 IMEI : Full-directivity Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5494.00</td> <td>101.72</td> <td>33.49</td> <td>68.30</td> <td>88.93</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>358</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5494.00</td> <td>93.83</td> <td>-----</td> <td>80.97</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>358</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1 5494.00	101.72	33.49	68.30	88.93	34.80	10.07	32.01	358	0 Peak	VERTICAL	2 5494.00	93.83	-----	80.97	34.80	10.07	32.01	358	0 Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																	
1 5474.08	52.24	-21.76	74.00	39.43	34.80	9.97	31.96	358	0 Peak	VERTICAL																																																																															
2 5467.12	51.01	-17.29	68.30	38.16	34.80	10.04	31.99	358	0 Peak	VERTICAL																																																																															
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																	
1 5494.00	101.72	33.49	68.30	88.93	34.80	10.07	32.01	358	0 Peak	VERTICAL																																																																															
2 5494.00	93.83	-----	80.97	34.80	10.07	32.01	358	0 Average	VERTICAL																																																																																
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 29 Plane : 2 IMEI : Full-directivity Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5469.00</td> <td>43.90</td> <td>-10.10</td> <td>54.00</td> <td>31.07</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>358</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg			1 5469.00	43.90	-10.10	54.00	31.07	34.80	10.02	31.99	358	0 Average	VERTICAL	<p><b>Left blank</b></p>																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																																	
1 5469.00	43.90	-10.10	54.00	31.07	34.80	10.02	31.99	358	0 Average	VERTICAL																																																																															



WIFI	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																																																																																									
ANT	<b>802.11ax HE20 Partial 52/40 CH140 5700MHz</b>																																																																																									
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																								
<b>Peak</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT:Auto (FR)261401 Mode : 30 Plane : X Full-directivity : X IMEI : 845 Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5743.56</td> <td>53.16</td> <td>-15.14</td> <td>68.30</td> <td>40.26</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1	5743.56	53.16	-15.14	68.30	40.26	34.55	10.34	32.01	100	183 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT:Auto (FR)261401 Mode : 30 Plane : X Full-directivity : X IMEI : 845 Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>*</td> <td>5704.00</td> <td>102.43</td> <td>34.13</td> <td>68.30</td> <td>89.64</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td></td> <td>5704.00</td> <td>95.32</td> <td>-----</td> <td>68.30</td> <td>82.53</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>183 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1	*	5704.00	102.43	34.13	68.30	89.64	34.52	10.33	32.04	100	183 Peak	HORIZONTAL	2		5704.00	95.32	-----	68.30	82.53	34.52	10.33	32.04	100	183 Average	HORIZONTAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																																															
1	5743.56	53.16	-15.14	68.30	40.26	34.55	10.34	32.01	100	183 Peak	HORIZONTAL																																																																															
1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																																														
1	*	5704.00	102.43	34.13	68.30	89.64	34.52	10.33	32.04	100	183 Peak	HORIZONTAL																																																																														
2		5704.00	95.32	-----	68.30	82.53	34.52	10.33	32.04	100	183 Average	HORIZONTAL																																																																														
WIFI	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																																																																																									
ANT	<b>802.11ax HE20 Partial 52/40 CH140 5700MHz</b>																																																																																									
<b>1</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																								
<b>Peak.</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT:Auto (FR)261401 Mode : 30 Plane : X Full-directivity : X IMEI : 845 Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5758.28</td> <td>52.40</td> <td>-15.90</td> <td>68.30</td> <td>39.45</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>284</td> <td>42 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1	5758.28	52.40	-15.90	68.30	39.45	34.57	10.37	31.99	284	42 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT:Auto (FR)261401 Mode : 30 Plane : X Full-directivity : X IMEI : 845 Powersetting : 2.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>*</td> <td>5710.00</td> <td>103.01</td> <td>34.71</td> <td>68.30</td> <td>90.20</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>284</td> <td>42 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td></td> <td>5710.00</td> <td>94.33</td> <td>-----</td> <td>68.30</td> <td>81.52</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>284</td> <td>42 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1	*	5710.00	103.01	34.71	68.30	90.20	34.52	10.33	32.04	284	42 Peak	VERTICAL	2		5710.00	94.33	-----	68.30	81.52	34.52	10.33	32.04	284	42 Average	VERTICAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																																															
1	5758.28	52.40	-15.90	68.30	39.45	34.57	10.37	31.99	284	42 Peak	VERTICAL																																																																															
1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
		MHz	dBm	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																																														
1	*	5710.00	103.01	34.71	68.30	90.20	34.52	10.33	32.04	284	42 Peak	VERTICAL																																																																														
2		5710.00	94.33	-----	68.30	81.52	34.52	10.33	32.04	284	42 Average	VERTICAL																																																																														



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz																																																					
1	Horizontal	Fundamental																																																				
<b>Peak</b>	 <p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 20            Plane : X            IM1 : full-directivity            Powersetting : 845</p> <table border="1"> <thead> <tr> <th>1</th> <th>5403.44</th> <th>51.75</th> <th>-22.25</th> <th>74.00</th> <th>38.97</th> <th>34.80</th> <th>0.94</th> <th>31.96</th> <th>100</th> <th>183</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5467.28</th> <th>52.78</th> <th>-15.52</th> <th>68.30</th> <th>39.93</th> <th>34.80</th> <th>10.54</th> <th>31.99</th> <th>100</th> <th>183</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5403.44	51.75	-22.25	74.00	38.97	34.80	0.94	31.96	100	183	Peak	HORIZONTAL	2	5467.28	52.78	-15.52	68.30	39.93	34.80	10.54	31.99	100	183	Peak	HORIZONTAL	 <p>Site : 032000-KS            Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 20            Plane : X            IM1 : full-directivity            Powersetting : 845</p> <table border="1"> <thead> <tr> <th>1</th> <th>5484.00</th> <th>102.55</th> <th>34.25</th> <th>68.30</th> <th>89.69</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>100</th> <th>183</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5484.00</th> <th>75.48</th> <th>---</th> <th>---</th> <th>82.42</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>100</th> <th>183</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5484.00	102.55	34.25	68.30	89.69	34.80	10.07	32.01	100	183	Peak	HORIZONTAL	2	5484.00	75.48	---	---	82.42	34.80	10.07	32.01	100	183	Average	HORIZONTAL
1	5403.44	51.75	-22.25	74.00	38.97	34.80	0.94	31.96	100	183	Peak	HORIZONTAL																																										
2	5467.28	52.78	-15.52	68.30	39.93	34.80	10.54	31.99	100	183	Peak	HORIZONTAL																																										
1	5484.00	102.55	34.25	68.30	89.69	34.80	10.07	32.01	100	183	Peak	HORIZONTAL																																										
2	5484.00	75.48	---	---	82.42	34.80	10.07	32.01	100	183	Average	HORIZONTAL																																										
<b>Avg.</b>	 <p>Site : 032000-KS            Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401            Mode : 20            Plane : X            IM1 : full-directivity            Powersetting : 845</p> <table border="1"> <thead> <tr> <th>1</th> <th>5408.56</th> <th>44.35</th> <th>-9.65</th> <th>54.00</th> <th>31.57</th> <th>34.80</th> <th>9.94</th> <th>31.96</th> <th>100</th> <th>183</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5408.56	44.35	-9.65	54.00	31.57	34.80	9.94	31.96	100	183	Average	HORIZONTAL	<b>Left blank</b>																																							
1	5408.56	44.35	-9.65	54.00	31.57	34.80	9.94	31.96	100	183	Average	HORIZONTAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE20 Partial 106/53 CH100 5500MHz																																																																																								
1	Vertical	Fundamental																																																																																							
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 35 Plane : E IMEI : Full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.28</td> <td>52.45</td> <td>-21.55</td> <td>74.00</td> <td>39.64</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>359</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5466.96</td> <td>51.92</td> <td>-16.38</td> <td>68.30</td> <td>39.07</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>359</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5431.28	52.45	-21.55	74.00	39.64	34.80	9.99	31.98	359	0 Peak	VERTICAL	2	5466.96	51.92	-16.38	68.30	39.07	34.80	10.04	31.99	359	0 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 35 Plane : E IMEI : Full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>100.74</td> <td>32.44</td> <td>68.30</td> <td>87.88</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>359</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5494.00</td> <td>94.21</td> <td>-----</td> <td>81.35</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>359</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5494.00	100.74	32.44	68.30	87.88	34.80	10.07	32.01	359	0 Peak	VERTICAL	2	5494.00	94.21	-----	81.35	34.80	10.07	32.01	359	0 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																		
1	5431.28	52.45	-21.55	74.00	39.64	34.80	9.99	31.98	359	0 Peak	VERTICAL																																																																														
2	5466.96	51.92	-16.38	68.30	39.07	34.80	10.04	31.99	359	0 Peak	VERTICAL																																																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																		
1	5494.00	100.74	32.44	68.30	87.88	34.80	10.07	32.01	359	0 Peak	VERTICAL																																																																														
2	5494.00	94.21	-----	81.35	34.80	10.07	32.01	359	0 Average	VERTICAL																																																																															
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : FR261401 Mode : 35 Plane : E IMEI : Full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.72</td> <td>44.36</td> <td>-9.64</td> <td>54.00</td> <td>31.53</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>359</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5456.72	44.36	-9.64	54.00	31.53	34.80	10.02	31.99	359	0 Average	VERTICAL	<p><b>Left blank</b></p>																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																																		
1	5456.72	44.36	-9.64	54.00	31.53	34.80	10.02	31.99	359	0 Average	VERTICAL																																																																														



WIFI	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																																																																																								
ANT	<b>802.11ax HE20 Partial 106/54 CH140 5700MHZ</b>																																																																																								
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																							
<b>Peak</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : SG_BAND1_1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401 Mode : 30 Plane : X Full-directivity : Full-directivity Powersetting : S.S</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.76</td> <td>54.29</td> <td>-14.01</td> <td>68.30</td> <td>41.42</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>100</td> <td>182 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg			1	5700.76	54.29	-14.01	68.30	41.42	34.53	10.35	32.01	100	182 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : SG_BAND1_1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401 Mode : 30 Plane : X Full-directivity : Full-directivity Powersetting : S.S</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>*</td> <td>5710.00</td> <td>102.21</td> <td>34.01</td> <td>68.30</td> <td>89.50</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>182 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td></td> <td>5710.00</td> <td>95.62</td> <td>-----</td> <td>62.81</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>182 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg			1	*	5710.00	102.21	34.01	68.30	89.50	34.52	10.33	32.04	100	182 Peak	HORIZONTAL	2		5710.00	95.62	-----	62.81	34.52	10.33	32.04	100	182 Average	HORIZONTAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg																																																																																
1	5700.76	54.29	-14.01	68.30	41.42	34.53	10.35	32.01	100	182 Peak	HORIZONTAL																																																																														
1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
		MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg																																																																															
1	*	5710.00	102.21	34.01	68.30	89.50	34.52	10.33	32.04	100	182 Peak	HORIZONTAL																																																																													
2		5710.00	95.62	-----	62.81	34.52	10.33	32.04	100	182 Average	HORIZONTAL																																																																														
WIFI	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																																																																																								
ANT	<b>802.11ax HE20 Partial 106/54 CH140 5700MHZ</b>																																																																																								
<b>1</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																							
<b>Peak</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : SG_BAND1_1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401 Mode : 30 Plane : X Full-directivity : Full-directivity Powersetting : S.S</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5702.52</td> <td>53.31</td> <td>-14.99</td> <td>68.30</td> <td>40.38</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>287</td> <td>44 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg			1	5702.52	53.31	-14.99	68.30	40.38	34.57	10.37	32.01	287	44 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032604-KS Condition : SG_BAND1_1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401 Mode : 30 Plane : X Full-directivity : Full-directivity Powersetting : S.S</p> <table border="1"> <thead> <tr> <th>1</th> <th>2</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>*</td> <td>5704.00</td> <td>100.00</td> <td>31.70</td> <td>68.30</td> <td>87.21</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>287</td> <td>44 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td></td> <td>5704.00</td> <td>94.17</td> <td>-----</td> <td>61.38</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>287</td> <td>44 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg			1	*	5704.00	100.00	31.70	68.30	87.21	34.52	10.33	32.06	287	44 Peak	VERTICAL	2		5704.00	94.17	-----	61.38	34.52	10.33	32.06	287	44 Average	VERTICAL
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg																																																																																
1	5702.52	53.31	-14.99	68.30	40.38	34.57	10.37	32.01	287	44 Peak	VERTICAL																																																																														
1	2	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
		MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm	dB	dB	cm	deg																																																																															
1	*	5704.00	100.00	31.70	68.30	87.21	34.52	10.33	32.06	287	44 Peak	VERTICAL																																																																													
2		5704.00	94.17	-----	61.38	34.52	10.33	32.06	287	44 Average	VERTICAL																																																																														






**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
<b>Peak</b>	<p>Site : 032000-KS            Condition : SG BAND 1-3 3m 3117 SN 00218602- HORIZONTAL            Project : RSR 1000.0000Hz VBR 3000.0000Hz SRT Auto            Mode : #1            Plane : #1            IME1 : full-directivity            Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.84</td> <td>52.44</td> <td>-21.56</td> <td>74.00</td> <td>39.61</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5464.72</td> <td>53.25</td> <td>-15.05</td> <td>68.30</td> <td>40.40</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5453.84	52.44	-21.56	74.00	39.61	34.80	10.02	31.99	100	183 Peak	HORIZONTAL	2	5464.72	53.25	-15.05	68.30	40.40	34.80	10.04	31.99	100	183 Peak	HORIZONTAL	<p>Site : 032000-KS            Condition : SG BAND 1-3 3m 3117 SN 00218602- HORIZONTAL            Project : RSR 1000.0000Hz VBR 3000.0000Hz SRT Auto            Mode : #1            Plane : #1            IME1 : full-directivity            Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5512.00</td> <td>101.09</td> <td>32.79</td> <td>68.30</td> <td>88.32</td> <td>34.80</td> <td>10.09</td> <td>32.02</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5512.00</td> <td>92.85</td> <td></td> <td></td> <td>79.56</td> <td>34.80</td> <td>10.09</td> <td>32.02</td> <td>100</td> <td>183 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5512.00	101.09	32.79	68.30	88.32	34.80	10.09	32.02	100	183 Peak	HORIZONTAL	2	5512.00	92.85			79.56	34.80	10.09	32.02	100	183 Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	5453.84	52.44	-21.56	74.00	39.61	34.80	10.02	31.99	100	183 Peak	HORIZONTAL																																																																															
2	5464.72	53.25	-15.05	68.30	40.40	34.80	10.04	31.99	100	183 Peak	HORIZONTAL																																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	5512.00	101.09	32.79	68.30	88.32	34.80	10.09	32.02	100	183 Peak	HORIZONTAL																																																																															
2	5512.00	92.85			79.56	34.80	10.09	32.02	100	183 Average	HORIZONTAL																																																																															
<b>Avg.</b>	<p>Site : 032000-KS            Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : RSR 1000.0000Hz VBR 0.0100Hz SRT Auto            Mode : #1            Plane : #1            IME1 : full-directivity            Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.80</td> <td>-11.20</td> <td>54.00</td> <td>29.97</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>100</td> <td>183 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5459.92	42.80	-11.20	54.00	29.97	34.80	10.02	31.99	100	183 Average	HORIZONTAL	<b>Left blank</b>																																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	5459.92	42.80	-11.20	54.00	29.97	34.80	10.02	31.99	100	183 Average	HORIZONTAL																																																																															




<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																									
<b>ANT</b>	<b>802.11ax HE40 Full CH102 5510MHz - R</b>																									
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																								
<b>Peak</b>	 <p>         No. 1098, Pengzi North Road, Kunshan          Economic &amp; Technological Development          Zone, Jiangsu China          Tel: +86-512-57900158          Fax: +86-512-57900958          http://www.sporton.com.cn       </p> <p>         Data: 4          Level (dBm/100m)          117          105.3          93.6          81.9          70.2          58.5          46.8          35.1          23.4          11.7          5685 5700 5710 5720 5730 5740 5750 5760 5765          Frequency (MHz)       </p> <p>         Site : 03260A-KS          Position : 5G-BAND 1---3 In 3117 EN 00218A52- HORIZONTAL          Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto          PRF:104.001-01          Mode : 41          Plane : E          Full-directivity : Full-directivity          IMEI : 841          Powersetting : 5       </p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A-Factor</th> <th>T-Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5751.96</td> <td>53.83</td> <td>-14.47</td> <td>68.30</td> <td>40.90</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>100</td> <td>183 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A-Factor	T-Factor	Remark	Pol/Phase	1	5751.96	53.83	-14.47	68.30	40.90	34.57	10.37	32.01	100	183 Peak	HORIZONTAL	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A-Factor	T-Factor	Remark	Pol/Phase															
1	5751.96	53.83	-14.47	68.30	40.90	34.57	10.37	32.01	100	183 Peak	HORIZONTAL															



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																	
ANT	802.11ax HE40 Full CH102 5510MHz - L																																																	
1	Vertical	Fundamental																																																
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 41 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5499.28</th> <th>53.55</th> <th>-20.45</th> <th>74.00</th> <th>40.72</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>358</th> <th>9 Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5463.92</th> <th>52.49</th> <th>-15.81</th> <th>68.30</th> <th>39.64</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>358</th> <th>9 Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5499.28	53.55	-20.45	74.00	40.72	34.80	10.02	31.99	358	9 Peak	VERTICAL	2	5463.92	52.49	-15.81	68.30	39.64	34.80	10.04	31.99	358	9 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 41 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5512.00</th> <th>100.15</th> <th>31.85</th> <th>68.30</th> <th>87.38</th> <th>34.80</th> <th>10.09</th> <th>32.02</th> <th>358</th> <th>9 Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5512.00</th> <th>91.95</th> <th>-----</th> <th>-----</th> <th>79.08</th> <th>34.80</th> <th>10.09</th> <th>32.02</th> <th>358</th> <th>9 Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5512.00	100.15	31.85	68.30	87.38	34.80	10.09	32.02	358	9 Peak	VERTICAL	2	5512.00	91.95	-----	-----	79.08	34.80	10.09	32.02	358	9 Average	VERTICAL
1	5499.28	53.55	-20.45	74.00	40.72	34.80	10.02	31.99	358	9 Peak	VERTICAL																																							
2	5463.92	52.49	-15.81	68.30	39.64	34.80	10.04	31.99	358	9 Peak	VERTICAL																																							
1	5512.00	100.15	31.85	68.30	87.38	34.80	10.09	32.02	358	9 Peak	VERTICAL																																							
2	5512.00	91.95	-----	-----	79.08	34.80	10.09	32.02	358	9 Average	VERTICAL																																							
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:0, 0100MHz; SRT:Auto FR261401-01 Mode : 41 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5499.12</th> <th>42.68</th> <th>-11.32</th> <th>54.00</th> <th>29.85</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>358</th> <th>9 Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5499.12	42.68	-11.32	54.00	29.85	34.80	10.02	31.99	358	9 Average	VERTICAL	<p><b>Left blank</b></p>																																				
1	5499.12	42.68	-11.32	54.00	29.85	34.80	10.02	31.99	358	9 Average	VERTICAL																																							




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ax HE40 Full CH102 5510MHz - R																							
1	Vertical	Fundamental																						
Peak	 <p>Site : 03280A-KS          Position : SG BAND 1---3 In 3117 EN 00218A62- VERTICAL          Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto          Model : 41          Plane : E          IMEI : Full-directivity          Power setting : 841</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5758.04</td> <td>53.48</td> <td>-14.82</td> <td>68.30</td> <td>40.53</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>358</td> <td>9 Peak VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pul/Phas	1	5758.04	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	358	9 Peak VERTICAL	Left blank
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pul/Phas														
1	5758.04	53.48	-14.82	68.30	40.53	34.57	10.37	31.99	358	9 Peak VERTICAL														



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																					
1	Horizontal	Fundamental																																																				
<p><b>Peak</b></p>	<p>Site : 03280a-K3            Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : 42            Plane : 2            Full-directivity            IME1 : 841            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5441.68</th> <th>52.85</th> <th>-21.15</th> <th>74.00</th> <th>40.04</th> <th>34.80</th> <th>9.99</th> <th>31.98</th> <th>100</th> <th>182</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5466.16</th> <th>52.82</th> <th>-15.48</th> <th>68.30</th> <th>39.97</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>100</th> <th>182</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5441.68	52.85	-21.15	74.00	40.04	34.80	9.99	31.98	100	182	Peak	HORIZONTAL	2	5466.16	52.82	-15.48	68.30	39.97	34.80	10.04	31.99	100	182	Peak	HORIZONTAL	<p>Site : 03280a-K3            Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : 42            Plane : 2            Full-directivity            IME1 : 841            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5548.00</th> <th>101.26</th> <th>32.96</th> <th>68.30</th> <th>88.43</th> <th>34.70</th> <th>10.17</th> <th>32.04</th> <th>100</th> <th>182</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5548.00</th> <th>93.00</th> <th>-----</th> <th>-----</th> <th>80.17</th> <th>34.70</th> <th>10.17</th> <th>32.04</th> <th>100</th> <th>182</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5548.00	101.26	32.96	68.30	88.43	34.70	10.17	32.04	100	182	Peak	HORIZONTAL	2	5548.00	93.00	-----	-----	80.17	34.70	10.17	32.04	100	182	Average	HORIZONTAL
1	5441.68	52.85	-21.15	74.00	40.04	34.80	9.99	31.98	100	182	Peak	HORIZONTAL																																										
2	5466.16	52.82	-15.48	68.30	39.97	34.80	10.04	31.99	100	182	Peak	HORIZONTAL																																										
1	5548.00	101.26	32.96	68.30	88.43	34.70	10.17	32.04	100	182	Peak	HORIZONTAL																																										
2	5548.00	93.00	-----	-----	80.17	34.70	10.17	32.04	100	182	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	<p>Site : 03280a-K3            Condition : 5G BAND 1----3 (WFO) 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : 42            Plane : 2            Full-directivity            IME1 : 841            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5459.92</th> <th>42.64</th> <th>-11.30</th> <th>54.00</th> <th>29.81</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>100</th> <th>182</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5459.92	42.64	-11.30	54.00	29.81	34.80	10.02	31.99	100	182	Average	HORIZONTAL	<p><b>Left blank</b></p>																																							
1	5459.92	42.64	-11.30	54.00	29.81	34.80	10.02	31.99	100	182	Average	HORIZONTAL																																										




<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																																
<b>ANT</b>	<b>802.11ax HE40 Full CH110 5550MHz - R</b>																																
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																															
<b>Peak</b>	 <p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Data: 4            Level (dBm/100m)            117            105.3            93.6            81.9            70.2            58.5            46.8            35.1            23.4            11.7            5685 5700 5710 5720 5730 5740 5750 5760 5765            Frequency (MHz)         </small> </p> <p> <small>           Site : 03260A-KS            Position : 5G-BAND 1---3 In 3117 EN 00218A52- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT: Auto            File : FR261401-01            Mode : 42            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Power setting : 5  <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.24</td> <td>53.43</td> <td>-14.87</td> <td>68.30</td> <td>40.59</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>182</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </small> </p>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	Freq	Level	Line	Level	Factor	Loss	Factor			1	5725.24	53.43	-14.87	68.30	40.59	34.53	10.35	32.04	100	182	Peak	HORIZONTAL	<b>Left blank</b>
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																									
Freq	Level	Line	Level	Factor	Loss	Factor																											
1	5725.24	53.43	-14.87	68.30	40.59	34.53	10.35	32.04	100	182	Peak	HORIZONTAL																					






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE40 Full CH110 5550MHz - L																																																																																									
1	Vertical	Fundamental																																																																																								
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000,0000Hz; YBR:3000,0000Hz; SRT:Auto FR261401-01 Mode : 42 Plane : 2 Full-directivity IMEI : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5394.00</td> <td>51.89</td> <td>-22.11</td> <td>74.00</td> <td>39.16</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>352</td> <td>10 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5468.24</td> <td>51.62</td> <td>-16.68</td> <td>68.30</td> <td>38.77</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>352</td> <td>10 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 5394.00	51.89	-22.11	74.00	39.16	34.75	9.93	31.95	352	10 Peak	VERTICAL	2 5468.24	51.62	-16.68	68.30	38.77	34.80	10.04	31.99	352	10 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000,0000Hz; YBR:3000,0000Hz; SRT:Auto FR261401-01 Mode : 42 Plane : 2 Full-directivity IMEI : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5540.00</td> <td>100.23</td> <td>31.93</td> <td>68.30</td> <td>87.41</td> <td>34.70</td> <td>10.17</td> <td>32.05</td> <td>352</td> <td>10 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5560.00</td> <td>91.46</td> <td>-----</td> <td>78.64</td> <td>34.70</td> <td>10.17</td> <td>32.05</td> <td>352</td> <td>10</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 5540.00	100.23	31.93	68.30	87.41	34.70	10.17	32.05	352	10 Peak	VERTICAL	2 5560.00	91.46	-----	78.64	34.70	10.17	32.05	352	10	Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
1 5394.00	51.89	-22.11	74.00	39.16	34.75	9.93	31.95	352	10 Peak	VERTICAL																																																																																
2 5468.24	51.62	-16.68	68.30	38.77	34.80	10.04	31.99	352	10 Peak	VERTICAL																																																																																
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
1 5540.00	100.23	31.93	68.30	87.41	34.70	10.17	32.05	352	10 Peak	VERTICAL																																																																																
2 5560.00	91.46	-----	78.64	34.70	10.17	32.05	352	10	Average	VERTICAL																																																																																
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000,0000Hz; YBR:0,01000Hz; SRT:Auto FR261401-01 Mode : 42 Plane : 2 Full-directivity IMEI : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5459.28</td> <td>42.42</td> <td>-11.58</td> <td>54.00</td> <td>29.59</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>352</td> <td>10 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 5459.28	42.42	-11.58	54.00	29.59	34.80	10.02	31.99	352	10 Average	VERTICAL	<p><b>Left blank</b></p>																																																							
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																		
1 5459.28	42.42	-11.58	54.00	29.59	34.80	10.02	31.99	352	10 Average	VERTICAL																																																																																



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH110 5550MHz - R	
1	Vertical	Fundamental
Peak	 <p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Data: 8            Site : 03280A-KS            Position : 5G BAND 1---3 In 3117 EN 00218A52- VERTICAL            Project : RBW:1000.000MHz YBR:3000.000MHz SRT:Auto            Model : FZD104-041-01            Mode : 42            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Powersetting : 8            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Frag Level Line Level Factor Loss Factor Remark Pol/Phas            1 5756.44 55.10 -13.20 68.30 42.15 34.57 10.37 31.99 352 10 Peak VERTICAL         </small> </p>	Left blank





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																					
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																																																					
1	Horizontal	Fundamental																																																																																																				
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : 43 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5410.96</td> <td>52.74</td> <td>-21.26</td> <td>74.00</td> <td>39.96</td> <td>34.80</td> <td>9.94</td> <td>31.96</td> <td>106</td> <td>180</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>52.51</td> <td>-15.79</td> <td>68.30</td> <td>39.66</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>106</td> <td>180</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	1	5410.96	52.74	-21.26	74.00	39.96	34.80	9.94	31.96	106	180	Peak	HORIZONTAL	2	5468.40	52.51	-15.79	68.30	39.66	34.80	10.04	31.99	106	180	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : 43 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5474.00</td> <td>102.80</td> <td>34.50</td> <td>68.30</td> <td>90.06</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>106</td> <td>180</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5674.00</td> <td>92.34</td> <td>-----</td> <td>79.60</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>-----</td> <td>106</td> <td>180</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	1	5474.00	102.80	34.50	68.30	90.06	34.52	10.30	32.08	106	180	Peak	HORIZONTAL	2	5674.00	92.34	-----	79.60	34.52	10.30	32.08	-----	106	180	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB																																																																																															
1	5410.96	52.74	-21.26	74.00	39.96	34.80	9.94	31.96	106	180	Peak	HORIZONTAL																																																																																										
2	5468.40	52.51	-15.79	68.30	39.66	34.80	10.04	31.99	106	180	Peak	HORIZONTAL																																																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB																																																																																															
1	5474.00	102.80	34.50	68.30	90.06	34.52	10.30	32.08	106	180	Peak	HORIZONTAL																																																																																										
2	5674.00	92.34	-----	79.60	34.52	10.30	32.08	-----	106	180	Average	HORIZONTAL																																																																																										
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:0,0100kHz; SRT:Auto FR261401-01 Mode : 43 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.04</td> <td>42.43</td> <td>-11.57</td> <td>54.00</td> <td>29.60</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>106</td> <td>180</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	1	5458.04	42.43	-11.57	54.00	29.60	34.80	10.02	31.99	106	180	Average	HORIZONTAL	<p><b>Left blank</b></p>																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB																																																																																															
1	5458.04	42.43	-11.57	54.00	29.60	34.80	10.02	31.99	106	180	Average	HORIZONTAL																																																																																										



<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																						
<b>ANT</b>	<b>802.11ax HE40 Full CH134 5670MHz - R</b>																						
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																					
<b>Peak</b>	<p>Site : 03280A-KS        Position : SG-BAND 1---3 In 3117 EN 00218A62- HORIZONTAL        Project : RBW 1000.000MHz YBR 3000.000MHz SRT Auto        Model : FPO104-01-01        Plane : 43        Plane : E        Full-directivity : Full-directivity        IMEI : 841        Power setting : 8</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5754.20</td> <td>53.56</td> <td>-14.75</td> <td>68.30</td> <td>40.62</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>106</td> <td>100</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5754.20	53.56	-14.75	68.30	40.62	34.57	10.37	32.01	106	100	Peak	HORIZONTAL	<b>Left blank</b>
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5754.20	53.56	-14.75	68.30	40.62	34.57	10.37	32.01	106	100	Peak	HORIZONTAL											






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Full CH134 5670MHz - L																																																																																								
1	Vertical	Fundamental																																																																																							
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 43 Plane : 2 IMEI : Full-directivity PowerSetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5467.52</td> <td>53.14</td> <td>-20.86</td> <td>74.00</td> <td>40.31</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>270</td> <td>45 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5466.55</td> <td>52.15</td> <td>-16.15</td> <td>68.30</td> <td>39.32</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>270</td> <td>45 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg	cm	deg	1 5467.52	53.14	-20.86	74.00	40.31	34.80	10.02	31.99	270	45 Peak	VERTICAL	2 5466.55	52.15	-16.15	68.30	39.32	34.80	10.02	31.99	270	45 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 43 Plane : 2 IMEI : Full-directivity PowerSetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5668.00</td> <td>101.22</td> <td>33.02</td> <td>68.30</td> <td>88.58</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>270</td> <td>45 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5668.00</td> <td>90.83</td> <td>-----</td> <td>78.09</td> <td>34.52</td> <td>10.30</td> <td>32.08</td> <td>270</td> <td>45 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg	cm	deg	1 5668.00	101.22	33.02	68.30	88.58	34.52	10.30	32.08	270	45 Peak	VERTICAL	2 5668.00	90.83	-----	78.09	34.52	10.30	32.08	270	45 Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg	cm	deg																																																																															
1 5467.52	53.14	-20.86	74.00	40.31	34.80	10.02	31.99	270	45 Peak	VERTICAL																																																																															
2 5466.55	52.15	-16.15	68.30	39.32	34.80	10.02	31.99	270	45 Peak	VERTICAL																																																																															
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg	cm	deg																																																																															
1 5668.00	101.22	33.02	68.30	88.58	34.52	10.30	32.08	270	45 Peak	VERTICAL																																																																															
2 5668.00	90.83	-----	78.09	34.52	10.30	32.08	270	45 Average	VERTICAL																																																																																
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1----3 (WFO) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 43 Plane : 2 IMEI : Full-directivity PowerSetting : 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5469.28</td> <td>42.33</td> <td>-11.67</td> <td>54.00</td> <td>29.50</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>270</td> <td>45 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg	cm	deg	1 5469.28	42.33	-11.67	54.00	29.50	34.80	10.02	31.99	270	45 Average	VERTICAL	<p><b>Left blank</b></p>																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100m	dB	dBm/100m	dBm	dB	dB	cm	deg	cm	deg																																																																															
1 5469.28	42.33	-11.67	54.00	29.50	34.80	10.02	31.99	270	45 Average	VERTICAL																																																																															



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																						
ANT	802.11ax HE40 Full CH134 5670MHz - R																						
1	Vertical	Fundamental																					
Peak	<p>Site : 03280A-KS          Position : SG-BAND 1---3 In 3117 EN 00218A62- VERTICAL          Project : RBW 1000.000MHz YBR 3000.000MHz SRT Auto          Model : FFD104-001-01          Plane : 43          Plane : 4          Full-directivity : Full-directivity          IMEI : 841          Power setting : 8</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.32</td> <td>53.71</td> <td>-14.59</td> <td>68.30</td> <td>40.87</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>270</td> <td>45</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5727.32	53.71	-14.59	68.30	40.87	34.53	10.35	32.04	270	45	Peak	VERTICAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5727.32	53.71	-14.59	68.30	40.87	34.53	10.35	32.04	270	45	Peak	VERTICAL											






**UNII-2C 5470~5725MHz  
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - L																																																					
1	Horizontal	Fundamental																																																				
<b>Peak</b>	 <p>Site : 032906-KS Condition : 5G BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : RSR 1000.0000Hz VBR 2000.0000Hz SRT Auto Mode : dB Plane : dB IMEI : full-directivity Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5371.12</th> <th>53.25</th> <th>-22.75</th> <th>74.00</th> <th>40.56</th> <th>34.70</th> <th>0.92</th> <th>31.93</th> <th>101</th> <th>181</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5470.00</th> <th>51.65</th> <th>-17.25</th> <th>68.30</th> <th>38.20</th> <th>34.80</th> <th>10.58</th> <th>31.99</th> <th>101</th> <th>181</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5371.12	53.25	-22.75	74.00	40.56	34.70	0.92	31.93	101	181	Peak	HORIZONTAL	2	5470.00	51.65	-17.25	68.30	38.20	34.80	10.58	31.99	101	181	Peak	HORIZONTAL	 <p>Site : 032906-KS Condition : 5G BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : RSR 1000.0000Hz VBR 2000.0000Hz SRT Auto Mode : dB Plane : X IMEI : full-directivity Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5484.00</th> <th>98.48</th> <th>30.38</th> <th>68.30</th> <th>85.82</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>101</th> <th>181</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5484.00</th> <th>92.26</th> <th></th> <th></th> <th>79.40</th> <th>34.80</th> <th>10.07</th> <th>32.01</th> <th>101</th> <th>181</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5484.00	98.48	30.38	68.30	85.82	34.80	10.07	32.01	101	181	Peak	HORIZONTAL	2	5484.00	92.26			79.40	34.80	10.07	32.01	101	181	Average	HORIZONTAL
1	5371.12	53.25	-22.75	74.00	40.56	34.70	0.92	31.93	101	181	Peak	HORIZONTAL																																										
2	5470.00	51.65	-17.25	68.30	38.20	34.80	10.58	31.99	101	181	Peak	HORIZONTAL																																										
1	5484.00	98.48	30.38	68.30	85.82	34.80	10.07	32.01	101	181	Peak	HORIZONTAL																																										
2	5484.00	92.26			79.40	34.80	10.07	32.01	101	181	Average	HORIZONTAL																																										
<b>Avg.</b>	 <p>Site : 032906-KS Condition : 5G BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : RSR 1000.0000Hz VBR 8.20000Hz SRT Auto Mode : dB Plane : dB IMEI : full-directivity Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5453.20</th> <th>44.76</th> <th>-9.04</th> <th>54.00</th> <th>32.13</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>101</th> <th>181</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5453.20	44.76	-9.04	54.00	32.13	34.80	10.02	31.99	101	181	Average	HORIZONTAL	<b>Left blank</b>																																							
1	5453.20	44.76	-9.04	54.00	32.13	34.80	10.02	31.99	101	181	Average	HORIZONTAL																																										




<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE40 Partial 242/61 CH102 5510MHz - R</b>	
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>
<b>Peak</b>	<p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Data: 4            Site : 03260A-KS            Position : 5G-BAND 1---3 3m 3117 EN 00218A52- HORIZONTAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto            PRF:101401-01            Mode : AS            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Powersetting : S:5            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Frag Level Limit Line Level Factor Loss Factor Remark Pol/Phase            1 5751.00 52.49 -15.81 68.30 39.59 34.55 10.34 32.01 101 101 Peak HORIZONTAL         </small> </p>	<b>Left blank</b>






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - L																																																																																								
1	Vertical	Fundamental																																																																																							
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 48 Plane : 2 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5391.28</td> <td>52.77</td> <td>-21.23</td> <td>74.00</td> <td>40.04</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>358</td> <td>7 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>51.83</td> <td>-16.47</td> <td>68.30</td> <td>38.98</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>358</td> <td>7 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5391.28	52.77	-21.23	74.00	40.04	34.75	9.93	31.95	358	7 Peak	VERTICAL	2	5469.68	51.83	-16.47	68.30	38.98	34.80	10.04	31.99	358	7 Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 48 Plane : 2 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>95.92</td> <td>27.62</td> <td>68.30</td> <td>83.06</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>358</td> <td>7 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5494.00</td> <td>90.48</td> <td>-----</td> <td>77.62</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>358</td> <td>7 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5494.00	95.92	27.62	68.30	83.06	34.80	10.07	32.01	358	7 Peak	VERTICAL	2	5494.00	90.48	-----	77.62	34.80	10.07	32.01	358	7 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5391.28	52.77	-21.23	74.00	40.04	34.75	9.93	31.95	358	7 Peak	VERTICAL																																																																														
2	5469.68	51.83	-16.47	68.30	38.98	34.80	10.04	31.99	358	7 Peak	VERTICAL																																																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5494.00	95.92	27.62	68.30	83.06	34.80	10.07	32.01	358	7 Peak	VERTICAL																																																																														
2	5494.00	90.48	-----	77.62	34.80	10.07	32.01	358	7 Average	VERTICAL																																																																															
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 48 Plane : 2 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5440.24</td> <td>44.67</td> <td>+9.33</td> <td>54.00</td> <td>31.86</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>358</td> <td>7 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5440.24	44.67	+9.33	54.00	31.86	34.80	9.99	31.98	358	7 Average	VERTICAL	<p><b>Left blank</b></p>																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																		
1	5440.24	44.67	+9.33	54.00	31.86	34.80	9.99	31.98	358	7 Average	VERTICAL																																																																														




WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ax HE40 Partial 242/61 CH102 5510MHz - R																							
1	Vertical	Fundamental																						
Peak	 <p>Site : 03280A-KS        Condition : SG BAND 1---3 In 3117 EN 00218A62- VERTICAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : FPO104-01-01        Mode : AS        Plane : E        Full-directivity : Full-directivity        IMEI : 841        Power setting : S 5        Over Limit : 5.5</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>5725.08</td> <td>70.2</td> <td>15.96</td> <td>68.30</td> <td>39.39</td> <td>34.57</td> <td>10.37</td> <td>31.99</td> <td>358</td> <td>7 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	5725.08	70.2	15.96	68.30	39.39	34.57	10.37	31.99	358	7 Peak	VERTICAL	Left blank
Frq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase														
5725.08	70.2	15.96	68.30	39.39	34.57	10.37	31.99	358	7 Peak	VERTICAL														





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - L																																																					
1	Horizontal	Fundamental																																																				
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000MHz; YBR:3000,000MHz; SRT:Auto FR261401-01 Mode : 49 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5469.44</th> <th>52.12</th> <th>-21.88</th> <th>74.00</th> <th>39.29</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>100</th> <th>179</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5465.20</th> <th>51.47</th> <th>-16.83</th> <th>68.30</th> <th>38.62</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>100</th> <th>179</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5469.44	52.12	-21.88	74.00	39.29	34.80	10.02	31.99	100	179	Peak	HORIZONTAL	2	5465.20	51.47	-16.83	68.30	38.62	34.80	10.04	31.99	100	179	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000MHz; YBR:3000,000MHz; SRT:Auto FR261401-01 Mode : 49 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5680.00</th> <th>98.21</th> <th>29.91</th> <th>68.30</th> <th>85.45</th> <th>34.52</th> <th>10.30</th> <th>32.06</th> <th>100</th> <th>179</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5680.00</th> <th>92.00</th> <th>-----</th> <th>-----</th> <th>79.24</th> <th>34.52</th> <th>10.30</th> <th>32.06</th> <th>100</th> <th>179</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5680.00	98.21	29.91	68.30	85.45	34.52	10.30	32.06	100	179	Peak	HORIZONTAL	2	5680.00	92.00	-----	-----	79.24	34.52	10.30	32.06	100	179	Average	HORIZONTAL
1	5469.44	52.12	-21.88	74.00	39.29	34.80	10.02	31.99	100	179	Peak	HORIZONTAL																																										
2	5465.20	51.47	-16.83	68.30	38.62	34.80	10.04	31.99	100	179	Peak	HORIZONTAL																																										
1	5680.00	98.21	29.91	68.30	85.45	34.52	10.30	32.06	100	179	Peak	HORIZONTAL																																										
2	5680.00	92.00	-----	-----	79.24	34.52	10.30	32.06	100	179	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000MHz; YBR:3,200MHz; SRT:Auto FR261401-01 Mode : 49 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5376.56</th> <th>44.83</th> <th>-9.17</th> <th>54.00</th> <th>32.16</th> <th>34.70</th> <th>9.92</th> <th>31.95</th> <th>100</th> <th>179</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5376.56	44.83	-9.17	54.00	32.16	34.70	9.92	31.95	100	179	Average	HORIZONTAL	<p><b>Left blank</b></p>																																							
1	5376.56	44.83	-9.17	54.00	32.16	34.70	9.92	31.95	100	179	Average	HORIZONTAL																																										



<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																			
<b>ANT</b>	<b>802.11ax HE40 Partial 242/62 CH134 5670MHz - R</b>																			
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																		
<b>Peak</b>	 <p>Site : 03280A-KS          Condition : 5G-BAND 1---3 In 3117 EN 00218A62- HORIZONTAL          Project : RBW:1000.000MHz VBW:3000.000MHz SFT:Auto          File : FR261401-01          Mode : 49          Plane : E          Full-directivity :          IMEI : 841          Power setting : S.5          Over Limit :          ReadAntenna :          Cable Preamp :          A.Pos :          T.Pos :          Remark :          Pol/Phase :</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5763.08</td> <td>53.46</td> <td>-14.84</td> <td>68.30</td> <td>40.51</td> <td>34.57</td> <td>10.37 31.99</td> <td>100 179 Peak HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5763.08	53.46	-14.84	68.30	40.51	34.57	10.37 31.99	100 179 Peak HORIZONTAL	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase												
1	5763.08	53.46	-14.84	68.30	40.51	34.57	10.37 31.99	100 179 Peak HORIZONTAL												






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE40 Partial 242/62 CH134 5670MHz - L																																																					
1	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 0000Hz; YBR:3000, 0000Hz; SRT:Auto FR261401-01 Mode : 49 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5406.96</th> <th>52.92</th> <th>-21.08</th> <th>74.00</th> <th>40.14</th> <th>34.80</th> <th>9.94</th> <th>31.96</th> <th>272</th> <th>41</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5463.12</th> <th>52.33</th> <th>-15.97</th> <th>68.30</th> <th>39.48</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>272</th> <th>41</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5406.96	52.92	-21.08	74.00	40.14	34.80	9.94	31.96	272	41	Peak	VERTICAL	2	5463.12	52.33	-15.97	68.30	39.48	34.80	10.04	31.99	272	41	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 0000Hz; YBR:3000, 0000Hz; SRT:Auto FR261401-01 Mode : 49 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5674.00</th> <th>96.47</th> <th>28.17</th> <th>68.30</th> <th>83.73</th> <th>34.52</th> <th>10.30</th> <th>32.08</th> <th>272</th> <th>41</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5674.00</th> <th>90.33</th> <th>-----</th> <th>-----</th> <th>77.59</th> <th>34.52</th> <th>10.30</th> <th>32.08</th> <th>272</th> <th>41</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5674.00	96.47	28.17	68.30	83.73	34.52	10.30	32.08	272	41	Peak	VERTICAL	2	5674.00	90.33	-----	-----	77.59	34.52	10.30	32.08	272	41	Average	VERTICAL
1	5406.96	52.92	-21.08	74.00	40.14	34.80	9.94	31.96	272	41	Peak	VERTICAL																																										
2	5463.12	52.33	-15.97	68.30	39.48	34.80	10.04	31.99	272	41	Peak	VERTICAL																																										
1	5674.00	96.47	28.17	68.30	83.73	34.52	10.30	32.08	272	41	Peak	VERTICAL																																										
2	5674.00	90.33	-----	-----	77.59	34.52	10.30	32.08	272	41	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 0000Hz; YBR:3, 2000Hz; SRT:Auto FR261401-01 Mode : 49 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5362.00</th> <th>44.66</th> <th>-9.34</th> <th>54.00</th> <th>31.97</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>272</th> <th>41</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5362.00	44.66	-9.34	54.00	31.97	34.70	9.92	31.93	272	41	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5362.00	44.66	-9.34	54.00	31.97	34.70	9.92	31.93	272	41	Average	VERTICAL																																										



<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																					
<b>ANT</b>	<b>802.11ax HE40 Partial 242/62 CH134 5670MHz - R</b>																					
<b>1</b>	<b>Vertical</b>	<b>Fundamental</b>																				
<b>Peak</b>	<p>Site : 03280A-KS        Condition : SG-BAND 1---3 In 3117 EN 00218A62- VERTICAL        Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto        Model : FPO104-01-01        Mode : 49        Plane : E        Full-directivity : Full-directivity        IMEI : 841        Power setting : S 5        Over Limit : 15.47        ReadAntenna : 34.57        Cable Preamp : 10.37        A/Pos : 272        T/Pos : 41        Remark : Peak        Pol/Phas : VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5761.88</td> <td>52.63</td> <td>-15.47</td> <td>68.30</td> <td>39.68</td> <td>34.57</td> <td>10.37</td> <td>272</td> <td>41 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	1	5761.88	52.63	-15.47	68.30	39.68	34.57	10.37	272	41 Peak	VERTICAL	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas														
1	5761.88	52.63	-15.47	68.30	39.68	34.57	10.37	272	41 Peak	VERTICAL												



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE80 Full (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
<b>Peak</b>	 <p>Site : 032006-KS            Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : S2            Plane : X            IBEI : full-directivity            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5499.12</td> <td>53.11</td> <td>-20.89</td> <td>74.00</td> <td>40.28</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>116</td> <td>181</td> <td>Peak</td> </tr> <tr> <td>5460.04</td> <td>53.45</td> <td>-14.80</td> <td>68.30</td> <td>40.40</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>116</td> <td>181</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			5499.12	53.11	-20.89	74.00	40.28	34.80	10.02	31.99	116	181	Peak	5460.04	53.45	-14.80	68.30	40.40	34.80	10.04	31.99	116	181	Peak	 <p>Site : 032006-KS            Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : S2            Plane : X            IBEI : full-directivity            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5536.00</td> <td>98.54</td> <td>30.24</td> <td>68.30</td> <td>65.70</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>116</td> <td>181</td> <td>Peak</td> </tr> <tr> <td>5536.00</td> <td>90.07</td> <td></td> <td>77.23</td> <td>34.73</td> <td>10.15</td> <td>32.04</td> <td>116</td> <td>181</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			5536.00	98.54	30.24	68.30	65.70	34.73	10.15	32.04	116	181	Peak	5536.00	90.07		77.23	34.73	10.15	32.04	116	181	Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																		
5499.12	53.11	-20.89	74.00	40.28	34.80	10.02	31.99	116	181	Peak																																																																																
5460.04	53.45	-14.80	68.30	40.40	34.80	10.04	31.99	116	181	Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																		
5536.00	98.54	30.24	68.30	65.70	34.73	10.15	32.04	116	181	Peak																																																																																
5536.00	90.07		77.23	34.73	10.15	32.04	116	181	Average	HORIZONTAL																																																																																
<b>Avg.</b>	 <p>Site : 032006-KS            Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : FR261401-01            Mode : S2            Plane : X            IBEI : full-directivity            Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5458.00</td> <td>45.18</td> <td>-8.82</td> <td>54.00</td> <td>32.35</td> <td>34.80</td> <td>10.02</td> <td>31.99</td> <td>116</td> <td>181</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			5458.00	45.18	-8.82	54.00	32.35	34.80	10.02	31.99	116	181	Average	<b>Left blank</b>																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																		
5458.00	45.18	-8.82	54.00	32.35	34.80	10.02	31.99	116	181	Average																																																																																



<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																						
<b>ANT</b>	<b>802.11ax HE80 Full CH106 5530MHz - R</b>																						
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																					
<b>Peak</b>	<p>Site : 03280A-KS        Location : 5G BAND 1---3 3m 3117 EN 00218A62- HORIZONTAL        Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto        Model : FPO104-041-01        Mode : S2        Plane : E        Full-directivity : Full-directivity        IMEI : 841        Power setting : S</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5739.96</td> <td>53.58</td> <td>-14.72</td> <td>68.30</td> <td>40.68</td> <td>34.55</td> <td>10.34</td> <td>32.01</td> <td>116</td> <td>161 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5739.96	53.58	-14.72	68.30	40.68	34.55	10.34	32.01	116	161 Peak	HORIZONTAL	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase															
1	5739.96	53.58	-14.72	68.30	40.68	34.55	10.34	32.01	116	161 Peak	HORIZONTAL												






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE80 Full CH106 5530MHz - L																																																					
1	Vertical	Fundamental																																																				
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT: Auto FR261401-01 Mode : S2 Plane : E Full-directivity IME1 : #41 Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5374.48</th> <th>52.67</th> <th>-21.33</th> <th>74.00</th> <th>40.00</th> <th>34.70</th> <th>9.92</th> <th>31.95</th> <th>355</th> <th>10</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5470.00</th> <th>53.93</th> <th>-14.37</th> <th>68.30</th> <th>41.08</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>355</th> <th>10</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5374.48	52.67	-21.33	74.00	40.00	34.70	9.92	31.95	355	10	Peak	VERTICAL	2	5470.00	53.93	-14.37	68.30	41.08	34.80	10.04	31.99	355	10	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT: Auto FR261401-01 Mode : S2 Plane : E Full-directivity IME1 : #41 Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5530.00</th> <th>76.70</th> <th>28.40</th> <th>68.30</th> <th>83.85</th> <th>34.77</th> <th>10.12</th> <th>32.04</th> <th>355</th> <th>10</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5530.00</th> <th>88.70</th> <th>-----</th> <th>-----</th> <th>75.85</th> <th>34.77</th> <th>10.12</th> <th>32.04</th> <th>355</th> <th>10</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5530.00	76.70	28.40	68.30	83.85	34.77	10.12	32.04	355	10	Peak	VERTICAL	2	5530.00	88.70	-----	-----	75.85	34.77	10.12	32.04	355	10	Average	VERTICAL
1	5374.48	52.67	-21.33	74.00	40.00	34.70	9.92	31.95	355	10	Peak	VERTICAL																																										
2	5470.00	53.93	-14.37	68.30	41.08	34.80	10.04	31.99	355	10	Peak	VERTICAL																																										
1	5530.00	76.70	28.40	68.30	83.85	34.77	10.12	32.04	355	10	Peak	VERTICAL																																										
2	5530.00	88.70	-----	-----	75.85	34.77	10.12	32.04	355	10	Average	VERTICAL																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 1, 1000MHz, SRT: Auto FR261401-01 Mode : S2 Plane : E Full-directivity IME1 : #41 Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5458.48</th> <th>44.33</th> <th>-9.67</th> <th>54.00</th> <th>31.50</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>355</th> <th>10</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5458.48	44.33	-9.67	54.00	31.50	34.80	10.02	31.99	355	10	Average	VERTICAL	<p><b>Left blank</b></p>																																							
1	5458.48	44.33	-9.67	54.00	31.50	34.80	10.02	31.99	355	10	Average	VERTICAL																																										



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH106 5530MHz - R	
1	Vertical	Fundamental
Peak	<p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Data: 8            Site : 032604-KS            Position : SG-BAND 1---3 3m 3117 EN 00218662- VERTICAL            Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SMT:Auto            Model : FPO104-041-01            Mode : S2            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Power setting : 8            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Frag Level Line Level Factor Loss Factor Remark Pol/Phase            1 5756.36 53.73 -14.57 68.30 40.78 34.57 10.37 31.99 355 10 Peak VERTICAL         </small> </p>	Left blank





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																				
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																				
1	Horizontal	Fundamental																																																			
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : S3 Plane : E IME1 : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5458.16</th> <th>52.93</th> <th>-21.07</th> <th>74.00</th> <th>40.10</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>100</th> <th>179</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5465.04</th> <th>55.29</th> <th>-13.01</th> <th>68.30</th> <th>42.44</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>100</th> <th>179</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5458.16	52.93	-21.07	74.00	40.10	34.80	10.02	31.99	100	179	Peak	HORIZONTAL	2	5465.04	55.29	-13.01	68.30	42.44	34.80	10.04	31.99	100	179	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : S3 Plane : E IME1 : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5414.00</th> <th>99.28</th> <th>30.99</th> <th>68.30</th> <th>86.51</th> <th>34.60</th> <th>10.25</th> <th>32.08</th> <th>100</th> <th>179</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5614.00</th> <th>90.56</th> <th>-----</th> <th>77.79</th> <th>34.60</th> <th>10.25</th> <th>32.08</th> <th>100</th> <th>179</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5414.00	99.28	30.99	68.30	86.51	34.60	10.25	32.08	100	179	Peak	HORIZONTAL	2	5614.00	90.56	-----	77.79	34.60	10.25	32.08	100	179	Average	HORIZONTAL
1	5458.16	52.93	-21.07	74.00	40.10	34.80	10.02	31.99	100	179	Peak	HORIZONTAL																																									
2	5465.04	55.29	-13.01	68.30	42.44	34.80	10.04	31.99	100	179	Peak	HORIZONTAL																																									
1	5414.00	99.28	30.99	68.30	86.51	34.60	10.25	32.08	100	179	Peak	HORIZONTAL																																									
2	5614.00	90.56	-----	77.79	34.60	10.25	32.08	100	179	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:1,1000kHz; SRT:Auto FR261401-01 Mode : S3 Plane : E IME1 : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5436.72</th> <th>43.85</th> <th>-10.15</th> <th>54.00</th> <th>31.04</th> <th>34.80</th> <th>9.99</th> <th>31.98</th> <th>100</th> <th>179</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5436.72	43.85	-10.15	54.00	31.04	34.80	9.99	31.98	100	179	Average	HORIZONTAL	<p><b>Left blank</b></p>																																						
1	5436.72	43.85	-10.15	54.00	31.04	34.80	9.99	31.98	100	179	Average	HORIZONTAL																																									



<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>																						
<b>ANT</b>	<b>802.11ax HE80 Full CH122 5610MHz - R</b>																						
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>																					
<b>Peak</b>	<p> <small>           No. 1098, Pengzi North Road, Kunshan            Economic &amp; Technological Development            Zone, Jiangsu China            Tel: +86-512-57900158            Fax: +86-512-57900958            http://www.sporton.com.cn         </small> </p> <p> <small>           Data: 4            117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 5685 5700 5710 5720 5730 5740 5750 5760 5765            Level (dBm/100)            Frequency (MHz)         </small> </p> <p> <small>           Site : 03260A-KS            Condition : SG BAND 1---3 3m 3117 EN 00218A62- HORIZONTAL            Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto            File : FR261401-01            Mode : S3            Plane : E            Full-directivity : Full-directivity            IMEI : 841            Power setting : 8  <table border="1"> <thead> <tr> <th>Preq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phase</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.08</td> <td>54.46</td> <td>-13.84</td> <td>68.30</td> <td>41.62</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>179</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table> </small> </p>	Preq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase	1	5727.08	54.46	-13.84	68.30	41.62	34.53	10.35	32.04	100	179	Peak	HORIZONTAL	<b>Left blank</b>
Preq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phase																
1	5727.08	54.46	-13.84	68.30	41.62	34.53	10.35	32.04	100	179	Peak	HORIZONTAL											



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																				
ANT	802.11ax HE80 Full CH122 5610MHz - L																																																				
1	Vertical	Fundamental																																																			
Peak	<p>Site : 03280a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : S3 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5362.48</th> <th>52.02</th> <th>-21.98</th> <th>74.00</th> <th>39.33</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>283</th> <th>86</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5465.84</th> <th>53.20</th> <th>-15.10</th> <th>68.30</th> <th>40.35</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>283</th> <th>86</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5362.48	52.02	-21.98	74.00	39.33	34.70	9.92	31.93	283	86	Peak	VERTICAL	2	5465.84	53.20	-15.10	68.30	40.35	34.80	10.04	31.99	283	86	Peak	VERTICAL	<p>Site : 03280a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : S3 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5420.00</th> <th>97.34</th> <th>29.04</th> <th>68.30</th> <th>84.58</th> <th>34.58</th> <th>10.26</th> <th>32.08</th> <th>283</th> <th>86</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5620.00</th> <th>87.89</th> <th>-----</th> <th>75.13</th> <th>34.58</th> <th>10.26</th> <th>32.08</th> <th>283</th> <th>86</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5420.00	97.34	29.04	68.30	84.58	34.58	10.26	32.08	283	86	Peak	VERTICAL	2	5620.00	87.89	-----	75.13	34.58	10.26	32.08	283	86	Average	VERTICAL
1	5362.48	52.02	-21.98	74.00	39.33	34.70	9.92	31.93	283	86	Peak	VERTICAL																																									
2	5465.84	53.20	-15.10	68.30	40.35	34.80	10.04	31.99	283	86	Peak	VERTICAL																																									
1	5420.00	97.34	29.04	68.30	84.58	34.58	10.26	32.08	283	86	Peak	VERTICAL																																									
2	5620.00	87.89	-----	75.13	34.58	10.26	32.08	283	86	Average	VERTICAL																																										
Avg.	<p>Site : 03280a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 1.1000MHz SRT Auto FR261401-01 Mode : S3 Plane : E Full-directivity IME1 : 841 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>1</th> <th>5437.52</th> <th>43.42</th> <th>-10.58</th> <th>54.00</th> <th>30.61</th> <th>34.80</th> <th>9.99</th> <th>31.98</th> <th>283</th> <th>86</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5437.52	43.42	-10.58	54.00	30.61	34.80	9.99	31.98	283	86	Average	VERTICAL	Left blank																																						
1	5437.52	43.42	-10.58	54.00	30.61	34.80	9.99	31.98	283	86	Average	VERTICAL																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																					
ANT	802.11ax HE80 Full CH122 5610MHz - R																					
1	Vertical	Fundamental																				
Peak	<p>Site : 03280A-KS        Position : SG-BAND 1---3 In 3117 EN 00218A62- VERTICAL        Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto        Model : SP2104-01-01        Plane : E        IMEI : Full-directivity        Power setting : 841</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5754.44</td> <td>53.70</td> <td>-14.60</td> <td>68.30</td> <td>40.77</td> <td>34.57</td> <td>10.37</td> <td>32.01</td> <td>283</td> <td>86 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	1	5754.44	53.70	-14.60	68.30	40.77	34.57	10.37	32.01	283	86 Peak	VERTICAL	Left blank
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas															
1	5754.44	53.70	-14.60	68.30	40.77	34.57	10.37	32.01	283	86 Peak	VERTICAL											



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)**

WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
<b>Peak</b>	<p>Site : 032000-KS            Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : SR            Plane : X            IM1 : full-directivity            Powersetting : S.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5404.56</td> <td>52.31</td> <td>-21.49</td> <td>74.00</td> <td>39.53</td> <td>34.80</td> <td>0.94</td> <td>31.96</td> <td>100</td> <td>180</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5468.24</td> <td>52.33</td> <td>-15.97</td> <td>68.30</td> <td>39.48</td> <td>34.80</td> <td>10.54</td> <td>31.99</td> <td>100</td> <td>180</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg		5404.56	52.31	-21.49	74.00	39.53	34.80	0.94	31.96	100	180	Peak HORIZONTAL	5468.24	52.33	-15.97	68.30	39.48	34.80	10.54	31.99	100	180	Peak HORIZONTAL	<p>Site : 032000-KS            Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : SR            Plane : X            IM1 : full-directivity            Powersetting : S.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5524.00</td> <td>95.40</td> <td>77.30</td> <td>68.30</td> <td>82.73</td> <td>34.77</td> <td>10.12</td> <td>32.02</td> <td>100</td> <td>180</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5524.00</td> <td>87.97</td> <td></td> <td></td> <td>75.10</td> <td>34.77</td> <td>10.12</td> <td>32.02</td> <td>100</td> <td>180</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg		5524.00	95.40	77.30	68.30	82.73	34.77	10.12	32.02	100	180	Peak HORIZONTAL	5524.00	87.97			75.10	34.77	10.12	32.02	100	180	Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																																	
5404.56	52.31	-21.49	74.00	39.53	34.80	0.94	31.96	100	180	Peak HORIZONTAL																																																																																
5468.24	52.33	-15.97	68.30	39.48	34.80	10.54	31.99	100	180	Peak HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																																	
5524.00	95.40	77.30	68.30	82.73	34.77	10.12	32.02	100	180	Peak HORIZONTAL																																																																																
5524.00	87.97			75.10	34.77	10.12	32.02	100	180	Average HORIZONTAL																																																																																
<b>Avg.</b>	<p>Site : 032000-KS            Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218602- HORIZONTAL            Project : FR261401-01            Mode : SR            Plane : X            IM1 : full-directivity            Powersetting : S.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5422.32</td> <td>43.90</td> <td>-10.10</td> <td>54.00</td> <td>31.09</td> <td>34.80</td> <td>9.97</td> <td>31.96</td> <td>100</td> <td>180</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg		5422.32	43.90	-10.10	54.00	31.09	34.80	9.97	31.96	100	180	Average HORIZONTAL	<b>Left blank</b>																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																																																	
5422.32	43.90	-10.10	54.00	31.09	34.80	9.97	31.96	100	180	Average HORIZONTAL																																																																																



<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Band Edge @ 3m</b>	
<b>ANT</b>	<b>802.11ax HE80 Partial 484/65 CH106 5530MHz - R</b>	
<b>1</b>	<b>Horizontal</b>	<b>Fundamental</b>
<b>Peak</b>	<p>         No. 1098, Pengzi North Road, Kunshan          Economic &amp; Technological Development          Zone, Jiangsu China          Tel: +86-512-57900158          Fax: +86-512-57900958          http://www.sporton.com.cn       </p> <p>         Data: 4          Site : 03260A-KS          Position : 5G BAND 1---3 In 3117 EN 00218A52- HORIZONTAL          Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto          Model : SP2104-001-01          Mode : SB          Plane : E          Full-directivity : Full-directivity          IMEI : 841          Power setting : S 5          Over Limit ReadAntenna Cable Preamp A/Pos T/Pos          Frag Level Limit Line Level Factor Loss Factor Remark Pol/Phase          1 5757.00 52.54 -15.76 68.30 39.59 34.57 10.37 31.99 100 165 Peak HORIZONTAL       </p>	<b>Left blank</b>






WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																				
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - L																																																																																																				
1	Vertical	Fundamental																																																																																																			
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : S8 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : S, S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.96</td> <td>52.07</td> <td>-21.93</td> <td>74.00</td> <td>39.28</td> <td>34.80</td> <td>9.94</td> <td>31.95</td> <td>300</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5467.44</td> <td>51.45</td> <td>-16.85</td> <td>68.30</td> <td>38.60</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>300</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg			1	5394.96	52.07	-21.93	74.00	39.28	34.80	9.94	31.95	300	38	Peak	VERTICAL	2	5467.44	51.45	-16.85	68.30	38.60	34.80	10.04	31.99	300	38	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : S8 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : S, S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5494.00</td> <td>52.36</td> <td>-24.04</td> <td>68.30</td> <td>79.50</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>300</td> <td>38</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5494.00</td> <td>84.34</td> <td>-----</td> <td>71.48</td> <td>34.80</td> <td>10.07</td> <td>32.01</td> <td>300</td> <td>38</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg			1	5494.00	52.36	-24.04	68.30	79.50	34.80	10.07	32.01	300	38	Peak	VERTICAL	2	5494.00	84.34	-----	71.48	34.80	10.07	32.01	300	38	Average	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																												
1	5394.96	52.07	-21.93	74.00	39.28	34.80	9.94	31.95	300	38	Peak	VERTICAL																																																																																									
2	5467.44	51.45	-16.85	68.30	38.60	34.80	10.04	31.99	300	38	Peak	VERTICAL																																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																												
1	5494.00	52.36	-24.04	68.30	79.50	34.80	10.07	32.01	300	38	Peak	VERTICAL																																																																																									
2	5494.00	84.34	-----	71.48	34.80	10.07	32.01	300	38	Average	VERTICAL																																																																																										
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3, 3000MHz; SRT:Auto FR261401-01 Mode : S8 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : S, S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.48</td> <td>43.82</td> <td>-10.18</td> <td>54.00</td> <td>31.01</td> <td>34.80</td> <td>9.99</td> <td>31.98</td> <td>300</td> <td>38</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg			1	5430.48	43.82	-10.18	54.00	31.01	34.80	9.99	31.98	300	38	Average	VERTICAL	<p><b>Left blank</b></p>																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																												
1	5430.48	43.82	-10.18	54.00	31.01	34.80	9.99	31.98	300	38	Average	VERTICAL																																																																																									



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH106 5530MHz - R	
1	Vertical	Fundamental
Peak	<p>         No. 1098, Pengzi North Road, Kunshan          Economic &amp; Technological Development          Zone, Jiangsu China          Tel: +86-512-57900158          Fax: +86-512-57900958          http://www.sporton.com.cn       </p> <p>         Data: 8          Site : 032604-KS          Condition : 5G-BAND 1---3 In 3117 EN 00218652- VERTICAL          Project : RBW 1000, 000MHz; VBW 3000, 000MHz; SMT Auto          Mode : S8          Plane : E          Full-directivity : Full-directivity          IMEI : 841          Powersetting : S 5          Over Limit ReadAntenna Cable Preamp A/Pos T/Pos          Frag Level Limit Line Level Factor Loss Factor Remark Pol/Phase          1 5731.96 52.63 -15.67 68.30 39.76 34.53 10.35 32.01 300 38 Peak VERTICAL       </p>	Left blank





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - L																																																					
1	Horizontal	Fundamental																																																				
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : 01 Plane : E Full-directivity Powersetting : 0.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5409.68</th> <th>53.28</th> <th>-20.72</th> <th>74.00</th> <th>40.50</th> <th>34.80</th> <th>9.94</th> <th>31.96</th> <th>109</th> <th>180</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5463.44</th> <th>52.28</th> <th>-16.02</th> <th>68.30</th> <th>39.43</th> <th>34.80</th> <th>10.04</th> <th>31.99</th> <th>109</th> <th>180</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5409.68	53.28	-20.72	74.00	40.50	34.80	9.94	31.96	109	180	Peak	HORIZONTAL	2	5463.44	52.28	-16.02	68.30	39.43	34.80	10.04	31.99	109	180	Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : 01 Plane : E Full-directivity Powersetting : 0.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5444.00</th> <th>76.52</th> <th>28.22</th> <th>68.30</th> <th>83.78</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>109</th> <th>180</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5444.00</th> <th>88.88</th> <th>-----</th> <th>-----</th> <th>76.14</th> <th>34.56</th> <th>10.28</th> <th>32.10</th> <th>109</th> <th>180</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead></table>	1	5444.00	76.52	28.22	68.30	83.78	34.56	10.28	32.10	109	180	Peak	HORIZONTAL	2	5444.00	88.88	-----	-----	76.14	34.56	10.28	32.10	109	180	Average	HORIZONTAL
1	5409.68	53.28	-20.72	74.00	40.50	34.80	9.94	31.96	109	180	Peak	HORIZONTAL																																										
2	5463.44	52.28	-16.02	68.30	39.43	34.80	10.04	31.99	109	180	Peak	HORIZONTAL																																										
1	5444.00	76.52	28.22	68.30	83.78	34.56	10.28	32.10	109	180	Peak	HORIZONTAL																																										
2	5444.00	88.88	-----	-----	76.14	34.56	10.28	32.10	109	180	Average	HORIZONTAL																																										
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3,300kHz; SRT:Auto FR261401-01 Mode : 01 Plane : E Full-directivity Powersetting : 0.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5454.00</th> <th>43.82</th> <th>-10.18</th> <th>54.00</th> <th>30.99</th> <th>34.80</th> <th>10.02</th> <th>31.99</th> <th>109</th> <th>180</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5454.00	43.82	-10.18	54.00	30.99	34.80	10.02	31.99	109	180	Average	HORIZONTAL	<p><b>Left blank</b></p>																																							
1	5454.00	43.82	-10.18	54.00	30.99	34.80	10.02	31.99	109	180	Average	HORIZONTAL																																										





WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																																																																																																
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - L																																																																																																
1	Vertical	Fundamental																																																																																															
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT: Auto (FR)261401-01 Mode : 01 Plane : E Full-directivity IMEI : 841 Powersetting : S, S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5362.00</td> <td>51.68</td> <td>-22.22</td> <td>74.00</td> <td>38.99</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>278</td> <td>37</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5468.40</td> <td>51.05</td> <td>-17.25</td> <td>68.30</td> <td>38.20</td> <td>34.80</td> <td>10.04</td> <td>31.99</td> <td>278</td> <td>37</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	deg	deg	1 5362.00	51.68	-22.22	74.00	38.99	34.70	9.92	31.93	278	37	Peak	VERTICAL	2 5468.40	51.05	-17.25	68.30	38.20	34.80	10.04	31.99	278	37	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT: Auto (FR)261401-01 Mode : 01 Plane : E Full-directivity IMEI : 841 Powersetting : S, S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5438.00</td> <td>84.42</td> <td>26.12</td> <td>68.30</td> <td>81.68</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>278</td> <td>37</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5638.00</td> <td>86.48</td> <td>-----</td> <td>73.74</td> <td>34.56</td> <td>10.28</td> <td>32.10</td> <td>278</td> <td>37</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	deg	deg	1 * 5438.00	84.42	26.12	68.30	81.68	34.56	10.28	32.10	278	37	Peak	VERTICAL	2 5638.00	86.48	-----	73.74	34.56	10.28	32.10	278	37	Average	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	deg	deg																																																																																						
1 5362.00	51.68	-22.22	74.00	38.99	34.70	9.92	31.93	278	37	Peak	VERTICAL																																																																																						
2 5468.40	51.05	-17.25	68.30	38.20	34.80	10.04	31.99	278	37	Peak	VERTICAL																																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	deg	deg																																																																																						
1 * 5438.00	84.42	26.12	68.30	81.68	34.56	10.28	32.10	278	37	Peak	VERTICAL																																																																																						
2 5638.00	86.48	-----	73.74	34.56	10.28	32.10	278	37	Average	VERTICAL																																																																																							
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : 5G BAND 1-----3 (WID) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3, 3000MHz, SRT: Auto (FR)261401-01 Mode : 01 Plane : E Full-directivity IMEI : 841 Powersetting : S, S</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5421.20</td> <td>43.79</td> <td>-10.21</td> <td>54.00</td> <td>30.98</td> <td>34.80</td> <td>9.97</td> <td>31.96</td> <td>278</td> <td>37</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	deg	deg	1 5421.20	43.79	-10.21	54.00	30.98	34.80	9.97	31.96	278	37	Average	VERTICAL	<p><b>Left blank</b></p>																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	deg	deg																																																																																						
1 5421.20	43.79	-10.21	54.00	30.98	34.80	9.97	31.96	278	37	Average	VERTICAL																																																																																						



WIFI	UNII-2C 5470~5725MHz Band Edge @ 3m																								
ANT	802.11ax HE80 Partial 484/66 CH122 5610MHz - R																								
1	Vertical	Fundamental																							
Peak	<p>Site : 03280A-KS        Position : 5G-BAND 1---3 3m 3117 EN 00218A62- VERTICAL        Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SMT:Auto        Model : 81        Plane : E        Full-directivity : Full-directivity        IMEI : 841        Power setting : S.S</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5731.24</td> <td>52.76</td> <td>-15.54</td> <td>68.30</td> <td>39.89</td> <td>34.53</td> <td>10.35</td> <td>32.01</td> <td>278</td> <td>37 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	5731.24	52.76	-15.54	68.30	39.89	34.53	10.35	32.01	278	37 Peak	VERTICAL	Left blank
Frq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas															
1	5731.24	52.76	-15.54	68.30	39.89	34.53	10.35	32.01	278	37 Peak	VERTICAL														



UNII-2C - 5470~5725MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 4 main rows: (1) WIFI: UNII-2C 5470~5725MHz Harmonic @ 3m; (2) ANT: 802.11a CH100 5500MHz; (3) 1: Horizontal and Vertical plots for Peak Avg.; (4) WIFI: UNII-2C 5470~5725MHz Harmonic @ 3m; (5) ANT: 802.11a CH116 5580MHz; (6) 1: Horizontal and Vertical plots for Peak Avg.



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11a CH140 5700MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : 8441 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>46.29</td> <td>-27.71</td> <td>74.00</td> <td>54.75</td> <td>38.24</td> <td>14.85</td> <td>61.55</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			11400.00	46.29	-27.71	74.00	54.75	38.24	14.85	61.55	300	0 Peak	HORIZONTAL	<p>Site : 03CH06-K5 Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 9 Plane : X Full-directivity IMEI : 8441 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>45.46</td> <td>-28.54</td> <td>74.00</td> <td>53.92</td> <td>38.24</td> <td>14.85</td> <td>61.55</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			11400.00	45.46	-28.54	74.00	53.92	38.24	14.85	61.55	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
11400.00	46.29	-27.71	74.00	54.75	38.24	14.85	61.55	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
11400.00	45.46	-28.54	74.00	53.92	38.24	14.85	61.55	100	0 Peak	VERTICAL																																																										



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE20 Full (Harmonic @ 3m)**

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH100 5500MHz																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03QHD-K3 Condition : SG BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Modem : 16 Plane : 2 Full-directivity : 2 IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11004.00</td> <td>45.20</td> <td>-28.80</td> <td>74.00</td> <td>54.36</td> <td>38.00</td> <td>14.56</td> <td>61.72</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 11004.00	45.20	-28.80	74.00	54.36	38.00	14.56	61.72	300	0 Peak HORIZONTAL	<p>Site : 03QHD-K3 Condition : SG BAND 1-3 3m 3117 SN 00218602- VERTICAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Modem : 16 Plane : 2 Full-directivity : 2 IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11004.00</td> <td>45.05</td> <td>-28.95</td> <td>74.00</td> <td>54.21</td> <td>38.00</td> <td>14.56</td> <td>61.72</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 11004.00	45.05	-28.95	74.00	54.21	38.00	14.56	61.72	100	0 Peak VERTICAL
	Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 11004.00	45.20	-28.80	74.00	54.36	38.00	14.56	61.72	300	0 Peak HORIZONTAL																																																					
Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 11004.00	45.05	-28.95	74.00	54.21	38.00	14.56	61.72	100	0 Peak VERTICAL																																																					
WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																													
ANT	802.11ax HE20 Full CH116 5580MHz																																																													
1	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03QHD-K3 Condition : SG BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Modem : 16 Plane : 2 Full-directivity : 2 IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11158.00</td> <td>45.94</td> <td>-28.06</td> <td>74.00</td> <td>54.81</td> <td>38.10</td> <td>14.68</td> <td>61.65</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 11158.00	45.94	-28.06	74.00	54.81	38.10	14.68	61.65	300	0 Peak HORIZONTAL	<p>Site : 03QHD-K3 Condition : SG BAND 1-3 3m 3117 SN 00218602- VERTICAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Modem : 16 Plane : 2 Full-directivity : 2 IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Poa</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11158.00</td> <td>45.35</td> <td>-28.65</td> <td>74.00</td> <td>54.22</td> <td>38.10</td> <td>14.68</td> <td>61.65</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 11158.00	45.35	-28.65	74.00	54.22	38.10	14.68	61.65	100	0 Peak VERTICAL
	Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 11158.00	45.94	-28.06	74.00	54.81	38.10	14.68	61.65	300	0 Peak HORIZONTAL																																																					
Freq	Level	Limit	Level Factor	ReadAntenna	Cable Preamp	A/Poa	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1 11158.00	45.35	-28.65	74.00	54.22	38.10	14.68	61.65	100	0 Peak VERTICAL																																																					



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																																	
ANT	802.11ax HE20 Full CH140 5700MHz																																																	
1	Horizontal	Vertical																																																
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto FR261401-01 Mode : IS Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>46.21</td> <td>-27.79</td> <td>74.00</td> <td>54.67</td> <td>38.24</td> <td>14.85</td> <td>61.55</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pul/Phas	11400.00	46.21	-27.79	74.00	54.67	38.24	14.85	61.55	300	0	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto FR261401-01 Mode : IS Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> </thead> <tbody> <tr> <td>11400.00</td> <td>46.06</td> <td>-27.94</td> <td>74.00</td> <td>54.52</td> <td>38.24</td> <td>14.85</td> <td>61.55</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pul/Phas	11400.00	46.06	-27.94	74.00	54.52	38.24	14.85	61.55	100	0	Peak	VERTICAL
	Frq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pul/Phas																																						
11400.00	46.21	-27.79	74.00	54.67	38.24	14.85	61.55	300	0	Peak	HORIZONTAL																																							
Frq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pul/Phas																																							
11400.00	46.06	-27.94	74.00	54.52	38.24	14.85	61.55	100	0	Peak	VERTICAL																																							





**UNII-2C - 5470~5725MHz**  
**WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH102 5510MHz	
1	Horizontal	Vertical
Peak Avg.		
WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH110 5550MHz	
1	Horizontal	Vertical
Peak Avg.		



WIFI	UNII-2C 5470~5725MHz Harmonic @ 3m																																							
ANT	802.11ax HE40 Full CH134 5670MHz																																							
1	Horizontal	Vertical																																						
Peak Avg.	<p>Site : 020806-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218652- HORIZONTAL            Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 43            Plane : 1            Full-directivity : 1            IMEI : 841            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11345.00</td> <td>45.48</td> <td>-28.52</td> <td>74.00</td> <td>54.03</td> <td>38.21</td> <td>14.81</td> <td>61.57</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	11345.00	45.48	-28.52	74.00	54.03	38.21	14.81	61.57	300	0 Peak	HORIZONTAL	<p>Site : 020806-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218653- VERTICAL            Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 43            Plane : 1            Full-directivity : 1            IMEI : 841            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11345.00</td> <td>45.73</td> <td>-28.27</td> <td>74.00</td> <td>54.28</td> <td>38.21</td> <td>14.81</td> <td>61.57</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	11345.00	45.73	-28.27	74.00	54.28	38.21	14.81	61.57	100	0 Peak	VERTICAL
	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																
11345.00	45.48	-28.52	74.00	54.03	38.21	14.81	61.57	300	0 Peak	HORIZONTAL																														
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																	
11345.00	45.73	-28.27	74.00	54.28	38.21	14.81	61.57	100	0 Peak	VERTICAL																														
	<p>Site : 020806-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218652- HORIZONTAL            Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 43            Plane : 1            Full-directivity : 1            IMEI : 841            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11345.00</td> <td>45.48</td> <td>-28.52</td> <td>74.00</td> <td>54.03</td> <td>38.21</td> <td>14.81</td> <td>61.57</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	11345.00	45.48	-28.52	74.00	54.03	38.21	14.81	61.57	300	0 Peak	HORIZONTAL	<p>Site : 020806-KS            Condition : 5G BAND 1----3 3m 3117 SW 00218653- VERTICAL            Project : RBW:1000.000kHz; VBW:3000.000kHz; SMT:Auto            (FR261401-01)            Mode : 43            Plane : 1            Full-directivity : 1            IMEI : 841            Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11345.00</td> <td>45.73</td> <td>-28.27</td> <td>74.00</td> <td>54.28</td> <td>38.21</td> <td>14.81</td> <td>61.57</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas	11345.00	45.73	-28.27	74.00	54.28	38.21	14.81	61.57	100	0 Peak	VERTICAL
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																	
11345.00	45.48	-28.52	74.00	54.03	38.21	14.81	61.57	300	0 Peak	HORIZONTAL																														
Frq	Level	Limit	Line	Level Factor	Loss Factor	Remark	Pol/Phas																																	
11345.00	45.73	-28.27	74.00	54.28	38.21	14.81	61.57	100	0 Peak	VERTICAL																														



**UNII-2C 5470~5725MHz**  
**WIFI 802.11ax HE80 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>																																																							
<b>ANT</b>	<b>802.11ax HE80 Full CH106 5530MHz</b>																																																							
<b>1</b>	<b>Horizontal</b>	<b>Vertical</b>																																																						
<b>Peak Avg.</b>	<p>Site : 03CH06-K3 Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Mode : S2 Plane : X Full-directivity IMEI : #41 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11059.00</td> <td>45.91</td> <td>-28.09</td> <td>74.00</td> <td>54.95</td> <td>38.04</td> <td>14.61</td> <td>61.69</td> <td>300 0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 11059.00	45.91	-28.09	74.00	54.95	38.04	14.61	61.69	300 0 Peak HORIZONTAL	<p>Site : 03CH06-K3 Condition : SG BAND 1---3 3m 3117 SN 00218602- VERTICAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Mode : S2 Plane : X Full-directivity IMEI : #41 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11059.00</td> <td>45.20</td> <td>-27.80</td> <td>74.00</td> <td>55.24</td> <td>38.04</td> <td>14.61</td> <td>61.69</td> <td>100 0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 11059.00	45.20	-27.80	74.00	55.24	38.04	14.61	61.69	100 0 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 11059.00	45.91	-28.09	74.00	54.95	38.04	14.61	61.69	300 0 Peak HORIZONTAL																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 11059.00	45.20	-27.80	74.00	55.24	38.04	14.61	61.69	100 0 Peak VERTICAL																																																
<b>WIFI</b>	<b>UNII-2C 5470~5725MHz Harmonic @ 3m</b>																																																							
<b>ANT</b>	<b>802.11ax HE80 Full CH122 5610MHz</b>																																																							
<b>1</b>	<b>Horizontal</b>	<b>Vertical</b>																																																						
<b>Peak Avg.</b>	<p>Site : 03CH06-K3 Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Mode : S2 Plane : X Full-directivity IMEI : #41 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11224.00</td> <td>46.61</td> <td>-27.39</td> <td>74.00</td> <td>55.39</td> <td>38.13</td> <td>14.72</td> <td>61.63</td> <td>300 0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 11224.00	46.61	-27.39	74.00	55.39	38.13	14.72	61.63	300 0 Peak HORIZONTAL	<p>Site : 03CH06-K3 Condition : SG BAND 1---3 3m 3117 SN 00218602- VERTICAL Economic &amp; Technical Development Zone Jiangsu, China Project : FR261401-01 Mode : S2 Plane : X Full-directivity IMEI : #41 Powersetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11224.00</td> <td>45.12</td> <td>-28.88</td> <td>74.00</td> <td>53.90</td> <td>38.13</td> <td>14.72</td> <td>61.63</td> <td>100 0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 11224.00	45.12	-28.88	74.00	53.90	38.13	14.72	61.63	100 0 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 11224.00	46.61	-27.39	74.00	55.39	38.13	14.72	61.63	300 0 Peak HORIZONTAL																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 11224.00	45.12	-28.88	74.00	53.90	38.13	14.72	61.63	100 0 Peak VERTICAL																																																



UNII-2C 5470~5725MHz

UNII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																									
ANT	802.11a CH144 5720MHz - L																																																																																									
1	Horizontal	Vertical																																																																																								
Peak	<p>Site : 03CH06-KS Condition : 56 BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 83 Plane : XZ Full-directivity IMEI : #442 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>HeadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBW/m<sup>2</sup></th> <th>dB</th> <th>dBW/m<sup>2</sup></th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00</td> <td>104.23</td> <td>25.93</td> <td>68.30</td> <td>91.29</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>400</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5722.00</td> <td>94.09</td> <td></td> <td>81.25</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>400</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBW/m <sup>2</sup>	dB	dBW/m <sup>2</sup>	dB/m	dB	dB	cm	deg			1 * 5722.00	104.23	25.93	68.30	91.29	34.53	10.35	32.04	400	0 Peak	HORIZONTAL	2	5722.00	94.09		81.25	34.53	10.35	32.04	400	0 Average	HORIZONTAL	<p>Site : 03CH06-KS Condition : 56 BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 83 Plane : XZ Full-directivity IMEI : #442 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>HeadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBW/m<sup>2</sup></th> <th>dB</th> <th>dBW/m<sup>2</sup></th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5722.00</td> <td>98.25</td> <td>29.95</td> <td>68.30</td> <td>85.41</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5722.00</td> <td>91.42</td> <td></td> <td>78.58</td> <td>34.53</td> <td>10.35</td> <td>32.04</td> <td>100</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBW/m <sup>2</sup>	dB	dBW/m <sup>2</sup>	dB/m	dB	dB	cm	deg			1 * 5722.00	98.25	29.95	68.30	85.41	34.53	10.35	32.04	100	0 Peak	VERTICAL	2	5722.00	91.42		78.58	34.53	10.35	32.04	100	0 Average	VERTICAL
	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBW/m <sup>2</sup>	dB	dBW/m <sup>2</sup>	dB/m	dB	dB	cm	deg																																																																																		
1 * 5722.00	104.23	25.93	68.30	91.29	34.53	10.35	32.04	400	0 Peak	HORIZONTAL																																																																																
2	5722.00	94.09		81.25	34.53	10.35	32.04	400	0 Average	HORIZONTAL																																																																																
Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBW/m <sup>2</sup>	dB	dBW/m <sup>2</sup>	dB/m	dB	dB	cm	deg																																																																																		
1 * 5722.00	98.25	29.95	68.30	85.41	34.53	10.35	32.04	100	0 Peak	VERTICAL																																																																																
2	5722.00	91.42		78.58	34.53	10.35	32.04	100	0 Average	VERTICAL																																																																																



**UNII-2C – Straddle Channel**  
**WIFI 802.11ax HE20 Full (Band Edge @ 3m)**

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Full CH144 5720MHz - L																																																																							
1	Horizontal	Vertical																																																																						
<b>Peak</b>	<p>Site : 03CID6-K5            Condition : 5G-BAND 1-3 3m 3117 SN 00218652- HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto            Project : (FR)261401-01            Mode : 84            Plane : X            : Full-directivity            IMEI : #41            PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 5716.00 103.49</td> <td>35.19</td> <td>68.30</td> <td>99.68</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>400</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2 5716.00 95.37</td> <td>-----</td> <td>82.56</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>400</td> <td>0 Average HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	Factor	Factor	dB	dB	1 * 5716.00 103.49	35.19	68.30	99.68	34.52	10.33	32.04	400	0 Peak HORIZONTAL	2 5716.00 95.37	-----	82.56	34.52	10.33	32.04	400	0 Average HORIZONTAL	<p>Site : 03CID6-K5            Condition : 5G-BAND 1-3 3m 3117 SN 00218652- VERTICAL            : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto            Project : (FR)261401-01            Mode : 84            Plane : X            : Full-directivity            IMEI : #41            PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 5716.00 98.71</td> <td>30.41</td> <td>68.30</td> <td>85.90</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2 5716.00 90.67</td> <td>-----</td> <td>77.86</td> <td>34.52</td> <td>10.33</td> <td>32.04</td> <td>100</td> <td>0 Average VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	Factor	Factor	dB	dB	1 * 5716.00 98.71	30.41	68.30	85.90	34.52	10.33	32.04	100	0 Peak VERTICAL	2 5716.00 90.67	-----	77.86	34.52	10.33	32.04	100	0 Average VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Level	Line	Level	Factor	Loss	Factor	Factor	dB	dB																																																																
1 * 5716.00 103.49	35.19	68.30	99.68	34.52	10.33	32.04	400	0 Peak HORIZONTAL																																																																
2 5716.00 95.37	-----	82.56	34.52	10.33	32.04	400	0 Average HORIZONTAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Level	Line	Level	Factor	Loss	Factor	Factor	dB	dB																																																																
1 * 5716.00 98.71	30.41	68.30	85.90	34.52	10.33	32.04	100	0 Peak VERTICAL																																																																
2 5716.00 90.67	-----	77.86	34.52	10.33	32.04	100	0 Average VERTICAL																																																																	



UNII-2C - Straddle Channel  
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11ax HE40 Full CH142 5710MHz - L																																																																									
1	Horizontal	Vertical																																																																								
Peak	<p>Site : 03C106-K5 Condition : 5G-BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : (FR261401-01) Mode : 85 Plane : X Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 5710.00 98.04 29.74 68.30 85.23 34.52 10.33 32.04 400 0 Peak HORIZONTAL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5710.00 91.14 ----- 78.33 34.52 10.33 32.04 400 0 Average HORIZONTAL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	dB	dB	dB	dB	1 * 5710.00 98.04 29.74 68.30 85.23 34.52 10.33 32.04 400 0 Peak HORIZONTAL									2 5710.00 91.14 ----- 78.33 34.52 10.33 32.04 400 0 Average HORIZONTAL									<p>Site : 03C106-K5 Condition : 5G-BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR261401-01) Mode : 85 Plane : X Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 5710.00 96.70 28.40 68.30 83.89 34.52 10.33 32.04 100 0 Peak VERTICAL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2 5710.00 89.67 ----- 76.86 34.52 10.33 32.04 100 0 Average VERTICAL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Factor	Loss	dB	dB	dB	dB	1 * 5710.00 96.70 28.40 68.30 83.89 34.52 10.33 32.04 100 0 Peak VERTICAL									2 5710.00 89.67 ----- 76.86 34.52 10.33 32.04 100 0 Average VERTICAL								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Level	Line	Level	Factor	Loss	dB	dB	dB	dB																																																																		
1 * 5710.00 98.04 29.74 68.30 85.23 34.52 10.33 32.04 400 0 Peak HORIZONTAL																																																																										
2 5710.00 91.14 ----- 78.33 34.52 10.33 32.04 400 0 Average HORIZONTAL																																																																										
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Level	Line	Level	Factor	Loss	dB	dB	dB	dB																																																																		
1 * 5710.00 96.70 28.40 68.30 83.89 34.52 10.33 32.04 100 0 Peak VERTICAL																																																																										
2 5710.00 89.67 ----- 76.86 34.52 10.33 32.04 100 0 Average VERTICAL																																																																										



UNII-2C – Straddle Channel  
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-2C Straddle Channel Band Edge @ 3m																																																																																																	
ANT	802.11ax CH138 5690MHz - L																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak	<p>Site : 03CID6-KS Condition : 5G-BAND 1—3 3m 3117 SN 00218652- HORIZONTAL PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>(MHz)</th> <th>(dBm)</th> <th>(dB)</th> <th>(dBm)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5690.00</td> <td>98.94</td> <td>30.44</td> <td>68.50</td> <td>84.18</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>400</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5680.00</td> <td>90.93</td> <td>-----</td> <td>-----</td> <td>78.17</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>400</td> <td>0 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		(MHz)	(dBm)	(dB)	(dBm)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	1 *	5690.00	98.94	30.44	68.50	84.18	34.52	10.33	32.06	400	0 Peak	HORIZONTAL	2	5680.00	90.93	-----	-----	78.17	34.52	10.33	32.06	400	0 Average	HORIZONTAL	<p>Site : 03CID6-KS Condition : 5G-BAND 1—3 3m 3117 SN 00218652- VERTICAL PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>(MHz)</th> <th>(dBm)</th> <th>(dB)</th> <th>(dBm)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5704.00</td> <td>98.99</td> <td>30.09</td> <td>68.90</td> <td>85.60</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5704.00</td> <td>90.68</td> <td>-----</td> <td>-----</td> <td>77.89</td> <td>34.52</td> <td>10.33</td> <td>32.06</td> <td>100</td> <td>0 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		(MHz)	(dBm)	(dB)	(dBm)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	1 *	5704.00	98.99	30.09	68.90	85.60	34.52	10.33	32.06	100	0 Peak	VERTICAL	2	5704.00	90.68	-----	-----	77.89	34.52	10.33	32.06	100	0 Average	VERTICAL
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
	(MHz)	(dBm)	(dB)	(dBm)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)																																																																																							
1 *	5690.00	98.94	30.44	68.50	84.18	34.52	10.33	32.06	400	0 Peak	HORIZONTAL																																																																																							
2	5680.00	90.93	-----	-----	78.17	34.52	10.33	32.06	400	0 Average	HORIZONTAL																																																																																							
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
	(MHz)	(dBm)	(dB)	(dBm)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)	(dB)																																																																																							
1 *	5704.00	98.99	30.09	68.90	85.60	34.52	10.33	32.06	100	0 Peak	VERTICAL																																																																																							
2	5704.00	90.68	-----	-----	77.89	34.52	10.33	32.06	100	0 Average	VERTICAL																																																																																							



UNII-2C - Straddle Channel  
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11a CH144 5720MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 83 Plane : XZ IMEI : Full-directivity PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>HeadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>11444.00</td> <td>46.18</td> <td>-27.82</td> <td>74.00</td> <td>54.59</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg				11444.00	46.18	-27.82	74.00	54.59	38.26	14.87	61.54	300	0 Peak	HORIZONTAL	<p>Site : 03CH06-KS Condition : 5G BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 83 Plane : XZ IMEI : Full-directivity PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>HeadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>11444.00</td> <td>46.11</td> <td>-27.89</td> <td>74.00</td> <td>54.52</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg				11444.00	46.11	-27.89	74.00	54.52	38.26	14.87	61.54	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																													
11444.00	46.18	-27.82	74.00	54.59	38.26	14.87	61.54	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																													
11444.00	46.11	-27.89	74.00	54.52	38.26	14.87	61.54	100	0 Peak	VERTICAL																																																										