



UNII-2C – Straddle Channel
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH144 5720MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03C106-KS Condition : 5G-BAND 1—3 3m 3117 SN 00218652- HORIZONTAL Project : (FR261401-01) Mode : 84 Plane : X Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11444.00</td> <td>47.70</td> <td>-26.30</td> <td>74.00</td> <td>56.11</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	1 11444.00	47.70	-26.30	74.00	56.11	38.26	14.87	61.54	300	0 Peak	HORIZONTAL	<p>Site : 03C106-KS Condition : 5G-BAND 1—3 3m 3117 SN 00218652- VERTICAL Project : (FR261401-01) Mode : 84 Plane : X Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11444.00</td> <td>45.71</td> <td>-28.29</td> <td>74.00</td> <td>54.12</td> <td>38.26</td> <td>14.87</td> <td>61.54</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	1 11444.00	45.71	-28.29	74.00	54.12	38.26	14.87	61.54	100	0 Peak	VERTICAL
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB																																																										
1 11444.00	47.70	-26.30	74.00	56.11	38.26	14.87	61.54	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB																																																										
1 11444.00	45.71	-28.29	74.00	54.12	38.26	14.87	61.54	100	0 Peak	VERTICAL																																																										



UNII-2C - Straddle Channel
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH142 5710MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : 5G-BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : (FR)261401-01 Mode : 85 Plane : X Full-directivity : Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11422.00</td> <td>46.99</td> <td>-27.10</td> <td>74.00</td> <td>55.33</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	dB	dB	dB	dB	dB	1 11422.00	46.99	-27.10	74.00	55.33	38.25	14.86	61.54	300	0 Peak	HORIZONTAL	<p>Site : 03CH06-KS Condition : 5G-BAND 1-3 3m 3117 SN 00218652- VERTICAL Project : (FR)261401-01 Mode : 85 Plane : X Full-directivity : Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11422.00</td> <td>46.58</td> <td>-27.42</td> <td>74.00</td> <td>55.01</td> <td>38.25</td> <td>14.86</td> <td>61.54</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	dB	dB	dB	dB	dB	1 11422.00	46.58	-27.42	74.00	55.01	38.25	14.86	61.54	100	0 Peak	VERTICAL
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	dB	dB	dB	dB	dB																																																										
1 11422.00	46.99	-27.10	74.00	55.33	38.25	14.86	61.54	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	dB	dB	dB	dB	dB																																																										
1 11422.00	46.58	-27.42	74.00	55.01	38.25	14.86	61.54	100	0 Peak	VERTICAL																																																										



UNII-2C – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-2C Straddle Channel Harmonic @ 3m																																									
ANT	802.11ax HE80 Full CH138 5690MHz																																									
1	Horizontal	Vertical																																								
Peak Avg.	<p>Site : 03C106-KS Condition : 5G-BAND 1—3 3m 3117 SN 00218652- HORIZONTAL Project : (FR261401-01) Mode : 86 Plane : X Full-directivity : Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11378.00</td> <td>46.99</td> <td>-27.10</td> <td>74.00</td> <td>55.42</td> <td>38.22</td> <td>14.82</td> <td>61.56</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	11378.00	46.99	-27.10	74.00	55.42	38.22	14.82	61.56	0 Peak	HORIZONTAL	<p>Site : 03C106-KS Condition : 5G-BAND 1—3 3m 3117 SN 00218652- VERTICAL Project : (FR261401-01) Mode : 86 Plane : X Full-directivity : Full-directivity IMEI : #41 PowerSetting : 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>11378.00</td> <td>46.14</td> <td>-27.86</td> <td>74.00</td> <td>54.66</td> <td>38.22</td> <td>14.82</td> <td>61.56</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	11378.00	46.14	-27.86	74.00	54.66	38.22	14.82	61.56	0 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
11378.00	46.99	-27.10	74.00	55.42	38.22	14.82	61.56	0 Peak	HORIZONTAL																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
11378.00	46.14	-27.86	74.00	54.66	38.22	14.82	61.56	0 Peak	VERTICAL																																	



UNII-1 - 5150~5250MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																							
ANT	802.11a CH36 5180MHz																																																																							
2	Horizontal	Fundamental																																																																						
Peak	<p>Site : 030906-K3 Condition : 5G BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Project : RSM 1000.000000 YSM 3000.000000 SRT Auto Mode : (FR)261401-01 Plane : E Full-directivity : E1 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5114.72</td> <td>53.70</td> <td>-20.30</td> <td>74.00</td> <td>41.62</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>381</td> <td>305</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	dBm	dBm	dB	deg	deg	1	5114.72	53.70	-20.30	74.00	41.62	34.10	9.76	31.79	381	305	Peak	HORIZONTAL	<p>Site : 030906-K3 Condition : 5G BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Project : RSM 1000.000000 YSM 3000.000000 SRT Auto Mode : (FR)261401-01 Plane : E Full-directivity : E1 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5182.00</td> <td>103.12</td> <td>34.82</td> <td>68.30</td> <td>91.03</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>381</td> <td>305</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5182.00</td> <td>97.02</td> <td>-----</td> <td>84.93</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>381</td> <td>305</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	dBm	dBm	dB	deg	deg	1	5182.00	103.12	34.82	68.30	91.03	34.10	9.81	31.82	381	305	Peak	HORIZONTAL	2	5182.00	97.02	-----	84.93	34.10	9.81	31.82	381	305	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	Level	Line	dBm	dBm	dB	deg	deg																																																																	
1	5114.72	53.70	-20.30	74.00	41.62	34.10	9.76	31.79	381	305	Peak	HORIZONTAL																																																												
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	Level	Line	dBm	dBm	dB	deg	deg																																																																	
1	5182.00	103.12	34.82	68.30	91.03	34.10	9.81	31.82	381	305	Peak	HORIZONTAL																																																												
2	5182.00	97.02	-----	84.93	34.10	9.81	31.82	381	305	Average	HORIZONTAL																																																													
Avg.	<p>Site : 030906-K3 Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : RSM 1000.000000 YSM 0.750000 SRT Auto Mode : E Plane : E Full-directivity : E1 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Line</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5140.48</td> <td>43.78</td> <td>-10.22</td> <td>54.00</td> <td>31.69</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>381</td> <td>305</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	Level	Line	dBm	dBm	dB	deg	deg	1	5140.48	43.78	-10.22	54.00	31.69	34.10	9.78	31.79	381	305	Average	HORIZONTAL	Left blank																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	Level	Line	dBm	dBm	dB	deg	deg																																																																	
1	5140.48	43.78	-10.22	54.00	31.69	34.10	9.78	31.79	381	305	Average	HORIZONTAL																																																												



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																								
ANT	802.11a CH36 5180MHz																																								
2	Vertical	Fundamental																																							
Peak	<p>Site : 03090a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : S7 Plane : E MEI : Full-directivity Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5144.64</th> <th>56.37</th> <th>-17.63</th> <th>74.00</th> <th>44.30</th> <th>34.10</th> <th>9.78</th> <th>31.81</th> <th>289</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5144.64	56.37	-17.63	74.00	44.30	34.10	9.78	31.81	289	231	Peak	VERTICAL	<p>Site : 03090a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : S7 Plane : E MEI : Full-directivity Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5182.00</th> <th>111.27</th> <th>42.97</th> <th>68.30</th> <th>99.18</th> <th>34.10</th> <th>9.81</th> <th>31.82</th> <th>289</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5182.00</th> <th>104.69</th> <th>-----</th> <th>-----</th> <th>92.60</th> <th>34.10</th> <th>9.81</th> <th>31.82</th> <th>289</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5182.00	111.27	42.97	68.30	99.18	34.10	9.81	31.82	289	231	Peak	VERTICAL	2	5182.00	104.69	-----	-----	92.60	34.10	9.81	31.82	289	231	Average	VERTICAL
1	5144.64	56.37	-17.63	74.00	44.30	34.10	9.78	31.81	289	231	Peak	VERTICAL																													
1	5182.00	111.27	42.97	68.30	99.18	34.10	9.81	31.82	289	231	Peak	VERTICAL																													
2	5182.00	104.69	-----	-----	92.60	34.10	9.81	31.82	289	231	Average	VERTICAL																													
Avg.	<p>Site : 03090a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : S7 Plane : E MEI : Full-directivity Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5149.92</th> <th>45.89</th> <th>-8.11</th> <th>54.00</th> <th>33.82</th> <th>34.10</th> <th>9.78</th> <th>31.81</th> <th>289</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5149.92	45.89	-8.11	54.00	33.82	34.10	9.78	31.81	289	231	Average	VERTICAL	Left blank																										
1	5149.92	45.89	-8.11	54.00	33.82	34.10	9.78	31.81	289	231	Average	VERTICAL																													



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																														
ANT	802.11a CH44 5220MHz - L																																																																																														
2	Horizontal	Fundamental																																																																																													
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 8S Plane : E IME1 : Full-directivity IME2 : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBuV</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5109.12</td> <td>53.66</td> <td>-20.34</td> <td>74.00</td> <td>41.58</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>397</td> <td>298</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	cm	deg			dBuV/m	dB	dBuV/m	dBuV	dBuV	cm	deg			1	5109.12	53.66	-20.34	74.00	41.58	34.10	9.76	31.78	397	298	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 8S Plane : E IME1 : Full-directivity IME2 : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBuV</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5218.00</td> <td>105.41</td> <td>37.11</td> <td>68.30</td> <td>93.24</td> <td>34.17</td> <td>9.84</td> <td>31.84</td> <td>397</td> <td>298</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5218.00</td> <td>98.10</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>34.17</td> <td>9.84</td> <td>31.84</td> <td>397</td> <td>298</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	cm	deg			dBuV/m	dB	dBuV/m	dBuV	dBuV	cm	deg			1	5218.00	105.41	37.11	68.30	93.24	34.17	9.84	31.84	397	298	Peak	HORIZONTAL	2	5218.00	98.10	-----	-----	85.93	34.17	9.84	31.84	397	298	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Level	Level	Level	Level	Level	cm	deg																																																																																									
dBuV/m	dB	dBuV/m	dBuV	dBuV	cm	deg																																																																																									
1	5109.12	53.66	-20.34	74.00	41.58	34.10	9.76	31.78	397	298	Peak	HORIZONTAL																																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Level	Level	Level	Level	Level	cm	deg																																																																																									
dBuV/m	dB	dBuV/m	dBuV	dBuV	cm	deg																																																																																									
1	5218.00	105.41	37.11	68.30	93.24	34.17	9.84	31.84	397	298	Peak	HORIZONTAL																																																																																			
2	5218.00	98.10	-----	-----	85.93	34.17	9.84	31.84	397	298	Average	HORIZONTAL																																																																																			
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:0, 7500MHz; SRT:Auto FR261401-01 Mode : 8S Plane : E IME1 : Full-directivity IME2 : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBuV</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5122.72</td> <td>43.64</td> <td>-10.36</td> <td>54.00</td> <td>31.56</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>397</td> <td>298</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	cm	deg			dBuV/m	dB	dBuV/m	dBuV	dBuV	cm	deg			1	5122.72	43.64	-10.36	54.00	31.56	34.10	9.77	31.79	397	298	Average	HORIZONTAL	Left blank																																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Level	Level	Level	Level	Level	cm	deg																																																																																									
dBuV/m	dB	dBuV/m	dBuV	dBuV	cm	deg																																																																																									
1	5122.72	43.64	-10.36	54.00	31.56	34.10	9.77	31.79	397	298	Average	HORIZONTAL																																																																																			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																														
ANT	802.11a CH44 5220MHz - R																														
2	Horizontal	Fundamental																													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 3e 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto FR261401-01 Mode : dB Plane : E Full-directivity IMEI : #41 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.82</td> <td>52.63</td> <td>-21.27</td> <td>74.00</td> <td>39.85</td> <td>34.80</td> <td>0.94</td> <td>31.96</td> <td>397</td> <td>298</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	1	5399.82	52.63	-21.27	74.00	39.85	34.80	0.94	31.96	397	298	Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																								
1	5399.82	52.63	-21.27	74.00	39.85	34.80	0.94	31.96	397	298	Peak	HORIZONTAL																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3e 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 000MHz YBR 0, 7500MHz SRT Auto FR261401-01 Mode : dB Plane : E Full-directivity IMEI : #41 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5400.00</td> <td>43.13</td> <td>-10.87</td> <td>54.00</td> <td>30.35</td> <td>34.80</td> <td>0.94</td> <td>31.96</td> <td>397</td> <td>298</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg	1	5400.00	43.13	-10.87	54.00	30.35	34.80	0.94	31.96	397	298	Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																								
1	5400.00	43.13	-10.87	54.00	30.35	34.80	0.94	31.96	397	298	Average	HORIZONTAL																			






WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																												
ANT	802.11a CH44 5220MHz - L																																																																												
2	Vertical	Fundamental																																																																											
Peak	<p>Site : 03280a-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 88 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5127.84</th> <th>54.08</th> <th>-19.92</th> <th>74.00</th> <th>42.00</th> <th>34.10</th> <th>9.77</th> <th>31.79</th> <th>283</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> </table>	1	5127.84	54.08	-19.92	74.00	42.00	34.10	9.77	31.79	283	231	Peak	VERTICAL	IME1	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		<p>Site : 03280a-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 88 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5218.00</th> <th>111.09</th> <th>42.79</th> <th>68.30</th> <th>98.92</th> <th>34.17</th> <th>9.84</th> <th>31.84</th> <th>283</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5218.00</th> <th>103.67</th> <th>-----</th> <th>-----</th> <th>91.50</th> <th>34.17</th> <th>9.84</th> <th>31.84</th> <th>283</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> </table>	1	5218.00	111.09	42.79	68.30	98.92	34.17	9.84	31.84	283	231	Peak	VERTICAL	2	5218.00	103.67	-----	-----	91.50	34.17	9.84	31.84	283	231	Average	VERTICAL	IME1	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	
1	5127.84	54.08	-19.92	74.00	42.00	34.10	9.77	31.79	283	231	Peak	VERTICAL																																																																	
IME1	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
1	5218.00	111.09	42.79	68.30	98.92	34.17	9.84	31.84	283	231	Peak	VERTICAL																																																																	
2	5218.00	103.67	-----	-----	91.50	34.17	9.84	31.84	283	231	Average	VERTICAL																																																																	
IME1	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						
Avg.	<p>Site : 03280a-K3 Condition : 5G BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 0.7500MHz SRT Auto Mode : FR261401-01 Plane : 88 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>1</th> <th>5148.96</th> <th>44.82</th> <th>+9.18</th> <th>54.00</th> <th>32.75</th> <th>34.10</th> <th>9.78</th> <th>31.81</th> <th>283</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> </table>	1	5148.96	44.82	+9.18	54.00	32.75	34.10	9.78	31.81	283	231	Average	VERTICAL	IME1	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		Left blank																																												
1	5148.96	44.82	+9.18	54.00	32.75	34.10	9.78	31.81	283	231	Average	VERTICAL																																																																	
IME1	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																						



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																											
ANT	802.11a CH44 5220MHz - R																											
2	Vertical	Fundamental																										
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 3a 3117 SN 00218652- VERTICAL Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto FR261401-01 Mode : SS Plane : E Full-directivity : Full-directivity IMEI : 844 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5359.32</th> <th>53.11</th> <th>-20.89</th> <th>74.00</th> <th>40.48</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>283</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5359.32	53.11	-20.89	74.00	40.48	34.65	0.91	31.93	283	231	Peak	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5359.32	53.11	-20.89	74.00	40.48	34.65	0.91	31.93	283	231	Peak	VERTICAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3a 3117 SN 00218652- VERTICAL Project : RBW:1000, 000MHz; VBW:0.7500MHz; SFT:Auto FR261401-01 Mode : SS Plane : E Full-directivity : Full-directivity IMEI : 844 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.14</th> <th>43.56</th> <th>-10.44</th> <th>54.00</th> <th>30.93</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>283</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5350.14	43.56	-10.44	54.00	30.93	34.65	0.91	31.93	283	231	Average	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5350.14	43.56	-10.44	54.00	30.93	34.65	0.91	31.93	283	231	Average	VERTICAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																														
ANT	802.11a CH48 5240MHz - L																																																																														
2	Horizontal	Fundamental																																																																													
<p>Peak</p>	 <p>Site : 03280a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000.000kHz VBW:3000.000kHz SFT:Auto Mode : (FR)261401-01 Plane : E IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5378.22</td> <td>52.36</td> <td>-21.64</td> <td>74.00</td> <td>39.63</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>394</td> <td>296 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5378.22	52.36	-21.64	74.00	39.63	34.75	9.93	31.95	394	296 Peak	HORIZONTAL	 <p>Site : 03280a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000.000kHz VBW:3000.000kHz SFT:Auto Mode : (FR)261401-01 Plane : E IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5242.00</td> <td>103.88</td> <td>35.58</td> <td>68.30</td> <td>91.57</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>394</td> <td>296 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5242.00</td> <td>97.40</td> <td>-----</td> <td>-----</td> <td>85.09</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>394</td> <td>296 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5242.00	103.88	35.58	68.30	91.57	34.30	9.86	31.85	394	296 Peak	HORIZONTAL	2 5242.00	97.40	-----	-----	85.09	34.30	9.86	31.85	394	296 Average	HORIZONTAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5378.22	52.36	-21.64	74.00	39.63	34.75	9.93	31.95	394	296 Peak	HORIZONTAL																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 5242.00	103.88	35.58	68.30	91.57	34.30	9.86	31.85	394	296 Peak	HORIZONTAL																																																																					
2 5242.00	97.40	-----	-----	85.09	34.30	9.86	31.85	394	296 Average	HORIZONTAL																																																																					
<p>Avg.</p>	 <p>Site : 03280a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000.000kHz VBW:0.7500kHz SFT:Auto Mode : (FR)261401-01 Plane : E IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5381.28</td> <td>43.02</td> <td>-10.98</td> <td>54.00</td> <td>30.29</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>394</td> <td>296 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5381.28	43.02	-10.98	54.00	30.29	34.75	9.93	31.95	394	296 Average	HORIZONTAL	<p>Left blank</p>																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5381.28	43.02	-10.98	54.00	30.29	34.75	9.93	31.95	394	296 Average	HORIZONTAL																																																																					



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																							
ANT	802.11a CH48 5240MHz - L																																																																							
2	Vertical	Fundamental																																																																						
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : SP Plane : E JME1 : Full-directivity Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.76</td> <td>53.45</td> <td>-20.55</td> <td>74.00</td> <td>40.82</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>280</td> <td>230 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg			1 5351.76	53.45	-20.55	74.00	40.82	34.65	9.91	31.93	280	230 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : SP Plane : E JME1 : Full-directivity Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5242.00</td> <td>110.48</td> <td>47.18</td> <td>68.30</td> <td>98.17</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>280</td> <td>230 Peak VERTICAL</td> </tr> <tr> <td>2 5242.00</td> <td>103.90</td> <td>-----</td> <td>-----</td> <td>91.59</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>280</td> <td>230 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg			1 5242.00	110.48	47.18	68.30	98.17	34.30	9.86	31.85	280	230 Peak VERTICAL	2 5242.00	103.90	-----	-----	91.59	34.30	9.86	31.85	280	230 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																	
1 5351.76	53.45	-20.55	74.00	40.82	34.65	9.91	31.93	280	230 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																	
1 5242.00	110.48	47.18	68.30	98.17	34.30	9.86	31.85	280	230 Peak VERTICAL																																																															
2 5242.00	103.90	-----	-----	91.59	34.30	9.86	31.85	280	230 Average VERTICAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:0, 7500MHz; SRT:Auto FR261401-01 Mode : SP Plane : E JME1 : Full-directivity Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.22</td> <td>43.82</td> <td>-10.18</td> <td>54.00</td> <td>31.19</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>280</td> <td>230 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg			1 5351.22	43.82	-10.18	54.00	31.19	34.65	9.91	31.93	280	230 Average VERTICAL	<p>Left blank</p>																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																	
1 5351.22	43.82	-10.18	54.00	31.19	34.65	9.91	31.93	280	230 Average VERTICAL																																																															






UNII-1 5150~5250MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Full CH36 5180MHz																																																																																	
2	Horizontal	Fundamental																																																																																
Peak	<p>Site : 032000-KS Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 90 Plane : X IM1 : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.48</td> <td>52.45</td> <td>-21.55</td> <td>74.00</td> <td>40.37</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>400</td> <td>295 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5108.48	52.45	-21.55	74.00	40.37	34.10	9.76	31.78	400	295 Peak	HORIZONT	<p>Site : 032000-KS Condition : SG BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 90 Plane : X IM1 : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5182.00</td> <td>100.49</td> <td>32.19</td> <td>68.30</td> <td>88.40</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>400</td> <td>295 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2</td> <td>5182.00</td> <td>19.48</td> <td></td> <td></td> <td>81.40</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>400</td> <td>295 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5182.00	100.49	32.19	68.30	88.40	34.10	9.81	31.82	400	295 Peak	HORIZONT	2	5182.00	19.48			81.40	34.10	9.81	31.82	400	295 Average	HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5108.48	52.45	-21.55	74.00	40.37	34.10	9.76	31.78	400	295 Peak	HORIZONT																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5182.00	100.49	32.19	68.30	88.40	34.10	9.81	31.82	400	295 Peak	HORIZONT																																																																							
2	5182.00	19.48			81.40	34.10	9.81	31.82	400	295 Average	HORIZONT																																																																							
Avg.	<p>Site : 032000-KS Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 90 Plane : X IM1 : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5118.40</td> <td>42.52</td> <td>-11.48</td> <td>54.00</td> <td>30.45</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>400</td> <td>295 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5118.40	42.52	-11.48	54.00	30.45	34.10	9.76	31.79	400	295 Average	HORIZONT	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5118.40	42.52	-11.48	54.00	30.45	34.10	9.76	31.79	400	295 Average	HORIZONT																																																																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Full CH36 5180MHz																																																																						
2	Vertical	Fundamental																																																																					
<p>Peak</p>	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 000MHz YBR 3000 000MHz SRT Auto (FR261401-01) Mode : 90 Plane : 2 IME1 : Full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.60</td> <td>56.25</td> <td>-17.75</td> <td>74.00</td> <td>44.16</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>266</td> <td>232 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cm	deg	cm	deg	1 5149.60	56.25	-17.75	74.00	44.16	34.10	9.78	31.81	266	232 Peak VERTICAL	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 000MHz YBR 3000 000MHz SRT Auto (FR261401-01) Mode : 90 Plane : 2 IME1 : Full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5176.00</td> <td>108.91</td> <td>40.61</td> <td>68.30</td> <td>96.82</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>266</td> <td>232 Peak VERTICAL</td> </tr> <tr> <td>2 5176.00</td> <td>101.12</td> <td>-----</td> <td>89.03</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>266</td> <td>232 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cm	deg	cm	deg	1 5176.00	108.91	40.61	68.30	96.82	34.10	9.81	31.82	266	232 Peak VERTICAL	2 5176.00	101.12	-----	89.03	34.10	9.81	31.82	266	232 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cm	deg	cm	deg																																																														
1 5149.60	56.25	-17.75	74.00	44.16	34.10	9.78	31.81	266	232 Peak VERTICAL																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cm	deg	cm	deg																																																														
1 5176.00	108.91	40.61	68.30	96.82	34.10	9.81	31.82	266	232 Peak VERTICAL																																																														
2 5176.00	101.12	-----	89.03	34.10	9.81	31.82	266	232 Average VERTICAL																																																															
<p>Avg.</p>	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000 000MHz YBR 0.0100MHz SRT Auto (FR261401-01) Mode : 90 Plane : 2 IME1 : Full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.60</td> <td>44.11</td> <td>-9.89</td> <td>54.00</td> <td>32.04</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>266</td> <td>232 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cm	deg	cm	deg	1 5149.60	44.11	-9.89	54.00	32.04	34.10	9.78	31.81	266	232 Average VERTICAL	<p>Left blank</p>																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	dBm/100MHz	cm	deg	cm	deg																																																														
1 5149.60	44.11	-9.89	54.00	32.04	34.10	9.78	31.81	266	232 Average VERTICAL																																																														



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH44 5220MHz - L																																																																	
2	Horizontal	Fundamental																																																																
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 97 Plane : E Full-directivity : 14 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5171.12</th> <th>52.36</th> <th>-21.64</th> <th>74.00</th> <th>40.29</th> <th>34.10</th> <th>9.76</th> <th>31.79</th> <th>374</th> <th>310</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5171.12	52.36	-21.64	74.00	40.29	34.10	9.76	31.79	374	310	Peak	HORIZONTAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 97 Plane : E Full-directivity : 14 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5218.00</th> <th>102.27</th> <th>34.07</th> <th>68.30</th> <th>90.20</th> <th>34.17</th> <th>9.84</th> <th>31.84</th> <th>374</th> <th>310</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5218.00</th> <th>94.57</th> <th>-----</th> <th>82.40</th> <th>34.17</th> <th>9.84</th> <th>31.84</th> <th>374</th> <th>310</th> <th>Average</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5218.00	102.27	34.07	68.30	90.20	34.17	9.84	31.84	374	310	Peak	HORIZONTAL	2	5218.00	94.57	-----	82.40	34.17	9.84	31.84	374	310	Average	HORIZONTAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas
1	5171.12	52.36	-21.64	74.00	40.29	34.10	9.76	31.79	374	310	Peak	HORIZONTAL																																																						
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas																																																						
1	5218.00	102.27	34.07	68.30	90.20	34.17	9.84	31.84	374	310	Peak	HORIZONTAL																																																						
2	5218.00	94.57	-----	82.40	34.17	9.84	31.84	374	310	Average	HORIZONTAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas																																																						
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032606-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 97 Plane : E Full-directivity : 14 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5177.76</th> <th>42.55</th> <th>-11.45</th> <th>54.00</th> <th>30.47</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>374</th> <th>310</th> <th>Average</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5177.76	42.55	-11.45	54.00	30.47	34.10	9.76	31.78	374	310	Average	HORIZONTAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas	<p>Left blank</p>																																						
1	5177.76	42.55	-11.45	54.00	30.47	34.10	9.76	31.78	374	310	Average	HORIZONTAL																																																						
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas																																																						



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE20 Full CH44 5220MHz - R														
2	Horizontal	Fundamental													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 97 Plane : E Full-directivity : 14 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5391.36</th> <th>53.09</th> <th>-20.91</th> <th>74.00</th> <th>40.36</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>374</th> <th>310</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5391.36	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	374	310	Peak	HORIZONTAL	<p>Left blank</p>
1	5391.36	53.09	-20.91	74.00	40.36	34.75	9.93	31.95	374	310	Peak	HORIZONTAL			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 97 Plane : E Full-directivity : 14 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5351.22</th> <th>42.00</th> <th>-12.00</th> <th>54.00</th> <th>29.37</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>374</th> <th>310</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5351.22	42.00	-12.00	54.00	29.37	34.65	9.91	31.93	374	310	Average	HORIZONTAL	<p>Left blank</p>
1	5351.22	42.00	-12.00	54.00	29.37	34.65	9.91	31.93	374	310	Average	HORIZONTAL			






WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																		
ANT	802.11ax HE20 Full CH44 5220MHz - L																																																																		
2	Vertical	Fundamental																																																																	
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032406-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT Auto FR261401-01 Mode : 97 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5110.72</th> <th>53.15</th> <th>-20.85</th> <th>74.00</th> <th>41.07</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>278</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5110.72	53.15	-20.85	74.00	41.07	34.10	9.76	31.78	278	232	Peak	VERTICAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032406-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT Auto FR261401-01 Mode : 97 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5224.00</th> <th>102.47</th> <th>39.37</th> <th>68.30</th> <th>95.51</th> <th>34.17</th> <th>9.84</th> <th>31.85</th> <th>278</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5224.00</th> <th>100.73</th> <th>-----</th> <th>-----</th> <th>88.57</th> <th>34.17</th> <th>9.84</th> <th>31.85</th> <th>278</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5224.00	102.47	39.37	68.30	95.51	34.17	9.84	31.85	278	232	Peak	VERTICAL	2	5224.00	100.73	-----	-----	88.57	34.17	9.84	31.85	278	232	Average	VERTICAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas
1	5110.72	53.15	-20.85	74.00	41.07	34.10	9.76	31.78	278	232	Peak	VERTICAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas																																																							
1	5224.00	102.47	39.37	68.30	95.51	34.17	9.84	31.85	278	232	Peak	VERTICAL																																																							
2	5224.00	100.73	-----	-----	88.57	34.17	9.84	31.85	278	232	Average	VERTICAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas																																																							
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032406-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 0, 0100MHz, SRT Auto FR261401-01 Mode : 97 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5149.76</th> <th>43.51</th> <th>-10.49</th> <th>54.00</th> <th>31.44</th> <th>34.10</th> <th>9.78</th> <th>31.81</th> <th>278</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5149.76	43.51	-10.49	54.00	31.44	34.10	9.78	31.81	278	232	Average	VERTICAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas	<p>Left blank</p>																																							
1	5149.76	43.51	-10.49	54.00	31.44	34.10	9.78	31.81	278	232	Average	VERTICAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	dB	cm	deg	Remark	Pol/Phas																																																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE20 Full CH44 5220MHz - R														
2	Vertical	Fundamental													
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 3000, 0000Hz SFT Auto FR261401-01 Mode : 97 Plane : E Full-directivity IMEI : 844 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5356.62</th> <th>53.39</th> <th>-20.41</th> <th>74.00</th> <th>40.76</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>278</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5356.62	53.39	-20.41	74.00	40.76	34.65	9.91	31.93	278	232	Peak	VERTICAL	<p>Left blank</p>
1	5356.62	53.39	-20.41	74.00	40.76	34.65	9.91	31.93	278	232	Peak	VERTICAL			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz VBW 0, 01000Hz SFT Auto FR261401-01 Mode : 97 Plane : E Full-directivity IMEI : 844 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5352.48</th> <th>42.71</th> <th>-11.29</th> <th>54.00</th> <th>30.08</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>278</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5352.48	42.71	-11.29	54.00	30.08	34.65	9.91	31.93	278	232	Average	VERTICAL	<p>Left blank</p>
1	5352.48	42.71	-11.29	54.00	30.08	34.65	9.91	31.93	278	232	Average	VERTICAL			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																		
ANT	802.11ax HE20 Full CH48 5240MHz - L																																																																		
2	Horizontal	Fundamental																																																																	
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 0000Hz, YBR 3000, 0000Hz, SRT: Auto FR261401-01 Mode : 98 Plane : E Full-directivity JME1 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5380.20</th> <th>52.07</th> <th>-21.93</th> <th>74.00</th> <th>39.34</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>372</th> <th>312</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5380.20	52.07	-21.93	74.00	39.34	34.75	9.93	31.95	372	312	Peak	HORIZONTAL	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	cm	deg	Remark	Pol/Phas	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 0000Hz, YBR 3000, 0000Hz, SRT: Auto FR261401-01 Mode : 98 Plane : E Full-directivity JME1 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5242.00</th> <th>103.22</th> <th>34.99</th> <th>68.30</th> <th>90.98</th> <th>34.30</th> <th>9.86</th> <th>31.85</th> <th>372</th> <th>312</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>2</th> <th>5242.00</th> <th>94.06</th> <th>-----</th> <th>-----</th> <th>81.75</th> <th>34.30</th> <th>9.86</th> <th>31.85</th> <th>372</th> <th>312</th> <th>Average</th> <th>HORIZONTAL</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5242.00	103.22	34.99	68.30	90.98	34.30	9.86	31.85	372	312	Peak	HORIZONTAL	2	5242.00	94.06	-----	-----	81.75	34.30	9.86	31.85	372	312	Average	HORIZONTAL	1	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	Remark	Pol/Phas
1	5380.20	52.07	-21.93	74.00	39.34	34.75	9.93	31.95	372	312	Peak	HORIZONTAL																																																							
MHz	Level	Limit	Line	Level	Factor	Loss	Factor	Loss	cm	deg	Remark	Pol/Phas																																																							
1	5242.00	103.22	34.99	68.30	90.98	34.30	9.86	31.85	372	312	Peak	HORIZONTAL																																																							
2	5242.00	94.06	-----	-----	81.75	34.30	9.86	31.85	372	312	Average	HORIZONTAL																																																							
1	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	Remark	Pol/Phas																																																							
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 0000Hz, YBR 0, 01000Hz, SRT: Auto FR261401-01 Mode : 98 Plane : E Full-directivity JME1 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>1</th> <th>5386.32</th> <th>41.99</th> <th>-12.01</th> <th>54.00</th> <th>29.26</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>372</th> <th>312</th> <th>Average</th> <th>HORIZONTAL</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> </table>	1	5386.32	41.99	-12.01	54.00	29.26	34.75	9.93	31.95	372	312	Average	HORIZONTAL	1	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	Remark	Pol/Phas	<p>Left blank</p>																																							
1	5386.32	41.99	-12.01	54.00	29.26	34.75	9.93	31.95	372	312	Average	HORIZONTAL																																																							
1	MHz	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	Remark	Pol/Phas																																																							



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Full CH48 5240MHz - L																																																																							
2	Vertical	Fundamental																																																																						
<p>Peak</p>	<p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 98 IME1 : Full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5360.58</td> <td>52.52</td> <td>-21.48</td> <td>74.00</td> <td>39.83</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>280</td> <td>232 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 5360.58	52.52	-21.48	74.00	39.83	34.70	9.92	31.93	280	232 Peak VERTICAL	<p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 98 IME1 : Full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5236.00</td> <td>109.64</td> <td>41.34</td> <td>68.30</td> <td>97.41</td> <td>34.23</td> <td>9.85</td> <td>31.85</td> <td>280</td> <td>232 Peak VERTICAL</td> </tr> <tr> <td>2 5236.00</td> <td>101.19</td> <td>-----</td> <td>88.96</td> <td>34.23</td> <td>9.85</td> <td>31.85</td> <td>280</td> <td>232 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 * 5236.00	109.64	41.34	68.30	97.41	34.23	9.85	31.85	280	232 Peak VERTICAL	2 5236.00	101.19	-----	88.96	34.23	9.85	31.85	280	232 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1 5360.58	52.52	-21.48	74.00	39.83	34.70	9.92	31.93	280	232 Peak VERTICAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1 * 5236.00	109.64	41.34	68.30	97.41	34.23	9.85	31.85	280	232 Peak VERTICAL																																																															
2 5236.00	101.19	-----	88.96	34.23	9.85	31.85	280	232 Average	VERTICAL																																																															
<p>Avg.</p>	<p>Site : 03260a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3.0100MHz SRT Auto Mode : FR261401-01 Plane : 98 IME1 : Full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5363.02</td> <td>42.83</td> <td>-11.17</td> <td>54.00</td> <td>30.20</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>280</td> <td>232 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 5363.02	42.83	-11.17	54.00	30.20	34.65	9.91	31.93	280	232 Average VERTICAL	<p>Left blank</p>																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1 5363.02	42.83	-11.17	54.00	30.20	34.65	9.91	31.93	280	232 Average VERTICAL																																																															






UNII-1 5150~5250MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 26/0 CH36 5180MHz																																																																																
2	Horizontal	Fundamental																																																																															
Peak	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 100 Plane : X IM1 : full-directivity Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.48</td> <td>52.12</td> <td>-21.88</td> <td>74.00</td> <td>40.05</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>400</td> <td>315 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5144.48	52.12	-21.88	74.00	40.05	34.10	9.78	31.81	400	315 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 100 Plane : X IM1 : full-directivity Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5170.00</td> <td>100.85</td> <td>32.55</td> <td>68.30</td> <td>88.72</td> <td>34.10</td> <td>9.80</td> <td>31.82</td> <td>400</td> <td>315 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5170.00</td> <td>103.13</td> <td>-----</td> <td>81.05</td> <td>34.10</td> <td>9.80</td> <td>31.82</td> <td>400</td> <td>315 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5170.00	100.85	32.55	68.30	88.72	34.10	9.80	31.82	400	315 Peak	HORIZONTAL	2	5170.00	103.13	-----	81.05	34.10	9.80	31.82	400	315 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5144.48	52.12	-21.88	74.00	40.05	34.10	9.78	31.81	400	315 Peak	HORIZONTAL																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5170.00	100.85	32.55	68.30	88.72	34.10	9.80	31.82	400	315 Peak	HORIZONTAL																																																																						
2	5170.00	103.13	-----	81.05	34.10	9.80	31.82	400	315 Average	HORIZONTAL																																																																							
Avg.	<p>Site : 032000-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 100 Plane : X IM1 : full-directivity Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.00</td> <td>43.84</td> <td>-10.16</td> <td>54.00</td> <td>31.76</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>400</td> <td>315 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5116.00	43.84	-10.16	54.00	31.76	34.10	9.76	31.78	400	315 Average	HORIZONTAL	Left blank																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5116.00	43.84	-10.16	54.00	31.76	34.10	9.76	31.78	400	315 Average	HORIZONTAL																																																																						



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Partial 26/0 CH36 5180MHz																																																																							
2	Vertical	Fundamental																																																																						
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT Auto FR261401-01 Mode : 105 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5105.92</td> <td>52.74</td> <td>-21.26</td> <td>74.00</td> <td>40.66</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>268</td> <td>225 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	cm	deg			1 5105.92	52.74	-21.26	74.00	40.66	34.10	9.76	31.78	268	225 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT Auto FR261401-01 Mode : 105 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5170.00</td> <td>108.40</td> <td>40.10</td> <td>68.30</td> <td>96.32</td> <td>34.10</td> <td>9.80</td> <td>31.82</td> <td>268</td> <td>225 Peak VERTICAL</td> </tr> <tr> <td>2 5170.00</td> <td>101.19</td> <td>-----</td> <td>89.11</td> <td>34.10</td> <td>9.80</td> <td>31.82</td> <td>268</td> <td>225 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	cm	deg			1 5170.00	108.40	40.10	68.30	96.32	34.10	9.80	31.82	268	225 Peak VERTICAL	2 5170.00	101.19	-----	89.11	34.10	9.80	31.82	268	225 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm	dB	dBm	dB	dB	cm	deg																																																																	
1 5105.92	52.74	-21.26	74.00	40.66	34.10	9.76	31.78	268	225 Peak VERTICAL																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm	dB	dBm	dB	dB	cm	deg																																																																	
1 5170.00	108.40	40.10	68.30	96.32	34.10	9.80	31.82	268	225 Peak VERTICAL																																																															
2 5170.00	101.19	-----	89.11	34.10	9.80	31.82	268	225 Average	VERTICAL																																																															
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR 1, 800MHz, SRT Auto FR261401-01 Mode : 105 Plane : 2 Full-directivity IME1 : 841 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5140.16</td> <td>44.00</td> <td>-10.00</td> <td>54.00</td> <td>31.91</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>268</td> <td>225 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	cm	deg			1 5140.16	44.00	-10.00	54.00	31.91	34.10	9.78	31.79	268	225 Average VERTICAL	Left blank																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm	dB	dBm	dB	dB	cm	deg																																																																	
1 5140.16	44.00	-10.00	54.00	31.91	34.10	9.78	31.79	268	225 Average VERTICAL																																																															



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Partial 26/8 CH48 5240MHz																																																																													
2	Horizontal	Fundamental																																																																												
<p>Peak</p>	 <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 100 Plane : 2 Full-directivity IME1 : 441 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.08</td> <td>52.41</td> <td>-21.59</td> <td>74.00</td> <td>39.78</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>391</td> <td>304 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5356.08	52.41	-21.59	74.00	39.78	34.65	9.91	31.93	391	304 Peak	HORIZONTAL	 <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 100 Plane : 2 Full-directivity IME1 : 441 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5248.00</td> <td>100.28</td> <td>32.08</td> <td>68.30</td> <td>88.09</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>391</td> <td>304 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5248.00</td> <td>93.38</td> <td>-----</td> <td>-----</td> <td>81.09</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>391</td> <td>304 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5248.00	100.28	32.08	68.30	88.09	34.30	9.86	31.87	391	304 Peak	HORIZONTAL	2	5248.00	93.38	-----	-----	81.09	34.30	9.86	31.87	391	304 Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	5356.08	52.41	-21.59	74.00	39.78	34.65	9.91	31.93	391	304 Peak	HORIZONTAL																																																																			
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	5248.00	100.28	32.08	68.30	88.09	34.30	9.86	31.87	391	304 Peak	HORIZONTAL																																																																			
2	5248.00	93.38	-----	-----	81.09	34.30	9.86	31.87	391	304 Average	HORIZONTAL																																																																			
<p>Avg.</p>	 <p>Site : 03260a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 1.800MHz SRT Auto FR261401-01 Mode : 100 Plane : 2 Full-directivity IME1 : 441 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.24</td> <td>43.07</td> <td>-10.93</td> <td>54.00</td> <td>30.34</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>391</td> <td>304 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	5394.24	43.07	-10.93	54.00	30.34	34.75	9.93	31.95	391	304 Average	HORIZONTAL	<p>Left blank</p>																																												
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	5394.24	43.07	-10.93	54.00	30.34	34.75	9.93	31.95	391	304 Average	HORIZONTAL																																																																			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 26/8 CH48 5240MHz																																																																																
2	Vertical	Fundamental																																																																															
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz; YBR 3000, 0000Hz; SRT: Auto FR0 261401-01 Mode : 100 Plane : 2 Full-directivity IME1 : #41 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.30</td> <td>51.53</td> <td>-22.47</td> <td>74.00</td> <td>38.84</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>295</td> <td>228 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5361.30	51.53	-22.47	74.00	38.84	34.70	9.92	31.93	295	228 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz; YBR 3000, 0000Hz; SRT: Auto FR0 261401-01 Mode : 100 Plane : 2 Full-directivity IME1 : #41 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5248.00</td> <td>106.49</td> <td>38.19</td> <td>68.30</td> <td>94.20</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>295</td> <td>228 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5248.00</td> <td>100.21</td> <td>-----</td> <td>87.92</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>295</td> <td>228 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5248.00	106.49	38.19	68.30	94.20	34.30	9.86	31.87	295	228 Peak	VERTICAL	2	5248.00	100.21	-----	87.92	34.30	9.86	31.87	295	228 Average	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																									
1	5361.30	51.53	-22.47	74.00	38.84	34.70	9.92	31.93	295	228 Peak	VERTICAL																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																									
1	5248.00	106.49	38.19	68.30	94.20	34.30	9.86	31.87	295	228 Peak	VERTICAL																																																																						
2	5248.00	100.21	-----	87.92	34.30	9.86	31.87	295	228 Average	VERTICAL																																																																							
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz; YBR 1, 8000Hz; SRT: Auto FR0 261401-01 Mode : 100 Plane : 2 Full-directivity IME1 : #41 Powersetting : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.54</td> <td>43.27</td> <td>-10.73</td> <td>54.00</td> <td>30.64</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>295</td> <td>228 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1	5355.54	43.27	-10.73	54.00	30.64	34.65	9.91	31.93	295	228 Average	VERTICAL	<p>Left blank</p>																																													
Freq	Level	Limit	Line	Level	Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																									
1	5355.54	43.27	-10.73	54.00	30.64	34.65	9.91	31.93	295	228 Average	VERTICAL																																																																						



UNII-1 5150~5250MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																							
ANT	802.11ax HE20 Partial 52/37 CH36 5180MHz																																																																																							
2	Horizontal	Fundamental																																																																																						
Peak	<p>Site : 032904-KS Condition : 5G BAND 1 ---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 111 Plane : X MEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.12</td> <td>52.43</td> <td>-21.57</td> <td>74.00</td> <td>40.34</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>400</td> <td>315</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5141.12	52.43	-21.57	74.00	40.34	34.10	9.78	31.79	400	315	Peak	HORIZONTAL	<p>Site : 032904-KS Condition : 5G BAND 1 ---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 111 Plane : X MEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5176.00</td> <td>101.19</td> <td>32.89</td> <td>68.30</td> <td>89.10</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>400</td> <td>315</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5176.00</td> <td>102.25</td> <td></td> <td>80.16</td> <td>36.10</td> <td>9.81</td> <td>31.82</td> <td>400</td> <td>315</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5176.00	101.19	32.89	68.30	89.10	34.10	9.81	31.82	400	315	Peak	HORIZONTAL	2	5176.00	102.25		80.16	36.10	9.81	31.82	400	315	Average	HORIZONTAL
MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5141.12	52.43	-21.57	74.00	40.34	34.10	9.78	31.79	400	315	Peak	HORIZONTAL																																																																												
MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5176.00	101.19	32.89	68.30	89.10	34.10	9.81	31.82	400	315	Peak	HORIZONTAL																																																																												
2	5176.00	102.25		80.16	36.10	9.81	31.82	400	315	Average	HORIZONTAL																																																																													
Avg.	<p>Site : 032904-KS Condition : 5G BAND 1 ---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 111 Plane : X MEI : full-directivity Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.12</td> <td>44.20</td> <td>-9.80</td> <td>54.00</td> <td>32.12</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>400</td> <td>315</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5133.12	44.20	-9.80	54.00	32.12	34.10	9.77	31.79	400	315	Average	HORIZONTAL	Left blank																																																	
MEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5133.12	44.20	-9.80	54.00	32.12	34.10	9.77	31.79	400	315	Average	HORIZONTAL																																																																												



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																				
ANT	802.11ax HE20 Partial 52/37 CH36 5180MHz																																																																																				
2	Vertical	Fundamental																																																																																			
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 111 Plane : 2 Full-directivity IME1 : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.48</td> <td>52.49</td> <td>-21.51</td> <td>74.00</td> <td>40.41</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>299</td> <td>227 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	cm	deg			1	5108.48	52.49	-21.51	74.00	40.41	34.10	9.76	31.78	299	227 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 111 Plane : 2 Full-directivity IME1 : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5170.00</td> <td>109.97</td> <td>41.67</td> <td>68.30</td> <td>97.89</td> <td>34.10</td> <td>9.80</td> <td>31.82</td> <td>299</td> <td>227 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5170.00</td> <td>101.05</td> <td>-----</td> <td>88.97</td> <td>34.10</td> <td>9.80</td> <td>31.82</td> <td>299</td> <td>227 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	cm	deg			1	5170.00	109.97	41.67	68.30	97.89	34.10	9.80	31.82	299	227 Peak	VERTICAL	2	5170.00	101.05	-----	88.97	34.10	9.80	31.82	299	227 Average	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	cm	deg																																																																												
1	5108.48	52.49	-21.51	74.00	40.41	34.10	9.76	31.78	299	227 Peak	VERTICAL																																																																										
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	cm	deg																																																																												
1	5170.00	109.97	41.67	68.30	97.89	34.10	9.80	31.82	299	227 Peak	VERTICAL																																																																										
2	5170.00	101.05	-----	88.97	34.10	9.80	31.82	299	227 Average	VERTICAL																																																																											
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 (Avg) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3, 3000MHz; SRT:Auto FR261401-01 Mode : 111 Plane : 2 Full-directivity IME1 : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5128.64</td> <td>44.65</td> <td>+9.35</td> <td>54.00</td> <td>32.57</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>299</td> <td>227 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	cm	deg			1	5128.64	44.65	+9.35	54.00	32.57	34.10	9.77	31.79	299	227 Average	VERTICAL	<p>Left blank</p>																																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
MHz	dBV/m	dB	dBV/m	dBV	dB	dB	dB	cm	deg																																																																												
1	5128.64	44.65	+9.35	54.00	32.57	34.10	9.77	31.79	299	227 Average	VERTICAL																																																																										






WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Partial 52/40 CH48 5240MHz																																																																						
2	Horizontal	Fundamental																																																																					
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 0000Hz; YBR:3000, 0000Hz; SRT:Auto FR0:261401-01 Mode : 112 Plane : 2 Full-directivity IME1 : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5377.68</td> <td>51.06</td> <td>-22.94</td> <td>74.00</td> <td>38.33</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>391</td> <td>306 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1 5377.68	51.06	-22.94	74.00	38.33	34.75	9.93	31.95	391	306 Peak HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 0000Hz; YBR:3000, 0000Hz; SRT:Auto FR0:261401-01 Mode : 112 Plane : 2 Full-directivity IME1 : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5248.00</td> <td>100.87</td> <td>32.67</td> <td>68.30</td> <td>88.58</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>391</td> <td>306 Peak HORIZONTAL</td> </tr> <tr> <td>2 5248.00</td> <td>94.26</td> <td>-----</td> <td>81.97</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>391</td> <td>306 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1 5248.00	100.87	32.67	68.30	88.58	34.30	9.86	31.87	391	306 Peak HORIZONTAL	2 5248.00	94.26	-----	81.97	34.30	9.86	31.87	391	306 Average HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																																
1 5377.68	51.06	-22.94	74.00	38.33	34.75	9.93	31.95	391	306 Peak HORIZONTAL																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																																
1 5248.00	100.87	32.67	68.30	88.58	34.30	9.86	31.87	391	306 Peak HORIZONTAL																																																														
2 5248.00	94.26	-----	81.97	34.30	9.86	31.87	391	306 Average HORIZONTAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000, 0000Hz; YBR:3, 3000Hz; SRT:Auto FR0:261401-01 Mode : 112 Plane : 2 Full-directivity IME1 : 841 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5359.86</td> <td>43.56</td> <td>-10.44</td> <td>54.00</td> <td>30.93</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>391</td> <td>306 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg			1 5359.86	43.56	-10.44	54.00	30.93	34.65	9.91	31.93	391	306 Average HORIZONTAL	<p>Left blank</p>																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																																
1 5359.86	43.56	-10.44	54.00	30.93	34.65	9.91	31.93	391	306 Average HORIZONTAL																																																														



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Partial 52/40 CH48 5240MHz																																																																							
2	Vertical	Fundamental																																																																						
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 112 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5377.32</td> <td>51.59</td> <td>-22.41</td> <td>74.00</td> <td>38.92</td> <td>34.70</td> <td>9.92</td> <td>31.95</td> <td>276</td> <td>230 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1 5377.32	51.59	-22.41	74.00	38.92	34.70	9.92	31.95	276	230 Peak VERTICAL	<p>Site : 03200a-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 112 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5248.00</td> <td>102.65</td> <td>39.35</td> <td>68.30</td> <td>95.36</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>276</td> <td>230 Peak VERTICAL</td> </tr> <tr> <td>2 5248.00</td> <td>100.38</td> <td>-----</td> <td>-----</td> <td>88.09</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>276</td> <td>230 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1 5248.00	102.65	39.35	68.30	95.36	34.30	9.86	31.87	276	230 Peak VERTICAL	2 5248.00	100.38	-----	-----	88.09	34.30	9.86	31.87	276	230 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																																	
1 5377.32	51.59	-22.41	74.00	38.92	34.70	9.92	31.95	276	230 Peak VERTICAL																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																																	
1 5248.00	102.65	39.35	68.30	95.36	34.30	9.86	31.87	276	230 Peak VERTICAL																																																															
2 5248.00	100.38	-----	-----	88.09	34.30	9.86	31.87	276	230 Average VERTICAL																																																															
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3.000MHz SRT Auto Mode : FR261401-01 Plane : 112 Full-directivity : 1 Powersetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5398.92</td> <td>43.74</td> <td>-10.26</td> <td>54.00</td> <td>30.96</td> <td>34.80</td> <td>9.94</td> <td>31.96</td> <td>276</td> <td>230 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1 5398.92	43.74	-10.26	54.00	30.96	34.80	9.94	31.96	276	230 Average VERTICAL	<p>Left blank</p>																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																																	
1 5398.92	43.74	-10.26	54.00	30.96	34.80	9.94	31.96	276	230 Average VERTICAL																																																															






UNII-1 5150~5250MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE20 Partial 106/53 CH36 5180MHz																																																																												
2	Horizontal	Fundamental																																																																											
Peak	 <p>Site : 032004-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 117 Plane : X MEI : full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>53.18</td> <td>-20.82</td> <td>74.00</td> <td>41.11</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>339</td> <td>314 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Loss	Loss	dB	dB	deg	deg	1	5149.76	53.18	-20.82	74.00	41.11	34.10	9.78	31.81	339	314 Peak	HORIZONTAL	 <p>Site : 032004-KS Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 117 Plane : X MEI : full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5176.00</td> <td>101.27</td> <td>32.97</td> <td>68.30</td> <td>89.18</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>339</td> <td>314 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5176.00</td> <td>103.19</td> <td>-----</td> <td>81.10</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>339</td> <td>314 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Loss	Loss	dB	dB	deg	deg	1	5176.00	101.27	32.97	68.30	89.18	34.10	9.81	31.82	339	314 Peak	HORIZONTAL	2	5176.00	103.19	-----	81.10	34.10	9.81	31.82	339	314 Average	HORIZONTAL
MEI	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Level	Level	Level	Level	Loss	Loss	dB	dB	deg	deg																																																																				
1	5149.76	53.18	-20.82	74.00	41.11	34.10	9.78	31.81	339	314 Peak	HORIZONTAL																																																																		
MEI	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Level	Level	Level	Level	Loss	Loss	dB	dB	deg	deg																																																																				
1	5176.00	101.27	32.97	68.30	89.18	34.10	9.81	31.82	339	314 Peak	HORIZONTAL																																																																		
2	5176.00	103.19	-----	81.10	34.10	9.81	31.82	339	314 Average	HORIZONTAL																																																																			
Avg.	 <p>Site : 032004-KS Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 117 Plane : X MEI : full-directivity Powersetting : 841</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.92</td> <td>45.09</td> <td>-8.91</td> <td>54.00</td> <td>33.01</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>339</td> <td>314 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Loss	Loss	dB	dB	deg	deg	1	5117.92	45.09	-8.91	54.00	33.01	34.10	9.76	31.78	339	314 Average	HORIZONTAL	Left blank																																											
MEI	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Level	Level	Level	Level	Loss	Loss	dB	dB	deg	deg																																																																				
1	5117.92	45.09	-8.91	54.00	33.01	34.10	9.76	31.78	339	314 Average	HORIZONTAL																																																																		



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 106/53 CH36 5180MHz																																																																																
2	Vertical	Fundamental																																																																															
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto (FR)261401-01 Mode : 117 Plane : 2 Full-directivity : 2 IME1 : 841 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5176.16</td> <td>53.11</td> <td>-20.89</td> <td>74.00</td> <td>41.03</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>280</td> <td>231</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5176.16	53.11	-20.89	74.00	41.03	34.10	9.77	31.79	280	231	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto (FR)261401-01 Mode : 117 Plane : 2 Full-directivity : 2 IME1 : 841 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5176.00</td> <td>108.42</td> <td>40.12</td> <td>68.30</td> <td>96.33</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>280</td> <td>231</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5176.00</td> <td>102.04</td> <td>-----</td> <td>-----</td> <td>89.95</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>280</td> <td>231</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5176.00	108.42	40.12	68.30	96.33	34.10	9.81	31.82	280	231	Peak	VERTICAL	2	5176.00	102.04	-----	-----	89.95	34.10	9.81	31.82	280	231	Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																										
1	5176.16	53.11	-20.89	74.00	41.03	34.10	9.77	31.79	280	231	Peak	VERTICAL																																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																										
1	5176.00	108.42	40.12	68.30	96.33	34.10	9.81	31.82	280	231	Peak	VERTICAL																																																																					
2	5176.00	102.04	-----	-----	89.95	34.10	9.81	31.82	280	231	Average	VERTICAL																																																																					
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto (FR)261401-01 Mode : 117 Plane : 2 Full-directivity : 2 IME1 : 841 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.40</td> <td>45.87</td> <td>-8.13</td> <td>54.00</td> <td>33.78</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>280</td> <td>231</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5142.40	45.87	-8.13	54.00	33.78	34.10	9.78	31.79	280	231	Average	VERTICAL	<p>Left blank</p>																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																										
1	5142.40	45.87	-8.13	54.00	33.78	34.10	9.78	31.79	280	231	Average	VERTICAL																																																																					



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 106/54 CH48 5240MHz																																																																																
2	Horizontal	Fundamental																																																																															
<p>Peak</p>	 <p>Site : 03000-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000.000KHz; VBW:3000.000KHz; SFT:Auto FR261401-01 Mode : 11B Plane : 1 IME1 : Full-directivity Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.24</td> <td>51.88</td> <td>-22.12</td> <td>74.00</td> <td>39.21</td> <td>34.70</td> <td>9.92</td> <td>31.95</td> <td>346</td> <td>310 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5376.24	51.88	-22.12	74.00	39.21	34.70	9.92	31.95	346	310 Peak	HORIZONTAL	 <p>Site : 03000-K3 Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000.000KHz; VBW:3000.000KHz; SFT:Auto FR261401-01 Mode : 11B Plane : 1 IME1 : Full-directivity Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5248.00</td> <td>104.50</td> <td>36.20</td> <td>68.30</td> <td>92.21</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>346</td> <td>310 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5248.00</td> <td>94.67</td> <td>-----</td> <td>82.38</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>346</td> <td>310 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5248.00	104.50	36.20	68.30	92.21	34.30	9.86	31.87	346	310 Peak	HORIZONTAL	2	5248.00	94.67	-----	82.38	34.30	9.86	31.87	346	310 Average	HORIZONTAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																									
1	5376.24	51.88	-22.12	74.00	39.21	34.70	9.92	31.95	346	310 Peak	HORIZONTAL																																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																									
1	5248.00	104.50	36.20	68.30	92.21	34.30	9.86	31.87	346	310 Peak	HORIZONTAL																																																																						
2	5248.00	94.67	-----	82.38	34.30	9.86	31.87	346	310 Average	HORIZONTAL																																																																							
<p>Avg.</p>	 <p>Site : 03000-K3 Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000.000KHz; VBW:3000.000KHz; SFT:Auto FR261401-01 Mode : 11B Plane : 1 IME1 : Full-directivity Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.64</td> <td>44.24</td> <td>-9.76</td> <td>54.00</td> <td>31.46</td> <td>34.80</td> <td>9.94</td> <td>31.96</td> <td>346</td> <td>310 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5399.64	44.24	-9.76	54.00	31.46	34.80	9.94	31.96	346	310 Average	HORIZONTAL	<p>Left blank</p>																																													
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																									
1	5399.64	44.24	-9.76	54.00	31.46	34.80	9.94	31.96	346	310 Average	HORIZONTAL																																																																						



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Partial 106/54 CH48 5240MHz																																																																						
2	Vertical	Fundamental																																																																					
<p>Peak</p>	<p>Site : 03000-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 118 Full-directivity : 1.5 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5353.92</td> <td>53.04</td> <td>-20.96</td> <td>74.00</td> <td>40.41</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>277</td> <td>232 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg			1 5353.92	53.04	-20.96	74.00	40.41	34.65	9.91	31.93	277	232 Peak VERTICAL	<p>Site : 03000-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 118 Full-directivity : 1.5 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5248.00</td> <td>102.63</td> <td>39.33</td> <td>68.30</td> <td>95.34</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>277</td> <td>232 Peak VERTICAL</td> </tr> <tr> <td>2 5248.00</td> <td>101.33</td> <td>-----</td> <td>89.04</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>277</td> <td>232 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg			1 5248.00	102.63	39.33	68.30	95.34	34.30	9.86	31.87	277	232 Peak VERTICAL	2 5248.00	101.33	-----	89.04	34.30	9.86	31.87	277	232 Average VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg																																																																
1 5353.92	53.04	-20.96	74.00	40.41	34.65	9.91	31.93	277	232 Peak VERTICAL																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg																																																																
1 5248.00	102.63	39.33	68.30	95.34	34.30	9.86	31.87	277	232 Peak VERTICAL																																																														
2 5248.00	101.33	-----	89.04	34.30	9.86	31.87	277	232 Average VERTICAL																																																															
<p>Avg.</p>	<p>Site : 03000-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 118 Full-directivity : 1.5 Powersetting : 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5353.02</td> <td>44.80</td> <td>-9.20</td> <td>54.00</td> <td>32.17</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>277</td> <td>232 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg			1 5353.02	44.80	-9.20	54.00	32.17	34.65	9.91	31.93	277	232 Average VERTICAL	<p>Left blank</p>																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg																																																																
1 5353.02	44.80	-9.20	54.00	32.17	34.65	9.91	31.93	277	232 Average VERTICAL																																																														






UNII-1 5150~5250MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE40 Full CH38 5190MHz - L																																																																																
2	Horizontal	Fundamental																																																																															
Peak	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 123 Plane : X IM1 : Full-directivity Powersetting : #41 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.88</td> <td>55.85</td> <td>-18.15</td> <td>74.00</td> <td>43.78</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>354</td> <td>317 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5146.88	55.85	-18.15	74.00	43.78	34.10	9.78	31.81	354	317 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 123 Plane : X IM1 : Full-directivity Powersetting : #41 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5188.00</td> <td>99.97</td> <td>31.29</td> <td>68.30</td> <td>87.50</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>354</td> <td>317 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5188.00</td> <td>89.87</td> <td></td> <td>77.78</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>354</td> <td>317 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5188.00	99.97	31.29	68.30	87.50	34.10	9.81	31.82	354	317 Peak	HORIZONTAL	2	5188.00	89.87		77.78	34.10	9.81	31.82	354	317 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5146.88	55.85	-18.15	74.00	43.78	34.10	9.78	31.81	354	317 Peak	HORIZONTAL																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5188.00	99.97	31.29	68.30	87.50	34.10	9.81	31.82	354	317 Peak	HORIZONTAL																																																																						
2	5188.00	89.87		77.78	34.10	9.81	31.82	354	317 Average	HORIZONTAL																																																																							
Avg.	<p>Site : 032000-KS Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 123 Plane : X IM1 : Full-directivity Powersetting : #41 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>43.93</td> <td>-10.07</td> <td>54.00</td> <td>31.86</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>354</td> <td>317 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5150.00	43.93	-10.07	54.00	31.86	34.10	9.78	31.81	354	317 Average	HORIZONTAL	Left blank																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5150.00	43.93	-10.07	54.00	31.86	34.10	9.78	31.81	354	317 Average	HORIZONTAL																																																																						



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE40 Full CH38 5190MHz - R														
2	Horizontal	Fundamental													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 123 Plane : 3 Full-directivity : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5367.16</th> <th>52.14</th> <th>-21.86</th> <th>74.00</th> <th>39.51</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>354</th> <th>317</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5367.16	52.14	-21.86	74.00	39.51	34.65	0.91	31.93	354	317	Peak	HORIZONTAL	<p>Left blank</p>
1	5367.16	52.14	-21.86	74.00	39.51	34.65	0.91	31.93	354	317	Peak	HORIZONTAL			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 123 Plane : 3 Full-directivity : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5390.82</th> <th>42.01</th> <th>-11.99</th> <th>54.00</th> <th>29.28</th> <th>34.75</th> <th>0.93</th> <th>31.95</th> <th>354</th> <th>317</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5390.82	42.01	-11.99	54.00	29.28	34.75	0.93	31.95	354	317	Average	HORIZONTAL	<p>Left blank</p>
1	5390.82	42.01	-11.99	54.00	29.28	34.75	0.93	31.95	354	317	Average	HORIZONTAL			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE40 Full CH38 5190MHz - L																																																																												
2	Vertical	Fundamental																																																																											
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020406-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000,0000Hz; YBR:3000,0000Hz; SRT:Auto FR261401-01 Mode : 123 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.24</td> <td>64.88</td> <td>+9.12</td> <td>74.00</td> <td>52.80</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>290</td> <td>231</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg		1	5138.24	64.88	+9.12	74.00	52.80	34.10	9.77	31.79	290	231	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020406-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000,0000Hz; YBR:3000,0000Hz; SRT:Auto FR261401-01 Mode : 123 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5182.00</td> <td>102.06</td> <td>38.76</td> <td>68.30</td> <td>94.97</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>290</td> <td>231</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5182.00</td> <td>98.59</td> <td>-----</td> <td>-----</td> <td>86.50</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>290</td> <td>231</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg		1	5182.00	102.06	38.76	68.30	94.97	34.10	9.81	31.82	290	231	Peak	VERTICAL	2	5182.00	98.59	-----	-----	86.50	34.10	9.81	31.82	290	231	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
dBm	dBm	dBm	dBm	dBm	dBm	deg	deg																																																																						
1	5138.24	64.88	+9.12	74.00	52.80	34.10	9.77	31.79	290	231	Peak	VERTICAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
dBm	dBm	dBm	dBm	dBm	dBm	deg	deg																																																																						
1	5182.00	102.06	38.76	68.30	94.97	34.10	9.81	31.82	290	231	Peak	VERTICAL																																																																	
2	5182.00	98.59	-----	-----	86.50	34.10	9.81	31.82	290	231	Average	VERTICAL																																																																	
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020406-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000,0000Hz; YBR:0,01000Hz; SRT:Auto FR261401-01 Mode : 123 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>50.38</td> <td>-3.62</td> <td>54.00</td> <td>38.31</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>290</td> <td>231</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dBm	dBm	dBm	dBm	dBm	dBm	deg	deg		1	5150.00	50.38	-3.62	54.00	38.31	34.10	9.78	31.81	290	231	Average	VERTICAL	<p>Left blank</p>																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
dBm	dBm	dBm	dBm	dBm	dBm	deg	deg																																																																						
1	5150.00	50.38	-3.62	54.00	38.31	34.10	9.78	31.81	290	231	Average	VERTICAL																																																																	





WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE40 Full CH38 5190MHz - R														
2	Vertical	Fundamental													
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz; VBW 3000, 0000Hz; SFT Auto Model : FR261401-01 Plane : 2 MEI : Full-directivity PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5353.02</th> <th>53.06</th> <th>-20.94</th> <th>74.00</th> <th>40.43</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>290</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5353.02	53.06	-20.94	74.00	40.43	34.65	9.91	31.93	290	231	Peak	VERTICAL	<p>Left blank</p>
1	5353.02	53.06	-20.94	74.00	40.43	34.65	9.91	31.93	290	231	Peak	VERTICAL			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz; VBW 0, 01000Hz; SFT Auto Model : FR261401-01 Plane : 2 MEI : Full-directivity PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>1</th> <th>5352.66</th> <th>42.65</th> <th>-11.35</th> <th>54.00</th> <th>30.02</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>290</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5352.66	42.65	-11.35	54.00	30.02	34.65	9.91	31.93	290	231	Average	VERTICAL	<p>Left blank</p>
1	5352.66	42.65	-11.35	54.00	30.02	34.65	9.91	31.93	290	231	Average	VERTICAL			






WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																											
ANT	802.11ax HE40 Full CH46 5230MHz - L																																																																																											
2	Horizontal	Fundamental																																																																																										
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT: Auto FR0261401-01 Mode : 124 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5114.24</td> <td>53.79</td> <td>-20.21</td> <td>74.00</td> <td>41.71</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>373</td> <td>310 Peak</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5114.24	53.79	-20.21	74.00	41.71	34.10	9.76	31.78	373	310 Peak										HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 000MHz, YBR 3000, 000MHz, SRT: Auto FR0261401-01 Mode : 124 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5230.00</td> <td>101.23</td> <td>33.03</td> <td>68.30</td> <td>89.10</td> <td>34.23</td> <td>9.85</td> <td>31.85</td> <td>373</td> <td>310 Peak</td> </tr> <tr> <td>2 5230.00</td> <td>93.32</td> <td>-----</td> <td>-----</td> <td>81.09</td> <td>34.23</td> <td>9.85</td> <td>31.85</td> <td>373</td> <td>310 Average</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5230.00	101.23	33.03	68.30	89.10	34.23	9.85	31.85	373	310 Peak	2 5230.00	93.32	-----	-----	81.09	34.23	9.85	31.85	373	310 Average										HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																					
1 5114.24	53.79	-20.21	74.00	41.71	34.10	9.76	31.78	373	310 Peak																																																																																			
									HORIZONTAL																																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																					
1 * 5230.00	101.23	33.03	68.30	89.10	34.23	9.85	31.85	373	310 Peak																																																																																			
2 5230.00	93.32	-----	-----	81.09	34.23	9.85	31.85	373	310 Average																																																																																			
									HORIZONTAL																																																																																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 (WID) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000, 000MHz, YBR 0, 0100MHz, SRT: Auto FR0261401-01 Mode : 124 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5148.32</td> <td>42.97</td> <td>-11.03</td> <td>54.00</td> <td>30.90</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>373</td> <td>310 Average</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5148.32	42.97	-11.03	54.00	30.90	34.10	9.78	31.81	373	310 Average										HORIZONTAL	<p>Left blank</p>																																																		
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																					
1 5148.32	42.97	-11.03	54.00	30.90	34.10	9.78	31.81	373	310 Average																																																																																			
									HORIZONTAL																																																																																			





WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																														
ANT	802.11ax HE40 Full CH46 5230MHz - R																														
2	Horizontal	Fundamental																													
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT: Auto FR261401-01 Mode : 124 Plane : 8 Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.02</td> <td>52.83</td> <td>-21.17</td> <td>74.00</td> <td>40.20</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>373</td> <td>310</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5353.02	52.83	-21.17	74.00	40.20	34.65	9.91	31.93	373	310	Peak	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5353.02	52.83	-21.17	74.00	40.20	34.65	9.91	31.93	373	310	Peak	HORIZONTAL																			
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000MHz; VBW:0.0100MHz; SFT: Auto FR261401-01 Mode : 124 Plane : 8 Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.14</td> <td>42.28</td> <td>-11.72</td> <td>54.00</td> <td>29.65</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>373</td> <td>310</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5350.14	42.28	-11.72	54.00	29.65	34.65	9.91	31.93	373	310	Average	HORIZONTAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5350.14	42.28	-11.72	54.00	29.65	34.65	9.91	31.93	373	310	Average	HORIZONTAL																			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE40 Full CH46 5230MHz - L																																																																								
2	Vertical	Fundamental																																																																							
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 3000, 000MHz; SRT Auto FR261401-01 Mode : 124 Plane : 2 Full-directivity : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.08</td> <td>57.08</td> <td>-16.92</td> <td>74.00</td> <td>45.01</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>277</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5146.08	57.08	-16.92	74.00	45.01	34.10	9.78	31.81	277	233	Peak	VERTICAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 3000, 000MHz; SRT Auto FR261401-01 Mode : 124 Plane : 2 Full-directivity : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5236.00</td> <td>107.14</td> <td>38.84</td> <td>68.30</td> <td>94.91</td> <td>34.23</td> <td>9.85</td> <td>31.85</td> <td>277</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5236.00</td> <td>99.41</td> <td>-----</td> <td>-----</td> <td>87.18</td> <td>34.23</td> <td>9.85</td> <td>31.85</td> <td>277</td> <td>233</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5236.00	107.14	38.84	68.30	94.91	34.23	9.85	31.85	277	233	Peak	VERTICAL	2	5236.00	99.41	-----	-----	87.18	34.23	9.85	31.85	277	233	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																		
1	5146.08	57.08	-16.92	74.00	45.01	34.10	9.78	31.81	277	233	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																		
1	5236.00	107.14	38.84	68.30	94.91	34.23	9.85	31.85	277	233	Peak	VERTICAL																																																													
2	5236.00	99.41	-----	-----	87.18	34.23	9.85	31.85	277	233	Average	VERTICAL																																																													
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz; YBR 0, 0100MHz; SRT Auto FR261401-01 Mode : 124 Plane : 2 Full-directivity : 441 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>46.54</td> <td>-7.40</td> <td>54.00</td> <td>34.47</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>277</td> <td>233</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	5149.92	46.54	-7.40	54.00	34.47	34.10	9.78	31.81	277	233	Average	VERTICAL	<p>Left blank</p>																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																		
1	5149.92	46.54	-7.40	54.00	34.47	34.10	9.78	31.81	277	233	Average	VERTICAL																																																													



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																														
ANT	802.11ax HE40 Full CH46 5230MHz - R																														
2	Vertical	Fundamental																													
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz YBR:3000, 0000Hz SRT:Auto FR261401-01 Mode : 124 Plane : E Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.08</td> <td>53.34</td> <td>-20.66</td> <td>74.00</td> <td>40.71</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>277</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5356.08	53.34	-20.66	74.00	40.71	34.65	9.91	31.93	277	233	Peak	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5356.08	53.34	-20.66	74.00	40.71	34.65	9.91	31.93	277	233	Peak	VERTICAL																			
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz YBR:0, 01000Hz SRT:Auto FR261401-01 Mode : 124 Plane : E Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.14</td> <td>43.63</td> <td>-10.37</td> <td>54.00</td> <td>31.00</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>277</td> <td>233</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5350.14	43.63	-10.37	54.00	31.00	34.65	9.91	31.93	277	233	Average	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																								
1	5350.14	43.63	-10.37	54.00	31.00	34.65	9.91	31.93	277	233	Average	VERTICAL																			



UNII-1 5150~5250MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH38 5190MHz - L	
2	Horizontal	Fundamental
Peak		
Avg.		Left blank





WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE40 Partial 242/61 CH38 5190MHz - R														
2	Horizontal	Fundamental													
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 3a 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto Mode : FR261401-01 Plane : 3 MEI : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5385.78</th> <th>52.28</th> <th>-21.72</th> <th>74.00</th> <th>39.55</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>400</th> <th>316</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5385.78	52.28	-21.72	74.00	39.55	34.75	9.93	31.95	400	316	Peak	HORIZONTAL	<p>Left blank</p>
1	5385.78	52.28	-21.72	74.00	39.55	34.75	9.93	31.95	400	316	Peak	HORIZONTAL			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3a 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto Mode : FR261401-01 Plane : 3 MEI : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5378.76</th> <th>44.48</th> <th>+9.52</th> <th>54.00</th> <th>31.75</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>400</th> <th>316</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5378.76	44.48	+9.52	54.00	31.75	34.75	9.93	31.95	400	316	Average	HORIZONTAL	<p>Left blank</p>
1	5378.76	44.48	+9.52	54.00	31.75	34.75	9.93	31.95	400	316	Average	HORIZONTAL			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Partial 242/61 CH38 5190MHz - L																																																																														
2	Vertical	Fundamental																																																																													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz, YBR 3000, 0000Hz, SRT: Auto FR261401-01 Mode : 130 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5136.32</td> <td>54.58</td> <td>-19.42</td> <td>74.00</td> <td>42.50</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>266</td> <td>231 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	deg	deg	1 5136.32	54.58	-19.42	74.00	42.50	34.10	9.77	31.79	266	231 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz, YBR 3000, 0000Hz, SRT: Auto FR261401-01 Mode : 130 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5182.00</td> <td>103.61</td> <td>35.31</td> <td>68.30</td> <td>91.52</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>266</td> <td>231 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5182.00</td> <td>98.56</td> <td>-----</td> <td>-----</td> <td>86.47</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>266</td> <td>231 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	deg	deg	1 5182.00	103.61	35.31	68.30	91.52	34.10	9.81	31.82	266	231 Peak	VERTICAL	2 5182.00	98.56	-----	-----	86.47	34.10	9.81	31.82	266	231 Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	deg	deg																																																																					
1 5136.32	54.58	-19.42	74.00	42.50	34.10	9.77	31.79	266	231 Peak	VERTICAL																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	deg	deg																																																																					
1 5182.00	103.61	35.31	68.30	91.52	34.10	9.81	31.82	266	231 Peak	VERTICAL																																																																					
2 5182.00	98.56	-----	-----	86.47	34.10	9.81	31.82	266	231 Average	VERTICAL																																																																					
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 0000Hz, YBR 3, 2000Hz, SRT: Auto FR261401-01 Mode : 130 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5150.00</td> <td>49.20</td> <td>-4.80</td> <td>54.00</td> <td>37.13</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>266</td> <td>231 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	deg	deg	1 5150.00	49.20	-4.80	54.00	37.13	34.10	9.78	31.81	266	231 Average	VERTICAL	<p>Left blank</p>																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg	deg	deg																																																																					
1 5150.00	49.20	-4.80	54.00	37.13	34.10	9.78	31.81	266	231 Average	VERTICAL																																																																					



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE40 Partial 242/61 CH38 5190MHz - R														
2	Vertical	Fundamental													
<p>Peak</p>	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 3a 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto Mode : FR2 261401-01 Plane : 3 MEI : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5375.70</th> <th>53.23</th> <th>-20.77</th> <th>74.00</th> <th>40.56</th> <th>34.70</th> <th>9.92</th> <th>31.95</th> <th>266</th> <th>231</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5375.70	53.23	-20.77	74.00	40.56	34.70	9.92	31.95	266	231	Peak	VERTICAL	<p>Left blank</p>
1	5375.70	53.23	-20.77	74.00	40.56	34.70	9.92	31.95	266	231	Peak	VERTICAL			
<p>Avg.</p>	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3a 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz YBR 3, 20000Hz SRT Auto Mode : FR2 261401-01 Plane : 3 MEI : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5353.38</th> <th>44.75</th> <th>-9.25</th> <th>54.00</th> <th>32.12</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>266</th> <th>231</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5353.38	44.75	-9.25	54.00	32.12	34.65	9.91	31.93	266	231	Average	VERTICAL	<p>Left blank</p>
1	5353.38	44.75	-9.25	54.00	32.12	34.65	9.91	31.93	266	231	Average	VERTICAL			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																		
ANT	802.11ax HE40 Partial 242/62 CH46 5230MHz - L																																																																		
2	Horizontal	Fundamental																																																																	
<p>Peak</p>	<p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : (FR)261401-01 Plane : 131 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5126.08</td> <td>52.90</td> <td>-21.10</td> <td>74.00</td> <td>40.82</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>350 310 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg			1 5126.08	52.90	-21.10	74.00	40.82	34.10	9.77	31.79	350 310 Peak	HORIZONT	<p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : (FR)261401-01 Plane : 131 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5242.00</td> <td>99.72</td> <td>31.42</td> <td>68.30</td> <td>87.41</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>350 310 Peak</td> <td>HORIZONT</td> </tr> <tr> <td>2 5242.00</td> <td>91.67</td> <td>-----</td> <td>79.36</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>350 310 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg			1 5242.00	99.72	31.42	68.30	87.41	34.30	9.86	31.85	350 310 Peak	HORIZONT	2 5242.00	91.67	-----	79.36	34.30	9.86	31.85	350 310 Average	HORIZONT
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm	dBm	dBm	dBm	cm	deg																																																													
1 5126.08	52.90	-21.10	74.00	40.82	34.10	9.77	31.79	350 310 Peak	HORIZONT																																																										
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm	dBm	dBm	dBm	cm	deg																																																													
1 5242.00	99.72	31.42	68.30	87.41	34.30	9.86	31.85	350 310 Peak	HORIZONT																																																										
2 5242.00	91.67	-----	79.36	34.30	9.86	31.85	350 310 Average	HORIZONT																																																											
<p>Avg.</p>	<p>Site : 020806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3.2000MHz SRT Auto Mode : 131 Plane : 131 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5114.40</td> <td>45.40</td> <td>-8.60</td> <td>54.00</td> <td>33.32</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>350 310 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg			1 5114.40	45.40	-8.60	54.00	33.32	34.10	9.76	31.78	350 310 Average	HORIZONT	<p>Left blank</p>																																					
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm	dBm	dBm	dBm	cm	deg																																																													
1 5114.40	45.40	-8.60	54.00	33.32	34.10	9.76	31.78	350 310 Average	HORIZONT																																																										



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE40 Partial 242/62 CH46 5230MHz - R														
2	Horizontal	Fundamental													
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz YBR 3000.0000Hz SRT Auto Mode : FR261401-01 Plane : E MEI : Full-directivity PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5398.74</th> <th>52.14</th> <th>-21.86</th> <th>74.00</th> <th>39.35</th> <th>34.80</th> <th>9.94</th> <th>31.95</th> <th>350</th> <th>310</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5398.74	52.14	-21.86	74.00	39.35	34.80	9.94	31.95	350	310	Peak	HORIZONTAL	<p>Left blank</p>
1	5398.74	52.14	-21.86	74.00	39.35	34.80	9.94	31.95	350	310	Peak	HORIZONTAL			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000.0000Hz YBR 3.0000Hz SRT Auto Mode : FR261401-01 Plane : E MEI : Full-directivity PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5383.26</th> <th>44.85</th> <th>-9.15</th> <th>54.00</th> <th>32.12</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>350</th> <th>310</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5383.26	44.85	-9.15	54.00	32.12	34.75	9.93	31.95	350	310	Average	HORIZONTAL	<p>Left blank</p>
1	5383.26	44.85	-9.15	54.00	32.12	34.75	9.93	31.95	350	310	Average	HORIZONTAL			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Partial 242/62 CH46 5230MHz - L																																																																														
2	Vertical	Fundamental																																																																													
<p>Peak</p>	<p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : (FR)261401-01 Plane : 131 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5116.96</td> <td>52.88</td> <td>-21.12</td> <td>74.00</td> <td>40.80</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>276</td> <td>233 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5116.96	52.88	-21.12	74.00	40.80	34.10	9.76	31.78	276	233 Peak	VERTICAL	<p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : (FR)261401-01 Plane : 131 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5242.00</td> <td>106.66</td> <td>37.76</td> <td>68.90</td> <td>93.75</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>276</td> <td>233 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5242.00</td> <td>98.24</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>34.30</td> <td>9.86</td> <td>31.85</td> <td>276</td> <td>233 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5242.00	106.66	37.76	68.90	93.75	34.30	9.86	31.85	276	233 Peak	VERTICAL	2 5242.00	98.24	-----	-----	85.93	34.30	9.86	31.85	276	233 Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5116.96	52.88	-21.12	74.00	40.80	34.10	9.76	31.78	276	233 Peak	VERTICAL																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 5242.00	106.66	37.76	68.90	93.75	34.30	9.86	31.85	276	233 Peak	VERTICAL																																																																					
2 5242.00	98.24	-----	-----	85.93	34.30	9.86	31.85	276	233 Average	VERTICAL																																																																					
<p>Avg.</p>	<p>Site : 020806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3.2000MHz SRT Auto Mode : 131 Plane : 1 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5148.64</td> <td>45.37</td> <td>-8.63</td> <td>54.00</td> <td>33.30</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>276</td> <td>233 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5148.64	45.37	-8.63	54.00	33.30	34.10	9.78	31.81	276	233 Average	VERTICAL	<p>Left blank</p>																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5148.64	45.37	-8.63	54.00	33.30	34.10	9.78	31.81	276	233 Average	VERTICAL																																																																					





WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																											
ANT	802.11ax HE40 Partial 242/62 CH46 5230MHz - R																											
2	Vertical	Fundamental																										
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 3e 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz; VBW:3000, 0000Hz; SRT:Auto FR261401-01 Mode : S1 Plane : E Full-directivity IM1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5388.12</th> <th>52.27</th> <th>-21.73</th> <th>74.00</th> <th>39.54</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>276</th> <th>233</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBm/MHz</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5388.12	52.27	-21.73	74.00	39.54	34.75	9.93	31.95	276	233	Peak	VERTICAL	MHz	dBm/MHz	dB	dBuV/m	dBuV	dBm	dBm	dB	cm	deg				<p>Left blank</p>
1	5388.12	52.27	-21.73	74.00	39.54	34.75	9.93	31.95	276	233	Peak	VERTICAL																
MHz	dBm/MHz	dB	dBuV/m	dBuV	dBm	dBm	dB	cm	deg																			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3e 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz; VBW:3, 20000Hz; SRT:Auto FR261401-01 Mode : S1 Plane : E Full-directivity IM1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5389.68</th> <th>45.02</th> <th>-8.98</th> <th>54.00</th> <th>32.39</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>276</th> <th>233</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBm/MHz</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5389.68	45.02	-8.98	54.00	32.39	34.65	9.91	31.93	276	233	Average	VERTICAL	MHz	dBm/MHz	dB	dBuV/m	dBuV	dBm	dBm	dB	cm	deg				<p>Left blank</p>
1	5389.68	45.02	-8.98	54.00	32.39	34.65	9.91	31.93	276	233	Average	VERTICAL																
MHz	dBm/MHz	dB	dBuV/m	dBuV	dBm	dBm	dB	cm	deg																			



UNII-1 5150~5250MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Full CH42 5210MHz - L																																																																														
2	Horizontal	Fundamental																																																																													
<p>Peak</p>	<p>Site : 032006-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 136 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.76</td> <td>53.50</td> <td>-20.50</td> <td>74.00</td> <td>41.43</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>355</td> <td>310 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	5145.76	53.50	-20.50	74.00	41.43	34.10	9.78	31.81	355	310 Peak	<p>Site : 032006-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 136 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5206.00</td> <td>95.00</td> <td>-26.75</td> <td>68.30</td> <td>82.96</td> <td>34.10</td> <td>9.83</td> <td>31.84</td> <td>355</td> <td>310 Peak</td> </tr> <tr> <td>2</td> <td>5206.00</td> <td>86.30</td> <td></td> <td></td> <td>74.44</td> <td>34.10</td> <td>9.83</td> <td>31.84</td> <td>350</td> <td>310 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	5206.00	95.00	-26.75	68.30	82.96	34.10	9.83	31.84	355	310 Peak	2	5206.00	86.30			74.44	34.10	9.83	31.84	350	310 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																						
1	5145.76	53.50	-20.50	74.00	41.43	34.10	9.78	31.81	355	310 Peak																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																						
1	5206.00	95.00	-26.75	68.30	82.96	34.10	9.83	31.84	355	310 Peak																																																																					
2	5206.00	86.30			74.44	34.10	9.83	31.84	350	310 Average																																																																					
<p>Avg.</p>	<p>Site : 032006-KS Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 136 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>44.99</td> <td>+9.01</td> <td>54.00</td> <td>32.92</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>355</td> <td>310 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg		1	5150.00	44.99	+9.01	54.00	32.92	34.10	9.78	31.81	355	310 Average	<p>Left blank</p>																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	deg																																																																						
1	5150.00	44.99	+9.01	54.00	32.92	34.10	9.78	31.81	355	310 Average																																																																					



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																											
ANT	802.11ax HE80 Full CH42 5210MHz - R																											
2	Horizontal	Fundamental																										
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 3e 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto FR261401-01 Mode : 136 Plane : 4 Full-directivity IMEI : 8481 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5356.62</th> <th>51.94</th> <th>-22.06</th> <th>74.00</th> <th>39.31</th> <th>34.66</th> <th>9.91</th> <th>31.93</th> <th>355</th> <th>310</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5356.62	51.94	-22.06	74.00	39.31	34.66	9.91	31.93	355	310	Peak	HORIZONTAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5356.62	51.94	-22.06	74.00	39.31	34.66	9.91	31.93	355	310	Peak	HORIZONTAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3e 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 0000Hz YBR 1, 10000Hz SRT Auto FR261401-01 Mode : 136 Plane : 4 Full-directivity IMEI : 8481 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.00</th> <th>42.98</th> <th>-11.02</th> <th>54.00</th> <th>30.35</th> <th>34.66</th> <th>9.91</th> <th>31.93</th> <th>355</th> <th>310</th> <th>Average</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5350.00	42.98	-11.02	54.00	30.35	34.66	9.91	31.93	355	310	Average	HORIZONTAL	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg					<p>Left blank</p>
1	5350.00	42.98	-11.02	54.00	30.35	34.66	9.91	31.93	355	310	Average	HORIZONTAL																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																				



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE80 Full CH42 5210MHz - L																																																																						
2	Vertical	Fundamental																																																																					
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR: 3000, 000MHz, SRT: Auto FR0 261401-01 Mode : 136 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5146.08</td> <td>59.39</td> <td>-14.61</td> <td>74.00</td> <td>47.32</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>287</td> <td>233 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5146.08	59.39	-14.61	74.00	47.32	34.10	9.78	31.81	287	233 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR: 3000, 000MHz, SRT: Auto FR0 261401-01 Mode : 136 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5206.00</td> <td>102.46</td> <td>34.16</td> <td>68.30</td> <td>90.37</td> <td>34.10</td> <td>9.83</td> <td>31.84</td> <td>287</td> <td>233 Peak VERTICAL</td> </tr> <tr> <td>2 5206.00</td> <td>93.05</td> <td>-----</td> <td>80.96</td> <td>34.10</td> <td>9.83</td> <td>31.84</td> <td>287</td> <td>233 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5206.00	102.46	34.16	68.30	90.37	34.10	9.83	31.84	287	233 Peak VERTICAL	2 5206.00	93.05	-----	80.96	34.10	9.83	31.84	287	233 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5146.08	59.39	-14.61	74.00	47.32	34.10	9.78	31.81	287	233 Peak VERTICAL																																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 * 5206.00	102.46	34.16	68.30	90.37	34.10	9.83	31.84	287	233 Peak VERTICAL																																																														
2 5206.00	93.05	-----	80.96	34.10	9.83	31.84	287	233 Average VERTICAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000, 000MHz, YBR: 1, 1000MHz, SRT: Auto FR0 261401-01 Mode : 136 Plane : 2 Full-directivity : 2 IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.92</td> <td>50.72</td> <td>-3.28</td> <td>54.00</td> <td>38.65</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>287</td> <td>233 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5149.92	50.72	-3.28	54.00	38.65	34.10	9.78	31.81	287	233 Average VERTICAL	<p>Left blank</p>																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5149.92	50.72	-3.28	54.00	38.65	34.10	9.78	31.81	287	233 Average VERTICAL																																																														



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE80 Full CH42 5210MHz - R														
2	Vertical	Fundamental													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz YBR:3000, 0000Hz SRT:Auto FR0261401-01 Mode : 120 Plane : 3 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5397.84</th> <th>53.44</th> <th>-20.56</th> <th>74.00</th> <th>40.65</th> <th>34.80</th> <th>9.94</th> <th>31.95</th> <th>287</th> <th>233</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5397.84	53.44	-20.56	74.00	40.65	34.80	9.94	31.95	287	233	Peak	VERTICAL	<p>Left blank</p>
1	5397.84	53.44	-20.56	74.00	40.65	34.80	9.94	31.95	287	233	Peak	VERTICAL			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz YBR:1, 1000Hz SRT:Auto FR0261401-01 Mode : 120 Plane : 3 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5353.02</th> <th>43.98</th> <th>-10.02</th> <th>54.00</th> <th>31.35</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>287</th> <th>233</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5353.02	43.98	-10.02	54.00	31.35	34.65	9.91	31.93	287	233	Average	VERTICAL	<p>Left blank</p>
1	5353.02	43.98	-10.02	54.00	31.35	34.65	9.91	31.93	287	233	Average	VERTICAL			



UNII-1 5150~5250MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE80 Partial 484/65 CH42 5210MHz - L																																																																																
2	Horizontal	Fundamental																																																																															
Peak	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 140 Plane : X IM1 : full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5113.92</td> <td>52.93</td> <td>-21.07</td> <td>74.00</td> <td>40.85</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>400</td> <td>309 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5113.92	52.93	-21.07	74.00	40.85	34.10	9.76	31.78	400	309 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 140 Plane : X IM1 : full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5188.00</td> <td>93.31</td> <td>25.01</td> <td>68.30</td> <td>81.22</td> <td>34.10</td> <td>9.81</td> <td>31.82</td> <td>400</td> <td>309 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5188.00</td> <td>85.56</td> <td></td> <td>73.47</td> <td>24.10</td> <td>9.81</td> <td>31.82</td> <td>400</td> <td>309 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5188.00	93.31	25.01	68.30	81.22	34.10	9.81	31.82	400	309 Peak	HORIZONTAL	2	5188.00	85.56		73.47	24.10	9.81	31.82	400	309 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5113.92	52.93	-21.07	74.00	40.85	34.10	9.76	31.78	400	309 Peak	HORIZONTAL																																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5188.00	93.31	25.01	68.30	81.22	34.10	9.81	31.82	400	309 Peak	HORIZONTAL																																																																						
2	5188.00	85.56		73.47	24.10	9.81	31.82	400	309 Average	HORIZONTAL																																																																							
Avg.	<p>Site : 032000-KS Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 140 Plane : X IM1 : full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.04</td> <td>44.44</td> <td>-9.56</td> <td>54.00</td> <td>32.36</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>400</td> <td>309 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5108.04	44.44	-9.56	54.00	32.36	34.10	9.76	31.78	400	309 Average	HORIZONTAL	Left blank																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5108.04	44.44	-9.56	54.00	32.36	34.10	9.76	31.78	400	309 Average	HORIZONTAL																																																																						



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE80 Partial 484/65 CH42 5210MHz - R														
2	Horizontal	Fundamental													
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 3e 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 140 Plane : 3 Full-directivity : Full-directivity IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5376.24</th> <th>51.67</th> <th>-22.23</th> <th>74.00</th> <th>39.00</th> <th>34.70</th> <th>9.92</th> <th>31.95</th> <th>400</th> <th>309</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5376.24	51.67	-22.23	74.00	39.00	34.70	9.92	31.95	400	309	Peak	HORIZONTAL	<p>Left blank</p>
1	5376.24	51.67	-22.23	74.00	39.00	34.70	9.92	31.95	400	309	Peak	HORIZONTAL			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) 3e 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 140 Plane : 3 Full-directivity : Full-directivity IMEI : 841 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5371.20</th> <th>43.47</th> <th>-10.53</th> <th>54.00</th> <th>30.78</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>400</th> <th>309</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5371.20	43.47	-10.53	54.00	30.78	34.70	9.92	31.93	400	309	Average	HORIZONTAL	<p>Left blank</p>
1	5371.20	43.47	-10.53	54.00	30.78	34.70	9.92	31.93	400	309	Average	HORIZONTAL			



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m																																								
ANT	802.11ax HE80 Partial 484/65 CH42 5210MHz - L																																								
2	Vertical	Fundamental																																							
Peak	<p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 140 Plane : Z Full-directivity IME1 : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5125.40</th> <th>52.98</th> <th>-21.02</th> <th>74.00</th> <th>40.90</th> <th>34.10</th> <th>9.77</th> <th>31.79</th> <th>266</th> <th>227</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5125.40	52.98	-21.02	74.00	40.90	34.10	9.77	31.79	266	227	Peak	VERTICAL	<p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto FR261401-01 Mode : 140 Plane : Z Full-directivity IME1 : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5200.00</th> <th>101.26</th> <th>33.06</th> <th>68.30</th> <th>89.27</th> <th>34.10</th> <th>9.83</th> <th>31.84</th> <th>266</th> <th>227</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5200.00</th> <th>92.30</th> <th>-----</th> <th>-----</th> <th>80.29</th> <th>34.10</th> <th>9.83</th> <th>31.84</th> <th>266</th> <th>227</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5200.00	101.26	33.06	68.30	89.27	34.10	9.83	31.84	266	227	Peak	VERTICAL	2	5200.00	92.30	-----	-----	80.29	34.10	9.83	31.84	266	227	Average	VERTICAL
1	5125.40	52.98	-21.02	74.00	40.90	34.10	9.77	31.79	266	227	Peak	VERTICAL																													
1	5200.00	101.26	33.06	68.30	89.27	34.10	9.83	31.84	266	227	Peak	VERTICAL																													
2	5200.00	92.30	-----	-----	80.29	34.10	9.83	31.84	266	227	Average	VERTICAL																													
Avg.	<p>Site : 032806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3.3000MHz SRT Auto FR261401-01 Mode : 140 Plane : Z Full-directivity IME1 : #41 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5144.48</th> <th>45.28</th> <th>-8.72</th> <th>54.00</th> <th>33.21</th> <th>34.10</th> <th>9.78</th> <th>31.81</th> <th>266</th> <th>227</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5144.48	45.28	-8.72	54.00	33.21	34.10	9.78	31.81	266	227	Average	VERTICAL	Left blank																										
1	5144.48	45.28	-8.72	54.00	33.21	34.10	9.78	31.81	266	227	Average	VERTICAL																													



WIFI	UNII-1 5150~5250MHz Band Edge @ 3m														
ANT	802.11ax HE80 Partial 484/65 CH42 5210MHz - R														
2	Vertical	Fundamental													
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 3a 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz YBR 3000, 0000Hz SRT Auto Mode : (FR)261401-01 Plane : 140 MEI : Full-directivity Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5394.60</th> <th>51.93</th> <th>-22.07</th> <th>74.00</th> <th>39.14</th> <th>34.80</th> <th>9.94</th> <th>31.95</th> <th>266</th> <th>227</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5394.60	51.93	-22.07	74.00	39.14	34.80	9.94	31.95	266	227	Peak	VERTICAL	<p>Left blank</p>
1	5394.60	51.93	-22.07	74.00	39.14	34.80	9.94	31.95	266	227	Peak	VERTICAL			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3a 3117 SN 00218652- VERTICAL Project : RBW 1000, 0000Hz YBR 3, 3000Hz SRT Auto Mode : (FR)261401-01 Plane : 140 MEI : Full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>5398.60</th> <th>43.87</th> <th>-10.13</th> <th>54.00</th> <th>31.24</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>266</th> <th>227</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5398.60	43.87	-10.13	54.00	31.24	34.65	9.91	31.93	266	227	Average	VERTICAL	<p>Left blank</p>
1	5398.60	43.87	-10.13	54.00	31.24	34.65	9.91	31.93	266	227	Average	VERTICAL			



UNII-1 - 5150~5250MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																											
ANT	802.11a CH36 5180MHz																																											
2	Horizontal	Vertical																																										
Peak Avg.	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SW 00218652- HORIZONTAL Project : FR261401-01 Mode : E7 Plane : E Full-directivity : Full-directivity IPE1 : #E1 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Flag</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10355.00</td> <td>45.47</td> <td>-22.83</td> <td>68.30</td> <td>55.61</td> <td>37.64</td> <td>14.12</td> <td>61.90</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Flag	Level	Limit	Line	Level Factor	Loss Factor	Loss	Remark	Pol/Phas	1	10355.00	45.47	-22.83	68.30	55.61	37.64	14.12	61.90	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030406-KS Condition : 5G BAND 1-3 3m 3117 SW 00218652- VERTICAL Project : FR261401-01 Mode : E7 Plane : E Full-directivity : Full-directivity IPE1 : #E1 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Flag</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10355.00</td> <td>44.29</td> <td>-24.01</td> <td>68.30</td> <td>54.43</td> <td>37.64</td> <td>14.12</td> <td>61.90</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Flag	Level	Limit	Line	Level Factor	Loss Factor	Loss	Remark	Pol/Phas	1	10355.00	44.29	-24.01	68.30	54.43	37.64	14.12	61.90	100	0 Peak	VERTICAL
	Flag	Level	Limit	Line	Level Factor	Loss Factor	Loss	Remark	Pol/Phas																																			
1	10355.00	45.47	-22.83	68.30	55.61	37.64	14.12	61.90	300	0 Peak	HORIZONTAL																																	
Flag	Level	Limit	Line	Level Factor	Loss Factor	Loss	Remark	Pol/Phas																																				
1	10355.00	44.29	-24.01	68.30	54.43	37.64	14.12	61.90	100	0 Peak	VERTICAL																																	



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																													
ANT	802.11a CH44 5220MHz																																																													
2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : FR261401-01 Mode : 88 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10443.00</td> <td>44.07</td> <td>-24.23</td> <td>68.30</td> <td>53.96</td> <td>37.67</td> <td>14.18</td> <td>61.74</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	Loss	Factor	1	10443.00	44.07	-24.23	68.30	53.96	37.67	14.18	61.74	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : FR261401-01 Mode : 88 Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10443.00</td> <td>45.02</td> <td>-23.28</td> <td>68.30</td> <td>54.91</td> <td>37.67</td> <td>14.18</td> <td>61.74</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	Loss	Factor	1	10443.00	45.02	-23.28	68.30	54.91	37.67	14.18	61.74	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor	Loss	Factor																																																						
1	10443.00	44.07	-24.23	68.30	53.96	37.67	14.18	61.74	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																						
Freq	Level	Limit	Level	Factor	Loss	Factor	Loss	Factor																																																						
1	10443.00	45.02	-23.28	68.30	54.91	37.67	14.18	61.74	100	0 Peak	VERTICAL																																																			



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																													
ANT	802.11a CH48 5240MHz																																																													
2	Horizontal	Vertical																																																												
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : FR261401-01 Mode : SP Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10476.00</td> <td>44.66</td> <td>-23.65</td> <td>68.30</td> <td>54.44</td> <td>37.69</td> <td>14.20</td> <td>61.68</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor			1	10476.00	44.66	-23.65	68.30	54.44	37.69	14.20	61.68	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : FR261401-01 Mode : SP Plane : E Full-directivity : Full-directivity IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10476.00</td> <td>44.25</td> <td>-24.05</td> <td>68.30</td> <td>54.04</td> <td>37.69</td> <td>14.20</td> <td>61.68</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor			1	10476.00	44.25	-24.05	68.30	54.04	37.69	14.20	61.68	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																								
1	10476.00	44.66	-23.65	68.30	54.44	37.69	14.20	61.68	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																						
Freq	Level	Limit	Level	Factor	Loss	Factor																																																								
1	10476.00	44.25	-24.05	68.30	54.04	37.69	14.20	61.68	100	0 Peak	VERTICAL																																																			



UNII-1 5150~5250MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH36 5180MHz																																																																			
2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032100-KS Condition : SG_BAND 1-----3 3m 3117.5N 00218602- HORIZONTAL Project : FR261401-01 Mode : 20 Plane : X NEI : full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10355.00</td> <td>44.31</td> <td>-23.99</td> <td>68.30</td> <td>54.45</td> <td>37.64</td> <td>14.12</td> <td>61.90</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10355.00	44.31	-23.99	68.30	54.45	37.64	14.12	61.90	300	0 Peak HORIZONTAL	<p>Site : 032100-KS Condition : SG_BAND 1-----3 3m 3117.5N 00218602- VERTICAL Project : FR261401-01 Mode : 20 Plane : X NEI : full-directivity Powersetting : 14</p> <table border="1"> <thead> <tr> <th>MEQ</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10355.00</td> <td>44.79</td> <td>-23.51</td> <td>68.30</td> <td>54.93</td> <td>37.64</td> <td>14.12</td> <td>61.90</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10355.00	44.79	-23.51	68.30	54.93	37.64	14.12	61.90	100	0 Peak VERTICAL
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10355.00	44.31	-23.99	68.30	54.45	37.64	14.12	61.90	300	0 Peak HORIZONTAL																																																										
MEQ	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10355.00	44.79	-23.51	68.30	54.93	37.64	14.12	61.90	100	0 Peak VERTICAL																																																										



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH44 5220MHz																																																																			
2	Horizontal	Vertical																																																																		
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : FR261401-01 Mode : 97 Plane : 2 Full-directivity : Full-directivity IMEI : 844 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/10m</th> <th>dB</th> <th>dBm/10m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10443.00</td> <td>45.02</td> <td>-23.28</td> <td>68.30</td> <td>54.91</td> <td>37.67</td> <td>14.18</td> <td>61.74</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg		deg	1 10443.00	45.02	-23.28	68.30	54.91	37.67	14.18	61.74	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : FR261401-01 Mode : 97 Plane : 2 Full-directivity : Full-directivity IMEI : 844 Powersetting : 14</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/10m</th> <th>dB</th> <th>dBm/10m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10443.00</td> <td>46.42</td> <td>-21.88</td> <td>68.30</td> <td>56.31</td> <td>37.67</td> <td>14.18</td> <td>61.74</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg		deg	1 10443.00	46.42	-21.88	68.30	56.31	37.67	14.18	61.74	100	0 Peak	VERTICAL
	Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																									
MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg		deg																																																										
1 10443.00	45.02	-23.28	68.30	54.91	37.67	14.18	61.74	300	0 Peak	HORIZONTAL																																																										
Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																										
MHz	dBm/10m	dB	dBm/10m	dB	dB	dB	cm	deg		deg																																																										
1 10443.00	46.42	-21.88	68.30	56.31	37.67	14.18	61.74	100	0 Peak	VERTICAL																																																										



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH48 5240MHz																																																																			
2	Horizontal	Vertical																																																																		
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : FR261401-01 Mode : 98 Plane : 2 Full-directivity IMEI : 844 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/5m</th> <th>dB</th> <th>dBm/5m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10476.00</td> <td>44.21</td> <td>-24.09</td> <td>68.30</td> <td>94.00</td> <td>37.69</td> <td>14.20</td> <td>61.68</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	MHz	dBm/5m	dB	dBm/5m	dB	dB	dB	cm	deg	cm	deg	1 10476.00	44.21	-24.09	68.30	94.00	37.69	14.20	61.68	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : FR261401-01 Mode : 98 Plane : 2 Full-directivity IMEI : 844 PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pul/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/5m</th> <th>dB</th> <th>dBm/5m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10476.00</td> <td>45.50</td> <td>-22.80</td> <td>68.30</td> <td>55.29</td> <td>37.69</td> <td>14.20</td> <td>61.68</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas	MHz	dBm/5m	dB	dBm/5m	dB	dB	dB	cm	deg	cm	deg	1 10476.00	45.50	-22.80	68.30	55.29	37.69	14.20	61.68	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																									
MHz	dBm/5m	dB	dBm/5m	dB	dB	dB	cm	deg	cm	deg																																																										
1 10476.00	44.21	-24.09	68.30	94.00	37.69	14.20	61.68	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																										
MHz	dBm/5m	dB	dBm/5m	dB	dB	dB	cm	deg	cm	deg																																																										
1 10476.00	45.50	-22.80	68.30	55.29	37.69	14.20	61.68	100	0 Peak	VERTICAL																																																										



UNII-1 5150~5250MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																															
ANT	802.11ax HE40 Full CH38 5190MHz																																																																															
2	Horizontal	Vertical																																																																														
Peak Avg.	<p>Site : 032100-KS Condition : SG BAND 1---3 3m 3117.5N 00218602- HORIZONTAL Project : FR261401-01 Mode : 123 Plane : X Ant : full-directivity MEI : 845 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Premo</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10377.00</td> <td>45.04</td> <td>-23.26</td> <td>68.30</td> <td>55.08</td> <td>37.65</td> <td>14.15</td> <td>61.84</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg			1	10377.00	45.04	-23.26	68.30	55.08	37.65	14.15	61.84	300	0	Peak	HORIZONTAL	<p>Site : 032100-KS Condition : SG BAND 1---3 3m 3117.5N 00218602- VERTICAL Project : FR261401-01 Mode : 123 Plane : X Ant : full-directivity MEI : 845 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Premo</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10377.00</td> <td>45.43</td> <td>-22.87</td> <td>68.30</td> <td>55.47</td> <td>37.65</td> <td>14.15</td> <td>61.84</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg			1	10377.00	45.43	-22.87	68.30	55.47	37.65	14.15	61.84	100	0	Peak	VERTICAL
MEI	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																						
1	10377.00	45.04	-23.26	68.30	55.08	37.65	14.15	61.84	300	0	Peak	HORIZONTAL																																																																				
MEI	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Premo	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																																						
1	10377.00	45.43	-22.87	68.30	55.47	37.65	14.15	61.84	100	0	Peak	VERTICAL																																																																				



WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																									
ANT	802.11ax HE40 Full CH46 5230MHz																																									
2	Horizontal	Vertical																																								
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218652- HORIZONTAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR2:104101-01 Mode : 124 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>10465.00</td> <td>-45.25</td> <td>-23.05</td> <td>68.30</td> <td>55.04</td> <td>37.69</td> <td>14.20</td> <td>61.68</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	10465.00	-45.25	-23.05	68.30	55.04	37.69	14.20	61.68	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-KS Condition : 5G BAND 1-3 @ 3117 SW 00218653- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR2:104101-01 Mode : 124 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>10465.00</td> <td>-44.40</td> <td>-23.90</td> <td>68.30</td> <td>54.19</td> <td>37.69</td> <td>14.20</td> <td>61.68</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas	10465.00	-44.40	-23.90	68.30	54.19	37.69	14.20	61.68	0 Peak	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
10465.00	-45.25	-23.05	68.30	55.04	37.69	14.20	61.68	0 Peak	HORIZONTAL																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Pol/Phas																																	
10465.00	-44.40	-23.90	68.30	54.19	37.69	14.20	61.68	0 Peak	VERTICAL																																	



UNII-1 5150~5250MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	UNII-1 5150~5250MHz Harmonic @ 3m																																																																	
ANT	802.11ax HE80 Full CH42 5210MHz																																																																	
2	Horizontal	Vertical																																																																
Peak Avg.	<p>Site : 032100-KS Condition : SG BAND 1-3 3m 3117.5N 00218602- HORIZONTAL Project : FR261401-01 Mode : 120 Plane : X Antenna : full-directivity MEI : 845 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10421.00</td> <td>45.06</td> <td>-23.24</td> <td>68.30</td> <td>54.99</td> <td>37.67</td> <td>14.17</td> <td>61.77</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg			1	10421.00	45.06	-23.24	68.30	54.99	37.67	14.17	61.77	300	0 Peak	HORIZONTAL	<p>Site : 032100-KS Condition : SG BAND 1-3 3m 3117.5N 00218602- VERTICAL Project : FR261401-01 Mode : 120 Plane : X Antenna : full-directivity MEI : 845 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10421.00</td> <td>44.53</td> <td>-23.77</td> <td>68.30</td> <td>54.46</td> <td>37.67</td> <td>14.17</td> <td>61.77</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg			1	10421.00	44.53	-23.77	68.30	54.46	37.67	14.17	61.77	100	0 Peak	VERTICAL
	MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg																																																											
1	10421.00	45.06	-23.24	68.30	54.99	37.67	14.17	61.77	300	0 Peak	HORIZONTAL																																																							
MEI	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																									
dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn	deg																																																											
1	10421.00	44.53	-23.77	68.30	54.46	37.67	14.17	61.77	100	0 Peak	VERTICAL																																																							



UNII-2A - 5250~5350MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																								
ANT	802.11a CH52 5260MHz - L																																																																								
2	Horizontal	Fundamental																																																																							
Peak	<p>Site : 030906-K3 Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 90 Plane : 2 Full-directivity : 461 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5120.44</td> <td>53.43</td> <td>-20.57</td> <td>74.00</td> <td>41.36</td> <td>34.10</td> <td>9.74</td> <td>31.79</td> <td>368</td> <td>311</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	5120.44	53.43	-20.57	74.00	41.36	34.10	9.74	31.79	368	311	Peak	HORIZONTAL	<p>Site : 030906-K3 Condition : 5G BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 90 Plane : 2 Full-directivity : 461 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>101.03</td> <td>32.73</td> <td>68.30</td> <td>88.66</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>368</td> <td>311</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5260.00</td> <td>74.71</td> <td>-----</td> <td>82.34</td> <td>34.37</td> <td>-----</td> <td>9.87</td> <td>31.87</td> <td>368</td> <td>311</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	5260.00	101.03	32.73	68.30	88.66	34.37	9.87	31.87	368	311	Peak	HORIZONTAL	2	5260.00	74.71	-----	82.34	34.37	-----	9.87	31.87	368	311	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																		
1	5120.44	53.43	-20.57	74.00	41.36	34.10	9.74	31.79	368	311	Peak	HORIZONTAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																		
1	5260.00	101.03	32.73	68.30	88.66	34.37	9.87	31.87	368	311	Peak	HORIZONTAL																																																													
2	5260.00	74.71	-----	82.34	34.37	-----	9.87	31.87	368	311	Average	HORIZONTAL																																																													
Avg.	<p>Site : 030906-K3 Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Economic & Technical Development Zone, Jiangsu China Project : FR261401-01 Mode : 90 Plane : 2 Full-directivity : 461 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5102.40</td> <td>43.45</td> <td>-10.55</td> <td>54.00</td> <td>31.29</td> <td>34.10</td> <td>9.74</td> <td>31.78</td> <td>368</td> <td>311</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	5102.40	43.45	-10.55	54.00	31.29	34.10	9.74	31.78	368	311	Average	HORIZONTAL	Left blank																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																		
1	5102.40	43.45	-10.55	54.00	31.29	34.10	9.74	31.78	368	311	Average	HORIZONTAL																																																													



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																		
ANT	802.11a CH52 5260MHz - L																																																																		
2	Vertical	Fundamental																																																																	
Peak	<p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto (FR261401-01) Mode : 90 Plane : z IME1 : Full-directivity : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5124.00</th> <th>53.13</th> <th>-20.87</th> <th>74.00</th> <th>41.05</th> <th>34.10</th> <th>9.77</th> <th>31.79</th> <th>276</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>IME1</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5124.00	53.13	-20.87	74.00	41.05	34.10	9.77	31.79	276	232	Peak	VERTICAL	IME1	dB	dBV/m	dB	dB	dB	dB	cm	deg					<p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto (FR261401-01) Mode : 90 Plane : z IME1 : Full-directivity : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5260.00</th> <th>108.54</th> <th>40.24</th> <th>68.30</th> <th>96.17</th> <th>34.37</th> <th>9.87</th> <th>31.87</th> <th>276</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5260.00</th> <th>101.54</th> <th>-----</th> <th>-----</th> <th>89.17</th> <th>34.37</th> <th>9.87</th> <th>31.87</th> <th>276</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>IME1</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5260.00	108.54	40.24	68.30	96.17	34.37	9.87	31.87	276	232	Peak	VERTICAL	2	5260.00	101.54	-----	-----	89.17	34.37	9.87	31.87	276	232	Average	VERTICAL	IME1	dB	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg				
1	5124.00	53.13	-20.87	74.00	41.05	34.10	9.77	31.79	276	232	Peak	VERTICAL																																																							
IME1	dB	dBV/m	dB	dB	dB	dB	cm	deg																																																											
1	5260.00	108.54	40.24	68.30	96.17	34.37	9.87	31.87	276	232	Peak	VERTICAL																																																							
2	5260.00	101.54	-----	-----	89.17	34.37	9.87	31.87	276	232	Average	VERTICAL																																																							
IME1	dB	dBV/m	dB	dBV/m	dBV/m	dB	cm	deg																																																											
Avg.	<p>Site : 03280a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 0.7500MHz SRT Auto (FR261401-01) Mode : 90 Plane : z IME1 : Full-directivity : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>1</th> <th>5107.36</th> <th>43.63</th> <th>-10.37</th> <th>54.00</th> <th>31.55</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>276</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>IME1</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5107.36	43.63	-10.37	54.00	31.55	34.10	9.76	31.78	276	232	Average	VERTICAL	IME1	dB	dBV/m	dB	dB	dB	dB	cm	deg					Left blank																																							
1	5107.36	43.63	-10.37	54.00	31.55	34.10	9.76	31.78	276	232	Average	VERTICAL																																																							
IME1	dB	dBV/m	dB	dB	dB	dB	cm	deg																																																											



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11a CH60 5300MHz - L																																																																														
2	Horizontal	Fundamental																																																																													
<p>Peak</p>	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 000MHz YBR 3000 000MHz SRT Auto Mode : FR261401-01 Plane : 91 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5296.00</td> <td>100.43</td> <td>-20.75</td> <td>74.00</td> <td>41.16</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>400</td> <td>285 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	dB	cm	deg			1 5296.00	100.43	-20.75	74.00	41.16	34.10	9.78	31.81	400	285 Peak	HORIZONTAL	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 000MHz YBR 3000 000MHz SRT Auto Mode : FR261401-01 Plane : 91 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5296.00</td> <td>100.43</td> <td>32.13</td> <td>68.30</td> <td>87.92</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>400</td> <td>285 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5296.00</td> <td>94.02</td> <td>-----</td> <td>-----</td> <td>81.51</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>400</td> <td>285 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	dB	cm	deg			1 5296.00	100.43	32.13	68.30	87.92	34.50	9.89	31.88	400	285 Peak	HORIZONTAL	2 5296.00	94.02	-----	-----	81.51	34.50	9.89	31.88	400	285 Average	HORIZONTAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	dB	cm	deg																																																																							
1 5296.00	100.43	-20.75	74.00	41.16	34.10	9.78	31.81	400	285 Peak	HORIZONTAL																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	dB	cm	deg																																																																							
1 5296.00	100.43	32.13	68.30	87.92	34.50	9.89	31.88	400	285 Peak	HORIZONTAL																																																																					
2 5296.00	94.02	-----	-----	81.51	34.50	9.89	31.88	400	285 Average	HORIZONTAL																																																																					
<p>Avg.</p>	<p>Site : 03280a-K3 Condition : 5G BAND 1----3 (WID) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 000MHz YBR 0.7500MHz SRT Auto Mode : FR261401-01 Plane : 91 IME1 : Full-directivity Powersetting : 641</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5110.72</td> <td>43.34</td> <td>-10.60</td> <td>54.00</td> <td>31.26</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>400</td> <td>285 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	dB	cm	deg			1 5110.72	43.34	-10.60	54.00	31.26	34.10	9.76	31.78	400	285 Average	HORIZONTAL	<p>Left blank</p>																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100MHz	dB	dBm/100MHz	dB	dB	dB	cm	deg																																																																							
1 5110.72	43.34	-10.60	54.00	31.26	34.10	9.76	31.78	400	285 Average	HORIZONTAL																																																																					





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11a CH60 5300MHz - R														
2	Horizontal	Fundamental													
<p>Peak</p>	<p>Site : 03200a-K3 Condition : 5G BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 0000Hz; VBW:3000, 0000Hz; SFT:Auto Mode : FFR261401-01 Plane : E MEI : Full-directivity PowerSetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5354.40</th> <th>52.01</th> <th>-21.99</th> <th>74.00</th> <th>39.38</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>400</th> <th>285</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5354.40	52.01	-21.99	74.00	39.38	34.65	0.91	31.93	400	285	Peak	HORIZONTAL	<p>Left blank</p>
1	5354.40	52.01	-21.99	74.00	39.38	34.65	0.91	31.93	400	285	Peak	HORIZONTAL			
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 0000Hz; VBW:0.7500Hz; SFT:Auto Mode : FFR261401-01 Plane : E MEI : Full-directivity PowerSetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5389.70</th> <th>42.88</th> <th>-11.12</th> <th>54.00</th> <th>30.15</th> <th>34.75</th> <th>0.93</th> <th>31.95</th> <th>400</th> <th>285</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5389.70	42.88	-11.12	54.00	30.15	34.75	0.93	31.95	400	285	Average	HORIZONTAL	<p>Left blank</p>
1	5389.70	42.88	-11.12	54.00	30.15	34.75	0.93	31.95	400	285	Average	HORIZONTAL			



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																								
ANT	802.11a CH60 5300MHz - L																																								
2	Vertical	Fundamental																																							
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 02080a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 91 Plane : E IMEI : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5113.76</th> <th>53.52</th> <th>-20.48</th> <th>74.00</th> <th>41.44</th> <th>34.10</th> <th>9.76</th> <th>31.78</th> <th>290</th> <th>234</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5113.76	53.52	-20.48	74.00	41.44	34.10	9.76	31.78	290	234	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 02080a-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 91 Plane : E IMEI : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5296.00</th> <th>108.61</th> <th>40.31</th> <th>68.30</th> <th>96.10</th> <th>34.50</th> <th>9.89</th> <th>31.88</th> <th>290</th> <th>234</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5296.00</th> <th>101.59</th> <th>-----</th> <th>-----</th> <th>89.08</th> <th>34.50</th> <th>9.89</th> <th>31.88</th> <th>290</th> <th>234</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5296.00	108.61	40.31	68.30	96.10	34.50	9.89	31.88	290	234	Peak	VERTICAL	2	5296.00	101.59	-----	-----	89.08	34.50	9.89	31.88	290	234	Average	VERTICAL
1	5113.76	53.52	-20.48	74.00	41.44	34.10	9.76	31.78	290	234	Peak	VERTICAL																													
1	5296.00	108.61	40.31	68.30	96.10	34.50	9.89	31.88	290	234	Peak	VERTICAL																													
2	5296.00	101.59	-----	-----	89.08	34.50	9.89	31.88	290	234	Average	VERTICAL																													
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 02080a-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 91 Plane : E IMEI : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>1</th> <th>5141.76</th> <th>43.53</th> <th>-10.47</th> <th>54.00</th> <th>31.44</th> <th>34.10</th> <th>9.78</th> <th>31.79</th> <th>290</th> <th>234</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5141.76	43.53	-10.47	54.00	31.44	34.10	9.78	31.79	290	234	Average	VERTICAL	<p>Left blank</p>																										
1	5141.76	43.53	-10.47	54.00	31.44	34.10	9.78	31.79	290	234	Average	VERTICAL																													






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11a CH60 5300MHz - R														
2	Vertical	Fundamental													
<p>Peak</p>	 <p>Site : 03200a-K3 Condition : 5G BAND 1-3 @ 3m 3117 SN 00218652- VERTICAL Project : RBW:1000, 000MHz YBR:3000, 000MHz SRT:Auto Mode : FR261401-01 Plane : E MEI : Full-directivity PowerSetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5365.60</th> <th>54.50</th> <th>-19.50</th> <th>74.00</th> <th>41.81</th> <th>34.70</th> <th>9.92</th> <th>31.93</th> <th>290</th> <th>234</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5365.60	54.50	-19.50	74.00	41.81	34.70	9.92	31.93	290	234	Peak	VERTICAL	<p>Left blank</p>
1	5365.60	54.50	-19.50	74.00	41.81	34.70	9.92	31.93	290	234	Peak	VERTICAL			
<p>Avg.</p>	 <p>Site : 03200a-K3 Condition : 5G BAND 1-3 (AVG) @ 3m 3117 SN 00218652- VERTICAL Project : RBW:1000, 000MHz YBR:0, 7500MHz SRT:Auto Mode : FR261401-01 Plane : E MEI : Full-directivity PowerSetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5362.80</th> <th>43.87</th> <th>-10.13</th> <th>54.00</th> <th>31.24</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>290</th> <th>234</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5362.80	43.87	-10.13	54.00	31.24	34.65	9.91	31.93	290	234	Average	VERTICAL	<p>Left blank</p>
1	5362.80	43.87	-10.13	54.00	31.24	34.65	9.91	31.93	290	234	Average	VERTICAL			



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																								
ANT	802.11a CH64 5320MHz																																																																								
2	Horizontal	Fundamental																																																																							
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 2 Full-directivity : 2 IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.80</td> <td>52.71</td> <td>-21.29</td> <td>74.00</td> <td>39.93</td> <td>34.80</td> <td>9.94</td> <td>31.96</td> <td>101</td> <td>285</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	dB	dB	cm	deg	1	5398.80	52.71	-21.29	74.00	39.93	34.80	9.94	31.96	101	285	Peak	HORIZONTAL	<p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 2 Full-directivity : 2 IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5314.00</td> <td>101.62</td> <td>33.32</td> <td>68.30</td> <td>89.08</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>101</td> <td>285</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5314.00</td> <td>95.02</td> <td>-----</td> <td>-----</td> <td>82.48</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>101</td> <td>285</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	dB	dB	cm	deg	1	5314.00	101.62	33.32	68.30	89.08	34.55	9.89	31.90	101	285	Peak	HORIZONTAL	2	5314.00	95.02	-----	-----	82.48	34.55	9.89	31.90	101	285	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Level	Level	Level	Loss	dB	dB	cm	deg																																																																		
1	5398.80	52.71	-21.29	74.00	39.93	34.80	9.94	31.96	101	285	Peak	HORIZONTAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Level	Level	Level	Loss	dB	dB	cm	deg																																																																		
1	5314.00	101.62	33.32	68.30	89.08	34.55	9.89	31.90	101	285	Peak	HORIZONTAL																																																													
2	5314.00	95.02	-----	-----	82.48	34.55	9.89	31.90	101	285	Average	HORIZONTAL																																																													
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 0.7500MHz SRT Auto Mode : FR261401-01 Plane : 2 Full-directivity : 2 IMEI : 843 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5380.30</td> <td>43.03</td> <td>-10.97</td> <td>54.00</td> <td>30.30</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>101</td> <td>285</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Loss	dB	dB	cm	deg	1	5380.30	43.03	-10.97	54.00	30.30	34.75	9.93	31.95	101	285	Average	HORIZONTAL	<p>Left blank</p>																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Level	Level	Level	Loss	dB	dB	cm	deg																																																																		
1	5380.30	43.03	-10.97	54.00	30.30	34.75	9.93	31.95	101	285	Average	HORIZONTAL																																																													






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																		
ANT	802.11a CH64 5320MHz																																																																		
2	Vertical	Fundamental																																																																	
Peak	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR261401-01 Mode : 92 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5373.50</td> <td>53.86</td> <td>-20.14</td> <td>74.00</td> <td>41.19</td> <td>34.70</td> <td>9.92</td> <td>31.95</td> <td>286</td> <td>234 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg	1 5373.50	53.86	-20.14	74.00	41.19	34.70	9.92	31.95	286	234 Peak	VERTICAL	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218653- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SFT:Auto FR261401-01 Mode : 92 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5320.00</td> <td>109.05</td> <td>40.75</td> <td>68.30</td> <td>96.51</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>286</td> <td>234 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5320.00</td> <td>102.37</td> <td>-----</td> <td>-----</td> <td>89.83</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>286</td> <td>234 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg	1 * 5320.00	109.05	40.75	68.30	96.51	34.55	9.89	31.90	286	234 Peak	VERTICAL	2 5320.00	102.37	-----	-----	89.83	34.55	9.89	31.90	286	234 Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg																																																												
1 5373.50	53.86	-20.14	74.00	41.19	34.70	9.92	31.95	286	234 Peak	VERTICAL																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg																																																												
1 * 5320.00	109.05	40.75	68.30	96.51	34.55	9.89	31.90	286	234 Peak	VERTICAL																																																									
2 5320.00	102.37	-----	-----	89.83	34.55	9.89	31.90	286	234 Average	VERTICAL																																																									
Avg.	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW:1000,000kHz; VBW:0,7500kHz; SFT:Auto FR261401-01 Mode : 92 Plane : 2 Full-directivity IME1 : 441 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.90</td> <td>44.75</td> <td>-9.25</td> <td>54.00</td> <td>32.12</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>286</td> <td>234 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg	1 5352.90	44.75	-9.25	54.00	32.12	34.65	9.91	31.93	286	234 Average	VERTICAL	Left blank																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBμV/m	dB	dBμV/m	dB	dB	cm	deg																																																												
1 5352.90	44.75	-9.25	54.00	32.12	34.65	9.91	31.93	286	234 Average	VERTICAL																																																									






UNII-2A 5250~5350MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE20 Full CH52 5260MHz - L																																																																																					
2	Horizontal	Fundamental																																																																																				
Peak	<p>Site : 032006-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 97 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12</td> <td>5100.32</td> <td>52.48</td> <td>-21.52</td> <td>74.00</td> <td>40.42</td> <td>34.10</td> <td>9.74</td> <td>31.78</td> <td>368</td> <td>311 Peak</td> </tr> </tbody> </table>	IMEI	Powersetting	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12	5100.32	52.48	-21.52	74.00	40.42	34.10	9.74	31.78	368	311 Peak	<p>Site : 032006-KS Condition : SG BAND 1 ---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 97 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12</td> <td>5260.00</td> <td>102.10</td> <td>33.80</td> <td>68.30</td> <td>89.33</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>368</td> <td>311 Peak</td> </tr> <tr> <td>2</td> <td>12</td> <td>5260.00</td> <td>74.71</td> <td>82.34</td> <td>24.37</td> <td>9.87</td> <td>31.87</td> <td>368</td> <td>311</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12	5260.00	102.10	33.80	68.30	89.33	34.37	9.87	31.87	368	311 Peak	2	12	5260.00	74.71	82.34	24.37	9.87	31.87	368	311	Average	HORIZONTAL
IMEI	Powersetting	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	12	5100.32	52.48	-21.52	74.00	40.42	34.10	9.74	31.78	368	311 Peak																																																																											
IMEI	Powersetting	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	12	5260.00	102.10	33.80	68.30	89.33	34.37	9.87	31.87	368	311 Peak																																																																											
2	12	5260.00	74.71	82.34	24.37	9.87	31.87	368	311	Average	HORIZONTAL																																																																											
Avg.	<p>Site : 032006-KS Condition : SG BAND 1 ---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 97 Plane : X IMEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12</td> <td>5116.48</td> <td>42.55</td> <td>-11.45</td> <td>54.00</td> <td>30.47</td> <td>34.10</td> <td>9.74</td> <td>31.78</td> <td>368</td> <td>311 Average</td> </tr> </tbody> </table>	IMEI	Powersetting	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12	5116.48	42.55	-11.45	54.00	30.47	34.10	9.74	31.78	368	311 Average	Left blank																																																
IMEI	Powersetting	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	12	5116.48	42.55	-11.45	54.00	30.47	34.10	9.74	31.78	368	311 Average																																																																											



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Full CH52 5260MHz - L																																																																																
2	Vertical	Fundamental																																																																															
<p>Peak</p>	 <p>Site : 032606-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz YBW 3000.000kHz SFT:Auto FR261401-01 Mode : 99 Plane : 2 Full-directivity IME1 : #41 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.88</td> <td>53.34</td> <td>-20.66</td> <td>74.00</td> <td>41.26</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>275</td> <td>233 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5126.88	53.34	-20.66	74.00	41.26	34.10	9.77	31.79	275	233 Peak	VERTICAL	 <p>Site : 032606-KS Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz YBW 3000.000kHz SFT:Auto FR261401-01 Mode : 99 Plane : 2 Full-directivity IME1 : #41 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>108.22</td> <td>39.99</td> <td>68.30</td> <td>95.92</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>275</td> <td>233 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5260.00</td> <td>101.13</td> <td>-----</td> <td>88.76</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>275</td> <td>233 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5260.00	108.22	39.99	68.30	95.92	34.37	9.87	31.87	275	233 Peak	VERTICAL	2	5260.00	101.13	-----	88.76	34.37	9.87	31.87	275	233 Average	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																									
1	5126.88	53.34	-20.66	74.00	41.26	34.10	9.77	31.79	275	233 Peak	VERTICAL																																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																									
1	5260.00	108.22	39.99	68.30	95.92	34.37	9.87	31.87	275	233 Peak	VERTICAL																																																																						
2	5260.00	101.13	-----	88.76	34.37	9.87	31.87	275	233 Average	VERTICAL																																																																							
<p>Avg.</p>	 <p>Site : 032606-KS Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.000kHz YBW 0.01000kHz SFT:Auto FR261401-01 Mode : 99 Plane : 2 Full-directivity IME1 : #41 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5110.88</td> <td>43.71</td> <td>-10.29</td> <td>54.00</td> <td>31.63</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>275</td> <td>233 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5110.88	43.71	-10.29	54.00	31.63	34.10	9.76	31.78	275	233 Average	VERTICAL	<p>Left blank</p>																																													
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																									
1	5110.88	43.71	-10.29	54.00	31.63	34.10	9.76	31.78	275	233 Average	VERTICAL																																																																						



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Full CH60 5300MHz - L																																																																														
2	Horizontal	Fundamental																																																																													
Peak	 <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 1 IME1 : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5122.88</td> <td>52.61</td> <td>-21.29</td> <td>74.00</td> <td>40.53</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>109</td> <td>284 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5122.88	52.61	-21.29	74.00	40.53	34.10	9.77	31.79	109	284 Peak	HORIZONTAL	 <p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 1 IME1 : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5308.00</td> <td>100.59</td> <td>32.29</td> <td>68.30</td> <td>88.10</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>109</td> <td>284 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5308.00</td> <td>93.54</td> <td>-----</td> <td>-----</td> <td>81.05</td> <td>34.50</td> <td>9.89</td> <td>31.90</td> <td>109</td> <td>284 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5308.00	100.59	32.29	68.30	88.10	34.50	9.89	31.90	109	284 Peak	HORIZONTAL	5308.00	93.54	-----	-----	81.05	34.50	9.89	31.90	109	284 Average	HORIZONTAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
5122.88	52.61	-21.29	74.00	40.53	34.10	9.77	31.79	109	284 Peak	HORIZONTAL																																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
5308.00	100.59	32.29	68.30	88.10	34.50	9.89	31.90	109	284 Peak	HORIZONTAL																																																																					
5308.00	93.54	-----	-----	81.05	34.50	9.89	31.90	109	284 Average	HORIZONTAL																																																																					
Avg.	 <p>Site : 03280a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3.0100MHz SRT Auto Mode : FR261401-01 Plane : 1 IME1 : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>5122.88</td> <td>42.51</td> <td>-11.49</td> <td>54.00</td> <td>30.43</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>109</td> <td>284 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			5122.88	42.51	-11.49	54.00	30.43	34.10	9.77	31.79	109	284 Average	HORIZONTAL	Left blank																																												
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
5122.88	42.51	-11.49	54.00	30.43	34.10	9.77	31.79	109	284 Average	HORIZONTAL																																																																					





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																											
ANT	802.11ax HE20 Full CH60 5300MHz - R																											
2	Horizontal	Fundamental																										
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000MHz; VBW:3000, 000MHz; SFT:Auto FR261401-01 Mode : 100 Plane : 4 Full-directivity : 441 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5396.00</th> <th>52.58</th> <th>-21.42</th> <th>74.00</th> <th>39.79</th> <th>34.80</th> <th>9.94</th> <th>31.95</th> <th>109</th> <th>284</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5396.00	52.58	-21.42	74.00	39.79	34.80	9.94	31.95	109	284	Peak	HORIZONTAL	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg				<p>Left blank</p>
1	5396.00	52.58	-21.42	74.00	39.79	34.80	9.94	31.95	109	284	Peak	HORIZONTAL																
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- HORIZONTAL Project : RBW:1000, 000MHz; VBW:0.0100MHz; SFT:Auto FR261401-01 Mode : 100 Plane : 4 Full-directivity : 441 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5351.00</th> <th>42.09</th> <th>-11.91</th> <th>54.00</th> <th>29.46</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>109</th> <th>284</th> <th>Average</th> <th>HORIZONTAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5351.00	42.09	-11.91	54.00	29.46	34.65	9.91	31.93	109	284	Average	HORIZONTAL	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg				<p>Left blank</p>
1	5351.00	42.09	-11.91	54.00	29.46	34.65	9.91	31.93	109	284	Average	HORIZONTAL																
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg																			



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																											
ANT	802.11ax HE20 Full CH60 5300MHz - L																																																																																											
2	Vertical	Fundamental																																																																																										
<p>Peak</p>	<p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 100 Plane : 2 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dBμV</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.96</td> <td>52.93</td> <td>-21.07</td> <td>74.00</td> <td>40.85</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>274</td> <td>235 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	cm	deg			dBμV/m	dB	dBμV/m	dBμV	dBμV	cm	deg			1	5112.96	52.93	-21.07	74.00	40.85	34.10	9.76	31.78	274	235 Peak	VERTICAL	<p>Site : 03280a-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 100 Plane : 2 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dBμV</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5296.00</td> <td>109.99</td> <td>41.49</td> <td>68.30</td> <td>97.48</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>274</td> <td>235 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5296.00</td> <td>101.69</td> <td>-----</td> <td>-----</td> <td>89.18</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>274</td> <td>235 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	cm	deg			dBμV/m	dB	dBμV/m	dBμV	dBμV	cm	deg			1	5296.00	109.99	41.49	68.30	97.48	34.50	9.89	31.88	274	235 Peak	VERTICAL	2	5296.00	101.69	-----	-----	89.18	34.50	9.89	31.88	274	235 Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Level	Level	Level	Level	Level	cm	deg																																																																																						
dBμV/m	dB	dBμV/m	dBμV	dBμV	cm	deg																																																																																						
1	5112.96	52.93	-21.07	74.00	40.85	34.10	9.76	31.78	274	235 Peak	VERTICAL																																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Level	Level	Level	Level	Level	cm	deg																																																																																						
dBμV/m	dB	dBμV/m	dBμV	dBμV	cm	deg																																																																																						
1	5296.00	109.99	41.49	68.30	97.48	34.50	9.89	31.88	274	235 Peak	VERTICAL																																																																																	
2	5296.00	101.69	-----	-----	89.18	34.50	9.89	31.88	274	235 Average	VERTICAL																																																																																	
<p>Avg.</p>	<p>Site : 03280a-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 100 Plane : 2 Full-directivity : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> <tr> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dBμV</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5119.04</td> <td>42.72</td> <td>-11.28</td> <td>54.00</td> <td>30.65</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>274</td> <td>235 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	cm	deg			dBμV/m	dB	dBμV/m	dBμV	dBμV	cm	deg			1	5119.04	42.72	-11.28	54.00	30.65	34.10	9.76	31.79	274	235 Average	VERTICAL	<p>Left blank</p>																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
Level	Level	Level	Level	Level	cm	deg																																																																																						
dBμV/m	dB	dBμV/m	dBμV	dBμV	cm	deg																																																																																						
1	5119.04	42.72	-11.28	54.00	30.65	34.10	9.76	31.79	274	235 Average	VERTICAL																																																																																	



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE20 Full CH60 5300MHz - R														
2	Vertical	Fundamental													
<p>Peak</p>	 <p>Site : 03280a-K3 Condition : 5G BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz; VBW:3000, 0000Hz; SFT:Auto Mode : FFD 261401-01 Plane : 100 MEI : Full-directivity PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5367.90</th> <th>52.96</th> <th>-21.05</th> <th>74.00</th> <th>40.32</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>274</th> <th>235</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5367.90	52.96	-21.05	74.00	40.32	34.65	9.91	31.93	274	235	Peak	VERTICAL	<p>Left blank</p>
1	5367.90	52.96	-21.05	74.00	40.32	34.65	9.91	31.93	274	235	Peak	VERTICAL			
<p>Avg.</p>	 <p>Site : 03280a-K3 Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL Project : RBW:1000, 0000Hz; VBW:0.01000Hz; SFT:Auto Mode : FFD 261401-01 Plane : 100 MEI : Full-directivity PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.10</th> <th>43.31</th> <th>-10.69</th> <th>54.00</th> <th>30.68</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>274</th> <th>235</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5350.10	43.31	-10.69	54.00	30.68	34.65	9.91	31.93	274	235	Average	VERTICAL	<p>Left blank</p>
1	5350.10	43.31	-10.69	54.00	30.68	34.65	9.91	31.93	274	235	Average	VERTICAL			






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																						
ANT	802.11ax HE20 Full CH64 5320MHz																																																																						
2	Horizontal	Fundamental																																																																					
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : (FR)261401-01 Plane : 101 Antenna : 2 Full-directivity : 2 IPE1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5351.00</td> <td>52.54</td> <td>-21.46</td> <td>74.00</td> <td>39.91</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>379</td> <td>306 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5351.00	52.54	-21.46	74.00	39.91	34.65	9.91	31.93	379	306 Peak HORIZONTAL	<p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : (FR)261401-01 Plane : 101 Antenna : 2 Full-directivity : 2 IPE1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5320.00</td> <td>102.08</td> <td>33.78</td> <td>68.30</td> <td>89.54</td> <td>34.65</td> <td>9.89</td> <td>31.90</td> <td>379</td> <td>306 Peak HORIZONTAL</td> </tr> <tr> <td>2 5320.00</td> <td>94.83</td> <td>-----</td> <td>82.29</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>379</td> <td>306 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5320.00	102.08	33.78	68.30	89.54	34.65	9.89	31.90	379	306 Peak HORIZONTAL	2 5320.00	94.83	-----	82.29	34.55	9.89	31.90	379	306 Average HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5351.00	52.54	-21.46	74.00	39.91	34.65	9.91	31.93	379	306 Peak HORIZONTAL																																																														
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 * 5320.00	102.08	33.78	68.30	89.54	34.65	9.89	31.90	379	306 Peak HORIZONTAL																																																														
2 5320.00	94.83	-----	82.29	34.55	9.89	31.90	379	306 Average HORIZONTAL																																																															
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 0000Hz YBR 3000 0000Hz SRT Auto Mode : (FR)261401-01 Plane : 101 Antenna : 2 Full-directivity : 2 IPE1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.30</td> <td>42.38</td> <td>-11.62</td> <td>54.00</td> <td>29.75</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>379</td> <td>306 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5350.30	42.38	-11.62	54.00	29.75	34.65	9.91	31.93	379	306 Average HORIZONTAL	<p>Left blank</p>																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																
1 5350.30	42.38	-11.62	54.00	29.75	34.65	9.91	31.93	379	306 Average HORIZONTAL																																																														



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																					
ANT	802.11ax HE20 Full CH64 5320MHz																																																																																					
2	Vertical	Fundamental																																																																																				
<p>Peak</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : (FR)261401-01 Plane : 101 IME1 : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>56.01</td> <td>-12.99</td> <td>74.00</td> <td>43.38</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>285</td> <td>231 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg			1	5350.00	56.01	-12.99	74.00	43.38	34.65	9.91	31.93	285	231 Peak	VERTICAL	<p>Site : 03200a-K3 Condition : SG BAND 1-3 @ 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : (FR)261401-01 Plane : 101 IME1 : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.53</td> <td>42.23</td> <td>68.30</td> <td>97.99</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>285</td> <td>231 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>102.34</td> <td>-----</td> <td>-----</td> <td>89.80</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>285</td> <td>231 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg			1	5320.00	110.53	42.23	68.30	97.99	34.55	9.89	31.90	285	231 Peak	VERTICAL	2	5320.00	102.34	-----	-----	89.80	34.55	9.89	31.90	285	231 Average	VERTICAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																																													
1	5350.00	56.01	-12.99	74.00	43.38	34.65	9.91	31.93	285	231 Peak	VERTICAL																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																																													
1	5320.00	110.53	42.23	68.30	97.99	34.55	9.89	31.90	285	231 Peak	VERTICAL																																																																											
2	5320.00	102.34	-----	-----	89.80	34.55	9.89	31.90	285	231 Average	VERTICAL																																																																											
<p>Avg.</p>	<p>Site : 03200a-K3 Condition : SG BAND 1-3 (AVG) @ 3117 SN 00218652- VERTICAL Project : RRM 1000.000MHz YBR 3.01000MHz SRT Auto Mode : (FR)261401-01 Plane : 101 IME1 : Full-directivity Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>44.64</td> <td>-9.36</td> <td>54.00</td> <td>32.01</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>285</td> <td>231 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg			1	5350.20	44.64	-9.36	54.00	32.01	34.65	9.91	31.93	285	231 Average	VERTICAL	<p>Left blank</p>																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																																													
1	5350.20	44.64	-9.36	54.00	32.01	34.65	9.91	31.93	285	231 Average	VERTICAL																																																																											



UNII-2A - 5250~5350MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE20 Partial 26/4 CH52 5260MHz - L																																																																								
2	Horizontal	Fundamental																																																																							
<p align="center">Peak</p>	 <p>Site : 032000-KS Condition : 5G BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 107 Plane : X IME1 : full-directivity Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5115.20</td> <td>52.53</td> <td>-21.47</td> <td>74.00</td> <td>40.45</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>389</td> <td>306 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level Factor	Loss Factor	dB	cm	deg		1	5115.20	52.53	-21.47	74.00	40.45	34.10	9.76	31.78	389	306 Peak	HORIZONTAL	 <p>Site : 032000-KS Condition : 5G BAND 1---3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 107 Plane : X IME1 : full-directivity Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5254.00</td> <td>98.10</td> <td>29.80</td> <td>68.30</td> <td>85.81</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>389</td> <td>306 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>91.31</td> <td></td> <td>79.02</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>389</td> <td>306 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level Factor	Loss Factor	dB	cm	deg		1	5254.00	98.10	29.80	68.30	85.81	34.30	9.86	31.87	389	306 Peak	HORIZONTAL	2	5254.00	91.31		79.02	34.30	9.86	31.87	389	306 Average	HORIZONTAL
IME1	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
IME1	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																		
1	5115.20	52.53	-21.47	74.00	40.45	34.10	9.76	31.78	389	306 Peak	HORIZONTAL																																																														
IME1	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
IME1	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																		
1	5254.00	98.10	29.80	68.30	85.81	34.30	9.86	31.87	389	306 Peak	HORIZONTAL																																																														
2	5254.00	91.31		79.02	34.30	9.86	31.87	389	306 Average	HORIZONTAL																																																															
<p align="center">Avg.</p>	 <p>Site : 032000-KS Condition : 5G BAND 1---3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 107 Plane : X IME1 : full-directivity Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5110.88</td> <td>43.58</td> <td>-10.42</td> <td>54.00</td> <td>31.50</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>389</td> <td>306 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Level	Line	Level Factor	Loss Factor	dB	cm	deg		1	5110.88	43.58	-10.42	54.00	31.50	34.10	9.76	31.78	389	306 Average	HORIZONTAL	<p align="center">Left blank</p>																																									
IME1	Over	Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
IME1	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																		
1	5110.88	43.58	-10.42	54.00	31.50	34.10	9.76	31.78	389	306 Average	HORIZONTAL																																																														






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Partial 26/4 CH52 5260MHz - L																																																																							
2	Vertical	Fundamental																																																																						
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 107 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5107.52</td> <td>52.99</td> <td>-21.01</td> <td>74.00</td> <td>40.91</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>229 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg			1 5107.52	52.99	-21.01	74.00	40.91	34.10	9.76	31.78	229 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 107 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5254.00</td> <td>104.72</td> <td>36.49</td> <td>68.30</td> <td>92.50</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>229 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5254.00</td> <td>97.76</td> <td>-----</td> <td>-----</td> <td>85.47</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>229 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg			1 5254.00	104.72	36.49	68.30	92.50	34.30	9.86	31.87	229 Peak	VERTICAL	2 5254.00	97.76	-----	-----	85.47	34.30	9.86	31.87	229 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg																																																																	
1 5107.52	52.99	-21.01	74.00	40.91	34.10	9.76	31.78	229 Peak	VERTICAL																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg																																																																	
1 5254.00	104.72	36.49	68.30	92.50	34.30	9.86	31.87	229 Peak	VERTICAL																																																															
2 5254.00	97.76	-----	-----	85.47	34.30	9.86	31.87	229 Average	VERTICAL																																																															
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : FR261401-01 Mode : 107 Plane : 2 Full-directivity : 2 IMEI : 841 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5109.92</td> <td>43.67</td> <td>-10.33</td> <td>54.00</td> <td>31.59</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>229 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg			1 5109.92	43.67	-10.33	54.00	31.59	34.10	9.76	31.78	229 Average	VERTICAL	<p>Left blank</p>																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBm/1m	dB	dBm/1m	dB	dB	cm	deg																																																																	
1 5109.92	43.67	-10.33	54.00	31.59	34.10	9.76	31.78	229 Average	VERTICAL																																																															






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																							
ANT	802.11ax HE20 Partial 26/8 CH64 5320MHz																																																																																							
2	Horizontal	Fundamental																																																																																						
<p>Peak</p>	<p>Site : 03260a-K3 Condition : SG BAND 1-3 @ 3m 3117 SN 00218652- HORIZONTAL Project : RRM-1000, 000MHz, YBR-3000, 000MHz, SRT-Auto Mode : (FR)261401-01 Plane : 108 Full-directivity : 2 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5370.50</td> <td>52.36</td> <td>-21.64</td> <td>74.00</td> <td>39.67</td> <td>34.70</td> <td>9.92</td> <td>31.93</td> <td>397</td> <td>305</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	cm	deg	1	5370.50	52.36	-21.64	74.00	39.67	34.70	9.92	31.93	397	305	Peak	HORIZONTAL	<p>Site : 03260a-K3 Condition : SG BAND 1-3 @ 3m 3117 SN 00218652- HORIZONTAL Project : RRM-1000, 000MHz, YBR-3000, 000MHz, SRT-Auto Mode : (FR)261401-01 Plane : 108 Full-directivity : 2 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5326.00</td> <td>91.90</td> <td>29.40</td> <td>68.30</td> <td>85.37</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>397</td> <td>305</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5326.00</td> <td>91.93</td> <td>-----</td> <td>79.40</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>397</td> <td>305</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	cm	deg	1	5326.00	91.90	29.40	68.30	85.37	34.55	9.89	31.91	397	305	Peak	HORIZONTAL	2	5326.00	91.93	-----	79.40	34.55	9.89	31.91	397	305	Average	HORIZONTAL
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	cm	deg																																																																													
1	5370.50	52.36	-21.64	74.00	39.67	34.70	9.92	31.93	397	305	Peak	HORIZONTAL																																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	cm	deg																																																																													
1	5326.00	91.90	29.40	68.30	85.37	34.55	9.89	31.91	397	305	Peak	HORIZONTAL																																																																												
2	5326.00	91.93	-----	79.40	34.55	9.89	31.91	397	305	Average	HORIZONTAL																																																																													
<p>Avg.</p>	<p>Site : 03260a-K3 Condition : SG BAND 1-3 (AVG) @ 3m 3117 SN 00218652- HORIZONTAL Project : RRM-1000, 000MHz, YBR-1, 800MHz, SRT-Auto Mode : 108 Plane : 2 Full-directivity : 2 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5389.70</td> <td>42.94</td> <td>-11.06</td> <td>54.00</td> <td>30.21</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>397</td> <td>305</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	cm	deg	1	5389.70	42.94	-11.06	54.00	30.21	34.75	9.93	31.95	397	305	Average	HORIZONTAL	<p>Left blank</p>																																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	cm	deg																																																																													
1	5389.70	42.94	-11.06	54.00	30.21	34.75	9.93	31.95	397	305	Average	HORIZONTAL																																																																												



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE20 Partial 26/8 CH64 5320MHz																																																																										
2	Vertical	Fundamental																																																																									
<p>Peak</p>	 <p>Site : 03280a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto FR261401-01 Mode : 108 Plane : 2 Full-directivity IME1 : 441 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5386.80</td> <td>52.25</td> <td>-21.75</td> <td>74.00</td> <td>39.52</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>301</td> <td>231 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5386.80	52.25	-21.75	74.00	39.52	34.75	9.93	31.95	301	231 Peak	VERTICAL	 <p>Site : 03280a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000,000kHz; VBW:3000,000kHz; SMT:Auto FR261401-01 Mode : 108 Plane : 2 Full-directivity IME1 : 441 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5326.00</td> <td>105.41</td> <td>37.11</td> <td>68.30</td> <td>92.88</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>301</td> <td>231 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5326.00</td> <td>98.78</td> <td>-----</td> <td>-----</td> <td>86.25</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>301</td> <td>231 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5326.00	105.41	37.11	68.30	92.88	34.55	9.89	31.91	301	231 Peak	VERTICAL	2 5326.00	98.78	-----	-----	86.25	34.55	9.89	31.91	301	231 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																				
1 5386.80	52.25	-21.75	74.00	39.52	34.75	9.93	31.95	301	231 Peak	VERTICAL																																																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																				
1 * 5326.00	105.41	37.11	68.30	92.88	34.55	9.89	31.91	301	231 Peak	VERTICAL																																																																	
2 5326.00	98.78	-----	-----	86.25	34.55	9.89	31.91	301	231 Average	VERTICAL																																																																	
<p>Avg.</p>	 <p>Site : 03280a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW:1000,000kHz; VBW:1,800kHz; SMT:Auto FR261401-01 Mode : 108 Plane : 2 Full-directivity IME1 : 441 Powersetting : 3.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5382.00</td> <td>43.18</td> <td>-10.82</td> <td>54.00</td> <td>30.45</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>301</td> <td>231 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5382.00	43.18	-10.82	54.00	30.45	34.75	9.93	31.95	301	231 Average	VERTICAL	<p>Left blank</p>																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																				
1 5382.00	43.18	-10.82	54.00	30.45	34.75	9.93	31.95	301	231 Average	VERTICAL																																																																	



UNII-2A 5250~5350MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Partial 52/37 CH52 5260MHz - L																																																																																	
2	Horizontal	Fundamental																																																																																
Peak	 <p>Site : 032904-KS Condition : 5G BAND T-3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 113 Plane : X MEI : full-directivity Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5105.92</td> <td>52.84</td> <td>-21.06</td> <td>74.00</td> <td>40.86</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>391</td> <td>309 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5105.92	52.84	-21.06	74.00	40.86	34.10	9.76	31.78	391	309 Peak	HORIZONTAL	 <p>Site : 032904-KS Condition : 5G BAND T-3 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 113 Plane : X MEI : full-directivity Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5254.00</td> <td>97.75</td> <td>-29.45</td> <td>68.30</td> <td>85.46</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>391</td> <td>309 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>96.89</td> <td></td> <td></td> <td>78.40</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>391</td> <td>309 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5254.00	97.75	-29.45	68.30	85.46	34.30	9.86	31.87	391	309 Peak	HORIZONTAL	2	5254.00	96.89			78.40	34.30	9.86	31.87	391	309 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5105.92	52.84	-21.06	74.00	40.86	34.10	9.76	31.78	391	309 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5254.00	97.75	-29.45	68.30	85.46	34.30	9.86	31.87	391	309 Peak	HORIZONTAL																																																																							
2	5254.00	96.89			78.40	34.30	9.86	31.87	391	309 Average	HORIZONTAL																																																																							
Avg.	 <p>Site : 032904-KS Condition : 5G BAND T-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : FR261401-01 Mode : 113 Plane : X MEI : full-directivity Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.12</td> <td>44.21</td> <td>-9.79</td> <td>54.00</td> <td>32.13</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>391</td> <td>309 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5117.12	44.21	-9.79	54.00	32.13	34.10	9.76	31.78	391	309 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5117.12	44.21	-9.79	54.00	32.13	34.10	9.76	31.78	391	309 Average	HORIZONTAL																																																																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE20 Partial 52/37 CH52 5260MHz - L																																																																																
2	Vertical	Fundamental																																																																															
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto Mode : FR2:261401-01 Plane : 1 Polarization : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5109.28</td> <td>52.66</td> <td>-21.35</td> <td>74.00</td> <td>40.57</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>292</td> <td>229</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5109.28	52.66	-21.35	74.00	40.57	34.10	9.76	31.78	292	229	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto Mode : FR2:261401-01 Plane : 1 Polarization : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5254.00</td> <td>105.38</td> <td>37.08</td> <td>68.30</td> <td>93.09</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>292</td> <td>229</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5254.00</td> <td>99.03</td> <td>-----</td> <td>-----</td> <td>86.74</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>292</td> <td>229</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5254.00	105.38	37.08	68.30	93.09	34.30	9.86	31.87	292	229	Peak	VERTICAL	2	5254.00	99.03	-----	-----	86.74	34.30	9.86	31.87	292	229	Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																										
1	5109.28	52.66	-21.35	74.00	40.57	34.10	9.76	31.78	292	229	Peak	VERTICAL																																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																										
1	5254.00	105.38	37.08	68.30	93.09	34.30	9.86	31.87	292	229	Peak	VERTICAL																																																																					
2	5254.00	99.03	-----	-----	86.74	34.30	9.86	31.87	292	229	Average	VERTICAL																																																																					
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 020806-K3 Condition : 5G BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3, 3000MHz; SRT:Auto Mode : FR2:261401-01 Plane : 1 Polarization : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5120.16</td> <td>44.36</td> <td>-9.64</td> <td>54.00</td> <td>32.29</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>292</td> <td>229</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg			1	5120.16	44.36	-9.64	54.00	32.29	34.10	9.76	31.79	292	229	Average	VERTICAL	<p>Left blank</p>																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																																																										
1	5120.16	44.36	-9.64	54.00	32.29	34.10	9.76	31.79	292	229	Average	VERTICAL																																																																					



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE20 Partial 52/40 CH64 5320MHz																																																																							
2	Horizontal	Fundamental																																																																						
<p>Peak</p>	<p>Site : 03260a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 000MHz YBR 3000 000MHz SRT Auto FR261401-01 Mode : 114 Plane : 2 Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5350.40</td> <td>52.29</td> <td>-21.71</td> <td>74.00</td> <td>39.66</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>324</td> <td>306 Peak HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5350.40	52.29	-21.71	74.00	39.66	34.65	9.91	31.93	324	306 Peak HORIZONT	<p>Site : 03260a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 000MHz YBR 3000 000MHz SRT Auto FR261401-01 Mode : 114 Plane : 2 Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5326.00</td> <td>99.40</td> <td>31.10</td> <td>68.30</td> <td>86.87</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>324</td> <td>306 Peak HORIZONT</td> </tr> <tr> <td>2 5326.00</td> <td>91.76</td> <td>-----</td> <td>-----</td> <td>79.23</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>324</td> <td>306 Average HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5326.00	99.40	31.10	68.30	86.87	34.55	9.89	31.91	324	306 Peak HORIZONT	2 5326.00	91.76	-----	-----	79.23	34.55	9.89	31.91	324	306 Average HORIZONT
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5350.40	52.29	-21.71	74.00	39.66	34.65	9.91	31.93	324	306 Peak HORIZONT																																																															
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5326.00	99.40	31.10	68.30	86.87	34.55	9.89	31.91	324	306 Peak HORIZONT																																																															
2 5326.00	91.76	-----	-----	79.23	34.55	9.89	31.91	324	306 Average HORIZONT																																																															
<p>Avg.</p>	<p>Site : 03260a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000 000MHz YBR 3 3000MHz SRT Auto FR261401-01 Mode : 114 Plane : 2 Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5352.40</td> <td>43.36</td> <td>-10.64</td> <td>54.00</td> <td>30.73</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>324</td> <td>306 Average HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5352.40	43.36	-10.64	54.00	30.73	34.65	9.91	31.93	324	306 Average HORIZONT	<p>Left blank</p>																																								
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5352.40	43.36	-10.64	54.00	30.73	34.65	9.91	31.93	324	306 Average HORIZONT																																																															



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE20 Partial 52/40 CH64 5320MHz																																																																													
2	Vertical	Fundamental																																																																												
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-3 @ 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR0:261401-01 Mode : 114 Plane : 2 Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>52.12</td> <td>-21.88</td> <td>74.00</td> <td>39.49</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>284</td> <td>230 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1	5350.80	52.12	-21.88	74.00	39.49	34.65	9.91	31.93	284	230 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-3 @ 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR0:261401-01 Mode : 114 Plane : 2 Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5326.00</td> <td>105.54</td> <td>37.24</td> <td>68.30</td> <td>93.01</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>284</td> <td>230 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5326.00</td> <td>99.10</td> <td>-----</td> <td>-----</td> <td>86.57</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>284</td> <td>230 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1	5326.00	105.54	37.24	68.30	93.01	34.55	9.89	31.91	284	230 Peak	VERTICAL	2	5326.00	99.10	-----	-----	86.57	34.55	9.89	31.91	284	230 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																																							
1	5350.80	52.12	-21.88	74.00	39.49	34.65	9.91	31.93	284	230 Peak	VERTICAL																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																																							
1	5326.00	105.54	37.24	68.30	93.01	34.55	9.89	31.91	284	230 Peak	VERTICAL																																																																			
2	5326.00	99.10	-----	-----	86.57	34.55	9.89	31.91	284	230 Average	VERTICAL																																																																			
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03260a-K3 Condition : SG BAND 1-3 (AVG) @ 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3, 3000MHz; SRT:Auto FR0:261401-01 Mode : 114 Plane : 2 Full-directivity : Full-directivity IMEI : 841 Powersetting : 6.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.80</td> <td>43.90</td> <td>-10.10</td> <td>54.00</td> <td>31.27</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>284</td> <td>230 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1	5351.80	43.90	-10.10	54.00	31.27	34.65	9.91	31.93	284	230 Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																																							
1	5351.80	43.90	-10.10	54.00	31.27	34.65	9.91	31.93	284	230 Average	VERTICAL																																																																			



UNII-2A 5250~5350MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Partial 106/53 CH52 5260MHz - L																																																																																	
2	Horizontal	Fundamental																																																																																
Peak	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 119 Plane : X IM1 : full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5125.00</td> <td>52.06</td> <td>-21.94</td> <td>74.00</td> <td>39.98</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>347</td> <td>309 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5125.00	52.06	-21.94	74.00	39.98	34.10	9.77	31.79	347	309 Peak	HORIZONTAL	<p>Site : 032000-KS Condition : 5G BAND 1-3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 119 Plane : X IM1 : full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>99.21</td> <td>30.93</td> <td>68.30</td> <td>86.86</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>347</td> <td>309 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5260.00</td> <td>92.88</td> <td></td> <td></td> <td>80.44</td> <td>34.37</td> <td>9.87</td> <td>31.87</td> <td>347</td> <td>309 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5260.00	99.21	30.93	68.30	86.86	34.37	9.87	31.87	347	309 Peak	HORIZONTAL	2	5260.00	92.88			80.44	34.37	9.87	31.87	347	309 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5125.00	52.06	-21.94	74.00	39.98	34.10	9.77	31.79	347	309 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5260.00	99.21	30.93	68.30	86.86	34.37	9.87	31.87	347	309 Peak	HORIZONTAL																																																																							
2	5260.00	92.88			80.44	34.37	9.87	31.87	347	309 Average	HORIZONTAL																																																																							
Avg.	<p>Site : 032000-KS Condition : 5G BAND 1-3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 119 Plane : X IM1 : full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5106.24</td> <td>44.88</td> <td>+9.12</td> <td>54.00</td> <td>32.80</td> <td>34.10</td> <td>9.76</td> <td>31.78</td> <td>347</td> <td>309 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5106.24	44.88	+9.12	54.00	32.80	34.10	9.76	31.78	347	309 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5106.24	44.88	+9.12	54.00	32.80	34.10	9.76	31.78	347	309 Average	HORIZONTAL																																																																							



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE20 Partial 106/53 CH52 5260MHz - L																																																																										
2	Vertical	Fundamental																																																																									
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 032606-K3 Condition: SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project: RRM:1000,0000Hz; VBR:3000,0000Hz; SRT:Auto Mode: (FR)261401-01 Plane: 119 IMEI: Full-directivity Powersetting: 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5138.56</td> <td>52.99</td> <td>-21.01</td> <td>74.00</td> <td>40.91</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>287</td> <td>232 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5138.56	52.99	-21.01	74.00	40.91	34.10	9.77	31.79	287	232 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 032606-K3 Condition: SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project: RRM:1000,0000Hz; VBR:3000,0000Hz; SRT:Auto Mode: (FR)261401-01 Plane: 119 IMEI: Full-directivity Powersetting: 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5254.00</td> <td>106.19</td> <td>37.89</td> <td>68.30</td> <td>93.90</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>287</td> <td>232 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 5254.00</td> <td>98.87</td> <td>-----</td> <td>86.58</td> <td>34.30</td> <td>9.86</td> <td>31.87</td> <td>287</td> <td>232</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 * 5254.00	106.19	37.89	68.30	93.90	34.30	9.86	31.87	287	232 Peak	VERTICAL	2 5254.00	98.87	-----	86.58	34.30	9.86	31.87	287	232	Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																				
1 5138.56	52.99	-21.01	74.00	40.91	34.10	9.77	31.79	287	232 Peak	VERTICAL																																																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																				
1 * 5254.00	106.19	37.89	68.30	93.90	34.30	9.86	31.87	287	232 Peak	VERTICAL																																																																	
2 5254.00	98.87	-----	86.58	34.30	9.86	31.87	287	232	Average	VERTICAL																																																																	
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site: 032606-K3 Condition: SG BAND 1-----3 (WIFI) 3m 3117 SN 00218652- VERTICAL Project: RRM:1000,0000Hz; VBR:3,0000Hz; SRT:Auto Mode: (FR)261401-01 Plane: 119 IMEI: Full-directivity Powersetting: 841</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5140.96</td> <td>45.29</td> <td>-8.71</td> <td>54.00</td> <td>33.20</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>287</td> <td>232 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg			1 5140.96	45.29	-8.71	54.00	33.20	34.10	9.78	31.79	287	232 Average	VERTICAL	<p>Left blank</p>																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																				
1 5140.96	45.29	-8.71	54.00	33.20	34.10	9.78	31.79	287	232 Average	VERTICAL																																																																	



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																									
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																																																									
2	Horizontal	Fundamental																																																																								
<p>Peak</p>	<p>Site : 03260a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 120 Full-directivity : Full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5378.00</td> <td>52.98</td> <td>-21.02</td> <td>74.00</td> <td>40.25</td> <td>34.75</td> <td>9.93</td> <td>31.95</td> <td>396</td> <td>306 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5378.00	52.98	-21.02	74.00	40.25	34.75	9.93	31.95	396	306 Peak	HORIZONTAL	<p>Site : 03260a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 120 Full-directivity : Full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5326.00</td> <td>100.26</td> <td>31.96</td> <td>68.30</td> <td>87.73</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>396</td> <td>306 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5326.00</td> <td>94.71</td> <td>-----</td> <td>82.18</td> <td>34.55</td> <td>9.89</td> <td>31.91</td> <td>396</td> <td>306 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5326.00	100.26	31.96	68.30	87.73	34.55	9.89	31.91	396	306 Peak	HORIZONTAL	2 5326.00	94.71	-----	82.18	34.55	9.89	31.91	396	306 Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 5378.00	52.98	-21.02	74.00	40.25	34.75	9.93	31.95	396	306 Peak	HORIZONTAL																																																																
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 * 5326.00	100.26	31.96	68.30	87.73	34.55	9.89	31.91	396	306 Peak	HORIZONTAL																																																																
2 5326.00	94.71	-----	82.18	34.55	9.89	31.91	396	306 Average	HORIZONTAL																																																																	
<p>Avg.</p>	<p>Site : 03260a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.000MHz YBR 3000.000MHz SRT Auto Mode : FR261401-01 Plane : 120 Full-directivity : Full-directivity Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5396.90</td> <td>44.30</td> <td>-9.70</td> <td>54.00</td> <td>31.51</td> <td>34.80</td> <td>9.94</td> <td>31.95</td> <td>396</td> <td>306 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5396.90	44.30	-9.70	54.00	31.51	34.80	9.94	31.95	396	306 Average	HORIZONTAL	<p>Left blank</p>																																									
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 5396.90	44.30	-9.70	54.00	31.51	34.80	9.94	31.95	396	306 Average	HORIZONTAL																																																																



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																								
ANT	802.11ax HE20 Partial 106/54 CH64 5320MHz																																								
2	Vertical	Fundamental																																							
<p>Peak</p>	<p>Site : 032806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Mode : FPO:261401-01 Plane : 1 MEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5386.50</th> <th>52.40</th> <th>-21.40</th> <th>74.00</th> <th>39.67</th> <th>34.75</th> <th>9.93</th> <th>31.95</th> <th>283</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5386.50	52.40	-21.40	74.00	39.67	34.75	9.93	31.95	283	232	Peak	VERTICAL	<p>Site : 032806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Mode : FPO:261401-01 Plane : 1 MEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5326.00</th> <th>106.22</th> <th>38.02</th> <th>68.30</th> <th>93.79</th> <th>34.55</th> <th>9.89</th> <th>31.91</th> <th>283</th> <th>232</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5326.00</th> <th>190.27</th> <th>-----</th> <th>-----</th> <th>87.74</th> <th>34.55</th> <th>9.89</th> <th>31.91</th> <th>283</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5326.00	106.22	38.02	68.30	93.79	34.55	9.89	31.91	283	232	Peak	VERTICAL	2	5326.00	190.27	-----	-----	87.74	34.55	9.89	31.91	283	232	Average	VERTICAL
1	5386.50	52.40	-21.40	74.00	39.67	34.75	9.93	31.95	283	232	Peak	VERTICAL																													
1	5326.00	106.22	38.02	68.30	93.79	34.55	9.89	31.91	283	232	Peak	VERTICAL																													
2	5326.00	190.27	-----	-----	87.74	34.55	9.89	31.91	283	232	Average	VERTICAL																													
<p>Avg.</p>	<p>Site : 032806-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Mode : FPO:261401-01 Plane : 1 MEI : Full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>1</th> <th>5382.50</th> <th>44.85</th> <th>+9.15</th> <th>54.00</th> <th>32.22</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>283</th> <th>232</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5382.50	44.85	+9.15	54.00	32.22	34.65	9.91	31.93	283	232	Average	VERTICAL	<p>Left blank</p>																										
1	5382.50	44.85	+9.15	54.00	32.22	34.65	9.91	31.93	283	232	Average	VERTICAL																													



UNII-2A 5250~5350MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																										
ANT	802.11ax HE40 Full CH54 5270 - L																																																																										
2	Horizontal	Fundamental																																																																									
Peak	<p>Site : 032000-KS Condition : SG BAND T-----3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 125 Plane : X IME1 : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Powersetting</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5131.52</td> <td>52.74</td> <td>-21.26</td> <td>74.00</td> <td>40.66</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>346</td> <td>312</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Powersetting	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Powersetting	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	5131.52	52.74	-21.26	74.00	40.66	34.10	9.77	31.79	346	312	Peak	HORIZONTAL	<p>Site : 032000-KS Condition : SG BAND T-----3 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 125 Plane : X IME1 : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Powersetting</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5272.00</td> <td>102.38</td> <td>34.08</td> <td>68.30</td> <td>90.02</td> <td>34.37</td> <td>9.87</td> <td>31.88</td> <td>346</td> <td>312</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5272.00</td> <td>19.35</td> <td>80.99</td> <td>24.37</td> <td>9.87</td> <td>31.88</td> <td>346</td> <td>312</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Powersetting	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Powersetting	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	5272.00	102.38	34.08	68.30	90.02	34.37	9.87	31.88	346	312	Peak	HORIZONTAL	2	5272.00	19.35	80.99	24.37	9.87	31.88	346	312	Average	HORIZONTAL
IME1	Powersetting	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
IME1	Powersetting	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																			
1	5131.52	52.74	-21.26	74.00	40.66	34.10	9.77	31.79	346	312	Peak	HORIZONTAL																																																															
IME1	Powersetting	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
IME1	Powersetting	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																			
1	5272.00	102.38	34.08	68.30	90.02	34.37	9.87	31.88	346	312	Peak	HORIZONTAL																																																															
2	5272.00	19.35	80.99	24.37	9.87	31.88	346	312	Average	HORIZONTAL																																																																	
Avg.	<p>Site : 032000-KS Condition : SG BAND T-----3 (AVG) 3m 3117 SN 00218602- HORIZONTAL Project : FR261401-01 Mode : 125 Plane : X IME1 : full-directivity Powersetting : #41</p> <table border="1"> <thead> <tr> <th>IME1</th> <th>Powersetting</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Presamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>IME1</th> <th>Powersetting</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5119.04</td> <td>42.58</td> <td>-11.42</td> <td>54.00</td> <td>30.51</td> <td>34.10</td> <td>9.76</td> <td>31.79</td> <td>346</td> <td>312</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IME1	Powersetting	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas	IME1	Powersetting	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1	5119.04	42.58	-11.42	54.00	30.51	34.10	9.76	31.79	346	312	Average	HORIZONTAL	Left blank																																										
IME1	Powersetting	Over Limit	ReadAntenna	Cable Presamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
IME1	Powersetting	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																			
1	5119.04	42.58	-11.42	54.00	30.51	34.10	9.76	31.79	346	312	Average	HORIZONTAL																																																															





WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Full CH54 5270 - R														
2	Horizontal	Fundamental													
<p>Peak</p>	<p>Site : 03280a-K3 Condition : SG BAND 1-3 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 000MHz YBR 3000, 000MHz SRT Auto Mode : FR261401-01 Plane : 125 MEI : Full-directivity PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.80</th> <th>52.86</th> <th>-21.14</th> <th>74.00</th> <th>40.23</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>346</th> <th>312</th> <th>Peak</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5350.80	52.86	-21.14	74.00	40.23	34.65	0.91	31.93	346	312	Peak	HORIZONTAL	<p>Left blank</p>
1	5350.80	52.86	-21.14	74.00	40.23	34.65	0.91	31.93	346	312	Peak	HORIZONTAL			
<p>Avg.</p>	<p>Site : 03280a-K3 Condition : SG BAND 1-3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RBW 1000, 000MHz YBR 0, 0100MHz SRT Auto Mode : FR261401-01 Plane : 125 MEI : Full-directivity PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.20</th> <th>43.12</th> <th>-10.88</th> <th>54.00</th> <th>30.49</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>346</th> <th>312</th> <th>Average</th> <th>HORIZONTAL</th> </tr> </thead> </table>	1	5350.20	43.12	-10.88	54.00	30.49	34.65	0.91	31.93	346	312	Average	HORIZONTAL	<p>Left blank</p>
1	5350.20	43.12	-10.88	54.00	30.49	34.65	0.91	31.93	346	312	Average	HORIZONTAL			






WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																																														
ANT	802.11ax HE40 Full CH54 5270 - L																																																																																														
2	Vertical	Fundamental																																																																																													
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280A-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 125 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5126.72</td> <td>53.00</td> <td>-21.00</td> <td>74.00</td> <td>40.92</td> <td>34.10</td> <td>9.77</td> <td>31.79</td> <td>271</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	1	5126.72	53.00	-21.00	74.00	40.92	34.10	9.77	31.79	271	233	Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280A-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:3000, 000MHz; SRT:Auto FR261401-01 Mode : 125 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>108.15</td> <td>39.85</td> <td>68.30</td> <td>95.72</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>271</td> <td>233</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>99.93</td> <td>-----</td> <td>-----</td> <td>67.50</td> <td>34.43</td> <td>9.88</td> <td>31.88</td> <td>271</td> <td>233</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	1	5290.00	108.15	39.85	68.30	95.72	34.43	9.88	31.88	271	233	Peak	VERTICAL	2	5290.00	99.93	-----	-----	67.50	34.43	9.88	31.88	271	233	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																																																							
dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg																																																																																							
1	5126.72	53.00	-21.00	74.00	40.92	34.10	9.77	31.79	271	233	Peak	VERTICAL																																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																																																							
dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg																																																																																							
1	5290.00	108.15	39.85	68.30	95.72	34.43	9.88	31.88	271	233	Peak	VERTICAL																																																																																			
2	5290.00	99.93	-----	-----	67.50	34.43	9.88	31.88	271	233	Average	VERTICAL																																																																																			
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03280A-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RRM:1000, 000MHz; YBR:0, 0100MHz; SRT:Auto FR261401-01 Mode : 125 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.32</td> <td>43.02</td> <td>-10.99</td> <td>54.00</td> <td>30.95</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>271</td> <td>233</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	Level	Level	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg	1	5148.32	43.02	-10.99	54.00	30.95	34.10	9.78	31.81	271	233	Average	VERTICAL	<p>Left blank</p>																																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Level	Level	Level	Level	Level	Level	Level	Level	Level																																																																																							
dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	deg																																																																																							
1	5148.32	43.02	-10.99	54.00	30.95	34.10	9.78	31.81	271	233	Average	VERTICAL																																																																																			



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m														
ANT	802.11ax HE40 Full CH54 5270 - R														
2	Vertical	Fundamental													
<p>Peak</p>	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz YBR 3000.0000Hz SRT Auto Mode : FR261401-01 Plane : 125 MEI : Full-directivity Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5355.10</th> <th>61.17</th> <th>-12.83</th> <th>74.00</th> <th>48.54</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>271</th> <th>233</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5355.10	61.17	-12.83	74.00	48.54	34.65	0.91	31.93	271	233	Peak	VERTICAL	<p>Left blank</p>
1	5355.10	61.17	-12.83	74.00	48.54	34.65	0.91	31.93	271	233	Peak	VERTICAL			
<p>Avg.</p>	 <p>Site : 03200a-K3 Condition : SG BAND 1---3 (AVG) 3m 3117 SN 00218652- VERTICAL Project : RBW 1000.0000Hz YBR 0.01000Hz SRT Auto Mode : FR261401-01 Plane : 125 MEI : Full-directivity Powersetting : 441</p> <table border="1"> <thead> <tr> <th>1</th> <th>5350.00</th> <th>47.22</th> <th>-6.78</th> <th>54.00</th> <th>34.59</th> <th>34.65</th> <th>0.91</th> <th>31.93</th> <th>271</th> <th>233</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5350.00	47.22	-6.78	54.00	34.59	34.65	0.91	31.93	271	233	Average	VERTICAL	<p>Left blank</p>
1	5350.00	47.22	-6.78	54.00	34.59	34.65	0.91	31.93	271	233	Average	VERTICAL			



WIFI	UNII-2A 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ax HE40 Full CH62 5310 - L																																																																							
2	Horizontal	Fundamental																																																																						
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : 126 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5147.20</td> <td>53.54</td> <td>-20.46</td> <td>74.00</td> <td>41.47</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>400 285 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5147.20	53.54	-20.46	74.00	41.47	34.10	9.78	31.81	400 285 Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032806-K3 Condition : SG BAND 1-----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:3000,000kHz; SRT:Auto FR261401-01 Mode : 126 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5314.00</td> <td>102.07</td> <td>33.77</td> <td>68.30</td> <td>89.53</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>400 285 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 5314.00</td> <td>94.10</td> <td>-----</td> <td>-----</td> <td>81.56</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>400 285 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 * 5314.00	102.07	33.77	68.30	89.53	34.55	9.89	31.90	400 285 Peak	HORIZONTAL	2 5314.00	94.10	-----	-----	81.56	34.55	9.89	31.90	400 285 Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5147.20	53.54	-20.46	74.00	41.47	34.10	9.78	31.81	400 285 Peak	HORIZONTAL																																																															
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 * 5314.00	102.07	33.77	68.30	89.53	34.55	9.89	31.90	400 285 Peak	HORIZONTAL																																																															
2 5314.00	94.10	-----	-----	81.56	34.55	9.89	31.90	400 285 Average	HORIZONTAL																																																															
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032806-K3 Condition : SG BAND 1-----3 (AVG) 3m 3117 SN 00218652- HORIZONTAL Project : RRM:1000,000kHz; YBR:0,01000kHz; SRT:Auto FR261401-01 Mode : 126 Plane : 2 Full-directivity IME1 : 441 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5100.16</td> <td>42.54</td> <td>-11.46</td> <td>54.00</td> <td>30.48</td> <td>34.10</td> <td>9.74</td> <td>31.78</td> <td>400 285 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 5100.16	42.54	-11.46	54.00	30.48	34.10	9.74	31.78	400 285 Average	HORIZONTAL	<p>Left blank</p>																																								
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																	
1 5100.16	42.54	-11.46	54.00	30.48	34.10	9.74	31.78	400 285 Average	HORIZONTAL																																																															