



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11a CH60 5300MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 21 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 120034-01 Mode : Mode 5 MEI : #92 G0E022G02105001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8400.00</td> <td>49.20</td> <td>-24.00</td> <td>74.00</td> <td>61.51</td> <td>35.00</td> <td>10.00</td> <td>50.91</td> <td>100</td> <td>82 Peak</td> </tr> <tr> <td>2</td> <td>10000.00</td> <td>51.94</td> <td>-22.00</td> <td>74.00</td> <td>62.68</td> <td>37.42</td> <td>11.00</td> <td>59.94</td> <td>100</td> <td>245 Peak</td> </tr> <tr> <td>3</td> <td>10000.00</td> <td>46.12</td> <td>-7.00</td> <td>54.00</td> <td>56.78</td> <td>37.42</td> <td>11.00</td> <td>59.94</td> <td>100</td> <td>245 Average</td> </tr> <tr> <td>4</td> <td>12000.00</td> <td>50.31</td> <td>-23.00</td> <td>74.00</td> <td>54.32</td> <td>40.42</td> <td>10.00</td> <td>59.22</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8400.00	49.20	-24.00	74.00	61.51	35.00	10.00	50.91	100	82 Peak	2	10000.00	51.94	-22.00	74.00	62.68	37.42	11.00	59.94	100	245 Peak	3	10000.00	46.12	-7.00	54.00	56.78	37.42	11.00	59.94	100	245 Average	4	12000.00	50.31	-23.00	74.00	54.32	40.42	10.00	59.22	---	Peak	<p>Date: 22 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 120034-01 Mode : Mode 5 MEI : #92 G0E022G02105001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8400.00</td> <td>49.10</td> <td>-24.00</td> <td>74.00</td> <td>63.41</td> <td>35.00</td> <td>10.00</td> <td>50.91</td> <td>100</td> <td>63 Peak</td> </tr> <tr> <td>2</td> <td>10000.00</td> <td>55.15</td> <td>-18.00</td> <td>74.00</td> <td>65.91</td> <td>37.42</td> <td>11.00</td> <td>59.94</td> <td>100</td> <td>255 Peak</td> </tr> <tr> <td>3</td> <td>10000.00</td> <td>47.24</td> <td>-7.70</td> <td>54.00</td> <td>57.90</td> <td>37.42</td> <td>11.00</td> <td>59.94</td> <td>100</td> <td>255 Average</td> </tr> <tr> <td>4</td> <td>12000.00</td> <td>50.17</td> <td>-23.00</td> <td>74.00</td> <td>54.14</td> <td>40.42</td> <td>10.00</td> <td>59.22</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8400.00	49.10	-24.00	74.00	63.41	35.00	10.00	50.91	100	63 Peak	2	10000.00	55.15	-18.00	74.00	65.91	37.42	11.00	59.94	100	255 Peak	3	10000.00	47.24	-7.70	54.00	57.90	37.42	11.00	59.94	100	255 Average	4	12000.00	50.17	-23.00	74.00	54.14	40.42	10.00	59.22	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	8400.00	49.20	-24.00	74.00	61.51	35.00	10.00	50.91	100	82 Peak																																																																																																																								
2	10000.00	51.94	-22.00	74.00	62.68	37.42	11.00	59.94	100	245 Peak																																																																																																																								
3	10000.00	46.12	-7.00	54.00	56.78	37.42	11.00	59.94	100	245 Average																																																																																																																								
4	12000.00	50.31	-23.00	74.00	54.32	40.42	10.00	59.22	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	8400.00	49.10	-24.00	74.00	63.41	35.00	10.00	50.91	100	63 Peak																																																																																																																								
2	10000.00	55.15	-18.00	74.00	65.91	37.42	11.00	59.94	100	255 Peak																																																																																																																								
3	10000.00	47.24	-7.70	54.00	57.90	37.42	11.00	59.94	100	255 Average																																																																																																																								
4	12000.00	50.17	-23.00	74.00	54.14	40.42	10.00	59.22	---	Peak																																																																																																																								



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																											
ANT	802.11a CH64 5320MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150034-01 Mode : Mode 6 MEI : #07 G0202002105001H Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10648.00</td> <td>53.26</td> <td>-20.74</td> <td>74.00</td> <td>63.75</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>150 Peak</td> </tr> <tr> <td>2</td> <td>10648.00</td> <td>45.00</td> <td>-8.25</td> <td>54.00</td> <td>55.57</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>150 Average</td> </tr> <tr> <td>3</td> <td>15908.00</td> <td>59.75</td> <td>-23.25</td> <td>74.00</td> <td>54.82</td> <td>49.47</td> <td>14.89</td> <td>59.43</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10648.00	53.26	-20.74	74.00	63.75	37.47	11.83	59.79	100	150 Peak	2	10648.00	45.00	-8.25	54.00	55.57	37.47	11.83	59.79	100	150 Average	3	15908.00	59.75	-23.25	74.00	54.82	49.47	14.89	59.43	---	Peak	<p>Date: 18</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150034-01 Mode : Mode 6 MEI : #07 G0202002105001H Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10648.00</td> <td>57.63</td> <td>-16.37</td> <td>74.00</td> <td>68.12</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>121 Peak</td> </tr> <tr> <td>2</td> <td>10648.00</td> <td>48.25</td> <td>-5.97</td> <td>54.00</td> <td>59.42</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100</td> <td>121 Average</td> </tr> <tr> <td>3</td> <td>15908.00</td> <td>59.13</td> <td>-23.87</td> <td>74.00</td> <td>54.28</td> <td>49.47</td> <td>14.89</td> <td>59.43</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10648.00	57.63	-16.37	74.00	68.12	37.47	11.83	59.79	100	121 Peak	2	10648.00	48.25	-5.97	54.00	59.42	37.47	11.83	59.79	100	121 Average	3	15908.00	59.13	-23.87	74.00	54.28	49.47	14.89	59.43	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	10648.00	53.26	-20.74	74.00	63.75	37.47	11.83	59.79	100	150 Peak																																																																																																		
2	10648.00	45.00	-8.25	54.00	55.57	37.47	11.83	59.79	100	150 Average																																																																																																		
3	15908.00	59.75	-23.25	74.00	54.82	49.47	14.89	59.43	---	Peak																																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	10648.00	57.63	-16.37	74.00	68.12	37.47	11.83	59.79	100	121 Peak																																																																																																		
2	10648.00	48.25	-5.97	54.00	59.42	37.47	11.83	59.79	100	121 Average																																																																																																		
3	15908.00	59.13	-23.87	74.00	54.28	49.47	14.89	59.43	---	Peak																																																																																																		



**U-NII-2A 5250~5350MHz  
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																																																																	
ANT	802.11n HT20 CH52 5260MHz																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																
<b>Peak</b> <b>Avg.</b>	<p>Date: 21 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 13 IMEI : #92 G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8414.00</td> <td>48.48</td> <td>-25.52</td> <td>74.00</td> <td>68.79</td> <td>35.82</td> <td>18.82</td> <td>58.95</td> <td>100</td> <td>47</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>18928.00</td> <td>49.24</td> <td>-19.84</td> <td>68.38</td> <td>68.59</td> <td>37.32</td> <td>11.65</td> <td>68.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>52.29</td> <td>-11.71</td> <td>74.00</td> <td>56.24</td> <td>48.32</td> <td>14.78</td> <td>59.85</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15780.00</td> <td>47.74</td> <td>-6.26</td> <td>54.00</td> <td>51.69</td> <td>48.32</td> <td>14.78</td> <td>59.85</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	1	8414.00	48.48	-25.52	74.00	68.79	35.82	18.82	58.95	100	47	Peak	2	18928.00	49.24	-19.84	68.38	68.59	37.32	11.65	68.32	---	---	Peak	3	15780.00	52.29	-11.71	74.00	56.24	48.32	14.78	59.85	100	25	Peak	4	15780.00	47.74	-6.26	54.00	51.69	48.32	14.78	59.85	100	25	Average	<p>Date: 22 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100934-01 Mode : Mode 13 IMEI : #92 G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8414.00</td> <td>48.93</td> <td>-25.07</td> <td>74.00</td> <td>61.24</td> <td>35.82</td> <td>18.82</td> <td>58.95</td> <td>100</td> <td>62</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>18928.00</td> <td>47.15</td> <td>-11.15</td> <td>68.38</td> <td>68.58</td> <td>37.32</td> <td>11.65</td> <td>68.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>51.65</td> <td>-21.32</td> <td>74.00</td> <td>55.93</td> <td>48.32</td> <td>14.78</td> <td>59.85</td> <td>100</td> <td>128</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15780.00</td> <td>47.25</td> <td>-6.75</td> <td>54.00</td> <td>51.28</td> <td>48.32</td> <td>14.78</td> <td>59.85</td> <td>100</td> <td>128</td> <td>Average</td> </tr> </tbody> </table>	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	1	8414.00	48.93	-25.07	74.00	61.24	35.82	18.82	58.95	100	62	Peak	2	18928.00	47.15	-11.15	68.38	68.58	37.32	11.65	68.32	---	---	Peak	3	15780.00	51.65	-21.32	74.00	55.93	48.32	14.78	59.85	100	128	Peak	4	15780.00	47.25	-6.75	54.00	51.28	48.32	14.78	59.85	100	128	Average
Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																											
Freq	Level	Level	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm																																																																																																																																											
1	8414.00	48.48	-25.52	74.00	68.79	35.82	18.82	58.95	100	47	Peak																																																																																																																																							
2	18928.00	49.24	-19.84	68.38	68.59	37.32	11.65	68.32	---	---	Peak																																																																																																																																							
3	15780.00	52.29	-11.71	74.00	56.24	48.32	14.78	59.85	100	25	Peak																																																																																																																																							
4	15780.00	47.74	-6.26	54.00	51.69	48.32	14.78	59.85	100	25	Average																																																																																																																																							
Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																											
Freq	Level	Level	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm																																																																																																																																											
1	8414.00	48.93	-25.07	74.00	61.24	35.82	18.82	58.95	100	62	Peak																																																																																																																																							
2	18928.00	47.15	-11.15	68.38	68.58	37.32	11.65	68.32	---	---	Peak																																																																																																																																							
3	15780.00	51.65	-21.32	74.00	55.93	48.32	14.78	59.85	100	128	Peak																																																																																																																																							
4	15780.00	47.25	-6.75	54.00	51.28	48.32	14.78	59.85	100	128	Average																																																																																																																																							



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																																										
ANT	802.11n HT20 CH60 5300MHz																																																																																																																										
1	Horizontal	Vertical																																																																																																																									
Peak Avg.	<p>Date: 21 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 14 MEI : #92 G0B22G02160001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8480.00</td> <td>48.50</td> <td>-25.50</td> <td>74.00</td> <td>69.81</td> <td>35.80</td> <td>10.80</td> <td>58.91</td> <td>100</td> <td>72 Peak</td> </tr> <tr> <td>2</td> <td>18000.00</td> <td>48.49</td> <td>-25.51</td> <td>74.00</td> <td>59.15</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>125</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>48.72</td> <td>-25.28</td> <td>74.00</td> <td>52.73</td> <td>49.42</td> <td>14.86</td> <td>59.29</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8480.00	48.50	-25.50	74.00	69.81	35.80	10.80	58.91	100	72 Peak	2	18000.00	48.49	-25.51	74.00	59.15	37.42	11.86	59.94	125	Peak	3	15900.00	48.72	-25.28	74.00	52.73	49.42	14.86	59.29	---	Peak	<p>Date: 22 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 14 MEI : #92 G0B22G02160001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8480.00</td> <td>47.85</td> <td>-26.15</td> <td>74.00</td> <td>69.16</td> <td>35.80</td> <td>10.80</td> <td>58.91</td> <td>100</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>18000.00</td> <td>53.86</td> <td>-20.56</td> <td>74.00</td> <td>62.78</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>125</td> <td>215 Peak</td> </tr> <tr> <td>3</td> <td>18000.00</td> <td>48.74</td> <td>-25.24</td> <td>74.00</td> <td>57.42</td> <td>37.42</td> <td>11.86</td> <td>59.94</td> <td>125</td> <td>215 Average</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>48.14</td> <td>-25.86</td> <td>74.00</td> <td>52.15</td> <td>49.42</td> <td>14.86</td> <td>59.29</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8480.00	47.85	-26.15	74.00	69.16	35.80	10.80	58.91	100	126 Peak	2	18000.00	53.86	-20.56	74.00	62.78	37.42	11.86	59.94	125	215 Peak	3	18000.00	48.74	-25.24	74.00	57.42	37.42	11.86	59.94	125	215 Average	4	15900.00	48.14	-25.86	74.00	52.15	49.42	14.86	59.29	---	Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8480.00	48.50	-25.50	74.00	69.81	35.80	10.80	58.91	100	72 Peak																																																																																																																	
2	18000.00	48.49	-25.51	74.00	59.15	37.42	11.86	59.94	125	Peak																																																																																																																	
3	15900.00	48.72	-25.28	74.00	52.73	49.42	14.86	59.29	---	Peak																																																																																																																	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8480.00	47.85	-26.15	74.00	69.16	35.80	10.80	58.91	100	126 Peak																																																																																																																	
2	18000.00	53.86	-20.56	74.00	62.78	37.42	11.86	59.94	125	215 Peak																																																																																																																	
3	18000.00	48.74	-25.24	74.00	57.42	37.42	11.86	59.94	125	215 Average																																																																																																																	
4	15900.00	48.14	-25.86	74.00	52.15	49.42	14.86	59.29	---	Peak																																																																																																																	



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																															
ANT	802.11n HT20 CH64 5320MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Date: 17 Level (dBuV/m) Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 15 MEI : #67 G0B22G02160001H Plane : Y with Accessory MCSO PowerSelling 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8513.00</td> <td>47.34</td> <td>-20.96</td> <td>60.30</td> <td>59.68</td> <td>35.81</td> <td>10.80</td> <td>58.87</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>18648.00</td> <td>46.83</td> <td>-21.99</td> <td>74.00</td> <td>58.58</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>49.50</td> <td>-24.59</td> <td>74.00</td> <td>53.57</td> <td>40.47</td> <td>14.89</td> <td>59.43</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8513.00	47.34	-20.96	60.30	59.68	35.81	10.80	58.87	--- Peak	2	18648.00	46.83	-21.99	74.00	58.58	37.47	11.83	59.79	--- Peak	3	15960.00	49.50	-24.59	74.00	53.57	40.47	14.89	59.43	--- Peak	<p>Date: 18 Level (dBuV/m) Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 15 MEI : #67 G0B22G02160001H Plane : Y with Accessory MCSO PowerSelling 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8513.00</td> <td>47.73</td> <td>-20.57</td> <td>60.30</td> <td>59.99</td> <td>35.81</td> <td>10.80</td> <td>58.87</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>18648.00</td> <td>45.48</td> <td>-23.52</td> <td>74.00</td> <td>62.38</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100 215 Peak</td> </tr> <tr> <td>3</td> <td>18648.00</td> <td>46.26</td> <td>-23.74</td> <td>54.88</td> <td>56.75</td> <td>37.47</td> <td>11.83</td> <td>59.79</td> <td>100 215 Average</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>49.49</td> <td>-24.52</td> <td>74.00</td> <td>53.56</td> <td>40.47</td> <td>14.89</td> <td>59.43</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8513.00	47.73	-20.57	60.30	59.99	35.81	10.80	58.87	--- Peak	2	18648.00	45.48	-23.52	74.00	62.38	37.47	11.83	59.79	100 215 Peak	3	18648.00	46.26	-23.74	54.88	56.75	37.47	11.83	59.79	100 215 Average	4	15960.00	49.49	-24.52	74.00	53.56	40.47	14.89	59.43	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	8513.00	47.34	-20.96	60.30	59.68	35.81	10.80	58.87	--- Peak																																																																																																							
2	18648.00	46.83	-21.99	74.00	58.58	37.47	11.83	59.79	--- Peak																																																																																																							
3	15960.00	49.50	-24.59	74.00	53.57	40.47	14.89	59.43	--- Peak																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	8513.00	47.73	-20.57	60.30	59.99	35.81	10.80	58.87	--- Peak																																																																																																							
2	18648.00	45.48	-23.52	74.00	62.38	37.47	11.83	59.79	100 215 Peak																																																																																																							
3	18648.00	46.26	-23.74	54.88	56.75	37.47	11.83	59.79	100 215 Average																																																																																																							
4	15960.00	49.49	-24.52	74.00	53.56	40.47	14.89	59.43	--- Peak																																																																																																							



**U-NII-2A 5250~5350MHz  
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																											
ANT	802.11n HT40 CH54 5270																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 21 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 21 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8331.50</td> <td>47.23</td> <td>-26.77</td> <td>74.00</td> <td>59.60</td> <td>35.83</td> <td>18.88</td> <td>59.00</td> <td>100</td> <td>136 Peak</td> </tr> <tr> <td>2</td> <td>18548.00</td> <td>48.84</td> <td>-28.26</td> <td>68.38</td> <td>59.26</td> <td>37.34</td> <td>11.69</td> <td>60.25</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12510.00</td> <td>49.37</td> <td>-31.63</td> <td>74.00</td> <td>53.33</td> <td>48.25</td> <td>16.81</td> <td>59.12</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8331.50	47.23	-26.77	74.00	59.60	35.83	18.88	59.00	100	136 Peak	2	18548.00	48.84	-28.26	68.38	59.26	37.34	11.69	60.25	---	Peak	3	12510.00	49.37	-31.63	74.00	53.33	48.25	16.81	59.12	---	Peak	<p>Date: 22 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100934-01 Mode : Mode 21 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8430.50</td> <td>47.89</td> <td>-26.11</td> <td>74.00</td> <td>60.21</td> <td>35.81</td> <td>18.81</td> <td>58.94</td> <td>100</td> <td>33 Peak</td> </tr> <tr> <td>2</td> <td>18548.00</td> <td>52.12</td> <td>-16.18</td> <td>68.38</td> <td>63.34</td> <td>37.34</td> <td>11.69</td> <td>60.25</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12510.00</td> <td>49.86</td> <td>-24.14</td> <td>74.00</td> <td>55.82</td> <td>48.25</td> <td>16.81</td> <td>59.12</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8430.50	47.89	-26.11	74.00	60.21	35.81	18.81	58.94	100	33 Peak	2	18548.00	52.12	-16.18	68.38	63.34	37.34	11.69	60.25	---	Peak	3	12510.00	49.86	-24.14	74.00	55.82	48.25	16.81	59.12	---	Peak
	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	8331.50	47.23	-26.77	74.00	59.60	35.83	18.88	59.00	100	136 Peak																																																																																																		
2	18548.00	48.84	-28.26	68.38	59.26	37.34	11.69	60.25	---	Peak																																																																																																		
3	12510.00	49.37	-31.63	74.00	53.33	48.25	16.81	59.12	---	Peak																																																																																																		
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	8430.50	47.89	-26.11	74.00	60.21	35.81	18.81	58.94	100	33 Peak																																																																																																		
2	18548.00	52.12	-16.18	68.38	63.34	37.34	11.69	60.25	---	Peak																																																																																																		
3	12510.00	49.86	-24.14	74.00	55.82	48.25	16.81	59.12	---	Peak																																																																																																		



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																																										
ANT	802.11n HT40 CH62 5310																																																																																																																										
1	Horizontal	Vertical																																																																																																																									
Peak Avg.	<p>Date: 21 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 22 MEI : #92 G0B22G02160001G Plane : Y with Accessory</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8496.08</td> <td>47.58</td> <td>-25.58</td> <td>74.00</td> <td>59.88</td> <td>35.88</td> <td>18.88</td> <td>58.98</td> <td>100</td> <td>69 Peak</td> </tr> <tr> <td>2</td> <td>18628.08</td> <td>47.86</td> <td>-25.94</td> <td>74.00</td> <td>57.64</td> <td>37.44</td> <td>11.85</td> <td>59.87</td> <td>100</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>15936.08</td> <td>49.08</td> <td>-24.48</td> <td>74.00</td> <td>53.64</td> <td>48.44</td> <td>14.88</td> <td>59.36</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8496.08	47.58	-25.58	74.00	59.88	35.88	18.88	58.98	100	69 Peak	2	18628.08	47.86	-25.94	74.00	57.64	37.44	11.85	59.87	100	--- Peak	3	15936.08	49.08	-24.48	74.00	53.64	48.44	14.88	59.36	---	--- Peak	<p>Date: 22 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 22 MEI : #92 G0B22G02160001G Plane : Y with Accessory</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8496.08</td> <td>48.22</td> <td>-25.78</td> <td>74.00</td> <td>68.52</td> <td>35.88</td> <td>18.88</td> <td>58.98</td> <td>100</td> <td>155 Peak</td> </tr> <tr> <td>2</td> <td>18628.08</td> <td>53.82</td> <td>-20.98</td> <td>74.00</td> <td>62.88</td> <td>37.44</td> <td>11.85</td> <td>59.87</td> <td>100</td> <td>211 Peak</td> </tr> <tr> <td>3</td> <td>18628.08</td> <td>48.24</td> <td>-25.76</td> <td>74.00</td> <td>56.82</td> <td>37.44</td> <td>11.85</td> <td>59.87</td> <td>100</td> <td>211 Average</td> </tr> <tr> <td>4</td> <td>15936.08</td> <td>49.38</td> <td>-24.78</td> <td>74.00</td> <td>53.34</td> <td>48.44</td> <td>14.88</td> <td>59.36</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8496.08	48.22	-25.78	74.00	68.52	35.88	18.88	58.98	100	155 Peak	2	18628.08	53.82	-20.98	74.00	62.88	37.44	11.85	59.87	100	211 Peak	3	18628.08	48.24	-25.76	74.00	56.82	37.44	11.85	59.87	100	211 Average	4	15936.08	49.38	-24.78	74.00	53.34	48.44	14.88	59.36	---	--- Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8496.08	47.58	-25.58	74.00	59.88	35.88	18.88	58.98	100	69 Peak																																																																																																																	
2	18628.08	47.86	-25.94	74.00	57.64	37.44	11.85	59.87	100	--- Peak																																																																																																																	
3	15936.08	49.08	-24.48	74.00	53.64	48.44	14.88	59.36	---	--- Peak																																																																																																																	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8496.08	48.22	-25.78	74.00	68.52	35.88	18.88	58.98	100	155 Peak																																																																																																																	
2	18628.08	53.82	-20.98	74.00	62.88	37.44	11.85	59.87	100	211 Peak																																																																																																																	
3	18628.08	48.24	-25.76	74.00	56.82	37.44	11.85	59.87	100	211 Average																																																																																																																	
4	15936.08	49.38	-24.78	74.00	53.34	48.44	14.88	59.36	---	--- Peak																																																																																																																	






**U-NII-2A 5250~5350MHz  
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																																						
ANT	802.11ac VHT80 CH58 5290MHz																																																																																																																						
1	Horizontal	Vertical																																																																																																																					
<b>Peak</b> <b>Avg.</b>	<p>Date: 21 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 27 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8463.50</td> <td>47.32</td> <td>-26.68</td> <td>74.00</td> <td>59.62</td> <td>35.81</td> <td>18.83</td> <td>58.92</td> <td>100</td> <td>69 Peak</td> </tr> <tr> <td>2</td> <td>18958.00</td> <td>46.78</td> <td>-21.52</td> <td>68.30</td> <td>57.58</td> <td>37.40</td> <td>11.82</td> <td>60.82</td> <td>---</td> <td>156 Peak</td> </tr> <tr> <td>3</td> <td>15879.00</td> <td>51.25</td> <td>-21.05</td> <td>74.00</td> <td>55.36</td> <td>48.40</td> <td>14.05</td> <td>59.26</td> <td>---</td> <td>122 Peak</td> </tr> <tr> <td>4</td> <td>15879.00</td> <td>47.05</td> <td>-6.35</td> <td>54.00</td> <td>51.66</td> <td>48.40</td> <td>14.05</td> <td>59.26</td> <td>---</td> <td>158 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8463.50	47.32	-26.68	74.00	59.62	35.81	18.83	58.92	100	69 Peak	2	18958.00	46.78	-21.52	68.30	57.58	37.40	11.82	60.82	---	156 Peak	3	15879.00	51.25	-21.05	74.00	55.36	48.40	14.05	59.26	---	122 Peak	4	15879.00	47.05	-6.35	54.00	51.66	48.40	14.05	59.26	---	158 Average	<p>Date: 22 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 100934-01 Mode : Mode 27 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8463.50</td> <td>49.19</td> <td>-24.81</td> <td>74.00</td> <td>61.49</td> <td>35.81</td> <td>18.81</td> <td>58.92</td> <td>100</td> <td>135 Peak</td> </tr> <tr> <td>2</td> <td>18958.00</td> <td>49.29</td> <td>-19.81</td> <td>68.30</td> <td>60.89</td> <td>37.40</td> <td>11.82</td> <td>60.82</td> <td>---</td> <td>156 Peak</td> </tr> <tr> <td>3</td> <td>15879.00</td> <td>49.19</td> <td>-24.81</td> <td>74.00</td> <td>51.20</td> <td>48.40</td> <td>14.05</td> <td>59.26</td> <td>---</td> <td>122 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8463.50	49.19	-24.81	74.00	61.49	35.81	18.81	58.92	100	135 Peak	2	18958.00	49.29	-19.81	68.30	60.89	37.40	11.82	60.82	---	156 Peak	3	15879.00	49.19	-24.81	74.00	51.20	48.40	14.05	59.26	---	122 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	8463.50	47.32	-26.68	74.00	59.62	35.81	18.83	58.92	100	69 Peak																																																																																																													
2	18958.00	46.78	-21.52	68.30	57.58	37.40	11.82	60.82	---	156 Peak																																																																																																													
3	15879.00	51.25	-21.05	74.00	55.36	48.40	14.05	59.26	---	122 Peak																																																																																																													
4	15879.00	47.05	-6.35	54.00	51.66	48.40	14.05	59.26	---	158 Average																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	8463.50	49.19	-24.81	74.00	61.49	35.81	18.81	58.92	100	135 Peak																																																																																																													
2	18958.00	49.29	-19.81	68.30	60.89	37.40	11.82	60.82	---	156 Peak																																																																																																													
3	15879.00	49.19	-24.81	74.00	51.20	48.40	14.05	59.26	---	122 Peak																																																																																																													








**U-NII-2C - 5470~5725MHz**  
**WIFI 802.11a (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11a CH100 5500MHz																																																																																					
1	Horizontal	Fundamental																																																																																				
<b>Peak</b>	 <p>Date: 1 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 7 MEI : #92-GI0622G032165001G Plane : Y with Accessory GM PowerSetting 1B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.76</td> <td>51.25</td> <td>-22.75</td> <td>74.00</td> <td>37.77</td> <td>34.20</td> <td>0.83</td> <td>30.53</td> <td>100</td> <td>100 Peak</td> </tr> <tr> <td>2</td> <td>5467.92</td> <td>51.41</td> <td>-16.89</td> <td>68.30</td> <td>37.85</td> <td>34.20</td> <td>0.92</td> <td>30.56</td> <td>100</td> <td>100 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5383.76	51.25	-22.75	74.00	37.77	34.20	0.83	30.53	100	100 Peak	2	5467.92	51.41	-16.89	68.30	37.85	34.20	0.92	30.56	100	100 Peak	 <p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 7 MEI : #92-GI0622G032165001G Plane : Y with Accessory GM PowerSetting 1B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>105.54</td> <td>37.24</td> <td>68.30</td> <td>91.95</td> <td>34.20</td> <td>0.97</td> <td>30.58</td> <td>100</td> <td>100 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>97.84</td> <td>.....</td> <td>84.25</td> <td>34.20</td> <td>0.97</td> <td>30.58</td> <td>100</td> <td>100</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.54	37.24	68.30	91.95	34.20	0.97	30.58	100	100 Peak	2	5500.00	97.84	.....	84.25	34.20	0.97	30.58	100	100	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5383.76	51.25	-22.75	74.00	37.77	34.20	0.83	30.53	100	100 Peak																																																																												
2	5467.92	51.41	-16.89	68.30	37.85	34.20	0.92	30.56	100	100 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5500.00	105.54	37.24	68.30	91.95	34.20	0.97	30.58	100	100 Peak																																																																												
2	5500.00	97.84	.....	84.25	34.20	0.97	30.58	100	100	Average																																																																												
<b>Avg.</b>	 <p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 7 MEI : #92-GI0622G032165001G Plane : Y with Accessory GM PowerSetting 1B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>42.71</td> <td>-11.29</td> <td>54.00</td> <td>29.17</td> <td>34.20</td> <td>0.90</td> <td>30.56</td> <td>100</td> <td>100 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	42.71	-11.29	54.00	29.17	34.20	0.90	30.56	100	100 Average	<b>Left blank</b>																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5460.00	42.71	-11.29	54.00	29.17	34.20	0.90	30.56	100	100 Average																																																																												
WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11a CH100 5500MHz																																																																																					



1	Vertical	Fundamental																																																																																			
<p><b>Peak</b></p>	<p>Date: 4 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : RDWV 1000.000kHz VBW 3000.000kHz Mode : Mode 7 MEI : #92-G0B22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.20</td> <td>51.14</td> <td>-22.85</td> <td>74.00</td> <td>37.59</td> <td>34.20</td> <td>9.90</td> <td>30.55</td> <td>100</td> <td>129 Peak</td> </tr> <tr> <td>2</td> <td>5462.96</td> <td>54.20</td> <td>-14.18</td> <td>68.38</td> <td>40.04</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td>129 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5449.20	51.14	-22.85	74.00	37.59	34.20	9.90	30.55	100	129 Peak	2	5462.96	54.20	-14.18	68.38	40.04	34.20	9.92	30.56	100	129 Peak	<p>Date: 6 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : RDWV 1000.000kHz VBW 3000.000kHz Mode : Mode 7 MEI : #92-G0B22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>188.71</td> <td>48.41</td> <td>68.38</td> <td>95.12</td> <td>34.20</td> <td>9.97</td> <td>30.58</td> <td>100</td> <td>129 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>181.85</td> <td>-----</td> <td>88.20</td> <td>34.20</td> <td>9.97</td> <td>30.58</td> <td>100</td> <td>129 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5580.00	188.71	48.41	68.38	95.12	34.20	9.97	30.58	100	129 Peak	2	5580.00	181.85	-----	88.20	34.20	9.97	30.58	100	129 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5449.20	51.14	-22.85	74.00	37.59	34.20	9.90	30.55	100	129 Peak																																																																											
2	5462.96	54.20	-14.18	68.38	40.04	34.20	9.92	30.56	100	129 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5580.00	188.71	48.41	68.38	95.12	34.20	9.97	30.58	100	129 Peak																																																																											
2	5580.00	181.85	-----	88.20	34.20	9.97	30.58	100	129 Average																																																																												
<p><b>Avg.</b></p>	<p>Date: 5 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.507 AVG 3m HF_ANT_3117_0107 VERTICAL Project : RDWV 1000.000kHz VBW 1.000kHz Mode : Mode 7 MEI : #92-G0B22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.00</td> <td>-10.20</td> <td>54.00</td> <td>38.16</td> <td>34.20</td> <td>9.90</td> <td>30.56</td> <td>100</td> <td>129 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5459.92	43.00	-10.20	54.00	38.16	34.20	9.90	30.56	100	129 Average	<p><b>Left blank</b></p>																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5459.92	43.00	-10.20	54.00	38.16	34.20	9.90	30.56	100	129 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH116 5580MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 1 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode B MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5422.24</td> <td>59.02</td> <td>-23.98</td> <td>74.00</td> <td>36.51</td> <td>34.20</td> <td>9.84</td> <td>30.53</td> <td>100</td> <td>176 Peak</td> </tr> <tr> <td>2</td> <td>5464.96</td> <td>59.24</td> <td>-18.96</td> <td>68.38</td> <td>36.68</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td>176 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5422.24	59.02	-23.98	74.00	36.51	34.20	9.84	30.53	100	176 Peak	2	5464.96	59.24	-18.96	68.38	36.68	34.20	9.92	30.56	100	176 Peak	 <p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode B MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>104.95</td> <td>36.65</td> <td>68.30</td> <td>90.86</td> <td>34.23</td> <td>10.21</td> <td>30.35</td> <td>100</td> <td>176 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>97.35</td> <td>.....</td> <td>83.26</td> <td>34.23</td> <td>10.21</td> <td>30.35</td> <td>100</td> <td>176 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5580.00	104.95	36.65	68.30	90.86	34.23	10.21	30.35	100	176 Peak	2	5580.00	97.35	.....	83.26	34.23	10.21	30.35	100	176 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5422.24	59.02	-23.98	74.00	36.51	34.20	9.84	30.53	100	176 Peak																																																																											
2	5464.96	59.24	-18.96	68.38	36.68	34.20	9.92	30.56	100	176 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5580.00	104.95	36.65	68.30	90.86	34.23	10.21	30.35	100	176 Peak																																																																											
2	5580.00	97.35	.....	83.26	34.23	10.21	30.35	100	176 Average																																																																												
Avg.	 <p>Date: 2 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode B MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.65</td> <td>-12.35</td> <td>54.00</td> <td>28.11</td> <td>34.20</td> <td>9.98</td> <td>30.56</td> <td>100</td> <td>176 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	5459.92	41.65	-12.35	54.00	28.11	34.20	9.98	30.56	100	176 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																												
1	5459.92	41.65	-12.35	54.00	28.11	34.20	9.98	30.56	100	176 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11a CH116 5580MHz - R																																		
1	Horizontal	Fundamental																																	
Peak	<p>Date: 4 Date: 2022-05-22</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL          Project : 100934-01          Mode : Mode 8          MEI : 492.00E22G032165001G          Plane : V with Accessory          : 0.01 Power setting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5737.09</td> <td>51.18</td> <td>-17.12</td> <td>68.30</td> <td>36.53</td> <td>34.60</td> <td>18.49</td> <td>30.44</td> <td>180</td> <td>176 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	deg		1	5737.09	51.18	-17.12	68.30	36.53	34.60	18.49	30.44	180	176 Peak	Left blank
Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	deg																										
1	5737.09	51.18	-17.12	68.30	36.53	34.60	18.49	30.44	180	176 Peak																									



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH116 5580MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode B MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.69</td> <td>59.00</td> <td>-24.00</td> <td>74.00</td> <td>36.48</td> <td>34.20</td> <td>9.87</td> <td>30.55</td> <td>100</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>5468.08</td> <td>49.45</td> <td>-18.85</td> <td>68.30</td> <td>35.89</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td>126 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5437.69	59.00	-24.00	74.00	36.48	34.20	9.87	30.55	100	126 Peak	2	5468.08	49.45	-18.85	68.30	35.89	34.20	9.92	30.56	100	126 Peak	<p>Date: 7 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode B MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>180.23</td> <td>39.93</td> <td>68.30</td> <td>94.14</td> <td>34.23</td> <td>10.21</td> <td>30.35</td> <td>100</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>181.33</td> <td>.....</td> <td>67.24</td> <td>34.23</td> <td>10.21</td> <td>30.35</td> <td>100</td> <td>126 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	180.23	39.93	68.30	94.14	34.23	10.21	30.35	100	126 Peak	2	5580.00	181.33	.....	67.24	34.23	10.21	30.35	100	126 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5437.69	59.00	-24.00	74.00	36.48	34.20	9.87	30.55	100	126 Peak																																																																											
2	5468.08	49.45	-18.85	68.30	35.89	34.20	9.92	30.56	100	126 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5580.00	180.23	39.93	68.30	94.14	34.23	10.21	30.35	100	126 Peak																																																																											
2	5580.00	181.33	.....	67.24	34.23	10.21	30.35	100	126 Average																																																																												
Avg.	<p>Date: 6 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode B MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.32</td> <td>-11.68</td> <td>54.00</td> <td>28.78</td> <td>34.20</td> <td>9.98</td> <td>30.56</td> <td>100</td> <td>126 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.32	-11.68	54.00	28.78	34.20	9.98	30.56	100	126 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	42.32	-11.68	54.00	28.78	34.20	9.98	30.56	100	126 Average																																																																											





WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																										
ANT	802.11a CH140 5700MHz																																																																										
1	Horizontal	Fundamental																																																																									
<b>Peak</b>	<p>Date: 2 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : R2W1 1000 0000kHz VSW 3000.000kHz Mode : 1D0934-01 MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.72</td> <td>58.57</td> <td>-9.73</td> <td>68.30</td> <td>44.85</td> <td>34.57</td> <td>18.44</td> <td>30.49</td> <td>100</td> <td>100 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.72	58.57	-9.73	68.30	44.85	34.57	18.44	30.49	100	100 Peak	<p>Date: 1 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : R2W1 1000 0000kHz VSW 3000.000kHz Mode : 1D0934-01 MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>185.89</td> <td>37.59</td> <td>68.30</td> <td>91.68</td> <td>34.58</td> <td>19.32</td> <td>30.53</td> <td>100</td> <td>100 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>98.52</td> <td>.....</td> <td>64.23</td> <td>34.58</td> <td>19.32</td> <td>30.53</td> <td>100</td> <td>180</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	185.89	37.59	68.30	91.68	34.58	19.32	30.53	100	100 Peak	2	5700.00	98.52	.....	64.23	34.58	19.32	30.53	100	180	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5725.72	58.57	-9.73	68.30	44.85	34.57	18.44	30.49	100	100 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5700.00	185.89	37.59	68.30	91.68	34.58	19.32	30.53	100	100 Peak																																																																	
2	5700.00	98.52	.....	64.23	34.58	19.32	30.53	100	180	Average																																																																	






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																										
ANT	802.11a CH140 5700MHz																																																																										
1	Vertical	Fundamental																																																																									
Peak	<p>Date: 4 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL Project : R2W1 1000 0000kHz VSW 3000 0000kHz Mode : Mode 9 MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.00</td> <td>61.60</td> <td>-6.78</td> <td>68.38</td> <td>47.08</td> <td>34.57</td> <td>18.44</td> <td>30.49</td> <td>100</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	61.60	-6.78	68.38	47.08	34.57	18.44	30.49	100	121 Peak	<p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL Project : R2W1 1000 0000kHz VSW 3000 0000kHz Mode : Mode 9 MEI : #FZ-C0R22G032165001G Plane : Y with Accessory GM PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>188.42</td> <td>48.12</td> <td>68.38</td> <td>94.13</td> <td>34.58</td> <td>19.32</td> <td>30.53</td> <td>100</td> <td>121 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>181.55</td> <td>.....</td> <td>.....</td> <td>87.26</td> <td>34.58</td> <td>19.32</td> <td>30.53</td> <td>100</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	188.42	48.12	68.38	94.13	34.58	19.32	30.53	100	121 Peak	2	5700.00	181.55	.....	.....	87.26	34.58	19.32	30.53	100	121 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5725.00	61.60	-6.78	68.38	47.08	34.57	18.44	30.49	100	121 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5700.00	188.42	48.12	68.38	94.13	34.58	19.32	30.53	100	121 Peak																																																																	
2	5700.00	181.55	.....	.....	87.26	34.58	19.32	30.53	100	121 Average																																																																	





**U-NII-2C 5470~5725MHz  
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																																									
ANT	802.11n HT20 CH100 5500MHz																																																																																																									
1	Horizontal	Fundamental																																																																																																								
<b>Peak</b>	 <p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : I0934-01 Mode : Mode 16 MEI : #F7 G0B22G032165001H Plane : Y with Accessory : MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.72</td> <td>51.22</td> <td>-22.78</td> <td>74.00</td> <td>37.19</td> <td>34.20</td> <td>18.38</td> <td>38.55</td> <td>183</td> <td></td> <td></td> <td>175 Peak</td> </tr> <tr> <td>2</td> <td>5449.88</td> <td>51.32</td> <td>-16.68</td> <td>60.39</td> <td>37.38</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>183</td> <td></td> <td></td> <td>175 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5448.72	51.22	-22.78	74.00	37.19	34.20	18.38	38.55	183			175 Peak	2	5449.88	51.32	-16.68	60.39	37.38	34.20	18.38	38.56	183			175 Peak	 <p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : I0934-01 Mode : Mode 16 MEI : #F7 G0B22G032165001H Plane : Y with Accessory : MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>146.43</td> <td>38.53</td> <td>68.39</td> <td>92.78</td> <td>34.20</td> <td>18.43</td> <td>38.58</td> <td>183</td> <td></td> <td></td> <td>175 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>148.17</td> <td>.....</td> <td>66.12</td> <td>24.28</td> <td>18.43</td> <td>38.58</td> <td>183</td> <td></td> <td></td> <td></td> <td>175 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5500.00	146.43	38.53	68.39	92.78	34.20	18.43	38.58	183			175 Peak	2	5500.00	148.17	.....	66.12	24.28	18.43	38.58	183				175 Average
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5448.72	51.22	-22.78	74.00	37.19	34.20	18.38	38.55	183			175 Peak																																																																																														
2	5449.88	51.32	-16.68	60.39	37.38	34.20	18.38	38.56	183			175 Peak																																																																																														
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5500.00	146.43	38.53	68.39	92.78	34.20	18.43	38.58	183			175 Peak																																																																																														
2	5500.00	148.17	.....	66.12	24.28	18.43	38.58	183				175 Average																																																																																														
<b>Avg.</b>	 <p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 1.000kHz Project : I0934-01 Mode : Mode 16 MEI : #F7 G0B22G032165001H Plane : Y with Accessory : MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>43.28</td> <td>-18.72</td> <td>54.00</td> <td>29.26</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>183</td> <td></td> <td></td> <td>175 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5459.76	43.28	-18.72	54.00	29.26	34.20	18.38	38.56	183			175 Average	<b>Left blank</b>																																																																	
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5459.76	43.28	-18.72	54.00	29.26	34.20	18.38	38.56	183			175 Average																																																																																														



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH100 5500MHz																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 4 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 16 MEI : #87 G0B2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5440.24</td> <td>53.51</td> <td>-20.49</td> <td>74.00</td> <td>39.48</td> <td>34.20</td> <td>10.38</td> <td>30.55</td> <td>100</td> <td>125 Peak</td> </tr> <tr> <td>2</td> <td>5475.69</td> <td>54.57</td> <td>-13.73</td> <td>68.39</td> <td>49.52</td> <td>34.20</td> <td>10.43</td> <td>30.58</td> <td>100</td> <td>125 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	deg	1	5440.24	53.51	-20.49	74.00	39.48	34.20	10.38	30.55	100	125 Peak	2	5475.69	54.57	-13.73	68.39	49.52	34.20	10.43	30.58	100	125 Peak	<p>Date: 6 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 16 MEI : #87 G0B2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.81</td> <td>39.51</td> <td>68.39</td> <td>93.76</td> <td>34.20</td> <td>10.43</td> <td>30.58</td> <td>100</td> <td>125 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>100.94</td> <td>.....</td> <td>86.89</td> <td>34.20</td> <td>10.43</td> <td>30.58</td> <td>100</td> <td>125 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	deg	1	5500.00	107.81	39.51	68.39	93.76	34.20	10.43	30.58	100	125 Peak	2	5500.00	100.94	.....	86.89	34.20	10.43	30.58	100	125 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	deg																																																																												
1	5440.24	53.51	-20.49	74.00	39.48	34.20	10.38	30.55	100	125 Peak																																																																											
2	5475.69	54.57	-13.73	68.39	49.52	34.20	10.43	30.58	100	125 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	deg																																																																												
1	5500.00	107.81	39.51	68.39	93.76	34.20	10.43	30.58	100	125 Peak																																																																											
2	5500.00	100.94	.....	86.89	34.20	10.43	30.58	100	125 Average																																																																												
Avg.	<p>Date: 5 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 16 MEI : #87 G0B2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>45.75</td> <td>-18.27</td> <td>54.00</td> <td>29.71</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>100</td> <td>125 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	deg	1	5459.92	45.75	-18.27	54.00	29.71	34.20	10.38	30.56	100	125 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	deg																																																																												
1	5459.92	45.75	-18.27	54.00	29.71	34.20	10.38	30.56	100	125 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11n HT20 CH116 5580MHz - L																																																																																	
1	Horizontal	Fundamental																																																																																
Peak	<p>Date: 1 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 17 MEI : #87-G0E02G032165001H Plane : Y with Accessory MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5418.88</td> <td>51.21</td> <td>-22.79</td> <td>74.00</td> <td>34.28</td> <td>18.34</td> <td>30.53</td> <td>104</td> <td>181 Peak</td> </tr> <tr> <td>2</td> <td>5468.32</td> <td>50.43</td> <td>-17.87</td> <td>68.38</td> <td>36.36</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>104</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5418.88	51.21	-22.79	74.00	34.28	18.34	30.53	104	181 Peak	2	5468.32	50.43	-17.87	68.38	36.36	34.28	18.43	30.56	104	<p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 17 MEI : #87-G0E02G032165001H Plane : Y with Accessory MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>183.93</td> <td>35.63</td> <td>68.38</td> <td>89.53</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>104</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>96.64</td> <td>.....</td> <td>.....</td> <td>82.24</td> <td>34.23</td> <td>10.52</td> <td>30.35</td> <td>104</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5580.00	183.93	35.63	68.38	89.53	34.23	19.52	30.35	104	2	5580.00	96.64	.....	.....	82.24	34.23	10.52	30.35	104
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																										
1	5418.88	51.21	-22.79	74.00	34.28	18.34	30.53	104	181 Peak																																																																									
2	5468.32	50.43	-17.87	68.38	36.36	34.28	18.43	30.56	104																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																										
1	5580.00	183.93	35.63	68.38	89.53	34.23	19.52	30.35	104																																																																									
2	5580.00	96.64	.....	.....	82.24	34.23	10.52	30.35	104																																																																									
Avg.	<p>Date: 2 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 17 MEI : #87-G0E02G032165001H Plane : Y with Accessory MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.96</td> <td>-12.04</td> <td>54.00</td> <td>27.94</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>104</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg		1	5459.92	41.96	-12.04	54.00	27.94	34.28	18.38	30.56	104	Left blank																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	dB	deg																																																																										
1	5459.92	41.96	-12.04	54.00	27.94	34.28	18.38	30.56	104																																																																									



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11n HT20 CH116 5580MHz - R																							
1	Horizontal	Fundamental																						
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL          Project : 100934-01          Mode : IT          MEQ : 497-G04E2G032165001H          Plane : Y with Accessory          MISO PowerRating : 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBµV/m</th> <th>dBµV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.89</td> <td>51.52</td> <td>-16.78</td> <td>66.30</td> <td>36.83</td> <td>34.57</td> <td>18.63</td> <td>30.49</td> <td>184</td> <td>101 Peak</td> </tr> </tbody> </table>	Freq	Level	dB	dBµV/m	dBµV	dB/m	dB	dB	ca	deg	Remark	1	5726.89	51.52	-16.78	66.30	36.83	34.57	18.63	30.49	184	101 Peak	Left blank
Freq	Level	dB	dBµV/m	dBµV	dB/m	dB	dB	ca	deg	Remark														
1	5726.89	51.52	-16.78	66.30	36.83	34.57	18.63	30.49	184	101 Peak														



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH116 5580MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 17 MEI : #87-G0E02G032165001H Plane : Y with Accessory MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5378.08</td> <td>51.13</td> <td>-22.87</td> <td>74.00</td> <td>37.16</td> <td>34.28</td> <td>18.38</td> <td>30.53</td> <td>104</td> <td>129 Peak</td> </tr> <tr> <td>2</td> <td>5462.32</td> <td>59.25</td> <td>-18.95</td> <td>68.38</td> <td>36.23</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>104</td> <td>129 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5378.08	51.13	-22.87	74.00	37.16	34.28	18.38	30.53	104	129 Peak	2	5462.32	59.25	-18.95	68.38	36.23	34.28	18.38	30.56	104	129 Peak	<p>Date: 7 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 17 MEI : #87-G0E02G032165001H Plane : Y with Accessory MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>107.15</td> <td>36.85</td> <td>68.38</td> <td>32.75</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>104</td> <td>129 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>99.66</td> <td>.....</td> <td>85.26</td> <td>34.23</td> <td>19.52</td> <td>30.35</td> <td>104</td> <td>129 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	107.15	36.85	68.38	32.75	34.23	19.52	30.35	104	129 Peak	2	5580.00	99.66	.....	85.26	34.23	19.52	30.35	104	129 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5378.08	51.13	-22.87	74.00	37.16	34.28	18.38	30.53	104	129 Peak																																																																											
2	5462.32	59.25	-18.95	68.38	36.23	34.28	18.38	30.56	104	129 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5580.00	107.15	36.85	68.38	32.75	34.23	19.52	30.35	104	129 Peak																																																																											
2	5580.00	99.66	.....	85.26	34.23	19.52	30.35	104	129 Average																																																																												
Avg.	<p>Date: 6 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 17 MEI : #87-G0E02G032165001H Plane : Y with Accessory MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.36</td> <td>-11.62</td> <td>54.00</td> <td>28.36</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>104</td> <td>129 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.36	-11.62	54.00	28.36	34.28	18.38	30.56	104	129 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	42.36	-11.62	54.00	28.36	34.28	18.38	30.56	104	129 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11n HT20 CH116 5580MHz - R																							
1	Vertical	Fundamental																						
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT 3117 0107 VERTICAL            : FREQ 1000.0000MHz VBW 3000.0000Hz            Project : 100934-01            Mode : IT            MEQ : 497.00E20G032165001H            Plane : Y with Accessory            : Y with Accessory            : MISO PowerRating 17            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Level Line Level Factor Loss Factor</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.89</td> <td>52.16</td> <td>-16.14</td> <td>66.30</td> <td>37.47</td> <td>34.57</td> <td>18.63</td> <td>30.49</td> <td>184</td> <td>129 Peak</td> </tr> </tbody> </table>	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	Remark	1	5726.89	52.16	-16.14	66.30	37.47	34.57	18.63	30.49	184	129 Peak	Left blank
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	Remark														
1	5726.89	52.16	-16.14	66.30	37.47	34.57	18.63	30.49	184	129 Peak														



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																										
ANT	802.11n HT20 CH140 5700MHz																																																																										
1	Horizontal	Fundamental																																																																									
<b>Peak</b>	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            Project : R2W1 1000 0000kHz VSW 3000.000kHz            Mode : 1D0934-01            MEI : #87 G0B2G032165001H            Plane : Y with Accessory            MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.00</td> <td>62.98</td> <td>-5.32</td> <td>68.30</td> <td>48.29</td> <td>34.57</td> <td>18.63</td> <td>30.49</td> <td>100</td> <td>177 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	dB	cm	deg	1	5727.00	62.98	-5.32	68.30	48.29	34.57	18.63	30.49	100	177 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            Project : R2W1 1000 0000kHz VSW 3000.000kHz            Mode : 1D0934-01            MEI : #87 G0B2G032165001H            Plane : Y with Accessory            MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>146.75</td> <td>38.45</td> <td>68.30</td> <td>92.17</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>100</td> <td>177 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>99.21</td> <td>.....</td> <td>64.63</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>100</td> <td>177</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	dB	cm	deg	1	5700.00	146.75	38.45	68.30	92.17	34.58	19.61	30.53	100	177 Peak	2	5700.00	99.21	.....	64.63	34.58	19.61	30.53	100	177	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	dB	cm	deg																																																																		
1	5727.00	62.98	-5.32	68.30	48.29	34.57	18.63	30.49	100	177 Peak																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	dB	cm	deg																																																																		
1	5700.00	146.75	38.45	68.30	92.17	34.58	19.61	30.53	100	177 Peak																																																																	
2	5700.00	99.21	.....	64.63	34.58	19.61	30.53	100	177	Average																																																																	



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																							
ANT	802.11n HT20 CH140 5700MHz																																																																							
1	Vertical	Fundamental																																																																						
Peak.	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL            Project : R2W1 1000 0000kHz VSW 3000.000kHz            Mode : 1D0934-01            MEI : #87 G0B2G032165001H            Plane : Y with Accessory            MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5727.24</td> <td>61.49</td> <td>-6.81</td> <td>68.30</td> <td>46.08</td> <td>34.57</td> <td>18.63</td> <td>30.49</td> <td>100</td> <td>123 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1 5727.24	61.49	-6.81	68.30	46.08	34.57	18.63	30.49	100	123 Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL            Project : R2W1 1000 0000kHz VSW 3000.000kHz            Mode : 1D0934-01            MEI : #87 G0B2G032165001H            Plane : Y with Accessory            MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5700.00</td> <td>107.74</td> <td>39.44</td> <td>68.30</td> <td>93.16</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>100</td> <td>123 Peak</td> </tr> <tr> <td>2 5700.00</td> <td>101.54</td> <td>.....</td> <td>.....</td> <td>86.96</td> <td>34.58</td> <td>19.61</td> <td>30.53</td> <td>100</td> <td>123 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1 * 5700.00	107.74	39.44	68.30	93.16	34.58	19.61	30.53	100	123 Peak	2 5700.00	101.54	.....	.....	86.96	34.58	19.61	30.53	100	123 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																															
1 5727.24	61.49	-6.81	68.30	46.08	34.57	18.63	30.49	100	123 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																															
1 * 5700.00	107.74	39.44	68.30	93.16	34.58	19.61	30.53	100	123 Peak																																																															
2 5700.00	101.54	.....	.....	86.96	34.58	19.61	30.53	100	123 Average																																																															








**U-NII-2C 5470~5725MHz  
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																																									
ANT	802.11n HT40 CH102 5510MHz - L																																																																																																									
1	Horizontal	Fundamental																																																																																																								
<b>Peak</b>	<p><b>Horizontal Peak</b></p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : I0934-01 Mode : Mode 23 MEI : #92 G0B22G032165001G Plane : Y with Accessory MCSO PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.12</td> <td>58.35</td> <td>-23.65</td> <td>74.00</td> <td>36.83</td> <td>34.20</td> <td>9.87</td> <td>30.55</td> <td>100</td> <td></td> <td></td> <td>104 Peak</td> </tr> <tr> <td>2</td> <td>5499.28</td> <td>49.34</td> <td>-18.36</td> <td>60.30</td> <td>36.38</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td></td> <td></td> <td>104 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5497.12	58.35	-23.65	74.00	36.83	34.20	9.87	30.55	100			104 Peak	2	5499.28	49.34	-18.36	60.30	36.38	34.20	9.92	30.56	100			104 Peak	<p><b>Fundamental Peak</b></p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL Project : I0934-01 Mode : Mode 23 MEI : #92 G0B22G032165001G Plane : Y with Accessory MCSO PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>97.77</td> <td>29.47</td> <td>68.30</td> <td>84.32</td> <td>34.20</td> <td>9.97</td> <td>30.52</td> <td>100</td> <td></td> <td></td> <td>104 Peak</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>106.40</td> <td>.....</td> <td>76.84</td> <td>34.20</td> <td>9.97</td> <td>30.52</td> <td>100</td> <td></td> <td></td> <td></td> <td>104 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5510.00	97.77	29.47	68.30	84.32	34.20	9.97	30.52	100			104 Peak	2	5510.00	106.40	.....	76.84	34.20	9.97	30.52	100				104 Average
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5497.12	58.35	-23.65	74.00	36.83	34.20	9.87	30.55	100			104 Peak																																																																																														
2	5499.28	49.34	-18.36	60.30	36.38	34.20	9.92	30.56	100			104 Peak																																																																																														
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5510.00	97.77	29.47	68.30	84.32	34.20	9.97	30.52	100			104 Peak																																																																																														
2	5510.00	106.40	.....	76.84	34.20	9.97	30.52	100				104 Average																																																																																														
<b>Avg.</b>	<p><b>Horizontal Avg.</b></p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL Project : I0934-01 Mode : Mode 23 MEI : #92 G0B22G032165001G Plane : Y with Accessory MCSO PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.85</td> <td>-11.95</td> <td>54.00</td> <td>28.51</td> <td>34.20</td> <td>9.90</td> <td>30.56</td> <td>100</td> <td></td> <td></td> <td>104 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5459.92	42.85	-11.95	54.00	28.51	34.20	9.90	30.56	100			104 Average	<b>Left blank</b>																																																																	
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																															
1	5459.92	42.85	-11.95	54.00	28.51	34.20	9.90	30.56	100			104 Average																																																																																														



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																													
ANT	802.11n HT40 CH102 5510MHz - R																													
1	Horizontal	Fundamental																												
Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            Project : FR2W 1000.000kHz VSW 3000.000kHz            Mode : Mode 23            MEI : 492.0020032165001G            Plane : Y with Accessory            MISO Flareopening 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>FRQ</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5768.59</td> <td>51.84</td> <td>-17.26</td> <td>68.38</td> <td>36.26</td> <td>34.43</td> <td>18.55</td> <td>30.48</td> <td>104 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	FRQ	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	5768.59	51.84	-17.26	68.38	36.26	34.43	18.55	30.48	104 Peak	Left blank
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																						
FRQ	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																						
1	5768.59	51.84	-17.26	68.38	36.26	34.43	18.55	30.48	104 Peak																					



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH102 5510MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 23 MEI : #92-C6B2C032165001G Plane : Y with Accessory MCSO PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5441.92</td> <td>51.29</td> <td>-22.71</td> <td>74.00</td> <td>37.77</td> <td>34.28</td> <td>9.87</td> <td>30.55</td> <td>100</td> <td>130 Peak</td> </tr> <tr> <td>2</td> <td>5462.32</td> <td>52.85</td> <td>-16.27</td> <td>68.58</td> <td>38.49</td> <td>34.28</td> <td>9.98</td> <td>30.56</td> <td>100</td> <td>130 Peak</td> </tr> </tbody> </table>	Freq	Level	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5441.92	51.29	-22.71	74.00	37.77	34.28	9.87	30.55	100	130 Peak	2	5462.32	52.85	-16.27	68.58	38.49	34.28	9.98	30.56	100	130 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 23 MEI : #92-C6B2C032165001G Plane : Y with Accessory MCSO PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>102.31</td> <td>34.01</td> <td>68.30</td> <td>88.66</td> <td>34.28</td> <td>9.97</td> <td>30.52</td> <td>100</td> <td>130 Peak</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>94.91</td> <td>.....</td> <td>81.26</td> <td>34.28</td> <td>9.97</td> <td>30.52</td> <td>100</td> <td>130 Average</td> </tr> </tbody> </table>	Freq	Level	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.31	34.01	68.30	88.66	34.28	9.97	30.52	100	130 Peak	2	5510.00	94.91	.....	81.26	34.28	9.97	30.52	100	130 Average
Freq	Level	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5441.92	51.29	-22.71	74.00	37.77	34.28	9.87	30.55	100	130 Peak																																																																											
2	5462.32	52.85	-16.27	68.58	38.49	34.28	9.98	30.56	100	130 Peak																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5510.00	102.31	34.01	68.30	88.66	34.28	9.97	30.52	100	130 Peak																																																																											
2	5510.00	94.91	.....	81.26	34.28	9.97	30.52	100	130 Average																																																																												
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW 1000.000kHz VBW 3.000kHz Project : 1D0934-01 Mode : Mode 23 MEI : #92-C6B2C032165001G Plane : Y with Accessory MCSO PowerSetting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.00</td> <td>42.94</td> <td>-11.06</td> <td>54.00</td> <td>29.48</td> <td>34.28</td> <td>9.98</td> <td>30.56</td> <td>100</td> <td>130 Average</td> </tr> </tbody> </table>	Freq	Level	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	42.94	-11.06	54.00	29.48	34.28	9.98	30.56	100	130 Average	Left blank																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5450.00	42.94	-11.06	54.00	29.48	34.28	9.98	30.56	100	130 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11n HT40 CH102 5510MHz - R																														
1	Vertical	Fundamental																													
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL          Project : FR2W 1000.000MHz VSW 3000.000Hz          Mode : Mode 23          MEI : 492.C0820G032165001G          Plane : Y with Accessory          MISO Flare setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5738.54</td> <td>59.98</td> <td>-17.32</td> <td>66.30</td> <td>36.33</td> <td>34.60</td> <td>18.49</td> <td>30.44</td> <td>100</td> <td>130 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	1	5738.54	59.98	-17.32	66.30	36.33	34.60	18.49	30.44	100	130 Peak	Left blank
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB																							
1	5738.54	59.98	-17.32	66.30	36.33	34.60	18.49	30.44	100	130 Peak																					



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11n HT40 CH110 5550MHz - L																																																																																									
1	Horizontal	Fundamental																																																																																								
Peak	<p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 24 MEI : #92-C0R2G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.92</td> <td>59.36</td> <td>-23.64</td> <td>74.00</td> <td>36.88</td> <td>34.20</td> <td>9.88</td> <td>30.52</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5464.96</td> <td>48.84</td> <td>-19.46</td> <td>68.38</td> <td>35.18</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td>182 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg		1	5369.92	59.36	-23.64	74.00	36.88	34.20	9.88	30.52	100	182 Peak	2	5464.96	48.84	-19.46	68.38	35.18	34.20	9.92	30.56	100	182 Peak	<p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 24 MEI : #92-C0R2G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>100.68</td> <td>32.30</td> <td>68.38</td> <td>86.88</td> <td>34.20</td> <td>10.15</td> <td>30.47</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5550.00</td> <td>93.40</td> <td>.....</td> <td>79.52</td> <td>34.20</td> <td>10.15</td> <td>30.47</td> <td>100</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg		1	5550.00	100.68	32.30	68.38	86.88	34.20	10.15	30.47	100	182 Peak	2	5550.00	93.40	.....	79.52	34.20	10.15	30.47	100	182	Average
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																																	
1	5369.92	59.36	-23.64	74.00	36.88	34.20	9.88	30.52	100	182 Peak																																																																																
2	5464.96	48.84	-19.46	68.38	35.18	34.20	9.92	30.56	100	182 Peak																																																																																
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																																	
1	5550.00	100.68	32.30	68.38	86.88	34.20	10.15	30.47	100	182 Peak																																																																																
2	5550.00	93.40	.....	79.52	34.20	10.15	30.47	100	182	Average																																																																																
Avg.	<p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3.000kHz Project : 1D0934-01 Mode : Mode 24 MEI : #92-C0R2G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>41.76</td> <td>-12.24</td> <td>54.00</td> <td>28.22</td> <td>34.20</td> <td>9.98</td> <td>30.56</td> <td>100</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg		1	5459.44	41.76	-12.24	54.00	28.22	34.20	9.98	30.56	100	182 Average	Left blank																																																							
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																																																																																	
1	5459.44	41.76	-12.24	54.00	28.22	34.20	9.98	30.56	100	182 Average																																																																																




WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m															
ANT	802.11n HT40 CH110 5550MHz - R															
1	Horizontal	Fundamental														
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL          Project : 100934-01          Mode : 2E          MEI : 492-C020G032165001G          Plane : Y with Accessory          MISO Flare/spreading 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>5764.37</td> <td>51.29</td> <td>-17.01</td> <td>66.30</td> <td>36.51</td> <td>34.43</td> <td>18.55 30.40 100 102 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark	5764.37	51.29	-17.01	66.30	36.51	34.43	18.55 30.40 100 102 Peak	Left blank
Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark										
5764.37	51.29	-17.01	66.30	36.51	34.43	18.55 30.40 100 102 Peak										






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																	
ANT	802.11n HT40 CH110 5550MHz - L																																																																	
1	Vertical	Fundamental																																																																
Peak	<p>Date: 5 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 24 MEI : #92-C0R2G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.48</td> <td>59.66</td> <td>-23.34</td> <td>74.00</td> <td>37.11</td> <td>34.28</td> <td>9.98 30.55 100 133 Peak</td> </tr> <tr> <td>2</td> <td>5467.69</td> <td>59.47</td> <td>-17.83</td> <td>68.38</td> <td>36.91</td> <td>34.28</td> <td>9.92 30.56 100 133 Peak</td> </tr> </tbody> </table>	Freq	Level	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	5446.48	59.66	-23.34	74.00	37.11	34.28	9.98 30.55 100 133 Peak	2	5467.69	59.47	-17.83	68.38	36.91	34.28	9.92 30.56 100 133 Peak	<p>Date: 7 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 24 MEI : #92-C0R2G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cn deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>104.49</td> <td>36.19</td> <td>68.38</td> <td>90.61</td> <td>34.28</td> <td>10.15 30.47 100 133 Peak</td> </tr> <tr> <td>2</td> <td>5550.00</td> <td>97.14</td> <td>.....</td> <td>83.26</td> <td>34.28</td> <td>10.15 30.47</td> <td>100 133 Average</td> </tr> </tbody> </table>	Freq	Level	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn deg	1	5550.00	104.49	36.19	68.38	90.61	34.28	10.15 30.47 100 133 Peak	2	5550.00	97.14	.....	83.26	34.28	10.15 30.47	100 133 Average
Freq	Level	Line	Level	Factor	Loss	Factor	Remark																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																											
1	5446.48	59.66	-23.34	74.00	37.11	34.28	9.98 30.55 100 133 Peak																																																											
2	5467.69	59.47	-17.83	68.38	36.91	34.28	9.92 30.56 100 133 Peak																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Remark																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn deg																																																											
1	5550.00	104.49	36.19	68.38	90.61	34.28	10.15 30.47 100 133 Peak																																																											
2	5550.00	97.14	.....	83.26	34.28	10.15 30.47	100 133 Average																																																											
Avg.	<p>Date: 6 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3.000kHz Project : 1D0934-01 Mode : Mode 24 MEI : #92-C0R2G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cn deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>42.38</td> <td>-11.62</td> <td>54.00</td> <td>28.84</td> <td>34.28</td> <td>9.98 30.56 100 133 Average</td> </tr> </tbody> </table>	Freq	Level	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn deg	1	5459.28	42.38	-11.62	54.00	28.84	34.28	9.98 30.56 100 133 Average	Left blank																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Remark																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cn deg																																																											
1	5459.28	42.38	-11.62	54.00	28.84	34.28	9.98 30.56 100 133 Average																																																											




<b>WIFI</b>	<b>U-NII-2C 5470~5725MHz Band Edge @ 3m</b>																												
<b>ANT</b>	<b>802.11n HT40 CH110 5550MHz - R</b>																												
<b>1</b>	<b>Vertical</b>	<b>Fundamental</b>																											
<b>Peak</b>	 <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL          FREQ 1000.000kHz VBW 3000.000kHz          Project : 100934-01          Mode : ZE          MEI : 492-C020G032165001G          Plane : Y with Accessory          MICS0 Flareopening 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5748.62</td> <td>52.00</td> <td>-16.38</td> <td>68.38</td> <td>37.35</td> <td>34.60</td> <td>18.49</td> <td>30.44</td> <td>100 133 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	1 5748.62	52.00	-16.38	68.38	37.35	34.60	18.49	30.44	100 133 Peak	<b>Left blank</b>
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB																					
1 5748.62	52.00	-16.38	68.38	37.35	34.60	18.49	30.44	100 133 Peak																					








WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH134 5670MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #92-C6R02G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.29</td> <td>51.13</td> <td>-22.87</td> <td>74.00</td> <td>37.61</td> <td>34.20</td> <td>9.87</td> <td>30.55</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5467.25</td> <td>49.82</td> <td>-18.48</td> <td>68.39</td> <td>36.26</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td>182 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5431.29	51.13	-22.87	74.00	37.61	34.20	9.87	30.55	100	182 Peak	2	5467.25	49.82	-18.48	68.39	36.26	34.20	9.92	30.56	100	182 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #92-C6R02G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.68</td> <td>32.30</td> <td>68.39</td> <td>86.37</td> <td>34.48</td> <td>10.32</td> <td>30.49</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>93.50</td> <td>.....</td> <td>79.27</td> <td>34.48</td> <td>10.32</td> <td>30.49</td> <td>100</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.68	32.30	68.39	86.37	34.48	10.32	30.49	100	182 Peak	2	5670.00	93.50	.....	79.27	34.48	10.32	30.49	100	182 Average
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5431.29	51.13	-22.87	74.00	37.61	34.20	9.87	30.55	100	182 Peak																																																																											
2	5467.25	49.82	-18.48	68.39	36.26	34.20	9.92	30.56	100	182 Peak																																																																											
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5670.00	100.68	32.30	68.39	86.37	34.48	10.32	30.49	100	182 Peak																																																																											
2	5670.00	93.50	.....	79.27	34.48	10.32	30.49	100	182 Average																																																																												
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW 1000.000kHz VBW 3.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #92-C6R02G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>41.89</td> <td>-12.91</td> <td>54.00</td> <td>27.55</td> <td>34.20</td> <td>9.98</td> <td>30.56</td> <td>100</td> <td>182 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	41.89	-12.91	54.00	27.55	34.20	9.98	30.56	100	182 Average	Left blank																																																				
Freq	Level	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.98	41.89	-12.91	54.00	27.55	34.20	9.98	30.56	100	182 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																	
ANT	802.11n HT40 CH134 5670MHz - R																																																	
1	Horizontal	Fundamental																																																
Peak	 <p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL          Project : 100934-01          Mode : Mode 20          MEI : 492-C4922G032165001G          Plane : Y with Accessory          MISO Flareweighting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LSB</th> <th>LSB</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.68</td> <td>53.58</td> <td>-14.72</td> <td>68.30</td> <td>39.86</td> <td>34.57</td> <td>18.44</td> <td>30.49</td> <td>100</td> <td>102</td> <td>102</td> <td>102</td> <td>102</td> <td>102</td> <td>102 Peak</td> </tr> </tbody> </table>	Freq	Level	LSB	LSB	Level	Factor	Loss	Factor	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dB	dBm	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	5728.68	53.58	-14.72	68.30	39.86	34.57	18.44	30.49	100	102	102	102	102	102	102 Peak	Left blank
Freq	Level	LSB	LSB	Level	Factor	Loss	Factor	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																			
MHz	dBm	dB	dB	dBm	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB																																			
1	5728.68	53.58	-14.72	68.30	39.86	34.57	18.44	30.49	100	102	102	102	102	102	102 Peak																																			



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11n HT40 CH134 5670MHz - L																																																																																									
1	Vertical	Fundamental																																																																																								
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RfW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #92-C6922G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.95</td> <td>49.56</td> <td>-24.44</td> <td>74.00</td> <td>36.08</td> <td>34.20</td> <td>9.88</td> <td>30.52</td> <td>100</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>5465.59</td> <td>49.08</td> <td>-19.22</td> <td>68.38</td> <td>35.52</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td>126 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	ca	deg		1	5369.95	49.56	-24.44	74.00	36.08	34.20	9.88	30.52	100	126 Peak	2	5465.59	49.08	-19.22	68.38	35.52	34.20	9.92	30.56	100	126 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RfW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #92-C6922G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>104.34</td> <td>36.04</td> <td>68.38</td> <td>90.11</td> <td>34.48</td> <td>10.32</td> <td>30.49</td> <td>100</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>97.48</td> <td>.....</td> <td>83.25</td> <td>34.48</td> <td>10.32</td> <td>30.49</td> <td>100</td> <td>126</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	ca	deg		1	5670.00	104.34	36.04	68.38	90.11	34.48	10.32	30.49	100	126 Peak	2	5670.00	97.48	.....	83.25	34.48	10.32	30.49	100	126	Average
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	ca	deg																																																																																	
1	5369.95	49.56	-24.44	74.00	36.08	34.20	9.88	30.52	100	126 Peak																																																																																
2	5465.59	49.08	-19.22	68.38	35.52	34.20	9.92	30.56	100	126 Peak																																																																																
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	ca	deg																																																																																	
1	5670.00	104.34	36.04	68.38	90.11	34.48	10.32	30.49	100	126 Peak																																																																																
2	5670.00	97.48	.....	83.25	34.48	10.32	30.49	100	126	Average																																																																																
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RfW: 1000.000kHz VBW: 3.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #92-C6922G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.55</td> <td>41.26</td> <td>-12.74</td> <td>54.00</td> <td>27.72</td> <td>34.20</td> <td>9.98</td> <td>30.56</td> <td>100</td> <td>126 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	ca	deg		1	5459.55	41.26	-12.74	54.00	27.72	34.20	9.98	30.56	100	126 Average	Left blank																																																							
Freq	Level	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	ca	deg																																																																																	
1	5459.55	41.26	-12.74	54.00	27.72	34.20	9.98	30.56	100	126 Average																																																																																



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																													
ANT	802.11n HT40 CH134 5670MHz - R																													
1	Vertical	Fundamental																												
Peak	<p>Site : 03CH02-SZ  Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL  : FREQ 1000.0000kHz VBW 3000.0000kHz  Project : FD0934-01  Mode : Mode 20  MEI : #92-C6922G032165001G  Plane : Y with Accessory  : MISO Flare/spreading 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>FRQ</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5724.93</td> <td>54.14</td> <td>-14.16</td> <td>68.30</td> <td>39.62</td> <td>34.57</td> <td>18.44</td> <td>30.49</td> <td>100</td> <td>126 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark	FRQ	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg	Peak	1	5724.93	54.14	-14.16	68.30	39.62	34.57	18.44	30.49	100	126 Peak	Left blank
Freq	Level	LIRES	LISe	Level Factor	Loss Factor	Remark																								
FRQ	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ca	deg	Peak																					
1	5724.93	54.14	-14.16	68.30	39.62	34.57	18.44	30.49	100	126 Peak																				



**U-NII-2C 5470~5725MHz  
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
<b>Peak</b>	<p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 28 MEI : #87 G0822G032165001H Plane : Y with Accessory MCSO PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.28</td> <td>54.93</td> <td>-19.87</td> <td>74.00</td> <td>49.91</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>54.44</td> <td>-13.00</td> <td>60.39</td> <td>49.37</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>100</td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5497.28	54.93	-19.87	74.00	49.91	34.20	18.38	30.56	100	174 Peak	2	5470.00	54.44	-13.00	60.39	49.37	34.20	18.43	30.56	100	174 Peak	<p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 28 MEI : #87 G0822G032165001H Plane : Y with Accessory MCSO PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.56</td> <td>32.26</td> <td>68.30</td> <td>86.36</td> <td>34.20</td> <td>10.47</td> <td>30.47</td> <td>100</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>104.20</td> <td>.....</td> <td>69.13</td> <td>34.20</td> <td>10.47</td> <td>30.47</td> <td>100</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.56	32.26	68.30	86.36	34.20	10.47	30.47	100	174 Peak	2	5530.00	104.20	.....	69.13	34.20	10.47	30.47	100	174 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5497.28	54.93	-19.87	74.00	49.91	34.20	18.38	30.56	100	174 Peak																																																																											
2	5470.00	54.44	-13.00	60.39	49.37	34.20	18.43	30.56	100	174 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5530.00	100.56	32.26	68.30	86.36	34.20	10.47	30.47	100	174 Peak																																																																											
2	5530.00	104.20	.....	69.13	34.20	10.47	30.47	100	174 Average																																																																												
<b>Avg.</b>	<p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HP ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 28 MEI : #87 G0822G032165001H Plane : Y with Accessory MCSO PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.76</td> <td>45.27</td> <td>-8.73</td> <td>54.00</td> <td>31.25</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>174 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5497.76	45.27	-8.73	54.00	31.25	34.20	18.38	30.56	100	174 Average	<b>Left blank</b>																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5497.76	45.27	-8.73	54.00	31.25	34.20	18.38	30.56	100	174 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																							
ANT	802.11ac VHT80 CH106 5530MHz - R																							
1	Horizontal	Fundamental																						
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL          Project : 100934-01          Mode : Mode 2B          MEI : 497 C022G032165001H          Plane : Y with Accessory          MISO PowerRating 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5756.59</td> <td>52.65</td> <td>-15.65</td> <td>66.30</td> <td>37.00</td> <td>34.43</td> <td>38.62</td> <td>30.40</td> <td>100</td> <td>174 Peak</td> </tr> </tbody> </table>	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	Remark	1	5756.59	52.65	-15.65	66.30	37.00	34.43	38.62	30.40	100	174 Peak	Left blank
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	Remark														
1	5756.59	52.65	-15.65	66.30	37.00	34.43	38.62	30.40	100	174 Peak														






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																					
1	Vertical	Fundamental																																																																																				
Peak	<p>Date: 5 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 28 MEI : #97-C6B2C032165001H Plane : Y with Accessory MCSO PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.04</td> <td>55.44</td> <td>-18.56</td> <td>74.00</td> <td>41.42</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>5468.89</td> <td>57.41</td> <td>-18.89</td> <td>68.38</td> <td>43.34</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>100</td> <td>126 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5457.04	55.44	-18.56	74.00	41.42	34.28	18.38	30.56	100	126 Peak	2	5468.89	57.41	-18.89	68.38	43.34	34.28	18.43	30.56	100	126 Peak	<p>Date: 7 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 28 MEI : #97-C6B2C032165001H Plane : Y with Accessory MCSO PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>181.58</td> <td>33.28</td> <td>68.38</td> <td>87.38</td> <td>34.28</td> <td>18.47</td> <td>30.47</td> <td>100</td> <td>126 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>95.44</td> <td>.....</td> <td>.....</td> <td>81.24</td> <td>34.28</td> <td>18.47</td> <td>30.47</td> <td>100</td> <td>126 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5530.00	181.58	33.28	68.38	87.38	34.28	18.47	30.47	100	126 Peak	2	5530.00	95.44	.....	.....	81.24	34.28	18.47	30.47	100	126 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																														
1	5457.04	55.44	-18.56	74.00	41.42	34.28	18.38	30.56	100	126 Peak																																																																												
2	5468.89	57.41	-18.89	68.38	43.34	34.28	18.43	30.56	100	126 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																														
1	5530.00	181.58	33.28	68.38	87.38	34.28	18.47	30.47	100	126 Peak																																																																												
2	5530.00	95.44	.....	.....	81.24	34.28	18.47	30.47	100	126 Average																																																																												
Avg.	<p>Date: 6 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 10.000kHz Project : 1D0934-01 Mode : Mode 28 MEI : #97-C6B2C032165001H Plane : Y with Accessory MCSO PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.76</td> <td>46.88</td> <td>-7.28</td> <td>54.00</td> <td>32.78</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>126 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	5457.76	46.88	-7.28	54.00	32.78	34.28	18.38	30.56	100	126 Average	Left blank																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																														
1	5457.76	46.88	-7.28	54.00	32.78	34.28	18.38	30.56	100	126 Average																																																																												



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																															
ANT	802.11ac VHT80 CH106 5530MHz - R																															
1	Vertical	Fundamental																														
Peak	<p>Site : 03CH02-SZ          Condition : PART 15.407 3m HF ANT 3117 0107 VERTICAL          Project : 100934-01          Mode : Mode 2B          MEI : 497 C020G032165001H          Plane : Y with Accessory          MISO PowerRating 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>deg</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5748.31</td> <td>53.19</td> <td>-15.11</td> <td>68.30</td> <td>38.41</td> <td>34.60</td> <td>38.62</td> <td>38.44</td> <td>180</td> <td>126 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dBm	dBm	dB	dB	deg	deg		1 5748.31	53.19	-15.11	68.30	38.41	34.60	38.62	38.44	180	126 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBm	dBm	dBm	dBm	dB	dB	deg	deg																								
1 5748.31	53.19	-15.11	68.30	38.41	34.60	38.62	38.44	180	126 Peak																							





WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 1 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 29 MEI : #87-G0R2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.04</td> <td>51.92</td> <td>-22.08</td> <td>74.00</td> <td>37.99</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>100 Peak</td> </tr> <tr> <td>2</td> <td>5468.08</td> <td>51.76</td> <td>-16.54</td> <td>68.39</td> <td>37.69</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>100</td> <td>100 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.04	51.92	-22.08	74.00	37.99	34.20	18.38	30.56	100	100 Peak	2	5468.08	51.76	-16.54	68.39	37.69	34.20	18.43	30.56	100	100 Peak	 <p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 29 MEI : #87-G0R2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>98.64</td> <td>30.34</td> <td>68.30</td> <td>84.18</td> <td>34.38</td> <td>19.56</td> <td>30.48</td> <td>100</td> <td>100 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>91.72</td> <td>.....</td> <td>77.26</td> <td>34.38</td> <td>19.56</td> <td>30.48</td> <td>100</td> <td>100 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.64	30.34	68.30	84.18	34.38	19.56	30.48	100	100 Peak	2	5610.00	91.72	.....	77.26	34.38	19.56	30.48	100	100 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5455.04	51.92	-22.08	74.00	37.99	34.20	18.38	30.56	100	100 Peak																																																																											
2	5468.08	51.76	-16.54	68.39	37.69	34.20	18.43	30.56	100	100 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5610.00	98.64	30.34	68.30	84.18	34.38	19.56	30.48	100	100 Peak																																																																											
2	5610.00	91.72	.....	77.26	34.38	19.56	30.48	100	100 Average																																																																												
Avg.	 <p>Date: 2 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 10.000kHz Project : 1D0934-01 Mode : Mode 29 MEI : #87-G0R2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>42.30</td> <td>-11.70</td> <td>54.00</td> <td>28.28</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>100 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	42.30	-11.70	54.00	28.28	34.20	18.38	30.56	100	100 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.44	42.30	-11.70	54.00	28.28	34.20	18.38	30.56	100	100 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH122 5610MHz - R	
1	Horizontal	Fundamental
Peak	<p>           Date: 4            Date: 2022-05-22            Level (dBuV/m)            Frequency (MHz)            Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL            Project : F20W 1000.000kHz VSW 3000.000kHz            Mode : 100934-01            Mode : Mode 29            MEI : 497 C020G032165001H            Plane : Y with Accessory            MISO PowerRating 17            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Level Line Level Factor Loss Factor            Freq Level dB dBuV/m dBuV dB/m dB dB ca deg            1 5739.63 52.59 -15.71 66.30 37.81 34.60 18.62 30.44 100 100 Peak         </p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 29 MEI : #97-C6B2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.08</td> <td>51.89</td> <td>-22.11</td> <td>74.00</td> <td>37.86</td> <td>34.28</td> <td>18.38</td> <td>30.55</td> <td>100</td> <td>127 Peak</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>52.23</td> <td>-16.87</td> <td>68.38</td> <td>38.16</td> <td>34.28</td> <td>18.43</td> <td>30.56</td> <td>100</td> <td>127 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5438.08	51.89	-22.11	74.00	37.86	34.28	18.38	30.55	100	127 Peak	2	5469.04	52.23	-16.87	68.38	38.16	34.28	18.43	30.56	100	127 Peak	<p>Date: 7 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 29 MEI : #97-C6B2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>182.86</td> <td>34.56</td> <td>68.38</td> <td>88.48</td> <td>34.38</td> <td>19.56</td> <td>30.48</td> <td>100</td> <td>127 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>94.60</td> <td>.....</td> <td>88.14</td> <td>34.38</td> <td>19.56</td> <td>30.48</td> <td>100</td> <td>127 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5610.00	182.86	34.56	68.38	88.48	34.38	19.56	30.48	100	127 Peak	2	5610.00	94.60	.....	88.14	34.38	19.56	30.48	100	127 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5438.08	51.89	-22.11	74.00	37.86	34.28	18.38	30.55	100	127 Peak																																																																											
2	5469.04	52.23	-16.87	68.38	38.16	34.28	18.43	30.56	100	127 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5610.00	182.86	34.56	68.38	88.48	34.38	19.56	30.48	100	127 Peak																																																																											
2	5610.00	94.60	.....	88.14	34.38	19.56	30.48	100	127 Average																																																																												
Avg.	<p>Date: 6 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSM: 1000.000kHz VBW: 10.000kHz Project : 1D0934-01 Mode : Mode 29 MEI : #97-C6B2G032165001H Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.92</td> <td>-11.88</td> <td>54.80</td> <td>28.98</td> <td>34.28</td> <td>18.38</td> <td>30.56</td> <td>100</td> <td>127 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5459.92	42.92	-11.88	54.80	28.98	34.28	18.38	30.56	100	127 Average	Left blank																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5459.92	42.92	-11.88	54.80	28.98	34.28	18.38	30.56	100	127 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH122 5610MHz - R	
1	Vertical	Fundamental
Peak	<p>           Date: 2022-05-22            Date: 2022-05-22            Level (dBm) vs Frequency (MHz)            Site : 03CH02-SZ            Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL            Project : F20W 1000.0000kHz VSW 3000.0000kHz            Mode : 100934-01            Mode : Mode 29            MEI : 497 C020G032165001H            Plane : Y with Accessory            MISO PowerRating 17            Over Limit ReadAntenna Cable Preamp A/Pos T/Pos            Freq Level L1dB L1dB Level Factor Loss Factor            1 5726.33 54.19 -14.11 66.30 39.58 34.57 18.63 30.49 100 127 Peak         </p>	Left blank



**U-NII-2C - 5470~5725MHz**  
**WIFI 802.11a (Harmonic @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																															
ANT	802.11a CH100 5500MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL            Project : 130334-01            Mode : Mode 7            MEI : #92 G03022G032165001G            Plane : Y with Accessory            : GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11800.00</td> <td>51.36</td> <td>-22.64</td> <td>74.00</td> <td>59.05</td> <td>37.90</td> <td>12.01</td> <td>58.20</td> <td>100</td> <td>142 Peak</td> </tr> <tr> <td>2</td> <td>11800.00</td> <td>42.95</td> <td>-11.05</td> <td>54.00</td> <td>51.24</td> <td>37.90</td> <td>12.01</td> <td>58.20</td> <td>100</td> <td>142 Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>58.29</td> <td>-18.01</td> <td>68.30</td> <td>58.95</td> <td>41.57</td> <td>15.27</td> <td>57.50</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11800.00	51.36	-22.64	74.00	59.05	37.90	12.01	58.20	100	142 Peak	2	11800.00	42.95	-11.05	54.00	51.24	37.90	12.01	58.20	100	142 Average	3	16500.00	58.29	-18.01	68.30	58.95	41.57	15.27	57.50	---	--- Peak	<p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL            Project : 130334-01            Mode : Mode 7            MEI : #92 G03022G032165001G            Plane : Y with Accessory            : GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11800.00</td> <td>57.25</td> <td>-16.75</td> <td>74.00</td> <td>65.54</td> <td>37.90</td> <td>12.01</td> <td>58.20</td> <td>100</td> <td>211 Peak</td> </tr> <tr> <td>2</td> <td>11800.00</td> <td>48.84</td> <td>-5.16</td> <td>54.00</td> <td>57.13</td> <td>37.90</td> <td>12.01</td> <td>58.20</td> <td>100</td> <td>211 Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>58.73</td> <td>-17.57</td> <td>68.30</td> <td>51.39</td> <td>41.57</td> <td>15.27</td> <td>57.50</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11800.00	57.25	-16.75	74.00	65.54	37.90	12.01	58.20	100	211 Peak	2	11800.00	48.84	-5.16	54.00	57.13	37.90	12.01	58.20	100	211 Average	3	16500.00	58.73	-17.57	68.30	51.39	41.57	15.27	57.50	---	--- Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11800.00	51.36	-22.64	74.00	59.05	37.90	12.01	58.20	100	142 Peak																																																																																																						
2	11800.00	42.95	-11.05	54.00	51.24	37.90	12.01	58.20	100	142 Average																																																																																																						
3	16500.00	58.29	-18.01	68.30	58.95	41.57	15.27	57.50	---	--- Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11800.00	57.25	-16.75	74.00	65.54	37.90	12.01	58.20	100	211 Peak																																																																																																						
2	11800.00	48.84	-5.16	54.00	57.13	37.90	12.01	58.20	100	211 Average																																																																																																						
3	16500.00	58.73	-17.57	68.30	51.39	41.57	15.27	57.50	---	--- Peak																																																																																																						



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																						
ANT	802.11a CH116 5580MHz																																																																																																																						
1	Horizontal	Vertical																																																																																																																					
Peak Avg.	<p>Date: 19 Level (dBuV/m) Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150034-01 Mode : Mode B MEI : #92 G0922G02160001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8925.58</td> <td>48.48</td> <td>-19.82</td> <td>68.38</td> <td>59.88</td> <td>36.13</td> <td>18.78</td> <td>58.15</td> <td>180</td> <td>79 Peak</td> </tr> <tr> <td>2</td> <td>11169.00</td> <td>49.48</td> <td>-14.95</td> <td>74.88</td> <td>57.83</td> <td>38.85</td> <td>11.18</td> <td>58.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>16748.00</td> <td>53.35</td> <td>-14.95</td> <td>68.38</td> <td>52.94</td> <td>42.87</td> <td>15.43</td> <td>57.87</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8925.58	48.48	-19.82	68.38	59.88	36.13	18.78	58.15	180	79 Peak	2	11169.00	49.48	-14.95	74.88	57.83	38.85	11.18	58.18	---	Peak	3	16748.00	53.35	-14.95	68.38	52.94	42.87	15.43	57.87	---	Peak	<p>Date: 20 Level (dBuV/m) Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150034-01 Mode : Mode B MEI : #92 G0922G02160001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8925.58</td> <td>58.98</td> <td>-17.32</td> <td>68.38</td> <td>62.38</td> <td>36.13</td> <td>18.78</td> <td>58.15</td> <td>180</td> <td>185 Peak</td> </tr> <tr> <td>2</td> <td>11169.00</td> <td>55.58</td> <td>-18.43</td> <td>74.88</td> <td>62.34</td> <td>38.85</td> <td>11.18</td> <td>58.18</td> <td>---</td> <td>169 Peak</td> </tr> <tr> <td>3</td> <td>11169.00</td> <td>49.34</td> <td>-14.66</td> <td>54.88</td> <td>57.23</td> <td>38.85</td> <td>11.18</td> <td>58.18</td> <td>---</td> <td>169 Average</td> </tr> <tr> <td>4</td> <td>10748.00</td> <td>51.81</td> <td>-15.49</td> <td>68.38</td> <td>52.48</td> <td>42.87</td> <td>15.43</td> <td>57.87</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	8925.58	58.98	-17.32	68.38	62.38	36.13	18.78	58.15	180	185 Peak	2	11169.00	55.58	-18.43	74.88	62.34	38.85	11.18	58.18	---	169 Peak	3	11169.00	49.34	-14.66	54.88	57.23	38.85	11.18	58.18	---	169 Average	4	10748.00	51.81	-15.49	68.38	52.48	42.87	15.43	57.87	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	8925.58	48.48	-19.82	68.38	59.88	36.13	18.78	58.15	180	79 Peak																																																																																																													
2	11169.00	49.48	-14.95	74.88	57.83	38.85	11.18	58.18	---	Peak																																																																																																													
3	16748.00	53.35	-14.95	68.38	52.94	42.87	15.43	57.87	---	Peak																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	8925.58	58.98	-17.32	68.38	62.38	36.13	18.78	58.15	180	185 Peak																																																																																																													
2	11169.00	55.58	-18.43	74.88	62.34	38.85	11.18	58.18	---	169 Peak																																																																																																													
3	11169.00	49.34	-14.66	54.88	57.23	38.85	11.18	58.18	---	169 Average																																																																																																													
4	10748.00	51.81	-15.49	68.38	52.48	42.87	15.43	57.87	---	Peak																																																																																																													



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11a CH140 5700MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 15 Level (dBuV/m) Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 9 MEI : #92 G0622G02160001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9118.00</td> <td>48.65</td> <td>-25.26</td> <td>74.00</td> <td>59.78</td> <td>36.32</td> <td>18.82</td> <td>58.19</td> <td>100</td> <td>74 Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>49.78</td> <td>-24.28</td> <td>74.00</td> <td>57.28</td> <td>36.27</td> <td>12.19</td> <td>57.96</td> <td>100</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>52.97</td> <td>-15.33</td> <td>68.38</td> <td>51.76</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>100</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	9118.00	48.65	-25.26	74.00	59.78	36.32	18.82	58.19	100	74 Peak	2	11400.00	49.78	-24.28	74.00	57.28	36.27	12.19	57.96	100	--- Peak	3	17100.00	52.97	-15.33	68.38	51.76	42.46	15.45	56.78	100	--- Peak	<p>Date: 16 Level (dBuV/m) Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 9 MEI : #92 G0622G02160001G Plane : Y with Accessory GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9118.00</td> <td>51.50</td> <td>-22.50</td> <td>74.00</td> <td>62.55</td> <td>36.32</td> <td>18.82</td> <td>58.19</td> <td>100</td> <td>184 Peak</td> </tr> <tr> <td>2</td> <td>9118.00</td> <td>47.60</td> <td>-18.93</td> <td>54.00</td> <td>56.12</td> <td>36.25</td> <td>19.82</td> <td>58.19</td> <td>100</td> <td>184 Average</td> </tr> <tr> <td>3</td> <td>11400.00</td> <td>45.92</td> <td>-18.00</td> <td>74.00</td> <td>63.42</td> <td>38.27</td> <td>12.19</td> <td>57.96</td> <td>100</td> <td>211 Peak</td> </tr> <tr> <td>4</td> <td>11400.00</td> <td>48.25</td> <td>-15.00</td> <td>54.00</td> <td>56.42</td> <td>38.27</td> <td>12.19</td> <td>57.96</td> <td>100</td> <td>211 Average</td> </tr> <tr> <td>5</td> <td>17100.00</td> <td>53.74</td> <td>-14.56</td> <td>68.38</td> <td>52.53</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>100</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	9118.00	51.50	-22.50	74.00	62.55	36.32	18.82	58.19	100	184 Peak	2	9118.00	47.60	-18.93	54.00	56.12	36.25	19.82	58.19	100	184 Average	3	11400.00	45.92	-18.00	74.00	63.42	38.27	12.19	57.96	100	211 Peak	4	11400.00	48.25	-15.00	54.00	56.42	38.27	12.19	57.96	100	211 Average	5	17100.00	53.74	-14.56	68.38	52.53	42.46	15.45	56.78	100	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	9118.00	48.65	-25.26	74.00	59.78	36.32	18.82	58.19	100	74 Peak																																																																																																																								
2	11400.00	49.78	-24.28	74.00	57.28	36.27	12.19	57.96	100	--- Peak																																																																																																																								
3	17100.00	52.97	-15.33	68.38	51.76	42.46	15.45	56.78	100	--- Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	9118.00	51.50	-22.50	74.00	62.55	36.32	18.82	58.19	100	184 Peak																																																																																																																								
2	9118.00	47.60	-18.93	54.00	56.12	36.25	19.82	58.19	100	184 Average																																																																																																																								
3	11400.00	45.92	-18.00	74.00	63.42	38.27	12.19	57.96	100	211 Peak																																																																																																																								
4	11400.00	48.25	-15.00	54.00	56.42	38.27	12.19	57.96	100	211 Average																																																																																																																								
5	17100.00	53.74	-14.56	68.38	52.53	42.46	15.45	56.78	100	--- Peak																																																																																																																								



**U-NII-2C 5470~5725MHz  
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																						
ANT	802.11n HT20 CH100 5500MHz																																																																																																																						
1	Horizontal	Vertical																																																																																																																					
Peak Avg.	<p>Date: 17 Level (dBuV/m)</p> <p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 16 IMEI : #87.G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8799.00</td> <td>47.34</td> <td>-28.36</td> <td>68.30</td> <td>59.68</td> <td>36.84</td> <td>18.66</td> <td>58.36</td> <td>100</td> <td>72 Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>47.47</td> <td>-26.53</td> <td>74.00</td> <td>55.76</td> <td>37.99</td> <td>12.81</td> <td>58.28</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>13500.00</td> <td>52.18</td> <td>-16.12</td> <td>68.30</td> <td>52.84</td> <td>41.27</td> <td>15.27</td> <td>57.58</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	1	8799.00	47.34	-28.36	68.30	59.68	36.84	18.66	58.36	100	72 Peak	2	11000.00	47.47	-26.53	74.00	55.76	37.99	12.81	58.28	---	Peak	3	13500.00	52.18	-16.12	68.30	52.84	41.27	15.27	57.58	---	Peak	<p>Date: 18 Level (dBuV/m)</p> <p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100934-01 Mode : Mode 16 IMEI : #87.G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8799.00</td> <td>58.34</td> <td>-17.96</td> <td>68.30</td> <td>62.00</td> <td>36.84</td> <td>18.66</td> <td>58.36</td> <td>100</td> <td>66 Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>54.99</td> <td>-19.81</td> <td>74.00</td> <td>63.28</td> <td>37.98</td> <td>12.81</td> <td>58.28</td> <td>100</td> <td>188 Peak</td> </tr> <tr> <td>3</td> <td>13500.00</td> <td>55.81</td> <td>-19.99</td> <td>54.80</td> <td>56.30</td> <td>37.98</td> <td>12.81</td> <td>58.28</td> <td>100</td> <td>188 Average</td> </tr> <tr> <td>4</td> <td>16500.00</td> <td>51.67</td> <td>-16.63</td> <td>68.30</td> <td>52.33</td> <td>41.57</td> <td>15.27</td> <td>57.58</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg	1	8799.00	58.34	-17.96	68.30	62.00	36.84	18.66	58.36	100	66 Peak	2	11000.00	54.99	-19.81	74.00	63.28	37.98	12.81	58.28	100	188 Peak	3	13500.00	55.81	-19.99	54.80	56.30	37.98	12.81	58.28	100	188 Average	4	16500.00	51.67	-16.63	68.30	52.33	41.57	15.27	57.58	---	Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																													
Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																																														
1	8799.00	47.34	-28.36	68.30	59.68	36.84	18.66	58.36	100	72 Peak																																																																																																													
2	11000.00	47.47	-26.53	74.00	55.76	37.99	12.81	58.28	---	Peak																																																																																																													
3	13500.00	52.18	-16.12	68.30	52.84	41.27	15.27	57.58	---	Peak																																																																																																													
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																														
Freq	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																																														
1	8799.00	58.34	-17.96	68.30	62.00	36.84	18.66	58.36	100	66 Peak																																																																																																													
2	11000.00	54.99	-19.81	74.00	63.28	37.98	12.81	58.28	100	188 Peak																																																																																																													
3	13500.00	55.81	-19.99	54.80	56.30	37.98	12.81	58.28	100	188 Average																																																																																																													
4	16500.00	51.67	-16.63	68.30	52.33	41.57	15.27	57.58	---	Peak																																																																																																													





WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																										
ANT	802.11n HT20 CH116 5580MHz																																																																																																																										
1	Horizontal	Vertical																																																																																																																									
Peak Avg.	<p>Date: 19</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL            Project : 120934-01            Mode : Mode 17            MEI : #97 G0B22G02165001H            Plane : Y with Accessory            MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8928.00</td> <td>46.45</td> <td>-21.85</td> <td>68.30</td> <td>57.77</td> <td>36.13</td> <td>10.70</td> <td>58.15</td> <td>100</td> <td>128 Peak</td> </tr> <tr> <td>2</td> <td>11169.00</td> <td>48.75</td> <td>-23.25</td> <td>74.00</td> <td>56.78</td> <td>38.85</td> <td>11.10</td> <td>58.18</td> <td>100</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>16749.00</td> <td>52.14</td> <td>-16.16</td> <td>68.30</td> <td>51.73</td> <td>42.07</td> <td>15.43</td> <td>57.07</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8928.00	46.45	-21.85	68.30	57.77	36.13	10.70	58.15	100	128 Peak	2	11169.00	48.75	-23.25	74.00	56.78	38.85	11.10	58.18	100	Peak	3	16749.00	52.14	-16.16	68.30	51.73	42.07	15.43	57.07	---	Peak	<p>Date: 20</p> <p>Site : 03CH02-SZ            Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL            Project : 120934-01            Mode : Mode 17            MEI : #97 G0B22G02165001H            Plane : Y with Accessory            MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8928.00</td> <td>49.80</td> <td>-18.42</td> <td>68.30</td> <td>63.20</td> <td>36.13</td> <td>10.70</td> <td>58.15</td> <td>100</td> <td>68 Peak</td> </tr> <tr> <td>2</td> <td>11169.00</td> <td>55.75</td> <td>-16.22</td> <td>74.00</td> <td>62.73</td> <td>38.85</td> <td>11.10</td> <td>58.18</td> <td>100</td> <td>169 Peak</td> </tr> <tr> <td>3</td> <td>11169.00</td> <td>48.80</td> <td>-5.20</td> <td>54.00</td> <td>56.75</td> <td>38.85</td> <td>11.10</td> <td>58.18</td> <td>100</td> <td>169 Average</td> </tr> <tr> <td>4</td> <td>16749.00</td> <td>51.29</td> <td>-17.01</td> <td>68.30</td> <td>56.88</td> <td>42.07</td> <td>15.43</td> <td>57.07</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8928.00	49.80	-18.42	68.30	63.20	36.13	10.70	58.15	100	68 Peak	2	11169.00	55.75	-16.22	74.00	62.73	38.85	11.10	58.18	100	169 Peak	3	11169.00	48.80	-5.20	54.00	56.75	38.85	11.10	58.18	100	169 Average	4	16749.00	51.29	-17.01	68.30	56.88	42.07	15.43	57.07	---	Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8928.00	46.45	-21.85	68.30	57.77	36.13	10.70	58.15	100	128 Peak																																																																																																																	
2	11169.00	48.75	-23.25	74.00	56.78	38.85	11.10	58.18	100	Peak																																																																																																																	
3	16749.00	52.14	-16.16	68.30	51.73	42.07	15.43	57.07	---	Peak																																																																																																																	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8928.00	49.80	-18.42	68.30	63.20	36.13	10.70	58.15	100	68 Peak																																																																																																																	
2	11169.00	55.75	-16.22	74.00	62.73	38.85	11.10	58.18	100	169 Peak																																																																																																																	
3	11169.00	48.80	-5.20	54.00	56.75	38.85	11.10	58.18	100	169 Average																																																																																																																	
4	16749.00	51.29	-17.01	68.30	56.88	42.07	15.43	57.07	---	Peak																																																																																																																	



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11n HT20 CH140 5700MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 18 MEI : #67 G0B22G02165001H Plane : Y with Accessory MCSO PowerSelling 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9118.00</td> <td>49.07</td> <td>-24.93</td> <td>74.00</td> <td>69.12</td> <td>36.32</td> <td>10.82</td> <td>58.19</td> <td>100</td> <td>120 Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>46.92</td> <td>-25.08</td> <td>74.00</td> <td>56.42</td> <td>38.57</td> <td>11.19</td> <td>57.96</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>54.95</td> <td>-13.35</td> <td>68.38</td> <td>53.74</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	9118.00	49.07	-24.93	74.00	69.12	36.32	10.82	58.19	100	120 Peak	2	11400.00	46.92	-25.08	74.00	56.42	38.57	11.19	57.96	---	Peak	3	17100.00	54.95	-13.35	68.38	53.74	42.46	15.45	56.78	---	Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 18 MEI : #67 G0B22G02165001H Plane : Y with Accessory MCSO PowerSelling 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9118.00</td> <td>51.80</td> <td>-22.20</td> <td>74.00</td> <td>62.85</td> <td>36.32</td> <td>10.82</td> <td>58.19</td> <td>100</td> <td>155 Peak</td> </tr> <tr> <td>2</td> <td>9118.00</td> <td>47.65</td> <td>-25.35</td> <td>54.00</td> <td>56.78</td> <td>36.32</td> <td>10.82</td> <td>58.19</td> <td>100</td> <td>155 Average</td> </tr> <tr> <td>3</td> <td>11400.00</td> <td>56.80</td> <td>-16.80</td> <td>74.00</td> <td>63.58</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>125</td> <td>169 Peak</td> </tr> <tr> <td>4</td> <td>11400.00</td> <td>49.25</td> <td>-24.05</td> <td>54.00</td> <td>56.42</td> <td>38.27</td> <td>11.19</td> <td>57.96</td> <td>---</td> <td>169 Average</td> </tr> <tr> <td>5</td> <td>17100.00</td> <td>54.68</td> <td>-13.78</td> <td>68.38</td> <td>55.39</td> <td>42.46</td> <td>15.45</td> <td>56.78</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	9118.00	51.80	-22.20	74.00	62.85	36.32	10.82	58.19	100	155 Peak	2	9118.00	47.65	-25.35	54.00	56.78	36.32	10.82	58.19	100	155 Average	3	11400.00	56.80	-16.80	74.00	63.58	38.27	11.19	57.96	125	169 Peak	4	11400.00	49.25	-24.05	54.00	56.42	38.27	11.19	57.96	---	169 Average	5	17100.00	54.68	-13.78	68.38	55.39	42.46	15.45	56.78	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																										
1	9118.00	49.07	-24.93	74.00	69.12	36.32	10.82	58.19	100	120 Peak																																																																																																																								
2	11400.00	46.92	-25.08	74.00	56.42	38.57	11.19	57.96	---	Peak																																																																																																																								
3	17100.00	54.95	-13.35	68.38	53.74	42.46	15.45	56.78	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																										
1	9118.00	51.80	-22.20	74.00	62.85	36.32	10.82	58.19	100	155 Peak																																																																																																																								
2	9118.00	47.65	-25.35	54.00	56.78	36.32	10.82	58.19	100	155 Average																																																																																																																								
3	11400.00	56.80	-16.80	74.00	63.58	38.27	11.19	57.96	125	169 Peak																																																																																																																								
4	11400.00	49.25	-24.05	54.00	56.42	38.27	11.19	57.96	---	169 Average																																																																																																																								
5	17100.00	54.68	-13.78	68.38	55.39	42.46	15.45	56.78	---	Peak																																																																																																																								



**U-NII-2C 5470~5725MHz  
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																							
ANT	802.11n HT40 CH102 5510MHz																																																																																																							
1	Horizontal	Vertical																																																																																																						
<b>Peak</b> <b>Avg.</b>	<p>Date: 19 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 23 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8815.50</td> <td>48.69</td> <td>-19.61</td> <td>68.30</td> <td>68.31</td> <td>36.85</td> <td>18.66</td> <td>58.33</td> <td>100</td> <td>88 Peak</td> </tr> <tr> <td>2</td> <td>11820.00</td> <td>47.28</td> <td>-16.80</td> <td>74.00</td> <td>55.43</td> <td>37.92</td> <td>12.84</td> <td>58.19</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10530.00</td> <td>51.78</td> <td>-15.72</td> <td>60.20</td> <td>52.32</td> <td>41.64</td> <td>35.20</td> <td>57.44</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	8815.50	48.69	-19.61	68.30	68.31	36.85	18.66	58.33	100	88 Peak	2	11820.00	47.28	-16.80	74.00	55.43	37.92	12.84	58.19	---	Peak	3	10530.00	51.78	-15.72	60.20	52.32	41.64	35.20	57.44	---	Peak	<p>Date: 20 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100934-01 Mode : Mode 23 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8816.00</td> <td>49.72</td> <td>-18.58</td> <td>68.30</td> <td>61.34</td> <td>36.85</td> <td>18.66</td> <td>58.33</td> <td>100</td> <td>129 Peak</td> </tr> <tr> <td>2</td> <td>11820.00</td> <td>49.60</td> <td>-14.40</td> <td>74.00</td> <td>57.83</td> <td>37.92</td> <td>12.84</td> <td>58.19</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10530.00</td> <td>52.18</td> <td>-10.20</td> <td>68.30</td> <td>52.44</td> <td>41.64</td> <td>15.26</td> <td>57.44</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	8816.00	49.72	-18.58	68.30	61.34	36.85	18.66	58.33	100	129 Peak	2	11820.00	49.60	-14.40	74.00	57.83	37.92	12.84	58.19	---	Peak	3	10530.00	52.18	-10.20	68.30	52.44	41.64	15.26	57.44	---	Peak
Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																
1	8815.50	48.69	-19.61	68.30	68.31	36.85	18.66	58.33	100	88 Peak																																																																																														
2	11820.00	47.28	-16.80	74.00	55.43	37.92	12.84	58.19	---	Peak																																																																																														
3	10530.00	51.78	-15.72	60.20	52.32	41.64	35.20	57.44	---	Peak																																																																																														
Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																
1	8816.00	49.72	-18.58	68.30	61.34	36.85	18.66	58.33	100	129 Peak																																																																																														
2	11820.00	49.60	-14.40	74.00	57.83	37.92	12.84	58.19	---	Peak																																																																																														
3	10530.00	52.18	-10.20	68.30	52.44	41.64	15.26	57.44	---	Peak																																																																																														



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11n HT40 CH110 5550MHz																																																																																																																																					
1	Horizontal	Vertical																																																																																																																																				
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 24 MEI : #92 G0B22G02160001G Plane : Y with Accessory</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8080.00</td> <td>46.97</td> <td>-21.33</td> <td>68.30</td> <td>58.39</td> <td>36.11</td> <td>18.68</td> <td>58.21</td> <td>100</td> <td>36</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>46.69</td> <td>-21.33</td> <td>74.00</td> <td>56.67</td> <td>37.59</td> <td>11.17</td> <td>58.14</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>16696.00</td> <td>52.00</td> <td>-15.78</td> <td>68.30</td> <td>52.65</td> <td>41.89</td> <td>15.28</td> <td>57.22</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	8080.00	46.97	-21.33	68.30	58.39	36.11	18.68	58.21	100	36	Peak	2	11100.00	46.69	-21.33	74.00	56.67	37.59	11.17	58.14	---	---	Peak	3	16696.00	52.00	-15.78	68.30	52.65	41.89	15.28	57.22	---	---	Peak	<p>Date: 20</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 24 MEI : #92 G0B22G02160001G Plane : Y with Accessory</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8080.00</td> <td>49.91</td> <td>-19.39</td> <td>68.30</td> <td>63.33</td> <td>36.11</td> <td>10.68</td> <td>58.21</td> <td>100</td> <td>78</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>52.28</td> <td>-21.72</td> <td>74.00</td> <td>60.26</td> <td>37.59</td> <td>11.17</td> <td>58.14</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>11100.00</td> <td>46.62</td> <td>-17.30</td> <td>54.00</td> <td>54.69</td> <td>37.59</td> <td>11.17</td> <td>58.14</td> <td>100</td> <td>286</td> <td>Average</td> </tr> <tr> <td>4</td> <td>16696.00</td> <td>52.48</td> <td>-15.98</td> <td>68.30</td> <td>52.45</td> <td>41.89</td> <td>15.28</td> <td>57.22</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	8080.00	49.91	-19.39	68.30	63.33	36.11	10.68	58.21	100	78	Peak	2	11100.00	52.28	-21.72	74.00	60.26	37.59	11.17	58.14	---	---	Peak	3	11100.00	46.62	-17.30	54.00	54.69	37.59	11.17	58.14	100	286	Average	4	16696.00	52.48	-15.98	68.30	52.45	41.89	15.28	57.22	---	---	Peak
	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																										
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	8080.00	46.97	-21.33	68.30	58.39	36.11	18.68	58.21	100	36	Peak																																																																																																																											
2	11100.00	46.69	-21.33	74.00	56.67	37.59	11.17	58.14	---	---	Peak																																																																																																																											
3	16696.00	52.00	-15.78	68.30	52.65	41.89	15.28	57.22	---	---	Peak																																																																																																																											
Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																											
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	8080.00	49.91	-19.39	68.30	63.33	36.11	10.68	58.21	100	78	Peak																																																																																																																											
2	11100.00	52.28	-21.72	74.00	60.26	37.59	11.17	58.14	---	---	Peak																																																																																																																											
3	11100.00	46.62	-17.30	54.00	54.69	37.59	11.17	58.14	100	286	Average																																																																																																																											
4	16696.00	52.48	-15.98	68.30	52.45	41.89	15.28	57.22	---	---	Peak																																																																																																																											



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11n HT40 CH134 5670MHz																																																																																																																																					
1	Horizontal	Vertical																																																																																																																																				
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 25 MEI : #92 G0B22G02160001G Plane : Y with Accessory</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>List</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9072.00</td> <td>49.06</td> <td>-24.94</td> <td>74.00</td> <td>69.18</td> <td>36.27</td> <td>10.80</td> <td>58.11</td> <td>100</td> <td>69 Peak</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>68.79</td> <td>-25.21</td> <td>74.00</td> <td>56.15</td> <td>38.21</td> <td>11.34</td> <td>58.00</td> <td>100</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>17010.00</td> <td>53.84</td> <td>-14.46</td> <td>68.30</td> <td>52.29</td> <td>42.30</td> <td>15.59</td> <td>56.62</td> <td>100</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	List	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	9072.00	49.06	-24.94	74.00	69.18	36.27	10.80	58.11	100	69 Peak	2	11340.00	68.79	-25.21	74.00	56.15	38.21	11.34	58.00	100	--- Peak	3	17010.00	53.84	-14.46	68.30	52.29	42.30	15.59	56.62	100	--- Peak	<p>Date: 20</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 25 MEI : #92 G0B22G02160001G Plane : Y with Accessory</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>List</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9072.00</td> <td>51.32</td> <td>-22.68</td> <td>74.00</td> <td>63.36</td> <td>36.27</td> <td>10.80</td> <td>58.11</td> <td>100</td> <td>144 Peak</td> </tr> <tr> <td>2</td> <td>9072.00</td> <td>66.56</td> <td>-7.44</td> <td>54.00</td> <td>57.08</td> <td>36.27</td> <td>10.80</td> <td>58.11</td> <td>100</td> <td>144 Average</td> </tr> <tr> <td>3</td> <td>11340.00</td> <td>53.50</td> <td>-20.42</td> <td>74.00</td> <td>61.03</td> <td>38.21</td> <td>11.34</td> <td>58.00</td> <td>100</td> <td>286 Peak</td> </tr> <tr> <td>4</td> <td>11340.00</td> <td>67.07</td> <td>-6.93</td> <td>54.00</td> <td>55.42</td> <td>38.21</td> <td>11.34</td> <td>58.00</td> <td>100</td> <td>286 Average</td> </tr> <tr> <td>5</td> <td>17010.00</td> <td>54.11</td> <td>-14.19</td> <td>68.30</td> <td>52.36</td> <td>42.58</td> <td>15.59</td> <td>56.62</td> <td>100</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	List	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	9072.00	51.32	-22.68	74.00	63.36	36.27	10.80	58.11	100	144 Peak	2	9072.00	66.56	-7.44	54.00	57.08	36.27	10.80	58.11	100	144 Average	3	11340.00	53.50	-20.42	74.00	61.03	38.21	11.34	58.00	100	286 Peak	4	11340.00	67.07	-6.93	54.00	55.42	38.21	11.34	58.00	100	286 Average	5	17010.00	54.11	-14.19	68.30	52.36	42.58	15.59	56.62	100	--- Peak
	Freq	Level	Limit	Over	List	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	9072.00	49.06	-24.94	74.00	69.18	36.27	10.80	58.11	100	69 Peak																																																																																																																												
2	11340.00	68.79	-25.21	74.00	56.15	38.21	11.34	58.00	100	--- Peak																																																																																																																												
3	17010.00	53.84	-14.46	68.30	52.29	42.30	15.59	56.62	100	--- Peak																																																																																																																												
Freq	Level	Limit	Over	List	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	9072.00	51.32	-22.68	74.00	63.36	36.27	10.80	58.11	100	144 Peak																																																																																																																												
2	9072.00	66.56	-7.44	54.00	57.08	36.27	10.80	58.11	100	144 Average																																																																																																																												
3	11340.00	53.50	-20.42	74.00	61.03	38.21	11.34	58.00	100	286 Peak																																																																																																																												
4	11340.00	67.07	-6.93	54.00	55.42	38.21	11.34	58.00	100	286 Average																																																																																																																												
5	17010.00	54.11	-14.19	68.30	52.36	42.58	15.59	56.62	100	--- Peak																																																																																																																												





WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																																										
ANT	802.11ac VHT80 CH122 5610MHz																																																																																																																										
1	Horizontal	Vertical																																																																																																																									
Peak Avg.	<p>Date: 19 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : Mode 29 MEI : #67 G0B22G02165001H Plane : Y with Accessory MCSO PowerSelling 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8976.00</td> <td>48.19</td> <td>-28.11</td> <td>68.38</td> <td>59.36</td> <td>36.17</td> <td>18.72</td> <td>58.86</td> <td>180</td> <td>79 Peak</td> </tr> <tr> <td>2</td> <td>11228.00</td> <td>48.91</td> <td>-25.39</td> <td>74.00</td> <td>55.86</td> <td>38.38</td> <td>11.12</td> <td>58.87</td> <td>---</td> <td>124 Peak</td> </tr> <tr> <td>3</td> <td>16836.00</td> <td>53.28</td> <td>-15.82</td> <td>68.38</td> <td>52.44</td> <td>42.24</td> <td>15.51</td> <td>56.91</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8976.00	48.19	-28.11	68.38	59.36	36.17	18.72	58.86	180	79 Peak	2	11228.00	48.91	-25.39	74.00	55.86	38.38	11.12	58.87	---	124 Peak	3	16836.00	53.28	-15.82	68.38	52.44	42.24	15.51	56.91	---	Peak	<p>Date: 20 Level (dBuV/m)</p> <p>Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : Mode 29 MEI : #67 G0B22G02165001H Plane : Y with Accessory MCSO PowerSelling 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8976.00</td> <td>58.54</td> <td>-17.74</td> <td>68.38</td> <td>61.73</td> <td>36.17</td> <td>18.72</td> <td>58.86</td> <td>180</td> <td>17 Peak</td> </tr> <tr> <td>2</td> <td>11228.00</td> <td>51.55</td> <td>-26.45</td> <td>74.00</td> <td>61.48</td> <td>38.38</td> <td>11.12</td> <td>58.87</td> <td>---</td> <td>124 Peak</td> </tr> <tr> <td>3</td> <td>11228.00</td> <td>48.51</td> <td>-15.49</td> <td>54.88</td> <td>56.36</td> <td>38.38</td> <td>11.12</td> <td>58.87</td> <td>125</td> <td>124 Average</td> </tr> <tr> <td>4</td> <td>16836.00</td> <td>53.28</td> <td>-15.81</td> <td>68.38</td> <td>52.45</td> <td>42.24</td> <td>15.51</td> <td>56.91</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	8976.00	58.54	-17.74	68.38	61.73	36.17	18.72	58.86	180	17 Peak	2	11228.00	51.55	-26.45	74.00	61.48	38.38	11.12	58.87	---	124 Peak	3	11228.00	48.51	-15.49	54.88	56.36	38.38	11.12	58.87	125	124 Average	4	16836.00	53.28	-15.81	68.38	52.45	42.24	15.51	56.91	---	Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8976.00	48.19	-28.11	68.38	59.36	36.17	18.72	58.86	180	79 Peak																																																																																																																	
2	11228.00	48.91	-25.39	74.00	55.86	38.38	11.12	58.87	---	124 Peak																																																																																																																	
3	16836.00	53.28	-15.82	68.38	52.44	42.24	15.51	56.91	---	Peak																																																																																																																	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	8976.00	58.54	-17.74	68.38	61.73	36.17	18.72	58.86	180	17 Peak																																																																																																																	
2	11228.00	51.55	-26.45	74.00	61.48	38.38	11.12	58.87	---	124 Peak																																																																																																																	
3	11228.00	48.51	-15.49	54.88	56.36	38.38	11.12	58.87	125	124 Average																																																																																																																	
4	16836.00	53.28	-15.81	68.38	52.45	42.24	15.51	56.91	---	Peak																																																																																																																	



U-NII-2C - 5470~5725MHz



U-NII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																		
ANT	802.11a CH144 5720MHz - L																																																																		
1	Horizontal	Fundamental																																																																	
Peak	<p>Site : 03CH02-SZ            Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 HORIZONTAL            : RBW: 1000.0000kHz VBW: 3000.0000Hz            Project : 1D0934-01            Mode : Mode 39            MEI : #92-G0622G032165001G            Plane : Y with Accessory            : GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.35</td> <td>49.01</td> <td>-24.89</td> <td>74.00</td> <td>36.37</td> <td>34.20</td> <td>0.90</td> <td>30.56</td> <td>100</td> <td>181</td> </tr> <tr> <td>2</td> <td>5469.35</td> <td>49.99</td> <td>-18.31</td> <td>68.38</td> <td>36.43</td> <td>34.20</td> <td>0.92</td> <td>30.56</td> <td>100</td> <td>181</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>103.69</td> <td>.....</td> <td>89.17</td> <td>34.37</td> <td>36.44</td> <td>36.49</td> <td>.....</td> <td>100</td> <td>181</td> </tr> <tr> <td>4</td> <td>5898.35</td> <td>52.84</td> <td>-15.46</td> <td>68.38</td> <td>37.54</td> <td>35.00</td> <td>10.89</td> <td>30.59</td> <td>100</td> <td>181</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.35	49.01	-24.89	74.00	36.37	34.20	0.90	30.56	100	181	2	5469.35	49.99	-18.31	68.38	36.43	34.20	0.92	30.56	100	181	3	5720.00	103.69	.....	89.17	34.37	36.44	36.49	.....	100	181	4	5898.35	52.84	-15.46	68.38	37.54	35.00	10.89	30.59	100	181	Left blank
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																										
1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5458.35	49.01	-24.89	74.00	36.37	34.20	0.90	30.56	100	181																																																									
2	5469.35	49.99	-18.31	68.38	36.43	34.20	0.92	30.56	100	181																																																									
3	5720.00	103.69	.....	89.17	34.37	36.44	36.49	.....	100	181																																																									
4	5898.35	52.84	-15.46	68.38	37.54	35.00	10.89	30.59	100	181																																																									
Avg.	<p>Site : 03CH02-SZ            Condition : PNAET 15-807 AVG 3m HF_ANT_3117_0107 HORIZONTAL            : RBW: 1000.0000kHz VBW: 0.0100kHz            Project : 1D0934-01            Mode : Mode 39            MEI : #92-G0622G032165001G            Plane : Y with Accessory            : GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.25</td> <td>43.83</td> <td>-12.97</td> <td>54.00</td> <td>27.49</td> <td>34.20</td> <td>0.90</td> <td>30.56</td> <td>100</td> <td>181</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>97.81</td> <td>.....</td> <td>83.29</td> <td>34.37</td> <td>36.44</td> <td>36.49</td> <td>.....</td> <td>100</td> <td>181</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.25	43.83	-12.97	54.00	27.49	34.20	0.90	30.56	100	181	2	5720.00	97.81	.....	83.29	34.37	36.44	36.49	.....	100	181	Left blank																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																										
1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5457.25	43.83	-12.97	54.00	27.49	34.20	0.90	30.56	100	181																																																									
2	5720.00	97.81	.....	83.29	34.37	36.44	36.49	.....	100	181																																																									





WIFI	U-NII-2C Straddle Channel Band Edge @ 3m	
ANT	802.11a CH144 5720MHz - L	
1	Vertical	Fundamental
<p><b>Peak</b></p>	 <pre> Date: 3 Level (dBuV/m) Date: 2022-05-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5350 5400 5570 5680 5790 5900 Frequency (MHz) Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : 99 MEI : #92-G0802032165001G Plane : Y with Accessory GM PowerSetting 18 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 5421.59 49.88 -24.12 74.00 36.37 34.20 9.84 30.53 100 123 Peak 2 5466.69 59.72 -17.58 68.39 37.16 34.20 9.92 30.56 100 123 Peak 3 5720.00 87.37 ..... 92.85 34.37 38.44 30.49 100 123 Peak 4 5851.78 54.81 -14.29 68.39 38.61 34.90 10.78 30.48 100 123 Peak           </pre>	<p>Left blank</p>
<p><b>Avg.</b></p>	 <pre> Date: 4 Level (dBuV/m) Date: 2022-05-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5350 5400 5570 5680 5790 5900 Frequency (MHz) Site : 03CH02-SZ Condition : RWAT 15-807 AVG 3m HF_ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3.0100kHz Project : 100934-01 Mode : 99 MEI : #92-G0802032165001G Plane : Y with Accessory GM PowerSetting 18 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 5457.88 41.88 -12.92 54.89 27.54 34.20 9.98 30.56 100 123 Average 2 5720.00 99.86 ..... 84.54 34.37 38.44 30.49 100 123 Average           </pre>	<p>Left blank</p>



**U-NII-2C – Straddle Channel  
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																			
ANT	802.11n CH144 5720MHz - L																																																			
1	Horizontal	Fundamental																																																		
<b>Peak</b>	<p>Site : 03CH02-SZ Condition : U-NII-2C-AND U-NII-3 3m HF ANT_3117_0107 HORIZONTAL Project : ID0934-01 Mode : Mode 40 MEI : #07 G0E022G032165001H Plane : Y with Accessory MCSO PowerSetting 17.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.55</td> <td>59.54</td> <td>-23.46</td> <td>74.00</td> <td>36.51</td> <td>34.20</td> <td>18.38</td> <td>30.55</td> <td>174 Peak</td> </tr> <tr> <td>2</td> <td>5452.78</td> <td>59.95</td> <td>-18.25</td> <td>69.39</td> <td>35.98</td> <td>34.20</td> <td>18.43</td> <td>30.56</td> <td>174 Peak</td> </tr> <tr> <td>3</td> <td>5728.08</td> <td>181.75</td> <td>.....</td> <td>87.84</td> <td>34.57</td> <td>18.61</td> <td>30.49</td> <td>180</td> <td>174 Peak</td> </tr> <tr> <td>4</td> <td>5965.45</td> <td>51.15</td> <td>-16.15</td> <td>69.28</td> <td>37.84</td> <td>34.53</td> <td>18.73</td> <td>30.53</td> <td>174 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	1	5438.55	59.54	-23.46	74.00	36.51	34.20	18.38	30.55	174 Peak	2	5452.78	59.95	-18.25	69.39	35.98	34.20	18.43	30.56	174 Peak	3	5728.08	181.75	.....	87.84	34.57	18.61	30.49	180	174 Peak	4	5965.45	51.15	-16.15	69.28	37.84	34.53	18.73	30.53	174 Peak	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																											
1	5438.55	59.54	-23.46	74.00	36.51	34.20	18.38	30.55	174 Peak																																											
2	5452.78	59.95	-18.25	69.39	35.98	34.20	18.43	30.56	174 Peak																																											
3	5728.08	181.75	.....	87.84	34.57	18.61	30.49	180	174 Peak																																											
4	5965.45	51.15	-16.15	69.28	37.84	34.53	18.73	30.53	174 Peak																																											
<b>Avg.</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL Project : ID0934-01 Mode : Mode 40 MEI : #07 G0E022G032165001H Plane : Y with Accessory MCSO PowerSetting 17.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>41.53</td> <td>-12.47</td> <td>54.00</td> <td>27.51</td> <td>34.20</td> <td>18.38</td> <td>30.56</td> <td>174 Average</td> </tr> <tr> <td>2</td> <td>5728.08</td> <td>96.44</td> <td>.....</td> <td>81.75</td> <td>34.57</td> <td>18.61</td> <td>30.49</td> <td>180</td> <td>174 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	1	5459.45	41.53	-12.47	54.00	27.51	34.20	18.38	30.56	174 Average	2	5728.08	96.44	.....	81.75	34.57	18.61	30.49	180	174 Average	<b>Left blank</b>																				
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																											
1	5459.45	41.53	-12.47	54.00	27.51	34.20	18.38	30.56	174 Average																																											
2	5728.08	96.44	.....	81.75	34.57	18.61	30.49	180	174 Average																																											



WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																				
ANT	802.11n CH144 5720MHz - L																																				
1	Vertical	Fundamental																																			
Peak	<p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ ANT_ 3117_ 0107 VERTICAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : Mode 40 MEI : #E1-G5B2G032165001H Plane : Y with Accessory MCSO Powersetting: 17.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.15</td> <td>59.89</td> <td>-23.28</td> <td>74.00</td> <td>36.79</td> <td>34.28 18.34 38.53 184 119 Peak</td> </tr> <tr> <td>2</td> <td>5688.88</td> <td>49.96</td> <td>-18.34</td> <td>68.30</td> <td>35.89</td> <td>34.28 18.43 38.56 184 119 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>109.39</td> <td>.....</td> <td>51.51</td> <td>34.57</td> <td>18.63 38.49 184 119 Peak</td> </tr> <tr> <td>4</td> <td>5851.85</td> <td>55.85</td> <td>-15.25</td> <td>68.30</td> <td>37.95</td> <td>34.90 18.68 38.48 184 119 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Line	Level Factor	Loss Factor	Remark	1	5423.15	59.89	-23.28	74.00	36.79	34.28 18.34 38.53 184 119 Peak	2	5688.88	49.96	-18.34	68.30	35.89	34.28 18.43 38.56 184 119 Peak	3	5720.00	109.39	.....	51.51	34.57	18.63 38.49 184 119 Peak	4	5851.85	55.85	-15.25	68.30	37.95	34.90 18.68 38.48 184 119 Peak	Left blank
Peak	Freq	Level	Line	Level Factor	Loss Factor	Remark																															
1	5423.15	59.89	-23.28	74.00	36.79	34.28 18.34 38.53 184 119 Peak																															
2	5688.88	49.96	-18.34	68.30	35.89	34.28 18.43 38.56 184 119 Peak																															
3	5720.00	109.39	.....	51.51	34.57	18.63 38.49 184 119 Peak																															
4	5851.85	55.85	-15.25	68.30	37.95	34.90 18.68 38.48 184 119 Peak																															
Avg.	<p>Date: 4 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : RWRT 15.487 AVG 3m HF_ ANT_ 3117_ 0107 VERTICAL RSBW: 1000.000kHz VBW: 3.0100kHz Project : 100934-01 Mode : Mode 40 MEI : #E1-G5B2G032165001H Plane : Y with Accessory MCSO Powersetting: 17.5</p> <table border="1"> <thead> <tr> <th>Avg.</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5488.88</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>27.57</td> <td>34.28 18.38 38.56 184 119 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>98.05</td> <td>.....</td> <td>84.26</td> <td>34.57</td> <td>18.63 38.49 184 119 Average</td> </tr> </tbody> </table>	Avg.	Freq	Level	Line	Level Factor	Loss Factor	Remark	1	5488.88	41.59	-12.41	54.00	27.57	34.28 18.38 38.56 184 119 Average	2	5720.00	98.05	.....	84.26	34.57	18.63 38.49 184 119 Average	Left blank														
Avg.	Freq	Level	Line	Level Factor	Loss Factor	Remark																															
1	5488.88	41.59	-12.41	54.00	27.57	34.28 18.38 38.56 184 119 Average																															
2	5720.00	98.05	.....	84.26	34.57	18.63 38.49 184 119 Average																															



**U-NII-2C – Straddle Channel  
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																								
ANT	802.11n CH142 5710MHz - L																																																								
1	Horizontal	Fundamental																																																							
<b>Peak</b>	<p>Site : 03CH02-SZ Condition : U-NII-2C-AND U-NII-3 3m HF ANT_3117_0107 HORIZONTAL Project : ID0934-01 Mode : Mode 41 MEI : #92 G0B22G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.48</td> <td>59.25</td> <td>-23.75</td> <td>74.00</td> <td>36.73</td> <td>34.20</td> <td>9.87</td> <td>30.55</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>2</td> <td>5466.05</td> <td>62.76</td> <td>-35.54</td> <td>69.20</td> <td>35.20</td> <td>34.20</td> <td>9.92</td> <td>30.56</td> <td>100</td> <td>182 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>89.38</td> <td>-----</td> <td>84.96</td> <td>34.53</td> <td>30.38</td> <td>30.49</td> <td>100</td> <td>182</td> <td>182 Peak</td> </tr> <tr> <td>4</td> <td>5964.00</td> <td>51.34</td> <td>-16.96</td> <td>68.20</td> <td>36.12</td> <td>34.53</td> <td>10.02</td> <td>30.53</td> <td>100</td> <td>182 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	Remark	1	5442.48	59.25	-23.75	74.00	36.73	34.20	9.87	30.55	100	182 Peak	2	5466.05	62.76	-35.54	69.20	35.20	34.20	9.92	30.56	100	182 Peak	3	5710.00	89.38	-----	84.96	34.53	30.38	30.49	100	182	182 Peak	4	5964.00	51.34	-16.96	68.20	36.12	34.53	10.02	30.53	100	182 Peak	<b>Left blank</b>
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	Remark																																															
1	5442.48	59.25	-23.75	74.00	36.73	34.20	9.87	30.55	100	182 Peak																																															
2	5466.05	62.76	-35.54	69.20	35.20	34.20	9.92	30.56	100	182 Peak																																															
3	5710.00	89.38	-----	84.96	34.53	30.38	30.49	100	182	182 Peak																																															
4	5964.00	51.34	-16.96	68.20	36.12	34.53	10.02	30.53	100	182 Peak																																															
<b>Avg.</b>	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL Project : ID0934-01 Mode : Mode 41 MEI : #92 G0B22G032165001G Plane : Y with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>41.08</td> <td>-12.92</td> <td>54.00</td> <td>27.54</td> <td>34.20</td> <td>9.90</td> <td>30.56</td> <td>100</td> <td>182 Average</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>93.32</td> <td>-----</td> <td>78.00</td> <td>34.53</td> <td>30.38</td> <td>30.49</td> <td>100</td> <td>182</td> <td>182 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	Remark	1	5468.00	41.08	-12.92	54.00	27.54	34.20	9.90	30.56	100	182 Average	2	5710.00	93.32	-----	78.00	34.53	30.38	30.49	100	182	182 Average	<b>Left blank</b>																						
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	dB	cm	deg	Remark																																															
1	5468.00	41.08	-12.92	54.00	27.54	34.20	9.90	30.56	100	182 Average																																															
2	5710.00	93.32	-----	78.00	34.53	30.38	30.49	100	182	182 Average																																															



WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																															
ANT	802.11n CH142 5710MHz - L																																																																															
1	Vertical	Fundamental																																																																														
Peak	<p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : Mode 41 MEI : #92-C6BE2G032165001G Plane : V with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.98</td> <td>59.34</td> <td>-23.66</td> <td>74.00</td> <td>36.06</td> <td>34.28</td> <td>9.83</td> <td>30.53</td> <td>180</td> <td>122</td> <td>Peak</td> <td></td> </tr> <tr> <td>2</td> <td>5468.88</td> <td>49.54</td> <td>-18.76</td> <td>68.39</td> <td>35.98</td> <td>34.28</td> <td>9.92</td> <td>30.56</td> <td>180</td> <td>122</td> <td>Peak</td> <td></td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>103.32</td> <td>.....</td> <td>88.88</td> <td>34.33</td> <td>36.28</td> <td>30.45</td> <td>180</td> <td>122</td> <td>Peak</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>5889.75</td> <td>51.09</td> <td>-16.78</td> <td>68.39</td> <td>36.31</td> <td>34.97</td> <td>10.85</td> <td>30.53</td> <td>180</td> <td>122</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg		1	5392.98	59.34	-23.66	74.00	36.06	34.28	9.83	30.53	180	122	Peak		2	5468.88	49.54	-18.76	68.39	35.98	34.28	9.92	30.56	180	122	Peak		3	5710.00	103.32	.....	88.88	34.33	36.28	30.45	180	122	Peak			4	5889.75	51.09	-16.78	68.39	36.31	34.97	10.85	30.53	180	122	Peak		Left blank
Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg																																																																					
1	5392.98	59.34	-23.66	74.00	36.06	34.28	9.83	30.53	180	122	Peak																																																																					
2	5468.88	49.54	-18.76	68.39	35.98	34.28	9.92	30.56	180	122	Peak																																																																					
3	5710.00	103.32	.....	88.88	34.33	36.28	30.45	180	122	Peak																																																																						
4	5889.75	51.09	-16.78	68.39	36.31	34.97	10.85	30.53	180	122	Peak																																																																					
Avg.	<p>Date: 4 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : RWRT 15.487 AVG 3m HF ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3.0100kHz Project : 100934-01 Mode : Mode 41 MEI : #92-C6BE2G032165001G Plane : V with Accessory MCSO PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.35</td> <td>41.15</td> <td>-12.87</td> <td>54.00</td> <td>27.59</td> <td>34.28</td> <td>9.98</td> <td>30.56</td> <td>180</td> <td>122</td> <td>Average</td> <td></td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>95.32</td> <td>.....</td> <td>88.88</td> <td>34.33</td> <td>36.28</td> <td>30.45</td> <td>180</td> <td>122</td> <td>Average</td> <td></td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg		1	5458.35	41.15	-12.87	54.00	27.59	34.28	9.98	30.56	180	122	Average		2	5710.00	95.32	.....	88.88	34.33	36.28	30.45	180	122	Average			Left blank																										
Peak	Freq	Level	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg																																																																					
1	5458.35	41.15	-12.87	54.00	27.59	34.28	9.98	30.56	180	122	Average																																																																					
2	5710.00	95.32	.....	88.88	34.33	36.28	30.45	180	122	Average																																																																						



**U-NII-2C – Straddle Channel  
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																			
ANT	802.11ac CH138 5690MHz - L																																																																			
1	Horizontal	Fundamental																																																																		
<b>Peak</b>	<p>Site : 03CH02-SZ            Condition : U-NII-2C-AND U-NII-3 3m HF ANT_3117_0107 HORIZONTAL            Project : ID0934-01            Mode : Mode 42            MEI : 497 G0E22G032165001H            Plane : Y with Accessory            MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.85</td> <td>58.44</td> <td>-23.56</td> <td>74.00</td> <td>36.46</td> <td>34.20</td> <td>18.38</td> <td>38.52</td> <td>180</td> <td>181 Peak</td> </tr> <tr> <td>2</td> <td>5467.78</td> <td>49.32</td> <td>-18.96</td> <td>69.39</td> <td>35.25</td> <td>34.20</td> <td>18.43</td> <td>38.56</td> <td>180</td> <td>181 Peak</td> </tr> <tr> <td>3</td> <td>5698.08</td> <td>96.79</td> <td>.....</td> <td>82.23</td> <td>34.58</td> <td>34.58</td> <td>18.59</td> <td>38.53</td> <td>180</td> <td>181 Peak</td> </tr> <tr> <td>4</td> <td>5911.08</td> <td>51.09</td> <td>-15.61</td> <td>66.28</td> <td>37.59</td> <td>34.58</td> <td>18.68</td> <td>38.48</td> <td>180</td> <td>181 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	5367.85	58.44	-23.56	74.00	36.46	34.20	18.38	38.52	180	181 Peak	2	5467.78	49.32	-18.96	69.39	35.25	34.20	18.43	38.56	180	181 Peak	3	5698.08	96.79	.....	82.23	34.58	34.58	18.59	38.53	180	181 Peak	4	5911.08	51.09	-15.61	66.28	37.59	34.58	18.68	38.48	180	181 Peak	Left blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																											
1	5367.85	58.44	-23.56	74.00	36.46	34.20	18.38	38.52	180	181 Peak																																																										
2	5467.78	49.32	-18.96	69.39	35.25	34.20	18.43	38.56	180	181 Peak																																																										
3	5698.08	96.79	.....	82.23	34.58	34.58	18.59	38.53	180	181 Peak																																																										
4	5911.08	51.09	-15.61	66.28	37.59	34.58	18.68	38.48	180	181 Peak																																																										
<b>Avg.</b>	<p>Site : 03CH02-SZ            Condition : PART 15 407 AVG 3m HF ANT_3117_0107 HORIZONTAL            Project : ID0934-01            Mode : Mode 42            MEI : 497 G0E22G032165001H            Plane : Y with Accessory            MCS0 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Avg.</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.35</td> <td>41.58</td> <td>-12.42</td> <td>54.00</td> <td>27.56</td> <td>34.20</td> <td>18.38</td> <td>38.56</td> <td>180</td> <td>181 Average</td> </tr> <tr> <td>2</td> <td>5698.08</td> <td>89.55</td> <td>.....</td> <td>74.99</td> <td>34.58</td> <td>34.58</td> <td>18.59</td> <td>38.53</td> <td>180</td> <td>181 Average</td> </tr> </tbody> </table>	Avg.	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	5458.35	41.58	-12.42	54.00	27.56	34.20	18.38	38.56	180	181 Average	2	5698.08	89.55	.....	74.99	34.58	34.58	18.59	38.53	180	181 Average	Left blank																						
Avg.	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																											
1	5458.35	41.58	-12.42	54.00	27.56	34.20	18.38	38.56	180	181 Average																																																										
2	5698.08	89.55	.....	74.99	34.58	34.58	18.59	38.53	180	181 Average																																																										



WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																		
ANT	802.11ac CH138 5690MHz - L																																																																		
1	Vertical	Fundamental																																																																	
Peak	<p>Date: 3 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : Mode 42 MEI : REF:CS6E2G032165001H Plane : Y with Accessory MCSO PowerSetting: 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.59</td> <td>59.77</td> <td>-23.23</td> <td>74.00</td> <td>36.08</td> <td>34.28</td> <td>18.38</td> <td>38.53</td> <td>180</td> <td>120 Peak</td> </tr> <tr> <td>2</td> <td>5467.78</td> <td>58.02</td> <td>-18.28</td> <td>66.30</td> <td>35.95</td> <td>34.28</td> <td>18.43</td> <td>38.56</td> <td>180</td> <td>120 Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>100.34</td> <td>.....</td> <td>85.18</td> <td>34.50</td> <td>18.55</td> <td>38.53</td> <td>180</td> <td>120 Peak</td> </tr> <tr> <td>4</td> <td>5854.99</td> <td>52.29</td> <td>-16.91</td> <td>68.38</td> <td>37.16</td> <td>34.93</td> <td>18.68</td> <td>38.48</td> <td>180</td> <td>120 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5377.59	59.77	-23.23	74.00	36.08	34.28	18.38	38.53	180	120 Peak	2	5467.78	58.02	-18.28	66.30	35.95	34.28	18.43	38.56	180	120 Peak	3	5690.00	100.34	.....	85.18	34.50	18.55	38.53	180	120 Peak	4	5854.99	52.29	-16.91	68.38	37.16	34.93	18.68	38.48	180	120 Peak	Left blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5377.59	59.77	-23.23	74.00	36.08	34.28	18.38	38.53	180	120 Peak																																																									
2	5467.78	58.02	-18.28	66.30	35.95	34.28	18.43	38.56	180	120 Peak																																																									
3	5690.00	100.34	.....	85.18	34.50	18.55	38.53	180	120 Peak																																																										
4	5854.99	52.29	-16.91	68.38	37.16	34.93	18.68	38.48	180	120 Peak																																																									
Avg.	<p>Date: 4 Date: 2022-05-22</p> <p>Site : 03CH02-SZ Condition : RWRT 15.487 AVG 3m HF ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3.0100kHz Project : 100934-01 Mode : Mode 42 MEI : REF:CS6E2G032165001H Plane : Y with Accessory MCSO PowerSetting: 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.88</td> <td>41.05</td> <td>-12.35</td> <td>54.00</td> <td>27.63</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>180</td> <td>120 Average</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>92.14</td> <td>.....</td> <td>77.58</td> <td>34.50</td> <td>18.55</td> <td>38.53</td> <td>180</td> <td>120 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.88	41.05	-12.35	54.00	27.63	34.28	18.38	38.56	180	120 Average	2	5690.00	92.14	.....	77.58	34.50	18.55	38.53	180	120 Average	Left blank																						
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5457.88	41.05	-12.35	54.00	27.63	34.28	18.38	38.56	180	120 Average																																																									
2	5690.00	92.14	.....	77.58	34.50	18.55	38.53	180	120 Average																																																										



U-NII-2C - Straddle Channel  
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																																																																										
ANT	802.11a CH144 5720MHz																																																																																																																										
1	Horizontal	Vertical																																																																																																																									
<p><b>Peak</b></p> <p><b>Avg.</b></p>	<p>Date: 13 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 130334-01 Mode : Mode 39 MEI : #92 G03022G032165001G Plane : Y with Accessory : GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9151.00</td> <td>48.83</td> <td>-25.17</td> <td>74.00</td> <td>59.89</td> <td>36.34</td> <td>10.82</td> <td>58.22</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>49.12</td> <td>-24.88</td> <td>74.00</td> <td>56.32</td> <td>38.38</td> <td>11.24</td> <td>57.94</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>17168.00</td> <td>50.41</td> <td>-17.59</td> <td>68.38</td> <td>49.24</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	9151.00	48.83	-25.17	74.00	59.89	36.34	10.82	58.22	---	Peak	2	11440.00	49.12	-24.88	74.00	56.32	38.38	11.24	57.94	---	Peak	3	17168.00	50.41	-17.59	68.38	49.24	42.36	15.58	56.77	---	Peak	<p>Date: 14 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 130334-01 Mode : Mode 39 MEI : #92 G03022G032165001G Plane : Y with Accessory : GM PowerSetting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9151.00</td> <td>50.19</td> <td>-23.81</td> <td>74.00</td> <td>63.25</td> <td>36.34</td> <td>10.82</td> <td>58.22</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>54.75</td> <td>-19.25</td> <td>74.00</td> <td>62.15</td> <td>38.38</td> <td>11.24</td> <td>57.94</td> <td>180</td> <td>248 Peak</td> </tr> <tr> <td>3</td> <td>11440.00</td> <td>48.83</td> <td>-15.17</td> <td>54.00</td> <td>56.03</td> <td>38.38</td> <td>11.24</td> <td>57.94</td> <td>100</td> <td>248 Average</td> </tr> <tr> <td>4</td> <td>17168.00</td> <td>50.22</td> <td>-18.00</td> <td>68.38</td> <td>49.49</td> <td>42.36</td> <td>15.58</td> <td>56.77</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	9151.00	50.19	-23.81	74.00	63.25	36.34	10.82	58.22	---	Peak	2	11440.00	54.75	-19.25	74.00	62.15	38.38	11.24	57.94	180	248 Peak	3	11440.00	48.83	-15.17	54.00	56.03	38.38	11.24	57.94	100	248 Average	4	17168.00	50.22	-18.00	68.38	49.49	42.36	15.58	56.77	---	Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	9151.00	48.83	-25.17	74.00	59.89	36.34	10.82	58.22	---	Peak																																																																																																																	
2	11440.00	49.12	-24.88	74.00	56.32	38.38	11.24	57.94	---	Peak																																																																																																																	
3	17168.00	50.41	-17.59	68.38	49.24	42.36	15.58	56.77	---	Peak																																																																																																																	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	9151.00	50.19	-23.81	74.00	63.25	36.34	10.82	58.22	---	Peak																																																																																																																	
2	11440.00	54.75	-19.25	74.00	62.15	38.38	11.24	57.94	180	248 Peak																																																																																																																	
3	11440.00	48.83	-15.17	54.00	56.03	38.38	11.24	57.94	100	248 Average																																																																																																																	
4	17168.00	50.22	-18.00	68.38	49.49	42.36	15.58	56.77	---	Peak																																																																																																																	





**U-NII-2C – Straddle Channel  
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																																																																																	
ANT	802.11n HT20 CH144 5720MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
<b>Peak Avg.</b>	<p>Date: 13 Level (dBuV/m)</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 00 IMEI : #87-G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9151.00</td> <td>49.07</td> <td>-24.93</td> <td>74.00</td> <td>60.13</td> <td>36.34</td> <td>10.82</td> <td>58.22</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>49.13</td> <td>-24.67</td> <td>74.00</td> <td>56.73</td> <td>38.30</td> <td>11.24</td> <td>57.94</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12160.00</td> <td>50.10</td> <td>-13.70</td> <td>60.30</td> <td>42.30</td> <td>33.50</td> <td>56.77</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	9151.00	49.07	-24.93	74.00	60.13	36.34	10.82	58.22	---	Peak	2	11440.00	49.13	-24.67	74.00	56.73	38.30	11.24	57.94	---	Peak	3	12160.00	50.10	-13.70	60.30	42.30	33.50	56.77	---	---	Peak	<p>Date: 14 Level (dBuV/m)</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 100934-01 Mode : Mode 00 IMEI : #87-G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating: 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>9151.00</td> <td>51.62</td> <td>-22.38</td> <td>74.00</td> <td>62.60</td> <td>36.34</td> <td>10.82</td> <td>58.22</td> <td>100</td> <td>125 Peak</td> </tr> <tr> <td>2</td> <td>9151.00</td> <td>47.00</td> <td>-16.94</td> <td>54.00</td> <td>58.12</td> <td>36.34</td> <td>10.82</td> <td>58.22</td> <td>100</td> <td>125 Average</td> </tr> <tr> <td>3</td> <td>11440.00</td> <td>51.10</td> <td>-16.90</td> <td>74.00</td> <td>62.30</td> <td>38.30</td> <td>11.24</td> <td>57.94</td> <td>142</td> <td>194 Peak</td> </tr> <tr> <td>4</td> <td>11440.00</td> <td>49.49</td> <td>-14.51</td> <td>54.00</td> <td>56.89</td> <td>38.30</td> <td>11.24</td> <td>57.94</td> <td>142</td> <td>194 Average</td> </tr> <tr> <td>5</td> <td>12160.00</td> <td>50.70</td> <td>-17.54</td> <td>60.30</td> <td>49.39</td> <td>42.30</td> <td>15.50</td> <td>56.77</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	9151.00	51.62	-22.38	74.00	62.60	36.34	10.82	58.22	100	125 Peak	2	9151.00	47.00	-16.94	54.00	58.12	36.34	10.82	58.22	100	125 Average	3	11440.00	51.10	-16.90	74.00	62.30	38.30	11.24	57.94	142	194 Peak	4	11440.00	49.49	-14.51	54.00	56.89	38.30	11.24	57.94	142	194 Average	5	12160.00	50.70	-17.54	60.30	49.39	42.30	15.50	56.77	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	9151.00	49.07	-24.93	74.00	60.13	36.34	10.82	58.22	---	Peak																																																																																																																								
2	11440.00	49.13	-24.67	74.00	56.73	38.30	11.24	57.94	---	Peak																																																																																																																								
3	12160.00	50.10	-13.70	60.30	42.30	33.50	56.77	---	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	9151.00	51.62	-22.38	74.00	62.60	36.34	10.82	58.22	100	125 Peak																																																																																																																								
2	9151.00	47.00	-16.94	54.00	58.12	36.34	10.82	58.22	100	125 Average																																																																																																																								
3	11440.00	51.10	-16.90	74.00	62.30	38.30	11.24	57.94	142	194 Peak																																																																																																																								
4	11440.00	49.49	-14.51	54.00	56.89	38.30	11.24	57.94	142	194 Average																																																																																																																								
5	12160.00	50.70	-17.54	60.30	49.39	42.30	15.50	56.77	---	Peak																																																																																																																								



**U-NII-2C – Straddle Channel  
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																																																																									
ANT	802.11n HT40 CH142 5710MHz																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
<b>Peak</b> <b>Avg.</b>	<p>Date: 13 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode #1 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 9136.00</td> <td>47.20</td> <td>-26.80</td> <td>74.00</td> <td>58.26</td> <td>36.34</td> <td>18.82</td> <td>58.22</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 11420.00</td> <td>48.25</td> <td>-25.75</td> <td>74.00</td> <td>55.78</td> <td>38.28</td> <td>11.22</td> <td>57.95</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>3 17130.00</td> <td>50.33</td> <td>-17.67</td> <td>60.00</td> <td>49.14</td> <td>42.41</td> <td>15.53</td> <td>56.73</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 9136.00	47.20	-26.80	74.00	58.26	36.34	18.82	58.22	---	--- Peak	2 11420.00	48.25	-25.75	74.00	55.78	38.28	11.22	57.95	---	--- Peak	3 17130.00	50.33	-17.67	60.00	49.14	42.41	15.53	56.73	---	--- Peak	<p>Date: 14 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100934-01 Mode : Mode #1 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 9136.00</td> <td>51.72</td> <td>-22.28</td> <td>74.00</td> <td>62.78</td> <td>36.34</td> <td>18.82</td> <td>58.22</td> <td>100</td> <td>136 Peak</td> </tr> <tr> <td>2 9136.00</td> <td>47.80</td> <td>-7.80</td> <td>54.00</td> <td>58.06</td> <td>36.34</td> <td>18.82</td> <td>58.22</td> <td>100</td> <td>136 Average</td> </tr> <tr> <td>3 11420.00</td> <td>51.21</td> <td>-16.79</td> <td>74.00</td> <td>60.66</td> <td>38.28</td> <td>11.22</td> <td>57.95</td> <td>100</td> <td>116 Peak</td> </tr> <tr> <td>4 11420.00</td> <td>47.21</td> <td>-16.79</td> <td>54.00</td> <td>54.60</td> <td>38.28</td> <td>11.22</td> <td>57.95</td> <td>100</td> <td>116 Average</td> </tr> <tr> <td>5 17130.00</td> <td>48.95</td> <td>-11.05</td> <td>60.00</td> <td>49.77</td> <td>41.41</td> <td>15.51</td> <td>56.73</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 9136.00	51.72	-22.28	74.00	62.78	36.34	18.82	58.22	100	136 Peak	2 9136.00	47.80	-7.80	54.00	58.06	36.34	18.82	58.22	100	136 Average	3 11420.00	51.21	-16.79	74.00	60.66	38.28	11.22	57.95	100	116 Peak	4 11420.00	47.21	-16.79	54.00	54.60	38.28	11.22	57.95	100	116 Average	5 17130.00	48.95	-11.05	60.00	49.77	41.41	15.51	56.73	---	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 9136.00	47.20	-26.80	74.00	58.26	36.34	18.82	58.22	---	--- Peak																																																																																																																	
2 11420.00	48.25	-25.75	74.00	55.78	38.28	11.22	57.95	---	--- Peak																																																																																																																	
3 17130.00	50.33	-17.67	60.00	49.14	42.41	15.53	56.73	---	--- Peak																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 9136.00	51.72	-22.28	74.00	62.78	36.34	18.82	58.22	100	136 Peak																																																																																																																	
2 9136.00	47.80	-7.80	54.00	58.06	36.34	18.82	58.22	100	136 Average																																																																																																																	
3 11420.00	51.21	-16.79	74.00	60.66	38.28	11.22	57.95	100	116 Peak																																																																																																																	
4 11420.00	47.21	-16.79	54.00	54.60	38.28	11.22	57.95	100	116 Average																																																																																																																	
5 17130.00	48.95	-11.05	60.00	49.77	41.41	15.51	56.73	---	--- Peak																																																																																																																	



**U-NII-2C – Straddle Channel  
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																																																				
ANT	802.11ac VHT80 CH138 5690MHz																																																																																																				
1	Horizontal	Vertical																																																																																																			
<b>Peak</b> <b>Avg.</b>	<p>Date: 13 Level (dBuV/m)</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0934-01 Mode : Mode 42 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 9184.00</td> <td>49.29</td> <td>-24.71</td> <td>74.00</td> <td>68.34</td> <td>36.30</td> <td>18.82</td> <td>58.17</td> <td>--- Peak</td> </tr> <tr> <td>2 11380.00</td> <td>48.23</td> <td>-25.77</td> <td>74.00</td> <td>55.72</td> <td>38.25</td> <td>12.23</td> <td>57.97</td> <td>--- Peak</td> </tr> <tr> <td>3 17076.00</td> <td>50.51</td> <td>-17.49</td> <td>60.30</td> <td>49.16</td> <td>42.51</td> <td>15.51</td> <td>56.67</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 9184.00	49.29	-24.71	74.00	68.34	36.30	18.82	58.17	--- Peak	2 11380.00	48.23	-25.77	74.00	55.72	38.25	12.23	57.97	--- Peak	3 17076.00	50.51	-17.49	60.30	49.16	42.51	15.51	56.67	--- Peak	<p>Date: 14 Level (dBuV/m)</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 1D0934-01 Mode : Mode 42 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 9184.00</td> <td>58.62</td> <td>-23.38</td> <td>74.00</td> <td>61.67</td> <td>36.30</td> <td>18.82</td> <td>58.17</td> <td>--- Peak</td> </tr> <tr> <td>2 11380.00</td> <td>52.87</td> <td>-11.13</td> <td>74.00</td> <td>68.36</td> <td>38.25</td> <td>12.23</td> <td>57.97</td> <td>100 55 Peak</td> </tr> <tr> <td>3 11380.00</td> <td>61.61</td> <td>-3.36</td> <td>54.00</td> <td>56.13</td> <td>38.25</td> <td>12.23</td> <td>57.97</td> <td>100 55 Average</td> </tr> <tr> <td>4 17076.00</td> <td>58.59</td> <td>-17.91</td> <td>68.58</td> <td>49.04</td> <td>42.51</td> <td>15.51</td> <td>56.67</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 9184.00	58.62	-23.38	74.00	61.67	36.30	18.82	58.17	--- Peak	2 11380.00	52.87	-11.13	74.00	68.36	38.25	12.23	57.97	100 55 Peak	3 11380.00	61.61	-3.36	54.00	56.13	38.25	12.23	57.97	100 55 Average	4 17076.00	58.59	-17.91	68.58	49.04	42.51	15.51	56.67	--- Peak
	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																													
1 9184.00	49.29	-24.71	74.00	68.34	36.30	18.82	58.17	--- Peak																																																																																													
2 11380.00	48.23	-25.77	74.00	55.72	38.25	12.23	57.97	--- Peak																																																																																													
3 17076.00	50.51	-17.49	60.30	49.16	42.51	15.51	56.67	--- Peak																																																																																													
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																													
1 9184.00	58.62	-23.38	74.00	61.67	36.30	18.82	58.17	--- Peak																																																																																													
2 11380.00	52.87	-11.13	74.00	68.36	38.25	12.23	57.97	100 55 Peak																																																																																													
3 11380.00	61.61	-3.36	54.00	56.13	38.25	12.23	57.97	100 55 Average																																																																																													
4 17076.00	58.59	-17.91	68.58	49.04	42.51	15.51	56.67	--- Peak																																																																																													



U-NII-2C - Straddle Channel

Emission below 1GHz  
5GHz WIFI 802.11n HT20 (LF)

WIFI	5GHz WIFI																																																																																																																																																																																																	
ANT	802.11n HT20 LF																																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																																
QP / Peak	<p>Date: 1 Level (dBuV/m) Date: 2022-06-03</p> <p>Site : 03CH05-SZ Condition : FCC CLASS-B 3m VULB9168-01001 HORIZONTAL Project : 120034-01 Mode : Mode 40 MEI : #92 G0B22G032165001G Plane : Y with Accessory MCSO PowerSetting 17.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>182.75</td> <td>21.43</td> <td>-22.87</td> <td>43.58</td> <td>40.28</td> <td>15.30</td> <td>1.04</td> <td>35.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>196.84</td> <td>22.73</td> <td>-21.77</td> <td>43.58</td> <td>42.87</td> <td>16.31</td> <td>1.45</td> <td>35.18</td> <td>180</td> <td>248</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>328.83</td> <td>26.73</td> <td>-19.27</td> <td>46.00</td> <td>39.52</td> <td>20.23</td> <td>1.88</td> <td>34.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>532.46</td> <td>23.52</td> <td>-21.48</td> <td>46.00</td> <td>31.23</td> <td>24.44</td> <td>1.45</td> <td>34.64</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>736.16</td> <td>26.25</td> <td>-19.75</td> <td>46.00</td> <td>38.17</td> <td>27.56</td> <td>1.95</td> <td>34.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>974.78</td> <td>29.79</td> <td>-16.21</td> <td>54.00</td> <td>39.52</td> <td>29.99</td> <td>3.43</td> <td>34.13</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBm	dB/m	dB	dB	cm	deg		1	182.75	21.43	-22.87	43.58	40.28	15.30	1.04	35.19	---	---	Peak	2	196.84	22.73	-21.77	43.58	42.87	16.31	1.45	35.18	180	248	Peak	3	328.83	26.73	-19.27	46.00	39.52	20.23	1.88	34.00	---	---	Peak	4	532.46	23.52	-21.48	46.00	31.23	24.44	1.45	34.64	---	---	Peak	5	736.16	26.25	-19.75	46.00	38.17	27.56	1.95	34.43	---	---	Peak	6	974.78	29.79	-16.21	54.00	39.52	29.99	3.43	34.13	---	---	Peak	<p>Date: 2 Level (dBuV/m) Date: 2022-06-03</p> <p>Site : 03CH05-SZ Condition : FCC CLASS-B 3m VULB9168-01001 VERTICAL Project : 120034-01 Mode : Mode 40 MEI : #92 G0B22G032165001G Plane : Y with Accessory MCSO PowerSetting 17.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>56.79</td> <td>25.80</td> <td>-14.14</td> <td>40.00</td> <td>40.64</td> <td>19.34</td> <td>0.64</td> <td>35.00</td> <td>100</td> <td>136</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>106.84</td> <td>28.81</td> <td>-11.49</td> <td>43.58</td> <td>42.15</td> <td>16.31</td> <td>1.43</td> <td>35.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>332.64</td> <td>24.29</td> <td>-21.71</td> <td>46.00</td> <td>36.64</td> <td>20.63</td> <td>1.92</td> <td>34.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>571.10</td> <td>27.11</td> <td>-18.89</td> <td>46.00</td> <td>33.86</td> <td>25.23</td> <td>2.09</td> <td>34.50</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>792.42</td> <td>27.90</td> <td>-18.10</td> <td>46.00</td> <td>38.99</td> <td>28.15</td> <td>3.08</td> <td>34.32</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>988.56</td> <td>29.84</td> <td>-16.16</td> <td>54.00</td> <td>39.17</td> <td>29.13</td> <td>3.46</td> <td>34.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBm	dB/m	dB	dB	cm	deg		1	56.79	25.80	-14.14	40.00	40.64	19.34	0.64	35.00	100	136	Peak	2	106.84	28.81	-11.49	43.58	42.15	16.31	1.43	35.18	---	---	Peak	3	332.64	24.29	-21.71	46.00	36.64	20.63	1.92	34.98	---	---	Peak	4	571.10	27.11	-18.89	46.00	33.86	25.23	2.09	34.50	---	---	Peak	5	792.42	27.90	-18.10	46.00	38.99	28.15	3.08	34.32	---	---	Peak	6	988.56	29.84	-16.16	54.00	39.17	29.13	3.46	34.12	---	---	Peak
	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBm	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	182.75	21.43	-22.87	43.58	40.28	15.30	1.04	35.19	---	---	Peak																																																																																																																																																																																							
2	196.84	22.73	-21.77	43.58	42.87	16.31	1.45	35.18	180	248	Peak																																																																																																																																																																																							
3	328.83	26.73	-19.27	46.00	39.52	20.23	1.88	34.00	---	---	Peak																																																																																																																																																																																							
4	532.46	23.52	-21.48	46.00	31.23	24.44	1.45	34.64	---	---	Peak																																																																																																																																																																																							
5	736.16	26.25	-19.75	46.00	38.17	27.56	1.95	34.43	---	---	Peak																																																																																																																																																																																							
6	974.78	29.79	-16.21	54.00	39.52	29.99	3.43	34.13	---	---	Peak																																																																																																																																																																																							
Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBm	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	56.79	25.80	-14.14	40.00	40.64	19.34	0.64	35.00	100	136	Peak																																																																																																																																																																																							
2	106.84	28.81	-11.49	43.58	42.15	16.31	1.43	35.18	---	---	Peak																																																																																																																																																																																							
3	332.64	24.29	-21.71	46.00	36.64	20.63	1.92	34.98	---	---	Peak																																																																																																																																																																																							
4	571.10	27.11	-18.89	46.00	33.86	25.23	2.09	34.50	---	---	Peak																																																																																																																																																																																							
5	792.42	27.90	-18.10	46.00	38.99	28.15	3.08	34.32	---	---	Peak																																																																																																																																																																																							
6	988.56	29.84	-16.16	54.00	39.17	29.13	3.46	34.12	---	---	Peak																																																																																																																																																																																							




## Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.48	1.391	0.719	1KHz
802.11n HT20	96.26	1.304	0.767	1KHz
802.11n HT40	92.58	0.651	1.537	3KHz
802.11ac VHT80	85.82	0.325	3.080	10KHZ



802.11a




802.11n HT20





802.11n HT40



802.11ac VHT80

