


802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	49.52	54.00	-4.48	5.45	3	Vertical	35	1.02	-	44.07	33.12	6.79	34.46
AV	5.5116G	99.64	Inf	-Inf	5.51	3	Vertical	35	1.02	-	94.13	33.15	6.82	34.46
PK	5.4696G	62.87	68.20	-5.33	5.47	3	Vertical	35	1.02	-	57.40	33.14	6.79	34.46
PK	5.514G	107.36	Inf	-Inf	5.50	3	Vertical	35	1.02	-	101.86	33.14	6.82	34.46


802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	47.68	54.00	-6.32	5.45	3	Horizontal	338	1.43	-	42.23	33.12	6.79	34.46
AV	5.5116G	95.57	Inf	-Inf	5.51	3	Horizontal	338	1.43	-	90.06	33.15	6.82	34.46
PK	5.4608G	59.29	68.20	-8.91	5.45	3	Horizontal	338	1.43	-	53.84	33.12	6.79	34.46
PK	5.5148G	104.18	Inf	-Inf	5.50	3	Horizontal	338	1.43	-	98.68	33.14	6.82	34.46

802.11ac VHT40_Nss1,(MCS0)_1TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0206G	42.66	54.00	-11.34	14.27	3	Vertical	350	2.70	-	28.39	38.82	9.74	34.29
PK	10.9966G	53.66	74.00	-20.34	14.23	3	Vertical	350	2.70	-	39.43	38.80	9.73	34.30
PK	16.52928G	56.95	68.20	-11.25	16.24	3	Vertical	39	1.30	-	40.71	38.84	12.04	34.64


802.11ac VHT40_Nss1,(MCS0)_1TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03776G	42.93	54.00	-11.07	14.32	3	Horizontal	47	1.15	-	28.61	38.84	9.75	34.27
PK	11.03068G	53.77	74.00	-20.23	14.30	3	Horizontal	47	1.15	-	39.47	38.83	9.75	34.28
PK	16.54092G	57.48	68.20	-10.72	16.25	3	Horizontal	159	1.43	-	41.23	38.82	12.05	34.62

802.11ac VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	53.27	54.00	-0.73	5.44	3	Vertical	20	1.76	-	47.83	33.11	6.79	34.46
AV	5.5516G	105.06	Inf	-Inf	5.38	3	Vertical	20	1.76	-	99.68	33.01	6.84	34.47
PK	5.4676G	67.33	68.20	-0.87	5.47	3	Vertical	20	1.76	-	61.86	33.14	6.79	34.46
PK	5.5484G	113.78	Inf	-Inf	5.37	3	Vertical	20	1.76	-	108.41	33.01	6.83	34.47


802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	50.46	54.00	-3.54	5.44	3	Horizontal	327	1.68	-	45.02	33.11	6.79	34.46
AV	5.5516G	102.04	Inf	-Inf	5.38	3	Horizontal	327	1.68	-	96.66	33.01	6.84	34.47
PK	5.4672G	63.53	68.20	-4.67	5.46	3	Horizontal	327	1.68	-	58.07	33.13	6.79	34.46
PK	5.5484G	110.31	Inf	-Inf	5.37	3	Horizontal	327	1.68	-	104.94	33.01	6.83	34.47

802.11ac VHT40_Nss1,(MCS0)_1TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10072G	45.35	54.00	-8.65	14.44	3	Vertical	0	1.50	-	30.91	38.90	9.77	34.23
PK	11.09856G	56.20	74.00	-17.80	14.44	3	Vertical	0	1.50	-	41.76	38.90	9.77	34.23
PK	16.64412G	58.32	68.20	-9.88	16.38	3	Vertical	0	2.34	-	41.94	38.74	12.09	34.45

802.11ac VHT40_Nss1,(MCS0)_1TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09856G	44.34	54.00	-9.66	14.44	3	Horizontal	44	2.09	-	29.90	38.90	9.77	34.23
PK	11.10036G	55.25	74.00	-18.75	14.44	3	Horizontal	44	2.09	-	40.81	38.90	9.77	34.23
PK	16.63188G	58.46	68.20	-9.74	16.35	3	Horizontal	299	2.74	-	42.11	38.73	12.09	34.47

802.11ac VHT40_Nss1,(MCS0)_1TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	102.36	Inf	-Inf	5.74	3	Vertical	21	1.49	-	96.62	33.34	6.88	34.48
PK	5.664G	110.42	Inf	-Inf	5.73	3	Vertical	21	1.49	-	104.69	33.33	6.88	34.48
PK	5.7288G	67.35	68.20	-0.85	6.05	3	Vertical	21	1.49	-	61.30	33.63	6.91	34.49

802.11ac VHT40_Nss1,(MCS0)_1TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	99.47	Inf	-Inf	5.74	3	Horizontal	326	1.81	-	93.73	33.34	6.88	34.48
PK	5.6682G	107.28	Inf	-Inf	5.74	3	Horizontal	326	1.81	-	101.54	33.34	6.88	34.48
PK	5.7264G	65.91	68.20	-2.29	6.02	3	Horizontal	326	1.81	-	59.89	33.61	6.90	34.49

802.11ac VHT40_Nss1,(MCS0)_1TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33724G	42.82	54.00	-11.18	14.92	3	Vertical	129	2.36	-	27.90	39.13	9.85	34.06
PK	11.34252G	53.92	74.00	-20.08	14.91	3	Vertical	129	2.36	-	39.01	39.11	9.86	34.06
PK	16.99008G	57.26	68.20	-10.94	16.76	3	Vertical	239	1.32	-	40.50	38.41	12.23	33.88

802.11ac VHT40_Nss1,(MCS0)_1TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.31792G	42.98	54.00	-11.02	14.93	3	Horizontal	310	2.44	-	28.05	39.16	9.85	34.08
PK	11.33064G	53.77	74.00	-20.23	14.92	3	Horizontal	310	2.44	-	38.85	39.14	9.85	34.07
PK	16.98108G	56.57	68.20	-11.63	16.76	3	Horizontal	151	2.77	-	39.81	38.42	12.23	33.89

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.709G	106.78	Inf	-Inf	5.88	3	Vertical	21	1.36	-	100.90	33.47	6.90	34.49
PK	5.469G	58.08	68.20	-10.12	5.47	3	Vertical	21	1.36	-	52.61	33.14	6.79	34.46
PK	5.708G	116.15	Inf	-Inf	5.88	3	Vertical	21	1.36	-	110.27	33.46	6.90	34.48
PK	5.854G	67.61	68.20	-0.59	6.67	3	Vertical	21	1.36	-	60.94	34.19	6.98	34.50

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.709G	103.89	Inf	-Inf	5.88	3	Horizontal	327	1.75	-	98.01	33.47	6.90	34.49
PK	5.468G	57.98	68.20	-10.22	5.47	3	Horizontal	327	1.75	-	52.51	33.14	6.79	34.46
PK	5.703G	112.86	Inf	-Inf	5.84	3	Horizontal	327	1.75	-	107.02	33.42	6.90	34.48
PK	5.855G	66.18	68.20	-2.02	6.67	3	Horizontal	327	1.75	-	59.51	34.19	6.98	34.50

802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41988G	48.52	54.00	-5.48	14.87	3	Vertical	3	1.50	-	33.65	39.00	9.88	34.01
PK	11.41964G	59.33	74.00	-14.67	14.87	3	Vertical	3	1.50	-	44.46	39.00	9.88	34.01
PK	17.12784G	58.06	68.20	-10.14	16.73	3	Vertical	0	2.65	-	41.33	38.40	12.29	33.96


802.11ac VHT40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41976G	48.52	54.00	-5.48	14.87	3	Horizontal	293	1.59	-	33.65	39.00	9.88	34.01
PK	11.42012G	59.42	74.00	-14.58	14.87	3	Horizontal	293	1.59	-	44.55	39.00	9.88	34.01
PK	17.1486G	57.74	68.20	-10.46	16.72	3	Horizontal	290	1.57	-	41.02	38.40	12.30	33.98

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	105.94	Inf	-Inf	6.23	3	Vertical	20	1.36	-	99.71	33.81	6.91	34.49
PK	5.6506G	66.78	68.64	-1.86	5.70	3	Vertical	20	1.36	-	61.08	33.30	6.88	34.48
PK	5.7538G	114.84	Inf	-Inf	6.23	3	Vertical	20	1.36	-	108.61	33.81	6.91	34.49
PK	5.9254G	60.51	68.20	-7.69	6.78	3	Vertical	20	1.36	-	53.73	34.25	7.04	34.51


802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	103.62	Inf	-Inf	6.23	3	Horizontal	329	1.77	-	97.39	33.81	6.91	34.49
PK	5.6518G	62.82	69.53	-6.71	5.70	3	Horizontal	329	1.77	-	57.12	33.30	6.88	34.48
PK	5.7538G	112.54	Inf	-Inf	6.23	3	Horizontal	329	1.77	-	106.31	33.81	6.91	34.49
PK	6.007G	60.30	68.20	-7.90	6.82	3	Horizontal	329	1.77	-	53.48	34.23	7.11	34.52

802.11ac VHT40_Nss1,(MCS0)_1TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48012G	42.70	54.00	-11.30	14.95	3	Vertical	161	2.02	-	27.75	39.00	9.91	33.96
PK	11.50472G	54.28	74.00	-19.72	14.96	3	Vertical	161	2.02	-	39.32	39.00	9.91	33.95
PK	17.26512G	57.51	68.20	-10.69	16.74	3	Vertical	255	2.37	-	40.77	38.47	12.34	34.07


802.11ac VHT40_Nss1,(MCS0)_1TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49452G	42.45	54.00	-11.55	14.96	3	Horizontal	138	2.00	-	27.49	39.00	9.91	33.95
PK	11.4938G	53.70	74.00	-20.30	14.96	3	Horizontal	138	2.00	-	38.74	39.00	9.91	33.95
PK	17.24736G	56.89	68.20	-11.31	16.74	3	Horizontal	213	1.63	-	40.15	38.45	12.34	34.05

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	106.64	Inf	-Inf	6.32	3	Vertical	20	1.30	-	100.32	33.89	6.93	34.50
PK	5.6498G	64.52	68.20	-3.68	5.70	3	Vertical	20	1.30	-	58.82	33.30	6.88	34.48
PK	5.7938G	115.55	Inf	-Inf	6.32	3	Vertical	20	1.30	-	109.23	33.89	6.93	34.50
PK	5.9258G	67.49	68.20	-0.71	6.78	3	Vertical	20	1.30	-	60.71	34.25	7.04	34.51


802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	104.17	Inf	-Inf	6.32	3	Horizontal	329	1.81	-	97.85	33.89	6.93	34.50
PK	5.6486G	62.17	68.20	-6.03	5.70	3	Horizontal	329	1.81	-	56.47	33.30	6.88	34.48
PK	5.7878G	113.20	Inf	-Inf	6.32	3	Horizontal	329	1.81	-	106.88	33.88	6.93	34.49
PK	5.933G	66.65	68.20	-1.55	6.84	3	Horizontal	329	1.81	-	59.81	34.30	7.05	34.51

802.11ac VHT40_Nss1,(MCS0)_1TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59036G	45.50	54.00	-8.50	14.84	3	Vertical	328	1.60	-	30.66	38.91	9.94	34.01
PK	11.59072G	56.50	74.00	-17.50	14.84	3	Vertical	328	1.60	-	41.66	38.91	9.94	34.01
PK	17.41356G	57.90	68.20	-10.30	17.03	3	Vertical	8	2.10	-	40.87	38.81	12.40	34.18


802.11ac VHT40_Nss1,(MCS0)_1TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59G	46.89	54.00	-7.11	14.84	3	Horizontal	356	2.04	-	32.05	38.91	9.94	34.01
PK	11.59096G	57.06	74.00	-16.94	14.84	3	Horizontal	356	2.04	-	42.22	38.91	9.94	34.01
PK	17.3916G	60.00	68.20	-8.20	16.99	3	Horizontal	292	1.56	-	43.01	38.77	12.39	34.17

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.33	54.00	-0.67	5.15	3	Vertical	17	1.60	-	48.18	33.10	6.49	34.44
AV	5.2076G	94.01	Inf	-Inf	5.08	3	Vertical	17	1.60	-	88.93	32.98	6.54	34.44
AV	5.396G	48.22	54.00	-5.78	5.30	3	Vertical	17	1.60	-	42.92	32.99	6.76	34.45
PK	5.144G	61.89	74.00	-12.11	5.16	3	Vertical	17	1.60	-	56.73	33.11	6.49	34.44
PK	5.2028G	102.35	Inf	-Inf	5.08	3	Vertical	17	1.60	-	97.27	32.99	6.53	34.44
PK	5.4668G	57.76	68.20	-10.44	5.46	3	Vertical	17	1.60	-	52.30	33.13	6.79	34.46


802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	50.37	54.00	-3.63	5.16	3	Horizontal	318	1.67	-	45.21	33.11	6.49	34.44
AV	5.2076G	89.51	Inf	-Inf	5.08	3	Horizontal	318	1.67	-	84.43	32.98	6.54	34.44
AV	5.4164G	48.40	54.00	-5.60	5.35	3	Horizontal	318	1.67	-	43.05	33.03	6.77	34.45
PK	5.1416G	59.18	74.00	-14.82	5.17	3	Horizontal	318	1.67	-	54.01	33.12	6.49	34.44
PK	5.2028G	97.59	Inf	-Inf	5.08	3	Horizontal	318	1.67	-	92.51	32.99	6.53	34.44
PK	5.4764G	57.55	68.20	-10.65	5.49	3	Horizontal	318	1.67	-	52.06	33.15	6.80	34.46

**802.11ac VHT80_Nss1,(MCS0)_1TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61872G	46.47	54.00	-7.53	15.70	3	Vertical	344	1.74	-	30.77	38.56	11.67	34.53
PK	10.39972G	53.25	68.20	-14.95	13.59	3	Vertical	189	2.15	-	39.66	38.70	9.52	34.63
PK	15.6288G	56.36	74.00	-17.64	15.68	3	Vertical	344	1.74	-	40.68	38.54	11.67	34.53


**802.11ac VHT80_Nss1,(MCS0)_1TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6432G	46.88	54.00	-7.12	15.65	3	Horizontal	335	1.21	-	31.23	38.51	11.68	34.54
PK	10.42336G	53.48	68.20	-14.72	13.61	3	Horizontal	309	2.11	-	39.87	38.68	9.53	34.60
PK	15.63228G	56.49	74.00	-17.51	15.68	3	Horizontal	335	1.21	-	40.81	38.54	11.67	34.53

802.11ac VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.36	54.00	-5.64	5.15	3	Vertical	38	1.03	-	43.21	33.10	6.49	34.44
AV	5.2876G	95.73	Inf	-Inf	5.23	3	Vertical	38	1.03	-	90.50	33.05	6.63	34.45
AV	5.35G	53.31	54.00	-0.69	5.15	3	Vertical	38	1.03	-	48.16	32.90	6.70	34.45
PK	5.086G	58.63	74.00	-15.37	5.14	3	Vertical	38	1.03	-	53.49	33.14	6.44	34.44
PK	5.2828G	104.30	Inf	-Inf	5.21	3	Vertical	38	1.03	-	99.09	33.03	6.63	34.45
PK	5.494G	58.29	68.20	-9.91	5.54	3	Vertical	38	1.03	-	52.75	33.19	6.81	34.46


802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	48.14	54.00	-5.86	5.16	3	Horizontal	349	1.38	-	42.98	33.12	6.48	34.44
AV	5.296G	90.24	Inf	-Inf	5.27	3	Horizontal	349	1.38	-	84.97	33.08	6.64	34.45
AV	5.35G	49.98	54.00	-4.02	5.15	3	Horizontal	349	1.38	-	44.83	32.90	6.70	34.45
PK	5.092G	57.71	74.00	-16.29	5.18	3	Horizontal	349	1.38	-	52.53	33.17	6.45	34.44
PK	5.3032G	98.75	Inf	-Inf	5.29	3	Horizontal	349	1.38	-	93.46	33.09	6.65	34.45
PK	5.482G	57.86	68.20	-10.34	5.50	3	Horizontal	349	1.38	-	52.36	33.16	6.80	34.46

802.11ac VHT80_Nss1,(MCS0)_1TX
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85596G	47.08	54.00	-6.92	15.53	3	Vertical	339	1.18	-	31.55	38.44	11.77	34.68
PK	10.58108G	53.37	68.20	-14.83	14.15	3	Vertical	100	2.16	-	39.22	39.01	9.59	34.45
PK	15.86676G	56.20	74.00	-17.80	15.52	3	Vertical	339	1.18	-	40.68	38.43	11.77	34.68


802.11ac VHT80_Nss1,(MCS0)_1TX
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8508G	46.91	54.00	-7.09	15.55	3	Horizontal	203	1.04	-	31.36	38.45	11.77	34.67
PK	10.57856G	53.33	68.20	-14.87	14.13	3	Horizontal	5	2.22	-	39.20	38.99	9.59	34.45
PK	15.89412G	56.32	74.00	-17.68	15.50	3	Horizontal	203	1.04	-	40.82	38.41	11.79	34.70

802.11ac VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4388G	53.34	54.00	-0.66	5.40	3	Vertical	20	1.81	-	47.94	33.08	6.78	34.46
AV	5.5276G	96.43	Inf	-Inf	5.45	3	Vertical	20	1.81	-	90.98	33.09	6.82	34.46
PK	5.47G	62.39	68.20	-5.81	5.47	3	Vertical	20	1.81	-	56.92	33.14	6.79	34.46
PK	5.5228G	104.58	Inf	-Inf	5.47	3	Vertical	20	1.81	-	99.11	33.11	6.82	34.46
PK	5.8288G	59.34	68.20	-8.86	6.53	3	Vertical	20	1.81	-	52.81	34.07	6.96	34.50


802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.15	54.00	-2.85	5.45	3	Horizontal	325	1.72	-	45.70	33.12	6.79	34.46
AV	5.5192G	92.69	Inf	-Inf	5.48	3	Horizontal	325	1.72	-	87.21	33.12	6.82	34.46
PK	5.4652G	61.29	68.20	-6.91	5.46	3	Horizontal	325	1.72	-	55.83	33.13	6.79	34.46
PK	5.5228G	101.07	Inf	-Inf	5.47	3	Horizontal	325	1.72	-	95.60	33.11	6.82	34.46
PK	5.794G	59.20	68.20	-9.00	6.32	3	Horizontal	325	1.72	-	52.88	33.89	6.93	34.50

802.11ac VHT80_Nss1,(MCS0)_1TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05748G	44.44	54.00	-9.56	14.36	3	Vertical	354	1.97	-	30.08	38.86	9.76	34.26
PK	11.07188G	53.09	74.00	-20.91	14.38	3	Vertical	354	1.97	-	38.71	38.87	9.76	34.25
PK	16.57812G	57.30	68.20	-10.90	16.24	3	Vertical	311	2.16	-	41.06	38.74	12.06	34.56


802.11ac VHT80_Nss1,(MCS0)_1TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06792G	44.66	54.00	-9.34	14.38	3	Horizontal	52	2.13	-	30.28	38.87	9.76	34.25
PK	11.07224G	53.86	74.00	-20.14	14.38	3	Horizontal	52	2.13	-	39.48	38.87	9.76	34.25
PK	16.61052G	56.81	68.20	-11.39	16.28	3	Horizontal	293	1.24	-	40.53	38.71	12.08	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	53.44	54.00	-0.56	5.44	3	Vertical	18	1.69	-	48.00	33.11	6.79	34.46
AV	5.6076G	101.88	Inf	-Inf	5.61	3	Vertical	18	1.69	-	96.27	33.22	6.86	34.47
PK	5.4684G	63.58	68.20	-4.62	5.47	3	Vertical	18	1.69	-	58.11	33.14	6.79	34.46
PK	5.6028G	109.86	Inf	-Inf	5.60	3	Vertical	18	1.69	-	104.26	33.21	6.86	34.47
PK	5.7252G	66.28	68.20	-1.92	6.01	3	Vertical	18	1.69	-	60.27	33.60	6.90	34.49


802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	50.69	54.00	-3.31	5.44	3	Horizontal	325	1.79	-	45.25	33.11	6.79	34.46
AV	5.6076G	98.84	Inf	-Inf	5.61	3	Horizontal	325	1.79	-	93.23	33.22	6.86	34.47
PK	5.4624G	60.25	68.20	-7.95	5.45	3	Horizontal	325	1.79	-	54.80	33.12	6.79	34.46
PK	5.6028G	106.97	Inf	-Inf	5.60	3	Horizontal	325	1.79	-	101.37	33.21	6.86	34.47
PK	5.7276G	63.54	68.20	-4.66	6.03	3	Horizontal	325	1.79	-	57.51	33.62	6.90	34.49

802.11ac VHT80_Nss1,(MCS0)_1TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20044G	44.57	54.00	-9.43	14.75	3	Vertical	225	1.61	-	29.82	39.10	9.81	34.16
PK	11.23644G	54.00	74.00	-20.00	14.83	3	Vertical	225	1.61	-	39.17	39.14	9.82	34.13
PK	16.81656G	57.13	68.20	-11.07	16.58	3	Vertical	194	1.30	-	40.55	38.58	12.16	34.16

802.11ac VHT80_Nss1,(MCS0)_1TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.24868G	44.58	54.00	-9.42	14.84	3	Horizontal	133	2.09	-	29.74	39.15	9.82	34.13
PK	11.2284G	55.08	74.00	-18.92	14.81	3	Horizontal	133	2.09	-	40.27	39.13	9.82	34.14
PK	16.8186G	56.76	68.20	-11.44	16.58	3	Horizontal	43	2.51	-	40.18	38.58	12.16	34.16

802.11ac VHT80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.70	54.00	-3.30	5.44	3	Vertical	19	1.47	-	45.26	33.11	6.79	34.46
AV	5.6876G	103.57	Inf	-Inf	5.79	3	Vertical	19	1.47	-	97.78	33.38	6.89	34.48
PK	5.4668G	60.25	68.20	-7.95	5.46	3	Vertical	19	1.47	-	54.79	33.13	6.79	34.46
PK	5.6828G	111.26	Inf	-Inf	5.78	3	Vertical	19	1.47	-	105.48	33.37	6.89	34.48
PK	5.852G	66.16	68.20	-2.04	6.68	3	Vertical	19	1.47	-	59.48	34.20	6.98	34.50

802.11ac VHT80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.27	54.00	-4.73	5.45	3	Horizontal	326	1.64	-	43.82	33.12	6.79	34.46
AV	5.6876G	100.66	Inf	-Inf	5.79	3	Horizontal	326	1.64	-	94.87	33.38	6.89	34.48
PK	5.468G	58.27	68.20	-9.93	5.47	3	Horizontal	326	1.64	-	52.80	33.14	6.79	34.46
PK	5.6828G	108.55	Inf	-Inf	5.78	3	Horizontal	326	1.64	-	102.77	33.37	6.89	34.48
PK	5.8508G	64.72	68.20	-3.48	6.68	3	Horizontal	326	1.64	-	58.04	34.20	6.98	34.50

802.11ac VHT80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36008G	44.29	54.00	-9.71	14.89	3	Vertical	122	1.04	-	29.40	39.08	9.86	34.05
PK	11.35444G	53.86	74.00	-20.14	14.90	3	Vertical	122	1.04	-	38.96	39.09	9.86	34.05
PK	17.0772G	56.70	68.20	-11.50	16.75	3	Vertical	313	1.63	-	39.95	38.40	12.27	33.92


802.11ac VHT80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38348G	44.47	54.00	-9.53	14.87	3	Horizontal	353	1.34	-	29.60	39.03	9.87	34.03
PK	11.40064G	54.04	74.00	-19.96	14.86	3	Horizontal	353	1.34	-	39.18	39.00	9.88	34.02
PK	17.06556G	57.16	68.20	-11.04	16.75	3	Horizontal	103	2.32	-	40.41	38.40	12.26	33.91

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	102.12	Inf	-Inf	6.28	3	Vertical	20	1.18	-	95.84	33.85	6.92	34.49
PK	5.6466G	67.54	68.20	-0.66	5.69	3	Vertical	20	1.18	-	61.85	33.29	6.88	34.48
PK	5.7678G	109.96	Inf	-Inf	6.27	3	Vertical	20	1.18	-	103.69	33.84	6.92	34.49
PK	5.9238G	65.14	69.09	-3.95	6.77	3	Vertical	20	1.18	-	58.37	34.24	7.04	34.51


802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	99.64	Inf	-Inf	6.28	3	Horizontal	328	1.78	-	93.36	33.85	6.92	34.49
PK	5.6478G	64.98	68.20	-3.22	5.70	3	Horizontal	328	1.78	-	59.28	33.30	6.88	34.48
PK	5.7678G	107.43	Inf	-Inf	6.27	3	Horizontal	328	1.78	-	101.16	33.84	6.92	34.49
PK	5.9286G	63.48	68.20	-4.72	6.81	3	Horizontal	328	1.78	-	56.67	34.27	7.05	34.51

802.11ac VHT80_Nss1,(MCS0)_1TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60928G	44.85	54.00	-9.15	14.82	3	Vertical	11	1.50	-	30.03	38.89	9.95	34.02
PK	11.53104G	54.14	74.00	-19.86	14.92	3	Vertical	11	1.50	-	39.22	38.97	9.92	33.97
PK	17.38452G	57.43	68.20	-10.77	16.98	3	Vertical	274	1.50	-	40.45	38.75	12.39	34.16

802.11ac VHT80_Nss1,(MCS0)_1TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50752G	44.86	54.00	-9.14	14.96	3	Horizontal	295	1.50	-	29.90	38.99	9.92	33.95
PK	11.50248G	55.02	74.00	-18.98	14.96	3	Horizontal	295	1.50	-	40.06	39.00	9.91	33.95
PK	17.30172G	56.80	68.20	-11.40	16.77	3	Horizontal	133	1.58	-	40.03	38.51	12.36	34.10



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87394G	51.24	54.00	-2.76	Horizontal
Mode 2	Pass	AV	15.71766G	50.84	54.00	-3.16	Horizontal
Mode 3	Pass	AV	7.38524G	50.87	54.00	-3.13	Horizontal
Mode 4	Pass	AV	7.34022G	50.51	54.00	-3.49	Horizontal



Mode config

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.874G	50.62	54.00	-3.38	3	Vertical	64	2.33	-
Mode 1	Pass	AV	4.95903G	38.18	54.00	-15.82	3	Vertical	31	1.10	-
Mode 1	Pass	AV	7.31172G	47.45	54.00	-6.55	3	Vertical	219	1.55	-
Mode 1	Pass	AV	7.44079G	38.00	54.00	-16.00	3	Vertical	267	2.60	-
Mode 1	Pass	PK	4.87388G	53.14	74.00	-20.86	3	Vertical	64	2.33	-
Mode 1	Pass	PK	4.96083G	47.67	74.00	-26.33	3	Vertical	31	1.10	-
Mode 1	Pass	PK	7.30974G	54.84	74.00	-19.16	3	Vertical	219	1.55	-
Mode 1	Pass	PK	7.44085G	48.93	74.00	-25.07	3	Vertical	267	2.60	-
Mode 1	Pass	AV	4.87394G	51.24	54.00	-2.76	3	Horizontal	357	1.69	-
Mode 1	Pass	AV	4.95911G	40.66	54.00	-13.34	3	Horizontal	40	2.33	-
Mode 1	Pass	AV	7.31178G	50.22	54.00	-3.78	3	Horizontal	28	2.49	-
Mode 1	Pass	AV	7.44049G	37.91	54.00	-16.09	3	Horizontal	231	1.79	-
Mode 1	Pass	PK	4.874G	53.94	74.00	-20.06	3	Horizontal	357	1.69	-
Mode 1	Pass	PK	4.96084G	48.84	74.00	-25.16	3	Horizontal	40	2.33	-
Mode 1	Pass	PK	7.3125G	56.22	74.00	-17.78	3	Horizontal	28	2.49	-
Mode 1	Pass	PK	7.43894G	48.90	74.00	-25.10	3	Horizontal	231	1.79	-
Mode 2	Pass	AV	4.95902G	39.34	54.00	-14.66	3	Vertical	103	1.03	-
Mode 2	Pass	AV	7.44101G	38.00	54.00	-16.00	3	Vertical	14	1.47	-
Mode 2	Pass	AV	15.7212G	48.86	54.00	-5.14	3	Vertical	353	1.93	-
Mode 2	Pass	PK	4.95893G	49.36	74.00	-24.64	3	Vertical	103	1.03	-
Mode 2	Pass	PK	7.44076G	48.60	74.00	-25.40	3	Vertical	14	1.47	-
Mode 2	Pass	PK	10.47778G	55.85	68.20	-12.35	3	Vertical	328	1.00	-
Mode 2	Pass	PK	15.72294G	61.36	74.00	-12.64	3	Vertical	353	1.93	-
Mode 2	Pass	AV	4.95908G	39.42	54.00	-14.58	3	Horizontal	104	1.05	-
Mode 2	Pass	AV	7.43944G	38.06	54.00	-15.94	3	Horizontal	280	1.53	-
Mode 2	Pass	AV	15.71766G	50.84	54.00	-3.16	3	Horizontal	300	1.02	-
Mode 2	Pass	PK	4.95917G	49.21	74.00	-24.79	3	Horizontal	104	1.05	-
Mode 2	Pass	PK	7.43873G	49.01	74.00	-24.99	3	Horizontal	280	1.53	-
Mode 2	Pass	PK	10.47688G	57.35	68.20	-10.85	3	Horizontal	51	2.81	-
Mode 2	Pass	PK	15.71742G	63.52	74.00	-10.48	3	Horizontal	300	1.02	-
Mode 3	Pass	AV	4.92401G	45.38	54.00	-8.62	3	Vertical	36	1.26	-
Mode 3	Pass	AV	4.929G	32.27	54.00	-21.73	3	Vertical	65	2.26	-
Mode 3	Pass	AV	7.272G	36.79	54.00	-17.21	3	Vertical	342	2.20	-
Mode 3	Pass	AV	7.386G	42.43	54.00	-11.57	3	Vertical	223	1.33	-
Mode 3	Pass	PK	4.9239G	49.92	74.00	-24.08	3	Vertical	36	1.26	-
Mode 3	Pass	PK	4.929G	44.71	74.00	-29.29	3	Vertical	65	2.26	-
Mode 3	Pass	PK	7.272G	49.58	74.00	-24.42	3	Vertical	342	2.20	-
Mode 3	Pass	PK	7.386G	53.67	74.00	-20.33	3	Vertical	223	1.33	-
Mode 3	Pass	AV	4.848G	43.40	54.00	-10.60	3	Horizontal	342	2.65	-
Mode 3	Pass	AV	4.924G	49.63	54.00	-4.37	3	Horizontal	353	1.50	-
Mode 3	Pass	AV	7.272G	36.51	54.00	-17.49	3	Horizontal	360	2.41	-
Mode 3	Pass	AV	7.38524G	50.87	54.00	-3.13	3	Horizontal	23	2.17	-
Mode 3	Pass	PK	4.848G	50.52	74.00	-23.48	3	Horizontal	342	2.65	-
Mode 3	Pass	PK	4.924G	52.61	74.00	-21.39	3	Horizontal	353	1.50	-
Mode 3	Pass	PK	7.272G	48.96	74.00	-25.04	3	Horizontal	360	2.41	-
Mode 3	Pass	PK	7.38671G	57.11	74.00	-16.89	3	Horizontal	23	2.17	-
Mode 4	Pass	AV	4.80795G	42.15	54.00	-11.85	3	Vertical	64	1.04	-
Mode 4	Pass	AV	4.89398G	47.41	54.00	-6.59	3	Vertical	47	1.47	-
Mode 4	Pass	AV	7.21261G	37.29	54.00	-16.71	3	Vertical	346	2.49	-
Mode 4	Pass	AV	7.34024G	46.01	54.00	-7.99	3	Vertical	312	1.70	-




Radiated Emissions Co-location

Appendix F


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 4	Pass	PK	4.808G	50.71	74.00	-23.29	3	Vertical	64	1.04	-
Mode 4	Pass	PK	4.89394G	51.12	74.00	-22.88	3	Vertical	47	1.47	-
Mode 4	Pass	PK	7.2126G	49.56	74.00	-24.44	3	Vertical	346	2.49	-
Mode 4	Pass	PK	7.34176G	54.20	74.00	-19.80	3	Vertical	312	1.70	-
Mode 4	Pass	AV	4.80794G	41.85	54.00	-12.15	3	Horizontal	337	2.54	-
Mode 4	Pass	AV	4.89394G	44.99	54.00	-9.01	3	Horizontal	347	2.12	-
Mode 4	Pass	AV	7.21147G	36.56	54.00	-17.44	3	Horizontal	0	2.26	-
Mode 4	Pass	AV	7.34022G	50.51	54.00	-3.49	3	Horizontal	23	2.67	-
Mode 4	Pass	PK	4.80742G	50.17	74.00	-23.83	3	Horizontal	337	2.54	-
Mode 4	Pass	PK	4.89408G	49.39	74.00	-24.61	3	Horizontal	347	2.12	-
Mode 4	Pass	PK	7.21306G	49.60	74.00	-24.40	3	Horizontal	0	2.26	-
Mode 4	Pass	PK	7.34026G	56.41	74.00	-17.59	3	Horizontal	23	2.67	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	50.62	54.00	-3.38	4.61	3	Vertical	64	2.33	-	46.01	32.75	6.30	34.44
AV	4.95903G	38.18	54.00	-15.82	5.07	3	Vertical	31	1.10	-	33.11	33.14	6.36	34.43
AV	7.31172G	47.45	54.00	-6.55	10.08	3	Vertical	219	1.55	-	37.37	36.75	8.14	34.81
AV	7.44079G	38.00	54.00	-16.00	9.92	3	Vertical	267	2.60	-	28.08	36.60	8.17	34.85
PK	4.87388G	53.14	74.00	-20.86	4.61	3	Vertical	64	2.33	-	48.53	32.75	6.30	34.44
PK	4.96083G	47.67	74.00	-26.33	5.07	3	Vertical	31	1.10	-	42.60	33.14	6.36	34.43
PK	7.30974G	54.84	74.00	-19.16	10.07	3	Vertical	219	1.55	-	44.77	36.74	8.14	34.81
PK	7.44085G	48.93	74.00	-25.07	9.92	3	Vertical	267	2.60	-	39.01	36.60	8.17	34.85

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	51.24	54.00	-2.76	4.61	3	Horizontal	357	1.69	-	46.63	32.75	6.30	34.44
AV	4.95911G	40.66	54.00	-13.34	5.07	3	Horizontal	40	2.33	-	35.59	33.14	6.36	34.43
AV	7.31178G	50.22	54.00	-3.78	10.08	3	Horizontal	28	2.49	-	40.14	36.75	8.14	34.81
AV	7.44049G	37.91	54.00	-16.09	9.92	3	Horizontal	231	1.79	-	27.99	36.60	8.17	34.85
PK	4.874G	53.94	74.00	-20.06	4.61	3	Horizontal	357	1.69	-	49.33	32.75	6.30	34.44
PK	4.96084G	48.84	74.00	-25.16	5.07	3	Horizontal	40	2.33	-	43.77	33.14	6.36	34.43
PK	7.3125G	56.22	74.00	-17.78	10.08	3	Horizontal	28	2.49	-	46.14	36.75	8.14	34.81
PK	7.43894G	48.90	74.00	-25.10	9.91	3	Horizontal	231	1.79	-	38.99	36.60	8.16	34.85

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95902G	39.34	54.00	-14.66	5.07	3	Vertical	103	1.03	-	34.27	33.14	6.36	34.43
AV	7.44101G	38.00	54.00	-16.00	9.92	3	Vertical	14	1.47	-	28.08	36.60	8.17	34.85
AV	15.7212G	48.86	54.00	-5.14	15.54	3	Vertical	353	1.93	-	33.32	38.42	11.71	34.59
PK	4.95893G	49.36	74.00	-24.64	5.07	3	Vertical	103	1.03	-	44.29	33.14	6.36	34.43
PK	7.44076G	48.60	74.00	-25.40	9.92	3	Vertical	14	1.47	-	38.68	36.60	8.17	34.85
PK	10.47778G	55.85	68.20	-12.35	13.66	3	Vertical	328	1.00	-	42.19	38.62	9.55	34.51
PK	15.72294G	61.36	74.00	-12.64	15.54	3	Vertical	353	1.93	-	45.82	38.42	11.71	34.59

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95908G	39.42	54.00	-14.58	5.07	3	Horizontal	104	1.05	-	34.35	33.14	6.36	34.43
AV	7.43944G	38.06	54.00	-15.94	9.92	3	Horizontal	280	1.53	-	28.14	36.60	8.17	34.85
AV	15.71766G	50.84	54.00	-3.16	15.54	3	Horizontal	300	1.02	-	35.30	38.42	11.71	34.59
PK	4.95917G	49.21	74.00	-24.79	5.07	3	Horizontal	104	1.05	-	44.14	33.14	6.36	34.43
PK	7.43873G	49.01	74.00	-24.99	9.91	3	Horizontal	280	1.53	-	39.10	36.60	8.16	34.85
PK	10.47688G	57.35	68.20	-10.85	13.65	3	Horizontal	51	2.81	-	43.70	38.62	9.55	34.52
PK	15.71742G	63.52	74.00	-10.48	15.54	3	Horizontal	300	1.02	-	47.98	38.42	11.71	34.59

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92401G	45.38	54.00	-8.62	4.83	3	Vertical	36	1.26	-	40.55	32.94	6.33	34.44
AV	4.929G	32.27	54.00	-21.73	4.87	3	Vertical	65	2.26	-	27.40	32.97	6.34	34.44
AV	7.272G	36.79	54.00	-17.21	10.16	3	Vertical	342	2.20	-	26.63	36.81	8.15	34.80
AV	7.386G	42.43	54.00	-11.57	9.96	3	Vertical	223	1.33	-	32.47	36.68	8.11	34.83
PK	4.9239G	49.92	74.00	-24.08	4.83	3	Vertical	36	1.26	-	45.09	32.94	6.33	34.44
PK	4.929G	44.71	74.00	-29.29	4.87	3	Vertical	65	2.26	-	39.84	32.97	6.34	34.44
PK	7.272G	49.58	74.00	-24.42	10.16	3	Vertical	342	2.20	-	39.42	36.81	8.15	34.80
PK	7.386G	53.67	74.00	-20.33	9.96	3	Vertical	223	1.33	-	43.71	36.68	8.11	34.83


Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.848G	43.40	54.00	-10.60	4.53	3	Horizontal	342	2.65	-	38.87	32.69	6.29	34.45
AV	4.924G	49.63	54.00	-4.37	4.83	3	Horizontal	353	1.50	-	44.80	32.94	6.33	34.44
AV	7.272G	36.51	54.00	-17.49	10.16	3	Horizontal	360	2.41	-	26.35	36.81	8.15	34.80
AV	7.38524G	50.87	54.00	-3.13	9.98	3	Horizontal	23	2.17	-	40.89	36.69	8.12	34.83
PK	4.848G	50.52	74.00	-23.48	4.53	3	Horizontal	342	2.65	-	45.99	32.69	6.29	34.45
PK	4.924G	52.61	74.00	-21.39	4.83	3	Horizontal	353	1.50	-	47.78	32.94	6.33	34.44
PK	7.272G	48.96	74.00	-25.04	10.16	3	Horizontal	360	2.41	-	38.80	36.81	8.15	34.80
PK	7.38671G	57.11	74.00	-16.89	9.96	3	Horizontal	23	2.17	-	47.15	36.68	8.11	34.83




Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80795G	42.15	54.00	-11.85	4.34	3	Vertical	64	1.04	-	37.81	32.53	6.26	34.45
AV	4.89398G	47.41	54.00	-6.59	4.67	3	Vertical	47	1.47	-	42.74	32.79	6.32	34.44
AV	7.21261G	37.29	54.00	-16.71	10.23	3	Vertical	346	2.49	-	27.06	36.83	8.18	34.78
AV	7.34024G	46.01	54.00	-7.99	10.17	3	Vertical	312	1.70	-	35.84	36.86	8.13	34.82
PK	4.808G	50.71	74.00	-23.29	4.34	3	Vertical	64	1.04	-	46.37	32.53	6.26	34.45
PK	4.89394G	51.12	74.00	-22.88	4.67	3	Vertical	47	1.47	-	46.45	32.79	6.32	34.44
PK	7.2126G	49.56	74.00	-24.44	10.23	3	Vertical	346	2.49	-	39.33	36.83	8.18	34.78
PK	7.34176G	54.20	74.00	-19.80	10.18	3	Vertical	312	1.70	-	44.02	36.87	8.13	34.82

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80794G	41.85	54.00	-12.15	4.34	3	Horizontal	337	2.54	-	37.51	32.53	6.26	34.45
AV	4.89394G	44.99	54.00	-9.01	4.67	3	Horizontal	347	2.12	-	40.32	32.79	6.32	34.44
AV	7.21147G	36.56	54.00	-17.44	10.22	3	Horizontal	0	2.26	-	26.34	36.82	8.18	34.78
AV	7.34022G	50.51	54.00	-3.49	10.17	3	Horizontal	23	2.67	-	40.34	36.86	8.13	34.82
PK	4.80742G	50.17	74.00	-23.83	4.34	3	Horizontal	337	2.54	-	45.83	32.53	6.26	34.45
PK	4.89408G	49.39	74.00	-24.61	4.67	3	Horizontal	347	2.12	-	44.72	32.79	6.32	34.44
PK	7.21306G	49.60	74.00	-24.40	10.23	3	Horizontal	0	2.26	-	39.37	36.83	8.18	34.78
PK	7.34026G	56.41	74.00	-17.59	10.17	3	Horizontal	23	2.67	-	46.24	36.86	8.13	34.82



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.15-5.25GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	5.2G	5.200071G	13.7002	20	1	5 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5200MHz_T_20°C Vnom	Pass	5.2G	5.200021G	3.9659	20	1	0 min
5200MHz_T_20°C Vnom	Pass	5.2G	5.200021G	3.9659	20	1	2 min
5200MHz_T_20°C Vnom	Pass	5.2G	5.200021G	3.9659	20	1	5 min
5200MHz_T_20°C Vnom	Pass	5.2G	5.200021G	3.9659	20	1	10 min
5200MHz_T_10°C Vnom	Pass	5.2G	5.200069G	13.3397	20	1	0 min
5200MHz_T_10°C Vnom	Pass	5.2G	5.200069G	13.3397	20	1	2 min
5200MHz_T_10°C Vnom	Pass	5.2G	5.200071G	13.7002	20	1	5 min
5200MHz_T_10°C Vnom	Pass	5.2G	5.200069G	13.3397	20	1	10 min
5200MHz_T0°C Vnom	Pass	5.2G	5.200054G	10.4554	20	1	0 min
5200MHz_T0°C Vnom	Pass	5.2G	5.200054G	10.4554	20	1	2 min
5200MHz_T0°C Vnom	Pass	5.2G	5.200054G	10.4554	20	1	5 min
5200MHz_T0°C Vnom	Pass	5.2G	5.200054G	10.4554	20	1	10 min
5200MHz_T10°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	0 min
5200MHz_T10°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	2 min
5200MHz_T10°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	5 min
5200MHz_T10°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	10 min
5200MHz_T20°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	0 min
5200MHz_T20°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	2 min
5200MHz_T20°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	5 min
5200MHz_T20°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	10 min
5200MHz_T30°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	0 min
5200MHz_T30°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	2 min
5200MHz_T30°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	5 min
5200MHz_T30°C Vnom	Pass	5.2G	5.200002G	0.3605	20	1	10 min
5200MHz_T40°C Vnom	Pass	5.2G	5.199998G	0.3605	20	1	0 min
5200MHz_T40°C Vnom	Pass	5.2G	5.199998G	0.3605	20	1	2 min
5200MHz_T40°C Vnom	Pass	5.2G	5.199998G	0.3605	20	1	5 min
5200MHz_T40°C Vnom	Pass	5.2G	5.199998G	0.3605	20	1	10 min
5200MHz_T50°C Vnom	Pass	5.2G	5.199996G	0.7211	20	1	0 min
5200MHz_T50°C Vnom	Pass	5.2G	5.199996G	0.7211	20	1	2 min
5200MHz_T50°C Vnom	Pass	5.2G	5.199996G	0.7211	20	1	5 min
5200MHz_T50°C Vnom	Pass	5.2G	5.199996G	0.7211	20	1	10 min
5200MHz_T20°C Vmin	Pass	5.2G	5.199996G	0.7211	20	1	
5200MHz_T20°C Vmax	Pass	5.2G	5.199996G	0.7211	20	1	

Condition Item	Abbreviation/Remark	Remark
RF Conducted	Abbreviation	Remark
TX	Tnom	20°C
-	Vnom	5V
-20°C,5V	-	-
-10°C, 5V	-	-
0°C, 5V	-	-
10°C,5V	-	-
20°C,5V	-	-
30°C,5V	-	-
40°C,5V	-	-
50°C,5V	-	-
20°C 4.25V	-	-
20°C 5.75V	-	-