



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11g CH12 2467MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 3000.000kHz Project : 100301-03 Mode : Mode 18 SN : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>74.00</td> <td>-15.62</td> <td>74.00</td> <td>51.02</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>359 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	74.00	-15.62	74.00	51.02	32.39	6.53	31.56	131	359 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 3000.000kHz Project : 100301-03 Mode : Mode 18 SN : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>74.00</td> <td>-15.62</td> <td>74.00</td> <td>51.02</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>359 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	74.00	-15.62	74.00	51.02	32.39	6.53	31.56	131	359 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	74.00	-15.62	74.00	51.02	32.39	6.53	31.56	131	359 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	74.00	-15.62	74.00	51.02	32.39	6.53	31.56	131	359 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 0.010kHz Project : 100301-03 Mode : Mode 18 SN : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.52</td> <td>46.50</td> <td>-7.50</td> <td>54.00</td> <td>39.14</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>359 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.52	46.50	-7.50	54.00	39.14	32.39	6.53	31.56	131	359 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 0.010kHz Project : 100301-03 Mode : Mode 18 SN : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>46.50</td> <td>-7.50</td> <td>54.00</td> <td>39.14</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>359 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	46.50	-7.50	54.00	39.14	32.39	6.53	31.56	131	359 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.52	46.50	-7.50	54.00	39.14	32.39	6.53	31.56	131	359 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	46.50	-7.50	54.00	39.14	32.39	6.53	31.56	131	359 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11g CH13 2472MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 15 Date: 2022-11-08</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 19 Site : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.12</td> <td>61.38</td> <td>-12.62</td> <td>74.00</td> <td>54.02</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>300 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.12	61.38	-12.62	74.00	54.02	32.39	6.53	31.56	100	300 Peak	<p>Date: 13 Date: 2022-11-11</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 19 Site : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>185.46</td> <td>31.46</td> <td>74.00</td> <td>54.02</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>300 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	185.46	31.46	74.00	54.02	32.39	6.53	31.56	100	300 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.12	61.38	-12.62	74.00	54.02	32.39	6.53	31.56	100	300 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	185.46	31.46	74.00	54.02	32.39	6.53	31.56	100	300 Peak																																																						
Avg.	<p>Date: 15 Date: 2022-11-08</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 0.010kHz Project : 1D0301-03 Mode : Mode 19 Site : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.28</td> <td>58.08</td> <td>-3.32</td> <td>54.00</td> <td>43.32</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>300 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	58.08	-3.32	54.00	43.32	32.39	6.53	31.56	100	300 Average	<p>Date: 14 Date: 2022-11-11</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 0.010kHz Project : 1D0301-03 Mode : Mode 19 Site : #20 G092310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>95.42</td> <td>41.42</td> <td>54.00</td> <td>43.32</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>300 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	95.42	41.42	54.00	43.32	32.39	6.53	31.56	100	300 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.28	58.08	-3.32	54.00	43.32	32.39	6.53	31.56	100	300 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	95.42	41.42	54.00	43.32	32.39	6.53	31.56	100	300 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11g CH13 2472MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 19 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 19 Site : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.32</td> <td>58.43</td> <td>-15.57</td> <td>74.00</td> <td>51.07</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>344 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.32	58.43	-15.57	74.00	51.07	32.39	6.53	31.56	134	344 Peak	<p>Date: 17 Date: 2022-11-11</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 19 Site : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>101.82</td> <td>27.82</td> <td>74.00</td> <td>94.46</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>344 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.82	27.82	74.00	94.46	32.39	6.53	31.56	134	344 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.32	58.43	-15.57	74.00	51.07	32.39	6.53	31.56	134	344 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	101.82	27.82	74.00	94.46	32.39	6.53	31.56	134	344 Peak																																																						
Avg.	<p>Date: 20 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 19 Site : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>47.98</td> <td>-6.18</td> <td>54.00</td> <td>48.54</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>344 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.16	47.98	-6.18	54.00	48.54	32.39	6.53	31.56	134	344 Average	<p>Date: 18 Date: 2022-11-11</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 19 Site : #20 0292310523860039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>92.23</td> <td>38.23</td> <td>54.00</td> <td>84.87</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>344 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.23	38.23	54.00	84.87	32.39	6.53	31.56	134	344 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.16	47.98	-6.18	54.00	48.54	32.39	6.53	31.56	134	344 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	92.23	38.23	54.00	84.87	32.39	6.53	31.56	134	344 Average																																																						



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH01 2412MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBNW 1000 000kHz VBW 3000 000kHz Project : 10X001-03 Mode : Mode 20 SN : #22 G992966523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.49</td> <td>54.79</td> <td>-19.21</td> <td>74.00</td> <td>48.40</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>167</td> <td>327 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.49	54.79	-19.21	74.00	48.40	31.70	6.94	32.25	167	327 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RBNW 1000 000kHz VBW 3000 000kHz Project : 10X001-03 Mode : Mode 20 SN : #22 G992966523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.61</td> <td>54.61</td> <td>74.00</td> <td>182.11</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>167</td> <td>327 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.61	54.61	74.00	182.11	31.80	6.94	32.24	167	327 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.49	54.79	-19.21	74.00	48.40	31.70	6.94	32.25	167	327 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	108.61	54.61	74.00	182.11	31.80	6.94	32.24	167	327 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBNW 1000 000kHz VBW 0.010kHz Project : 10X001-03 Mode : Mode 20 SN : #22 G992966523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2398.00</td> <td>43.45</td> <td>-18.55</td> <td>54.00</td> <td>37.85</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>167</td> <td>327 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2398.00	43.45	-18.55	54.00	37.85	31.70	6.94	32.24	167	327 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RBNW 1000 000kHz VBW 0.010kHz Project : 10X001-03 Mode : Mode 20 SN : #22 G992966523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.92</td> <td>43.92</td> <td>54.00</td> <td>91.42</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>167</td> <td>327 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.92	43.92	54.00	91.42	31.80	6.94	32.24	167	327 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2398.00	43.45	-18.55	54.00	37.85	31.70	6.94	32.24	167	327 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	97.92	43.92	54.00	91.42	31.80	6.94	32.24	167	327 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH01 2412MHz																																																																			
1	Vertical	Fundamental																																																																		
Peak	<p>Date: 5 Date: 2022-09-28</p> <p>Site : site Condition : PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 20 SN : #22-092366523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2375.21</td> <td>53.36</td> <td>-26.64</td> <td>74.00</td> <td>47.04</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>349 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2375.21	53.36	-26.64	74.00	47.04	31.70	6.87	32.25	100	349 Peak	<p>Date: 7 Date: 2022-09-28</p> <p>Site : 03CH02-S2 Condition : PEAK_74.3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 20 SN : #22-092366523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>107.81</td> <td>33.81</td> <td>74.00</td> <td>101.31</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>349 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	107.81	33.81	74.00	101.31	31.80	6.94	32.24	100	349 Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2375.21	53.36	-26.64	74.00	47.04	31.70	6.87	32.25	100	349 Peak																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2412.00	107.81	33.81	74.00	101.31	31.80	6.94	32.24	100	349 Peak																																																										
Avg.	<p>Date: 6 Date: 2022-09-28</p> <p>Site : 03CH02-S2 Condition : AVG_BE_74.3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 20 SN : #22-092366523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2375.21</td> <td>43.36</td> <td>-26.64</td> <td>54.00</td> <td>36.97</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>349 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2375.21	43.36	-26.64	54.00	36.97	31.70	6.94	32.25	100	349 Average	<p>Date: 8 Date: 2022-09-28</p> <p>Site : 03CH02-S2 Condition : AVG_74.3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 20 SN : #22-092366523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>97.97</td> <td>43.97</td> <td>54.00</td> <td>91.47</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>349 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	97.97	43.97	54.00	91.47	31.80	6.94	32.24	100	349 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2375.21	43.36	-26.64	54.00	36.97	31.70	6.94	32.25	100	349 Average																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2412.00	97.97	43.97	54.00	91.47	31.80	6.94	32.24	100	349 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH06 2437MHz - L																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 21 SN : #20 0922170523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.98</td> <td>54.86</td> <td>-19.94</td> <td>74.00</td> <td>46.99</td> <td>32.36</td> <td>6.44</td> <td>33.73</td> <td>110</td> <td>117 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2387.98	54.86	-19.94	74.00	46.99	32.36	6.44	33.73	110	117 Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 21 SN : #20 0922170523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>189.69</td> <td>35.69</td> <td>74.00</td> <td>182.58</td> <td>32.38</td> <td>6.48</td> <td>31.67</td> <td>110</td> <td>117 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	189.69	35.69	74.00	182.58	32.38	6.48	31.67	110	117 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2387.98	54.86	-19.94	74.00	46.99	32.36	6.44	33.73	110	117 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	189.69	35.69	74.00	182.58	32.38	6.48	31.67	110	117 Peak																																																						
Avg.	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 21 SN : #20 0922170523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>43.90</td> <td>-18.18</td> <td>54.00</td> <td>36.83</td> <td>32.36</td> <td>6.44</td> <td>33.73</td> <td>110</td> <td>117 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.94	43.90	-18.18	54.00	36.83	32.36	6.44	33.73	110	117 Average	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 21 SN : #20 0922170523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>188.84</td> <td>46.84</td> <td>54.00</td> <td>92.85</td> <td>32.38</td> <td>6.48</td> <td>31.67</td> <td>110</td> <td>117 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	188.84	46.84	54.00	92.85	32.38	6.48	31.67	110	117 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.94	43.90	-18.18	54.00	36.83	32.36	6.44	33.73	110	117 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	188.84	46.84	54.00	92.85	32.38	6.48	31.67	110	117 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH06 2437MHz - R																																
1	Horizontal	Fundamental																															
Peak	<p> Date: 5 Date: 2022-11-09 Level (dBuV/m) Frequency (MHz) PEAK_BE_74 </p> <p> Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RSVW:1000.000kHz VBW:3000.000kHz Project : 100301-03 Mode : Mode 21 SN : 420 0092310523860039 Plane : X with Accessory setting : MCS9 power setting 16 </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.18</td> <td>54.65</td> <td>-19.35</td> <td>74.00</td> <td>47.29</td> <td>32.39</td> <td>6.53</td> <td>33.56</td> <td>110</td> <td>117 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	2484.18	54.65	-19.35	74.00	47.29	32.39	6.53	33.56	110	117 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																								
1	2484.18	54.65	-19.35	74.00	47.29	32.39	6.53	33.56	110	117 Peak																							
Avg.	<p> Date: 6 Date: 2022-11-09 Level (dBuV/m) Frequency (MHz) AVG_BE_54 </p> <p> Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RSVW:1000.000kHz VBW:3010.0kHz Project : 100301-03 Mode : Mode 21 SN : 420 0092310523860039 Plane : X with Accessory setting : MCS9 power setting 16 </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.83</td> <td>45.75</td> <td>-18.27</td> <td>54.00</td> <td>36.37</td> <td>32.39</td> <td>6.53</td> <td>33.56</td> <td>110</td> <td>117 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	2483.83	45.75	-18.27	54.00	36.37	32.39	6.53	33.56	110	117 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																								
1	2483.83	45.75	-18.27	54.00	36.37	32.39	6.53	33.56	110	117 Average																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH06 2437MHz - L																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 7 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 21 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.06</td> <td>52.66</td> <td>-11.34</td> <td>74.00</td> <td>45.74</td> <td>32.34</td> <td>6.37</td> <td>33.79</td> <td>112</td> <td>344 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2363.06	52.66	-11.34	74.00	45.74	32.34	6.37	33.79	112	344 Peak	<p>Date: 9 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 21 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>186.59</td> <td>32.59</td> <td>74.00</td> <td>99.48</td> <td>32.38</td> <td>6.48</td> <td>31.67</td> <td>112</td> <td>344 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	186.59	32.59	74.00	99.48	32.38	6.48	31.67	112	344 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2363.06	52.66	-11.34	74.00	45.74	32.34	6.37	33.79	112	344 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	186.59	32.59	74.00	99.48	32.38	6.48	31.67	112	344 Peak																																																						
Avg.	<p>Date: 8 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 21 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>42.52</td> <td>-11.48</td> <td>54.00</td> <td>35.45</td> <td>32.36</td> <td>6.44</td> <td>33.73</td> <td>112</td> <td>344 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.94	42.52	-11.48	54.00	35.45	32.36	6.44	33.73	112	344 Average	<p>Date: 10 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 21 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>97.11</td> <td>43.11</td> <td>54.00</td> <td>89.92</td> <td>32.38</td> <td>6.48</td> <td>31.67</td> <td>112</td> <td>344 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	97.11	43.11	54.00	89.92	32.38	6.48	31.67	112	344 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.94	42.52	-11.48	54.00	35.45	32.36	6.44	33.73	112	344 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	97.11	43.11	54.00	89.92	32.38	6.48	31.67	112	344 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	802.11n HT20 CH06 2437MHz - R																																
1	Vertical	Fundamental																															
Peak	<p>Date: 11 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 21 Site : 420 0302210523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.68</td> <td>54.56</td> <td>-19.44</td> <td>74.00</td> <td>47.19</td> <td>32.40</td> <td>6.53</td> <td>33.56</td> <td>112</td> <td>344 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	2487.68	54.56	-19.44	74.00	47.19	32.40	6.53	33.56	112	344 Peak	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																								
1	2487.68	54.56	-19.44	74.00	47.19	32.40	6.53	33.56	112	344 Peak																							
Avg.	<p>Date: 12 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.0100kHz Project : 100301-03 Mode : Mode 21 Site : 420 0302210523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.83</td> <td>42.78</td> <td>-11.38</td> <td>54.00</td> <td>35.34</td> <td>32.39</td> <td>6.53</td> <td>33.56</td> <td>112</td> <td>344 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg	1	2483.83	42.78	-11.38	54.00	35.34	32.39	6.53	33.56	112	344 Average	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	ca	deg																								
1	2483.83	42.78	-11.38	54.00	35.34	32.39	6.53	33.56	112	344 Average																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11n HT20 CH11 2462MHz																																																											
1	Horizontal	Fundamental																																																										
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSNW:1000.000kHz VBW:3000.000kHz Project : 1D0301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>16.00</td> <td>-16.00</td> <td>74.00</td> <td>59.57</td> <td>32.40</td> <td>6.53</td> <td>33.50</td> <td>135</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	2462.00	16.00	-16.00	74.00	59.57	32.40	6.53	33.50	135	121 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSNW:1000.000kHz VBW:3000.000kHz Project : 1D0301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>169.39</td> <td>35.39</td> <td>74.00</td> <td>182.14</td> <td>32.39</td> <td>6.48</td> <td>31.62</td> <td>135</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	2462.00	169.39	35.39	74.00	182.14	32.39	6.48	31.62	135	121 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																				
1	2462.00	16.00	-16.00	74.00	59.57	32.40	6.53	33.50	135	121 Peak																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																				
1	2462.00	169.39	35.39	74.00	182.14	32.39	6.48	31.62	135	121 Peak																																																		
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW:1000.000kHz VBW:0.010kHz Project : 1D0301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.72</td> <td>45.56</td> <td>-8.44</td> <td>54.00</td> <td>38.20</td> <td>32.39</td> <td>6.53</td> <td>33.50</td> <td>135</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	2463.72	45.56	-8.44	54.00	38.20	32.39	6.53	33.50	135	121 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW:1000.000kHz VBW:0.010kHz Project : 1D0301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.45</td> <td>45.45</td> <td>54.00</td> <td>92.20</td> <td>32.39</td> <td>6.48</td> <td>31.62</td> <td>135</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	2462.00	99.45	45.45	54.00	92.20	32.39	6.48	31.62	135	121 Average
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																				
1	2463.72	45.56	-8.44	54.00	38.20	32.39	6.53	33.50	135	121 Average																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																				
1	2462.00	99.45	45.45	54.00	92.20	32.39	6.48	31.62	135	121 Average																																																		



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																																
ANT	802.11n HT20 CH11 2462MHz																																																																
1	Vertical	Fundamental																																																															
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 3000.000kHz Project : 100301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>109.4</td> <td>-18.78</td> <td>74.00</td> <td>47.94</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>344 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.4	-18.78	74.00	47.94	32.39	6.53	31.56	100	344 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 3000.000kHz Project : 100301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>109.4</td> <td>187.17</td> <td>31.17</td> <td>74.00</td> <td>99.92</td> <td>32.39</td> <td>6.48</td> <td>31.62</td> <td>100</td> <td>344 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.4	187.17	31.17	74.00	99.92	32.39	6.48	31.62	100	344 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2462.00	109.4	-18.78	74.00	47.94	32.39	6.53	31.56	100	344 Peak																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2462.00	109.4	187.17	31.17	74.00	99.92	32.39	6.48	31.62	100	344 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 0.010kHz Project : 100301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.96</td> <td>43.92</td> <td>-18.88</td> <td>54.00</td> <td>36.56</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>344 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2463.96	43.92	-18.88	54.00	36.56	32.39	6.53	31.56	100	344 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000.000kHz VBW 0.010kHz Project : 100301-03 Mode : Mode 22 SN : #20 0292310523860039 Plane : X with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.49</td> <td>42.49</td> <td>54.00</td> <td>89.24</td> <td>32.39</td> <td>6.48</td> <td>31.62</td> <td>100</td> <td>344 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.49	42.49	54.00	89.24	32.39	6.48	31.62	100	344 Average	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2463.96	43.92	-18.88	54.00	36.56	32.39	6.53	31.56	100	344 Average																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2462.00	96.49	42.49	54.00	89.24	32.39	6.48	31.62	100	344 Average																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH12 2467MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 23 Site : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.69</td> <td>64.07</td> <td>-9.93</td> <td>74.00</td> <td>56.71</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>124 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2463.69	64.07	-9.93	74.00	56.71	32.39	6.53	31.56	134	124 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 23 Site : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>107.88</td> <td>33.80</td> <td>74.00</td> <td>100.44</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>124 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	107.88	33.80	74.00	100.44	32.39	6.53	31.56	134	124 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2463.69	64.07	-9.93	74.00	56.71	32.39	6.53	31.56	134	124 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	107.88	33.80	74.00	100.44	32.39	6.53	31.56	134	124 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 0.010kHz Project : 1D0301-03 Mode : Mode 23 Site : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.52</td> <td>58.96</td> <td>-3.04</td> <td>54.00</td> <td>43.08</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>124 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2463.52	58.96	-3.04	54.00	43.08	32.39	6.53	31.56	134	124 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 0.010kHz Project : 1D0301-03 Mode : Mode 23 Site : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>98.87</td> <td>44.87</td> <td>54.00</td> <td>90.71</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>124 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	98.87	44.87	54.00	90.71	32.39	6.53	31.56	134	124 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2463.52	58.96	-3.04	54.00	43.08	32.39	6.53	31.56	134	124 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	98.87	44.87	54.00	90.71	32.39	6.53	31.56	134	124 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH12 2467MHz																																																																			
1	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSNW:1000.000kHz VBW:3000.000kHz Project : 100301-03 Mode : Mode 23 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.00</td> <td>61.87</td> <td>-12.13</td> <td>74.00</td> <td>54.51</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>343 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2464.00	61.87	-12.13	74.00	54.51	32.39	6.53	31.56	131	343 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSNW:1000.000kHz VBW:3000.000kHz Project : 100301-03 Mode : Mode 23 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>104.31</td> <td>30.31</td> <td>74.00</td> <td>96.95</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>343 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	104.31	30.31	74.00	96.95	32.39	6.53	31.56	131	343 Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2464.00	61.87	-12.13	74.00	54.51	32.39	6.53	31.56	131	343 Peak																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	104.31	30.31	74.00	96.95	32.39	6.53	31.56	131	343 Peak																																																										
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSNW:1000.000kHz VBW:0.010kHz Project : 100301-03 Mode : Mode 23 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.52</td> <td>48.98</td> <td>-5.82</td> <td>54.80</td> <td>41.62</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>343 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2463.52	48.98	-5.82	54.80	41.62	32.39	6.53	31.56	131	343 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSNW:1000.000kHz VBW:0.010kHz Project : 100301-03 Mode : Mode 23 SN : #20 092210523860039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>94.38</td> <td>40.38</td> <td>54.00</td> <td>86.94</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>131</td> <td>343 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	94.38	40.38	54.00	86.94	32.39	6.53	31.56	131	343 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2463.52	48.98	-5.82	54.80	41.62	32.39	6.53	31.56	131	343 Average																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	94.38	40.38	54.00	86.94	32.39	6.53	31.56	131	343 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH13 2472MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	<p>Date: 11 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092370523860039 Plane : X with Accessory setting : MCS0 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>69.83</td> <td>-13.17</td> <td>74.00</td> <td>53.47</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>115 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.56	69.83	-13.17	74.00	53.47	32.39	6.53	31.56	134	115 Peak	<p>Date: 9 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092370523860039 Plane : X with Accessory setting : MCS0 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>102.47</td> <td>28.47</td> <td>74.00</td> <td>95.11</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>115 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2472.00	102.47	28.47	74.00	95.11	32.39	6.53	31.56	134	115 Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2483.56	69.83	-13.17	74.00	53.47	32.39	6.53	31.56	134	115 Peak																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2472.00	102.47	28.47	74.00	95.11	32.39	6.53	31.56	134	115 Peak																																																										
Avg.	<p>Date: 12 Date: 2022-11-11</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 0.010kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092370523860039 Plane : X with Accessory setting : MCS0 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>58.81</td> <td>-3.19</td> <td>54.00</td> <td>43.45</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>115 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.52	58.81	-3.19	54.00	43.45	32.39	6.53	31.56	134	115 Average	<p>Date: 10 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 0.010kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092370523860039 Plane : X with Accessory setting : MCS0 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>92.67</td> <td>38.67</td> <td>54.00</td> <td>85.31</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>115 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2472.00	92.67	38.67	54.00	85.31	32.39	6.53	31.56	134	115 Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2483.52	58.81	-3.19	54.00	43.45	32.39	6.53	31.56	134	115 Average																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2472.00	92.67	38.67	54.00	85.31	32.39	6.53	31.56	134	115 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH13 2472MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site : 01CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 24 SN : #20 092210523860039 Plane : X with Accessory setting : MCS20 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.04</td> <td>59.21</td> <td>-15.79</td> <td>74.00</td> <td>59.85</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>345 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	59.21	-15.79	74.00	59.85	32.39	6.53	31.56	134	345 Peak	<p>Site : 01CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 24 SN : #20 092210523860039 Plane : X with Accessory setting : MCS20 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>98.48</td> <td>24.48</td> <td>74.00</td> <td>91.84</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>345 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	98.48	24.48	74.00	91.84	32.39	6.53	31.56	134	345 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.04	59.21	-15.79	74.00	59.85	32.39	6.53	31.56	134	345 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	98.48	24.48	74.00	91.84	32.39	6.53	31.56	134	345 Peak																																																						
Avg.	<p>Site : 01CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 24 SN : #20 092210523860039 Plane : X with Accessory setting : MCS20 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>48.32</td> <td>-5.68</td> <td>54.00</td> <td>49.96</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>345 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	48.32	-5.68	54.00	49.96	32.39	6.53	31.56	134	345 Average	<p>Site : 01CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : Mode 24 SN : #20 092210523860039 Plane : X with Accessory setting : MCS20 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>88.58</td> <td>34.58</td> <td>54.00</td> <td>81.22</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>134</td> <td>345 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	88.58	34.58	54.00	81.22	32.39	6.53	31.56	134	345 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.52	48.32	-5.68	54.00	49.96	32.39	6.53	31.56	134	345 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	88.58	34.58	54.00	81.22	32.39	6.53	31.56	134	345 Average																																																						



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11b CH01 2412MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 153001-03 Mode : Mode 10 SN : #20 G092376529860039 Plane : X with Accessory setting : 1M power setting 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.45</td> <td>-38.55</td> <td>74.00</td> <td>57.48</td> <td>54.48</td> <td>9.47</td> <td>57.98</td> <td>...</td> </tr> <tr> <td>2</td> <td>4832.00</td> <td>47.48</td> <td>-35.52</td> <td>74.00</td> <td>59.00</td> <td>55.76</td> <td>18.76</td> <td>54.84</td> <td>...</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	43.45	-38.55	74.00	57.48	54.48	9.47	57.98	...	2	4832.00	47.48	-35.52	74.00	59.00	55.76	18.76	54.84	...	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 153001-03 Mode : Mode 10 SN : #20 G092376529860039 Plane : X with Accessory setting : 1M power setting 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>47.38</td> <td>-26.78</td> <td>74.00</td> <td>63.53</td> <td>54.48</td> <td>9.47</td> <td>57.98</td> <td>...</td> </tr> <tr> <td>2</td> <td>4832.00</td> <td>47.15</td> <td>-26.85</td> <td>74.00</td> <td>58.07</td> <td>55.76</td> <td>18.76</td> <td>54.84</td> <td>...</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	47.38	-26.78	74.00	63.53	54.48	9.47	57.98	...	2	4832.00	47.15	-26.85	74.00	58.07	55.76	18.76	54.84	...
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4824.00	43.45	-38.55	74.00	57.48	54.48	9.47	57.98	...																																																																									
2	4832.00	47.48	-35.52	74.00	59.00	55.76	18.76	54.84	...																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4824.00	47.38	-26.78	74.00	63.53	54.48	9.47	57.98	...																																																																									
2	4832.00	47.15	-26.85	74.00	58.07	55.76	18.76	54.84	...																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11b CH06 2437MHz																																																																																					
1	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Date: 21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 11 SN : #22 G99286023670021 Plane : X with Accessory setting : 1M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.42</td> <td>-28.58</td> <td>74.00</td> <td>57.59</td> <td>33.73</td> <td>18.00</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7331.00</td> <td>46.56</td> <td>-27.44</td> <td>74.00</td> <td>57.78</td> <td>33.72</td> <td>12.33</td> <td>59.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cn	deg	1	4874.00	43.42	-28.58	74.00	57.59	33.73	18.00	57.98	...	Peak	2	7331.00	46.56	-27.44	74.00	57.78	33.72	12.33	59.47	...	Peak	<p>Date: 22</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 11 SN : #22 G99286023670021 Plane : X with Accessory setting : 1M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>46.60</td> <td>-27.40</td> <td>74.00</td> <td>60.77</td> <td>33.73</td> <td>18.00</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7331.00</td> <td>46.57</td> <td>-27.43</td> <td>74.00</td> <td>57.59</td> <td>33.72</td> <td>12.33</td> <td>59.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cn	deg	1	4874.00	46.60	-27.40	74.00	60.77	33.73	18.00	57.98	...	Peak	2	7331.00	46.57	-27.43	74.00	57.59	33.72	12.33	59.47	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cn	deg																																																																													
1	4874.00	43.42	-28.58	74.00	57.59	33.73	18.00	57.98	...	Peak																																																																												
2	7331.00	46.56	-27.44	74.00	57.78	33.72	12.33	59.47	...	Peak																																																																												
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cn	deg																																																																													
1	4874.00	46.60	-27.40	74.00	60.77	33.73	18.00	57.98	...	Peak																																																																												
2	7331.00	46.57	-27.43	74.00	57.59	33.72	12.33	59.47	...	Peak																																																																												



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11b CH11 2462MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Date: 15</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 12 SN : #20 G09231622960039 Plane : X with Accessory setting : 1M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.73</td> <td>-29.27</td> <td>74.00</td> <td>58.73</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6564.00</td> <td>47.42</td> <td>-26.58</td> <td>74.00</td> <td>59.00</td> <td>35.35</td> <td>10.83</td> <td>58.24</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>44.71</td> <td>-29.29</td> <td>74.00</td> <td>57.12</td> <td>35.98</td> <td>11.32</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4924.00	44.73	-29.27	74.00	58.73	34.34	9.56	57.98	... Peak	2	6564.00	47.42	-26.58	74.00	59.00	35.35	10.83	58.24	... Peak	3	7386.00	44.71	-29.29	74.00	57.12	35.98	11.32	59.71	... Peak	<p>Date: 16</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 12 SN : #20 G09231622960039 Plane : X with Accessory setting : 1M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>46.60</td> <td>-27.40</td> <td>74.00</td> <td>60.60</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6564.00</td> <td>47.88</td> <td>-26.12</td> <td>74.00</td> <td>59.44</td> <td>35.85</td> <td>10.83</td> <td>58.24</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>44.15</td> <td>-29.85</td> <td>74.00</td> <td>56.36</td> <td>35.98</td> <td>11.32</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4924.00	46.60	-27.40	74.00	60.60	34.34	9.56	57.98	... Peak	2	6564.00	47.88	-26.12	74.00	59.44	35.85	10.83	58.24	... Peak	3	7386.00	44.15	-29.85	74.00	56.36	35.98	11.32	59.71	... Peak
	Freq	Level	Over	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																										
1	4924.00	44.73	-29.27	74.00	58.73	34.34	9.56	57.98	... Peak																																																																																									
2	6564.00	47.42	-26.58	74.00	59.00	35.35	10.83	58.24	... Peak																																																																																									
3	7386.00	44.71	-29.29	74.00	57.12	35.98	11.32	59.71	... Peak																																																																																									
Freq	Level	Over	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																										
1	4924.00	46.60	-27.40	74.00	60.60	34.34	9.56	57.98	... Peak																																																																																									
2	6564.00	47.88	-26.12	74.00	59.44	35.85	10.83	58.24	... Peak																																																																																									
3	7386.00	44.15	-29.85	74.00	56.36	35.98	11.32	59.71	... Peak																																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																											
ANT	802.11b CH12 2467MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 27</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 13 SN : #20 G09231622960039 Plane : X with Accessory setting : 1M power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>45.68</td> <td>-28.32</td> <td>74.00</td> <td>59.68</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6376.00</td> <td>46.35</td> <td>-27.65</td> <td>74.00</td> <td>57.33</td> <td>35.67</td> <td>10.83</td> <td>58.26</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7481.00</td> <td>45.58</td> <td>-28.58</td> <td>74.00</td> <td>57.97</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4934.00	45.68	-28.32	74.00	59.68	34.34	9.56	57.98	...	Peak	2	6376.00	46.35	-27.65	74.00	57.33	35.67	10.83	58.26	...	Peak	3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	...	Peak	<p>Date: 28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 13 SN : #20 G09231622960039 Plane : X with Accessory setting : 1M power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>47.26</td> <td>-26.74</td> <td>74.00</td> <td>63.26</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6376.00</td> <td>48.26</td> <td>-25.64</td> <td>74.00</td> <td>59.94</td> <td>35.67</td> <td>10.83</td> <td>58.26</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7481.00</td> <td>45.58</td> <td>-28.58</td> <td>74.00</td> <td>57.97</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4934.00	47.26	-26.74	74.00	63.26	34.34	9.56	57.98	...	Peak	2	6376.00	48.26	-25.64	74.00	59.94	35.67	10.83	58.26	...	Peak	3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																				
1	4934.00	45.68	-28.32	74.00	59.68	34.34	9.56	57.98	...	Peak																																																																																																		
2	6376.00	46.35	-27.65	74.00	57.33	35.67	10.83	58.26	...	Peak																																																																																																		
3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	...	Peak																																																																																																		
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																				
1	4934.00	47.26	-26.74	74.00	63.26	34.34	9.56	57.98	...	Peak																																																																																																		
2	6376.00	48.26	-25.64	74.00	59.94	35.67	10.83	58.26	...	Peak																																																																																																		
3	7481.00	45.58	-28.58	74.00	57.97	35.97	11.32	59.76	...	Peak																																																																																																		



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11b CH13 2472MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Date: 23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 14 SN : #20 G99231622960039 Plane : X with Accessory setting : 1M power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.91</td> <td>-28.89</td> <td>74.00</td> <td>57.92</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6596.00</td> <td>46.94</td> <td>-27.06</td> <td>74.00</td> <td>58.51</td> <td>35.89</td> <td>10.63</td> <td>58.27</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>44.16</td> <td>-29.84</td> <td>74.00</td> <td>56.66</td> <td>35.97</td> <td>11.29</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4944.00	43.91	-28.89	74.00	57.92	34.33	9.56	57.98	...	Peak	2	6596.00	46.94	-27.06	74.00	58.51	35.89	10.63	58.27	...	Peak	3	7416.00	44.16	-29.84	74.00	56.66	35.97	11.29	59.76	...	Peak	<p>Date: 24</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 14 SN : #20 G99231622960039 Plane : X with Accessory setting : 1M power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.63</td> <td>-30.37</td> <td>74.00</td> <td>57.64</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6596.00</td> <td>48.28</td> <td>-25.72</td> <td>74.00</td> <td>59.87</td> <td>35.89</td> <td>10.63</td> <td>58.27</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>44.47</td> <td>-29.53</td> <td>74.00</td> <td>56.97</td> <td>35.97</td> <td>11.29</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4944.00	43.63	-30.37	74.00	57.64	34.33	9.56	57.98	...	Peak	2	6596.00	48.28	-25.72	74.00	59.87	35.89	10.63	58.27	...	Peak	3	7416.00	44.47	-29.53	74.00	56.97	35.97	11.29	59.76	...	Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4944.00	43.91	-28.89	74.00	57.92	34.33	9.56	57.98	...	Peak																																																																																																						
2	6596.00	46.94	-27.06	74.00	58.51	35.89	10.63	58.27	...	Peak																																																																																																						
3	7416.00	44.16	-29.84	74.00	56.66	35.97	11.29	59.76	...	Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4944.00	43.63	-30.37	74.00	57.64	34.33	9.56	57.98	...	Peak																																																																																																						
2	6596.00	48.28	-25.72	74.00	59.87	35.89	10.63	58.27	...	Peak																																																																																																						
3	7416.00	44.47	-29.53	74.00	56.97	35.97	11.29	59.76	...	Peak																																																																																																						



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11g CH01 2412MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 13 Level (dBuV/m)</p> <p>Date: 2022-11-16</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : FR1D0301-03 Mode : Mode 15 SN : #20 G992376529860039 Plane : X with Accessory setting : 6M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.73</td> <td>-38.27</td> <td>74.00</td> <td>57.76</td> <td>54.40</td> <td>9.47</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6832.00</td> <td>47.30</td> <td>-35.70</td> <td>74.00</td> <td>58.82</td> <td>55.76</td> <td>10.76</td> <td>58.04</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	43.73	-38.27	74.00	57.76	54.40	9.47	57.98	... Peak	2	6832.00	47.30	-35.70	74.00	58.82	55.76	10.76	58.04	... Peak	<p>Date: 14 Level (dBuV/m)</p> <p>Date: 2022-11-16</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : FR1D0301-03 Mode : Mode 15 SN : #20 G992376529860039 Plane : X with Accessory setting : 6M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>45.83</td> <td>-38.37</td> <td>74.00</td> <td>59.66</td> <td>54.40</td> <td>9.47</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6832.00</td> <td>48.23</td> <td>-35.77</td> <td>74.00</td> <td>59.75</td> <td>55.76</td> <td>10.76</td> <td>58.04</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.83	-38.37	74.00	59.66	54.40	9.47	57.98	... Peak	2	6832.00	48.23	-35.77	74.00	59.75	55.76	10.76	58.04	... Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4824.00	43.73	-38.27	74.00	57.76	54.40	9.47	57.98	... Peak																																																																									
2	6832.00	47.30	-35.70	74.00	58.82	55.76	10.76	58.04	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4824.00	45.83	-38.37	74.00	59.66	54.40	9.47	57.98	... Peak																																																																									
2	6832.00	48.23	-35.77	74.00	59.75	55.76	10.76	58.04	... Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11g CH06 2437MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1503001-03 Mode : Mode 16 SN : #20 G09231622960039 Plane : X with Accessory setting : GM power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.47</td> <td>-31.53</td> <td>74.00</td> <td>56.58</td> <td>34.37</td> <td>9.58</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>49.71</td> <td>-24.29</td> <td>74.00</td> <td>61.38</td> <td>35.79</td> <td>10.74</td> <td>58.16</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>45.06</td> <td>-28.94</td> <td>74.00</td> <td>57.24</td> <td>36.05</td> <td>11.24</td> <td>59.47</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4874.00	42.47	-31.53	74.00	56.58	34.37	9.58	57.98	... Peak	2	6498.00	49.71	-24.29	74.00	61.38	35.79	10.74	58.16	... Peak	3	7311.00	45.06	-28.94	74.00	57.24	36.05	11.24	59.47	... Peak	<p>Date: 20</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1503001-03 Mode : Mode 16 SN : #20 G09231622960039 Plane : X with Accessory setting : GM power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.82</td> <td>-31.18</td> <td>74.00</td> <td>56.85</td> <td>34.37</td> <td>9.58</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>47.38</td> <td>-26.62</td> <td>74.00</td> <td>58.97</td> <td>35.79</td> <td>10.74</td> <td>58.16</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>44.18</td> <td>-29.82</td> <td>74.00</td> <td>56.36</td> <td>36.05</td> <td>11.24</td> <td>59.47</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4874.00	42.82	-31.18	74.00	56.85	34.37	9.58	57.98	... Peak	2	6498.00	47.38	-26.62	74.00	58.97	35.79	10.74	58.16	... Peak	3	7311.00	44.18	-29.82	74.00	56.36	36.05	11.24	59.47	... Peak
	Freq	Level	Over	Limit	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																										
1	4874.00	42.47	-31.53	74.00	56.58	34.37	9.58	57.98	... Peak																																																																																									
2	6498.00	49.71	-24.29	74.00	61.38	35.79	10.74	58.16	... Peak																																																																																									
3	7311.00	45.06	-28.94	74.00	57.24	36.05	11.24	59.47	... Peak																																																																																									
Freq	Level	Over	Limit	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																										
1	4874.00	42.82	-31.18	74.00	56.85	34.37	9.58	57.98	... Peak																																																																																									
2	6498.00	47.38	-26.62	74.00	58.97	35.79	10.74	58.16	... Peak																																																																																									
3	7311.00	44.18	-29.82	74.00	56.36	36.05	11.24	59.47	... Peak																																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																											
ANT	802.11g CH11 2462MHz																																																																																																											
1	Horizontal	Vertical																																																																																																										
Peak Avg.	<p>Date: 15</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 17 SN : #20 G09237052980039 Plane : X with Accessory setting : GM power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.50</td> <td>-20.50</td> <td>74.00</td> <td>57.50</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6564.00</td> <td>46.50</td> <td>-22.45</td> <td>74.00</td> <td>57.93</td> <td>35.85</td> <td>10.63</td> <td>58.24</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>44.64</td> <td>-29.36</td> <td>74.00</td> <td>57.65</td> <td>35.98</td> <td>11.32</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	4924.00	43.50	-20.50	74.00	57.50	34.34	9.56	57.98	...	Peak	2	6564.00	46.50	-22.45	74.00	57.93	35.85	10.63	58.24	...	Peak	3	7386.00	44.64	-29.36	74.00	57.65	35.98	11.32	59.71	...	Peak	<p>Date: 16</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 17 SN : #20 G09237052980039 Plane : X with Accessory setting : GM power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.22</td> <td>-29.78</td> <td>74.00</td> <td>58.22</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6564.00</td> <td>49.18</td> <td>-24.98</td> <td>74.00</td> <td>60.68</td> <td>35.85</td> <td>10.63</td> <td>58.24</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>44.69</td> <td>-29.11</td> <td>74.00</td> <td>57.30</td> <td>35.98</td> <td>11.32</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	4924.00	44.22	-29.78	74.00	58.22	34.34	9.56	57.98	...	Peak	2	6564.00	49.18	-24.98	74.00	60.68	35.85	10.63	58.24	...	Peak	3	7386.00	44.69	-29.11	74.00	57.30	35.98	11.32	59.71	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																																				
1	4924.00	43.50	-20.50	74.00	57.50	34.34	9.56	57.98	...	Peak																																																																																																		
2	6564.00	46.50	-22.45	74.00	57.93	35.85	10.63	58.24	...	Peak																																																																																																		
3	7386.00	44.64	-29.36	74.00	57.65	35.98	11.32	59.71	...	Peak																																																																																																		
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																																				
1	4924.00	44.22	-29.78	74.00	58.22	34.34	9.56	57.98	...	Peak																																																																																																		
2	6564.00	49.18	-24.98	74.00	60.68	35.85	10.63	58.24	...	Peak																																																																																																		
3	7386.00	44.69	-29.11	74.00	57.30	35.98	11.32	59.71	...	Peak																																																																																																		



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																									
ANT	802.11g CH12 2467MHz																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
Peak Avg.	<p>Date: 27</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 18 SN : #20 G09231622960039 Plane : X with Accessory setting : GM power setting 13.5</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>42.14</td> <td>-31.00</td> <td>74.00</td> <td>56.14</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4976.00</td> <td>47.99</td> <td>-26.01</td> <td>74.00</td> <td>59.57</td> <td>35.57</td> <td>10.03</td> <td>58.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7481.00</td> <td>45.13</td> <td>-28.77</td> <td>74.00</td> <td>57.78</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4934.00	42.14	-31.00	74.00	56.14	34.34	9.56	57.98	---	---	Peak	2	4976.00	47.99	-26.01	74.00	59.57	35.57	10.03	58.26	---	---	Peak	3	7481.00	45.13	-28.77	74.00	57.78	35.97	11.32	59.76	---	---	Peak	<p>Date: 28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 18 SN : #20 G09231622960039 Plane : X with Accessory setting : GM power setting 13.5</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>42.51</td> <td>-31.49</td> <td>74.00</td> <td>56.51</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4976.00</td> <td>45.48</td> <td>-24.53</td> <td>74.00</td> <td>61.97</td> <td>35.87</td> <td>10.03</td> <td>58.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7481.00</td> <td>45.39</td> <td>-28.61</td> <td>74.00</td> <td>57.86</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4934.00	42.51	-31.49	74.00	56.51	34.34	9.56	57.98	---	---	Peak	2	4976.00	45.48	-24.53	74.00	61.97	35.87	10.03	58.26	---	---	Peak	3	7481.00	45.39	-28.61	74.00	57.86	35.97	11.32	59.76	---	---	Peak
	Line	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																																																
1	4934.00	42.14	-31.00	74.00	56.14	34.34	9.56	57.98	---	---	Peak																																																																																																															
2	4976.00	47.99	-26.01	74.00	59.57	35.57	10.03	58.26	---	---	Peak																																																																																																															
3	7481.00	45.13	-28.77	74.00	57.78	35.97	11.32	59.76	---	---	Peak																																																																																																															
Line	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																																																
1	4934.00	42.51	-31.49	74.00	56.51	34.34	9.56	57.98	---	---	Peak																																																																																																															
2	4976.00	45.48	-24.53	74.00	61.97	35.87	10.03	58.26	---	---	Peak																																																																																																															
3	7481.00	45.39	-28.61	74.00	57.86	35.97	11.32	59.76	---	---	Peak																																																																																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																					
ANT	802.11g CH13 2472MHz																																																																																																					
1	Horizontal	Vertical																																																																																																				
Peak Avg.	<p>Date: 27</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 19 SN : #20 G09231622960039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.51</td> <td>-28.49</td> <td>74.00</td> <td>57.52</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6596.00</td> <td>46.96</td> <td>-27.04</td> <td>74.00</td> <td>58.53</td> <td>35.89</td> <td>10.83</td> <td>58.27</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>45.77</td> <td>-28.23</td> <td>74.00</td> <td>58.27</td> <td>35.97</td> <td>11.29</td> <td>59.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4944.00	43.51	-28.49	74.00	57.52	34.33	9.56	57.98	... Peak	2	6596.00	46.96	-27.04	74.00	58.53	35.89	10.83	58.27	... Peak	3	7416.00	45.77	-28.23	74.00	58.27	35.97	11.29	59.76	... Peak	<p>Date: 28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 19 SN : #20 G09231622960039 Plane : X with Accessory setting : GM power setting 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.50</td> <td>-28.50</td> <td>74.00</td> <td>57.51</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6596.00</td> <td>45.86</td> <td>-26.95</td> <td>74.00</td> <td>60.61</td> <td>35.89</td> <td>10.83</td> <td>58.27</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>44.92</td> <td>-29.08</td> <td>74.00</td> <td>57.42</td> <td>35.97</td> <td>11.29</td> <td>59.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4944.00	43.50	-28.50	74.00	57.51	34.33	9.56	57.98	... Peak	2	6596.00	45.86	-26.95	74.00	60.61	35.89	10.83	58.27	... Peak	3	7416.00	44.92	-29.08	74.00	57.42	35.97	11.29	59.76	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																														
1	4944.00	43.51	-28.49	74.00	57.52	34.33	9.56	57.98	... Peak																																																																																													
2	6596.00	46.96	-27.04	74.00	58.53	35.89	10.83	58.27	... Peak																																																																																													
3	7416.00	45.77	-28.23	74.00	58.27	35.97	11.29	59.76	... Peak																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																														
1	4944.00	43.50	-28.50	74.00	57.51	34.33	9.56	57.98	... Peak																																																																																													
2	6596.00	45.86	-26.95	74.00	60.61	35.89	10.83	58.27	... Peak																																																																																													
3	7416.00	44.92	-29.08	74.00	57.42	35.97	11.29	59.76	... Peak																																																																																													



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH01 2412MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 20 SN : #20 G992376523960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.65</td> <td>-31.37</td> <td>74.00</td> <td>56.66</td> <td>34.40</td> <td>9.47</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6832.00</td> <td>47.56</td> <td>-26.44</td> <td>74.00</td> <td>58.88</td> <td>35.76</td> <td>10.76</td> <td>56.84</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	4824.00	42.65	-31.37	74.00	56.66	34.40	9.47	57.98	... Peak	2	6832.00	47.56	-26.44	74.00	58.88	35.76	10.76	56.84	... Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 20 SN : #20 G992376523960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.60</td> <td>-31.40</td> <td>74.00</td> <td>56.63</td> <td>34.40</td> <td>9.47</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>6832.00</td> <td>47.89</td> <td>-26.11</td> <td>74.00</td> <td>59.41</td> <td>35.76</td> <td>10.76</td> <td>56.84</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	4824.00	42.60	-31.40	74.00	56.63	34.40	9.47	57.98	... Peak	2	6832.00	47.89	-26.11	74.00	59.41	35.76	10.76	56.84	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																										
1	4824.00	42.65	-31.37	74.00	56.66	34.40	9.47	57.98	... Peak																																																																									
2	6832.00	47.56	-26.44	74.00	58.88	35.76	10.76	56.84	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																										
1	4824.00	42.60	-31.40	74.00	56.63	34.40	9.47	57.98	... Peak																																																																									
2	6832.00	47.89	-26.11	74.00	59.41	35.76	10.76	56.84	... Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH06 2437MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 21 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4874.00</th> <th>41.07</th> <th>-32.33</th> <th>74.00</th> <th>55.79</th> <th>34.37</th> <th>9.58</th> <th>57.98</th> <th>... Peak</th> </tr> <tr> <th>2</th> <th>6498.00</th> <th>47.38</th> <th>-26.63</th> <th>74.00</th> <th>58.97</th> <th>35.79</th> <th>10.78</th> <th>58.16</th> <th>... Peak</th> </tr> <tr> <th>3</th> <th>7311.00</th> <th>45.45</th> <th>-28.55</th> <th>74.00</th> <th>57.63</th> <th>36.05</th> <th>11.24</th> <th>59.47</th> <th>... Peak</th> </tr> </thead></table>	Peak	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	1	4874.00	41.07	-32.33	74.00	55.79	34.37	9.58	57.98	... Peak	2	6498.00	47.38	-26.63	74.00	58.97	35.79	10.78	58.16	... Peak	3	7311.00	45.45	-28.55	74.00	57.63	36.05	11.24	59.47	... Peak	<p>Date: 20</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 21 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4874.00</th> <th>42.27</th> <th>-31.73</th> <th>74.00</th> <th>56.98</th> <th>34.37</th> <th>9.58</th> <th>57.98</th> <th>... Peak</th> </tr> <tr> <th>2</th> <th>6498.00</th> <th>48.27</th> <th>-25.63</th> <th>74.00</th> <th>59.96</th> <th>35.79</th> <th>10.78</th> <th>58.16</th> <th>... Peak</th> </tr> <tr> <th>3</th> <th>7311.00</th> <th>45.90</th> <th>-28.10</th> <th>74.00</th> <th>58.00</th> <th>36.05</th> <th>11.24</th> <th>59.47</th> <th>... Peak</th> </tr> </thead></table>	Peak	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	1	4874.00	42.27	-31.73	74.00	56.98	34.37	9.58	57.98	... Peak	2	6498.00	48.27	-25.63	74.00	59.96	35.79	10.78	58.16	... Peak	3	7311.00	45.90	-28.10	74.00	58.00	36.05	11.24	59.47	... Peak
	Peak	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																								
1	4874.00	41.07	-32.33	74.00	55.79	34.37	9.58	57.98	... Peak																																																																									
2	6498.00	47.38	-26.63	74.00	58.97	35.79	10.78	58.16	... Peak																																																																									
3	7311.00	45.45	-28.55	74.00	57.63	36.05	11.24	59.47	... Peak																																																																									
Peak	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																									
1	4874.00	42.27	-31.73	74.00	56.98	34.37	9.58	57.98	... Peak																																																																									
2	6498.00	48.27	-25.63	74.00	59.96	35.79	10.78	58.16	... Peak																																																																									
3	7311.00	45.90	-28.10	74.00	58.00	36.05	11.24	59.47	... Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11n HT20 CH11 2462MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Date: 7 Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 1503001-03 Mode : Mode 22 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.50</td> <td>-31.44</td> <td>74.00</td> <td>56.56</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6566.00</td> <td>47.43</td> <td>-26.57</td> <td>74.00</td> <td>59.85</td> <td>35.85</td> <td>10.83</td> <td>58.24</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7366.00</td> <td>45.76</td> <td>-28.24</td> <td>74.00</td> <td>58.17</td> <td>35.98</td> <td>11.32</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	42.50	-31.44	74.00	56.56	34.34	9.56	57.98	...	Peak	2	6566.00	47.43	-26.57	74.00	59.85	35.85	10.83	58.24	...	Peak	3	7366.00	45.76	-28.24	74.00	58.17	35.98	11.32	59.71	...	Peak	<p>Date: 8 Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 1503001-03 Mode : Mode 22 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.77</td> <td>-30.23</td> <td>74.00</td> <td>57.77</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6566.00</td> <td>48.61</td> <td>-25.39</td> <td>74.00</td> <td>60.19</td> <td>35.85</td> <td>10.83</td> <td>58.24</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7366.00</td> <td>45.70</td> <td>-28.30</td> <td>74.00</td> <td>58.11</td> <td>35.98</td> <td>11.32</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	43.77	-30.23	74.00	57.77	34.34	9.56	57.98	...	Peak	2	6566.00	48.61	-25.39	74.00	60.19	35.85	10.83	58.24	...	Peak	3	7366.00	45.70	-28.30	74.00	58.11	35.98	11.32	59.71	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4924.00	42.50	-31.44	74.00	56.56	34.34	9.56	57.98	...	Peak																																																																																																						
2	6566.00	47.43	-26.57	74.00	59.85	35.85	10.83	58.24	...	Peak																																																																																																						
3	7366.00	45.76	-28.24	74.00	58.17	35.98	11.32	59.71	...	Peak																																																																																																						
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4924.00	43.77	-30.23	74.00	57.77	34.34	9.56	57.98	...	Peak																																																																																																						
2	6566.00	48.61	-25.39	74.00	60.19	35.85	10.83	58.24	...	Peak																																																																																																						
3	7366.00	45.70	-28.30	74.00	58.11	35.98	11.32	59.71	...	Peak																																																																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																									
ANT	802.11n HT20 CH12 2462MHz																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
Peak Avg.	<p>Date: 15</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 23 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.27</td> <td>-26.73</td> <td>74.00</td> <td>57.27</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4976.00</td> <td>46.63</td> <td>-23.37</td> <td>74.00</td> <td>68.21</td> <td>35.57</td> <td>10.63</td> <td>58.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7481.00</td> <td>44.78</td> <td>-29.28</td> <td>74.00</td> <td>57.17</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	43.27	-26.73	74.00	57.27	34.34	9.56	57.98	---	---	Peak	2	4976.00	46.63	-23.37	74.00	68.21	35.57	10.63	58.26	---	---	Peak	3	7481.00	44.78	-29.28	74.00	57.17	35.97	11.32	59.76	---	---	Peak	<p>Date: 16</p> <p>Date: 2022-11-12</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 23 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.27</td> <td>-26.73</td> <td>74.00</td> <td>57.27</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4976.00</td> <td>46.63</td> <td>-23.37</td> <td>74.00</td> <td>68.21</td> <td>35.57</td> <td>10.63</td> <td>58.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7481.00</td> <td>45.12</td> <td>-28.88</td> <td>74.00</td> <td>57.99</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	43.27	-26.73	74.00	57.27	34.34	9.56	57.98	---	---	Peak	2	4976.00	46.63	-23.37	74.00	68.21	35.57	10.63	58.26	---	---	Peak	3	7481.00	45.12	-28.88	74.00	57.99	35.97	11.32	59.76	---	---	Peak
	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4934.00	43.27	-26.73	74.00	57.27	34.34	9.56	57.98	---	---	Peak																																																																																																															
2	4976.00	46.63	-23.37	74.00	68.21	35.57	10.63	58.26	---	---	Peak																																																																																																															
3	7481.00	44.78	-29.28	74.00	57.17	35.97	11.32	59.76	---	---	Peak																																																																																																															
Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4934.00	43.27	-26.73	74.00	57.27	34.34	9.56	57.98	---	---	Peak																																																																																																															
2	4976.00	46.63	-23.37	74.00	68.21	35.57	10.63	58.26	---	---	Peak																																																																																																															
3	7481.00	45.12	-28.88	74.00	57.99	35.97	11.32	59.76	---	---	Peak																																																																																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11n HT20 CH13 2472MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Date: 27</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 24 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4944.00</th> <th>43.30</th> <th>-38.64</th> <th>74.00</th> <th>57.37</th> <th>34.33</th> <th>9.56</th> <th>57.98</th> <th>---</th> <th>---</th> <th>Peak</th> </tr> <tr> <th>2</th> <th>6596.00</th> <th>47.33</th> <th>-35.88</th> <th>74.00</th> <th>58.69</th> <th>35.89</th> <th>10.63</th> <th>58.27</th> <th>---</th> <th>---</th> <th>Peak</th> </tr> <tr> <th>3</th> <th>7416.00</th> <th>45.68</th> <th>-28.32</th> <th>74.00</th> <th>58.18</th> <th>35.97</th> <th>11.29</th> <th>59.76</th> <th>---</th> <th>---</th> <th>Peak</th> </tr> </thead></table>	Peak	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	1	4944.00	43.30	-38.64	74.00	57.37	34.33	9.56	57.98	---	---	Peak	2	6596.00	47.33	-35.88	74.00	58.69	35.89	10.63	58.27	---	---	Peak	3	7416.00	45.68	-28.32	74.00	58.18	35.97	11.29	59.76	---	---	Peak	<p>Date: 28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 24 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 8.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4944.00</th> <th>42.99</th> <th>-31.01</th> <th>74.00</th> <th>57.00</th> <th>34.33</th> <th>9.56</th> <th>57.98</th> <th>---</th> <th>---</th> <th>Peak</th> </tr> <tr> <th>2</th> <th>6596.00</th> <th>46.74</th> <th>-25.26</th> <th>74.00</th> <th>60.11</th> <th>35.89</th> <th>10.63</th> <th>58.27</th> <th>---</th> <th>---</th> <th>Peak</th> </tr> <tr> <th>3</th> <th>7416.00</th> <th>44.79</th> <th>-29.21</th> <th>74.00</th> <th>57.29</th> <th>35.97</th> <th>11.29</th> <th>59.76</th> <th>---</th> <th>---</th> <th>Peak</th> </tr> </thead></table>	Peak	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	1	4944.00	42.99	-31.01	74.00	57.00	34.33	9.56	57.98	---	---	Peak	2	6596.00	46.74	-25.26	74.00	60.11	35.89	10.63	58.27	---	---	Peak	3	7416.00	44.79	-29.21	74.00	57.29	35.97	11.29	59.76	---	---	Peak
	Peak	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																						
1	4944.00	43.30	-38.64	74.00	57.37	34.33	9.56	57.98	---	---	Peak																																																																																							
2	6596.00	47.33	-35.88	74.00	58.69	35.89	10.63	58.27	---	---	Peak																																																																																							
3	7416.00	45.68	-28.32	74.00	58.18	35.97	11.29	59.76	---	---	Peak																																																																																							
Peak	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																							
1	4944.00	42.99	-31.01	74.00	57.00	34.33	9.56	57.98	---	---	Peak																																																																																							
2	6596.00	46.74	-25.26	74.00	60.11	35.89	10.63	58.27	---	---	Peak																																																																																							
3	7416.00	44.79	-29.21	74.00	57.29	35.97	11.29	59.76	---	---	Peak																																																																																							



Emission below 1GHz
2.4GHz WIFI 802.11n HT20 (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																																	
ANT	802.11n HT20 LF																																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																																
QP / Peak	<p>Date: 1 Level (dBuV/m) Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9158-01001 HORIZONTAL Project : 133001-03 Mode : Mode 23 MEI : #20 G992376229860039 Plane : X with Accessory MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>89.17</td> <td>28.84</td> <td>-23.40</td> <td>43.58</td> <td>40.28</td> <td>14.04</td> <td>0.50</td> <td>35.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>196.84</td> <td>27.73</td> <td>-23.77</td> <td>43.58</td> <td>44.32</td> <td>10.51</td> <td>0.00</td> <td>35.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>317.12</td> <td>27.19</td> <td>-23.81</td> <td>46.00</td> <td>40.86</td> <td>20.15</td> <td>1.88</td> <td>34.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>582.93</td> <td>24.92</td> <td>-21.08</td> <td>46.00</td> <td>31.68</td> <td>25.43</td> <td>1.63</td> <td>34.54</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>828.31</td> <td>27.97</td> <td>-23.83</td> <td>46.00</td> <td>38.69</td> <td>28.42</td> <td>3.16</td> <td>34.39</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>974.78</td> <td>29.48</td> <td>-24.52</td> <td>54.00</td> <td>39.11</td> <td>29.99</td> <td>3.43</td> <td>34.13</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	89.17	28.84	-23.40	43.58	40.28	14.04	0.50	35.18	---	---	Peak	2	196.84	27.73	-23.77	43.58	44.32	10.51	0.00	35.18	---	---	Peak	3	317.12	27.19	-23.81	46.00	40.86	20.15	1.88	34.00	---	---	Peak	4	582.93	24.92	-21.08	46.00	31.68	25.43	1.63	34.54	---	---	Peak	5	828.31	27.97	-23.83	46.00	38.69	28.42	3.16	34.39	---	---	Peak	6	974.78	29.48	-24.52	54.00	39.11	29.99	3.43	34.13	---	---	Peak	<p>Date: 2 Level (dBuV/m) Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9158-01001 VERTICAL Project : 133001-03 Mode : Mode 23 MEI : #20 G992376229860039 Plane : X with Accessory MCSO power setting 14</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>56.79</td> <td>28.80</td> <td>-23.14</td> <td>40.00</td> <td>42.48</td> <td>19.38</td> <td>0.00</td> <td>35.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>90.14</td> <td>25.95</td> <td>-23.55</td> <td>43.58</td> <td>46.23</td> <td>13.92</td> <td>0.00</td> <td>35.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>196.84</td> <td>30.81</td> <td>-23.49</td> <td>43.58</td> <td>47.15</td> <td>16.54</td> <td>1.45</td> <td>35.18</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>322.85</td> <td>24.99</td> <td>-23.41</td> <td>46.00</td> <td>37.35</td> <td>28.44</td> <td>2.00</td> <td>34.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>683.27</td> <td>25.67</td> <td>-20.33</td> <td>46.00</td> <td>33.66</td> <td>25.82</td> <td>1.69</td> <td>34.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>980.96</td> <td>29.18</td> <td>-24.82</td> <td>54.00</td> <td>29.71</td> <td>28.12</td> <td>3.46</td> <td>34.12</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	56.79	28.80	-23.14	40.00	42.48	19.38	0.00	35.00	---	---	Peak	2	90.14	25.95	-23.55	43.58	46.23	13.92	0.00	35.18	---	---	Peak	3	196.84	30.81	-23.49	43.58	47.15	16.54	1.45	35.18	---	---	Peak	4	322.85	24.99	-23.41	46.00	37.35	28.44	2.00	34.00	---	---	Peak	5	683.27	25.67	-20.33	46.00	33.66	25.82	1.69	34.58	---	---	Peak	6	980.96	29.18	-24.82	54.00	29.71	28.12	3.46	34.12	---	---	Peak
	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	89.17	28.84	-23.40	43.58	40.28	14.04	0.50	35.18	---	---	Peak																																																																																																																																																																																							
2	196.84	27.73	-23.77	43.58	44.32	10.51	0.00	35.18	---	---	Peak																																																																																																																																																																																							
3	317.12	27.19	-23.81	46.00	40.86	20.15	1.88	34.00	---	---	Peak																																																																																																																																																																																							
4	582.93	24.92	-21.08	46.00	31.68	25.43	1.63	34.54	---	---	Peak																																																																																																																																																																																							
5	828.31	27.97	-23.83	46.00	38.69	28.42	3.16	34.39	---	---	Peak																																																																																																																																																																																							
6	974.78	29.48	-24.52	54.00	39.11	29.99	3.43	34.13	---	---	Peak																																																																																																																																																																																							
Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	56.79	28.80	-23.14	40.00	42.48	19.38	0.00	35.00	---	---	Peak																																																																																																																																																																																							
2	90.14	25.95	-23.55	43.58	46.23	13.92	0.00	35.18	---	---	Peak																																																																																																																																																																																							
3	196.84	30.81	-23.49	43.58	47.15	16.54	1.45	35.18	---	---	Peak																																																																																																																																																																																							
4	322.85	24.99	-23.41	46.00	37.35	28.44	2.00	34.00	---	---	Peak																																																																																																																																																																																							
5	683.27	25.67	-20.33	46.00	33.66	25.82	1.69	34.58	---	---	Peak																																																																																																																																																																																							
6	980.96	29.18	-24.82	54.00	29.71	28.12	3.46	34.12	---	---	Peak																																																																																																																																																																																							



<Co-location Mode>

2.4GHz 2400~2483.5MHz

WIFI 802.11n20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site Condition: 03CH02-S2, PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL, RBW:1000.000kHz VBW:3000.000kHz, Project: 1D0301-03, Mode: 28, SN: #20 G092370523860039, Plane: X with Accessory, WIFI setting: MCS9 power setting 14, BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.72</td> <td>55.59</td> <td>-18.43</td> <td>74.00</td> <td>48.23</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>292 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2484.72	55.59	-18.43	74.00	48.23	32.39	6.53	31.56	100	292 Peak	<p>Site Condition: 03CH02-S2, PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL, RBW:1000.000kHz VBW:3000.000kHz, Project: 1D0301-03, Mode: 28, SN: #20 G092370523860039, Plane: X with Accessory, WIFI setting: MCS9 power setting 14, BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>181.29</td> <td>27.29</td> <td>74.00</td> <td>93.93</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>292 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2480.00	181.29	27.29	74.00	93.93	32.39	6.53	31.56	100	292 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2484.72	55.59	-18.43	74.00	48.23	32.39	6.53	31.56	100	292 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2480.00	181.29	27.29	74.00	93.93	32.39	6.53	31.56	100	292 Peak																																																						
Avg.	<p>Site Condition: 03CH02-S2, AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL, RBW:1000.000kHz VBW:1.000kHz, Project: 1D0301-03, Mode: 28, SN: #20 G092370523860039, Plane: X with Accessory, WIFI setting: MCS9 power setting 14, BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.00</td> <td>45.30</td> <td>-8.70</td> <td>54.00</td> <td>37.04</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>292 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.00	45.30	-8.70	54.00	37.04	32.39	6.53	31.56	100	292 Average	<p>Site Condition: 03CH02-S2, AVG_54 3m HF_ANT_3117_0107 HORIZONTAL, RBW:1000.000kHz VBW:1.000kHz, Project: 1D0301-03, Mode: 28, SN: #20 G092370523860039, Plane: X with Accessory, WIFI setting: MCS9 power setting 14, BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.84</td> <td>45.84</td> <td>54.00</td> <td>91.68</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>292 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2480.00	99.84	45.84	54.00	91.68	32.39	6.53	31.56	100	292 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2483.00	45.30	-8.70	54.00	37.04	32.39	6.53	31.56	100	292 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2480.00	99.84	45.84	54.00	91.68	32.39	6.53	31.56	100	292 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VSW: 3000 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.09</td> <td>56.33</td> <td>-17.67</td> <td>74.00</td> <td>48.97</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>94 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2484.09	56.33	-17.67	74.00	48.97	32.39	6.53	31.56	100	94 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VSW: 3000 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.30</td> <td>25.30</td> <td>74.00</td> <td>91.94</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>94 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2480.00	99.30	25.30	74.00	91.94	32.39	6.53	31.56	100	94 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2484.09	56.33	-17.67	74.00	48.97	32.39	6.53	31.56	100	94 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2480.00	99.30	25.30	74.00	91.94	32.39	6.53	31.56	100	94 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VSW: 1 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.64</td> <td>45.62</td> <td>-8.38</td> <td>54.00</td> <td>38.26</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>94 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2483.64	45.62	-8.38	54.00	38.26	32.39	6.53	31.56	100	94 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VSW: 1 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.27</td> <td>42.27</td> <td>54.00</td> <td>88.91</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>94 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2480.00	96.27	42.27	54.00	88.91	32.39	6.53	31.56	100	94 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2483.64	45.62	-8.38	54.00	38.26	32.39	6.53	31.56	100	94 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2480.00	96.27	42.27	54.00	88.91	32.39	6.53	31.56	100	94 Average																																																						







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																									
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																																									
1	Horizontal	Fundamental																																																																								
Peak	<p>Date: 11 Date: 2022-11-15</p> <p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000 0000Hz VEW: 3000 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.72</td> <td>63.41</td> <td>-18.59</td> <td>74.00</td> <td>56.85</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>140</td> <td></td> <td>131 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	2483.72	63.41	-18.59	74.00	56.85	32.39	6.53	31.56	140		131 Peak	<p>Date: 9 Date: 2022-11-15</p> <p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000 0000Hz VEW: 3000 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>187.16</td> <td>33.16</td> <td>74.00</td> <td>99.80</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>140</td> <td></td> <td>131 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	2467.00	187.16	33.16	74.00	99.80	32.39	6.53	31.56	140		131 Peak
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																
1	2483.72	63.41	-18.59	74.00	56.85	32.39	6.53	31.56	140		131 Peak																																																															
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																
1	2467.00	187.16	33.16	74.00	99.80	32.39	6.53	31.56	140		131 Peak																																																															
Avg.	<p>Date: 12 Date: 2022-11-15</p> <p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000 0000Hz VEW: 0 0100Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>-3.45</td> <td>54.00</td> <td>43.19</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>140</td> <td></td> <td></td> <td>131 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	2483.55	-3.45	54.00	43.19	32.39	6.53	31.56	140			131 Average	<p>Date: 10 Date: 2022-11-15</p> <p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000 0000Hz VEW: 0 0100Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>97.47</td> <td>43.47</td> <td>54.00</td> <td>90.11</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>140</td> <td></td> <td>131 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	2467.00	97.47	43.47	54.00	90.11	32.39	6.53	31.56	140		131 Average
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																
1	2483.55	-3.45	54.00	43.19	32.39	6.53	31.56	140			131 Average																																																															
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																
1	2467.00	97.47	43.47	54.00	90.11	32.39	6.53	31.56	140		131 Average																																																															



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480Mhz																																																													
1	Vertical	Fundamental																																																												
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VEW: 3000 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.12</td> <td>61.86</td> <td>-12.14</td> <td>74.00</td> <td>54.58</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>338 193 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2484.12	61.86	-12.14	74.00	54.58	32.39	6.53	31.56	338 193 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VEW: 3000 0000Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>184.05</td> <td>30.05</td> <td>74.00</td> <td>96.69</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>338 193 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2467.00	184.05	30.05	74.00	96.69	32.39	6.53	31.56	338 193 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2484.12	61.86	-12.14	74.00	54.58	32.39	6.53	31.56	338 193 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2467.00	184.05	30.05	74.00	96.69	32.39	6.53	31.56	338 193 Peak																																																					
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VEW: 0 0100Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>49.72</td> <td>-4.28</td> <td>54.00</td> <td>42.36</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>338 193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2483.52	49.72	-4.28	54.00	42.36	32.39	6.53	31.56	338 193 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 VERTICAL REVW: 1000 0000Hz VEW: 0 0100Hz Project: 100301-03 Mode: 28 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>94.39</td> <td>48.39</td> <td>54.00</td> <td>87.83</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>338 193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2467.00	94.39	48.39	54.00	87.83	32.39	6.53	31.56	338 193 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2483.52	49.72	-4.28	54.00	42.36	32.39	6.53	31.56	338 193 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																						
1	2467.00	94.39	48.39	54.00	87.83	32.39	6.53	31.56	338 193 Average																																																					







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	 <p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW: 1000.000kHz VSW: 3000.000kHz Project: 100301-03 Mode: 29 SN: #22-0592369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.07</td> <td>54.96</td> <td>-19.04</td> <td>74.00</td> <td>49.57</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>120 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.07	54.96	-19.04	74.00	49.57	31.70	6.94	32.25	100	120 Peak	 <p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REBW: 1000.000kHz VSW: 3000.000kHz Project: 100301-03 Mode: 29 SN: #22-0592369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>111.19</td> <td>37.19</td> <td>74.00</td> <td>104.69</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>120 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.19	37.19	74.00	104.69	31.80	6.94	32.24	100	120 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.07	54.96	-19.04	74.00	49.57	31.70	6.94	32.25	100	120 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	111.19	37.19	74.00	104.69	31.80	6.94	32.24	100	120 Peak																																																						
Avg.	 <p>Site: 03CH02-SZ Condition: AVG_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REBW: 1000.000kHz VSW: 0.010kHz Project: 100301-03 Mode: 29 SN: #22-0592369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2398.00</td> <td>44.55</td> <td>-9.45</td> <td>54.00</td> <td>38.15</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>120 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2398.00	44.55	-9.45	54.00	38.15	31.70	6.94	32.24	100	120 Average	 <p>Site: 03CH02-SZ Condition: AVG_74.3m HF_ANT_3117_0107 HORIZONTAL REBW: 1000.000kHz VSW: 0.010kHz Project: 100301-03 Mode: 29 SN: #22-0592369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.88</td> <td>45.88</td> <td>54.00</td> <td>93.38</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>120 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.88	45.88	54.00	93.38	31.80	6.94	32.24	100	120 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2398.00	44.55	-9.45	54.00	38.15	31.70	6.94	32.24	100	120 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	99.88	45.88	54.00	93.38	31.80	6.94	32.24	100	120 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 5 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_BE 74.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 3000.000kHz Project: 100301-03 Mode: 29 SN: #Z2-C092369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.24</td> <td>54.42</td> <td>-19.58</td> <td>74.00</td> <td>49.18</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>372</td> <td>236 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2384.24	54.42	-19.58	74.00	49.18	31.70	6.87	32.25	372	236 Peak	<p>Date: 7 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 3000.000kHz Project: 100301-03 Mode: 29 SN: #Z2-C092369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>187.94</td> <td>33.94</td> <td>74.00</td> <td>181.44</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>372</td> <td>236 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	187.94	33.94	74.00	181.44	31.80	6.94	32.24	372	236 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2384.24	54.42	-19.58	74.00	49.18	31.70	6.87	32.25	372	236 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	187.94	33.94	74.00	181.44	31.80	6.94	32.24	372	236 Peak																																																						
Avg.	<p>Date: 6 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_BE 74.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 0.010kHz Project: 100301-03 Mode: 29 SN: #Z2-C092369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2398.00</td> <td>44.38</td> <td>-9.62</td> <td>54.00</td> <td>37.08</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>372</td> <td>236 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2398.00	44.38	-9.62	54.00	37.08	31.70	6.94	32.24	372	236 Average	<p>Date: 8 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_74.3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 0.010kHz Project: 100301-03 Mode: 29 SN: #Z2-C092369523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>88.17</td> <td>44.17</td> <td>54.00</td> <td>91.67</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>372</td> <td>236 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	88.17	44.17	54.00	91.67	31.80	6.94	32.24	372	236 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2398.00	44.38	-9.62	54.00	37.08	31.70	6.94	32.24	372	236 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	88.17	44.17	54.00	91.67	31.80	6.94	32.24	372	236 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz																																																															
1	Horizontal	Fundamental																																																														
<p>Peak</p>	 <p>Date: 1 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REVV:1000 0000Hz VSW:3.0000Hz</p> <p>Project: 1D0301-03 Mode: 29 SN: #22-C992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.55</td> <td>52.23</td> <td>-21.77</td> <td>74.00</td> <td>45.84</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>85 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.55	52.23	-21.77	74.00	45.84	31.70	6.94	32.25	100	85 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REVV:1000 0000Hz VSW:3.0000Hz</p> <p>Project: 1D0301-03 Mode: 29 SN: #22-C992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>183.27</td> <td>29.27</td> <td>74.00</td> <td>96.87</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>85 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	183.27	29.27	74.00	96.87	31.70	6.94	32.24	100	85 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2386.55	52.23	-21.77	74.00	45.84	31.70	6.94	32.25	100	85 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2482.00	183.27	29.27	74.00	96.87	31.70	6.94	32.24	100	85 Peak																																																						
<p>Avg.</p>	 <p>Date: 2 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REVV:1000 0000Hz VSW:3.0000Hz</p> <p>Project: 1D0301-03 Mode: 29 SN: #22-C992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.91</td> <td>43.71</td> <td>-18.29</td> <td>54.00</td> <td>37.31</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>85 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.91	43.71	-18.29	54.00	37.31	31.70	6.94	32.24	100	85 Average	 <p>Date: 4 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REVV:1000 0000Hz VSW:3.0000Hz</p> <p>Project: 1D0301-03 Mode: 29 SN: #22-C992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>180.83</td> <td>46.83</td> <td>54.00</td> <td>93.63</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>85 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	180.83	46.83	54.00	93.63	31.70	6.94	32.24	100	85 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.91	43.71	-18.29	54.00	37.31	31.70	6.94	32.24	100	85 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2482.00	180.83	46.83	54.00	93.63	31.70	6.94	32.24	100	85 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11n20_Tx_Ch01 2412Mhz+BLE_Tx_Ch00 2402Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VBW: 3000.000kHz Project: 100301-03 Mode: 29 SN: #22-0092360523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.59</td> <td>51.58</td> <td>-22.42</td> <td>74.00</td> <td>45.19</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>253 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2389.59	51.58	-22.42	74.00	45.19	31.70	6.94	32.25	100	253 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VBW: 3000.000kHz Project: 100301-03 Mode: 29 SN: #22-0092360523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>98.87</td> <td>24.87</td> <td>74.00</td> <td>92.47</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>253 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2482.00	98.87	24.87	74.00	92.47	31.70	6.94	32.24	100	253 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2389.59	51.58	-22.42	74.00	45.19	31.70	6.94	32.25	100	253 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2482.00	98.87	24.87	74.00	92.47	31.70	6.94	32.24	100	253 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VBW: 3.000kHz Project: 100301-03 Mode: 29 SN: #22-0092360523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2371.53</td> <td>42.92</td> <td>-11.88</td> <td>54.00</td> <td>36.00</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>253 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2371.53	42.92	-11.88	54.00	36.00	31.70	6.87	32.25	100	253 Average	<p>Site: 03CH02-SZ Condition: AVG_54.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VBW: 3.000kHz Project: 100301-03 Mode: 29 SN: #22-0092360523870021 Plane: X with Accessory WIFI setting: MCS9 powersetting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>97.26</td> <td>43.26</td> <td>54.00</td> <td>90.86</td> <td>31.70</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>253 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2482.00	97.26	43.26	54.00	90.86	31.70	6.94	32.24	100	253 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2371.53	42.92	-11.88	54.00	36.00	31.70	6.87	32.25	100	253 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2482.00	97.26	43.26	54.00	90.86	31.70	6.94	32.24	100	253 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																															
1	Horizontal	Fundamental																																																														
<p>Peak</p>	<p>Date: 3 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REWV:1000 0000Hz VSW:3000 0000Hz</p> <p>Project: 1D0301-03 Mode: Mode 34 SN: #22-0922369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.12</td> <td>57.27</td> <td>-16.73</td> <td>74.00</td> <td>58.12</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>100</td> <td>116 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.12	57.27	-16.73	74.00	58.12	32.87	7.83	31.95	100	116 Peak	<p>Date: 1 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REWV:1000 0000Hz VSW:3000 0000Hz</p> <p>Project: 1D0301-03 Mode: Mode 34 SN: #22-0922369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>188.44</td> <td>34.44</td> <td>74.00</td> <td>181.48</td> <td>32.83</td> <td>6.98</td> <td>32.85</td> <td>100</td> <td>116 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	188.44	34.44	74.00	181.48	32.83	6.98	32.85	100	116 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2487.12	57.27	-16.73	74.00	58.12	32.87	7.83	31.95	100	116 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	188.44	34.44	74.00	181.48	32.83	6.98	32.85	100	116 Peak																																																						
<p>Avg.</p>	<p>Date: 4 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REWV:1000 0000Hz VSW:0 0100Hz</p> <p>Project: 1D0301-03 Mode: Mode 34 SN: #22-0922369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.00</td> <td>45.38</td> <td>-8.78</td> <td>54.00</td> <td>38.15</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>100</td> <td>116 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.00	45.38	-8.78	54.00	38.15	32.87	7.83	31.95	100	116 Average	<p>Date: 2 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REWV:1000 0000Hz VSW:0 0100Hz</p> <p>Project: 1D0301-03 Mode: Mode 34 SN: #22-0922369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.62</td> <td>44.62</td> <td>54.00</td> <td>91.66</td> <td>32.83</td> <td>6.98</td> <td>32.85</td> <td>100</td> <td>116 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.62	44.62	54.00	91.66	32.83	6.98	32.85	100	116 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.00	45.38	-8.78	54.00	38.15	32.87	7.83	31.95	100	116 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	98.62	44.62	54.00	91.66	32.83	6.98	32.85	100	116 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																													
1	Vertical	Fundamental																																																												
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 3000 0000Hz Project: 100301-03 Mode: 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>57.87</td> <td>-16.13</td> <td>74.00</td> <td>59.72</td> <td>32.87</td> <td>7.83</td> <td>33.95</td> <td>182</td> <td>344</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	57.87	-16.13	74.00	59.72	32.87	7.83	33.95	182	344	Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 3000 0000Hz Project: 100301-03 Mode: 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>186.78</td> <td>32.78</td> <td>74.00</td> <td>99.82</td> <td>32.83</td> <td>6.98</td> <td>32.85</td> <td>182</td> <td>344</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	186.78	32.78	74.00	99.82	32.83	6.98	32.85	182	344	Peak
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.00	57.87	-16.13	74.00	59.72	32.87	7.83	33.95	182	344	Peak																																																			
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.00	186.78	32.78	74.00	99.82	32.83	6.98	32.85	182	344	Peak																																																			
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 0 0100Hz Project: 100301-03 Mode: 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.08</td> <td>44.17</td> <td>-9.83</td> <td>54.00</td> <td>37.82</td> <td>32.87</td> <td>7.83</td> <td>33.95</td> <td>182</td> <td>344</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2463.08	44.17	-9.83	54.00	37.82	32.87	7.83	33.95	182	344	Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 0 0100Hz Project: 100301-03 Mode: 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.33</td> <td>42.33</td> <td>54.00</td> <td>89.37</td> <td>32.83</td> <td>6.98</td> <td>32.85</td> <td>182</td> <td>344</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	96.33	42.33	54.00	89.37	32.83	6.98	32.85	182	344	Average
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2463.08	44.17	-9.83	54.00	37.82	32.87	7.83	33.95	182	344	Average																																																			
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.00	96.33	42.33	54.00	89.37	32.83	6.98	32.85	182	344	Average																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REVW:1000 000KHz VEW:3000 000KHz Project: 100301-03 Mode: Mode 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.56</td> <td>55.29</td> <td>-18.71</td> <td>74.00</td> <td>49.14</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>134</td> <td>151 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.56	55.29	-18.71	74.00	49.14	32.87	7.83	31.95	134	151 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REVW:1000 000KHz VEW:3000 000KHz Project: 100301-03 Mode: Mode 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>185.26</td> <td>31.26</td> <td>74.00</td> <td>98.11</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>134</td> <td>151 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	185.26	31.26	74.00	98.11	32.87	7.83	31.95	134	151 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.56	55.29	-18.71	74.00	49.14	32.87	7.83	31.95	134	151 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	185.26	31.26	74.00	98.11	32.87	7.83	31.95	134	151 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REVW:1000 000KHz VEW:3 000KHz Project: 100301-03 Mode: Mode 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.96</td> <td>44.97</td> <td>-9.83</td> <td>54.00</td> <td>37.82</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>134</td> <td>151 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.96	44.97	-9.83	54.00	37.82	32.87	7.83	31.95	134	151 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REVW:1000 000KHz VEW:3 000KHz Project: 100301-03 Mode: Mode 34 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>181.62</td> <td>47.62</td> <td>54.00</td> <td>94.47</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>134</td> <td>151 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	181.62	47.62	54.00	94.47	32.87	7.83	31.95	134	151 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.96	44.97	-9.83	54.00	37.82	32.87	7.83	31.95	134	151 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	181.62	47.62	54.00	94.47	32.87	7.83	31.95	134	151 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	Mode 34_11n20_Tx_Ch11 2462Mhz +BLE_Tx_Ch39 2480Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 7 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: 34 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.36</td> <td>52.47</td> <td>-21.53</td> <td>74.00</td> <td>45.32</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>100</td> <td>236 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2484.36	52.47	-21.53	74.00	45.32	32.87	7.83	31.95	100	236 Peak	<p>Date: 6 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: 34 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.14</td> <td>45.14</td> <td>54.00</td> <td>91.99</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>100</td> <td>236 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2480.00	99.14	45.14	54.00	91.99	32.87	7.83	31.95	100	236 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2484.36	52.47	-21.53	74.00	45.32	32.87	7.83	31.95	100	236 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2480.00	99.14	45.14	54.00	91.99	32.87	7.83	31.95	100	236 Average																																																						
Avg.	<p>Date: 8 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: 34 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.84</td> <td>43.68</td> <td>-18.32</td> <td>54.00</td> <td>36.48</td> <td>32.10</td> <td>7.83</td> <td>33.85</td> <td>100</td> <td>236 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2496.84	43.68	-18.32	54.00	36.48	32.10	7.83	33.85	100	236 Average	<p>Date: 5 Date: 2022-09-29</p> <p>Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: 34 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: MCS9 power setting 16 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.84</td> <td>25.84</td> <td>74.00</td> <td>92.69</td> <td>32.87</td> <td>7.83</td> <td>31.95</td> <td>100</td> <td>236 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2480.00	99.84	25.84	74.00	92.69	32.87	7.83	31.95	100	236 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2496.84	43.68	-18.32	54.00	36.48	32.10	7.83	33.85	100	236 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2480.00	99.84	25.84	74.00	92.69	32.87	7.83	31.95	100	236 Peak																																																						



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-S2 Condition: PEAK_BC_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project: 100301-03 Mode: Mode 30 SN: #22_G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.50</td> <td>53.25</td> <td>-28.75</td> <td>74.00</td> <td>46.86</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2385.50	53.25	-28.75	74.00	46.86	31.70	6.94	32.25	100	121 Peak	<p>Site: 03CH02-S2 Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project: 100301-03 Mode: Mode 30 SN: #22_G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>149.87</td> <td>35.87</td> <td>74.00</td> <td>102.57</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2412.00	149.87	35.87	74.00	102.57	31.80	6.94	32.24	100	121 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2385.50	53.25	-28.75	74.00	46.86	31.70	6.94	32.25	100	121 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2412.00	149.87	35.87	74.00	102.57	31.80	6.94	32.24	100	121 Peak																																																						
Avg.	<p>Site: 03CH02-S2 Condition: AVG_BC_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project: 100301-03 Mode: Mode 30 SN: #22_G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.13</td> <td>44.20</td> <td>-9.80</td> <td>54.00</td> <td>37.81</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2386.13	44.20	-9.80	54.00	37.81	31.70	6.94	32.25	100	121 Average	<p>Site: 03CH02-S2 Condition: AVG_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 0.010kHz Project: 100301-03 Mode: Mode 30 SN: #22_G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.28</td> <td>51.28</td> <td>54.00</td> <td>98.78</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2412.00	105.28	51.28	54.00	98.78	31.80	6.94	32.24	100	121 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2386.13	44.20	-9.80	54.00	37.81	31.70	6.94	32.25	100	121 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2412.00	105.28	51.28	54.00	98.78	31.80	6.94	32.24	100	121 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE 74.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VSW: 3000.000kHz Project: 1D0301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.81</td> <td>54.15</td> <td>-19.85</td> <td>74.00</td> <td>47.76</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>375</td> <td>239 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2385.81	54.15	-19.85	74.00	47.76	31.70	6.94	32.25	375	239 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VSW: 3000.000kHz Project: 1D0301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>186.91</td> <td>32.91</td> <td>74.00</td> <td>180.41</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>375</td> <td>239 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	186.91	32.91	74.00	180.41	31.80	6.94	32.24	375	239 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2385.81	54.15	-19.85	74.00	47.76	31.70	6.94	32.25	375	239 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	186.91	32.91	74.00	180.41	31.80	6.94	32.24	375	239 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE 74.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VSW: 0.010kHz Project: 1D0301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.13</td> <td>43.49</td> <td>-18.51</td> <td>54.00</td> <td>37.10</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>375</td> <td>239 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.13	43.49	-18.51	54.00	37.10	31.70	6.94	32.25	375	239 Average	<p>Site: 03CH02-SZ Condition: AVG_74.3m HF_ANT_3117_0107 VERTICAL REBW: 1000.000kHz VSW: 0.010kHz Project: 1D0301-03 Mode: 30 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>183.89</td> <td>49.89</td> <td>54.00</td> <td>96.59</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>375</td> <td>239 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	183.89	49.89	54.00	96.59	31.80	6.94	32.24	375	239 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2386.13	43.49	-18.51	54.00	37.10	31.70	6.94	32.25	375	239 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	183.89	49.89	54.00	96.59	31.80	6.94	32.24	375	239 Average																																																						







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site Condition: 03CH02-SZ, PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL, REWV:1000.000kHz VSW:3.000kHz</p> <p>Project: 100301-03</p> <p>Mode: 30</p> <p>SN: #22 G092360523870021</p> <p>Plane: X with Accessory</p> <p>WIFI setting: 1M powersetting 18</p> <p>BLE setting: 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.28</td> <td>51.83</td> <td>-22.17</td> <td>74.00</td> <td>45.51</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>89 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.28	51.83	-22.17	74.00	45.51	31.70	6.87	32.25	100	89 Peak	<p>Site Condition: 03CH02-SZ, PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL, REWV:1000.000kHz VSW:3.000kHz</p> <p>Project: 100301-03</p> <p>Mode: 30</p> <p>SN: #22 G092360523870021</p> <p>Plane: X with Accessory</p> <p>WIFI setting: 1M powersetting 18</p> <p>BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>102.39</td> <td>28.39</td> <td>74.00</td> <td>95.55</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>100</td> <td>89 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2438.00	102.39	28.39	74.00	95.55	32.00	6.98	32.14	100	89 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2388.28	51.83	-22.17	74.00	45.51	31.70	6.87	32.25	100	89 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2438.00	102.39	28.39	74.00	95.55	32.00	6.98	32.14	100	89 Peak																																																						
Avg.	<p>Site Condition: 03CH02-SZ, AVG_BE_74.3m HF_ANT_3117_0107 HORIZONTAL, REWV:1000.000kHz VSW:3.000kHz</p> <p>Project: 100301-03</p> <p>Mode: 30</p> <p>SN: #22 G092360523870021</p> <p>Plane: X with Accessory</p> <p>WIFI setting: 1M powersetting 18</p> <p>BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.02</td> <td>44.07</td> <td>-9.93</td> <td>54.00</td> <td>37.68</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>89 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.02	44.07	-9.93	54.00	37.68	31.70	6.94	32.25	100	89 Average	<p>Site Condition: 03CH02-SZ, AVG_74.3m HF_ANT_3117_0107 HORIZONTAL, REWV:1000.000kHz VSW:3.000kHz</p> <p>Project: 100301-03</p> <p>Mode: 30</p> <p>SN: #22 G092360523870021</p> <p>Plane: X with Accessory</p> <p>WIFI setting: 1M powersetting 18</p> <p>BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>101.46</td> <td>47.46</td> <td>54.00</td> <td>94.62</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>100</td> <td>89 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2438.00	101.46	47.46	54.00	94.62	32.00	6.98	32.14	100	89 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2386.02	44.07	-9.93	54.00	37.68	31.70	6.94	32.25	100	89 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2438.00	101.46	47.46	54.00	94.62	32.00	6.98	32.14	100	89 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																		
1	Horizontal	Fundamental																																	
Peak	<p>Date: 5 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000 000kHz VBW: 3000 000kHz Project : 100301-03 Mode : 08 SN : #22-C092369523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 5Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.98</td> <td>52.68</td> <td>-21.32</td> <td>74.00</td> <td>45.53</td> <td>32.07</td> <td>7.03</td> <td>33.95</td> <td>100</td> <td>89 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg		1	2486.98	52.68	-21.32	74.00	45.53	32.07	7.03	33.95	100	89 Peak	Left blank
Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																										
1	2486.98	52.68	-21.32	74.00	45.53	32.07	7.03	33.95	100	89 Peak																									
Avg.	<p>Date: 6 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000 000kHz VBW: 3 000kHz Project : 100301-03 Mode : 08 SN : #22-C092369523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.25</td> <td>43.58</td> <td>-18.42</td> <td>54.00</td> <td>36.48</td> <td>32.10</td> <td>7.03</td> <td>33.95</td> <td>100</td> <td>89 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg		1	2491.25	43.58	-18.42	54.00	36.48	32.10	7.03	33.95	100	89 Average	Left blank
Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																										
1	2491.25	43.58	-18.42	54.00	36.48	32.10	7.03	33.95	100	89 Average																									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	 <p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL Project: 100301-03 Mode: 08 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.94</td> <td>51.62</td> <td>-22.38</td> <td>74.00</td> <td>45.30</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>234 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2368.94	51.62	-22.38	74.00	45.30	31.70	6.87	32.25	100	234 Peak	 <p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 VERTICAL Project: 100301-03 Mode: 08 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>99.35</td> <td>25.35</td> <td>74.00</td> <td>92.51</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>100</td> <td>234 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2438.00	99.35	25.35	74.00	92.51	32.00	6.98	32.14	100	234 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2368.94	51.62	-22.38	74.00	45.30	31.70	6.87	32.25	100	234 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2438.00	99.35	25.35	74.00	92.51	32.00	6.98	32.14	100	234 Peak																																																						
Avg.	 <p>Site: 03CH02-SZ Condition: AVG_BE_74.3m HF_ANT_3117_0107 VERTICAL Project: 100301-03 Mode: 08 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.16</td> <td>42.61</td> <td>-11.39</td> <td>54.00</td> <td>36.22</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>100</td> <td>234 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2368.16	42.61	-11.39	54.00	36.22	31.70	6.94	32.25	100	234 Average	 <p>Site: 03CH02-SZ Condition: AVG_74.3m HF_ANT_3117_0107 VERTICAL Project: #02230154 Mode: 08 SN: #22 G092360523870021 Plane: X with Accessories WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>97.47</td> <td>43.47</td> <td>54.00</td> <td>90.63</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>100</td> <td>234 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2438.00	97.47	43.47	54.00	90.63	32.00	6.98	32.14	100	234 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2368.16	42.61	-11.39	54.00	36.22	31.70	6.94	32.25	100	234 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2438.00	97.47	43.47	54.00	90.63	32.00	6.98	32.14	100	234 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																		
1	Vertical	Fundamental																																	
Peak	<p>Date: 11 Date: 2022-09-29</p> <p>Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : #62220104 Mode : Mode 2 SN : #22-C09236523870021 Plane : X with Accessories WIFI setting : 1M powersetting 18 BLE setting : 5Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.55</td> <td>52.15</td> <td>-21.85</td> <td>74.00</td> <td>44.97</td> <td>32.10</td> <td>7.83</td> <td>33.95</td> <td>100</td> <td>234 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg		1	2498.55	52.15	-21.85	74.00	44.97	32.10	7.83	33.95	100	234 Peak	Left Blank
Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																										
1	2498.55	52.15	-21.85	74.00	44.97	32.10	7.83	33.95	100	234 Peak																									
Avg.	<p>Date: 12 Date: 2022-09-29</p> <p>Site : 03CH02-S2 Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3.000kHz Project : #62220104 Mode : Mode 2 SN : #22-C09236523870021 Plane : X with Accessories WIFI setting : 1M powersetting 18 BLE setting : 6Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.97</td> <td>43.34</td> <td>-18.66</td> <td>54.00</td> <td>36.16</td> <td>32.10</td> <td>7.83</td> <td>33.95</td> <td>100</td> <td>234 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg		1	2498.97	43.34	-18.66	54.00	36.16	32.10	7.83	33.95	100	234 Average	Left Blank
Freq	Level	Limit	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																										
1	2498.97	43.34	-18.66	54.00	36.16	32.10	7.83	33.95	100	234 Average																									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REVV: 1000.000kHz VSW: 3000.000kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2362.82</td> <td>53.30</td> <td>-20.70</td> <td>74.00</td> <td>46.99</td> <td>31.70</td> <td>6.87</td> <td>32.26</td> <td>100</td> <td>122 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2362.82	53.30	-20.70	74.00	46.99	31.70	6.87	32.26	100	122 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REVV: 1000.000kHz VSW: 3000.000kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>180.88</td> <td>34.88</td> <td>74.00</td> <td>180.38</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>122 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	180.88	34.88	74.00	180.38	31.80	6.94	32.24	100	122 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2362.82	53.30	-20.70	74.00	46.99	31.70	6.87	32.26	100	122 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	180.88	34.88	74.00	180.38	31.80	6.94	32.24	100	122 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REVV: 1000.000kHz VSW: 0.010kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2371.95</td> <td>44.62</td> <td>-9.38</td> <td>54.00</td> <td>38.30</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>122 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2371.95	44.62	-9.38	54.00	38.30	31.70	6.87	32.25	100	122 Average	<p>Site: 03CH02-SZ Condition: AVG_74.3m HF_ANT_3117_0107 HORIZONTAL REVV: 1000.000kHz VSW: 0.010kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>185.15</td> <td>51.15</td> <td>54.00</td> <td>98.65</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>122 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	185.15	51.15	54.00	98.65	31.80	6.94	32.24	100	122 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2371.95	44.62	-9.38	54.00	38.30	31.70	6.87	32.25	100	122 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	185.15	51.15	54.00	98.65	31.80	6.94	32.24	100	122 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 5 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ PEAK_BE 74 3m HF_ANT_3117_0107 VERTICAL REBW 1000 0000Hz VSW:3000 0000Hz Project: 100301-03 Mode: 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.86</td> <td>53.16</td> <td>-20.84</td> <td>74.00</td> <td>46.77</td> <td>31.70</td> <td>6.94</td> <td>32.25</td> <td>372</td> <td>238 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.86	53.16	-20.84	74.00	46.77	31.70	6.94	32.25	372	238 Peak	<p>Date: 7 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL REBW 1000 0000Hz VSW:3000 0000Hz Project: 100301-03 Mode: 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>187.34</td> <td>33.34</td> <td>74.00</td> <td>180.84</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>372</td> <td>238 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	187.34	33.34	74.00	180.84	31.80	6.94	32.24	372	238 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2388.86	53.16	-20.84	74.00	46.77	31.70	6.94	32.25	372	238 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	187.34	33.34	74.00	180.84	31.80	6.94	32.24	372	238 Peak																																																						
Avg.	<p>Date: 6 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ AVG_BE 54 3m HF_ANT_3117_0107 VERTICAL REBW 1000 0000Hz VSW:0 0100Hz Project: 100301-03 Mode: 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2372.06</td> <td>43.70</td> <td>-18.38</td> <td>54.00</td> <td>37.38</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>372</td> <td>238 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2372.06	43.70	-18.38	54.00	37.38	31.70	6.87	32.25	372	238 Average	<p>Date: 8 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL REBW 1000 0000Hz VSW:0 0100Hz Project: 100301-03 Mode: 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>183.54</td> <td>49.54</td> <td>54.00</td> <td>97.94</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>372</td> <td>238 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	183.54	49.54	54.00	97.94	31.80	6.94	32.24	372	238 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2372.06	43.70	-18.38	54.00	37.38	31.70	6.87	32.25	372	238 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	183.54	49.54	54.00	97.94	31.80	6.94	32.24	372	238 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000kHz VEW: 3000.000kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2351.16</td> <td>52.50</td> <td>-21.50</td> <td>74.00</td> <td>46.19</td> <td>31.70</td> <td>6.87</td> <td>32.26</td> <td>100</td> <td>86 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2351.16	52.50	-21.50	74.00	46.19	31.70	6.87	32.26	100	86 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000kHz VEW: 3000.000kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>102.84</td> <td>28.84</td> <td>74.00</td> <td>95.91</td> <td>32.00</td> <td>6.98</td> <td>32.85</td> <td>100</td> <td>86 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.84	28.84	74.00	95.91	32.00	6.98	32.85	100	86 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2351.16	52.50	-21.50	74.00	46.19	31.70	6.87	32.26	100	86 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2452.00	102.84	28.84	74.00	95.91	32.00	6.98	32.85	100	86 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000kHz VEW: 3.000kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2372.02</td> <td>43.54</td> <td>-18.46</td> <td>54.00</td> <td>37.22</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>86 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2372.02	43.54	-18.46	54.00	37.22	31.70	6.87	32.25	100	86 Average	<p>Site: 03CH02-SZ Condition: AVG_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000kHz VEW: 3.000kHz Project: 100301-03 Mode: Mode 31 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>102.83</td> <td>48.83</td> <td>54.00</td> <td>95.10</td> <td>32.00</td> <td>6.98</td> <td>32.85</td> <td>100</td> <td>86 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.83	48.83	54.00	95.10	32.00	6.98	32.85	100	86 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2372.02	43.54	-18.46	54.00	37.22	31.70	6.87	32.25	100	86 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2452.00	102.83	48.83	54.00	95.10	32.00	6.98	32.85	100	86 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																								
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																								
1	Horizontal	Fundamental																																							
<p>Peak</p>	<p>Date: 5 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 31 SN : #22-C92286523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 5Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.19</td> <td>52.45</td> <td>-21.55</td> <td>74.00</td> <td>45.27</td> <td>32.10</td> <td>7.83</td> <td>31.95</td> <td>100</td> <td></td> <td></td> <td>86 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	2488.19	52.45	-21.55	74.00	45.27	32.10	7.83	31.95	100			86 Peak	<p>Left blank</p>
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																														
1	2488.19	52.45	-21.55	74.00	45.27	32.10	7.83	31.95	100			86 Peak																													
<p>Avg.</p>	<p>Date: 6 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.000kHz Project : 100301-03 Mode : Mode 31 SN : #22-C92286523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.90</td> <td>44.00</td> <td>-9.92</td> <td>54.00</td> <td>35.00</td> <td>32.10</td> <td>7.83</td> <td>31.95</td> <td>100</td> <td></td> <td></td> <td>86 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	2498.90	44.00	-9.92	54.00	35.00	32.10	7.83	31.95	100			86 Average	<p>Left blank</p>
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																														
1	2498.90	44.00	-9.92	54.00	35.00	32.10	7.83	31.95	100			86 Average																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL REVV: 1000.0000kHz VSW: 3.0000kHz Project: 1D0301-03 Mode: Mode 31 SN: #22-C092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2338.84</td> <td>51.59</td> <td>-22.41</td> <td>74.00</td> <td>45.35</td> <td>31.70</td> <td>6.88</td> <td>32.26</td> <td>109</td> <td>235 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2338.84	51.59	-22.41	74.00	45.35	31.70	6.88	32.26	109	235 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 VERTICAL REVV: 1000.0000kHz VSW: 3.0000kHz Project: 1D0301-03 Mode: Mode 31 SN: #22-C092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>99.82</td> <td>25.82</td> <td>74.00</td> <td>92.89</td> <td>32.88</td> <td>6.98</td> <td>32.85</td> <td>109</td> <td>235 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	99.82	25.82	74.00	92.89	32.88	6.98	32.85	109	235 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2338.84	51.59	-22.41	74.00	45.35	31.70	6.88	32.26	109	235 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2452.00	99.82	25.82	74.00	92.89	32.88	6.98	32.85	109	235 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54.3m HF_ANT_3117_0107 VERTICAL REVV: 1000.0000kHz VSW: 3.0000kHz Project: 1D0301-03 Mode: Mode 31 SN: #22-C092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2354.24</td> <td>42.63</td> <td>-11.37</td> <td>54.00</td> <td>36.32</td> <td>31.70</td> <td>6.87</td> <td>32.26</td> <td>109</td> <td>235 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2354.24	42.63	-11.37	54.00	36.32	31.70	6.87	32.26	109	235 Average	<p>Site: 03CH02-SZ Condition: AVG_54.3m HF_ANT_3117_0107 VERTICAL REVV: 1000.0000kHz VSW: 3.0000kHz Project: 1D0301-03 Mode: Mode 31 SN: #22-C092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>88.85</td> <td>44.85</td> <td>54.00</td> <td>91.12</td> <td>32.88</td> <td>6.98</td> <td>32.85</td> <td>109</td> <td>235 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	88.85	44.85	54.00	91.12	32.88	6.98	32.85	109	235 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2354.24	42.63	-11.37	54.00	36.32	31.70	6.87	32.26	109	235 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2452.00	88.85	44.85	54.00	91.12	32.88	6.98	32.85	109	235 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																
1	Vertical	Fundamental																															
Peak	<p>Date: 11 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : 31 SN : #22-C92286523870021 Plane : X with Accessory WiFi setting : 1M powersetting 18 BLE setting : 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.74</td> <td>52.35</td> <td>-21.65</td> <td>74.00</td> <td>45.87</td> <td>32.18</td> <td>7.83</td> <td>31.85</td> <td>189</td> <td>235 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2498.74	52.35	-21.65	74.00	45.87	32.18	7.83	31.85	189	235 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1	2498.74	52.35	-21.65	74.00	45.87	32.18	7.83	31.85	189	235 Peak																							
Avg.	<p>Date: 12 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3.000kHz Project : 100301-03 Mode : 31 SN : #22-C92286523870021 Plane : X with Accessory WiFi setting : 1M powersetting 18 BLE setting : 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.39</td> <td>45.67</td> <td>-18.33</td> <td>54.00</td> <td>35.49</td> <td>32.18</td> <td>7.83</td> <td>31.95</td> <td>189</td> <td>235 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2491.39	45.67	-18.33	54.00	35.49	32.18	7.83	31.95	189	235 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1	2491.39	45.67	-18.33	54.00	35.49	32.18	7.83	31.95	189	235 Average																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000KHz VEW: 3000.000KHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2314.48</td> <td>52.64</td> <td>-21.36</td> <td>74.00</td> <td>46.54</td> <td>31.57</td> <td>6.88</td> <td>32.27</td> <td>118</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2314.48	52.64	-21.36	74.00	46.54	31.57	6.88	32.27	118	121 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000KHz VEW: 3000.000KHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>189.01</td> <td>35.01</td> <td>74.00</td> <td>182.17</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>118</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	189.01	35.01	74.00	182.17	32.00	6.98	32.14	118	121 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2314.48	52.64	-21.36	74.00	46.54	31.57	6.88	32.27	118	121 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	189.01	35.01	74.00	182.17	32.00	6.98	32.14	118	121 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000KHz VEW: 0.010KHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2356.20</td> <td>41.76</td> <td>-12.24</td> <td>54.00</td> <td>35.45</td> <td>31.70</td> <td>6.87</td> <td>32.26</td> <td>118</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2356.20	41.76	-12.24	54.00	35.45	31.70	6.87	32.26	118	121 Average	<p>Site: 03CH02-SZ Condition: AVG_74.3m HF_ANT_3117_0107 HORIZONTAL REVW: 1000.000KHz VEW: 0.010KHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>185.23</td> <td>51.23</td> <td>54.00</td> <td>98.39</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>118</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	185.23	51.23	54.00	98.39	32.00	6.98	32.14	118	121 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2356.20	41.76	-12.24	54.00	35.45	31.70	6.87	32.26	118	121 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	185.23	51.23	54.00	98.39	32.00	6.98	32.14	118	121 Average																																																						





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																
1	Horizontal	Fundamental																															
Peak	<p>Date: 5 Date: 2022-09-29</p> <p>Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000 000kHz VBW: 3000 000kHz Project : 100301-03 Mode : 12 SN : #22-C092369523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 5Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.35</td> <td>53.68</td> <td>-29.32</td> <td>74.00</td> <td>46.53</td> <td>32.07</td> <td>7.03</td> <td>33.95</td> <td>118</td> <td>121 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2486.35	53.68	-29.32	74.00	46.53	32.07	7.03	33.95	118	121 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2486.35	53.68	-29.32	74.00	46.53	32.07	7.03	33.95	118	121 Peak																							
Avg.	<p>Date: 6 Date: 2022-09-29</p> <p>Site : 03CH02-S2 Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000 000kHz VBW: 0 010kHz Project : 100301-03 Mode : 12 SN : #22-C092369523870021 Plane : X with Accessory WIFI setting : 1M powersetting 18 BLE setting : 6Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.97</td> <td>43.12</td> <td>-18.88</td> <td>54.00</td> <td>35.97</td> <td>32.07</td> <td>7.03</td> <td>33.95</td> <td>118</td> <td>121 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2483.97	43.12	-18.88	54.00	35.97	32.07	7.03	33.95	118	121 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2483.97	43.12	-18.88	54.00	35.97	32.07	7.03	33.95	118	121 Average																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz Project: 1D0301-03 Mode: 32 SN: #22.0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.24</td> <td>51.72</td> <td>-22.28</td> <td>74.00</td> <td>45.41</td> <td>31.70</td> <td>6.87</td> <td>32.26</td> <td>367</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2361.24	51.72	-22.28	74.00	45.41	31.70	6.87	32.26	367	201 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74.3m HF_ANT_3117_0107 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz Project: 1D0301-03 Mode: 32 SN: #22.0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>187.85</td> <td>33.85</td> <td>74.00</td> <td>181.01</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>367</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	187.85	33.85	74.00	181.01	32.00	6.98	32.14	367	201 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2361.24	51.72	-22.28	74.00	45.41	31.70	6.87	32.26	367	201 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	187.85	33.85	74.00	181.01	32.00	6.98	32.14	367	201 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54.3m HF_ANT_3117_0107 VERTICAL REW: 1000.000kHz VBW: 0.010kHz Project: 1D0301-03 Mode: 32 SN: #22.0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2354.66</td> <td>41.47</td> <td>-12.53</td> <td>54.00</td> <td>35.16</td> <td>31.70</td> <td>6.87</td> <td>32.26</td> <td>367</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2354.66	41.47	-12.53	54.00	35.16	31.70	6.87	32.26	367	201 Average	<p>Site: 03CH02-SZ Condition: AVG_54.3m HF_ANT_3117_0107 VERTICAL REW: 1000.000kHz VBW: 0.010kHz Project: 1D0301-03 Mode: 32 SN: #22.0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>184.86</td> <td>58.86</td> <td>54.00</td> <td>97.22</td> <td>32.00</td> <td>6.98</td> <td>32.14</td> <td>367</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	184.86	58.86	54.00	97.22	32.00	6.98	32.14	367	201 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2354.66	41.47	-12.53	54.00	35.16	31.70	6.87	32.26	367	201 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2437.00	184.86	58.86	54.00	97.22	32.00	6.98	32.14	367	201 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz	
1	Vertical	Fundamental
<p>Peak</p>	 <pre> Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL : RBW:1000 000KHz VBW:3000 000KHz Project : 100301-03 Mode : Mode 32 SN : #22-C92286523870021 Plane : X with Accessory WIFI setting : M power setting 18 BLE setting : S2/I1 Freq Level Over LLimit ReadAntenna Cable Preamp A/Pos T/Pos Remark ----- MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2485.38 53.87 -28.93 74.00 45.92 32.87 7.83 33.95 367 201 Peak </pre>	<p>Left blank</p>
<p>Avg.</p>	 <pre> Site : 03CH02-S2 Condition : AVG_BE_54 3m HF ANT_3117_0107 VERTICAL : RBW:1000 000KHz VBW:0 010KHz Project : 100301-03 Mode : Mode 32 SN : #22-C92286523870021 Plane : X with Accessory WIFI setting : M power setting 18 BLE setting : G2/I1 Freq Level Over LLimit ReadAntenna Cable Preamp A/Pos T/Pos Remark ----- MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 2485.93 42.43 -11.57 54.00 35.28 32.87 7.83 33.95 367 201 Average </pre>	<p>Left blank</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 1 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REBW:1000 0000Hz VBW:3000 0000Hz</p> <p>Project: 1D0301-03 Mode: 32 SN: #22 0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2366.81</td> <td>51.07</td> <td>-22.93</td> <td>74.00</td> <td>44.75</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>88 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2366.81	51.07	-22.93	74.00	44.75	31.70	6.87	32.25	100	88 Peak	<p>Date: 3 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REBW:1000 0000Hz VBW:3000 0000Hz</p> <p>Project: 1D0301-03 Mode: 32 SN: #22 0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2488.00</td> <td>181.03</td> <td>27.03</td> <td>74.00</td> <td>94.53</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>88 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2488.00	181.03	27.03	74.00	94.53	31.80	6.94	32.24	100	88 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2366.81	51.07	-22.93	74.00	44.75	31.70	6.87	32.25	100	88 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 *	2488.00	181.03	27.03	74.00	94.53	31.80	6.94	32.24	100	88 Peak																																																						
Avg.	<p>Date: 2 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REBW:1000 0000Hz VBW:3 0000Hz</p> <p>Project: 1D0301-03 Mode: 32 SN: #22 0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.62</td> <td>42.72</td> <td>-11.28</td> <td>54.00</td> <td>35.40</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>100</td> <td>88 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2377.62	42.72	-11.28	54.00	35.40	31.70	6.87	32.25	100	88 Average	<p>Date: 4 Level (dBuV/m)</p> <p>Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REBW:1000 0000Hz VBW:3 0000Hz</p> <p>Project: 1D0301-03 Mode: 32 SN: #22 0092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2488.00</td> <td>180.03</td> <td>46.03</td> <td>54.00</td> <td>93.53</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>100</td> <td>88 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2488.00	180.03	46.03	54.00	93.53	31.80	6.94	32.24	100	88 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2377.62	42.72	-11.28	54.00	35.40	31.70	6.87	32.25	100	88 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 *	2488.00	180.03	46.03	54.00	93.53	31.80	6.94	32.24	100	88 Peak																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 5 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_BE 74.3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2348.45</td> <td>51.46</td> <td>-22.54</td> <td>74.00</td> <td>45.22</td> <td>31.70</td> <td>6.80</td> <td>32.26</td> <td>103</td> <td>233 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2348.45	51.46	-22.54	74.00	45.22	31.70	6.80	32.26	103	233 Peak	<p>Date: 7 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3000.000kHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2408.00</td> <td>98.04</td> <td>24.04</td> <td>74.00</td> <td>91.54</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>103</td> <td>233 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2408.00	98.04	24.04	74.00	91.54	31.80	6.94	32.24	103	233 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2348.45	51.46	-22.54	74.00	45.22	31.70	6.80	32.26	103	233 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2408.00	98.04	24.04	74.00	91.54	31.80	6.94	32.24	103	233 Peak																																																						
Avg.	<p>Date: 6 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_BE 54.3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3.000kHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.41</td> <td>42.57</td> <td>-11.43</td> <td>54.00</td> <td>36.25</td> <td>31.70</td> <td>6.87</td> <td>32.25</td> <td>103</td> <td>233 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2377.41	42.57	-11.43	54.00	36.25	31.70	6.87	32.25	103	233 Average	<p>Date: 8 Date: 2022-09-29</p> <p>Site Condition: 03CH02-SZ AVG_54.3m HF_ANT_3117_0107 VERTICAL REBW:1000.000kHz VBW:3.000kHz Project: 100301-03 Mode: S2 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2408.00</td> <td>87.14</td> <td>43.14</td> <td>54.00</td> <td>80.64</td> <td>31.80</td> <td>6.94</td> <td>32.24</td> <td>103</td> <td>233 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	2408.00	87.14	43.14	54.00	80.64	31.80	6.94	32.24	103	233 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2377.41	42.57	-11.43	54.00	36.25	31.70	6.87	32.25	103	233 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																								
1	2408.00	87.14	43.14	54.00	80.64	31.80	6.94	32.24	103	233 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch11 2462Mhz+BLE_Tx_Ch11 2424Mhz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REVIEW: 1000 0000Hz VIEW: 3000 0000Hz Project: 100301-03 Mode: 23 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.76</td> <td>55.40</td> <td>-18.60</td> <td>74.00</td> <td>49.12</td> <td>32.10</td> <td>7.93</td> <td>33.85</td> <td>117</td> <td>120 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2499.76	55.40	-18.60	74.00	49.12	32.10	7.93	33.85	117	120 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REVIEW: 1000 0000Hz VIEW: 3000 0000Hz Project: 100301-03 Mode: 23 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>180.60</td> <td>34.60</td> <td>74.00</td> <td>181.64</td> <td>32.93</td> <td>6.98</td> <td>32.85</td> <td>117</td> <td>120 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	180.60	34.60	74.00	181.64	32.93	6.98	32.85	117	120 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2499.76	55.40	-18.60	74.00	49.12	32.10	7.93	33.85	117	120 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	180.60	34.60	74.00	181.64	32.93	6.98	32.85	117	120 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REVIEW: 1000 0000Hz VIEW: 0 0100Hz Project: 100301-03 Mode: 23 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.96</td> <td>45.58</td> <td>-8.42</td> <td>54.00</td> <td>38.30</td> <td>32.10</td> <td>7.93</td> <td>33.85</td> <td>117</td> <td>120 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2499.96	45.58	-8.42	54.00	38.30	32.10	7.93	33.85	117	120 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REVIEW: 1000 0000Hz VIEW: 0 0100Hz Project: 100301-03 Mode: 23 SN: #22 G092360523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>184.80</td> <td>50.80</td> <td>54.00</td> <td>97.84</td> <td>32.93</td> <td>6.98</td> <td>32.85</td> <td>117</td> <td>120 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	184.80	50.80	54.00	97.84	32.93	6.98	32.85	117	120 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2499.96	45.58	-8.42	54.00	38.30	32.10	7.93	33.85	117	120 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	184.80	50.80	54.00	97.84	32.93	6.98	32.85	117	120 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	11b_Tx_Ch11 2462Mhz+BLE_Tx_Ch11 2424Mhz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 3000 0000Hz Project: 100301-03 Mode: 23 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.04</td> <td>54.10</td> <td>-19.90</td> <td>74.00</td> <td>46.82</td> <td>32.10</td> <td>7.83</td> <td>31.85</td> <td>390</td> <td>239 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2495.04	54.10	-19.90	74.00	46.82	32.10	7.83	31.85	390	239 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 3000 0000Hz Project: 100301-03 Mode: 23 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>187.23</td> <td>33.23</td> <td>74.00</td> <td>180.27</td> <td>32.83</td> <td>6.98</td> <td>32.85</td> <td>390</td> <td>239 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	187.23	33.23	74.00	180.27	32.83	6.98	32.85	390	239 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2495.04	54.10	-19.90	74.00	46.82	32.10	7.83	31.85	390	239 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	187.23	33.23	74.00	180.27	32.83	6.98	32.85	390	239 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 0 0100Hz Project: 100301-03 Mode: 23 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.96</td> <td>44.22</td> <td>-9.78</td> <td>54.00</td> <td>36.94</td> <td>32.10</td> <td>7.83</td> <td>31.85</td> <td>390</td> <td>239 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2499.96	44.22	-9.78	54.00	36.94	32.10	7.83	31.85	390	239 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 VERTICAL REW: 1000 0000Hz VSW: 0 0100Hz Project: 100301-03 Mode: 23 SN: #22 G992369523870021 Plane: X with Accessory WIFI setting: 1M powersetting 18 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>183.42</td> <td>49.42</td> <td>54.00</td> <td>96.46</td> <td>32.83</td> <td>6.98</td> <td>32.85</td> <td>390</td> <td>239 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	183.42	49.42	54.00	96.46	32.83	6.98	32.85	390	239 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2499.96	44.22	-9.78	54.00	36.94	32.10	7.83	31.85	390	239 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	183.42	49.42	54.00	96.46	32.83	6.98	32.85	390	239 Average																																																						



2.4GHz 2400~2483.5MHz

WIFI 802.11n20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																													
ANT	11n20_TX_CH12 2467Mhz+BLE(2M)_CH39 2480MHz																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																												
Peak Avg.	<p>Date: 23 Level (dBuV/m) Date: 2022-11-15</p> <p>Site: 03CH03-S2 Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 130101-03 Mode: Mode 28 SN: #20 G092376523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6201</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.69</td> <td>-38.31</td> <td>74.00</td> <td>57.69</td> <td>34.34</td> <td>0.56</td> <td>57.08</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>4968.00</td> <td>42.35</td> <td>-31.65</td> <td>74.00</td> <td>56.34</td> <td>34.32</td> <td>0.59</td> <td>57.30</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>4976.00</td> <td>47.35</td> <td>-26.74</td> <td>74.00</td> <td>58.64</td> <td>35.87</td> <td>0.81</td> <td>58.20</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>7481.00</td> <td>45.82</td> <td>-28.98</td> <td>74.00</td> <td>57.49</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>7488.00</td> <td>43.64</td> <td>-30.16</td> <td>74.00</td> <td>56.47</td> <td>35.94</td> <td>11.29</td> <td>59.66</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	1	4934.00	43.69	-38.31	74.00	57.69	34.34	0.56	57.08	--- Peak	2	4968.00	42.35	-31.65	74.00	56.34	34.32	0.59	57.30	--- Peak	3	4976.00	47.35	-26.74	74.00	58.64	35.87	0.81	58.20	--- Peak	4	7481.00	45.82	-28.98	74.00	57.49	35.97	11.32	59.76	--- Peak	5	7488.00	43.64	-30.16	74.00	56.47	35.94	11.29	59.66	--- Peak	<p>Date: 24 Level (dBuV/m) Date: 2022-11-15</p> <p>Site: 03CH03-S2 Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 130101-03 Mode: Mode 28 SN: #20 G092376523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 14 BLE setting: 6201</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Line1</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>44.85</td> <td>-29.95</td> <td>74.00</td> <td>58.85</td> <td>34.34</td> <td>0.56</td> <td>57.08</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>4968.00</td> <td>41.98</td> <td>-32.82</td> <td>74.00</td> <td>55.97</td> <td>34.32</td> <td>0.59</td> <td>57.30</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>4976.00</td> <td>48.28</td> <td>-25.42</td> <td>74.00</td> <td>60.28</td> <td>35.87</td> <td>0.81</td> <td>58.20</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>7481.00</td> <td>44.42</td> <td>-29.38</td> <td>74.00</td> <td>57.89</td> <td>35.97</td> <td>11.32</td> <td>59.76</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>7488.00</td> <td>44.29</td> <td>-29.71</td> <td>74.00</td> <td>56.52</td> <td>35.96</td> <td>11.29</td> <td>59.66</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	1	4934.00	44.85	-29.95	74.00	58.85	34.34	0.56	57.08	--- Peak	2	4968.00	41.98	-32.82	74.00	55.97	34.32	0.59	57.30	--- Peak	3	4976.00	48.28	-25.42	74.00	60.28	35.87	0.81	58.20	--- Peak	4	7481.00	44.42	-29.38	74.00	57.89	35.97	11.32	59.76	--- Peak	5	7488.00	44.29	-29.71	74.00	56.52	35.96	11.29	59.66	--- Peak
	Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB																																																																																																																																					
1	4934.00	43.69	-38.31	74.00	57.69	34.34	0.56	57.08	--- Peak																																																																																																																																					
2	4968.00	42.35	-31.65	74.00	56.34	34.32	0.59	57.30	--- Peak																																																																																																																																					
3	4976.00	47.35	-26.74	74.00	58.64	35.87	0.81	58.20	--- Peak																																																																																																																																					
4	7481.00	45.82	-28.98	74.00	57.49	35.97	11.32	59.76	--- Peak																																																																																																																																					
5	7488.00	43.64	-30.16	74.00	56.47	35.94	11.29	59.66	--- Peak																																																																																																																																					
Freq	Level	Over	Line1	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB																																																																																																																																					
1	4934.00	44.85	-29.95	74.00	58.85	34.34	0.56	57.08	--- Peak																																																																																																																																					
2	4968.00	41.98	-32.82	74.00	55.97	34.32	0.59	57.30	--- Peak																																																																																																																																					
3	4976.00	48.28	-25.42	74.00	60.28	35.87	0.81	58.20	--- Peak																																																																																																																																					
4	7481.00	44.42	-29.38	74.00	57.89	35.97	11.32	59.76	--- Peak																																																																																																																																					
5	7488.00	44.29	-29.71	74.00	56.52	35.96	11.29	59.66	--- Peak																																																																																																																																					



WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																											
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch18 2438Mhz																																																																																																																																																																											
1	Horizontal	Vertical																																																																																																																																																																										
Peak Avg.	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 1D0301-03 Mode: 30 SN: #ZZ G99296922670021 Plane: X with Accessory WiFi setting: 1M power setting 18 BLE setting: 6/01</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>49.64</td> <td>-24.36</td> <td>74.00</td> <td>63.77</td> <td>33.80</td> <td>9.97</td> <td>57.90</td> <td>320</td> <td>268 Peak</td> </tr> <tr> <td>2 4824.00</td> <td>44.70</td> <td>-9.30</td> <td>54.00</td> <td>58.83</td> <td>33.80</td> <td>9.97</td> <td>57.90</td> <td>320</td> <td>268 Average</td> </tr> <tr> <td>3 4876.00</td> <td>43.33</td> <td>-10.67</td> <td>74.00</td> <td>57.30</td> <td>33.73</td> <td>38.00</td> <td>57.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4 6432.00</td> <td>51.91</td> <td>-2.09</td> <td>74.00</td> <td>63.24</td> <td>35.45</td> <td>11.20</td> <td>58.84</td> <td>125</td> <td>190 Peak</td> </tr> <tr> <td>5 6432.00</td> <td>47.52</td> <td>-6.48</td> <td>54.00</td> <td>58.85</td> <td>35.45</td> <td>11.20</td> <td>58.84</td> <td>125</td> <td>190 Average</td> </tr> <tr> <td>6 7316.00</td> <td>46.23</td> <td>-7.77</td> <td>74.00</td> <td>57.49</td> <td>35.70</td> <td>12.32</td> <td>59.28</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>7 7316.00</td> <td>45.00</td> <td>-9.00</td> <td>74.00</td> <td>57.34</td> <td>35.72</td> <td>12.32</td> <td>59.47</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1 4824.00	49.64	-24.36	74.00	63.77	33.80	9.97	57.90	320	268 Peak	2 4824.00	44.70	-9.30	54.00	58.83	33.80	9.97	57.90	320	268 Average	3 4876.00	43.33	-10.67	74.00	57.30	33.73	38.00	57.00	---	Peak	4 6432.00	51.91	-2.09	74.00	63.24	35.45	11.20	58.84	125	190 Peak	5 6432.00	47.52	-6.48	54.00	58.85	35.45	11.20	58.84	125	190 Average	6 7316.00	46.23	-7.77	74.00	57.49	35.70	12.32	59.28	---	Peak	7 7316.00	45.00	-9.00	74.00	57.34	35.72	12.32	59.47	---	Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 1D0301-03 Mode: 30 SN: #ZZ G99296922670021 Plane: X with Accessory WiFi setting: 1M power setting 18 BLE setting: 6/01</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>49.31</td> <td>-24.69</td> <td>74.00</td> <td>63.44</td> <td>33.80</td> <td>9.97</td> <td>57.90</td> <td>332</td> <td>258 Peak</td> </tr> <tr> <td>2 4824.00</td> <td>46.80</td> <td>-17.91</td> <td>54.00</td> <td>60.22</td> <td>33.80</td> <td>9.97</td> <td>57.90</td> <td>332</td> <td>258 Average</td> </tr> <tr> <td>3 4876.00</td> <td>42.00</td> <td>-21.00</td> <td>74.00</td> <td>56.77</td> <td>33.73</td> <td>18.00</td> <td>57.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4 6432.00</td> <td>47.35</td> <td>-16.65</td> <td>74.00</td> <td>58.68</td> <td>35.45</td> <td>11.20</td> <td>58.84</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5 7316.00</td> <td>45.36</td> <td>-18.64</td> <td>74.00</td> <td>56.82</td> <td>35.70</td> <td>12.32</td> <td>59.28</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6 7314.00</td> <td>46.73</td> <td>-17.27</td> <td>74.00</td> <td>58.15</td> <td>35.72</td> <td>12.35</td> <td>59.47</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1 4824.00	49.31	-24.69	74.00	63.44	33.80	9.97	57.90	332	258 Peak	2 4824.00	46.80	-17.91	54.00	60.22	33.80	9.97	57.90	332	258 Average	3 4876.00	42.00	-21.00	74.00	56.77	33.73	18.00	57.00	---	Peak	4 6432.00	47.35	-16.65	74.00	58.68	35.45	11.20	58.84	---	Peak	5 7316.00	45.36	-18.64	74.00	56.82	35.70	12.32	59.28	---	Peak	6 7314.00	46.73	-17.27	74.00	58.15	35.72	12.35	59.47	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1 4824.00	49.64	-24.36	74.00	63.77	33.80	9.97	57.90	320	268 Peak																																																																																																																																																																			
2 4824.00	44.70	-9.30	54.00	58.83	33.80	9.97	57.90	320	268 Average																																																																																																																																																																			
3 4876.00	43.33	-10.67	74.00	57.30	33.73	38.00	57.00	---	Peak																																																																																																																																																																			
4 6432.00	51.91	-2.09	74.00	63.24	35.45	11.20	58.84	125	190 Peak																																																																																																																																																																			
5 6432.00	47.52	-6.48	54.00	58.85	35.45	11.20	58.84	125	190 Average																																																																																																																																																																			
6 7316.00	46.23	-7.77	74.00	57.49	35.70	12.32	59.28	---	Peak																																																																																																																																																																			
7 7316.00	45.00	-9.00	74.00	57.34	35.72	12.32	59.47	---	Peak																																																																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1 4824.00	49.31	-24.69	74.00	63.44	33.80	9.97	57.90	332	258 Peak																																																																																																																																																																			
2 4824.00	46.80	-17.91	54.00	60.22	33.80	9.97	57.90	332	258 Average																																																																																																																																																																			
3 4876.00	42.00	-21.00	74.00	56.77	33.73	18.00	57.00	---	Peak																																																																																																																																																																			
4 6432.00	47.35	-16.65	74.00	58.68	35.45	11.20	58.84	---	Peak																																																																																																																																																																			
5 7316.00	45.36	-18.64	74.00	56.82	35.70	12.32	59.28	---	Peak																																																																																																																																																																			
6 7314.00	46.73	-17.27	74.00	58.15	35.72	12.35	59.47	---	Peak																																																																																																																																																																			



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																													
ANT	11b_Tx_Ch01 2412Mhz+BLE_Tx_Ch25 2452Mhz																																																																																																																																													
1	Horizontal	Vertical																																																																																																																																												
Peak Avg.	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 1D0301-03 Mode: Mode 31 SN: #22 G9269622670021 Plane: X with Accessory WIFI setting: 1M power setting 18 BLE setting: 62/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>4824.00</td> <td>49.73</td> <td>-24.27</td> <td>74.00</td> <td>63.86</td> <td>33.88</td> <td>9.97</td> <td>57.98</td> <td>321</td> <td>268 Peak</td> </tr> <tr> <td>4824.00</td> <td>44.62</td> <td>-9.38</td> <td>54.00</td> <td>58.75</td> <td>33.88</td> <td>9.97</td> <td>57.98</td> <td>321</td> <td>268 Average</td> </tr> <tr> <td>4906.00</td> <td>42.62</td> <td>-21.38</td> <td>74.00</td> <td>56.79</td> <td>33.78</td> <td>98.83</td> <td>57.88</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>6432.00</td> <td>48.07</td> <td>-25.93</td> <td>74.00</td> <td>59.48</td> <td>35.45</td> <td>11.26</td> <td>58.84</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>7356.00</td> <td>46.08</td> <td>-27.92</td> <td>74.00</td> <td>57.61</td> <td>35.74</td> <td>12.36</td> <td>59.61</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	4824.00	49.73	-24.27	74.00	63.86	33.88	9.97	57.98	321	268 Peak	4824.00	44.62	-9.38	54.00	58.75	33.88	9.97	57.98	321	268 Average	4906.00	42.62	-21.38	74.00	56.79	33.78	98.83	57.88	...	Peak	6432.00	48.07	-25.93	74.00	59.48	35.45	11.26	58.84	...	Peak	7356.00	46.08	-27.92	74.00	57.61	35.74	12.36	59.61	...	Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 1D0301-03 Mode: Mode 31 SN: #22 G9269622670021 Plane: X with Accessory WIFI setting: 1M power setting 18 BLE setting: 62/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>4824.00</td> <td>49.32</td> <td>-24.68</td> <td>74.00</td> <td>63.45</td> <td>33.88</td> <td>9.97</td> <td>57.98</td> <td>311</td> <td>257 Peak</td> </tr> <tr> <td>4824.00</td> <td>44.45</td> <td>-9.55</td> <td>54.00</td> <td>58.58</td> <td>33.88</td> <td>9.97</td> <td>57.98</td> <td>311</td> <td>257 Average</td> </tr> <tr> <td>4906.00</td> <td>43.65</td> <td>-20.35</td> <td>74.00</td> <td>57.86</td> <td>33.78</td> <td>10.03</td> <td>57.88</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>6432.00</td> <td>46.77</td> <td>-27.23</td> <td>74.00</td> <td>58.38</td> <td>35.45</td> <td>11.26</td> <td>58.84</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>7356.00</td> <td>46.41</td> <td>-27.59</td> <td>74.00</td> <td>57.94</td> <td>35.74</td> <td>12.34</td> <td>59.61</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	4824.00	49.32	-24.68	74.00	63.45	33.88	9.97	57.98	311	257 Peak	4824.00	44.45	-9.55	54.00	58.58	33.88	9.97	57.98	311	257 Average	4906.00	43.65	-20.35	74.00	57.86	33.78	10.03	57.88	...	Peak	6432.00	46.77	-27.23	74.00	58.38	35.45	11.26	58.84	...	Peak	7356.00	46.41	-27.59	74.00	57.94	35.74	12.34	59.61	...	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
4824.00	49.73	-24.27	74.00	63.86	33.88	9.97	57.98	321	268 Peak																																																																																																																																					
4824.00	44.62	-9.38	54.00	58.75	33.88	9.97	57.98	321	268 Average																																																																																																																																					
4906.00	42.62	-21.38	74.00	56.79	33.78	98.83	57.88	...	Peak																																																																																																																																					
6432.00	48.07	-25.93	74.00	59.48	35.45	11.26	58.84	...	Peak																																																																																																																																					
7356.00	46.08	-27.92	74.00	57.61	35.74	12.36	59.61	...	Peak																																																																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
4824.00	49.32	-24.68	74.00	63.45	33.88	9.97	57.98	311	257 Peak																																																																																																																																					
4824.00	44.45	-9.55	54.00	58.58	33.88	9.97	57.98	311	257 Average																																																																																																																																					
4906.00	43.65	-20.35	74.00	57.86	33.78	10.03	57.88	...	Peak																																																																																																																																					
6432.00	46.77	-27.23	74.00	58.38	35.45	11.26	58.84	...	Peak																																																																																																																																					
7356.00	46.41	-27.59	74.00	57.94	35.74	12.34	59.61	...	Peak																																																																																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																																			
ANT	11b_Tx_Ch06 2437Mhz+BLE_Tx_Ch03 2408Mhz																																																																																																																																																																																																			
1	Horizontal	Vertical																																																																																																																																																																																																		
Peak Avg.	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 1D0301-03 Mode: Mode 32 SN: #22 G99296922670021 Plane: X with Accessory WIFI setting: 1M power setting 18 BLE setting: 6201</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4816.00</td><td>47.12</td><td>-26.88</td><td>74.00</td><td>61.25</td><td>33.88</td><td>9.97</td><td>57.98</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4874.00</td><td>48.72</td><td>-25.28</td><td>74.00</td><td>62.89</td><td>33.73</td><td>10.00</td><td>57.98</td><td>322</td><td>266 Peak</td></tr> <tr><td>3</td><td>4874.00</td><td>44.94</td><td>-29.06</td><td>54.00</td><td>59.11</td><td>33.73</td><td>10.00</td><td>57.98</td><td>322</td><td>258 Average</td></tr> <tr><td>4</td><td>6498.50</td><td>51.10</td><td>-22.74</td><td>74.00</td><td>62.65</td><td>35.49</td><td>11.28</td><td>58.16</td><td>188</td><td>270 Peak</td></tr> <tr><td>5</td><td>6498.50</td><td>46.72</td><td>-27.28</td><td>54.00</td><td>58.11</td><td>35.49</td><td>11.28</td><td>58.16</td><td>188</td><td>270 Average</td></tr> <tr><td>6</td><td>7224.00</td><td>45.98</td><td>-28.28</td><td>74.00</td><td>57.82</td><td>35.89</td><td>12.32</td><td>59.23</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>7311.00</td><td>46.96</td><td>-27.04</td><td>74.00</td><td>58.38</td><td>35.72</td><td>12.33</td><td>59.47</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	1	4816.00	47.12	-26.88	74.00	61.25	33.88	9.97	57.98	---	Peak	2	4874.00	48.72	-25.28	74.00	62.89	33.73	10.00	57.98	322	266 Peak	3	4874.00	44.94	-29.06	54.00	59.11	33.73	10.00	57.98	322	258 Average	4	6498.50	51.10	-22.74	74.00	62.65	35.49	11.28	58.16	188	270 Peak	5	6498.50	46.72	-27.28	54.00	58.11	35.49	11.28	58.16	188	270 Average	6	7224.00	45.98	-28.28	74.00	57.82	35.89	12.32	59.23	---	Peak	7	7311.00	46.96	-27.04	74.00	58.38	35.72	12.33	59.47	---	Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 1D0301-03 Mode: Mode 32 SN: #22 G99296922670021 Plane: X with Accessory WIFI setting: 1M power setting 18 BLE setting: 6201</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4816.00</td><td>43.85</td><td>-30.15</td><td>74.00</td><td>57.98</td><td>33.88</td><td>9.97</td><td>57.98</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4874.00</td><td>58.25</td><td>-13.75</td><td>74.00</td><td>64.42</td><td>33.73</td><td>10.00</td><td>57.98</td><td>333</td><td>258 Peak</td></tr> <tr><td>3</td><td>4874.00</td><td>46.89</td><td>-27.11</td><td>54.00</td><td>60.24</td><td>33.73</td><td>10.00</td><td>57.98</td><td>333</td><td>258 Average</td></tr> <tr><td>4</td><td>6498.50</td><td>51.40</td><td>-22.54</td><td>74.00</td><td>62.85</td><td>35.49</td><td>11.28</td><td>58.16</td><td>184</td><td>165 Peak</td></tr> <tr><td>5</td><td>6498.50</td><td>47.38</td><td>-28.62</td><td>54.00</td><td>58.78</td><td>35.49</td><td>11.28</td><td>58.16</td><td>184</td><td>165 Average</td></tr> <tr><td>6</td><td>7224.00</td><td>45.73</td><td>-28.27</td><td>74.00</td><td>56.95</td><td>35.89</td><td>12.32</td><td>59.23</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>7311.00</td><td>45.41</td><td>-28.59</td><td>74.00</td><td>56.83</td><td>35.72</td><td>12.33</td><td>59.47</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	1	4816.00	43.85	-30.15	74.00	57.98	33.88	9.97	57.98	---	Peak	2	4874.00	58.25	-13.75	74.00	64.42	33.73	10.00	57.98	333	258 Peak	3	4874.00	46.89	-27.11	54.00	60.24	33.73	10.00	57.98	333	258 Average	4	6498.50	51.40	-22.54	74.00	62.85	35.49	11.28	58.16	184	165 Peak	5	6498.50	47.38	-28.62	54.00	58.78	35.49	11.28	58.16	184	165 Average	6	7224.00	45.73	-28.27	74.00	56.95	35.89	12.32	59.23	---	Peak	7	7311.00	45.41	-28.59	74.00	56.83	35.72	12.33	59.47	---	Peak
	Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																										
dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB																																																																																																																																																																																											
1	4816.00	47.12	-26.88	74.00	61.25	33.88	9.97	57.98	---	Peak																																																																																																																																																																																										
2	4874.00	48.72	-25.28	74.00	62.89	33.73	10.00	57.98	322	266 Peak																																																																																																																																																																																										
3	4874.00	44.94	-29.06	54.00	59.11	33.73	10.00	57.98	322	258 Average																																																																																																																																																																																										
4	6498.50	51.10	-22.74	74.00	62.65	35.49	11.28	58.16	188	270 Peak																																																																																																																																																																																										
5	6498.50	46.72	-27.28	54.00	58.11	35.49	11.28	58.16	188	270 Average																																																																																																																																																																																										
6	7224.00	45.98	-28.28	74.00	57.82	35.89	12.32	59.23	---	Peak																																																																																																																																																																																										
7	7311.00	46.96	-27.04	74.00	58.38	35.72	12.33	59.47	---	Peak																																																																																																																																																																																										
Line	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																											
dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB																																																																																																																																																																																											
1	4816.00	43.85	-30.15	74.00	57.98	33.88	9.97	57.98	---	Peak																																																																																																																																																																																										
2	4874.00	58.25	-13.75	74.00	64.42	33.73	10.00	57.98	333	258 Peak																																																																																																																																																																																										
3	4874.00	46.89	-27.11	54.00	60.24	33.73	10.00	57.98	333	258 Average																																																																																																																																																																																										
4	6498.50	51.40	-22.54	74.00	62.85	35.49	11.28	58.16	184	165 Peak																																																																																																																																																																																										
5	6498.50	47.38	-28.62	54.00	58.78	35.49	11.28	58.16	184	165 Average																																																																																																																																																																																										
6	7224.00	45.73	-28.27	74.00	56.95	35.89	12.32	59.23	---	Peak																																																																																																																																																																																										
7	7311.00	45.41	-28.59	74.00	56.83	35.72	12.33	59.47	---	Peak																																																																																																																																																																																										




WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																	
ANT	11b_Tx_Ch11 2462Mhz+BLE_Tx_Ch11 2424Mhz																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																
Peak Avg.	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 1D0301-03 Mode: Mode 33 SN: #22 G99296922670021 Plane: X with Accessory WIFI setting: 1M power setting 18 BLE setting: 6201</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4848.00</td> <td>42.95</td> <td>31.85</td> <td>74.00</td> <td>57.85</td> <td>33.88</td> <td>18.88</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>46.53</td> <td>-27.49</td> <td>74.00</td> <td>69.65</td> <td>33.78</td> <td>18.88</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>4956.00</td> <td>51.58</td> <td>-21.25</td> <td>74.00</td> <td>63.18</td> <td>35.51</td> <td>11.33</td> <td>58.24</td> <td>183</td> <td>225</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>4968.00</td> <td>46.04</td> <td>-7.18</td> <td>54.00</td> <td>58.26</td> <td>35.51</td> <td>11.33</td> <td>58.24</td> <td>183</td> <td>225</td> <td>Average</td> </tr> <tr> <td>5</td> <td>7372.00</td> <td>46.38</td> <td>-27.72</td> <td>74.00</td> <td>57.61</td> <td>35.71</td> <td>12.34</td> <td>59.37</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>7386.00</td> <td>46.38</td> <td>-27.62</td> <td>74.00</td> <td>57.99</td> <td>35.76</td> <td>12.34</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Line	Level	Factor	Remark	1	4848.00	42.95	31.85	74.00	57.85	33.88	18.88	57.98	...	Peak	2	4924.00	46.53	-27.49	74.00	69.65	33.78	18.88	57.98	...	Peak	3	4956.00	51.58	-21.25	74.00	63.18	35.51	11.33	58.24	183	225	Peak	4	4968.00	46.04	-7.18	54.00	58.26	35.51	11.33	58.24	183	225	Average	5	7372.00	46.38	-27.72	74.00	57.61	35.71	12.34	59.37	...	Peak	6	7386.00	46.38	-27.62	74.00	57.99	35.76	12.34	59.71	...	Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project: 1D0301-03 Mode: Mode 33 SN: #22 G99296922670021 Plane: X with Accessory WIFI setting: 1M power setting 18 BLE setting: 6201</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4848.00</td> <td>42.61</td> <td>-31.39</td> <td>74.00</td> <td>56.71</td> <td>33.88</td> <td>18.88</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>46.40</td> <td>-27.35</td> <td>74.00</td> <td>69.59</td> <td>33.78</td> <td>18.88</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>4956.00</td> <td>51.71</td> <td>-21.29</td> <td>74.00</td> <td>63.11</td> <td>35.51</td> <td>11.33</td> <td>58.24</td> <td>182</td> <td>263</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>4968.00</td> <td>47.31</td> <td>-9.69</td> <td>54.00</td> <td>58.73</td> <td>35.51</td> <td>11.33</td> <td>58.24</td> <td>322</td> <td>263</td> <td>Average</td> </tr> <tr> <td>5</td> <td>7372.00</td> <td>46.38</td> <td>-27.68</td> <td>74.00</td> <td>57.35</td> <td>35.71</td> <td>12.33</td> <td>59.37</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>7386.00</td> <td>46.68</td> <td>-27.32</td> <td>74.00</td> <td>58.29</td> <td>35.76</td> <td>12.34</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Line	Level	Factor	Remark	1	4848.00	42.61	-31.39	74.00	56.71	33.88	18.88	57.98	...	Peak	2	4924.00	46.40	-27.35	74.00	69.59	33.78	18.88	57.98	...	Peak	3	4956.00	51.71	-21.29	74.00	63.11	35.51	11.33	58.24	182	263	Peak	4	4968.00	47.31	-9.69	54.00	58.73	35.51	11.33	58.24	322	263	Average	5	7372.00	46.38	-27.68	74.00	57.35	35.71	12.33	59.37	...	Peak	6	7386.00	46.68	-27.32	74.00	58.29	35.76	12.34	59.71	...	Peak
	Line	Level	Factor	Remark																																																																																																																																														
1	4848.00	42.95	31.85	74.00	57.85	33.88	18.88	57.98	...	Peak																																																																																																																																								
2	4924.00	46.53	-27.49	74.00	69.65	33.78	18.88	57.98	...	Peak																																																																																																																																								
3	4956.00	51.58	-21.25	74.00	63.18	35.51	11.33	58.24	183	225	Peak																																																																																																																																							
4	4968.00	46.04	-7.18	54.00	58.26	35.51	11.33	58.24	183	225	Average																																																																																																																																							
5	7372.00	46.38	-27.72	74.00	57.61	35.71	12.34	59.37	...	Peak																																																																																																																																								
6	7386.00	46.38	-27.62	74.00	57.99	35.76	12.34	59.71	...	Peak																																																																																																																																								
Line	Level	Factor	Remark																																																																																																																																															
1	4848.00	42.61	-31.39	74.00	56.71	33.88	18.88	57.98	...	Peak																																																																																																																																								
2	4924.00	46.40	-27.35	74.00	69.59	33.78	18.88	57.98	...	Peak																																																																																																																																								
3	4956.00	51.71	-21.29	74.00	63.11	35.51	11.33	58.24	182	263	Peak																																																																																																																																							
4	4968.00	47.31	-9.69	54.00	58.73	35.51	11.33	58.24	322	263	Average																																																																																																																																							
5	7372.00	46.38	-27.68	74.00	57.35	35.71	12.33	59.37	...	Peak																																																																																																																																								
6	7386.00	46.68	-27.32	74.00	58.29	35.76	12.34	59.71	...	Peak																																																																																																																																								



Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.40	-	-	10Hz
802.11g	96.00	1.391	0.719	1kHz
802.11n HT20	96.25	1.304	0.767	1kHz

802.11b





802.11g



802.11n HT20

