





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m																																
ANT	802.11ac VHT80 CH58 5290MHz - R																																
1	Vertical	Fundamental																															
<p>Peak</p>	 <p>Date: 9 Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 27 Site : 420 G092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.08</td> <td>54.95</td> <td>-19.95</td> <td>74.00</td> <td>41.03</td> <td>34.58</td> <td>9.84</td> <td>30.50</td> <td>100</td> <td>273 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5398.08	54.95	-19.95	74.00	41.03	34.58	9.84	30.50	100	273 Peak	-
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5398.08	54.95	-19.95	74.00	41.03	34.58	9.84	30.50	100	273 Peak																							
<p>Avg.</p>	 <p>Date: 10 Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3.010kHz Project : 100301-03 Mode : Mode 27 Site : 420 G092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.08</td> <td>46.66</td> <td>-7.34</td> <td>54.00</td> <td>32.74</td> <td>34.58</td> <td>9.84</td> <td>30.50</td> <td>100</td> <td>273 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	5398.08	46.66	-7.34	54.00	32.74	34.58	9.84	30.50	100	273 Average	-
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	5398.08	46.66	-7.34	54.00	32.74	34.58	9.84	30.50	100	273 Average																							



**U-NII-2A - 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH52 5260MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 19 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 4 SN : #20 G992310C2890039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>105.20</td> <td>00</td> <td>47.68</td> <td>-29.62</td> <td>68.38</td> <td>56.74</td> <td>37.71</td> <td>13.55</td> <td>60.32</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>137.00</td> <td>00</td> <td>59.06</td> <td>-23.16</td> <td>74.00</td> <td>53.69</td> <td>48.63</td> <td>15.59</td> <td>59.65</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	105.20	00	47.68	-29.62	68.38	56.74	37.71	13.55	60.32	...	Peak	2	137.00	00	59.06	-23.16	74.00	53.69	48.63	15.59	59.65	...	Peak	<p>Date: 20 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 4 SN : #20 G992310C2890039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>105.20</td> <td>00</td> <td>47.20</td> <td>-21.01</td> <td>68.38</td> <td>56.35</td> <td>37.71</td> <td>13.55</td> <td>60.32</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>137.00</td> <td>00</td> <td>59.24</td> <td>-23.66</td> <td>74.00</td> <td>53.17</td> <td>48.63</td> <td>15.59</td> <td>59.65</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	105.20	00	47.20	-21.01	68.38	56.35	37.71	13.55	60.32	...	Peak	2	137.00	00	59.24	-23.66	74.00	53.17	48.63	15.59	59.65	...	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																		
1	105.20	00	47.68	-29.62	68.38	56.74	37.71	13.55	60.32	...	Peak																																																																															
2	137.00	00	59.06	-23.16	74.00	53.69	48.63	15.59	59.65	...	Peak																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																		
1	105.20	00	47.20	-21.01	68.38	56.35	37.71	13.55	60.32	...	Peak																																																																															
2	137.00	00	59.24	-23.66	74.00	53.17	48.63	15.59	59.65	...	Peak																																																																															



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																																
ANT	802.11a CH60 5300MHz																																																																																																
1	Horizontal	Vertical																																																																																															
Peak Avg.	<p>Date: 21</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 5 SN : #20 G9227022980039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10000.00</td> <td>59.24</td> <td>-23.76</td> <td>74.00</td> <td>59.64</td> <td>37.42</td> <td>14.12</td> <td>59.94</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>59.07</td> <td>-23.93</td> <td>74.00</td> <td>53.63</td> <td>48.42</td> <td>15.11</td> <td>59.29</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	59.24	-23.76	74.00	59.64	37.42	14.12	59.94	...	Peak	2	15900.00	59.07	-23.93	74.00	53.63	48.42	15.11	59.29	...	Peak	<p>Date: 22</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 5 SN : #20 G9227022980039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10000.00</td> <td>62.83</td> <td>-21.17</td> <td>74.00</td> <td>63.23</td> <td>37.42</td> <td>14.12</td> <td>59.94</td> <td>100</td> <td>290 Peak</td> </tr> <tr> <td>2</td> <td>10000.00</td> <td>64.95</td> <td>-21.05</td> <td>74.00</td> <td>53.36</td> <td>37.42</td> <td>14.12</td> <td>59.94</td> <td>100</td> <td>298 Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>59.82</td> <td>-23.18</td> <td>74.00</td> <td>53.38</td> <td>48.42</td> <td>15.11</td> <td>59.29</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	62.83	-21.17	74.00	63.23	37.42	14.12	59.94	100	290 Peak	2	10000.00	64.95	-21.05	74.00	53.36	37.42	14.12	59.94	100	298 Average	3	15900.00	59.82	-23.18	74.00	53.38	48.42	15.11	59.29	...	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10000.00	59.24	-23.76	74.00	59.64	37.42	14.12	59.94	...	Peak																																																																																							
2	15900.00	59.07	-23.93	74.00	53.63	48.42	15.11	59.29	...	Peak																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10000.00	62.83	-21.17	74.00	63.23	37.42	14.12	59.94	100	290 Peak																																																																																							
2	10000.00	64.95	-21.05	74.00	53.36	37.42	14.12	59.94	100	298 Average																																																																																							
3	15900.00	59.82	-23.18	74.00	53.38	48.42	15.11	59.29	...	Peak																																																																																							



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH64 5320MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 15</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 6 SN : #20 G992310229800039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10648.00</td> <td>49.55</td> <td>-25.45</td> <td>74.00</td> <td>56.93</td> <td>37.81</td> <td>13.68</td> <td>59.79</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13968.00</td> <td>59.39</td> <td>-33.61</td> <td>74.00</td> <td>53.58</td> <td>48.49</td> <td>15.63</td> <td>59.43</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	10648.00	49.55	-25.45	74.00	56.93	37.81	13.68	59.79	...	Peak	2	13968.00	59.39	-33.61	74.00	53.58	48.49	15.63	59.43	...	Peak	<p>Date: 16</p> <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 6 SN : #20 G992310229800039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10648.00</td> <td>49.62</td> <td>-34.38</td> <td>74.00</td> <td>58.00</td> <td>37.61</td> <td>13.68</td> <td>59.79</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>13968.00</td> <td>49.55</td> <td>-34.87</td> <td>74.00</td> <td>53.84</td> <td>48.49</td> <td>15.63</td> <td>59.43</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	10648.00	49.62	-34.38	74.00	58.00	37.61	13.68	59.79	...	Peak	2	13968.00	49.55	-34.87	74.00	53.84	48.49	15.63	59.43	...	Peak
	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																	
1	10648.00	49.55	-25.45	74.00	56.93	37.81	13.68	59.79	...	Peak																																																																																
2	13968.00	59.39	-33.61	74.00	53.58	48.49	15.63	59.43	...	Peak																																																																																
Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																	
1	10648.00	49.62	-34.38	74.00	58.00	37.61	13.68	59.79	...	Peak																																																																																
2	13968.00	49.55	-34.87	74.00	53.84	48.49	15.63	59.43	...	Peak																																																																																



**U-NII-2A 5250~5350MHz
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH52 5260MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 19 Level (dBuV/m)</p> <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 13 SN : #20 G892370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.21</td> <td>-20.89</td> <td>68.30</td> <td>57.27</td> <td>37.71</td> <td>13.55</td> <td>60.32</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15700.00</td> <td>50.11</td> <td>-23.89</td> <td>74.00</td> <td>52.94</td> <td>40.63</td> <td>15.59</td> <td>59.05</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	48.21	-20.89	68.30	57.27	37.71	13.55	60.32	--- Peak	2	15700.00	50.11	-23.89	74.00	52.94	40.63	15.59	59.05	--- Peak	<p>Date: 20 Level (dBuV/m)</p> <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 13 SN : #20 G892370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>49.11</td> <td>-19.19</td> <td>68.30</td> <td>58.17</td> <td>37.71</td> <td>13.55</td> <td>60.32</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15700.00</td> <td>50.25</td> <td>-23.75</td> <td>74.00</td> <td>53.00</td> <td>40.63</td> <td>15.59</td> <td>59.05</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.11	-19.19	68.30	58.17	37.71	13.55	60.32	--- Peak	2	15700.00	50.25	-23.75	74.00	53.00	40.63	15.59	59.05	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10520.00	48.21	-20.89	68.30	57.27	37.71	13.55	60.32	--- Peak																																																																									
2	15700.00	50.11	-23.89	74.00	52.94	40.63	15.59	59.05	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	10520.00	49.11	-19.19	68.30	58.17	37.71	13.55	60.32	--- Peak																																																																									
2	15700.00	50.25	-23.75	74.00	53.00	40.63	15.59	59.05	--- Peak																																																																									







WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH60 5300MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 19</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 14 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10000.00</td> <td>47.00</td> <td>-25.10</td> <td>74.00</td> <td>56.48</td> <td>37.78</td> <td>13.58</td> <td>59.94</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12000.00</td> <td>48.53</td> <td>-25.47</td> <td>74.00</td> <td>51.54</td> <td>48.07</td> <td>13.63</td> <td>59.29</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10000.00	47.00	-25.10	74.00	56.48	37.78	13.58	59.94	...	Peak	2	12000.00	48.53	-25.47	74.00	51.54	48.07	13.63	59.29	...	Peak	<p>Date: 20</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 14 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10000.00</td> <td>47.00</td> <td>-25.11</td> <td>74.00</td> <td>56.47</td> <td>37.78</td> <td>13.58</td> <td>59.94</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12000.00</td> <td>48.46</td> <td>-25.54</td> <td>74.00</td> <td>51.47</td> <td>48.07</td> <td>13.63</td> <td>59.29</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	10000.00	47.00	-25.11	74.00	56.47	37.78	13.58	59.94	...	Peak	2	12000.00	48.46	-25.54	74.00	51.47	48.07	13.63	59.29	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10000.00	47.00	-25.10	74.00	56.48	37.78	13.58	59.94	...	Peak																																																																																
2	12000.00	48.53	-25.47	74.00	51.54	48.07	13.63	59.29	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10000.00	47.00	-25.11	74.00	56.47	37.78	13.58	59.94	...	Peak																																																																																
2	12000.00	48.46	-25.54	74.00	51.47	48.07	13.63	59.29	...	Peak																																																																																



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH64 5320MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : IS0301-03 Mode : Mode 15 SN : #20 G99231622960039 Plane : X with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18648.00</td> <td>47.22</td> <td>-26.78</td> <td>74.00</td> <td>55.68</td> <td>37.81</td> <td>13.68</td> <td>59.79</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>13968.00</td> <td>49.09</td> <td>-24.28</td> <td>74.00</td> <td>52.91</td> <td>48.09</td> <td>15.63</td> <td>59.43</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	18648.00	47.22	-26.78	74.00	55.68	37.81	13.68	59.79	... Peak	2	13968.00	49.09	-24.28	74.00	52.91	48.09	15.63	59.43	... Peak	<p>Date: 16</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : IS0301-03 Mode : Mode 15 SN : #20 G99231622960039 Plane : X with Accessory setting : MCSO power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18648.00</td> <td>47.82</td> <td>-26.18</td> <td>74.00</td> <td>56.28</td> <td>37.81</td> <td>13.68</td> <td>59.79</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>13968.00</td> <td>48.67</td> <td>-25.33</td> <td>74.00</td> <td>51.79</td> <td>48.09</td> <td>15.63</td> <td>59.43</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	18648.00	47.82	-26.18	74.00	56.28	37.81	13.68	59.79	... Peak	2	13968.00	48.67	-25.33	74.00	51.79	48.09	15.63	59.43	... Peak
	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	18648.00	47.22	-26.78	74.00	55.68	37.81	13.68	59.79	... Peak																																																																									
2	13968.00	49.09	-24.28	74.00	52.91	48.09	15.63	59.43	... Peak																																																																									
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	18648.00	47.82	-26.18	74.00	56.28	37.81	13.68	59.79	... Peak																																																																									
2	13968.00	48.67	-25.33	74.00	51.79	48.09	15.63	59.43	... Peak																																																																									



**U-NII-2A 5250~5350MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT40 CH54 5270																																																																																	
1	Horizontal	Vertical																																																																																
Peak	 <p>Date: 19 Level (dBuV/m) Date: 2022-11-09</p>	 <p>Date: 20 Level (dBuV/m) Date: 2022-11-09</p>																																																																																
Avg.	 <p>Date: 19 Level (dBuV/m) Date: 2022-11-09</p>	 <p>Date: 20 Level (dBuV/m) Date: 2022-11-09</p>																																																																																
	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 21 SN : #20 G692370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18540.00</td> <td>48.85</td> <td>-28.25</td> <td>68.30</td> <td>57.00</td> <td>37.73</td> <td>13.57</td> <td>68.25</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 15810.00</td> <td>49.35</td> <td>-24.65</td> <td>74.00</td> <td>52.23</td> <td>48.64</td> <td>15.68</td> <td>59.12</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 18540.00	48.85	-28.25	68.30	57.00	37.73	13.57	68.25	---	--- Peak	2 15810.00	49.35	-24.65	74.00	52.23	48.64	15.68	59.12	---	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 21 SN : #20 G692370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 18540.00</td> <td>49.00</td> <td>-19.30</td> <td>68.30</td> <td>57.95</td> <td>37.73</td> <td>13.57</td> <td>68.25</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 15810.00</td> <td>49.16</td> <td>-24.84</td> <td>74.00</td> <td>52.04</td> <td>48.64</td> <td>15.68</td> <td>59.12</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 18540.00	49.00	-19.30	68.30	57.95	37.73	13.57	68.25	---	--- Peak	2 15810.00	49.16	-24.84	74.00	52.04	48.64	15.68	59.12	---	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 18540.00	48.85	-28.25	68.30	57.00	37.73	13.57	68.25	---	--- Peak																																																																									
2 15810.00	49.35	-24.65	74.00	52.23	48.64	15.68	59.12	---	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 18540.00	49.00	-19.30	68.30	57.95	37.73	13.57	68.25	---	--- Peak																																																																									
2 15810.00	49.16	-24.84	74.00	52.04	48.64	15.68	59.12	---	--- Peak																																																																									



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT40 CH62 5310																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : IS0301-03 Mode : Mode 22 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18626.00</td> <td>47.10</td> <td>-26.00</td> <td>74.00</td> <td>55.57</td> <td>37.00</td> <td>13.60</td> <td>59.87</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15936.00</td> <td>49.72</td> <td>-24.20</td> <td>74.00</td> <td>52.78</td> <td>40.00</td> <td>15.62</td> <td>59.36</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	18626.00	47.10	-26.00	74.00	55.57	37.00	13.60	59.87	...	Peak	2	15936.00	49.72	-24.20	74.00	52.78	40.00	15.62	59.36	...	Peak	<p>Date: 20</p> <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : IS0301-03 Mode : Mode 22 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>18626.00</td> <td>46.93</td> <td>-27.07</td> <td>74.00</td> <td>55.40</td> <td>37.00</td> <td>13.60</td> <td>59.87</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15936.00</td> <td>47.94</td> <td>-26.00</td> <td>74.00</td> <td>51.00</td> <td>40.00</td> <td>15.62</td> <td>59.36</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	18626.00	46.93	-27.07	74.00	55.40	37.00	13.60	59.87	...	Peak	2	15936.00	47.94	-26.00	74.00	51.00	40.00	15.62	59.36	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	18626.00	47.10	-26.00	74.00	55.57	37.00	13.60	59.87	...	Peak																																																																																
2	15936.00	49.72	-24.20	74.00	52.78	40.00	15.62	59.36	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	18626.00	46.93	-27.07	74.00	55.40	37.00	13.60	59.87	...	Peak																																																																																
2	15936.00	47.94	-26.00	74.00	51.00	40.00	15.62	59.36	...	Peak																																																																																



**U-NII-2A 5250~5350MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m																																																																																	
ANT	802.11ac VHT80 CH58 5290MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 19 Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 27 SN : #20 G692370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 18580.00</td> <td>47.67</td> <td>-28.63</td> <td>68.30</td> <td>56.34</td> <td>37.77</td> <td>13.58</td> <td>68.02</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 15876.00</td> <td>49.23</td> <td>-24.77</td> <td>74.00</td> <td>52.22</td> <td>48.66</td> <td>15.61</td> <td>59.26</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1 18580.00	47.67	-28.63	68.30	56.34	37.77	13.58	68.02	---	--- Peak	2 15876.00	49.23	-24.77	74.00	52.22	48.66	15.61	59.26	---	--- Peak	<p>Date: 20 Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 27 SN : #20 G692370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 18580.00</td> <td>48.38</td> <td>-19.92</td> <td>68.30</td> <td>57.95</td> <td>37.77</td> <td>13.58</td> <td>68.02</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2 15876.00</td> <td>48.84</td> <td>-25.16</td> <td>74.00</td> <td>51.83</td> <td>48.66</td> <td>15.61</td> <td>59.26</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1 18580.00	48.38	-19.92	68.30	57.95	37.77	13.58	68.02	---	--- Peak	2 15876.00	48.84	-25.16	74.00	51.83	48.66	15.61	59.26	---	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1 18580.00	47.67	-28.63	68.30	56.34	37.77	13.58	68.02	---	--- Peak																																																																									
2 15876.00	49.23	-24.77	74.00	52.22	48.66	15.61	59.26	---	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1 18580.00	48.38	-19.92	68.30	57.95	37.77	13.58	68.02	---	--- Peak																																																																									
2 15876.00	48.84	-25.16	74.00	51.83	48.66	15.61	59.26	---	--- Peak																																																																									



U-NII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11a CH100 5500MHz																																																																																					
1	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RWV 1000.000KHz VBW 3000.000KHz Mode : 100001-03 SN : #20 C0922370523860039 Plane : X with Accessory setting : GM power setting 1B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5475.92</td> <td>53.15</td> <td>-20.85</td> <td>74.00</td> <td>39.12</td> <td>34.65</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>55.40</td> <td>-12.90</td> <td>68.30</td> <td>41.31</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5475.92	53.15	-20.85	74.00	39.12	34.65	9.88	30.50	100	275 Peak	2	5468.40	55.40	-12.90	68.30	41.31	34.67	9.92	30.50	100	275 Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RWV 1000.000KHz VBW 3000.000KHz Mode : 100001-03 SN : #20 C0922370523860039 Plane : X with Accessory setting : GM power setting 1B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.26</td> <td>48.00</td> <td>68.30</td> <td>95.16</td> <td>34.78</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>102.38</td> <td>.....</td> <td>.....</td> <td>88.26</td> <td>34.78</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.26	48.00	68.30	95.16	34.78	9.92	30.50	100	275 Peak	2	5500.00	102.38	88.26	34.78	9.92	30.50	100	275 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5475.92	53.15	-20.85	74.00	39.12	34.65	9.88	30.50	100	275 Peak																																																																												
2	5468.40	55.40	-12.90	68.30	41.31	34.67	9.92	30.50	100	275 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5500.00	109.26	48.00	68.30	95.16	34.78	9.92	30.50	100	275 Peak																																																																												
2	5500.00	102.38	88.26	34.78	9.92	30.50	100	275 Average																																																																												
Avg.	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : RWV 1000.000KHz VBW 0.0100KHz Mode : 100001-03 SN : #20 C0922370523860039 Plane : X with Accessory setting : GM power setting 1B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>44.62</td> <td>-9.38</td> <td>54.00</td> <td>39.58</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.62	-9.38	54.00	39.58	34.66	9.88	30.50	100	275 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5459.92	44.62	-9.38	54.00	39.58	34.66	9.88	30.50	100	275 Average																																																																												



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH100 5500MHz																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 4 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 7 Site : #20 092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.12</td> <td>52.47</td> <td>-11.53</td> <td>74.00</td> <td>38.44</td> <td>34.65</td> <td>9.88</td> <td>30.58</td> <td>111</td> <td>262 Peak</td> </tr> <tr> <td>2</td> <td>5466.08</td> <td>53.88</td> <td>-14.42</td> <td>68.38</td> <td>39.79</td> <td>34.67</td> <td>9.92</td> <td>30.58</td> <td>111</td> <td>262 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5497.12	52.47	-11.53	74.00	38.44	34.65	9.88	30.58	111	262 Peak	2	5466.08	53.88	-14.42	68.38	39.79	34.67	9.92	30.58	111	262 Peak	<p>Date: 6 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 7 Site : #20 092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.66</td> <td>36.36</td> <td>68.38</td> <td>92.54</td> <td>34.78</td> <td>9.92</td> <td>30.58</td> <td>111</td> <td>262 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>99.35</td> <td>.....</td> <td>85.23</td> <td>34.78</td> <td>9.92</td> <td>30.58</td> <td>111</td> <td>262 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.66	36.36	68.38	92.54	34.78	9.92	30.58	111	262 Peak	2	5500.00	99.35	85.23	34.78	9.92	30.58	111	262 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5497.12	52.47	-11.53	74.00	38.44	34.65	9.88	30.58	111	262 Peak																																																																											
2	5466.08	53.88	-14.42	68.38	39.79	34.67	9.92	30.58	111	262 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	106.66	36.36	68.38	92.54	34.78	9.92	30.58	111	262 Peak																																																																											
2	5500.00	99.35	85.23	34.78	9.92	30.58	111	262 Average																																																																												
Avg.	<p>Date: 5 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 7 Site : #20 092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.92</td> <td>44.14</td> <td>-9.86</td> <td>54.00</td> <td>38.18</td> <td>34.66</td> <td>9.88</td> <td>30.58</td> <td>111</td> <td>262 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5497.92	44.14	-9.86	54.00	38.18	34.66	9.88	30.58	111	262 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5497.92	44.14	-9.86	54.00	38.18	34.66	9.88	30.58	111	262 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH116 5580MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 1 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 9 Site : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.24</td> <td>52.20</td> <td>-11.88</td> <td>74.00</td> <td>38.24</td> <td>34.62</td> <td>9.84</td> <td>30.50</td> <td>100</td> <td>273 Peak</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>51.76</td> <td>-16.54</td> <td>68.38</td> <td>37.67</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>273 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	deg		1	5398.24	52.20	-11.88	74.00	38.24	34.62	9.84	30.50	100	273 Peak	2	5469.04	51.76	-16.54	68.38	37.67	34.67	9.92	30.50	100	273 Peak	<p>Date: 3 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 9 Site : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>149.82</td> <td>48.72</td> <td>68.38</td> <td>94.73</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>273 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>181.91</td> <td>.....</td> <td>87.62</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>273 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	deg		1	5580.00	149.82	48.72	68.38	94.73	34.81	19.01	30.53	100	273 Peak	2	5580.00	181.91	87.62	34.81	19.01	30.53	100	273 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	deg																																																																													
1	5398.24	52.20	-11.88	74.00	38.24	34.62	9.84	30.50	100	273 Peak																																																																											
2	5469.04	51.76	-16.54	68.38	37.67	34.67	9.92	30.50	100	273 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	deg																																																																													
1	5580.00	149.82	48.72	68.38	94.73	34.81	19.01	30.53	100	273 Peak																																																																											
2	5580.00	181.91	87.62	34.81	19.01	30.53	100	273 Average																																																																												
Avg.	<p>Date: 2 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 9 Site : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.85</td> <td>-11.17</td> <td>54.00</td> <td>28.79</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>273 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	deg		1	5459.92	42.85	-11.17	54.00	28.79	34.66	9.88	30.50	100	273 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	deg																																																																													
1	5459.92	42.85	-11.17	54.00	28.79	34.66	9.88	30.50	100	273 Average																																																																											




WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH116 5580MHz - R	
1	Horizontal	Fundamental
Peak	<div data-bbox="448 465 794 705"> </div> <div data-bbox="432 712 778 837"> <pre> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : FREQ 1000.000kHz VSWR 3000.000kHz Project : 1D0301-03 Mode : Mode 9 SN : 420 6092310523860039 Plane : X with Accessory Setting : GM power setting 15 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Level Line Line Level Factor Loss Factor Freq dBuV/m dB dBuV/m dBuV dB/m dB dB ca deg Remark 1 5735.39 52.24 -16.96 68.30 37.62 35.89 18.12 30.59 100 273 Peak </pre> </div>	



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH116 5580MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 9 Site : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5372.00</td> <td>59.77</td> <td>-23.23</td> <td>74.00</td> <td>36.04</td> <td>34.59</td> <td>9.84</td> <td>30.50</td> <td>100</td> <td>205 Peak</td> </tr> <tr> <td>2</td> <td>5469.00</td> <td>51.43</td> <td>-16.87</td> <td>68.39</td> <td>37.39</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5372.00	59.77	-23.23	74.00	36.04	34.59	9.84	30.50	100	205 Peak	2	5469.00	51.43	-16.87	68.39	37.39	34.66	9.88	30.50	100	205 Peak	<p>Date: 7 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 9 Site : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>146.71</td> <td>38.41</td> <td>68.39</td> <td>92.42</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>205 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>99.55</td> <td>.....</td> <td>85.26</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	146.71	38.41	68.39	92.42	34.81	19.01	30.53	100	205 Peak	2	5580.00	99.55	85.26	34.81	19.01	30.53	100	205 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5372.00	59.77	-23.23	74.00	36.04	34.59	9.84	30.50	100	205 Peak																																																																											
2	5469.00	51.43	-16.87	68.39	37.39	34.66	9.88	30.50	100	205 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5580.00	146.71	38.41	68.39	92.42	34.81	19.01	30.53	100	205 Peak																																																																											
2	5580.00	99.55	85.26	34.81	19.01	30.53	100	205 Average																																																																												
Avg.	<p>Date: 6 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 9 Site : #20 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.88</td> <td>-11.92</td> <td>54.00</td> <td>28.04</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.88	-11.92	54.00	28.04	34.66	9.88	30.50	100	205 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	42.88	-11.92	54.00	28.04	34.66	9.88	30.50	100	205 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH116 5580MHz - R	
1	Vertical	Fundamental
Peak	<div style="text-align: center;">  </div> <pre> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : FREQ 1000.0000kHz VDW 3000.000kHz Project : 100301-03 Mode : Mode B SN : 4201 C092310523860039 Plane : X with Accessory Setting : GM power setting 10 : Freq Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Level1 Line1 Line Level1 Factor Loss Factor ----- 1 5731.30 51.35 -16.95 60.30 36.76 35.06 10.12 30.59 100 205 Peak </pre>	






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11a CH140 5700MHz																																																																									
1	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL FREQ 1000.000kHz VSW 3000.000kHz Project : 1D0301-03 Mode : Mode 9 SN : #20 0292370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.00</td> <td>61.68</td> <td>-6.62</td> <td>68.30</td> <td>47.09</td> <td>35.06</td> <td>18.12</td> <td>30.58</td> <td>100</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1	5725.00	61.68	-6.62	68.30	47.09	35.06	18.12	30.58	100	276 Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL FREQ 1000.000kHz VSW 3000.000kHz Project : 1D0301-03 Mode : Mode 9 SN : #20 0292370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>149.38</td> <td>41.00</td> <td>68.30</td> <td>94.76</td> <td>35.00</td> <td>18.12</td> <td>30.58</td> <td>100</td> <td>276 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>101.80</td> <td>.....</td> <td>67.26</td> <td>35.00</td> <td>18.12</td> <td>30.58</td> <td>100</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1	5700.00	149.38	41.00	68.30	94.76	35.00	18.12	30.58	100	276 Peak	2	5700.00	101.80	67.26	35.00	18.12	30.58	100	276 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																																	
1	5725.00	61.68	-6.62	68.30	47.09	35.06	18.12	30.58	100	276 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																																	
1	5700.00	149.38	41.00	68.30	94.76	35.00	18.12	30.58	100	276 Peak																																																																
2	5700.00	101.80	67.26	35.00	18.12	30.58	100	276 Average																																																																	



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11a CH140 5700MHz																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Date: 4 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL FREQ: 1000.000MHz VSW: 3000.000kHz Project : 1D0301-03 Mode : Mode 9 SN : #201 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.00</td> <td>58.73</td> <td>-9.57</td> <td>68.30</td> <td>44.14</td> <td>35.86</td> <td>18.12</td> <td>30.58</td> <td>100</td> <td>262 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.00	58.73	-9.57	68.30	44.14	35.86	18.12	30.58	100	262 Peak	<p>Date: 3 Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL FREQ: 1000.000MHz VSW: 3000.000kHz Project : 1D0301-03 Mode : Mode 9 SN : #201 G092370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>145.88</td> <td>37.50</td> <td>68.30</td> <td>91.26</td> <td>35.00</td> <td>18.12</td> <td>30.58</td> <td>100</td> <td>262 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>98.80</td> <td>.....</td> <td>64.26</td> <td>35.00</td> <td>10.12</td> <td>30.58</td> <td>100</td> <td>262 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	145.88	37.50	68.30	91.26	35.00	18.12	30.58	100	262 Peak	2	5700.00	98.80	64.26	35.00	10.12	30.58	100	262 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5727.00	58.73	-9.57	68.30	44.14	35.86	18.12	30.58	100	262 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5700.00	145.88	37.50	68.30	91.26	35.00	18.12	30.58	100	262 Peak																																																																
2	5700.00	98.80	64.26	35.00	10.12	30.58	100	262 Average																																																																	



**U-NII-2C 5470~5725MHz
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH100 5500MHz																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : ID0301-03 Mode : Mode 16 SN : #22 C992366523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5496.88</td> <td>51.68</td> <td>-22.32</td> <td>74.00</td> <td>37.66</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>100</td> <td>244 Peak</td> </tr> <tr> <td>2</td> <td>5466.08</td> <td>51.79</td> <td>-16.51</td> <td>60.30</td> <td>37.73</td> <td>34.20</td> <td>10.42</td> <td>30.56</td> <td>100</td> <td>244 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5496.88	51.68	-22.32	74.00	37.66	34.20	10.38	30.56	100	244 Peak	2	5466.08	51.79	-16.51	60.30	37.73	34.20	10.42	30.56	100	244 Peak	 <p>Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : ID0301-03 Mode : Mode 16 SN : #22 C992366523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>140.42</td> <td>30.52</td> <td>60.30</td> <td>92.70</td> <td>34.20</td> <td>10.42</td> <td>30.56</td> <td>100</td> <td>244 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>159.67</td> <td>.....</td> <td>67.63</td> <td>34.20</td> <td>10.42</td> <td>30.56</td> <td>100</td> <td>244 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	140.42	30.52	60.30	92.70	34.20	10.42	30.56	100	244 Peak	2	5500.00	159.67	67.63	34.20	10.42	30.56	100	244 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5496.88	51.68	-22.32	74.00	37.66	34.20	10.38	30.56	100	244 Peak																																																																											
2	5466.08	51.79	-16.51	60.30	37.73	34.20	10.42	30.56	100	244 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5500.00	140.42	30.52	60.30	92.70	34.20	10.42	30.56	100	244 Peak																																																																											
2	5500.00	159.67	67.63	34.20	10.42	30.56	100	244 Average																																																																												
Avg.	 <p>Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : ID0301-03 Mode : Mode 16 SN : #22 C992366523870021 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>44.07</td> <td>-9.93</td> <td>54.00</td> <td>30.85</td> <td>34.20</td> <td>10.38</td> <td>30.56</td> <td>100</td> <td>244 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.07	-9.93	54.00	30.85	34.20	10.38	30.56	100	244 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	44.07	-9.93	54.00	30.85	34.20	10.38	30.56	100	244 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11n HT20 CH100 5500MHz																																																																																					
1	Vertical	Fundamental																																																																																				
Peak	<p>Date: 4</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 16 Site : #22 0292360523870021 Plane : X with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.76</td> <td>52.47</td> <td>-11.53</td> <td>74.00</td> <td>38.45</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5469.28</td> <td>52.89</td> <td>-16.21</td> <td>68.38</td> <td>38.83</td> <td>34.28</td> <td>18.42</td> <td>38.56</td> <td>100</td> <td>278 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5451.76	52.47	-11.53	74.00	38.45	34.28	18.38	38.56	100	278 Peak	2	5469.28	52.89	-16.21	68.38	38.83	34.28	18.42	38.56	100	278 Peak	<p>Date: 6</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 16 Site : #22 0292360523870021 Plane : X with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>186.67</td> <td>38.37</td> <td>68.38</td> <td>92.43</td> <td>34.28</td> <td>18.42</td> <td>38.58</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>99.50</td> <td>-</td> <td>-</td> <td>85.46</td> <td>34.28</td> <td>18.42</td> <td>38.58</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	186.67	38.37	68.38	92.43	34.28	18.42	38.58	100	278 Peak	2	5500.00	99.50	-	-	85.46	34.28	18.42	38.58	100	278 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5451.76	52.47	-11.53	74.00	38.45	34.28	18.38	38.56	100	278 Peak																																																																												
2	5469.28	52.89	-16.21	68.38	38.83	34.28	18.42	38.56	100	278 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5500.00	186.67	38.37	68.38	92.43	34.28	18.42	38.58	100	278 Peak																																																																												
2	5500.00	99.50	-	-	85.46	34.28	18.42	38.58	100	278 Average																																																																												
Avg.	<p>Date: 5</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 16 Site : #22 0292360523870021 Plane : X with Accessory setting : MCSO power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>43.86</td> <td>-18.14</td> <td>54.00</td> <td>29.84</td> <td>34.28</td> <td>18.38</td> <td>38.56</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.86	-18.14	54.00	29.84	34.28	18.38	38.56	100	278 Average	-																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5459.92	43.86	-18.14	54.00	29.84	34.28	18.38	38.56	100	278 Average																																																																												






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT20 CH116 5580MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSNW 1000.000kHz VBW 3000.000kHz Project : 1D0301-03 Mode : Mode 17 Site : #20 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>51.91</td> <td>-22.89</td> <td>74.00</td> <td>37.87</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>59.56</td> <td>-17.74</td> <td>68.39</td> <td>36.47</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>278 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.12	51.91	-22.89	74.00	37.87	34.66	9.88	30.50	100	278 Peak	2	5469.04	59.56	-17.74	68.39	36.47	34.67	9.92	30.50	100	278 Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSNW 1000.000kHz VBW 3000.000kHz Project : 1D0301-03 Mode : Mode 17 Site : #20 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>146.36</td> <td>36.06</td> <td>68.39</td> <td>92.87</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>99.52</td> <td>-----</td> <td>85.23</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	146.36	36.06	68.39	92.87	34.81	19.01	30.53	100	278 Peak	2	5580.00	99.52	-----	85.23	34.81	19.01	30.53	100	278 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5455.12	51.91	-22.89	74.00	37.87	34.66	9.88	30.50	100	278 Peak																																																																											
2	5469.04	59.56	-17.74	68.39	36.47	34.67	9.92	30.50	100	278 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5580.00	146.36	36.06	68.39	92.87	34.81	19.01	30.53	100	278 Peak																																																																											
2	5580.00	99.52	-----	85.23	34.81	19.01	30.53	100	278 Average																																																																												
Avg.	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSNW 1000.000kHz VBW 3.0100kHz Project : 1D0301-03 Mode : Mode 17 Site : #20 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.38</td> <td>-11.02</td> <td>54.00</td> <td>28.34</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.38	-11.02	54.00	28.34	34.66	9.88	30.50	100	278 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	42.38	-11.02	54.00	28.34	34.66	9.88	30.50	100	278 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT20 CH116 5580MHz - R	
1	Horizontal	Fundamental
Peak	<div data-bbox="448 465 794 705"> </div> <div data-bbox="427 712 778 840"> <pre> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : FREQ 1000.000kHz VSW 3000.000kHz Project : FD0301-03 Mode : Mode 17 SN : 430 0202310523860039 Plane : X with Accessory Setting : MCS20 power setting 16 : ReadAntenna Cable Preamp A/Pos T/Pos : Level Line Level Factor Loss Factor Freq Level dB dBuV/m dBuV dB/m dB dB ca deg Remark --- --- --- --- --- --- --- --- --- --- --- 1 5752.48 52.47 -15.83 66.30 37.82 35.11 18.14 30.60 100 278 Peak </pre> </div>	



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11n HT20 CH116 5580MHz - L																																																																																					
1	Vertical	Fundamental																																																																																				
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 17 Site : #20 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.76</td> <td>51.50</td> <td>-22.58</td> <td>74.00</td> <td>37.46</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5469.28</td> <td>52.94</td> <td>-15.36</td> <td>68.38</td> <td>38.85</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5445.76	51.50	-22.58	74.00	37.46	34.66	9.88	30.50	100	275 Peak	2	5469.28	52.94	-15.36	68.38	38.85	34.67	9.92	30.50	100	275 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 17 Site : #20 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5580.00</td> <td>143.91</td> <td>35.61</td> <td>68.38</td> <td>89.62</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5580.00</td> <td>95.63</td> <td>.....</td> <td>.....</td> <td>81.34</td> <td>34.81</td> <td>19.01</td> <td>30.53</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	143.91	35.61	68.38	89.62	34.81	19.01	30.53	100	275 Peak	2	5580.00	95.63	81.34	34.81	19.01	30.53	100	275 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5445.76	51.50	-22.58	74.00	37.46	34.66	9.88	30.50	100	275 Peak																																																																												
2	5469.28	52.94	-15.36	68.38	38.85	34.67	9.92	30.50	100	275 Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5580.00	143.91	35.61	68.38	89.62	34.81	19.01	30.53	100	275 Peak																																																																												
2	5580.00	95.63	81.34	34.81	19.01	30.53	100	275 Average																																																																												
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 17 Site : #20 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.99</td> <td>-12.81</td> <td>54.00</td> <td>27.95</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.99	-12.81	54.00	27.95	34.66	9.88	30.50	100	275 Average	-																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5459.92	41.99	-12.81	54.00	27.95	34.66	9.88	30.50	100	275 Average																																																																												



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT20 CH116 5580MHz - R	
1	Vertical	Fundamental
Peak	<p> Date: 8 Date: 2022-11-09 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5450 5513 5576 5639 5702 5765 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : F20V 1000.0000kHz VSW 3000.0000kHz Project : 100301-03 Mode : IT SN : 430 5292370523860039 Plane : X with Accessory setting : MAC20 power setting 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level1 Level1 Level1 Level1 Level1 Level1 Level1 Level1 Level1 Level1 dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m dB dBuV/m 1 5731.61 51.64 -16.66 66.30 37.05 35.06 10.12 30.59 100 275 Peak </p>	-






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH140 5700MHz																																																																									
1	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL FREQ: 5700.0000MHz VSW: 3000.000KHz Project : 1D0301-03 Mode : Mode 18 SN : #201 G092310523860039 Plane : X with Accessory setting : MCS20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.24</td> <td>58.58</td> <td>-9.72</td> <td>68.30</td> <td>43.99</td> <td>35.06</td> <td>18.12</td> <td>30.58</td> <td>108</td> <td>238 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1	5725.24	58.58	-9.72	68.30	43.99	35.06	18.12	30.58	108	238 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL FREQ: 5700.0000MHz VSW: 3000.000KHz Project : 1D0301-03 Mode : Mode 18 SN : #201 G092310523860039 Plane : X with Accessory setting : MCS20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.51</td> <td>38.21</td> <td>68.30</td> <td>91.97</td> <td>35.00</td> <td>18.12</td> <td>30.58</td> <td>108</td> <td>238 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>99.16</td> <td>.....</td> <td>64.62</td> <td>35.00</td> <td>18.12</td> <td>30.58</td> <td>108</td> <td>238 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg	1	5700.00	106.51	38.21	68.30	91.97	35.00	18.12	30.58	108	238 Peak	2	5700.00	99.16	64.62	35.00	18.12	30.58	108	238 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																																	
1	5725.24	58.58	-9.72	68.30	43.99	35.06	18.12	30.58	108	238 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBV/m	dB	dBV/m	dBV	dB/m	dB	dB	cm	deg																																																																	
1	5700.00	106.51	38.21	68.30	91.97	35.00	18.12	30.58	108	238 Peak																																																																
2	5700.00	99.16	64.62	35.00	18.12	30.58	108	238 Average																																																																	



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																									
ANT	802.11n HT20 CH140 5700MHz																																																																									
1	Vertical	Fundamental																																																																								
<p>Peak.</p>	<p>Date: 4 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL FREQ: 5700.0000MHz VSW: 3000.0000kHz Project : 1D0301-03 Mode : Mode 18 SN : #201 G092310523860039 Plane : X with Accessory setting : MCS20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.00</td> <td>55.13</td> <td>-13.17</td> <td>66.30</td> <td>49.54</td> <td>35.06</td> <td>10.12</td> <td>30.58</td> <td>101</td> <td>267 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.00	55.13	-13.17	66.30	49.54	35.06	10.12	30.58	101	267 Peak	<p>Date: 3 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL FREQ: 5700.0000MHz VSW: 3000.0000kHz Project : 1D0301-03 Mode : Mode 18 SN : #201 G092310523860039 Plane : X with Accessory setting : MCS20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>145.46</td> <td>37.16</td> <td>68.30</td> <td>90.92</td> <td>35.00</td> <td>10.12</td> <td>30.58</td> <td>101</td> <td>267 Peak</td> </tr> <tr> <td>2</td> <td>5700.00</td> <td>98.80</td> <td>.....</td> <td>83.49</td> <td>35.00</td> <td>10.12</td> <td>30.58</td> <td>101</td> <td>267 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	145.46	37.16	68.30	90.92	35.00	10.12	30.58	101	267 Peak	2	5700.00	98.80	83.49	35.00	10.12	30.58	101	267 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5727.00	55.13	-13.17	66.30	49.54	35.06	10.12	30.58	101	267 Peak																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5700.00	145.46	37.16	68.30	90.92	35.00	10.12	30.58	101	267 Peak																																																																
2	5700.00	98.80	83.49	35.00	10.12	30.58	101	267 Average																																																																	



**U-NII-2C 5470~5725MHz
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11n HT40 CH102 5510MHz - L																																																																																																	
1	Horizontal	Fundamental																																																																																																
Peak	 <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : ID0301-03 Mode : Mode 23 SN : #00 C892370522860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.48</td> <td>52.99</td> <td>-11.81</td> <td>74.00</td> <td>38.95</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td></td> <td>274 Peak</td> </tr> <tr> <td>2</td> <td>5462.32</td> <td>52.66</td> <td>-13.66</td> <td>60.00</td> <td>38.62</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td></td> <td>274 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5452.48	52.99	-11.81	74.00	38.95	34.66	9.88	30.50	100		274 Peak	2	5462.32	52.66	-13.66	60.00	38.62	34.66	9.88	30.50	100		274 Peak	 <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : ID0301-03 Mode : Mode 23 SN : #00 C892370522860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>50.51</td> <td>36.21</td> <td>68.30</td> <td>60.35</td> <td>34.70</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td></td> <td>274 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>47.42</td> <td>.....</td> <td>63.26</td> <td>34.70</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td></td> <td></td> <td>274 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	50.51	36.21	68.30	60.35	34.70	9.97	30.51	100		274 Peak	2	5530.00	47.42	63.26	34.70	9.97	30.51	100			274 Average
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5452.48	52.99	-11.81	74.00	38.95	34.66	9.88	30.50	100		274 Peak																																																																																							
2	5462.32	52.66	-13.66	60.00	38.62	34.66	9.88	30.50	100		274 Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5510.00	50.51	36.21	68.30	60.35	34.70	9.97	30.51	100		274 Peak																																																																																							
2	5530.00	47.42	63.26	34.70	9.97	30.51	100			274 Average																																																																																							
Avg.	 <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL : RBW 1000.000kHz VEW 3000.000kHz Project : ID0301-03 Mode : Mode 23 SN : #00 C892370522860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>43.63</td> <td>-10.37</td> <td>54.00</td> <td>29.59</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td></td> <td>274 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.68	43.63	-10.37	54.00	29.59	34.66	9.88	30.50	100		274 Average																																																													
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5459.68	43.63	-10.37	54.00	29.59	34.66	9.88	30.50	100		274 Average																																																																																							



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11n HT40 CH102 5510MHz - R																														
1	Horizontal	Fundamental																													
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL Project : R2016 1000.000kHz VDVW 3000.000kHz Mode : 100301-03 Mode : Mode 23 SH : #30 0002370523860039 Plane : X with Accessory setting : MAC20 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.15</td> <td>51.02</td> <td>-17.28</td> <td>66.30</td> <td>35.43</td> <td>35.06</td> <td>18.12</td> <td>30.59</td> <td>100</td> <td>274 Peak</td> </tr> </tbody> </table>	Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	5728.15	51.02	-17.28	66.30	35.43	35.06	18.12	30.59	100	274 Peak	-
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																							
1	5728.15	51.02	-17.28	66.30	35.43	35.06	18.12	30.59	100	274 Peak																					






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH102 5510MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSNW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 23 Site : #20 0922370523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.56</td> <td>51.43</td> <td>-22.37</td> <td>74.00</td> <td>37.59</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>271 Peak</td> </tr> <tr> <td>2</td> <td>5468.32</td> <td>52.18</td> <td>-16.12</td> <td>68.39</td> <td>38.89</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>271 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.56	51.43	-22.37	74.00	37.59	34.66	9.88	30.50	100	271 Peak	2	5468.32	52.18	-16.12	68.39	38.89	34.67	9.92	30.50	100	271 Peak	<p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSNW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 23 Site : #20 0922370523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>101.86</td> <td>33.56</td> <td>68.30</td> <td>87.70</td> <td>34.70</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td>271 Peak</td> </tr> <tr> <td>2</td> <td>5510.00</td> <td>94.30</td> <td>.....</td> <td>80.23</td> <td>34.70</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td>271 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	101.86	33.56	68.30	87.70	34.70	9.97	30.51	100	271 Peak	2	5510.00	94.30	80.23	34.70	9.97	30.51	100	271 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.56	51.43	-22.37	74.00	37.59	34.66	9.88	30.50	100	271 Peak																																																																											
2	5468.32	52.18	-16.12	68.39	38.89	34.67	9.92	30.50	100	271 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5510.00	101.86	33.56	68.30	87.70	34.70	9.97	30.51	100	271 Peak																																																																											
2	5510.00	94.30	80.23	34.70	9.97	30.51	100	271 Average																																																																												
Avg.	<p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSNW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 23 Site : #20 0922370523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.70</td> <td>-11.30</td> <td>54.00</td> <td>28.66</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>271 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.70	-11.30	54.00	28.66	34.66	9.88	30.50	100	271 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	42.70	-11.30	54.00	28.66	34.66	9.88	30.50	100	271 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - R	
1	Vertical	Fundamental
Peak	<p> Date: 8 Date: 2022-11-09 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5450 5513 5576 5639 5702 5765 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : F20V 1000.000kHz VSW 3000.000kHz Project : FD0301-03 Mode : Mode 23 SW : 430 0092370523860039 Plane : X with Accessory setting : MAC20 power setting 16 Over Limit ReadAttenu Cable Preamp A/Pos T/Pos Freq Level L1dB L1St Level Factor Loss Factor Remark 1 5741.69 51.22 -17.88 66.30 36.59 35.89 18.14 30.00 100 271 Peak </p>	-



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH110 5550MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5412.48</td> <td>59.74</td> <td>-23.26</td> <td>74.00</td> <td>36.77</td> <td>34.43</td> <td>9.84</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5461.12</td> <td>59.37</td> <td>-17.93</td> <td>68.38</td> <td>36.33</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5412.48	59.74	-23.26	74.00	36.77	34.43	9.84	30.50	100	275 Peak	2	5461.12	59.37	-17.93	68.38	36.33	34.66	9.88	30.50	100	275 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>143.73</td> <td>35.43</td> <td>68.38</td> <td>89.46</td> <td>34.78</td> <td>10.01</td> <td>30.52</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5550.00</td> <td>94.53</td> <td>.....</td> <td>80.26</td> <td>34.78</td> <td>10.01</td> <td>30.52</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	143.73	35.43	68.38	89.46	34.78	10.01	30.52	100	275 Peak	2	5550.00	94.53	80.26	34.78	10.01	30.52	100	275 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5412.48	59.74	-23.26	74.00	36.77	34.43	9.84	30.50	100	275 Peak																																																																											
2	5461.12	59.37	-17.93	68.38	36.33	34.66	9.88	30.50	100	275 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5550.00	143.73	35.43	68.38	89.46	34.78	10.01	30.52	100	275 Peak																																																																											
2	5550.00	94.53	80.26	34.78	10.01	30.52	100	275 Average																																																																												
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.04</td> <td>42.22</td> <td>-11.78</td> <td>54.00</td> <td>28.18</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5497.04	42.22	-11.78	54.00	28.18	34.66	9.88	30.50	100	275 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5497.04	42.22	-11.78	54.00	28.18	34.66	9.88	30.50	100	275 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH110 5550MHz - R	
1	Horizontal	Fundamental
Peak	<p> Date: 4 Date: 2022-11-10 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5450 5513 5576 5639 5702 5765 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : F20V 1000.000kHz VSW 3000.000kHz Project : FD0301-03 Mode : 40 SN : 401 0922370523860039 Plane : X with Accessory setting : MAC20 power setting 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level L1dB L1St Level Factor Loss Factor Remark 1 5725.31 52.93 -15.37 66.30 38.34 35.06 18.12 30.59 100 275 Peak </p>	






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH110 5550MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	<p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.16</td> <td>51.30</td> <td>-22.78</td> <td>74.00</td> <td>37.26</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>276 Peak</td> </tr> <tr> <td>2</td> <td>5469.49</td> <td>49.88</td> <td>-18.42</td> <td>68.39</td> <td>35.84</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5448.16	51.30	-22.78	74.00	37.26	34.66	9.88	30.50	100	276 Peak	2	5469.49	49.88	-18.42	68.39	35.84	34.66	9.88	30.50	100	276 Peak	<p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>181.69</td> <td>33.39</td> <td>68.30</td> <td>87.42</td> <td>34.78</td> <td>19.81</td> <td>30.52</td> <td>100</td> <td>276 Peak</td> </tr> <tr> <td>2</td> <td>5550.00</td> <td>94.48</td> <td>.....</td> <td>80.21</td> <td>34.78</td> <td>19.81</td> <td>30.52</td> <td>100</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	181.69	33.39	68.30	87.42	34.78	19.81	30.52	100	276 Peak	2	5550.00	94.48	80.21	34.78	19.81	30.52	100	276 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5448.16	51.30	-22.78	74.00	37.26	34.66	9.88	30.50	100	276 Peak																																																																											
2	5469.49	49.88	-18.42	68.39	35.84	34.66	9.88	30.50	100	276 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5550.00	181.69	33.39	68.30	87.42	34.78	19.81	30.52	100	276 Peak																																																																											
2	5550.00	94.48	80.21	34.78	19.81	30.52	100	276 Average																																																																												
Avg.	<p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 24 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.68</td> <td>42.80</td> <td>-11.92</td> <td>54.00</td> <td>28.84</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	42.80	-11.92	54.00	28.84	34.66	9.88	30.50	100	276 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.68	42.80	-11.92	54.00	28.84	34.66	9.88	30.50	100	276 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH110 5550MHz - R	
1	Vertical	Fundamental
Peak	<p> Date: 2022-11-10 Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : FREQ 1000.0000kHz VSW 3000.0000kHz Project : FD0301-03 Mode : Mode 24 SW : 420 0922370523860039 Plane : X with Accessory setting : MAC250 power setting 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level1 Level1 Level1 Level1 Level1 Level1 Level1 Level1 Level1 Level1 1 5758.51 51.27 -17.83 66.38 36.64 35.89 18.14 38.68 188 276 Peak </p>	






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH134 5670MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 25 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5424.98</td> <td>51.12</td> <td>-22.88</td> <td>74.00</td> <td>37.15</td> <td>34.43</td> <td>9.84</td> <td>30.50</td> <td>100</td> <td>235 Peak</td> </tr> <tr> <td>2</td> <td>5464.45</td> <td>49.57</td> <td>-18.73</td> <td>68.39</td> <td>35.52</td> <td>34.67</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>235 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5424.98	51.12	-22.88	74.00	37.15	34.43	9.84	30.50	100	235 Peak	2	5464.45	49.57	-18.73	68.39	35.52	34.67	9.88	30.50	100	235 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 25 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>143.14</td> <td>34.84</td> <td>68.38</td> <td>88.64</td> <td>34.98</td> <td>19.09</td> <td>30.57</td> <td>100</td> <td>235 Peak</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>95.75</td> <td>.....</td> <td>81.25</td> <td>34.98</td> <td>10.09</td> <td>30.57</td> <td>100</td> <td>235 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5670.00	143.14	34.84	68.38	88.64	34.98	19.09	30.57	100	235 Peak	2	5670.00	95.75	81.25	34.98	10.09	30.57	100	235 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5424.98	51.12	-22.88	74.00	37.15	34.43	9.84	30.50	100	235 Peak																																																																											
2	5464.45	49.57	-18.73	68.39	35.52	34.67	9.88	30.50	100	235 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5670.00	143.14	34.84	68.38	88.64	34.98	19.09	30.57	100	235 Peak																																																																											
2	5670.00	95.75	81.25	34.98	10.09	30.57	100	235 Average																																																																												
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 25 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>41.41</td> <td>-12.59</td> <td>54.00</td> <td>27.37</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>235 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg		1	5459.98	41.41	-12.59	54.00	27.37	34.66	9.88	30.50	100	235 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	ca	deg																																																																													
1	5459.98	41.41	-12.59	54.00	27.37	34.66	9.88	30.50	100	235 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH134 5670MHz - R	
1	Horizontal	Fundamental
Peak	<div data-bbox="448 465 794 712"> </div> <div data-bbox="432 712 778 837"> <pre> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 HORIZONTAL : FREQ 1000.000kHz VSW 3000.000kHz Project : 100301-03 Mode : Mode 20 SN : 430 C692310523860039 Plane : X with Accessory Setting : MAC20 power setting 16 : Over Limit ReadAntenna Cable Preamp A/Pos T/Pos : Level Line Level Factor Loss Factor : ----- 1 5736.48 52.77 -15.53 66.30 38.15 35.89 18.12 30.59 100 235 Peak </pre> </div>	



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11n HT40 CH134 5670MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 25 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.45</td> <td>59.71</td> <td>-23.29</td> <td>74.00</td> <td>36.68</td> <td>34.45</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5466.28</td> <td>59.10</td> <td>-18.20</td> <td>68.30</td> <td>36.81</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>275 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5443.45	59.71	-23.29	74.00	36.68	34.45	9.88	30.50	100	275 Peak	2	5466.28	59.10	-18.20	68.30	36.81	34.67	9.92	30.50	100	275 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 25 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.68</td> <td>32.30</td> <td>68.30</td> <td>86.18</td> <td>34.98</td> <td>10.09</td> <td>30.57</td> <td>100</td> <td>275 Peak</td> </tr> <tr> <td>2</td> <td>5670.00</td> <td>93.73</td> <td>.....</td> <td>79.23</td> <td>34.98</td> <td>10.09</td> <td>30.57</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.68	32.30	68.30	86.18	34.98	10.09	30.57	100	275 Peak	2	5670.00	93.73	79.23	34.98	10.09	30.57	100	275 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5443.45	59.71	-23.29	74.00	36.68	34.45	9.88	30.50	100	275 Peak																																																																											
2	5466.28	59.10	-18.20	68.30	36.81	34.67	9.92	30.50	100	275 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5670.00	100.68	32.30	68.30	86.18	34.98	10.09	30.57	100	275 Peak																																																																											
2	5670.00	93.73	79.23	34.98	10.09	30.57	100	275 Average																																																																												
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 25 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>41.40</td> <td>-12.60</td> <td>54.00</td> <td>27.36</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>275 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	41.40	-12.60	54.00	27.36	34.66	9.88	30.50	100	275 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.98	41.40	-12.60	54.00	27.36	34.66	9.88	30.50	100	275 Average																																																																											






**U-NII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																																	
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																																	
1	Horizontal	Fundamental																																																																																																
Peak	<p>Date: 1 Level (dBuV/m)</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL RSW 1000.000kHz VBW 3000.000kHz Project : 1D0301-03 Mode : Mode 28 SN : #00 C092370522860039 Plane : X with Accessory Setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.68</td> <td>56.00</td> <td>-17.20</td> <td>74.00</td> <td>42.76</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td></td> <td>256 Peak</td> </tr> <tr> <td>2</td> <td>5497.68</td> <td>57.48</td> <td>-10.62</td> <td>60.30</td> <td>43.59</td> <td>34.47</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td></td> <td>256 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5497.68	56.00	-17.20	74.00	42.76	34.66	9.88	30.50	100		256 Peak	2	5497.68	57.48	-10.62	60.30	43.59	34.47	9.92	30.50	100		256 Peak	<p>Date: 3 Level (dBuV/m)</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117 0107 HORIZONTAL RSW 1000.000kHz VBW 3000.000kHz Project : 1D0301-03 Mode : Mode 28 SN : #00 C092370522860039 Plane : X with Accessory Setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>100.72</td> <td>32.42</td> <td>68.30</td> <td>86.53</td> <td>34.73</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td></td> <td>256 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>103.41</td> <td>.....</td> <td>79.22</td> <td>34.73</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td></td> <td></td> <td>256 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5530.00	100.72	32.42	68.30	86.53	34.73	9.97	30.51	100		256 Peak	2	5530.00	103.41	79.22	34.73	9.97	30.51	100			256 Average
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5497.68	56.00	-17.20	74.00	42.76	34.66	9.88	30.50	100		256 Peak																																																																																							
2	5497.68	57.48	-10.62	60.30	43.59	34.47	9.92	30.50	100		256 Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5530.00	100.72	32.42	68.30	86.53	34.73	9.97	30.51	100		256 Peak																																																																																							
2	5530.00	103.41	79.22	34.73	9.97	30.51	100			256 Average																																																																																							
Avg.	<p>Date: 2 Level (dBuV/m)</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117 0107 HORIZONTAL RSW 1000.000kHz VBW 3000.000kHz Project : 1D0301-03 Mode : Mode 28 SN : #00 C092370522860039 Plane : X with Accessory Setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.76</td> <td>47.09</td> <td>-6.91</td> <td>54.00</td> <td>33.85</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td></td> <td>256 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5497.76	47.09	-6.91	54.00	33.85	34.66	9.88	30.50	100		256 Average	-																																																												
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5497.76	47.09	-6.91	54.00	33.85	34.66	9.88	30.50	100		256 Average																																																																																							



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH106 5530MHz - R	
1	Horizontal	Fundamental
Peak	<div data-bbox="448 465 794 712"> </div> <div data-bbox="427 712 778 837"> <pre> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL : FREQ 1000.000kHz VSW 3000.000kHz Project : 100301-03 Mode : Mode 28 SN : 430 0002310523860039 Plane : X with Accessory Setting : MAC28 power setting 16 Freq Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Level1 L1dB1 L1Line Level1 Factor Loss Factor 1 5734.76 52.51 -15.79 66.30 37.89 35.89 18.12 30.59 100 256 Peak </pre> </div>	






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 28 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.16</td> <td>56.20</td> <td>-17.88</td> <td>74.00</td> <td>42.16</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5469.28</td> <td>58.10</td> <td>-18.20</td> <td>68.39</td> <td>44.81</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>278 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5448.16	56.20	-17.88	74.00	42.16	34.66	9.88	30.50	100	278 Peak	2	5469.28	58.10	-18.20	68.39	44.81	34.67	9.92	30.50	100	278 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 28 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>99.84</td> <td>31.54</td> <td>68.30</td> <td>85.65</td> <td>34.73</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>92.30</td> <td>.....</td> <td>78.20</td> <td>34.73</td> <td>9.97</td> <td>30.51</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.84	31.54	68.30	85.65	34.73	9.97	30.51	100	278 Peak	2	5530.00	92.30	78.20	34.73	9.97	30.51	100	278 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5448.16	56.20	-17.88	74.00	42.16	34.66	9.88	30.50	100	278 Peak																																																																											
2	5469.28	58.10	-18.20	68.39	44.81	34.67	9.92	30.50	100	278 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5530.00	99.84	31.54	68.30	85.65	34.73	9.97	30.51	100	278 Peak																																																																											
2	5530.00	92.30	78.20	34.73	9.97	30.51	100	278 Average																																																																												
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 28 Site : #20 092310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5497.76</td> <td>46.19</td> <td>-7.81</td> <td>54.00</td> <td>32.15</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5497.76	46.19	-7.81	54.00	32.15	34.66	9.88	30.50	100	278 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5497.76	46.19	-7.81	54.00	32.15	34.66	9.88	30.50	100	278 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11ac VHT80 CH106 5530MHz - R																														
1	Vertical	Fundamental																													
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : F20V 1000.000kHz VSW 3000.000kHz Project : FD0301-03 Mode : Mode 28 SW : 420 02022170523860039 Plane : X with Accessory setting : MAC28 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5736.65</td> <td>52.15</td> <td>-16.15</td> <td>68.30</td> <td>37.53</td> <td>35.89</td> <td>18.12</td> <td>30.59</td> <td>100</td> <td>278 Peak</td> </tr> </tbody> </table>		Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	5736.65	52.15	-16.15	68.30	37.53	35.89	18.12	30.59	100	278 Peak
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																							
1	5736.65	52.15	-16.15	68.30	37.53	35.89	18.12	30.59	100	278 Peak																					






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
1	Horizontal	Fundamental																																																																																			
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 29 Site : #29 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.12</td> <td>51.24</td> <td>-22.76</td> <td>74.00</td> <td>37.29</td> <td>34.61</td> <td>9.84</td> <td>30.50</td> <td>100</td> <td>235 Peak</td> </tr> <tr> <td>2</td> <td>5463.76</td> <td>51.14</td> <td>-17.16</td> <td>68.39</td> <td>37.89</td> <td>34.67</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>235 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5383.12	51.24	-22.76	74.00	37.29	34.61	9.84	30.50	100	235 Peak	2	5463.76	51.14	-17.16	68.39	37.89	34.67	9.88	30.50	100	235 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 29 Site : #29 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>101.00</td> <td>32.70</td> <td>68.30</td> <td>86.63</td> <td>34.87</td> <td>10.05</td> <td>30.55</td> <td>100</td> <td>235 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>93.60</td> <td>.....</td> <td>79.23</td> <td>34.87</td> <td>10.05</td> <td>30.55</td> <td>100</td> <td>235 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.00	32.70	68.30	86.63	34.87	10.05	30.55	100	235 Peak	2	5610.00	93.60	79.23	34.87	10.05	30.55	100	235 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5383.12	51.24	-22.76	74.00	37.29	34.61	9.84	30.50	100	235 Peak																																																																											
2	5463.76	51.14	-17.16	68.39	37.89	34.67	9.88	30.50	100	235 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5610.00	101.00	32.70	68.30	86.63	34.87	10.05	30.55	100	235 Peak																																																																											
2	5610.00	93.60	79.23	34.87	10.05	30.55	100	235 Average																																																																												
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 HORIZONTAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 29 Site : #29 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.00</td> <td>41.71</td> <td>-12.29</td> <td>54.00</td> <td>27.67</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>235 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.00	41.71	-12.29	54.00	27.67	34.66	9.88	30.50	100	235 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5456.00	41.71	-12.29	54.00	27.67	34.66	9.88	30.50	100	235 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																														
ANT	802.11ac VHT80 CH122 5610MHz - R																														
1	Horizontal	Fundamental																													
Peak	<div data-bbox="448 465 794 712"> <p>Date: 4 Date: 2022-11-10</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> </div> <div data-bbox="432 712 778 837"> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 HORIZONTAL FREQ: 1000.000kHz VSW: 3000.000kHz Project : FD0301-03 Mode : Mode 29 SN : 430 0002370523860039 Plane : X with Accessory setting : MAC29 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>LIRES</th> <th>LISe</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.68</td> <td>52.38</td> <td>-15.92</td> <td>68.30</td> <td>37.79</td> <td>35.06</td> <td>18.12</td> <td>30.59</td> <td>100</td> <td>235 Peak</td> </tr> </tbody> </table> </div>		Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	5726.68	52.38	-15.92	68.30	37.79	35.06	18.12	30.59	100	235 Peak
Freq	Level	LIRES	LISe	Level	Factor	Loss	Factor	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																							
1	5726.68	52.38	-15.92	68.30	37.79	35.06	18.12	30.59	100	235 Peak																					



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																				
1	Vertical	Fundamental																																																																																			
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 29 Site : #29 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.32</td> <td>51.48</td> <td>-22.52</td> <td>74.00</td> <td>37.45</td> <td>34.65</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5467.69</td> <td>52.87</td> <td>-15.43</td> <td>68.38</td> <td>38.78</td> <td>34.67</td> <td>9.92</td> <td>30.50</td> <td>100</td> <td>278 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5432.32	51.48	-22.52	74.00	37.45	34.65	9.88	30.50	100	278 Peak	2	5467.69	52.87	-15.43	68.38	38.78	34.67	9.92	30.50	100	278 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3000.000kHz Project : 1D0301-03 Mode : Mode 29 Site : #29 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>98.71</td> <td>38.41</td> <td>68.38</td> <td>84.34</td> <td>34.87</td> <td>10.05</td> <td>30.55</td> <td>100</td> <td>278 Peak</td> </tr> <tr> <td>2</td> <td>5610.00</td> <td>98.60</td> <td>.....</td> <td>76.23</td> <td>34.87</td> <td>10.05</td> <td>30.55</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.71	38.41	68.38	84.34	34.87	10.05	30.55	100	278 Peak	2	5610.00	98.60	76.23	34.87	10.05	30.55	100	278 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5432.32	51.48	-22.52	74.00	37.45	34.65	9.88	30.50	100	278 Peak																																																																											
2	5467.69	52.87	-15.43	68.38	38.78	34.67	9.92	30.50	100	278 Peak																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5610.00	98.71	38.41	68.38	84.34	34.87	10.05	30.55	100	278 Peak																																																																											
2	5610.00	98.60	76.23	34.87	10.05	30.55	100	278 Average																																																																												
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RSHW: 1000.000kHz VBW: 3.0100kHz Project : 1D0301-03 Mode : Mode 29 Site : #29 092370523866039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>41.75</td> <td>-12.27</td> <td>54.00</td> <td>27.69</td> <td>34.66</td> <td>9.88</td> <td>30.50</td> <td>100</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.75	-12.27	54.00	27.69	34.66	9.88	30.50	100	278 Average	-																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5459.92	41.75	-12.27	54.00	27.69	34.66	9.88	30.50	100	278 Average																																																																											



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH122 5610MHz - R	
1	Vertical	Fundamental
Peak	<p> Date: 8 Date: 2022-11-10 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5580 5625 5660 5695 5730 5765 Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL : F20V 1000.0000kHz VSW 3000.0000kHz Project : FD0301-03 Mode : Mode 29 SN : 430 0002370523860039 Plane : X with Accessory setting : MAC29 power setting 16 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level1 LIRES LISe Level1 Factor Loss Factor --- 1 5726.15 52.75 -15.55 66.30 38.16 35.06 18.12 30.59 100 278 Peak </p>	-



**U-NII-2C - 5470~5725MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																																															
ANT	802.11a CH100 5500MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 103001-03 Mode : Mode 7 SN : #02 Q99231023960039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>54.63</td> <td>-19.29</td> <td>74.00</td> <td>60.44</td> <td>37.90</td> <td>14.47</td> <td>58.20</td> <td>282</td> <td>204 Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>46.09</td> <td>-17.11</td> <td>54.00</td> <td>52.72</td> <td>37.90</td> <td>14.47</td> <td>58.20</td> <td>282</td> <td>204 Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>50.01</td> <td>-18.29</td> <td>68.30</td> <td>49.34</td> <td>41.37</td> <td>16.66</td> <td>57.50</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	54.63	-19.29	74.00	60.44	37.90	14.47	58.20	282	204 Peak	2	11000.00	46.09	-17.11	54.00	52.72	37.90	14.47	58.20	282	204 Average	3	16500.00	50.01	-18.29	68.30	49.34	41.37	16.66	57.50	---	--- Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 103001-03 Mode : Mode 7 SN : #02 Q99231023960039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>55.40</td> <td>-18.60</td> <td>74.00</td> <td>61.23</td> <td>37.90</td> <td>14.47</td> <td>58.20</td> <td>232</td> <td>151 Peak</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>47.63</td> <td>-16.97</td> <td>54.00</td> <td>52.96</td> <td>37.90</td> <td>14.47</td> <td>58.20</td> <td>232</td> <td>151 Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>50.27</td> <td>-18.03</td> <td>68.30</td> <td>49.60</td> <td>41.57</td> <td>16.66</td> <td>57.50</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	55.40	-18.60	74.00	61.23	37.90	14.47	58.20	232	151 Peak	2	11000.00	47.63	-16.97	54.00	52.96	37.90	14.47	58.20	232	151 Average	3	16500.00	50.27	-18.03	68.30	49.60	41.57	16.66	57.50	---	--- Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11000.00	54.63	-19.29	74.00	60.44	37.90	14.47	58.20	282	204 Peak																																																																																																						
2	11000.00	46.09	-17.11	54.00	52.72	37.90	14.47	58.20	282	204 Average																																																																																																						
3	16500.00	50.01	-18.29	68.30	49.34	41.37	16.66	57.50	---	--- Peak																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11000.00	55.40	-18.60	74.00	61.23	37.90	14.47	58.20	232	151 Peak																																																																																																						
2	11000.00	47.63	-16.97	54.00	52.96	37.90	14.47	58.20	232	151 Average																																																																																																						
3	16500.00	50.27	-18.03	68.30	49.60	41.57	16.66	57.50	---	--- Peak																																																																																																						



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH116 5580MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode B SN : #20 G992310229800039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>59.24</td> <td>-23.76</td> <td>74.00</td> <td>56.33</td> <td>38.27</td> <td>13.74</td> <td>59.18</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12140.00</td> <td>59.14</td> <td>-18.16</td> <td>69.39</td> <td>49.18</td> <td>41.87</td> <td>16.38</td> <td>57.87</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	11160.00	59.24	-23.76	74.00	56.33	38.27	13.74	59.18	...	Peak	2	12140.00	59.14	-18.16	69.39	49.18	41.87	16.38	57.87	...	Peak	<p>Date: 18</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode B SN : #20 G992310229800039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>59.17</td> <td>-23.83</td> <td>74.00</td> <td>56.26</td> <td>38.27</td> <td>13.74</td> <td>59.18</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12140.00</td> <td>59.05</td> <td>-18.25</td> <td>69.38</td> <td>49.09</td> <td>41.87</td> <td>16.36</td> <td>57.87</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	11160.00	59.17	-23.83	74.00	56.26	38.27	13.74	59.18	...	Peak	2	12140.00	59.05	-18.25	69.38	49.09	41.87	16.36	57.87	...	Peak
	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																	
1	11160.00	59.24	-23.76	74.00	56.33	38.27	13.74	59.18	...	Peak																																																																																
2	12140.00	59.14	-18.16	69.39	49.18	41.87	16.38	57.87	...	Peak																																																																																
Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																	
1	11160.00	59.17	-23.83	74.00	56.26	38.27	13.74	59.18	...	Peak																																																																																
2	12140.00	59.05	-18.25	69.38	49.09	41.87	16.36	57.87	...	Peak																																																																																



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11a CH140 5700MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 13</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 9 SN : #20 G99231022990039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.96</td> <td>-25.84</td> <td>74.80</td> <td>54.71</td> <td>38.58</td> <td>13.71</td> <td>57.96</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17300.00</td> <td>59.71</td> <td>-15.58</td> <td>68.38</td> <td>49.62</td> <td>41.24</td> <td>16.56</td> <td>56.78</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	11400.00	48.96	-25.84	74.80	54.71	38.58	13.71	57.96	...	Peak	2	17300.00	59.71	-15.58	68.38	49.62	41.24	16.56	56.78	...	Peak	<p>Date: 14</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 9 SN : #20 G99231022990039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.12</td> <td>-24.81</td> <td>74.88</td> <td>54.94</td> <td>38.58</td> <td>13.71</td> <td>57.96</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17300.00</td> <td>59.11</td> <td>-16.19</td> <td>68.38</td> <td>49.41</td> <td>41.24</td> <td>16.56</td> <td>56.78</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	11400.00	49.12	-24.81	74.88	54.94	38.58	13.71	57.96	...	Peak	2	17300.00	59.11	-16.19	68.38	49.41	41.24	16.56	56.78	...	Peak
	Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																	
1	11400.00	48.96	-25.84	74.80	54.71	38.58	13.71	57.96	...	Peak																																																																																
2	17300.00	59.71	-15.58	68.38	49.62	41.24	16.56	56.78	...	Peak																																																																																
Freq	Level	Over	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																	
1	11400.00	49.12	-24.81	74.88	54.94	38.58	13.71	57.96	...	Peak																																																																																
2	17300.00	59.11	-16.19	68.38	49.41	41.24	16.56	56.78	...	Peak																																																																																



**U-NII-2C 5470~5725MHz
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH100 5500MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 15 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 16 SN : #22 G992366523870021 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>49.11</td> <td>-24.89</td> <td>74.00</td> <td>55.45</td> <td>38.30</td> <td>13.76</td> <td>58.28</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 16500.00</td> <td>50.18</td> <td>-18.12</td> <td>68.30</td> <td>50.63</td> <td>48.95</td> <td>16.18</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Line	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1 11000.00	49.11	-24.89	74.00	55.45	38.30	13.76	58.28	---	---	Peak	2 16500.00	50.18	-18.12	68.30	50.63	48.95	16.18	57.58	---	---	Peak	<p>Date: 16 Date: 2022-09-29</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 16 SN : #22 G992366523870021 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>49.62</td> <td>-24.38</td> <td>74.00</td> <td>55.96</td> <td>38.18</td> <td>13.76</td> <td>58.28</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 16500.00</td> <td>50.27</td> <td>-18.03</td> <td>68.30</td> <td>50.72</td> <td>48.95</td> <td>16.18</td> <td>57.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Line	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1 11000.00	49.62	-24.38	74.00	55.96	38.18	13.76	58.28	---	---	Peak	2 16500.00	50.27	-18.03	68.30	50.72	48.95	16.18	57.58	---	---	Peak
Freq	Level	Line	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1 11000.00	49.11	-24.89	74.00	55.45	38.30	13.76	58.28	---	---	Peak																																																																																
2 16500.00	50.18	-18.12	68.30	50.63	48.95	16.18	57.58	---	---	Peak																																																																																
Freq	Level	Line	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1 11000.00	49.62	-24.38	74.00	55.96	38.18	13.76	58.28	---	---	Peak																																																																																
2 16500.00	50.27	-18.03	68.30	50.72	48.95	16.18	57.58	---	---	Peak																																																																																



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH116 5580MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 17 SN : #20 G992376523960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.46</td> <td>-24.54</td> <td>74.00</td> <td>55.55</td> <td>38.27</td> <td>13.74</td> <td>59.18</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10740.00</td> <td>59.73</td> <td>-17.27</td> <td>69.38</td> <td>58.37</td> <td>41.07</td> <td>16.38</td> <td>57.07</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	49.46	-24.54	74.00	55.55	38.27	13.74	59.18	...	Peak	2	10740.00	59.73	-17.27	69.38	58.37	41.07	16.38	57.07	...	Peak	<p>Date: 18</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 17 SN : #20 G992376523960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>49.47</td> <td>-24.53</td> <td>74.00</td> <td>55.56</td> <td>38.27</td> <td>13.74</td> <td>59.18</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10740.00</td> <td>59.59</td> <td>-17.41</td> <td>69.38</td> <td>58.23</td> <td>41.07</td> <td>16.36</td> <td>57.07</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	49.47	-24.53	74.00	55.56	38.27	13.74	59.18	...	Peak	2	10740.00	59.59	-17.41	69.38	58.23	41.07	16.36	57.07	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11160.00	49.46	-24.54	74.00	55.55	38.27	13.74	59.18	...	Peak																																																																																
2	10740.00	59.73	-17.27	69.38	58.37	41.07	16.38	57.07	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11160.00	49.47	-24.53	74.00	55.56	38.27	13.74	59.18	...	Peak																																																																																
2	10740.00	59.59	-17.41	69.38	58.23	41.07	16.36	57.07	...	Peak																																																																																



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH140 5700MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 13</p> <p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : IS0301-03 Mode : Mode 18 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.44</td> <td>-24.56</td> <td>74.00</td> <td>55.19</td> <td>38.58</td> <td>13.71</td> <td>57.96</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17300.00</td> <td>59.53</td> <td>-17.77</td> <td>68.38</td> <td>49.43</td> <td>41.24</td> <td>16.56</td> <td>56.78</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	49.44	-24.56	74.00	55.19	38.58	13.71	57.96	...	Peak	2	17300.00	59.53	-17.77	68.38	49.43	41.24	16.56	56.78	...	Peak	<p>Date: 14</p> <p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : IS0301-03 Mode : Mode 18 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.86</td> <td>-25.14</td> <td>74.00</td> <td>54.63</td> <td>38.58</td> <td>13.71</td> <td>57.96</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17300.00</td> <td>59.36</td> <td>-17.94</td> <td>68.38</td> <td>49.26</td> <td>41.24</td> <td>16.56</td> <td>56.78</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	48.86	-25.14	74.00	54.63	38.58	13.71	57.96	...	Peak	2	17300.00	59.36	-17.94	68.38	49.26	41.24	16.56	56.78	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11400.00	49.44	-24.56	74.00	55.19	38.58	13.71	57.96	...	Peak																																																																																
2	17300.00	59.53	-17.77	68.38	49.43	41.24	16.56	56.78	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11400.00	48.86	-25.14	74.00	54.63	38.58	13.71	57.96	...	Peak																																																																																
2	17300.00	59.36	-17.94	68.38	49.26	41.24	16.56	56.78	...	Peak																																																																																



**U-NII-2C 5470~5725MHz
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																													
ANT	802.11n HT40 CH102 5510MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Date: 17 Level (dBuV/m)</p> <p>Date: 2022-11-09</p> <p>Site : 03CH02-SZ Condition : PARI 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 23 SN : #20 G692370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11820.00</td> <td>49.60</td> <td>-24.48</td> <td>74.00</td> <td>55.91</td> <td>38.12</td> <td>13.76</td> <td>58.19</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>49.36</td> <td>-18.94</td> <td>68.30</td> <td>49.78</td> <td>48.97</td> <td>16.13</td> <td>57.44</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	1	11820.00	49.60	-24.48	74.00	55.91	38.12	13.76	58.19	--- Peak	2	16530.00	49.36	-18.94	68.30	49.78	48.97	16.13	57.44	--- Peak	<p>Date: 18 Level (dBuV/m)</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PARI 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 23 SN : #20 G692370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11820.00</td> <td>49.18</td> <td>-24.00</td> <td>74.00</td> <td>55.41</td> <td>38.12</td> <td>13.76</td> <td>58.19</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>48.90</td> <td>-17.40</td> <td>68.30</td> <td>51.24</td> <td>48.97</td> <td>16.13</td> <td>57.44</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	1	11820.00	49.18	-24.00	74.00	55.41	38.12	13.76	58.19	--- Peak	2	16530.00	48.90	-17.40	68.30	51.24	48.97	16.13	57.44	--- Peak
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm																																																																						
1	11820.00	49.60	-24.48	74.00	55.91	38.12	13.76	58.19	--- Peak																																																																					
2	16530.00	49.36	-18.94	68.30	49.78	48.97	16.13	57.44	--- Peak																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm																																																																						
1	11820.00	49.18	-24.00	74.00	55.41	38.12	13.76	58.19	--- Peak																																																																					
2	16530.00	48.90	-17.40	68.30	51.24	48.97	16.13	57.44	--- Peak																																																																					



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT40 CH110 5550MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 17</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 24 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>49.19</td> <td>-24.81</td> <td>74.00</td> <td>55.38</td> <td>38.28</td> <td>13.75</td> <td>59.14</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16550.00</td> <td>51.07</td> <td>-15.93</td> <td>66.38</td> <td>52.61</td> <td>41.83</td> <td>16.25</td> <td>57.22</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	49.19	-24.81	74.00	55.38	38.28	13.75	59.14	...	Peak	2	16550.00	51.07	-15.93	66.38	52.61	41.83	16.25	57.22	...	Peak	<p>Date: 18</p> <p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 24 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>49.25</td> <td>-24.65</td> <td>74.00</td> <td>55.54</td> <td>38.28</td> <td>13.75</td> <td>59.14</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16550.00</td> <td>51.25</td> <td>-16.97</td> <td>66.38</td> <td>51.27</td> <td>41.80</td> <td>16.25</td> <td>57.22</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11100.00	49.25	-24.65	74.00	55.54	38.28	13.75	59.14	...	Peak	2	16550.00	51.25	-16.97	66.38	51.27	41.80	16.25	57.22	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11100.00	49.19	-24.81	74.00	55.38	38.28	13.75	59.14	...	Peak																																																																																
2	16550.00	51.07	-15.93	66.38	52.61	41.83	16.25	57.22	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11100.00	49.25	-24.65	74.00	55.54	38.28	13.75	59.14	...	Peak																																																																																
2	16550.00	51.25	-16.97	66.38	51.27	41.80	16.25	57.22	...	Peak																																																																																



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT40 CH134 5670MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 17</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 25 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>49.86</td> <td>-25.14</td> <td>74.00</td> <td>54.71</td> <td>38.43</td> <td>13.72</td> <td>58.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17030.00</td> <td>51.47</td> <td>-16.63</td> <td>68.38</td> <td>58.58</td> <td>41.11</td> <td>16.58</td> <td>56.62</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	49.86	-25.14	74.00	54.71	38.43	13.72	58.00	...	Peak	2	17030.00	51.47	-16.63	68.38	58.58	41.11	16.58	56.62	...	Peak	<p>Date: 18</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 25 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>49.17</td> <td>-24.83</td> <td>74.00</td> <td>55.92</td> <td>38.43</td> <td>13.72</td> <td>58.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17030.00</td> <td>51.47</td> <td>-16.63</td> <td>68.38</td> <td>58.58</td> <td>41.11</td> <td>16.58</td> <td>56.62</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11340.00	49.17	-24.83	74.00	55.92	38.43	13.72	58.00	...	Peak	2	17030.00	51.47	-16.63	68.38	58.58	41.11	16.58	56.62	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11340.00	49.86	-25.14	74.00	54.71	38.43	13.72	58.00	...	Peak																																																																																
2	17030.00	51.47	-16.63	68.38	58.58	41.11	16.58	56.62	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11340.00	49.17	-24.83	74.00	55.92	38.43	13.72	58.00	...	Peak																																																																																
2	17030.00	51.47	-16.63	68.38	58.58	41.11	16.58	56.62	...	Peak																																																																																



**U-NII-2C 5470~5725MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																									
ANT	802.11ac VHT80 CH106 5530MHz																																																																									
1	Horizontal	Vertical																																																																								
Peak Avg.	<p>Date: 17 Level (dBuV/m)</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 20 SN : #20 G892370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11800.00</td> <td>49.27</td> <td>-24.73</td> <td>74.00</td> <td>55.51</td> <td>38.17</td> <td>13.75</td> <td>58.16</td> <td>--- Peak</td> </tr> <tr> <td>2 16590.00</td> <td>51.08</td> <td>-17.22</td> <td>68.30</td> <td>51.21</td> <td>41.00</td> <td>16.21</td> <td>57.34</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	1 11800.00	49.27	-24.73	74.00	55.51	38.17	13.75	58.16	--- Peak	2 16590.00	51.08	-17.22	68.30	51.21	41.00	16.21	57.34	--- Peak	<p>Date: 18 Level (dBuV/m)</p> <p>Date: 2022-11-10</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HP_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 20 SN : #20 G892370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11800.00</td> <td>49.54</td> <td>-24.46</td> <td>74.00</td> <td>55.78</td> <td>38.17</td> <td>13.75</td> <td>58.16</td> <td>--- Peak</td> </tr> <tr> <td>2 16590.00</td> <td>50.84</td> <td>-17.46</td> <td>68.30</td> <td>50.97</td> <td>41.00</td> <td>16.21</td> <td>57.34</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	1 11800.00	49.54	-24.46	74.00	55.78	38.17	13.75	58.16	--- Peak	2 16590.00	50.84	-17.46	68.30	50.97	41.00	16.21	57.34	--- Peak
Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB																																																																		
1 11800.00	49.27	-24.73	74.00	55.51	38.17	13.75	58.16	--- Peak																																																																		
2 16590.00	51.08	-17.22	68.30	51.21	41.00	16.21	57.34	--- Peak																																																																		
Freq	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB																																																																		
1 11800.00	49.54	-24.46	74.00	55.78	38.17	13.75	58.16	--- Peak																																																																		
2 16590.00	50.84	-17.46	68.30	50.97	41.00	16.21	57.34	--- Peak																																																																		



WIFI	U-NII-2C 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11ac VHT80 CH122 5610MHZ																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 17</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 150301-03 Mode : Mode 29 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.70</td> <td>-24.30</td> <td>74.00</td> <td>55.72</td> <td>38.32</td> <td>13.73</td> <td>58.07</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12630.00</td> <td>59.03</td> <td>-17.40</td> <td>69.39</td> <td>58.16</td> <td>41.12</td> <td>16.44</td> <td>56.91</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	49.70	-24.30	74.00	55.72	38.32	13.73	58.07	...	Peak	2	12630.00	59.03	-17.40	69.39	58.16	41.12	16.44	56.91	...	Peak	<p>Date: 18</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 150301-03 Mode : Mode 29 SN : #20 G99231622960039 Plane : X with Accessory setting : MCS0 power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.70</td> <td>-24.30</td> <td>74.00</td> <td>55.72</td> <td>38.32</td> <td>13.73</td> <td>58.07</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12630.00</td> <td>59.10</td> <td>-17.11</td> <td>69.39</td> <td>58.24</td> <td>41.12</td> <td>16.44</td> <td>56.91</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	49.70	-24.30	74.00	55.72	38.32	13.73	58.07	...	Peak	2	12630.00	59.10	-17.11	69.39	58.24	41.12	16.44	56.91	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11220.00	49.70	-24.30	74.00	55.72	38.32	13.73	58.07	...	Peak																																																																																
2	12630.00	59.03	-17.40	69.39	58.16	41.12	16.44	56.91	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	11220.00	49.70	-24.30	74.00	55.72	38.32	13.73	58.07	...	Peak																																																																																
2	12630.00	59.10	-17.11	69.39	58.24	41.12	16.44	56.91	...	Peak																																																																																



**U-NII-2C - 5470~5725MHz
U-NII-2C - Straddle Channel
WIFI 802.11a (Band Edge @ 3m)**

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																																					
ANT	802.11a CH144 5720MHz - L																																																																																					
1	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 1 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : U-NII-2C-PAID U-NII-3 3m HF_ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 10030143 Mode : Mode 39 SN : #00 C892370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5411.05</td> <td>59.81</td> <td>-23.19</td> <td>74.00</td> <td>35.85</td> <td>34.62</td> <td>0.84</td> <td>30.58</td> <td>100</td> <td>270</td> <td>Peak</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>5468.25</td> <td>49.91</td> <td>-33.79</td> <td>68.30</td> <td>35.82</td> <td>34.67</td> <td>0.95</td> <td>30.58</td> <td>100</td> <td>270</td> <td>Peak</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>105.54</td> <td>.....</td> <td>.....</td> <td>99.95</td> <td>35.86</td> <td>10.11</td> <td>30.59</td> <td>100</td> <td>270</td> <td>Peak</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>5807.00</td> <td>51.54</td> <td>-35.76</td> <td>68.30</td> <td>37.69</td> <td>35.28</td> <td>10.71</td> <td>30.64</td> <td>100</td> <td>270</td> <td>Peak</td> <td></td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg		1	5411.05	59.81	-23.19	74.00	35.85	34.62	0.84	30.58	100	270	Peak			2	5468.25	49.91	-33.79	68.30	35.82	34.67	0.95	30.58	100	270	Peak			3	5720.00	105.54	99.95	35.86	10.11	30.59	100	270	Peak			4	5807.00	51.54	-35.76	68.30	37.69	35.28	10.71	30.64	100	270	Peak			-
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																										
1	5411.05	59.81	-23.19	74.00	35.85	34.62	0.84	30.58	100	270	Peak																																																																											
2	5468.25	49.91	-33.79	68.30	35.82	34.67	0.95	30.58	100	270	Peak																																																																											
3	5720.00	105.54	99.95	35.86	10.11	30.59	100	270	Peak																																																																											
4	5807.00	51.54	-35.76	68.30	37.69	35.28	10.71	30.64	100	270	Peak																																																																											
Avg.	<p>Date: 2 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL : RBW: 1000.000kHz VBW: 0.010kHz Project : 10030143 Mode : Mode 39 SN : #00 C892370523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>41.58</td> <td>-22.42</td> <td>54.00</td> <td>27.54</td> <td>34.66</td> <td>0.88</td> <td>30.58</td> <td>100</td> <td>270</td> <td>Average</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>5720.70</td> <td>98.92</td> <td>.....</td> <td>.....</td> <td>84.33</td> <td>35.86</td> <td>10.12</td> <td>30.59</td> <td>100</td> <td>270</td> <td>Average</td> <td></td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg		1	5459.45	41.58	-22.42	54.00	27.54	34.66	0.88	30.58	100	270	Average			2	5720.70	98.92	84.33	35.86	10.12	30.59	100	270	Average			-																												
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																										
1	5459.45	41.58	-22.42	54.00	27.54	34.66	0.88	30.58	100	270	Average																																																																											
2	5720.70	98.92	84.33	35.86	10.12	30.59	100	270	Average																																																																											



WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11a CH144 5720MHz - L																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Date: 3 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 99 SN : #20 0892316523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5491.70</td> <td>59.14</td> <td>-23.86</td> <td>74.89</td> <td>35.18</td> <td>34.42</td> <td>0.84</td> <td>36.58</td> <td>100</td> <td></td> <td>286 Peak</td> </tr> <tr> <td>2</td> <td>5498.00</td> <td>49.93</td> <td>-19.37</td> <td>69.39</td> <td>34.89</td> <td>34.66</td> <td>0.88</td> <td>36.58</td> <td>100</td> <td></td> <td>286 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>89.58</td> <td>.....</td> <td>89.52</td> <td>35.86</td> <td>39.12</td> <td>36.59</td> <td></td> <td></td> <td></td> <td>286 Peak</td> </tr> <tr> <td>4</td> <td>5896.65</td> <td>52.17</td> <td>-16.13</td> <td>68.39</td> <td>37.28</td> <td>35.33</td> <td>39.21</td> <td>39.65</td> <td>100</td> <td></td> <td>286 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5491.70	59.14	-23.86	74.89	35.18	34.42	0.84	36.58	100		286 Peak	2	5498.00	49.93	-19.37	69.39	34.89	34.66	0.88	36.58	100		286 Peak	3	5720.00	89.58	89.52	35.86	39.12	36.59				286 Peak	4	5896.65	52.17	-16.13	68.39	37.28	35.33	39.21	39.65	100		286 Peak	-
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																
1	5491.70	59.14	-23.86	74.89	35.18	34.42	0.84	36.58	100		286 Peak																																																															
2	5498.00	49.93	-19.37	69.39	34.89	34.66	0.88	36.58	100		286 Peak																																																															
3	5720.00	89.58	89.52	35.86	39.12	36.59				286 Peak																																																															
4	5896.65	52.17	-16.13	68.39	37.28	35.33	39.21	39.65	100		286 Peak																																																															
Avg.	<p>Date: 4 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : 03401 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.010kHz Project : 100301-03 Mode : Mode 99 SN : #20 0892316523860039 Plane : X with Accessory setting : GM power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5498.00</td> <td>41.47</td> <td>-22.53</td> <td>54.89</td> <td>27.43</td> <td>34.66</td> <td>0.88</td> <td>36.58</td> <td>100</td> <td></td> <td>286 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>96.75</td> <td>.....</td> <td>82.16</td> <td>35.86</td> <td>39.12</td> <td>36.59</td> <td></td> <td></td> <td></td> <td>286 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5498.00	41.47	-22.53	54.89	27.43	34.66	0.88	36.58	100		286 Average	2	5720.00	96.75	82.16	35.86	39.12	36.59				286 Average	-																								
Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																
1	5498.00	41.47	-22.53	54.89	27.43	34.66	0.88	36.58	100		286 Average																																																															
2	5720.00	96.75	82.16	35.86	39.12	36.59				286 Average																																																															



**U-NII-2C – Straddle Channel
WIFI 802.11n HT20 (Band Edge @ 3m)**

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																																					
ANT	802.11n CH144 5720MHz - L																																																																																					
1	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AHD U-NII-3 3m HF_ANT_3117_0107 HORIZONTAL Project : ID0301-03 Mode : Mode 40 SN : #00 C892370523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>dB</th> <th></th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>562.05</td> <td>58.24</td> <td>-23.76</td> <td>74.00</td> <td>36.31</td> <td>34.59</td> <td>0.84</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>242 Peak</td> </tr> <tr> <td>2</td> <td>5447.15</td> <td>51.17</td> <td>-17.13</td> <td>68.30</td> <td>37.60</td> <td>34.57</td> <td>0.05</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>242 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>103.77</td> <td>.....</td> <td>89.18</td> <td>35.86</td> <td>38.12</td> <td>30.59</td> <td>100</td> <td></td> <td></td> <td></td> <td></td> <td>242 Peak</td> </tr> <tr> <td>4</td> <td>5812.78</td> <td>51.08</td> <td>-14.48</td> <td>68.30</td> <td>39.10</td> <td>31.25</td> <td>10.13</td> <td>30.64</td> <td>100</td> <td></td> <td></td> <td></td> <td>242 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	dB		deg		1	562.05	58.24	-23.76	74.00	36.31	34.59	0.84	30.58	100				242 Peak	2	5447.15	51.17	-17.13	68.30	37.60	34.57	0.05	30.58	100				242 Peak	3	5720.00	103.77	89.18	35.86	38.12	30.59	100					242 Peak	4	5812.78	51.08	-14.48	68.30	39.10	31.25	10.13	30.64	100				242 Peak	-
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	dB		deg																																																																										
1	562.05	58.24	-23.76	74.00	36.31	34.59	0.84	30.58	100				242 Peak																																																																									
2	5447.15	51.17	-17.13	68.30	37.60	34.57	0.05	30.58	100				242 Peak																																																																									
3	5720.00	103.77	89.18	35.86	38.12	30.59	100					242 Peak																																																																									
4	5812.78	51.08	-14.48	68.30	39.10	31.25	10.13	30.64	100				242 Peak																																																																									
Avg.	<p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : ID0301-03 Mode : Mode 40 SN : #00 C892370523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>dB</th> <th></th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>41.56</td> <td>-12.44</td> <td>54.00</td> <td>27.52</td> <td>34.66</td> <td>0.88</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>242 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>96.78</td> <td>.....</td> <td>82.19</td> <td>35.86</td> <td>38.12</td> <td>30.59</td> <td>100</td> <td></td> <td></td> <td></td> <td></td> <td>242 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	dB		deg		1	5468.00	41.56	-12.44	54.00	27.52	34.66	0.88	30.58	100				242 Average	2	5720.00	96.78	82.19	35.86	38.12	30.59	100					242 Average	-																												
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	dB		deg																																																																										
1	5468.00	41.56	-12.44	54.00	27.52	34.66	0.88	30.58	100				242 Average																																																																									
2	5720.00	96.78	82.19	35.86	38.12	30.59	100					242 Average																																																																									



WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																															
ANT	802.11n CH144 5720MHz - L																																																																															
1	Vertical	Fundamental																																																																														
Peak	<p>Date: 3 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 40 SN : #20 G892316523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.00</td> <td>58.94</td> <td>-23.86</td> <td>74.80</td> <td>55.99</td> <td>34.41</td> <td>9.84</td> <td>36.58</td> <td>100</td> <td>287</td> <td>Peak</td> <td></td> </tr> <tr> <td>2</td> <td>5468.00</td> <td>58.28</td> <td>-18.84</td> <td>68.38</td> <td>35.17</td> <td>34.67</td> <td>9.92</td> <td>36.58</td> <td>100</td> <td>287</td> <td>Peak</td> <td></td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>88.42</td> <td>.....</td> <td>87.63</td> <td>35.86</td> <td>38.12</td> <td>36.59</td> <td>100</td> <td>287</td> <td>Peak</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>5867.00</td> <td>53.22</td> <td>-15.88</td> <td>68.38</td> <td>38.37</td> <td>35.28</td> <td>38.21</td> <td>36.64</td> <td>100</td> <td>287</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5392.00	58.94	-23.86	74.80	55.99	34.41	9.84	36.58	100	287	Peak		2	5468.00	58.28	-18.84	68.38	35.17	34.67	9.92	36.58	100	287	Peak		3	5720.00	88.42	87.63	35.86	38.12	36.59	100	287	Peak			4	5867.00	53.22	-15.88	68.38	38.37	35.28	38.21	36.64	100	287	Peak		-
Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5392.00	58.94	-23.86	74.80	55.99	34.41	9.84	36.58	100	287	Peak																																																																					
2	5468.00	58.28	-18.84	68.38	35.17	34.67	9.92	36.58	100	287	Peak																																																																					
3	5720.00	88.42	87.63	35.86	38.12	36.59	100	287	Peak																																																																						
4	5867.00	53.22	-15.88	68.38	38.37	35.28	38.21	36.64	100	287	Peak																																																																					
Avg.	<p>Date: 4 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : 03W01 15.407 AVG 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.010kHz Project : 100301-03 Mode : Mode 40 SN : #20 G892316523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Avg.</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>41.45</td> <td>-22.55</td> <td>54.80</td> <td>27.41</td> <td>34.66</td> <td>9.88</td> <td>36.58</td> <td>100</td> <td>287</td> <td>Average</td> <td></td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>94.78</td> <td>.....</td> <td>88.19</td> <td>35.86</td> <td>38.12</td> <td>36.59</td> <td>100</td> <td>287</td> <td>Average</td> <td></td> <td></td> </tr> </tbody> </table>	Avg.	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1	5468.00	41.45	-22.55	54.80	27.41	34.66	9.88	36.58	100	287	Average		2	5720.00	94.78	88.19	35.86	38.12	36.59	100	287	Average			-																										
Avg.	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1	5468.00	41.45	-22.55	54.80	27.41	34.66	9.88	36.58	100	287	Average																																																																					
2	5720.00	94.78	88.19	35.86	38.12	36.59	100	287	Average																																																																						



**U-NII-2C – Straddle Channel
WIFI 802.11n HT40 (Band Edge @ 3m)**

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																															
ANT	802.11n CH142 5710MHz - L																																																																															
1	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : U-NII-2C BAND U-NII-3 3m HF_ANT_3117_0107 HORIZONTAL Project : RWV-1000.000kHz VEW-3000.000kHz Mode : 100001-03 SN : #00 C892310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.79</td> <td>59.88</td> <td>-23.12</td> <td>74.00</td> <td>36.84</td> <td>34.66</td> <td>0.88</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td>239 Peak</td> </tr> <tr> <td>2</td> <td>5456.95</td> <td>49.97</td> <td>-33.13</td> <td>66.30</td> <td>35.92</td> <td>34.57</td> <td>0.88</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td>239 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>101.36</td> <td>.....</td> <td>86.79</td> <td>35.83</td> <td>30.12</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>239 Peak</td> </tr> <tr> <td>4</td> <td>5822.95</td> <td>52.47</td> <td>-35.23</td> <td>68.30</td> <td>37.20</td> <td>35.11</td> <td>30.12</td> <td>30.65</td> <td>100</td> <td></td> <td></td> <td>239 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	5456.79	59.88	-23.12	74.00	36.84	34.66	0.88	30.58	100			239 Peak	2	5456.95	49.97	-33.13	66.30	35.92	34.57	0.88	30.58	100			239 Peak	3	5710.00	101.36	86.79	35.83	30.12	30.58	100				239 Peak	4	5822.95	52.47	-35.23	68.30	37.20	35.11	30.12	30.65	100			239 Peak	-
Peak	Freq	Level	Over	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5456.79	59.88	-23.12	74.00	36.84	34.66	0.88	30.58	100			239 Peak																																																																				
2	5456.95	49.97	-33.13	66.30	35.92	34.57	0.88	30.58	100			239 Peak																																																																				
3	5710.00	101.36	86.79	35.83	30.12	30.58	100				239 Peak																																																																				
4	5822.95	52.47	-35.23	68.30	37.20	35.11	30.12	30.65	100			239 Peak																																																																				
Avg.	<p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : RWV-1000.000kHz VEW-0.000kHz Mode : 100001-03 SN : #00 C892310523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>27.55</td> <td>34.66</td> <td>0.88</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td>239 Average</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>94.30</td> <td>.....</td> <td>79.73</td> <td>35.83</td> <td>30.12</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>239 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	5459.45	41.59	-12.41	54.00	27.55	34.66	0.88	30.58	100			239 Average	2	5710.00	94.30	79.73	35.83	30.12	30.58	100				239 Average	-																										
Peak	Freq	Level	Over	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5459.45	41.59	-12.41	54.00	27.55	34.66	0.88	30.58	100			239 Average																																																																				
2	5710.00	94.30	79.73	35.83	30.12	30.58	100				239 Average																																																																				





WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																									
ANT	802.11n CH142 5710MHz - L																																																																									
1	Vertical	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 41 SN : #20 0892316523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.55</td> <td>58.88</td> <td>-23.82</td> <td>74.88</td> <td>56.95</td> <td>34.45</td> <td>0.88</td> <td>38.58</td> <td>180</td> <td>271</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5462.28</td> <td>58.53</td> <td>-17.77</td> <td>68.38</td> <td>36.49</td> <td>34.66</td> <td>0.88</td> <td>38.58</td> <td>180</td> <td>271</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5708.88</td> <td>99.81</td> <td>.....</td> <td>85.24</td> <td>35.83</td> <td>38.12</td> <td>0.88</td> <td>38.58</td> <td>180</td> <td>271</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5871.58</td> <td>52.84</td> <td>-16.26</td> <td>68.38</td> <td>37.17</td> <td>35.31</td> <td>10.21</td> <td>38.65</td> <td>180</td> <td>271</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5438.55	58.88	-23.82	74.88	56.95	34.45	0.88	38.58	180	271	Peak	2	5462.28	58.53	-17.77	68.38	36.49	34.66	0.88	38.58	180	271	Peak	3	5708.88	99.81	85.24	35.83	38.12	0.88	38.58	180	271	Peak	4	5871.58	52.84	-16.26	68.38	37.17	35.31	10.21	38.65	180	271	Peak	-
Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																
1	5438.55	58.88	-23.82	74.88	56.95	34.45	0.88	38.58	180	271	Peak																																																															
2	5462.28	58.53	-17.77	68.38	36.49	34.66	0.88	38.58	180	271	Peak																																																															
3	5708.88	99.81	85.24	35.83	38.12	0.88	38.58	180	271	Peak																																																															
4	5871.58	52.84	-16.26	68.38	37.17	35.31	10.21	38.65	180	271	Peak																																																															
Avg.	<p>Site : 03CH02-SZ Condition : RW01 15.487 AVG 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.010kHz Project : 100301-03 Mode : Mode 41 SN : #20 0892316523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>41.51</td> <td>-12.49</td> <td>54.88</td> <td>27.47</td> <td>34.66</td> <td>0.88</td> <td>38.58</td> <td>180</td> <td>271</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5708.88</td> <td>93.82</td> <td>.....</td> <td>78.45</td> <td>35.83</td> <td>38.12</td> <td>0.88</td> <td>38.58</td> <td>180</td> <td>271</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5459.45	41.51	-12.49	54.88	27.47	34.66	0.88	38.58	180	271	Average	2	5708.88	93.82	78.45	35.83	38.12	0.88	38.58	180	271	Average	-																								
Peak	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																
1	5459.45	41.51	-12.49	54.88	27.47	34.66	0.88	38.58	180	271	Average																																																															
2	5708.88	93.82	78.45	35.83	38.12	0.88	38.58	180	271	Average																																																															



**U-NII-2C – Straddle Channel
WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																																					
ANT	802.11ac CH138 5690MHz - L																																																																																					
1	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AHD U.NII-3 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNV-1000.000KHz VEW-3000.000KHz Mode : 100001-03 Mode : Mode 42 SN : #00 C892310523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5564.40</td> <td>58.03</td> <td>-23.97</td> <td>74.00</td> <td>35.11</td> <td>34.58</td> <td>0.54</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>239 Peak</td> </tr> <tr> <td>2</td> <td>5460.00</td> <td>51.58</td> <td>-15.58</td> <td>68.38</td> <td>37.45</td> <td>34.57</td> <td>0.88</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>239 Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>98.32</td> <td>.....</td> <td>83.81</td> <td>35.00</td> <td>30.00</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td></td> <td>239 Peak</td> </tr> <tr> <td>4</td> <td>5907.55</td> <td>51.59</td> <td>-15.77</td> <td>68.38</td> <td>37.00</td> <td>35.23</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td></td> <td>239 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	dB	dB	cm	deg		1	5564.40	58.03	-23.97	74.00	35.11	34.58	0.54	30.58	100				239 Peak	2	5460.00	51.58	-15.58	68.38	37.45	34.57	0.88	30.58	100				239 Peak	3	5690.00	98.32	83.81	35.00	30.00	30.58	100					239 Peak	4	5907.55	51.59	-15.77	68.38	37.00	35.23	30.58	100					239 Peak	-
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	dB	dB	cm	deg																																																																										
1	5564.40	58.03	-23.97	74.00	35.11	34.58	0.54	30.58	100				239 Peak																																																																									
2	5460.00	51.58	-15.58	68.38	37.45	34.57	0.88	30.58	100				239 Peak																																																																									
3	5690.00	98.32	83.81	35.00	30.00	30.58	100					239 Peak																																																																									
4	5907.55	51.59	-15.77	68.38	37.00	35.23	30.58	100					239 Peak																																																																									
Avg.	<p>Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL Project : RSNV-1000.000KHz VEW-0.000KHz Mode : 100001-03 Mode : Mode 42 SN : #00 C892310523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>41.55</td> <td>-12.45</td> <td>54.00</td> <td>27.51</td> <td>34.66</td> <td>0.88</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td>239 Average</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>98.52</td> <td>.....</td> <td>76.01</td> <td>35.00</td> <td>30.00</td> <td>30.58</td> <td>100</td> <td></td> <td></td> <td></td> <td></td> <td>239 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	dB	dB	cm	deg		1	5460.00	41.55	-12.45	54.00	27.51	34.66	0.88	30.58	100				239 Average	2	5690.00	98.52	76.01	35.00	30.00	30.58	100					239 Average	-																												
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	dB	dB	cm	deg																																																																										
1	5460.00	41.55	-12.45	54.00	27.51	34.66	0.88	30.58	100				239 Average																																																																									
2	5690.00	98.52	76.01	35.00	30.00	30.58	100					239 Average																																																																									



WIFI	U-NII-2C Straddle Channel Band Edge @ 3m																																																																															
ANT	802.11ac CH138 5690MHz - L																																																																															
1	Vertical	Fundamental																																																																														
<p>Peak</p>	 <p>Date: 3 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : U-NII-2C AND U-NII-3 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : Mode 42 SN : #20 G892316523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.25</td> <td>59.85</td> <td>-23.15</td> <td>74.89</td> <td>56.93</td> <td>34.58</td> <td>0.84</td> <td>36.58</td> <td>180</td> <td>265</td> <td>Peak</td> <td></td> </tr> <tr> <td>2</td> <td>5468.55</td> <td>49.87</td> <td>-19.43</td> <td>68.38</td> <td>34.83</td> <td>34.66</td> <td>0.88</td> <td>36.58</td> <td>180</td> <td>265</td> <td>Peak</td> <td></td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>96.73</td> <td>.....</td> <td>82.22</td> <td>35.89</td> <td>38.09</td> <td>0.88</td> <td>36.58</td> <td>180</td> <td>265</td> <td>Peak</td> <td></td> </tr> <tr> <td>4</td> <td>5865.98</td> <td>51.58</td> <td>-16.72</td> <td>68.38</td> <td>36.73</td> <td>35.28</td> <td>0.88</td> <td>36.58</td> <td>180</td> <td>265</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5358.25	59.85	-23.15	74.89	56.93	34.58	0.84	36.58	180	265	Peak		2	5468.55	49.87	-19.43	68.38	34.83	34.66	0.88	36.58	180	265	Peak		3	5690.00	96.73	82.22	35.89	38.09	0.88	36.58	180	265	Peak		4	5865.98	51.58	-16.72	68.38	36.73	35.28	0.88	36.58	180	265	Peak		<p>-</p>
Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																					
1	5358.25	59.85	-23.15	74.89	56.93	34.58	0.84	36.58	180	265	Peak																																																																					
2	5468.55	49.87	-19.43	68.38	34.83	34.66	0.88	36.58	180	265	Peak																																																																					
3	5690.00	96.73	82.22	35.89	38.09	0.88	36.58	180	265	Peak																																																																					
4	5865.98	51.58	-16.72	68.38	36.73	35.28	0.88	36.58	180	265	Peak																																																																					
<p>Avg.</p>	 <p>Date: 4 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : RW401 16.407 AVG 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.010kHz Project : 100301-03 Mode : Mode 42 SN : #20 G892316523860039 Plane : X with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>41.48</td> <td>-12.52</td> <td>54.00</td> <td>27.44</td> <td>34.66</td> <td>0.88</td> <td>36.58</td> <td>180</td> <td>265</td> <td>Average</td> <td></td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>89.87</td> <td>.....</td> <td>75.16</td> <td>35.89</td> <td>.....</td> <td>0.88</td> <td>36.58</td> <td>180</td> <td>265</td> <td>Average</td> <td></td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	5458.00	41.48	-12.52	54.00	27.44	34.66	0.88	36.58	180	265	Average		2	5690.00	89.87	75.16	35.89	0.88	36.58	180	265	Average		<p>-</p>																										
Peak	Freq	Level	Limit	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																					
1	5458.00	41.48	-12.52	54.00	27.44	34.66	0.88	36.58	180	265	Average																																																																					
2	5690.00	89.87	75.16	35.89	0.88	36.58	180	265	Average																																																																					



U-NII-2C - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																																									
ANT	802.11a CH144 5720MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 39 SN : #20 G992376523860039 Plane : X with Accessory setting : 6M power setting 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>49.91</td> <td>-24.89</td> <td>74.80</td> <td>55.01</td> <td>38.53</td> <td>13.71</td> <td>57.94</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2 17160.00</td> <td>58.25</td> <td>-18.95</td> <td>68.30</td> <td>49.28</td> <td>41.27</td> <td>36.58</td> <td>56.77</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg		1 11440.00	49.91	-24.89	74.80	55.01	38.53	13.71	57.94	Peak	2 17160.00	58.25	-18.95	68.30	49.28	41.27	36.58	56.77	Peak	<p>Site : 03CH02-S2 Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 39 SN : #20 G992376523860039 Plane : X with Accessory setting : 6M power setting 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>49.57</td> <td>-24.43</td> <td>74.00</td> <td>55.27</td> <td>38.53</td> <td>13.71</td> <td>57.94</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2 17160.00</td> <td>58.47</td> <td>-17.83</td> <td>68.30</td> <td>49.42</td> <td>41.27</td> <td>36.58</td> <td>56.77</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg		1 11440.00	49.57	-24.43	74.00	55.27	38.53	13.71	57.94	Peak	2 17160.00	58.47	-17.83	68.30	49.42	41.27	36.58	56.77	Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																	
1 11440.00	49.91	-24.89	74.80	55.01	38.53	13.71	57.94	Peak																																																																																
2 17160.00	58.25	-18.95	68.30	49.28	41.27	36.58	56.77	Peak																																																																																
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																	
1 11440.00	49.57	-24.43	74.00	55.27	38.53	13.71	57.94	Peak																																																																																
2 17160.00	58.47	-17.83	68.30	49.42	41.27	36.58	56.77	Peak																																																																																



**U-NII-2C – Straddle Channel
WIFI 802.11n HT20 (Harmonic @ 3m)**

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																													
ANT	802.11n HT20 CH144 5720MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Date: 11 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 100301-03 Mode : Mode 40 SN : #20 G992370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11448.00</td> <td>48.62</td> <td>-25.38</td> <td>74.00</td> <td>54.32</td> <td>38.53</td> <td>13.71</td> <td>57.94</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17168.00</td> <td>58.79</td> <td>-17.51</td> <td>68.38</td> <td>49.74</td> <td>41.27</td> <td>16.55</td> <td>56.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	11448.00	48.62	-25.38	74.00	54.32	38.53	13.71	57.94	--- Peak	2	17168.00	58.79	-17.51	68.38	49.74	41.27	16.55	56.77	--- Peak	<p>Date: 12 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 100301-03 Mode : Mode 40 SN : #20 G992370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11448.00</td> <td>49.34</td> <td>-24.66</td> <td>74.00</td> <td>55.04</td> <td>38.53</td> <td>13.71</td> <td>57.94</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17168.00</td> <td>49.82</td> <td>-18.48</td> <td>68.38</td> <td>48.77</td> <td>41.27</td> <td>16.55</td> <td>56.77</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	11448.00	49.34	-24.66	74.00	55.04	38.53	13.71	57.94	--- Peak	2	17168.00	49.82	-18.48	68.38	48.77	41.27	16.55	56.77	--- Peak
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																						
1	11448.00	48.62	-25.38	74.00	54.32	38.53	13.71	57.94	--- Peak																																																																					
2	17168.00	58.79	-17.51	68.38	49.74	41.27	16.55	56.77	--- Peak																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																						
1	11448.00	49.34	-24.66	74.00	55.04	38.53	13.71	57.94	--- Peak																																																																					
2	17168.00	49.82	-18.48	68.38	48.77	41.27	16.55	56.77	--- Peak																																																																					





**U-NII-2C – Straddle Channel
WIFI 802.11n HT40 (Harmonic @ 3m)**

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																													
ANT	802.11n HT40 CH142 5710MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Date: 11 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 10030143 Mode : Mode #1 SN : #20 G892370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>48.36</td> <td>-25.84</td> <td>74.00</td> <td>54.68</td> <td>38.52</td> <td>13.71</td> <td>57.95</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>58.31</td> <td>-17.99</td> <td>68.30</td> <td>49.24</td> <td>41.25</td> <td>16.55</td> <td>56.73</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	11420.00	48.36	-25.84	74.00	54.68	38.52	13.71	57.95	--- Peak	2	17130.00	58.31	-17.99	68.30	49.24	41.25	16.55	56.73	--- Peak	<p>Date: 12 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 10030143 Mode : Mode #1 SN : #20 G892370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>49.23</td> <td>-24.77</td> <td>74.00</td> <td>54.95</td> <td>38.52</td> <td>13.71</td> <td>57.95</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>58.44</td> <td>-17.86</td> <td>68.30</td> <td>49.37</td> <td>41.25</td> <td>16.55</td> <td>56.73</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg	1	11420.00	49.23	-24.77	74.00	54.95	38.52	13.71	57.95	--- Peak	2	17130.00	58.44	-17.86	68.30	49.37	41.25	16.55	56.73	--- Peak
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																						
Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																						
1	11420.00	48.36	-25.84	74.00	54.68	38.52	13.71	57.95	--- Peak																																																																					
2	17130.00	58.31	-17.99	68.30	49.24	41.25	16.55	56.73	--- Peak																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																						
Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																						
1	11420.00	49.23	-24.77	74.00	54.95	38.52	13.71	57.95	--- Peak																																																																					
2	17130.00	58.44	-17.86	68.30	49.37	41.25	16.55	56.73	--- Peak																																																																					



**U-NII-2C – Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	U-NII-2C Straddle Channel Harmonic @ 3m																																																																																									
ANT	802.11ac VHT80 CH138 5690MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	 <p>Date: 11 Level (dBuV/m) Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 1D0301-03 Mode : Mode 42 SN : #20 G592370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11388.00</td> <td>49.59</td> <td>-24.41</td> <td>74.00</td> <td>55.36</td> <td>38.48</td> <td>13.72</td> <td>57.97</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17076.00</td> <td>58.86</td> <td>-18.24</td> <td>68.38</td> <td>48.93</td> <td>41.23</td> <td>16.57</td> <td>56.67</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	11388.00	49.59	-24.41	74.00	55.36	38.48	13.72	57.97	---	--- Peak	2	17076.00	58.86	-18.24	68.38	48.93	41.23	16.57	56.67	---	--- Peak	 <p>Date: 12 Level (dBuV/m) Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 1D0301-03 Mode : Mode 42 SN : #20 G592370523860039 Plane : X with Accessory setting : MCS9 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11388.00</td> <td>48.76</td> <td>-25.24</td> <td>74.00</td> <td>54.53</td> <td>38.48</td> <td>13.72</td> <td>57.97</td> <td>---</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17076.00</td> <td>58.49</td> <td>-17.81</td> <td>68.38</td> <td>49.36</td> <td>41.23</td> <td>16.57</td> <td>56.67</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	11388.00	48.76	-25.24	74.00	54.53	38.48	13.72	57.97	---	--- Peak	2	17076.00	58.49	-17.81	68.38	49.36	41.23	16.57	56.67	---	--- Peak
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	11388.00	49.59	-24.41	74.00	55.36	38.48	13.72	57.97	---	--- Peak																																																																																
2	17076.00	58.86	-18.24	68.38	48.93	41.23	16.57	56.67	---	--- Peak																																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	11388.00	48.76	-25.24	74.00	54.53	38.48	13.72	57.97	---	--- Peak																																																																																
2	17076.00	58.49	-17.81	68.38	49.36	41.23	16.57	56.67	---	--- Peak																																																																																



Emission below 1GHz
5GHz WIFI 802.11ac VHT80 (LF)

WIFI	5GHz WIFI																																																																																																																																																																																																																																	
ANT	802.11ac VHT80 LF																																																																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																																																																
QP / Peak	<p>Date: 1 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9168-01001 HORIZONTAL Project : 150301-03 Mode : Mode 25 MEI : #20 G992310C2960039 Plane : X with Accessory MCSO power setting 15.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>98.14</td> <td>23.93</td> <td>-28.49</td> <td>43.58</td> <td>43.15</td> <td>13.92</td> <td>1.12</td> <td>35.18</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>136.84</td> <td>24.73</td> <td>-31.71</td> <td>43.58</td> <td>41.66</td> <td>16.51</td> <td>1.88</td> <td>35.08</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>317.12</td> <td>24.19</td> <td>-21.81</td> <td>46.88</td> <td>36.51</td> <td>28.15</td> <td>2.43</td> <td>34.98</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>582.93</td> <td>24.55</td> <td>-21.25</td> <td>46.88</td> <td>38.34</td> <td>22.43</td> <td>1.42</td> <td>34.54</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>796.38</td> <td>26.56</td> <td>-19.44</td> <td>46.88</td> <td>28.74</td> <td>28.39</td> <td>1.94</td> <td>34.11</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>974.78</td> <td>29.31</td> <td>-16.79</td> <td>54.88</td> <td>29.83</td> <td>29.99</td> <td>4.34</td> <td>34.15</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cn	deg		1	98.14	23.93	-28.49	43.58	43.15	13.92	1.12	35.18	---	---	---	---	Peak	2	136.84	24.73	-31.71	43.58	41.66	16.51	1.88	35.08	---	---	---	---	Peak	3	317.12	24.19	-21.81	46.88	36.51	28.15	2.43	34.98	---	---	---	---	Peak	4	582.93	24.55	-21.25	46.88	38.34	22.43	1.42	34.54	---	---	---	---	Peak	5	796.38	26.56	-19.44	46.88	28.74	28.39	1.94	34.11	---	---	---	---	Peak	6	974.78	29.31	-16.79	54.88	29.83	29.99	4.34	34.15	---	---	---	---	Peak	<p>Date: 2 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m VULB9168-01001 VERTICAL Project : 150301-03 Mode : Mode 25 MEI : #20 G992310C2960039 Plane : X with Accessory MCSO power setting 15.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>36.79</td> <td>25.88</td> <td>-14.14</td> <td>48.88</td> <td>48.87</td> <td>19.38</td> <td>6.61</td> <td>35.88</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>96.82</td> <td>24.61</td> <td>-15.68</td> <td>43.58</td> <td>44.37</td> <td>19.38</td> <td>1.65</td> <td>35.19</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>196.84</td> <td>29.81</td> <td>-14.49</td> <td>43.58</td> <td>45.74</td> <td>16.51</td> <td>1.86</td> <td>35.18</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>321.85</td> <td>25.29</td> <td>-20.43</td> <td>46.88</td> <td>37.68</td> <td>28.44</td> <td>2.43</td> <td>34.98</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>642.86</td> <td>27.98</td> <td>-18.18</td> <td>46.88</td> <td>29.59</td> <td>18.51</td> <td>4.84</td> <td>34.38</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>988.36</td> <td>29.29</td> <td>-14.71</td> <td>54.88</td> <td>28.93</td> <td>28.13</td> <td>4.35</td> <td>34.12</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cn	deg		1	36.79	25.88	-14.14	48.88	48.87	19.38	6.61	35.88	---	---	---	---	Peak	2	96.82	24.61	-15.68	43.58	44.37	19.38	1.65	35.19	---	---	---	---	Peak	3	196.84	29.81	-14.49	43.58	45.74	16.51	1.86	35.18	---	---	---	---	Peak	4	321.85	25.29	-20.43	46.88	37.68	28.44	2.43	34.98	---	---	---	---	Peak	5	642.86	27.98	-18.18	46.88	29.59	18.51	4.84	34.38	---	---	---	---	Peak	6	988.36	29.29	-14.71	54.88	28.93	28.13	4.35	34.12	---	---	---	---	Peak
	Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cn	deg																																																																																																																																																																																																																						
1	98.14	23.93	-28.49	43.58	43.15	13.92	1.12	35.18	---	---	---	---	Peak																																																																																																																																																																																																																					
2	136.84	24.73	-31.71	43.58	41.66	16.51	1.88	35.08	---	---	---	---	Peak																																																																																																																																																																																																																					
3	317.12	24.19	-21.81	46.88	36.51	28.15	2.43	34.98	---	---	---	---	Peak																																																																																																																																																																																																																					
4	582.93	24.55	-21.25	46.88	38.34	22.43	1.42	34.54	---	---	---	---	Peak																																																																																																																																																																																																																					
5	796.38	26.56	-19.44	46.88	28.74	28.39	1.94	34.11	---	---	---	---	Peak																																																																																																																																																																																																																					
6	974.78	29.31	-16.79	54.88	29.83	29.99	4.34	34.15	---	---	---	---	Peak																																																																																																																																																																																																																					
Peak	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cn	deg																																																																																																																																																																																																																						
1	36.79	25.88	-14.14	48.88	48.87	19.38	6.61	35.88	---	---	---	---	Peak																																																																																																																																																																																																																					
2	96.82	24.61	-15.68	43.58	44.37	19.38	1.65	35.19	---	---	---	---	Peak																																																																																																																																																																																																																					
3	196.84	29.81	-14.49	43.58	45.74	16.51	1.86	35.18	---	---	---	---	Peak																																																																																																																																																																																																																					
4	321.85	25.29	-20.43	46.88	37.68	28.44	2.43	34.98	---	---	---	---	Peak																																																																																																																																																																																																																					
5	642.86	27.98	-18.18	46.88	29.59	18.51	4.84	34.38	---	---	---	---	Peak																																																																																																																																																																																																																					
6	988.36	29.29	-14.71	54.88	28.93	28.13	4.35	34.12	---	---	---	---	Peak																																																																																																																																																																																																																					



Co-location:

U-NII-1 - 5150~5250MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	U-NII-1 5470~5725MHz Band Edge @ 3m																																																													
ANT	802.11ac VHT80 CH42 5210MHz+BLE CH39 2480																																																													
1	Horizontal	Fundamental																																																												
Peak	<p>Site Condition: 03CH02-SZ, AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL, RBW: 1000.000kHz, VBW: 1.000kHz</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>43.54</td> <td>-10.46</td> <td>54.00</td> <td>36.18</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>294 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg	1 2483.56	43.54	-10.46	54.00	36.18	32.39	6.53	31.56	100	294 Average	<p>Site Condition: 03CH02-SZ, PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL, RBW: 1000.000kHz, VBW: 3000.000kHz</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>101.31</td> <td>27.31</td> <td>74.00</td> <td>93.95</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>294 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg	1 * 2480.00	101.31	27.31	74.00	93.95	32.39	6.53	31.56	100	294 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg																																																					
1 2483.56	43.54	-10.46	54.00	36.18	32.39	6.53	31.56	100	294 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg																																																					
1 * 2480.00	101.31	27.31	74.00	93.95	32.39	6.53	31.56	100	294 Peak																																																					
Avg.	<p>Site Condition: 03CH02-SZ, AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL, RBW: 1000.000kHz, VBW: 1.000kHz</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>43.54</td> <td>-10.46</td> <td>54.00</td> <td>36.18</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>294 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg	1 2483.56	43.54	-10.46	54.00	36.18	32.39	6.53	31.56	100	294 Average	<p>Site Condition: 03CH02-SZ, AVG_54 3m HF_ANT_3117_0107 HORIZONTAL, RBW: 1000.000kHz, VBW: 1.000kHz</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2480.00</td> <td>100.32</td> <td>46.32</td> <td>54.00</td> <td>92.06</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>294 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg	1 * 2480.00	100.32	46.32	54.00	92.06	32.39	6.53	31.56	100	294 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg																																																					
1 2483.56	43.54	-10.46	54.00	36.18	32.39	6.53	31.56	100	294 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	deg																																																					
1 * 2480.00	100.32	46.32	54.00	92.06	32.39	6.53	31.56	100	294 Average																																																					



WIFI	U-NII-1 5470-5725MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT80 CH42 5210MHz+BLE CH39 2480																																																																														
1	Horizontal	Fundamental																																																																													
Peak	<p>Date: 1 Date: 2022-11-15</p> <p>Site: 03CH02-SZ Condition: PART 15.407 3m HF ANT 3117_0107 HORIZONTAL RFDW 1000 000kHz VSW 3000 000kHz Project: 1D0301-03 Mode: Mode 43 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 15.5 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.24</td> <td>61.89</td> <td>-12.91</td> <td>74.00</td> <td>47.44</td> <td>34.41</td> <td>9.74</td> <td>30.58</td> <td>100</td> <td>253 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5136.24	61.89	-12.91	74.00	47.44	34.41	9.74	30.58	100	253 Peak	<p>Date: 3 Date: 2022-11-15</p> <p>Site: 03CH02-SZ Condition: PART 15.407 3m HF ANT 3117_0107 HORIZONTAL RFDW 1000 000kHz VSW 3000 000kHz Project: 1D0301-03 Mode: Mode 43 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 15.5 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>101.12</td> <td>32.82</td> <td>68.38</td> <td>87.33</td> <td>34.47</td> <td>9.82</td> <td>30.58</td> <td>100</td> <td>253 Peak</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>151.91</td> <td>.....</td> <td>60.12</td> <td>34.47</td> <td>9.82</td> <td>30.58</td> <td>100</td> <td>253 Average</td> <td></td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5210.00	101.12	32.82	68.38	87.33	34.47	9.82	30.58	100	253 Peak	2	5210.00	151.91	60.12	34.47	9.82	30.58	100	253 Average	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	5136.24	61.89	-12.91	74.00	47.44	34.41	9.74	30.58	100	253 Peak																																																																					
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	5210.00	101.12	32.82	68.38	87.33	34.47	9.82	30.58	100	253 Peak																																																																					
2	5210.00	151.91	60.12	34.47	9.82	30.58	100	253 Average																																																																						
Avg.	<p>Date: 2 Date: 2022-11-15</p> <p>Site: 03CH02-SZ Condition: PART 15.407 3m HF ANT 3117_0107 HORIZONTAL RFDW 1000 000kHz VSW 0 010kHz Project: 1D0301-03 Mode: Mode 43 SN: #20 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 15.5 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>49.58</td> <td>-4.42</td> <td>54.00</td> <td>35.92</td> <td>34.42</td> <td>9.74</td> <td>30.58</td> <td>100</td> <td>253 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5149.76	49.58	-4.42	54.00	35.92	34.42	9.74	30.58	100	253 Average	-																																												
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	5149.76	49.58	-4.42	54.00	35.92	34.42	9.74	30.58	100	253 Average																																																																					



WIFI	U-NII-1 5470~5725MHz Band Edge @ 3m																																
ANT	802.11ac VHT80 CH42 5210MHz+BLE CH39 2480																																
1	Horizontal	Fundamental																															
Peak	<p>Date: 4 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000 000kHz VBW 3000 000kHz Project : 1D0301-03 Mode : Mode 43 SN : #01 G929270523860039 Plane : X with Accessory WIFI setting : MCS0 power setting 15.5 BLE setting : 6Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.56</td> <td>51.68</td> <td>-22.48</td> <td>74.88</td> <td>57.57</td> <td>34.65</td> <td>9.88</td> <td>38.58</td> <td>180</td> <td>253 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5448.56	51.68	-22.48	74.88	57.57	34.65	9.88	38.58	180	253 Peak	-
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1	5448.56	51.68	-22.48	74.88	57.57	34.65	9.88	38.58	180	253 Peak																							
Avg.	<p>Date: 5 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000 000kHz VBW 0 0100kHz Project : 1D0301-03 Mode : Mode 43 SN : #01 G929270523860039 Plane : X with Accessory WIFI setting : MCS0 power setting 15.5 BLE setting : 6Z/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.24</td> <td>41.86</td> <td>-12.14</td> <td>54.88</td> <td>27.94</td> <td>34.58</td> <td>9.84</td> <td>38.58</td> <td>180</td> <td>253 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.24	41.86	-12.14	54.88	27.94	34.58	9.84	38.58	180	253 Average	-
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																								
1	5352.24	41.86	-12.14	54.88	27.94	34.58	9.84	38.58	180	253 Average																							



WIFI	U-NII-1 5470~5725MHz Band Edge @ 3m																																																															
ANT	802.11ac VHT80 CH42 5210MHz+BLE CH39 2480																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 17 Date: 2022-11-15</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REW: 1000.0000Hz VBW: 3000.0000Hz Project: 100301-03 Mode: 43 SN: #29 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 15.5 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.16</td> <td>53.13</td> <td>-20.87</td> <td>74.00</td> <td>45.70</td> <td>32.40</td> <td>6.53</td> <td>31.50</td> <td>100</td> <td>94 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2494.16	53.13	-20.87	74.00	45.70	32.40	6.53	31.50	100	94 Peak	<p>Date: 15 Date: 2022-11-15</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL REW: 1000.0000Hz VBW: 3000.0000Hz Project: 100301-03 Mode: 43 SN: #29 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 15.5 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>98.14</td> <td>24.14</td> <td>74.00</td> <td>90.70</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>94 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.14	24.14	74.00	90.70	32.39	6.53	31.56	100	94 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2494.16	53.13	-20.87	74.00	45.70	32.40	6.53	31.50	100	94 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	98.14	24.14	74.00	90.70	32.39	6.53	31.56	100	94 Peak																																																						
Avg.	<p>Date: 16 Date: 2022-11-15</p> <p>Site Condition: 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REW: 1000.0000Hz VBW: 1.0000Hz Project: 100301-03 Mode: 43 SN: #29 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 15.5 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>43.87</td> <td>-10.93</td> <td>54.00</td> <td>35.71</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>94 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	43.87	-10.93	54.00	35.71	32.39	6.53	31.56	100	94 Average	<p>Date: 16 Date: 2022-11-15</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL REW: 1000.0000Hz VBW: 1.0000Hz Project: 100301-03 Mode: 43 SN: #29 G092370523860039 Plane: X with Accessory WIFI setting: MCS9 power setting 15.5 BLE setting: 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.99</td> <td>41.99</td> <td>54.00</td> <td>88.63</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>100</td> <td>94 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.99	41.99	54.00	88.63	32.39	6.53	31.56	100	94 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.52	43.87	-10.93	54.00	35.71	32.39	6.53	31.56	100	94 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	95.99	41.99	54.00	88.63	32.39	6.53	31.56	100	94 Average																																																						



WIFI	U-NII-1 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT80 CH42 5210MHz+BLE CH39 2480																																																																														
1	Vertical	Fundamental																																																																													
Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL RBW 1000 0000Hz VBW 3000 0000Hz Project : 1D0301-03 Mode : Mode 43 SN : #20 G092370523860039 Plane : X with Accessory WiFi setting : MCS9 power setting 15.5 BLE setting : 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.02</td> <td>55.10</td> <td>-18.90</td> <td>74.00</td> <td>41.45</td> <td>34.41</td> <td>9.74</td> <td>30.50</td> <td>100</td> <td>273 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5137.02	55.10	-18.90	74.00	41.45	34.41	9.74	30.50	100	273 Peak	<p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT 3117_0107 VERTICAL RBW 1000 0000Hz VBW 3000 0000Hz Project : 1D0301-03 Mode : Mode 43 SN : #20 G092370523860039 Plane : X with Accessory WiFi setting : MCS9 power setting 15.5 BLE setting : 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>67.50</td> <td>29.29</td> <td>68.38</td> <td>83.80</td> <td>34.47</td> <td>9.82</td> <td>30.50</td> <td>100</td> <td>273 Peak</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>98.00</td> <td>.....</td> <td>76.13</td> <td>34.47</td> <td>9.82</td> <td>30.50</td> <td>100</td> <td>273 Average</td> <td></td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5210.00	67.50	29.29	68.38	83.80	34.47	9.82	30.50	100	273 Peak	2	5210.00	98.00	76.13	34.47	9.82	30.50	100	273 Average	
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	5137.02	55.10	-18.90	74.00	41.45	34.41	9.74	30.50	100	273 Peak																																																																					
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	5210.00	67.50	29.29	68.38	83.80	34.47	9.82	30.50	100	273 Peak																																																																					
2	5210.00	98.00	76.13	34.47	9.82	30.50	100	273 Average																																																																						
Avg.	<p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT 3117_0107 VERTICAL RBW 1000 0000Hz VBW 0 0100Hz Project : 1D0301-03 Mode : Mode 43 SN : #20 G092370523860039 Plane : X with Accessory WiFi setting : MCS9 power setting 15.5 BLE setting : 6/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>46.14</td> <td>-7.86</td> <td>54.00</td> <td>32.48</td> <td>34.42</td> <td>9.74</td> <td>30.50</td> <td>100</td> <td>273 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg		1	5149.76	46.14	-7.86	54.00	32.48	34.42	9.74	30.50	100	273 Average																																													
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																						
1	5149.76	46.14	-7.86	54.00	32.48	34.42	9.74	30.50	100	273 Average																																																																					



WIFI	U-NII-1 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ac VHT80 CH42 5210MHz+BLE CH39 2480																																		
1	Vertical	Fundamental																																	
Peak	<p>Date: 9 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 100301-03 Mode : 43 SN : #01 C092370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 15.5 BLE setting : 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.64</td> <td>52.23</td> <td>-21.77</td> <td>74.00</td> <td>38.19</td> <td>34.66</td> <td>9.88</td> <td>30.58</td> <td>100</td> <td>273 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg		1	5456.64	52.23	-21.77	74.00	38.19	34.66	9.88	30.58	100	273 Peak	-
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																										
1	5456.64	52.23	-21.77	74.00	38.19	34.66	9.88	30.58	100	273 Peak																									
Avg.	<p>Date: 10 Date: 2022-11-15</p> <p>Site : 03CH02-SZ Condition : PART 15.407 AVG 3m HF ANT_3117_0107 VERTICAL RBW: 1000.000kHz VBW: 0.010kHz Project : 100301-03 Mode : 43 SN : #01 C092370523860039 Plane : X with Accessory WIFI setting : MCS9 power setting 15.5 BLE setting : 5/2/1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.16</td> <td>41.58</td> <td>-12.58</td> <td>54.00</td> <td>27.46</td> <td>34.66</td> <td>9.88</td> <td>30.58</td> <td>100</td> <td>273 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg		1	5456.16	41.58	-12.58	54.00	27.46	34.66	9.88	30.58	100	273 Average	-
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																										
1	5456.16	41.58	-12.58	54.00	27.46	34.66	9.88	30.58	100	273 Average																									



WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	U-NII-1 5470-5725MHz Band Edge @ 3m																																																																																																																									
ANT	802.11ac VHT80 CH42 5210MHz+BLE CH39 2480																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
Peak Avg.	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>59.21</td> <td>-23.79</td> <td>74.00</td> <td>36.82</td> <td>34.32</td> <td>9.59</td> <td>39.52</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.83</td> <td>-20.97</td> <td>75.00</td> <td>55.66</td> <td>35.84</td> <td>11.25</td> <td>59.86</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>10428.00</td> <td>46.95</td> <td>-21.35</td> <td>68.38</td> <td>56.16</td> <td>37.65</td> <td>13.51</td> <td>69.37</td> <td>... Peak</td> </tr> <tr> <td>4</td> <td>15036.00</td> <td>59.31</td> <td>-23.69</td> <td>74.00</td> <td>52.04</td> <td>49.39</td> <td>15.56</td> <td>58.78</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4968.00	59.21	-23.79	74.00	36.82	34.32	9.59	39.52	... Peak	2	7440.00	43.83	-20.97	75.00	55.66	35.84	11.25	59.86	... Peak	3	10428.00	46.95	-21.35	68.38	56.16	37.65	13.51	69.37	... Peak	4	15036.00	59.31	-23.69	74.00	52.04	49.39	15.56	58.78	... Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>49.70</td> <td>-24.22</td> <td>74.00</td> <td>36.39</td> <td>34.31</td> <td>9.59</td> <td>39.52</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.68</td> <td>-20.49</td> <td>74.00</td> <td>57.23</td> <td>35.96</td> <td>11.29</td> <td>59.86</td> <td>... Peak</td> </tr> <tr> <td>3</td> <td>10428.00</td> <td>46.91</td> <td>-21.39</td> <td>68.38</td> <td>56.12</td> <td>37.65</td> <td>13.51</td> <td>69.37</td> <td>... Peak</td> </tr> <tr> <td>4</td> <td>15036.00</td> <td>59.78</td> <td>-23.22</td> <td>74.00</td> <td>55.41</td> <td>49.59</td> <td>15.56</td> <td>58.78</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4968.00	49.70	-24.22	74.00	36.39	34.31	9.59	39.52	... Peak	2	7440.00	44.68	-20.49	74.00	57.23	35.96	11.29	59.86	... Peak	3	10428.00	46.91	-21.39	68.38	56.12	37.65	13.51	69.37	... Peak	4	15036.00	59.78	-23.22	74.00	55.41	49.59	15.56	58.78	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4968.00	59.21	-23.79	74.00	36.82	34.32	9.59	39.52	... Peak																																																																																																																	
2	7440.00	43.83	-20.97	75.00	55.66	35.84	11.25	59.86	... Peak																																																																																																																	
3	10428.00	46.95	-21.35	68.38	56.16	37.65	13.51	69.37	... Peak																																																																																																																	
4	15036.00	59.31	-23.69	74.00	52.04	49.39	15.56	58.78	... Peak																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4968.00	49.70	-24.22	74.00	36.39	34.31	9.59	39.52	... Peak																																																																																																																	
2	7440.00	44.68	-20.49	74.00	57.23	35.96	11.29	59.86	... Peak																																																																																																																	
3	10428.00	46.91	-21.39	68.38	56.12	37.65	13.51	69.37	... Peak																																																																																																																	
4	15036.00	59.78	-23.22	74.00	55.41	49.59	15.56	58.78	... Peak																																																																																																																	

Note: For all plots, the over limit signal is Fundamental signal which can be ignored.




Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	Duty Factor(dB)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.48	0.16	1.391	0.719	1KHz
802.11n HT20	95.72	0.19	1.297	0.771	1KHz
802.11n HT40	92.23	0.35	0.645	1.551	3KHz
802.11ac VHT80	85.74	0.67	0.323	3.101	10KHz



802.11a




802.11n HT20





802.11n HT40



802.11ac VHT80

