



BLE CH 39 2480MHz	*	2480	87.74	-	-	81.96	32.07	5.66	31.95	225	156	P	H
	*	2480	86.97	-	-	81.19	32.07	5.66	31.95	225	156	A	H
		2496.08	51.77	-22.23	74	45.84	32.1	5.68	31.85	225	156	P	H
		2484.44	42.33	-11.67	54	36.55	32.07	5.66	31.95	225	156	A	H
	*	2480	85.9	-	-	80.12	32.07	5.66	31.95	120	206	P	V
	*	2480	84.88	-	-	79.1	32.07	5.66	31.95	120	206	A	V
		2486.76	51.31	-22.69	74	45.53	32.07	5.66	31.95	120	206	P	V
		2488.68	42.48	-11.52	54	36.65	32.1	5.68	31.95	120	206	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)**

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE CH 00 2402MHz		4804	43.09	-30.91	74	58.51	33.8	8.68	57.9	-	-	P	H
		4804	42.18	-31.82	74	57.6	33.8	8.68	57.9	-	-	P	V
BLE CH 19 2440MHz		4880	42.97	-31.03	74	58.35	33.73	8.79	57.9	-	-	P	H
		7320	46.21	-27.79	74	58.91	35.73	11.09	59.52	-	-	P	H
		4880	42.34	-31.66	74	57.72	33.73	8.79	57.9	-	-	P	V
		7320	46.13	-27.87	74	58.83	35.73	11.09	59.52	-	-	P	V
BLE CH 39 2480MHz		4960	43.18	-30.82	74	58.37	33.73	8.98	57.9	-	-	P	H
		7440	46.95	-27.05	74	59.91	35.78	11.12	59.86	-	-	P	H
		4960	43.29	-30.71	74	58.48	33.73	8.98	57.9	-	-	P	V
		7440	45.86	-28.14	74	58.82	35.78	11.12	59.86	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Bluetooth LE 2Mbps

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	Avg. (P/A)	(H/V)
BLE CH 00 2402MHz		2332.68	50.98	-23.02	74	46.15	31.63	5.47	32.27	200	210	P	H
		2386.125	41.35	-12.65	54	36.35	31.7	5.55	32.25	200	210	A	H
	*	2402	86.72	-	-	81.71	31.7	5.55	32.24	200	210	P	H
	*	2402	84.98	-	-	79.97	31.7	5.55	32.24	200	210	P	H
		2381.82	51.66	-22.34	74	46.68	31.7	5.53	32.25	171	147	P	V
		2338.14	41.35	-12.65	54	36.43	31.7	5.49	32.27	171	147	A	V
	*	2402	82.94	-	-	77.93	31.7	5.55	32.24	171	147	P	V
	*	2402	82.11	-	-	77.1	31.7	5.55	32.24	171	147	P	V
BLE CH 19 2440MHz		2354.8	50.63	-23.37	74	45.68	31.7	5.51	32.26	266	256	P	H
		2385.74	41.59	-12.41	54	36.59	31.7	5.55	32.25	266	256	A	H
	*	2440	86.3	-	-	80.83	32	5.61	32.14	266	256	P	H
	*	2440	84.56	-	-	79.09	32	5.61	32.14	266	256	P	H
		2488.59	51.29	-22.71	74	45.46	32.1	5.68	31.95	266	256	P	H
		2497.34	42.62	-11.38	54	36.69	32.1	5.68	31.85	266	256	A	H
		2364.88	51.37	-22.63	74	46.41	31.7	5.51	32.25	170	167	P	V
		2342.9	41.59	-12.41	54	36.66	31.7	5.49	32.26	170	167	A	V
	*	2440	82.5	-	-	77.03	32	5.61	32.14	170	167	P	V
	*	2440	81.76	-	-	76.29	32	5.61	32.14	170	167	A	V
		2497.48	51.19	-22.81	74	45.26	32.1	5.68	31.85	170	167	P	V
		2494.26	42.55	-11.45	54	36.62	32.1	5.68	31.85	170	167	A	V



BLE CH 39 2480MHz	*	2480	86.03	-	-	80.25	32.07	5.66	31.95	233	238	P	H
	*	2480	84.31	-	-	78.53	32.07	5.66	31.95	233	238	P	H
		2495.52	52.08	-21.92	74	46.15	32.1	5.68	31.85	233	238	P	H
		2494.8	42.3	-11.7	54	36.37	32.1	5.68	31.85	233	238	A	H
	*	2480	82.79	-	-	77.01	32.07	5.66	31.95	290	171	P	V
	*	2480	82	-	-	76.22	32.07	5.66	31.95	290	171	A	V
		2496.68	51.3	-22.7	74	45.37	32.1	5.68	31.85	290	171	P	V
		2483.56	42.33	-11.67	54	36.55	32.07	5.66	31.95	290	171	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)**

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE CH 00 2402MHz		4804	42.42	-31.58	74	57.84	33.8	8.68	57.9	-	-	P	H
		4804	42.68	-31.32	74	58.1	33.8	8.68	57.9	-	-	P	V
BLE CH 19 2440MHz		4880	43.93	-30.07	74	59.31	33.73	8.79	57.9	-	-	P	H
		7320	45.5	-28.5	74	58.2	35.73	11.09	59.52	-	-	P	H
		4880	42.22	-31.78	74	57.6	33.73	8.79	57.9	-	-	P	V
		7320	45.84	-28.16	74	58.54	35.73	11.09	59.52	-	-	P	V
BLE CH 39 2480MHz		4960	42.41	-31.59	74	57.6	33.73	8.98	57.9	-	-	P	H
		7440	45.47	-28.53	74	58.43	35.78	11.12	59.86	-	-	P	H
		4960	43.84	-30.16	74	59.03	33.73	8.98	57.9	-	-	P	V
		7440	46.01	-27.99	74	58.97	35.78	11.12	59.86	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



< Ant 2>

Bluetooth LE 1Mbps

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE CH 00 2402MHz		2358.40	50.2	-23.8	74	45.25	31.7	5.51	32.26	100	147	P	H
		2373.42	41.29	-12.71	54	36.31	31.7	5.53	32.25	100	147	A	H
	*	2402	85.55	-	-	80.54	31.7	5.55	32.24	100	147	P	H
	*	2402	84.69	-	-	79.68	31.7	5.55	32.24	100	147	A	H
		2346.64	50.62	-23.38	74	45.69	31.7	5.49	32.26	185	207	P	V
		2357.56	41.19	-12.81	54	36.24	31.7	5.51	32.26	185	207	A	V
	*	2402	87.31	-	-	82.3	31.7	5.55	32.24	185	207	P	V
	*	2402	85.16	-	-	80.15	31.7	5.55	32.24	185	207	A	V
BLE CH 19 2440MHz		2318.12	50.74	-23.26	74	45.91	31.63	5.47	32.27	100	163	P	H
		2383.64	41.37	-12.63	54	36.39	31.7	5.53	32.25	100	163	A	H
	*	2440	86.01	-	-	80.54	32	5.61	32.14	100	163	P	H
	*	2440	85.25	-	-	79.78	32	5.61	32.14	100	163	A	H
		2486.07	51.44	-22.56	74	45.66	32.07	5.66	31.95	100	163	P	H
		2489.22	42.16	-11.84	54	36.33	32.1	5.68	31.95	100	163	A	H
		2337.16	50.66	-23.34	74	45.74	31.7	5.49	32.27	100	231	P	V
		2356.48	41.39	-12.61	54	36.44	31.7	5.51	32.26	100	231	A	V
	*	2440	86.71	-	-	81.24	32	5.61	32.14	100	231	P	V
	*	2440	85.89	-	-	80.42	32	5.61	32.14	100	231	A	V
		2498.88	51.19	-22.81	74	45.26	32.1	5.68	31.85	100	231	P	V
		2487.75	42.52	-11.48	54	36.69	32.1	5.68	31.95	100	231	A	V



BLE CH 39 2480MHz	*	2480	86.28	-	-	80.5	32.07	5.66	31.95	122	157	P	H
	*	2480	85.34	-	-	79.56	32.07	5.66	31.95	122	157	A	H
		2497.96	52.01	-21.99	74	46.08	32.1	5.68	31.85	122	157	P	H
		2492.52	42.17	-11.83	54	36.24	32.1	5.68	31.85	122	157	A	H
	*	2480	86.47	-	-	80.69	32.07	5.66	31.95	101	208	P	V
	*	2480	84.98	-	-	79.2	32.07	5.66	31.95	101	208	A	V
		2485.88	52.41	-21.59	74	46.63	32.07	5.66	31.95	101	208	P	V
		2488.68	42.51	-11.49	54	36.68	32.1	5.68	31.95	101	208	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)**

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE CH 00 2402MHz		4804	42.55	-31.45	74	57.97	33.8	8.68	57.9	-	-	P	H
		4804	42.22	-31.78	74	57.64	33.8	8.68	57.9	-	-	P	V
BLE CH 19 2440MHz		4880	42.99	-31.01	74	58.37	33.73	8.79	57.9	-	-	P	H
		7320	45.6	-28.4	74	58.3	35.73	11.09	59.52	-	-	P	H
		4880	43.26	-30.74	74	58.64	33.73	8.79	57.9	-	-	P	V
		7320	45.4	-28.6	74	58.1	35.73	11.09	59.52	-	-	P	V
BLE CH 39 2480MHz		4960	42.78	-31.22	74	57.97	33.73	8.98	57.9	-	-	P	H
		7440	45.16	-28.84	74	58.12	35.78	11.12	59.86	-	-	P	H
		4960	42.91	-31.09	74	58.1	33.73	8.98	57.9	-	-	P	V
		7440	44.99	-29.01	74	57.95	35.78	11.12	59.86	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Bluetooth LE 2Mbps

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE CH 00 2402MHz		2335.72	50.23	-23.77	74	45.31	31.7	5.49	32.27	129	160	P	H
		2356.93	41.36	-12.64	54	36.41	31.7	5.51	32.26	129	160	A	H
	*	2402	85.71	-	-	80.7	31.7	5.55	32.24	129	160	P	H
	*	2402	84.78	-	-	79.77	31.7	5.55	32.24	129	160	A	H
		2380.24	51.38	-22.62	74	46.4	31.7	5.53	32.25	100	201	P	V
		2363.02	41.83	-12.17	54	36.88	31.7	5.51	32.26	100	201	A	V
	*	2402	86.63	-	-	81.62	31.7	5.55	32.24	100	201	P	V
	*	2402	85.87	-	-	80.86	31.7	5.55	32.24	100	201	A	V
BLE CH 19 2440MHz		2350.32	50.19	-23.81	74	45.26	31.7	5.49	32.26	120	150	P	H
		2371.88	41.37	-12.63	54	36.39	31.7	5.53	32.25	120	150	A	H
	*	2440	86.06	-	-	80.59	32	5.61	32.14	120	150	P	H
	*	2440	85.26	-	-	79.79	32	5.61	32.14	120	150	A	H
		2489.99	51.78	-22.22	74	45.95	32.1	5.68	31.95	120	150	P	H
		2496.92	42.34	-11.66	54	36.41	32.1	5.68	31.85	120	150	A	H
		2368.8	50.46	-23.54	74	45.48	31.7	5.53	32.25	100	204	P	V
		2362.92	41.43	-12.57	54	36.48	31.7	5.51	32.26	100	204	A	V
	*	2440	86.69	-	-	81.22	32	5.61	32.14	100	204	P	V
	*	2440	84.63	-	-	79.16	32	5.61	32.14	100	204	A	V
		2483.97	50.35	-23.65	74	44.57	32.07	5.66	31.95	100	204	P	V
		2485.3	42.46	-11.54	54	36.68	32.07	5.66	31.95	100	204	A	V



BLE CH 39 2480MHz		2480	86.05	-	-	80.27	32.07	5.66	31.95	124	156	P	H
		2480	85.25	-	-	79.47	32.07	5.66	31.95	124	156	A	H
	*	2499.6	51.16	-22.84	74	45.23	32.1	5.68	31.85	124	156	P	H
	*	2488.68	42.27	-11.73	54	36.44	32.1	5.68	31.95	124	156	A	H
		2480	86.61	-	-	80.83	32.07	5.66	31.95	100	205	P	V
		2480	85.88	-	-	80.1	32.07	5.66	31.95	100	205	A	V
	*	2492.88	51.54	-22.46	74	45.61	32.1	5.68	31.85	100	205	P	V
	*	2499.6	42.35	-11.65	54	36.42	32.1	5.68	31.85	100	205	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)**

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE CH 00 2402MHz		4804	41.98	-32.02	74	57.4	33.8	8.68	57.9	-	-	P	H
		4804	43.01	-30.99	74	58.43	33.8	8.68	57.9	-	-	P	V
BLE CH 19 2440MHz		4880	41.88	-32.12	74	57.26	33.73	8.79	57.9	-	-	P	H
		7320	45.92	-28.08	74	58.62	35.73	11.09	59.52	-	-	P	H
		4880	41.86	-32.14	74	57.24	33.73	8.79	57.9	-	-	P	V
		7320	45.1	-28.9	74	57.8	35.73	11.09	59.52	-	-	P	V
BLE CH 39 2480MHz		4960	42.96	-31.04	74	58.15	33.73	8.98	57.9	-	-	P	H
		7440	44.33	-29.67	74	57.29	35.78	11.12	59.86	-	-	P	H
		4960	42.62	-31.38	74	57.81	33.73	8.98	57.9	-	-	P	V
		7440	44.88	-29.12	74	57.84	35.78	11.12	59.86	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

2.4GHz BLE (LF)

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz BLE LF		30	27.59	-12.41	40	33.53	24.8	0.56	31.3	-	-	P	H
		125.06	25.75	-17.75	43.5	38.68	17.42	1.15	31.5	-	-	P	H
		331.67	25.52	-20.48	46	34.77	20.17	1.92	31.34	-	-	P	H
		506.27	26.91	-19.09	46	31.7	24.01	2.41	31.21	-	-	P	H
		618.79	26.46	-19.54	46	29.31	25.97	2.71	31.53	-	-	P	H
		882.63	28.15	-17.85	46	27.42	28.91	3.28	31.46	-	-	P	H
		30	29.8	-10.2	40	35.74	24.8	0.56	31.3	-	-	P	V
		130.88	27.88	-15.62	43.5	40.72	17.45	1.19	31.48	-	-	P	V
		240.49	25.51	-20.49	46	37.88	17.64	1.62	31.63	-	-	P	V
		396.66	25.13	-20.87	46	32.68	21.73	2.11	31.39	-	-	P	V
		638.19	26.6	-19.4	46	29.16	26.14	2.75	31.45	-	-	P	V
		912.7	29.32	-16.68	46	28.23	29.2	3.34	31.45	-	-	P	V

Remark	<ol style="list-style-type: none"> Only the worst mode of ANT1_BLE 1Mbps test emission below 1GHz. No other spurious found. All results are PASS against limit line.
---------------	---

Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

BLE	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE CH 00 2402MHz		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots


Note symbol

-L	Low channel location
-R	High channel location



< Ant 1 >
 Bluetooth LE 1Mbps
 2.4GHz 2400~2483.5MHz
 BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH00 2402MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p style="font-size: small;"> Date: 2022-05-30 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000.0000Hz VIEW:3000.0000Hz 211916-01 Mode : SN : #19 G0B227012194000K Plane : Z with Accessory setting : Default <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Resolution</th> <th>Calib</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2357.67</td> <td>58.89</td> <td>-23.11</td> <td>74.00</td> <td>45.94</td> <td>31.70</td> <td>5.53</td> <td>32.26</td> <td>231</td> <td>191 Peak</td> </tr> </tbody> </table> </p>	Freq	Level	Over	Limit	Resolution	Calib	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/1m	dB	dBm/1m	dBm	dB	dB	cm	deg		1	2357.67	58.89	-23.11	74.00	45.94	31.70	5.53	32.26	231	191 Peak	<p style="font-size: small;"> Date: 2022-05-30 Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000.0000Hz VIEW:3000.0000Hz 211916-01 Mode : SN : #19 G0B227012194000K Plane : Z with Accessory setting : Default <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Resolution</th> <th>Calib</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>86.38</td> <td>12.38</td> <td>74.00</td> <td>81.37</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>231</td> <td>191 Peak</td> </tr> </tbody> </table> </p>	Freq	Level	Over	Limit	Resolution	Calib	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/1m	dB	dBm/1m	dBm	dB	dB	cm	deg		1	2402.00	86.38	12.38	74.00	81.37	31.70	5.55	32.24	231	191 Peak
Freq	Level	Over	Limit	Resolution	Calib	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/1m	dB	dBm/1m	dBm	dB	dB	cm	deg																																																								
1	2357.67	58.89	-23.11	74.00	45.94	31.70	5.53	32.26	231	191 Peak																																																						
Freq	Level	Over	Limit	Resolution	Calib	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/1m	dB	dBm/1m	dBm	dB	dB	cm	deg																																																								
1	2402.00	86.38	12.38	74.00	81.37	31.70	5.55	32.24	231	191 Peak																																																						







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH00 2402MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 5 Date: 2022-05-30</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 4 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2398.19</td> <td>51.20</td> <td>-12.88</td> <td>74.00</td> <td>46.25</td> <td>31.70</td> <td>5.51</td> <td>32.24</td> <td>148</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2398.19	51.20	-12.88	74.00	46.25	31.70	5.51	32.24	148	198 Peak	<p>Date: 7 Date: 2022-05-30</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 4 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>85.56</td> <td>11.56</td> <td>74.00</td> <td>88.55</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>148</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2402.00	85.56	11.56	74.00	88.55	31.70	5.55	32.24	148	198 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2398.19	51.20	-12.88	74.00	46.25	31.70	5.51	32.24	148	198 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2402.00	85.56	11.56	74.00	88.55	31.70	5.55	32.24	148	198 Peak																																																						
Avg	<p>Date: 6 Date: 2022-05-30</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 4 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2395.76</td> <td>41.58</td> <td>-12.42</td> <td>54.00</td> <td>36.62</td> <td>31.70</td> <td>5.51</td> <td>32.25</td> <td>148</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2395.76	41.58	-12.42	54.00	36.62	31.70	5.51	32.25	148	198 Average	<p>Date: 8 Date: 2022-05-30</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 4 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>81.69</td> <td>27.69</td> <td>54.00</td> <td>76.68</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>148</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2402.00	81.69	27.69	54.00	76.68	31.70	5.55	32.24	148	198 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2395.76	41.58	-12.42	54.00	36.62	31.70	5.51	32.25	148	198 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2402.00	81.69	27.69	54.00	76.68	31.70	5.55	32.24	148	198 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3000 0000Hz Mode: 211916-01 Mode: Mode 5 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/100</th> <th>dB</th> <th>dBm/100</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.52</td> <td>51.58</td> <td>-22.42</td> <td>74.00</td> <td>46.63</td> <td>31.70</td> <td>5.51</td> <td>32.20</td> <td>100</td> <td>149 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg		1	2361.52	51.58	-22.42	74.00	46.63	31.70	5.51	32.20	100	149 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3000 0000Hz Mode: 211916-01 Mode: Mode 5 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/100</th> <th>dB</th> <th>dBm/100</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>87.21</td> <td>13.21</td> <td>74.00</td> <td>81.74</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>100</td> <td>149 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg		1	2440.00	87.21	13.21	74.00	81.74	32.00	5.01	32.14	100	149 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg																																																								
1	2361.52	51.58	-22.42	74.00	46.63	31.70	5.51	32.20	100	149 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg																																																								
1	2440.00	87.21	13.21	74.00	81.74	32.00	5.01	32.14	100	149 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BK_54 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3 0000Hz Mode: 211916-01 Mode: Mode 5 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/100</th> <th>dB</th> <th>dBm/100</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.08</td> <td>41.98</td> <td>-12.18</td> <td>54.00</td> <td>36.95</td> <td>31.70</td> <td>5.51</td> <td>32.20</td> <td>100</td> <td>149 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg		1	2361.08	41.98	-12.18	54.00	36.95	31.70	5.51	32.20	100	149 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3 0000Hz Mode: 211916-01 Mode: Mode 5 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/100</th> <th>dB</th> <th>dBm/100</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>86.44</td> <td>32.44</td> <td>54.00</td> <td>80.97</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>100</td> <td>149 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg		1	2440.00	86.44	32.44	54.00	80.97	32.00	5.01	32.14	100	149 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg																																																								
1	2361.08	41.98	-12.18	54.00	36.95	31.70	5.51	32.20	100	149 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/100	dB	dBm/100	dB	dB	dB	cm	deg																																																								
1	2440.00	86.44	32.44	54.00	80.97	32.00	5.01	32.14	100	149 Average																																																						





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
1	Horizontal	Fundamental
<p>Peak</p>	 <pre> Date: 5 Level (dBuV/m) Date: 2022-05-30 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 2430 2444 2458 2472 2486 2500 Frequency (MHz) PEAK_BE_74 Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : 5 Site : #19 08B227012194000K Plane : Z with Accessory Setting : Default Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV/m dB/m dB dB ce deg 1 2445.58 51.66 -22.34 74.00 45.88 32.87 5.66 33.95 100 149 Peak </pre>	<p>Left blank</p>
<p>Avg.</p>	 <pre> Date: 6 Level (dBuV/m) Date: 2022-05-30 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 2430 2444 2458 2472 2486 2500 Frequency (MHz) AVG_BE_54 Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : 5 Site : #19 08B227012194000K Plane : Z with Accessory Setting : Default Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV/m dB/m dB dB ce deg 1 2445.18 42.82 -11.18 54.00 36.89 32.18 5.68 33.85 100 149 Average </pre>	<p>Left blank</p>







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 5 Site : #19 08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1385.04</td> <td>59.47</td> <td>-23.33</td> <td>74.00</td> <td>45.69</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>124</td> <td>206 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1385.04	59.47	-23.33	74.00	45.69	31.70	5.53	32.25	124	206 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 5 Site : #19 08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>86.29</td> <td>12.29</td> <td>74.00</td> <td>88.82</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>124</td> <td>206 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	86.29	12.29	74.00	88.82	32.00	5.61	32.14	124	206 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1385.04	59.47	-23.33	74.00	45.69	31.70	5.53	32.25	124	206 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	86.29	12.29	74.00	88.82	32.00	5.61	32.14	124	206 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 5 Site : #19 08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2568.12</td> <td>41.45</td> <td>-12.57</td> <td>54.00</td> <td>36.48</td> <td>31.70</td> <td>5.51</td> <td>32.26</td> <td>124</td> <td>206 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2568.12	41.45	-12.57	54.00	36.48	31.70	5.51	32.26	124	206 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 5 Site : #19 08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>85.55</td> <td>31.55</td> <td>54.00</td> <td>88.88</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>124</td> <td>206 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	85.55	31.55	54.00	88.88	32.00	5.61	32.14	124	206 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2568.12	41.45	-12.57	54.00	36.48	31.70	5.51	32.26	124	206 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	85.55	31.55	54.00	88.88	32.00	5.61	32.14	124	206 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
1	Vertical	Fundamental
<p>Peak</p>	 <pre> Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Site : 4919 08B227012194000K Mode : Mode 5 Plane : Z with Accessory Setting : Default : Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark ----- MHz dBuV/m dB dBuV/m dBuV/m dB/m dB dB ce deg 1 1499.86 51.45 -22.55 74.00 45.52 32.10 5.68 33.85 124 206 Peak </pre>	<p>Left blank</p>
<p>Avg.</p>	 <pre> Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Project : 211916-01 Site : 4919 08B227012194000K Mode : Mode 5 Plane : Z with Accessory Setting : Default : Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark ----- MHz dBuV/m dB dBuV/m dBuV/m dB/m dB dB ce deg 1 2487.26 42.68 -11.48 54.00 36.82 32.87 5.66 33.95 124 206 Average </pre>	<p>Left blank</p>



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH39 2480MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 6 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1496.08</td> <td>51.77</td> <td>-22.23</td> <td>74.00</td> <td>45.04</td> <td>32.10</td> <td>5.68</td> <td>33.85</td> <td>225</td> <td>156 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1496.08	51.77	-22.23	74.00	45.04	32.10	5.68	33.85	225	156 Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 6 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>87.74</td> <td>13.74</td> <td>74.00</td> <td>81.96</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>225</td> <td>156 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	87.74	13.74	74.00	81.96	32.87	5.66	31.95	225	156 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1496.08	51.77	-22.23	74.00	45.04	32.10	5.68	33.85	225	156 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	87.74	13.74	74.00	81.96	32.87	5.66	31.95	225	156 Peak																																																						
Avg.	 <p>Date: 4 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode 6 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.44</td> <td>42.35</td> <td>-11.67</td> <td>54.00</td> <td>36.55</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>225</td> <td>156 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.44	42.35	-11.67	54.00	36.55	32.87	5.66	31.95	225	156 Average	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode 6 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>86.97</td> <td>32.97</td> <td>54.00</td> <td>81.19</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>225</td> <td>156 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.97	32.97	54.00	81.19	32.87	5.66	31.95	225	156 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.44	42.35	-11.67	54.00	36.55	32.87	5.66	31.95	225	156 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	86.97	32.97	54.00	81.19	32.87	5.66	31.95	225	156 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH39 2480MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 7 Date: 2022-05-30</p> <p>Site Condition : 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz</p> <p>Project : 211916-01 Mode : Mode 6 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1486.76</td> <td>51.31</td> <td>-22.69</td> <td>74.00</td> <td>45.53</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>120</td> <td>206 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1486.76	51.31	-22.69	74.00	45.53	32.87	5.66	31.95	120	206 Peak	<p>Date: 5 Date: 2022-05-30</p> <p>Site Condition : 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz</p> <p>Project : 211916-01 Mode : Mode 6 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>85.90</td> <td>11.90</td> <td>74.00</td> <td>88.12</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>120</td> <td>206 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	85.90	11.90	74.00	88.12	32.87	5.66	31.95	120	206 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1486.76	51.31	-22.69	74.00	45.53	32.87	5.66	31.95	120	206 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	85.90	11.90	74.00	88.12	32.87	5.66	31.95	120	206 Peak																																																						
Avg.	<p>Date: 8 Date: 2022-05-30</p> <p>Site Condition : 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.000kHz</p> <p>Project : 211916-01 Mode : Mode 6 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>42.48</td> <td>-11.52</td> <td>54.00</td> <td>36.05</td> <td>32.10</td> <td>5.68</td> <td>31.95</td> <td>120</td> <td>206 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	42.48	-11.52	54.00	36.05	32.10	5.68	31.95	120	206 Average	<p>Date: 6 Date: 2022-05-30</p> <p>Site Condition : 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.000kHz</p> <p>Project : 211916-01 Mode : Mode 6 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>84.88</td> <td>30.88</td> <td>54.00</td> <td>79.10</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>120</td> <td>206 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	84.88	30.88	54.00	79.10	32.87	5.66	31.95	120	206 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	42.48	-11.52	54.00	36.05	32.10	5.68	31.95	120	206 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	84.88	30.88	54.00	79.10	32.87	5.66	31.95	120	206 Average																																																						



2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																													
ANT	BLE CH00 2402MHz																																																													
1	Horizontal	Vertical																																																												
Peak	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 4 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>43.09</td> <td>-30.91</td> <td>74.00</td> <td>58.51</td> <td>33.00</td> <td>0.68</td> <td>57.00</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	4884.00	43.09	-30.91	74.00	58.51	33.00	0.68	57.00	... Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 4 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>42.18</td> <td>-31.82</td> <td>74.00</td> <td>57.00</td> <td>33.00</td> <td>0.68</td> <td>57.98</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	4884.00	42.18	-31.82	74.00	57.00	33.00	0.68	57.98	... Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																						
1	4884.00	43.09	-30.91	74.00	58.51	33.00	0.68	57.00	... Peak																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																						
1	4884.00	42.18	-31.82	74.00	57.00	33.00	0.68	57.98	... Peak																																																					







BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	BLE CH19 2440MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak	<p>Date: 19 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 5 SN : #19 0B2270219A000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.07</td> <td>-31.83</td> <td>74.00</td> <td>58.35</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>46.31</td> <td>-27.79</td> <td>74.00</td> <td>58.91</td> <td>35.73</td> <td>11.89</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4880.00	42.07	-31.83	74.00	58.35	33.73	8.79	57.98	...	Peak	2	7320.00	46.31	-27.79	74.00	58.91	35.73	11.89	59.52	...	Peak	<p>Date: 20 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 5 SN : #19 0B2270219A000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.34</td> <td>-31.66</td> <td>74.00</td> <td>57.72</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>46.13</td> <td>-27.87</td> <td>74.00</td> <td>58.83</td> <td>35.73</td> <td>11.89</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4880.00	42.34	-31.66	74.00	57.72	33.73	8.79	57.98	...	Peak	2	7320.00	46.13	-27.87	74.00	58.83	35.73	11.89	59.52	...	Peak
Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	4880.00	42.07	-31.83	74.00	58.35	33.73	8.79	57.98	...	Peak																																																																																
2	7320.00	46.31	-27.79	74.00	58.91	35.73	11.89	59.52	...	Peak																																																																																
Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	4880.00	42.34	-31.66	74.00	57.72	33.73	8.79	57.98	...	Peak																																																																																
2	7320.00	46.13	-27.87	74.00	58.83	35.73	11.89	59.52	...	Peak																																																																																







BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	BLE CH39 2480MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak	<p>Date: 15 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 6 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>43.18</td> <td>-39.82</td> <td>74.00</td> <td>58.37</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>46.05</td> <td>-37.85</td> <td>74.00</td> <td>59.91</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4968.00	43.18	-39.82	74.00	58.37	33.73	8.98	57.98	... Peak	2	7448.00	46.05	-37.85	74.00	59.91	35.78	11.12	59.86	... Peak	<p>Date: 16 Date: 2022-05-30</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 6 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>43.20</td> <td>-39.71</td> <td>74.00</td> <td>58.48</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>45.96</td> <td>-38.14</td> <td>74.00</td> <td>58.82</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4968.00	43.20	-39.71	74.00	58.48	33.73	8.98	57.98	... Peak	2	7448.00	45.96	-38.14	74.00	58.82	35.78	11.12	59.86	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	4968.00	43.18	-39.82	74.00	58.37	33.73	8.98	57.98	... Peak																																																																									
2	7448.00	46.05	-37.85	74.00	59.91	35.78	11.12	59.86	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	4968.00	43.20	-39.71	74.00	58.48	33.73	8.98	57.98	... Peak																																																																									
2	7448.00	45.96	-38.14	74.00	58.82	35.78	11.12	59.86	... Peak																																																																									







Bluetooth LE 2Mbps
2.4GHz 2400~2483.5MHz
BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH00 2402MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 7 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1352.68</td> <td>58.98</td> <td>-33.82</td> <td>74.00</td> <td>46.15</td> <td>31.63</td> <td>5.47</td> <td>32.27</td> <td>200</td> <td>210 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	1352.68	58.98	-33.82	74.00	46.15	31.63	5.47	32.27	200	210 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 7 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2402.00</td> <td>85.72</td> <td>32.72</td> <td>74.00</td> <td>83.73</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>200</td> <td>210 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2402.00	85.72	32.72	74.00	83.73	31.70	5.55	32.24	200	210 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	1352.68	58.98	-33.82	74.00	46.15	31.63	5.47	32.27	200	210 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1 *	2402.00	85.72	32.72	74.00	83.73	31.70	5.55	32.24	200	210 Peak																																																						
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 7 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.13</td> <td>41.35</td> <td>-12.65</td> <td>54.00</td> <td>36.35</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>200</td> <td>210 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2386.13	41.35	-12.65	54.00	36.35	31.70	5.55	32.25	200	210 Average	 <p>Date: 4 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 7 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2402.00</td> <td>84.98</td> <td>30.98</td> <td>54.00</td> <td>79.97</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>200</td> <td>210 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2402.00	84.98	30.98	54.00	79.97	31.70	5.55	32.24	200	210 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2386.13	41.35	-12.65	54.00	36.35	31.70	5.55	32.25	200	210 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1 *	2402.00	84.98	30.98	54.00	79.97	31.70	5.55	32.24	200	210 Peak																																																						





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	BLE CH00 2402MHz																																																																	
1	Vertical	Fundamental																																																																
Peak	 <p>Date: 5 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 7 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1381.02</td> <td>51.66</td> <td>-22.34</td> <td>74.00</td> <td>46.68</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>171</td> <td>147</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1381.02	51.66	-22.34	74.00	46.68	31.70	5.53	32.25	171	147	Peak	 <p>Date: 7 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 7 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>82.94</td> <td>6.94</td> <td>74.00</td> <td>77.93</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>171</td> <td>147</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	82.94	6.94	74.00	77.93	31.70	5.55	32.24	171	147	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	1381.02	51.66	-22.34	74.00	46.68	31.70	5.53	32.25	171	147	Peak																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2402.00	82.94	6.94	74.00	77.93	31.70	5.55	32.24	171	147	Peak																																																							
Avg	 <p>Date: 6 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 7 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2538.14</td> <td>41.35</td> <td>-12.65</td> <td>54.00</td> <td>36.43</td> <td>31.70</td> <td>5.49</td> <td>32.27</td> <td>171</td> <td>147</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2538.14	41.35	-12.65	54.00	36.43	31.70	5.49	32.27	171	147	Average	 <p>Date: 8 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 7 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>82.11</td> <td>28.11</td> <td>54.00</td> <td>77.10</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>171</td> <td>147</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	82.11	28.11	54.00	77.10	31.70	5.55	32.24	171	147	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2538.14	41.35	-12.65	54.00	36.43	31.70	5.49	32.27	171	147	Average																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2402.00	82.11	28.11	54.00	77.10	31.70	5.55	32.24	171	147	Peak																																																							



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
1	Horizontal	Fundamental																																																														
Peak	 <p>Site: 03CH02-SZ Condition: PEAK_BRE_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 8 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2354.88</td> <td>58.63</td> <td>-23.37</td> <td>74.00</td> <td>45.68</td> <td>31.70</td> <td>5.51</td> <td>32.25</td> <td>266</td> <td>256 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2354.88	58.63	-23.37	74.00	45.68	31.70	5.51	32.25	266	256 Peak	 <p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 8 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>85.30</td> <td>12.30</td> <td>74.00</td> <td>88.83</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>266</td> <td>256 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	85.30	12.30	74.00	88.83	32.00	5.01	32.14	266	256 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2354.88	58.63	-23.37	74.00	45.68	31.70	5.51	32.25	266	256 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	85.30	12.30	74.00	88.83	32.00	5.01	32.14	266	256 Peak																																																						
Avg.	 <p>Site: 03CH02-SZ Condition: AVG_BRE_54 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 8 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.74</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>36.59</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>266</td> <td>256 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2385.74	41.59	-12.41	54.00	36.59	31.70	5.55	32.25	266	256 Average	 <p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 8 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>84.50</td> <td>38.50</td> <td>54.00</td> <td>79.99</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>266</td> <td>256 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	84.50	38.50	54.00	79.99	32.00	5.01	32.14	266	256 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2385.74	41.59	-12.41	54.00	36.59	31.70	5.55	32.25	266	256 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	84.50	38.50	54.00	79.99	32.00	5.01	32.14	266	256 Peak																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
1	Horizontal	Fundamental
<p>Peak</p>	 <pre> Date: 5 Level (dBuV/m) Date: 2022-05-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 2430 2444 2458 2472 2486 2500 Frequency (MHz) : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode B Site : #19 08B227012194000K Plane : Z with Accessory Setting : Default Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 2448.59 51.29 -22.71 74.00 45.46 32.10 5.68 33.95 266 256 Peak </pre>	<p>Left blank</p>
<p>Avg.</p>	 <pre> Date: 6 Level (dBuV/m) Date: 2022-05-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 2430 2444 2458 2472 2486 2500 Frequency (MHz) : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Project : 211916-01 Mode : Mode B Site : #19 08B227012194000K Plane : Z with Accessory Setting : Default Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg 1 2497.34 42.62 -11.38 54.00 36.69 32.10 5.68 33.85 266 256 Average </pre>	<p>Left blank</p>







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 7 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode B Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1364.08</td> <td>51.37</td> <td>-22.63</td> <td>74.00</td> <td>46.41</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>170</td> <td>167 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1364.08	51.37	-22.63	74.00	46.41	31.70	5.53	32.25	170	167 Peak	<p>Date: 9 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode B Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>82.50</td> <td>6.50</td> <td>74.00</td> <td>77.83</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>170</td> <td>167 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	82.50	6.50	74.00	77.83	32.00	5.61	32.14	170	167 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1364.08	51.37	-22.63	74.00	46.41	31.70	5.53	32.25	170	167 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	82.50	6.50	74.00	77.83	32.00	5.61	32.14	170	167 Peak																																																						
Avg.	<p>Date: 8 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode B Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>41.59</td> <td>-12.41</td> <td>54.00</td> <td>36.66</td> <td>31.70</td> <td>5.49</td> <td>32.26</td> <td>170</td> <td>167 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	41.59	-12.41	54.00	36.66	31.70	5.49	32.26	170	167 Average	<p>Date: 10 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode B Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>81.76</td> <td>27.76</td> <td>54.00</td> <td>76.29</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>170</td> <td>167 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	81.76	27.76	54.00	76.29	32.00	5.61	32.14	170	167 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2442.00	41.59	-12.41	54.00	36.66	31.70	5.49	32.26	170	167 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	81.76	27.76	54.00	76.29	32.00	5.61	32.14	170	167 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	BLE CH19 2440MHz - R																																
1	Vertical	Fundamental																															
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 9 Site : #19 08B227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.48</td> <td>51.19</td> <td>-22.81</td> <td>74.00</td> <td>45.26</td> <td>32.30</td> <td>5.68</td> <td>33.85</td> <td>170</td> <td>167 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	2497.48	51.19	-22.81	74.00	45.26	32.30	5.68	33.85	170	167 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	2497.48	51.19	-22.81	74.00	45.26	32.30	5.68	33.85	170	167 Peak																							
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 9 Site : #19 08B227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.26</td> <td>42.55</td> <td>-11.45</td> <td>54.00</td> <td>36.62</td> <td>32.30</td> <td>5.68</td> <td>33.85</td> <td>170</td> <td>167 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	2494.26	42.55	-11.45	54.00	36.62	32.30	5.68	33.85	170	167 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																									
1	2494.26	42.55	-11.45	54.00	36.62	32.30	5.68	33.85	170	167 Average																							



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH39 2480MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	 <p>Date: 3 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 9 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.52</td> <td>52.00</td> <td>-11.92</td> <td>74.00</td> <td>46.15</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>233</td> <td>238 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2495.52	52.00	-11.92	74.00	46.15	32.10	5.68	31.85	233	238 Peak	 <p>Date: 1 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 9 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>86.83</td> <td>12.83</td> <td>74.00</td> <td>88.25</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>233</td> <td>238 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.83	12.83	74.00	88.25	32.87	5.66	31.95	233	238 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2495.52	52.00	-11.92	74.00	46.15	32.10	5.68	31.85	233	238 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	86.83	12.83	74.00	88.25	32.87	5.66	31.95	233	238 Peak																																																						
Avg.	 <p>Date: 4 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:10.000kHz Project : 211916-01 Mode : Mode 9 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.88</td> <td>42.38</td> <td>-11.78</td> <td>54.00</td> <td>36.37</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>233</td> <td>238 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2494.88	42.38	-11.78	54.00	36.37	32.10	5.68	31.85	233	238 Average	 <p>Date: 2 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:10.000kHz Project : 211916-01 Mode : Mode 9 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>84.31</td> <td>30.31</td> <td>54.00</td> <td>78.55</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>233</td> <td>238 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	84.31	30.31	54.00	78.55	32.87	5.66	31.95	233	238 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2494.88	42.38	-11.78	54.00	36.37	32.10	5.68	31.85	233	238 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	84.31	30.31	54.00	78.55	32.87	5.66	31.95	233	238 Peak																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH39 2480MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 7 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 9 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1496.08</td> <td>51.30</td> <td>-22.78</td> <td>74.00</td> <td>45.37</td> <td>32.10</td> <td>5.66</td> <td>31.95</td> <td>290</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1496.08	51.30	-22.78	74.00	45.37	32.10	5.66	31.95	290	171 Peak	<p>Date: 5 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 9 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>82.79</td> <td>6.79</td> <td>74.00</td> <td>77.81</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>290</td> <td>171 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	82.79	6.79	74.00	77.81	32.87	5.66	31.95	290	171 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1496.08	51.30	-22.78	74.00	45.37	32.10	5.66	31.95	290	171 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	82.79	6.79	74.00	77.81	32.87	5.66	31.95	290	171 Peak																																																						
Avg.	<p>Date: 8 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 9 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>42.35</td> <td>-11.67</td> <td>54.00</td> <td>36.55</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>290</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	42.35	-11.67	54.00	36.55	32.87	5.66	31.95	290	171 Average	<p>Date: 6 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 9 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>82.00</td> <td>28.00</td> <td>54.00</td> <td>76.22</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>290</td> <td>171 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	82.00	28.00	54.00	76.22	32.87	5.66	31.95	290	171 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.56	42.35	-11.67	54.00	36.55	32.87	5.66	31.95	290	171 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	82.00	28.00	54.00	76.22	32.87	5.66	31.95	290	171 Average																																																						



2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																											
ANT	BLE CH00 2402MHz																																																																											
1	Horizontal	Vertical																																																																										
Peak	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 7 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>42.42</td> <td>-31.58</td> <td>74.00</td> <td>57.04</td> <td>33.00</td> <td>0.68</td> <td>57.00</td> <td>... Peak</td> </tr> </tbody> </table>	Over	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	4884.00	42.42	-31.58	74.00	57.04	33.00	0.68	57.00	... Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 7 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>42.68</td> <td>-31.32</td> <td>74.00</td> <td>58.10</td> <td>33.00</td> <td>0.68</td> <td>57.98</td> <td>... Peak</td> </tr> </tbody> </table>	Over	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	4884.00	42.68	-31.32	74.00	58.10	33.00	0.68	57.98	... Peak
	Over	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																				
1	4884.00	42.42	-31.58	74.00	57.04	33.00	0.68	57.00	... Peak																																																																			
Over	Level	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																				
1	4884.00	42.68	-31.32	74.00	58.10	33.00	0.68	57.98	... Peak																																																																			



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	BLE CH19 2440MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak	<p>Date: 19 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode B SN : #19 0B22701219A000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>43.93</td> <td>-38.87</td> <td>74.00</td> <td>59.31</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7328.00</td> <td>45.58</td> <td>-35.58</td> <td>74.00</td> <td>58.08</td> <td>35.73</td> <td>11.89</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	43.93	-38.87	74.00	59.31	33.73	8.79	57.98	...	Peak	2	7328.00	45.58	-35.58	74.00	58.08	35.73	11.89	59.52	...	Peak	<p>Date: 20 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode B SN : #19 0B22701219A000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.22</td> <td>-31.78</td> <td>74.00</td> <td>57.68</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7328.00</td> <td>45.94</td> <td>-30.16</td> <td>74.00</td> <td>58.54</td> <td>35.73</td> <td>11.89</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	42.22	-31.78	74.00	57.68	33.73	8.79	57.98	...	Peak	2	7328.00	45.94	-30.16	74.00	58.54	35.73	11.89	59.52	...	Peak
	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4880.00	43.93	-38.87	74.00	59.31	33.73	8.79	57.98	...	Peak																																																																																
2	7328.00	45.58	-35.58	74.00	58.08	35.73	11.89	59.52	...	Peak																																																																																
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4880.00	42.22	-31.78	74.00	57.68	33.73	8.79	57.98	...	Peak																																																																																
2	7328.00	45.94	-30.16	74.00	58.54	35.73	11.89	59.52	...	Peak																																																																																



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	BLE CH39 2480MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak	<p>Date: 15 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 9 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>42.43</td> <td>-31.59</td> <td>74.00</td> <td>57.69</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>45.47</td> <td>-28.53</td> <td>74.00</td> <td>58.43</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1	4968.00	42.43	-31.59	74.00	57.69	33.73	8.98	57.98	... Peak	2	7448.00	45.47	-28.53	74.00	58.43	35.78	11.12	59.86	... Peak	<p>Date: 16 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 9 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>43.84</td> <td>-30.16</td> <td>74.00</td> <td>59.83</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>46.81</td> <td>-27.59</td> <td>74.00</td> <td>58.57</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1	4968.00	43.84	-30.16	74.00	59.83	33.73	8.98	57.98	... Peak	2	7448.00	46.81	-27.59	74.00	58.57	35.78	11.12	59.86	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																									
1	4968.00	42.43	-31.59	74.00	57.69	33.73	8.98	57.98	... Peak																																																																									
2	7448.00	45.47	-28.53	74.00	58.43	35.78	11.12	59.86	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																									
1	4968.00	43.84	-30.16	74.00	59.83	33.73	8.98	57.98	... Peak																																																																									
2	7448.00	46.81	-27.59	74.00	58.57	35.78	11.12	59.86	... Peak																																																																									




< Ant 2 >

Bluetooth LE 1Mbps





2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																									
ANT	BLE CH00 2402MHz																																																																									
2	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000.0000Hz VIEW:3000.0000Hz 211916-01 Mode : SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Residual</th> <th>Reada</th> <th>Corr</th> <th>Presu</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2394.41</td> <td>58.20</td> <td>-23.88</td> <td>74.00</td> <td>45.25</td> <td>31.70</td> <td>5.55</td> <td>32.26</td> <td>100</td> <td>147</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Residual	Reada	Corr	Presu	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg		1	2394.41	58.20	-23.88	74.00	45.25	31.70	5.55	32.26	100	147	Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RBW:1000.0000Hz VIEW:3000.0000Hz 211916-01 Mode : SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Residual</th> <th>Reada</th> <th>Corr</th> <th>Presu</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>85.55</td> <td>11.55</td> <td>74.00</td> <td>80.54</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>147</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Residual	Reada	Corr	Presu	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg		1	2482.00	85.55	11.55	74.00	80.54	31.70	5.55	32.24	100	147	Peak
Freq	Level	Limit	Over	Line	Residual	Reada	Corr	Presu	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg																																																																
1	2394.41	58.20	-23.88	74.00	45.25	31.70	5.55	32.26	100	147	Peak																																																															
Freq	Level	Limit	Over	Line	Residual	Reada	Corr	Presu	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	ca	deg																																																																
1	2482.00	85.55	11.55	74.00	80.54	31.70	5.55	32.24	100	147	Peak																																																															







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH00 2402MHz																																																															
2	Vertical	Fundamental																																																														
<p>Peak</p>	 <p>Date: 5 Level (dBuV/m) Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 28 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1346.65</td> <td>59.62</td> <td>-23.38</td> <td>74.00</td> <td>45.69</td> <td>31.70</td> <td>5.49</td> <td>32.26</td> <td>185</td> <td>207 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1346.65	59.62	-23.38	74.00	45.69	31.70	5.49	32.26	185	207 Peak	 <p>Date: 7 Level (dBuV/m) Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 28 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>87.31</td> <td>13.31</td> <td>74.00</td> <td>82.30</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>185</td> <td>207 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	87.31	13.31	74.00	82.30	31.70	5.55	32.24	185	207 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1346.65	59.62	-23.38	74.00	45.69	31.70	5.49	32.26	185	207 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2402.00	87.31	13.31	74.00	82.30	31.70	5.55	32.24	185	207 Peak																																																						
<p>Avg</p>	 <p>Date: 6 Level (dBuV/m) Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 28 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2597.57</td> <td>41.19</td> <td>-12.81</td> <td>54.00</td> <td>36.24</td> <td>31.70</td> <td>5.51</td> <td>32.26</td> <td>185</td> <td>207 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2597.57	41.19	-12.81	54.00	36.24	31.70	5.51	32.26	185	207 Average	 <p>Date: 8 Level (dBuV/m) Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 28 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>85.16</td> <td>31.16</td> <td>54.00</td> <td>80.15</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>185</td> <td>207 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	85.16	31.16	54.00	80.15	31.70	5.55	32.24	185	207 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2597.57	41.19	-12.81	54.00	36.24	31.70	5.51	32.26	185	207 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2402.00	85.16	31.16	54.00	80.15	31.70	5.55	32.24	185	207 Average																																																						







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
2	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BRE_74 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3000 0000Hz Mode: 211916-01 Mode 29 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2318.12</td> <td>58.74</td> <td>-23.26</td> <td>74.00</td> <td>45.91</td> <td>31.63</td> <td>5.47</td> <td>32.27</td> <td>180</td> <td>163 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg	1	2318.12	58.74	-23.26	74.00	45.91	31.63	5.47	32.27	180	163 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3000 0000Hz Mode: 211916-01 Mode 29 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>85.81</td> <td>12.81</td> <td>74.00</td> <td>88.54</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>180</td> <td>163 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg	1	2440.00	85.81	12.81	74.00	88.54	32.00	5.01	32.14	180	163 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg																																																							
1	2318.12	58.74	-23.26	74.00	45.91	31.63	5.47	32.27	180	163 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg																																																							
1	2440.00	85.81	12.81	74.00	88.54	32.00	5.01	32.14	180	163 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BRE_54 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3 0000Hz Mode: 211916-01 Mode 29 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.04</td> <td>41.37</td> <td>-12.63</td> <td>54.00</td> <td>36.39</td> <td>31.78</td> <td>5.33</td> <td>32.25</td> <td>180</td> <td>163 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg	1	2383.04	41.37	-12.63	54.00	36.39	31.78	5.33	32.25	180	163 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project: RSNW-1000 0000Hz VSW-3 0000Hz Mode: 211916-01 Mode 29 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>85.25</td> <td>31.25</td> <td>54.00</td> <td>79.78</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>180</td> <td>163 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg	1	2440.00	85.25	31.25	54.00	79.78	32.00	5.01	32.14	180	163 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg																																																							
1	2383.04	41.37	-12.63	54.00	36.39	31.78	5.33	32.25	180	163 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	cm	deg																																																							
1	2440.00	85.25	31.25	54.00	79.78	32.00	5.01	32.14	180	163 Average																																																						





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																															
ANT	BLE CH19 2440MHz - R																															
2	Horizontal	Fundamental																														
<p>Peak</p>	 <p>Date: 5 Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 29 Site : #19 03B227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.07</td> <td>51.44</td> <td>-22.56</td> <td>74.00</td> <td>45.66</td> <td>32.07</td> <td>5.66</td> <td>33.95</td> <td>100</td> <td>163</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg		1	2486.07	51.44	-22.56	74.00	45.66	32.07	5.66	33.95	100	163	Peak	<p>Left blank</p>
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																									
1	2486.07	51.44	-22.56	74.00	45.66	32.07	5.66	33.95	100	163	Peak																					
<p>Avg.</p>	 <p>Date: 6 Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSBW: 1000.000kHz VBW: 3.000kHz Project : 211916-01 Mode : Mode 29 Site : #19 03B227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.22</td> <td>42.16</td> <td>-11.84</td> <td>54.00</td> <td>36.33</td> <td>32.10</td> <td>5.68</td> <td>33.95</td> <td>100</td> <td>163</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg		1	2489.22	42.16	-11.84	54.00	36.33	32.10	5.68	33.95	100	163	Average	<p>Left blank</p>
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																									
1	2489.22	42.16	-11.84	54.00	36.33	32.10	5.68	33.95	100	163	Average																					



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
2	Vertical	Fundamental																																																														
<p>Peak</p>	 <p>Date: 7 Level (dBuV/m): 140, 122.5, 105.0, 87.5, 70.0, 52.5, 35.0, 17.5 Frequency (MHz): 2310, 2338, 2366, 2394, 2422, 2450</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL R0W: 1000.000kHz VBW: 3000.000kHz Project: 211916-01 Mode: Mode 29 Site: #19 080227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2317.16</td> <td>59.66</td> <td>-23.34</td> <td>74.00</td> <td>45.74</td> <td>31.70</td> <td>5.49</td> <td>32.27</td> <td>100</td> <td>231 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2317.16	59.66	-23.34	74.00	45.74	31.70	5.49	32.27	100	231 Peak	 <p>Date: 9 Level (dBuV/m): 140, 122.5, 105.0, 87.5, 70.0, 52.5, 35.0, 17.5 Frequency (MHz): 1800, 1400, 1000, 2200, 2600, 3000</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL R0W: 1000.000kHz VBW: 3000.000kHz Project: 211916-01 Mode: Mode 29 Site: #19 080227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>86.71</td> <td>12.71</td> <td>74.00</td> <td>81.24</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>231 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	86.71	12.71	74.00	81.24	32.00	5.61	32.14	100	231 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2317.16	59.66	-23.34	74.00	45.74	31.70	5.49	32.27	100	231 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	86.71	12.71	74.00	81.24	32.00	5.61	32.14	100	231 Peak																																																						
<p>Avg.</p>	 <p>Date: 8 Level (dBuV/m): 140, 122.5, 105.0, 87.5, 70.0, 52.5, 35.0, 17.5 Frequency (MHz): 2310, 2338, 2366, 2394, 2422, 2450</p> <p>Site Condition: 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL R0W: 1000.000kHz VBW: 3.000kHz Project: 211916-01 Mode: Mode 29 Site: #19 080227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2356.48</td> <td>41.39</td> <td>-12.61</td> <td>54.00</td> <td>36.44</td> <td>31.70</td> <td>5.51</td> <td>32.26</td> <td>100</td> <td>231 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2356.48	41.39	-12.61	54.00	36.44	31.70	5.51	32.26	100	231 Average	 <p>Date: 10 Level (dBuV/m): 140, 122.5, 105.0, 87.5, 70.0, 52.5, 35.0, 17.5 Frequency (MHz): 1800, 1400, 1000, 2200, 2600, 3000</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL R0W: 1000.000kHz VBW: 3.000kHz Project: 211916-01 Mode: Mode 29 Site: #19 080227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>85.89</td> <td>31.89</td> <td>54.00</td> <td>80.42</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>231 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	85.89	31.89	54.00	80.42	32.00	5.61	32.14	100	231 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2356.48	41.39	-12.61	54.00	36.44	31.70	5.51	32.26	100	231 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	85.89	31.89	54.00	80.42	32.00	5.61	32.14	100	231 Average																																																						







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	BLE CH19 2440MHz - R	
2	Vertical	Fundamental
<p>Peak</p>	 <pre> Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 29 Site : #19 080227012194000K Plane : Z with Accessory Setting : Default Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg ----- 1 2498.88 51.19 -22.81 74.00 45.26 32.10 5.68 33.85 100 231 Peak </pre>	<p>Left blank</p>
<p>Avg.</p>	 <pre> Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RBW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode 29 Site : #19 080227012194000K Plane : Z with Accessory Setting : Default Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB ce deg ----- 1 2487.75 42.52 -11.48 54.00 36.69 32.10 5.68 33.95 100 231 Average </pre>	<p>Left blank</p>



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	BLE CH39 2480MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Date: 3 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 30 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2497.96</td> <td>52.01</td> <td>-11.99</td> <td>74.00</td> <td>46.08</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>122</td> <td>157</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2497.96	52.01	-11.99	74.00	46.08	32.10	5.68	31.85	122	157	Peak	<p>Date: 1 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 30 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>86.28</td> <td>12.28</td> <td>74.00</td> <td>88.58</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>122</td> <td>157</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.28	12.28	74.00	88.58	32.87	5.66	31.95	122	157	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2497.96	52.01	-11.99	74.00	46.08	32.10	5.68	31.85	122	157	Peak																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2480.00	86.28	12.28	74.00	88.58	32.87	5.66	31.95	122	157	Peak																																																							
Avg.	<p>Date: 4 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode 30 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.52</td> <td>42.17</td> <td>-11.83</td> <td>54.00</td> <td>36.24</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>122</td> <td>157</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2492.52	42.17	-11.83	54.00	36.24	32.10	5.68	31.85	122	157	Average	<p>Date: 2 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3.000kHz Project : 211916-01 Mode : Mode 30 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>85.34</td> <td>31.34</td> <td>54.00</td> <td>79.56</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>122</td> <td>157</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	85.34	31.34	54.00	79.56	32.87	5.66	31.95	122	157	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2492.52	42.17	-11.83	54.00	36.24	32.10	5.68	31.85	122	157	Average																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2480.00	85.34	31.34	54.00	79.56	32.87	5.66	31.95	122	157	Average																																																							



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	BLE CH39 2480MHz																																																																	
2	Vertical	Fundamental																																																																
<p>Peak</p>	 <p>Date: 7 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3000.000kHz</p> <p>Project : 211916-01 Mode : Mode 30 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.08</td> <td>52.41</td> <td>-11.59</td> <td>74.00</td> <td>46.63</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>101</td> <td>208</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2485.08	52.41	-11.59	74.00	46.63	32.87	5.66	31.95	101	208	Peak	 <p>Date: 5 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3000.000kHz</p> <p>Project : 211916-01 Mode : Mode 30 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>86.47</td> <td>12.47</td> <td>74.00</td> <td>88.69</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>101</td> <td>208</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.47	12.47	74.00	88.69	32.87	5.66	31.95	101	208	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2485.08	52.41	-11.59	74.00	46.63	32.87	5.66	31.95	101	208	Peak																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2480.00	86.47	12.47	74.00	88.69	32.87	5.66	31.95	101	208	Peak																																																							
<p>Avg.</p>	 <p>Date: 8 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3.000kHz</p> <p>Project : 211916-01 Mode : Mode 30 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.68</td> <td>42.51</td> <td>-11.49</td> <td>54.00</td> <td>36.68</td> <td>32.38</td> <td>5.68</td> <td>31.95</td> <td>101</td> <td>208</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.68	42.51	-11.49	54.00	36.68	32.38	5.68	31.95	101	208	Average	 <p>Date: 6 Date: 2022-05-29</p> <p>Site Condition : 03CH02-SZ : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3.000kHz</p> <p>Project : 211916-01 Mode : Mode 30 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>84.98</td> <td>30.08</td> <td>54.00</td> <td>79.20</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>101</td> <td>208</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	84.98	30.08	54.00	79.20	32.87	5.66	31.95	101	208	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2488.68	42.51	-11.49	54.00	36.68	32.38	5.68	31.95	101	208	Average																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2480.00	84.98	30.08	54.00	79.20	32.87	5.66	31.95	101	208	Average																																																							



2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																															
ANT	BLE CH00 2402MHz																																																															
2	Horizontal	Vertical																																																														
Peak	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 28 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>42.55</td> <td>-31.45</td> <td>74.00</td> <td>57.97</td> <td>33.00</td> <td>0.68</td> <td>57.90</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4884.00	42.55	-31.45	74.00	57.97	33.00	0.68	57.90	...	Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 28 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>42.22</td> <td>-31.78</td> <td>74.00</td> <td>57.64</td> <td>33.00</td> <td>0.68</td> <td>57.90</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4884.00	42.22	-31.78	74.00	57.64	33.00	0.68	57.90	...	Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4884.00	42.55	-31.45	74.00	57.97	33.00	0.68	57.90	...	Peak																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4884.00	42.22	-31.78	74.00	57.64	33.00	0.68	57.90	...	Peak																																																						



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	BLE CH19 2440MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak	<p>Date: 19 Level (dBuV/m) Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 29 SN : #19 0B22701219A000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.99</td> <td>-31.83</td> <td>74.00</td> <td>58.37</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.00</td> <td>-33.49</td> <td>74.00</td> <td>58.38</td> <td>33.73</td> <td>11.09</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	42.99	-31.83	74.00	58.37	33.73	8.79	57.98	...	Peak	2	7320.00	45.00	-33.49	74.00	58.38	33.73	11.09	59.52	...	Peak	<p>Date: 20 Level (dBuV/m) Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 29 SN : #19 0B22701219A000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>43.26</td> <td>-30.74</td> <td>74.00</td> <td>58.64</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.00</td> <td>-33.49</td> <td>74.00</td> <td>58.38</td> <td>33.73</td> <td>11.09</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4880.00	43.26	-30.74	74.00	58.64	33.73	8.79	57.98	...	Peak	2	7320.00	45.00	-33.49	74.00	58.38	33.73	11.09	59.52	...	Peak
	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4880.00	42.99	-31.83	74.00	58.37	33.73	8.79	57.98	...	Peak																																																																																
2	7320.00	45.00	-33.49	74.00	58.38	33.73	11.09	59.52	...	Peak																																																																																
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4880.00	43.26	-30.74	74.00	58.64	33.73	8.79	57.98	...	Peak																																																																																
2	7320.00	45.00	-33.49	74.00	58.38	33.73	11.09	59.52	...	Peak																																																																																







BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	BLE CH39 2480MHz																																																																																					
2	Horizontal	Vertical																																																																																				
Peak	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 30 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>42.78</td> <td>-31.22</td> <td>74.00</td> <td>57.97</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>45.16</td> <td>-28.84</td> <td>74.00</td> <td>58.12</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4968.00	42.78	-31.22	74.00	57.97	33.73	8.98	57.98	...	Peak	2	7448.00	45.16	-28.84	74.00	58.12	35.78	11.12	59.86	...	Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 30 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>42.91</td> <td>-31.09</td> <td>74.00</td> <td>58.10</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>44.29</td> <td>-29.81</td> <td>74.00</td> <td>57.95</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4968.00	42.91	-31.09	74.00	58.10	33.73	8.98	57.98	...	Peak	2	7448.00	44.29	-29.81	74.00	57.95	35.78	11.12	59.86	...	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	4968.00	42.78	-31.22	74.00	57.97	33.73	8.98	57.98	...	Peak																																																																												
2	7448.00	45.16	-28.84	74.00	58.12	35.78	11.12	59.86	...	Peak																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	4968.00	42.91	-31.09	74.00	58.10	33.73	8.98	57.98	...	Peak																																																																												
2	7448.00	44.29	-29.81	74.00	57.95	35.78	11.12	59.86	...	Peak																																																																												



**Bluetooth LE 2Mbps
2.4GHz 2400~2483.5MHz
BLE (Band Edge @ 3m)**

BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH00 2402MHz																																																															
2	Horizontal	Fundamental																																																														
Peak	<p>Date: 1 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 31 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2356.73</td> <td>50.13</td> <td>-13.77</td> <td>74.00</td> <td>45.31</td> <td>31.70</td> <td>5.49</td> <td>32.26</td> <td>129</td> <td>100 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	2356.73	50.13	-13.77	74.00	45.31	31.70	5.49	32.26	129	100 Peak	<p>Date: 3 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 31 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>85.71</td> <td>11.71</td> <td>74.00</td> <td>80.70</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>129</td> <td>100 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	2402.00	85.71	11.71	74.00	80.70	31.70	5.55	32.24	129	100 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																								
1	2356.73	50.13	-13.77	74.00	45.31	31.70	5.49	32.26	129	100 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																								
1	2402.00	85.71	11.71	74.00	80.70	31.70	5.55	32.24	129	100 Peak																																																						
Avg.	<p>Date: 2 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 31 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2356.94</td> <td>41.36</td> <td>-12.64</td> <td>54.00</td> <td>36.41</td> <td>31.70</td> <td>5.51</td> <td>32.26</td> <td>129</td> <td>100 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	2356.94	41.36	-12.64	54.00	36.41	31.70	5.51	32.26	129	100 Average	<p>Date: 4 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 31 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>84.78</td> <td>30.78</td> <td>54.00</td> <td>79.77</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>129</td> <td>100 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	2402.00	84.78	30.78	54.00	79.77	31.70	5.55	32.24	129	100 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																								
1	2356.94	41.36	-12.64	54.00	36.41	31.70	5.51	32.26	129	100 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																								
1	2402.00	84.78	30.78	54.00	79.77	31.70	5.55	32.24	129	100 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH00 2402MHz																																																															
2	Vertical	Fundamental																																																														
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 31 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1388.15</td> <td>51.38</td> <td>-22.62</td> <td>74.00</td> <td>46.48</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1388.15	51.38	-22.62	74.00	46.48	31.70	5.53	32.25	100	201 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 31 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>86.63</td> <td>12.63</td> <td>74.00</td> <td>81.62</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>201 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	86.63	12.63	74.00	81.62	31.70	5.55	32.24	100	201 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1388.15	51.38	-22.62	74.00	46.48	31.70	5.53	32.25	100	201 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2402.00	86.63	12.63	74.00	81.62	31.70	5.55	32.24	100	201 Peak																																																						
Avg	 <p>Date: 6 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 31 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.83</td> <td>41.85</td> <td>-12.17</td> <td>54.00</td> <td>36.88</td> <td>31.70</td> <td>5.51</td> <td>32.26</td> <td>100</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2363.83	41.85	-12.17	54.00	36.88	31.70	5.51	32.26	100	201 Average	 <p>Date: 8 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 31 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>85.87</td> <td>31.87</td> <td>54.00</td> <td>80.86</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>201 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	85.87	31.87	54.00	80.86	31.70	5.55	32.24	100	201 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2363.83	41.85	-12.17	54.00	36.88	31.70	5.51	32.26	100	201 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2402.00	85.87	31.87	54.00	80.86	31.70	5.55	32.24	100	201 Average																																																						







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
2	Horizontal	Fundamental																																																														
Peak	<p>Site: 03CH02-SZ Condition: PEAK_BRE_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 32 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2394.32</td> <td>58.19</td> <td>-23.81</td> <td>74.00</td> <td>45.26</td> <td>31.78</td> <td>5.49</td> <td>32.25</td> <td>128</td> <td>158 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2394.32	58.19	-23.81	74.00	45.26	31.78	5.49	32.25	128	158 Peak	<p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 32 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>85.00</td> <td>12.00</td> <td>74.00</td> <td>88.59</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>128</td> <td>158 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	85.00	12.00	74.00	88.59	32.00	5.01	32.14	128	158 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2394.32	58.19	-23.81	74.00	45.26	31.78	5.49	32.25	128	158 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	85.00	12.00	74.00	88.59	32.00	5.01	32.14	128	158 Peak																																																						
Avg.	<p>Site: 03CH02-SZ Condition: AVG_BRE_54 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 32 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2394.32</td> <td>41.37</td> <td>-12.63</td> <td>54.00</td> <td>36.59</td> <td>31.78</td> <td>5.53</td> <td>32.25</td> <td>128</td> <td>158 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2394.32	41.37	-12.63	54.00	36.59	31.78	5.53	32.25	128	158 Average	<p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project: 211916-01 Mode: Mode 32 SN: #19 G0E227012194000K Plane: Z with Accessory setting: Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>85.26</td> <td>31.26</td> <td>54.00</td> <td>79.79</td> <td>32.00</td> <td>5.01</td> <td>32.14</td> <td>128</td> <td>158 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	85.26	31.26	54.00	79.79	32.00	5.01	32.14	128	158 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2394.32	41.37	-12.63	54.00	36.59	31.78	5.53	32.25	128	158 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	85.26	31.26	54.00	79.79	32.00	5.01	32.14	128	158 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																															
ANT	BLE CH19 2440MHz - R																															
2	Horizontal	Fundamental																														
Peak	<p> Date: 5 Date: 2022-05-29 Level (dBuV/m) Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 08022701916000K Plane : Z with Accessory setting : Default </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.99</td> <td>51.78</td> <td>-22.22</td> <td>74.00</td> <td>45.95</td> <td>32.10</td> <td>5.68</td> <td>33.95</td> <td>120</td> <td>150</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg		1	2489.99	51.78	-22.22	74.00	45.95	32.10	5.68	33.95	120	150	Peak	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																									
1	2489.99	51.78	-22.22	74.00	45.95	32.10	5.68	33.95	120	150	Peak																					
Avg.	<p> Date: 6 Date: 2022-05-29 Level (dBuV/m) Frequency (MHz) </p> <p> Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 08022701916000K Plane : Z with Accessory setting : Default </p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.92</td> <td>42.34</td> <td>-11.66</td> <td>54.00</td> <td>36.41</td> <td>32.10</td> <td>5.68</td> <td>33.85</td> <td>120</td> <td>150</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg		1	2496.92	42.34	-11.66	54.00	36.41	32.10	5.68	33.85	120	150	Average	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	deg																									
1	2496.92	42.34	-11.66	54.00	36.41	32.10	5.68	33.85	120	150	Average																					







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH19 2440MHz - L																																																															
2	Vertical	Fundamental																																																														
<p>Peak</p>	 <p>Date: 7 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 32 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.00</td> <td>59.46</td> <td>-12.54</td> <td>74.00</td> <td>45.48</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>204 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2368.00	59.46	-12.54	74.00	45.48	31.70	5.53	32.25	100	204 Peak	 <p>Date: 9 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 32 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>86.69</td> <td>12.69</td> <td>74.00</td> <td>81.22</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>204 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	86.69	12.69	74.00	81.22	32.00	5.61	32.14	100	204 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2368.00	59.46	-12.54	74.00	45.48	31.70	5.53	32.25	100	204 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	86.69	12.69	74.00	81.22	32.00	5.61	32.14	100	204 Peak																																																						
<p>Avg.</p>	 <p>Date: 8 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 32 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2362.92</td> <td>41.45</td> <td>-12.57</td> <td>54.00</td> <td>36.48</td> <td>31.70</td> <td>5.51</td> <td>32.26</td> <td>100</td> <td>204 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2362.92	41.45	-12.57	54.00	36.48	31.70	5.51	32.26	100	204 Average	 <p>Date: 10 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 32 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2440.00</td> <td>84.63</td> <td>38.63</td> <td>54.00</td> <td>79.16</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>204 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	84.63	38.63	54.00	79.16	32.00	5.61	32.14	100	204 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2362.92	41.45	-12.57	54.00	36.48	31.70	5.51	32.26	100	204 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2440.00	84.63	38.63	54.00	79.16	32.00	5.61	32.14	100	204 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT	BLE CH19 2440MHz - R																																
2	Vertical	Fundamental																															
Peak	<p>Date: 11 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.97</td> <td>59.35</td> <td>-23.65</td> <td>74.00</td> <td>44.57</td> <td>32.87</td> <td>5.66</td> <td>33.95</td> <td>100</td> <td>204 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	2483.97	59.35	-23.65	74.00	44.57	32.87	5.66	33.95	100	204 Peak	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	2483.97	59.35	-23.65	74.00	44.57	32.87	5.66	33.95	100	204 Peak																							
Avg.	<p>Date: 12 Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSBW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 02 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.38</td> <td>42.46</td> <td>-11.54</td> <td>54.00</td> <td>36.68</td> <td>32.87</td> <td>5.66</td> <td>33.95</td> <td>100</td> <td>204 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg		1	2485.38	42.46	-11.54	54.00	36.68	32.87	5.66	33.95	100	204 Average	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	ca	deg																									
1	2485.38	42.46	-11.54	54.00	36.68	32.87	5.66	33.95	100	204 Average																							



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH39 2480MHz																																																															
2	Horizontal	Fundamental																																																														
Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 33 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1499.08</td> <td>51.16</td> <td>-22.84</td> <td>74.00</td> <td>45.23</td> <td>32.10</td> <td>5.68</td> <td>33.85</td> <td>124</td> <td>156 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	1499.08	51.16	-22.84	74.00	45.23	32.10	5.68	33.85	124	156 Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 33 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>86.95</td> <td>12.05</td> <td>74.00</td> <td>88.27</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>124</td> <td>156 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.95	12.05	74.00	88.27	32.87	5.66	31.95	124	156 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	1499.08	51.16	-22.84	74.00	45.23	32.10	5.68	33.85	124	156 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	86.95	12.05	74.00	88.27	32.87	5.66	31.95	124	156 Peak																																																						
Avg.	 <p>Date: 4 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:10.000kHz Project : 211916-01 Mode : Mode 33 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.08</td> <td>42.27</td> <td>-11.73</td> <td>54.00</td> <td>36.44</td> <td>32.10</td> <td>5.68</td> <td>31.95</td> <td>124</td> <td>156 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.08	42.27	-11.73	54.00	36.44	32.10	5.68	31.95	124	156 Average	 <p>Date: 2 Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:10.000kHz Project : 211916-01 Mode : Mode 33 SN : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>85.25</td> <td>31.25</td> <td>54.00</td> <td>79.47</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>124</td> <td>156 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	85.25	31.25	54.00	79.47	32.87	5.66	31.95	124	156 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.08	42.27	-11.73	54.00	36.44	32.10	5.68	31.95	124	156 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	85.25	31.25	54.00	79.47	32.87	5.66	31.95	124	156 Average																																																						



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	BLE CH39 2480MHz																																																															
2	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 33 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.08</td> <td>51.54</td> <td>-22.46</td> <td>74.00</td> <td>45.61</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>100</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2492.08	51.54	-22.46	74.00	45.61	32.10	5.68	31.85	100	205 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 33 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>86.61</td> <td>12.61</td> <td>74.00</td> <td>80.83</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.61	12.61	74.00	80.83	32.87	5.66	31.95	100	205 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2492.08	51.54	-22.46	74.00	45.61	32.10	5.68	31.85	100	205 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	86.61	12.61	74.00	80.83	32.87	5.66	31.95	100	205 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 33 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.08</td> <td>42.35</td> <td>-11.65</td> <td>54.00</td> <td>36.42</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>100</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2499.08	42.35	-11.65	54.00	36.42	32.10	5.68	31.85	100	205 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 10.000kHz Project : 211916-01 Mode : Mode 33 Site : #19 080227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>85.88</td> <td>31.88</td> <td>54.00</td> <td>80.10</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	85.88	31.88	54.00	80.10	32.87	5.66	31.95	100	205 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2499.08	42.35	-11.65	54.00	36.42	32.10	5.68	31.85	100	205 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	85.88	31.88	54.00	80.10	32.87	5.66	31.95	100	205 Peak																																																						



2.4GHz 2400~2483.5MHz
BLE (Harmonic @ 3m)

BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																													
ANT	BLE CH00 2402MHz																																																													
2	Horizontal	Vertical																																																												
Peak	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 31 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>41.98</td> <td>-32.82</td> <td>74.00</td> <td>57.40</td> <td>33.00</td> <td>0.68</td> <td>57.90</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	4884.00	41.98	-32.82	74.00	57.40	33.00	0.68	57.90	... Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 31 SN : #19 G08227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>43.81</td> <td>-30.99</td> <td>74.00</td> <td>58.43</td> <td>33.00</td> <td>0.68</td> <td>57.90</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	4884.00	43.81	-30.99	74.00	58.43	33.00	0.68	57.90	... Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																						
1	4884.00	41.98	-32.82	74.00	57.40	33.00	0.68	57.90	... Peak																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																						
1	4884.00	43.81	-30.99	74.00	58.43	33.00	0.68	57.90	... Peak																																																					



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	BLE CH19 2440MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak	<p>Date: 19 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 32 SN : #19 0822701219400K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>41.80</td> <td>-32.12</td> <td>74.00</td> <td>57.26</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.52</td> <td>-33.88</td> <td>74.00</td> <td>58.62</td> <td>35.73</td> <td>11.89</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4880.00	41.80	-32.12	74.00	57.26	33.73	8.79	57.98	...	Peak	2	7320.00	45.52	-33.88	74.00	58.62	35.73	11.89	59.52	...	Peak	<p>Date: 20 Level (dBuV/m) Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 32 SN : #19 0822701219400K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>41.80</td> <td>-32.14</td> <td>74.00</td> <td>57.24</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.19</td> <td>-33.98</td> <td>74.00</td> <td>57.00</td> <td>35.73</td> <td>11.89</td> <td>59.52</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4880.00	41.80	-32.14	74.00	57.24	33.73	8.79	57.98	...	Peak	2	7320.00	45.19	-33.98	74.00	57.00	35.73	11.89	59.52	...	Peak
Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	4880.00	41.80	-32.12	74.00	57.26	33.73	8.79	57.98	...	Peak																																																																																
2	7320.00	45.52	-33.88	74.00	58.62	35.73	11.89	59.52	...	Peak																																																																																
Freq	Level	Limit	Line	Level	Factor	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	4880.00	41.80	-32.14	74.00	57.24	33.73	8.79	57.98	...	Peak																																																																																
2	7320.00	45.19	-33.98	74.00	57.00	35.73	11.89	59.52	...	Peak																																																																																



BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	BLE CH39 2480MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak	<p>Date: 15</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 33 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>42.96</td> <td>-31.84</td> <td>74.00</td> <td>59.15</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>44.33</td> <td>-33.47</td> <td>74.00</td> <td>57.19</td> <td>33.78</td> <td>11.12</td> <td>59.86</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4968.00	42.96	-31.84	74.00	59.15	33.73	8.98	57.98	... Peak	2	7448.00	44.33	-33.47	74.00	57.19	33.78	11.12	59.86	... Peak	<p>Date: 16</p> <p>Date: 2022-05-29</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 33 SN : #19 GB227012194000K Plane : Z with Accessory setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4968.00</td> <td>42.62</td> <td>-31.38</td> <td>74.00</td> <td>57.81</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7448.00</td> <td>44.98</td> <td>-32.12</td> <td>74.00</td> <td>57.64</td> <td>33.78</td> <td>11.12</td> <td>59.86</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4968.00	42.62	-31.38	74.00	57.81	33.73	8.98	57.98	... Peak	2	7448.00	44.98	-32.12	74.00	57.64	33.78	11.12	59.86	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4968.00	42.96	-31.84	74.00	59.15	33.73	8.98	57.98	... Peak																																																																									
2	7448.00	44.33	-33.47	74.00	57.19	33.78	11.12	59.86	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4968.00	42.62	-31.38	74.00	57.81	33.73	8.98	57.98	... Peak																																																																									
2	7448.00	44.98	-32.12	74.00	57.64	33.78	11.12	59.86	... Peak																																																																									



Emission below 1GHz
2.4GHz BLE (LF)


BLE	2.4GHz 2400~2483.5MHz																																																																																																																																																																													
ANT	BLE LF																																																																																																																																																																													
2	Horizontal	Vertical																																																																																																																																																																												
QP / Peak	<p>Date: 1 Level (dBuV/m) Date: 2022-06-08</p> <p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m LF_ANT1909_18 HORIZONTAL Project : 211916-01 Mode : Mode 5 IMEI : #19 G86227012194000K Plane : Z with Accessory Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>27.59</td><td>-12.41</td><td>40.00</td><td>53.53</td><td>24.00</td><td>0.56</td><td>31.30</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>325.00</td><td>25.79</td><td>-17.79</td><td>43.50</td><td>38.60</td><td>17.42</td><td>1.15</td><td>31.50</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>331.67</td><td>25.52</td><td>-18.48</td><td>46.00</td><td>34.77</td><td>20.17</td><td>1.92</td><td>31.34</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>590.27</td><td>26.91</td><td>-16.09</td><td>40.00</td><td>31.70</td><td>24.81</td><td>1.43</td><td>31.21</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>638.79</td><td>26.46</td><td>-16.54</td><td>46.00</td><td>29.31</td><td>25.97</td><td>1.73</td><td>31.53</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>802.03</td><td>28.15</td><td>-17.85</td><td>40.00</td><td>27.42</td><td>28.91</td><td>1.28</td><td>31.46</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	27.59	-12.41	40.00	53.53	24.00	0.56	31.30	---	Peak	2	325.00	25.79	-17.79	43.50	38.60	17.42	1.15	31.50	---	Peak	3	331.67	25.52	-18.48	46.00	34.77	20.17	1.92	31.34	---	Peak	4	590.27	26.91	-16.09	40.00	31.70	24.81	1.43	31.21	---	Peak	5	638.79	26.46	-16.54	46.00	29.31	25.97	1.73	31.53	---	Peak	6	802.03	28.15	-17.85	40.00	27.42	28.91	1.28	31.46	---	Peak	<p>Date: 2 Level (dBuV/m) Date: 2022-06-08</p> <p>Site : 03CH02-SZ Condition : FCC CLASS-B 3m LF_ANT1909_18 VERTICAL Project : 211916-01 Mode : Mode 5 IMEI : #19 G86227012194000K Plane : Z with Accessory Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>29.80</td><td>-10.20</td><td>40.00</td><td>35.74</td><td>24.00</td><td>0.56</td><td>31.30</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>330.00</td><td>27.08</td><td>-15.62</td><td>43.50</td><td>40.72</td><td>17.45</td><td>1.19</td><td>31.40</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>340.49</td><td>25.51</td><td>-18.49</td><td>46.00</td><td>37.88</td><td>17.44</td><td>1.62</td><td>31.63</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>590.66</td><td>25.13</td><td>-18.87</td><td>46.00</td><td>32.48</td><td>21.73</td><td>2.12</td><td>31.39</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>638.19</td><td>26.60</td><td>-16.40</td><td>46.00</td><td>29.16</td><td>26.14</td><td>1.75</td><td>31.45</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>812.70</td><td>29.15</td><td>-16.68</td><td>46.00</td><td>28.13</td><td>29.28</td><td>1.54</td><td>31.45</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	29.80	-10.20	40.00	35.74	24.00	0.56	31.30	---	Peak	2	330.00	27.08	-15.62	43.50	40.72	17.45	1.19	31.40	---	Peak	3	340.49	25.51	-18.49	46.00	37.88	17.44	1.62	31.63	---	Peak	4	590.66	25.13	-18.87	46.00	32.48	21.73	2.12	31.39	---	Peak	5	638.19	26.60	-16.40	46.00	29.16	26.14	1.75	31.45	---	Peak	6	812.70	29.15	-16.68	46.00	28.13	29.28	1.54	31.45	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	30.00	27.59	-12.41	40.00	53.53	24.00	0.56	31.30	---	Peak																																																																																																																																																																				
2	325.00	25.79	-17.79	43.50	38.60	17.42	1.15	31.50	---	Peak																																																																																																																																																																				
3	331.67	25.52	-18.48	46.00	34.77	20.17	1.92	31.34	---	Peak																																																																																																																																																																				
4	590.27	26.91	-16.09	40.00	31.70	24.81	1.43	31.21	---	Peak																																																																																																																																																																				
5	638.79	26.46	-16.54	46.00	29.31	25.97	1.73	31.53	---	Peak																																																																																																																																																																				
6	802.03	28.15	-17.85	40.00	27.42	28.91	1.28	31.46	---	Peak																																																																																																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	30.00	29.80	-10.20	40.00	35.74	24.00	0.56	31.30	---	Peak																																																																																																																																																																				
2	330.00	27.08	-15.62	43.50	40.72	17.45	1.19	31.40	---	Peak																																																																																																																																																																				
3	340.49	25.51	-18.49	46.00	37.88	17.44	1.62	31.63	---	Peak																																																																																																																																																																				
4	590.66	25.13	-18.87	46.00	32.48	21.73	2.12	31.39	---	Peak																																																																																																																																																																				
5	638.19	26.60	-16.40	46.00	29.16	26.14	1.75	31.45	---	Peak																																																																																																																																																																				
6	812.70	29.15	-16.68	46.00	28.13	29.28	1.54	31.45	---	Peak																																																																																																																																																																				



Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	Duty Factor (dB)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps- ANT1	61.11	2.14	0.383	2.614	3KHz
Bluetooth LE 1Mbps- ANT2	60.81	2.16	0.381	2.624	3KHz
Bluetooth LE 2Mbps- ANT1	31.25	5.05	0.196	5.111	10KHZ
Bluetooth LE 2Mbps- ANT2	31.52	5.01	0.197	5.074	10KHZ

Bluetooth LE 1Mbps- ANT1






Bluetooth LE 1Mbps- ANT2



Bluetooth LE 2Mbps- ANT1





Bluetooth LE 2Mbps- ANT2

