



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11n HT20 CH12 2467MHz																																																																	
2	Horizontal	Fundamental																																																																
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW-1000.000kHz VBW-3000.000kHz Mode : 211916-01 SN : #19-08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2464.04</td> <td>66.60</td> <td>-7.48</td> <td>74.00</td> <td>69.82</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>186</td> <td>242</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2464.04	66.60	-7.48	74.00	69.82	32.87	5.66	31.95	186	242	Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW-1000.000kHz VBW-3000.000kHz Mode : 211916-01 SN : #19-08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>99.29</td> <td>25.29</td> <td>74.00</td> <td>93.57</td> <td>32.83</td> <td>5.64</td> <td>31.95</td> <td>186</td> <td>242</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	99.29	25.29	74.00	93.57	32.83	5.64	31.95	186	242	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2464.04	66.60	-7.48	74.00	69.82	32.87	5.66	31.95	186	242	Peak																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2467.00	99.29	25.29	74.00	93.57	32.83	5.64	31.95	186	242	Peak																																																							
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW-1000.000kHz VBW-1.000kHz Mode : 211916-01 SN : #19-08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.52</td> <td>49.87</td> <td>-4.13</td> <td>54.00</td> <td>44.89</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>186</td> <td>242</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2463.52	49.87	-4.13	54.00	44.89	32.87	5.66	31.95	186	242	Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW-1000.000kHz VBW-1.000kHz Mode : 211916-01 SN : #19-08E227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>89.55</td> <td>35.55</td> <td>54.00</td> <td>85.85</td> <td>32.83</td> <td>5.64</td> <td>31.95</td> <td>186</td> <td>242</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	89.55	35.55	54.00	85.85	32.83	5.64	31.95	186	242	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2463.52	49.87	-4.13	54.00	44.89	32.87	5.66	31.95	186	242	Average																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2467.00	89.55	35.55	54.00	85.85	32.83	5.64	31.95	186	242	Average																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH12 2467MHz																																																															
2	Vertical	Fundamental																																																														
Peak	<p>Date: 7 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 47 SN : #19 080227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>78.15</td> <td>-6.55</td> <td>74.00</td> <td>61.67</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>156</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	78.15	-6.55	74.00	61.67	32.87	5.66	31.95	156	205 Peak	<p>Date: 5 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 47 SN : #19 080227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>99.46</td> <td>25.46</td> <td>74.00</td> <td>93.74</td> <td>32.83</td> <td>5.64</td> <td>31.95</td> <td>156</td> <td>205 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	99.46	25.46	74.00	93.74	32.83	5.64	31.95	156	205 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	78.15	-6.55	74.00	61.67	32.87	5.66	31.95	156	205 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	99.46	25.46	74.00	93.74	32.83	5.64	31.95	156	205 Peak																																																						
Avg.	<p>Date: 8 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:1.000kHz Project : 211916-01 Mode : Mode 47 SN : #19 080227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.52</td> <td>58.37</td> <td>-3.63</td> <td>54.00</td> <td>44.59</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>156</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2463.52	58.37	-3.63	54.00	44.59	32.87	5.66	31.95	156	205 Average	<p>Date: 6 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:1.000kHz Project : 211916-01 Mode : Mode 47 SN : #19 080227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>89.49</td> <td>35.49</td> <td>54.00</td> <td>85.77</td> <td>32.83</td> <td>5.64</td> <td>31.95</td> <td>156</td> <td>205 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	89.49	35.49	54.00	85.77	32.83	5.64	31.95	156	205 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2463.52	58.37	-3.63	54.00	44.59	32.87	5.66	31.95	156	205 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2467.00	89.49	35.49	54.00	85.77	32.83	5.64	31.95	156	205 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH13 2472MHz																																																															
2	Horizontal	Fundamental																																																														
Peak	<p>Date: 15 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.56</td> <td>65.28</td> <td>-8.72</td> <td>74.00</td> <td>59.58</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>186</td> <td>242 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.56	65.28	-8.72	74.00	59.58	32.87	5.66	31.95	186	242 Peak	<p>Date: 13 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:3000.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>96.75</td> <td>22.75</td> <td>74.00</td> <td>90.97</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>186</td> <td>242 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	96.75	22.75	74.00	90.97	32.87	5.66	31.95	186	242 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.56	65.28	-8.72	74.00	59.58	32.87	5.66	31.95	186	242 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	96.75	22.75	74.00	90.97	32.87	5.66	31.95	186	242 Peak																																																						
Avg.	<p>Date: 15 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:1.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>48.98</td> <td>-5.02</td> <td>54.00</td> <td>43.28</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>186</td> <td>242 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	48.98	-5.02	54.00	43.28	32.87	5.66	31.95	186	242 Average	<p>Date: 14 Date: 2022-05-24</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW:1000.000kHz VBW:1.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>87.26</td> <td>33.26</td> <td>54.00</td> <td>81.48</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>186</td> <td>242 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	87.26	33.26	54.00	81.48	32.87	5.66	31.95	186	242 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.52	48.98	-5.02	54.00	43.28	32.87	5.66	31.95	186	242 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	87.26	33.26	54.00	81.48	32.87	5.66	31.95	186	242 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH13 2472MHz																																																															
2	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>66.87</td> <td>-7.13</td> <td>74.00</td> <td>61.89</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>156</td> <td>214 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	66.87	-7.13	74.00	61.89	32.87	5.66	31.95	156	214 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>67.13</td> <td>23.13</td> <td>74.00</td> <td>91.35</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>156</td> <td>214 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	67.13	23.13	74.00	91.35	32.87	5.66	31.95	156	214 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	66.87	-7.13	74.00	61.89	32.87	5.66	31.95	156	214 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	67.13	23.13	74.00	91.35	32.87	5.66	31.95	156	214 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>49.91</td> <td>-4.89</td> <td>54.00</td> <td>44.13</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>156</td> <td>214 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	49.91	-4.89	54.00	44.13	32.87	5.66	31.95	156	214 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 1.000kHz Project : 211916-01 Mode : Mode 48 SN : #19 080227012194000K Plane : Z with Accessory setting : MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>67.39</td> <td>33.39</td> <td>54.00</td> <td>81.61</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>156</td> <td>214 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	67.39	33.39	54.00	81.61	32.87	5.66	31.95	156	214 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	49.91	-4.89	54.00	44.13	32.87	5.66	31.95	156	214 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	67.39	33.39	54.00	81.61	32.87	5.66	31.95	156	214 Average																																																						



d

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																									
ANT	802.11g CH01 2412MHz																																																									
2	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916 Mode : Mode 39 SN : #19 G08227012194000K Plane : Zynth Accessory Setting : 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>46.74</td> <td>-27.28</td> <td>74.00</td> <td>62.13</td> <td>33.00</td> <td>8.71</td> <td>57.90</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4824.00	46.74	-27.28	74.00	62.13	33.00	8.71	57.90	... Peak	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916 Mode : Mode 39 SN : #19 G08227012194000K Plane : Zynth Accessory Setting : 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>45.86</td> <td>-28.14</td> <td>74.00</td> <td>61.25</td> <td>33.00</td> <td>8.71</td> <td>57.90</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4824.00	45.86	-28.14	74.00	61.25	33.00	8.71	57.90	... Peak
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																		
1	4824.00	46.74	-27.28	74.00	62.13	33.00	8.71	57.90	... Peak																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																		
1	4824.00	45.86	-28.14	74.00	61.25	33.00	8.71	57.90	... Peak																																																	



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH06 2437MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 19</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916 Mode : Mode 40 SN : #19 GBEZ27012194000K Plane : Zarah Accessory setting : 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>47.04</td> <td>-20.10</td> <td>74.00</td> <td>63.22</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.37</td> <td>-20.83</td> <td>74.00</td> <td>58.83</td> <td>35.72</td> <td>11.09</td> <td>59.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	1	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1	4874.00	47.04	-20.10	74.00	63.22	33.73	8.79	57.98	...	Peak	2	7311.00	46.37	-20.83	74.00	58.83	35.72	11.09	59.47	...	Peak	<p>Date: 20</p> <p>Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916 Mode : Mode 40 SN : #19 GBEZ27012194000K Plane : Zarah Accessory setting : 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.87</td> <td>-20.13</td> <td>74.00</td> <td>60.85</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.26</td> <td>-20.74</td> <td>74.00</td> <td>57.52</td> <td>35.72</td> <td>11.09</td> <td>59.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	1	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1	4874.00	44.87	-20.13	74.00	60.85	33.73	8.79	57.98	...	Peak	2	7311.00	45.26	-20.74	74.00	57.52	35.72	11.09	59.47	...	Peak
	Peak	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																															
1	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																
1	4874.00	47.04	-20.10	74.00	63.22	33.73	8.79	57.98	...	Peak																																																																																
2	7311.00	46.37	-20.83	74.00	58.83	35.72	11.09	59.47	...	Peak																																																																																
Peak	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																																
1	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																																
1	4874.00	44.87	-20.13	74.00	60.85	33.73	8.79	57.98	...	Peak																																																																																
2	7311.00	45.26	-20.74	74.00	57.52	35.72	11.09	59.47	...	Peak																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11g CH11 2462MHz																																																																																					
2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Date: 15 Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 41 SN : #19 GB227012194000K Plane : Z with Accessory setting : 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>46.04</td> <td>-27.96</td> <td>74.00</td> <td>61.34</td> <td>33.78</td> <td>8.00</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.77</td> <td>-29.23</td> <td>74.00</td> <td>57.64</td> <td>35.76</td> <td>11.00</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1	4924.00	46.04	-27.96	74.00	61.34	33.78	8.00	57.98	...	Peak	2	7386.00	44.77	-29.23	74.00	57.64	35.76	11.00	59.71	...	Peak	<p>Date: 16 Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 41 SN : #19 GB227012194000K Plane : Z with Accessory setting : 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.93</td> <td>-29.07</td> <td>74.00</td> <td>60.23</td> <td>33.78</td> <td>8.00</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.18</td> <td>-28.82</td> <td>74.00</td> <td>58.89</td> <td>35.76</td> <td>11.00</td> <td>59.71</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg	1	4924.00	44.93	-29.07	74.00	60.23	33.78	8.00	57.98	...	Peak	2	7386.00	45.18	-28.82	74.00	58.89	35.76	11.00	59.71	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																													
1	4924.00	46.04	-27.96	74.00	61.34	33.78	8.00	57.98	...	Peak																																																																												
2	7386.00	44.77	-29.23	74.00	57.64	35.76	11.00	59.71	...	Peak																																																																												
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	cm	deg																																																																													
1	4924.00	44.93	-29.07	74.00	60.23	33.78	8.00	57.98	...	Peak																																																																												
2	7386.00	45.18	-28.82	74.00	58.89	35.76	11.00	59.71	...	Peak																																																																												



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11g CH12 2467MHz																																																																																					
2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Date: 27</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 41 SN : #19 GB227012194000K Plane : Z with Accessory setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>46.91</td> <td>-27.89</td> <td>74.00</td> <td>62.21</td> <td>33.78</td> <td>8.98</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7481.00</td> <td>45.58</td> <td>-28.98</td> <td>74.00</td> <td>58.38</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	46.91	-27.89	74.00	62.21	33.78	8.98	57.98	...	Peak	2	7481.00	45.58	-28.98	74.00	58.38	35.77	11.18	59.76	...	Peak	<p>Date: 28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 41 SN : #19 GB227012194000K Plane : Z with Accessory setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>45.93</td> <td>-28.87</td> <td>74.00</td> <td>63.23</td> <td>33.78</td> <td>8.98</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7481.00</td> <td>45.25</td> <td>-29.75</td> <td>74.00</td> <td>58.14</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	45.93	-28.87	74.00	63.23	33.78	8.98	57.98	...	Peak	2	7481.00	45.25	-29.75	74.00	58.14	35.77	11.18	59.76	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	4934.00	46.91	-27.89	74.00	62.21	33.78	8.98	57.98	...	Peak																																																																												
2	7481.00	45.58	-28.98	74.00	58.38	35.77	11.18	59.76	...	Peak																																																																												
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	4934.00	45.93	-28.87	74.00	63.23	33.78	8.98	57.98	...	Peak																																																																												
2	7481.00	45.25	-29.75	74.00	58.14	35.77	11.18	59.76	...	Peak																																																																												



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11g CH13 2472MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 27 Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 42 SN : #19 GB227012194000K Plane : Z with Accessory setting : 1M power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>45.17</td> <td>-28.83</td> <td>74.00</td> <td>69.43</td> <td>33.78</td> <td>8.34</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7436.00</td> <td>45.32</td> <td>-28.78</td> <td>74.00</td> <td>58.11</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	4944.00	45.17	-28.83	74.00	69.43	33.78	8.34	57.98	... Peak	2	7436.00	45.32	-28.78	74.00	58.11	35.77	11.18	59.76	... Peak	<p>Date: 28 Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 42 SN : #19 GB227012194000K Plane : Z with Accessory setting : 1M power setting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>44.95</td> <td>-29.05</td> <td>74.00</td> <td>69.21</td> <td>33.78</td> <td>8.34</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7436.00</td> <td>44.98</td> <td>-29.02</td> <td>74.00</td> <td>57.87</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	4944.00	44.95	-29.05	74.00	69.21	33.78	8.34	57.98	... Peak	2	7436.00	44.98	-29.02	74.00	57.87	35.77	11.18	59.76	... Peak
	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	4944.00	45.17	-28.83	74.00	69.43	33.78	8.34	57.98	... Peak																																																																									
2	7436.00	45.32	-28.78	74.00	58.11	35.77	11.18	59.76	... Peak																																																																									
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	4944.00	44.95	-29.05	74.00	69.21	33.78	8.34	57.98	... Peak																																																																									
2	7436.00	44.98	-29.02	74.00	57.87	35.77	11.18	59.76	... Peak																																																																									



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																															
ANT	802.11n HT20 CH01 2412MHz																																																																															
2	Horizontal	Vertical																																																																														
Peak Avg.	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 44 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>45.86</td> <td>-28.14</td> <td>74.00</td> <td>61.25</td> <td>33.00</td> <td>0.71</td> <td>57.00</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	dB	dB	cm	deg		1	4824.00	45.86	-28.14	74.00	61.25	33.00	0.71	57.00	Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 44 SN : #19 G08227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.73</td> <td>-29.27</td> <td>74.00</td> <td>60.12</td> <td>33.00</td> <td>0.71</td> <td>57.98</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	dB	dB	cm	deg		1	4824.00	44.73	-29.27	74.00	60.12	33.00	0.71	57.98	Peak
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Hz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																					
1	4824.00	45.86	-28.14	74.00	61.25	33.00	0.71	57.00	Peak																																																																				
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Hz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																					
1	4824.00	44.73	-29.27	74.00	60.12	33.00	0.71	57.98	Peak																																																																				



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH06 2437MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p>Date: 19</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 45 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>45.73</td> <td>-29.27</td> <td>74.00</td> <td>61.11</td> <td>33.73</td> <td>8.79</td> <td>57.99</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.09</td> <td>-27.91</td> <td>74.00</td> <td>58.15</td> <td>35.72</td> <td>11.09</td> <td>59.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table> </div> <div style="width: 45%;"> <p>Date: 20</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 45 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.84</td> <td>-29.16</td> <td>74.00</td> <td>60.22</td> <td>33.73</td> <td>8.79</td> <td>57.99</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.19</td> <td>-28.81</td> <td>74.00</td> <td>58.25</td> <td>35.72</td> <td>11.09</td> <td>59.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table> </div> </div>		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	45.73	-29.27	74.00	61.11	33.73	8.79	57.99	...	Peak	2	7311.00	46.09	-27.91	74.00	58.15	35.72	11.09	59.47	...	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	44.84	-29.16	74.00	60.22	33.73	8.79	57.99	...	Peak	2	7311.00	45.19	-28.81	74.00	58.25	35.72	11.09	59.47	...	Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4874.00	45.73	-29.27	74.00	61.11	33.73	8.79	57.99	...	Peak																																																																																
2	7311.00	46.09	-27.91	74.00	58.15	35.72	11.09	59.47	...	Peak																																																																																
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4874.00	44.84	-29.16	74.00	60.22	33.73	8.79	57.99	...	Peak																																																																																
2	7311.00	45.19	-28.81	74.00	58.25	35.72	11.09	59.47	...	Peak																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11n HT20 CH11 2462MHz																																																																																	
2	Horizontal	Vertical																																																																																
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p>Date: 15</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 47 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>46.19</td> <td>-27.81</td> <td>74.00</td> <td>61.49</td> <td>33.78</td> <td>8.00</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.09</td> <td>-29.31</td> <td>74.00</td> <td>57.56</td> <td>35.76</td> <td>11.00</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table> </div> <div style="width: 45%;"> <p>Date: 16</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 47 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.81</td> <td>-28.19</td> <td>74.00</td> <td>63.11</td> <td>33.78</td> <td>8.00</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.87</td> <td>-28.13</td> <td>74.00</td> <td>58.74</td> <td>35.76</td> <td>11.00</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table> </div> </div>		Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	4924.00	46.19	-27.81	74.00	61.49	33.78	8.00	57.98	... Peak	2	7386.00	44.09	-29.31	74.00	57.56	35.76	11.00	59.71	... Peak	Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg		1	4924.00	45.81	-28.19	74.00	63.11	33.78	8.00	57.98	... Peak	2	7386.00	45.87	-28.13	74.00	58.74	35.76	11.00	59.71	... Peak
Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	4924.00	46.19	-27.81	74.00	61.49	33.78	8.00	57.98	... Peak																																																																									
2	7386.00	44.09	-29.31	74.00	57.56	35.76	11.00	59.71	... Peak																																																																									
Freq	Level	Over	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																										
1	4924.00	45.81	-28.19	74.00	63.11	33.78	8.00	57.98	... Peak																																																																									
2	7386.00	45.87	-28.13	74.00	58.74	35.76	11.00	59.71	... Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH12 2462MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 47 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>45.26</td> <td>-28.74</td> <td>74.00</td> <td>69.56</td> <td>33.78</td> <td>8.98</td> <td>57.98</td> <td>...</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7481.00</td> <td>44.09</td> <td>-29.11</td> <td>74.00</td> <td>57.18</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>...</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4934.00	45.26	-28.74	74.00	69.56	33.78	8.98	57.98 Peak	2	7481.00	44.09	-29.11	74.00	57.18	35.77	11.18	59.76 Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2022-05-28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 47 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>44.18</td> <td>-29.82</td> <td>74.00</td> <td>59.48</td> <td>33.78</td> <td>8.98</td> <td>57.98</td> <td>...</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7481.00</td> <td>45.13</td> <td>-28.77</td> <td>74.00</td> <td>58.11</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>...</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg		1	4934.00	44.18	-29.82	74.00	59.48	33.78	8.98	57.98 Peak	2	7481.00	45.13	-28.77	74.00	58.11	35.77	11.18	59.76 Peak
	Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	4934.00	45.26	-28.74	74.00	69.56	33.78	8.98	57.98 Peak																																																																																
2	7481.00	44.09	-29.11	74.00	57.18	35.77	11.18	59.76 Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	cm	deg																																																																																	
1	4934.00	44.18	-29.82	74.00	59.48	33.78	8.98	57.98 Peak																																																																																
2	7481.00	45.13	-28.77	74.00	58.11	35.77	11.18	59.76 Peak																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11n HT20 CH13 2472MHz																																																																																					
2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Date: 27</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 211916-01 Mode : Mode 48 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>46.38</td> <td>-27.62</td> <td>74.00</td> <td>61.64</td> <td>33.78</td> <td>8.34</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7435.00</td> <td>44.95</td> <td>-29.15</td> <td>74.00</td> <td>57.74</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	46.38	-27.62	74.00	61.64	33.78	8.34	57.98	...	Peak	2	7435.00	44.95	-29.15	74.00	57.74	35.77	11.18	59.76	...	Peak	<p>Date: 28</p> <p>Date: 2022-05-31</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 211916-01 Mode : Mode 48 SN : #19 GB227012194000K Plane : Z with Accessory setting : MCS0 power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>44.91</td> <td>-29.09</td> <td>74.00</td> <td>69.17</td> <td>33.78</td> <td>8.34</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7435.00</td> <td>44.95</td> <td>-29.05</td> <td>74.00</td> <td>57.88</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	44.91	-29.09	74.00	69.17	33.78	8.34	57.98	...	Peak	2	7435.00	44.95	-29.05	74.00	57.88	35.77	11.18	59.76	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	4944.00	46.38	-27.62	74.00	61.64	33.78	8.34	57.98	...	Peak																																																																												
2	7435.00	44.95	-29.15	74.00	57.74	35.77	11.18	59.76	...	Peak																																																																												
Freq	Level	Limit	Over	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	4944.00	44.91	-29.09	74.00	69.17	33.78	8.34	57.98	...	Peak																																																																												
2	7435.00	44.95	-29.05	74.00	57.88	35.77	11.18	59.76	...	Peak																																																																												



Emission below 1GHz
2.4GHz WIFI 802.11b (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																	
ANT	802.11b LF																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																
QP / Peak	<p>Data: 1 Date: 2022-06-08</p> <p>Site: 03CH02-SZ Condition: FCC CLASS-B 3m LF35407_CBL6112D_6 Horizontal Pretest: 211916-01 Mode: Mode 35 IMEI: #19 080227012194000K Plane: Z with Accessory 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>22.61</td> <td>-17.39</td> <td>48.00</td> <td>30.12</td> <td>23.71</td> <td>0.75</td> <td>31.97</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>99.84</td> <td>27.10</td> <td>-16.40</td> <td>43.50</td> <td>49.71</td> <td>16.80</td> <td>1.31</td> <td>31.72</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>393.75</td> <td>26.17</td> <td>-10.83</td> <td>45.00</td> <td>33.20</td> <td>21.55</td> <td>2.56</td> <td>31.10</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>511.12</td> <td>27.16</td> <td>-18.84</td> <td>46.00</td> <td>31.86</td> <td>23.63</td> <td>2.90</td> <td>31.23</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>777.87</td> <td>27.93</td> <td>-18.07</td> <td>45.00</td> <td>29.54</td> <td>25.95</td> <td>3.62</td> <td>31.18</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>886.51</td> <td>29.80</td> <td>-16.20</td> <td>46.00</td> <td>30.49</td> <td>26.63</td> <td>3.85</td> <td>31.17</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	30.97	22.61	-17.39	48.00	30.12	23.71	0.75	31.97	--- Peak	2	99.84	27.10	-16.40	43.50	49.71	16.80	1.31	31.72	--- Peak	3	393.75	26.17	-10.83	45.00	33.20	21.55	2.56	31.10	--- Peak	4	511.12	27.16	-18.84	46.00	31.86	23.63	2.90	31.23	--- Peak	5	777.87	27.93	-18.07	45.00	29.54	25.95	3.62	31.18	--- Peak	6	886.51	29.80	-16.20	46.00	30.49	26.63	3.85	31.17	--- Peak	<p>Data: 2 Date: 2022-06-08</p> <p>Site: 03CH02-SZ Condition: FCC CLASS-B 3m LF35407_CBL6112D_6 Vertical Pretest: 211916-01 Mode: Mode 35 IMEI: #19 080227012194000K Plane: Z with Accessory 1M power setting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>24.84</td> <td>-15.16</td> <td>40.00</td> <td>31.77</td> <td>24.30</td> <td>0.74</td> <td>31.97</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>143.55</td> <td>29.60</td> <td>-13.82</td> <td>43.50</td> <td>42.43</td> <td>17.27</td> <td>1.50</td> <td>31.58</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>448.87</td> <td>25.26</td> <td>-20.74</td> <td>46.00</td> <td>31.25</td> <td>22.29</td> <td>2.73</td> <td>31.29</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>553.80</td> <td>25.35</td> <td>-20.65</td> <td>46.00</td> <td>29.42</td> <td>24.14</td> <td>3.80</td> <td>31.25</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>700.41</td> <td>26.65</td> <td>-19.35</td> <td>46.00</td> <td>28.51</td> <td>25.76</td> <td>3.58</td> <td>31.00</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>805.17</td> <td>28.41</td> <td>-17.59</td> <td>46.00</td> <td>29.25</td> <td>26.55</td> <td>3.81</td> <td>31.18</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg		1	30.00	24.84	-15.16	40.00	31.77	24.30	0.74	31.97	--- Peak	2	143.55	29.60	-13.82	43.50	42.43	17.27	1.50	31.58	--- Peak	3	448.87	25.26	-20.74	46.00	31.25	22.29	2.73	31.29	--- Peak	4	553.80	25.35	-20.65	46.00	29.42	24.14	3.80	31.25	--- Peak	5	700.41	26.65	-19.35	46.00	28.51	25.76	3.58	31.00	--- Peak	6	805.17	28.41	-17.59	46.00	29.25	26.55	3.81	31.18	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																																																																																										
1	30.97	22.61	-17.39	48.00	30.12	23.71	0.75	31.97	--- Peak																																																																																																																																																									
2	99.84	27.10	-16.40	43.50	49.71	16.80	1.31	31.72	--- Peak																																																																																																																																																									
3	393.75	26.17	-10.83	45.00	33.20	21.55	2.56	31.10	--- Peak																																																																																																																																																									
4	511.12	27.16	-18.84	46.00	31.86	23.63	2.90	31.23	--- Peak																																																																																																																																																									
5	777.87	27.93	-18.07	45.00	29.54	25.95	3.62	31.18	--- Peak																																																																																																																																																									
6	886.51	29.80	-16.20	46.00	30.49	26.63	3.85	31.17	--- Peak																																																																																																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																																																																																										
1	30.00	24.84	-15.16	40.00	31.77	24.30	0.74	31.97	--- Peak																																																																																																																																																									
2	143.55	29.60	-13.82	43.50	42.43	17.27	1.50	31.58	--- Peak																																																																																																																																																									
3	448.87	25.26	-20.74	46.00	31.25	22.29	2.73	31.29	--- Peak																																																																																																																																																									
4	553.80	25.35	-20.65	46.00	29.42	24.14	3.80	31.25	--- Peak																																																																																																																																																									
5	700.41	26.65	-19.35	46.00	28.51	25.76	3.58	31.00	--- Peak																																																																																																																																																									
6	805.17	28.41	-17.59	46.00	29.25	26.55	3.81	31.18	--- Peak																																																																																																																																																									




Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	Duty Factor (dB)	T(ms)	1/T(kHz)	VBW Setting
802.11b- ANT1	99.14	-	-	-	10Hz
802.11b- ANT2	99.14	-	-	-	10Hz
802.11g- ANT1	96.97	0.13	1.391	0.719	1KHz
802.11g- ANT2	96.97	0.13	1.391	0.719	1KHz
802.11n HT20- ANT1	96.74	0.14	1.290	0.775	1KHz
802.11n HT20- ANT2	96.74	0.14	1.290	0.775	1KHz



802.11b- ANT1




802.11b- ANT2






802.11g- ANT1




802.11g- ANT2





802.11n HT20- ANT1



802.11n HT20- ANT2

